

```

Last login: Tue Jun 2 20:05:29 on ttys002
adityadave@Adityas-MacBook-Air-3 ~ % psql -q postgres
postgres=# \c tpch
tpch=# SET ROLE alice;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT

```

```

:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

```

WARNING: ===== ANALYZED QUERY =====:

```

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

```

tpch=> EXPLAIN (ANALYZE, VERBOSE, BUFFERS)

```

```

SELECT
  o_orderpriority,
  COUNT(*) AS order_count
FROM orders_secure
WHERE o_orderdate >= DATE '1994-01-01'
AND o_orderdate < DATE '1994-01-01' + INTERVAL '3' MONTH
AND EXISTS (
  SELECT 1
  FROM lineitem
  WHERE l_orderkey = o_orderkey
  AND l_commitdate < l_receiptdate
)

```

```

GROUP BY o_orderpriority
ORDER BY o_orderpriority;
WARNING: ===== RAW PARSE TREE =====:

```

```

DETAIL:      {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF

```

```

        :fields ("o_orderpriority")
        :location 47
    }
}
:location 47
}
{RESTARTGET
:name order_count
:indirection <>
:val
{FUNCCALL
:funcname ("count")
:args <>
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star true
:agg_distinct false
:func_variadic false
:funcformat 0
:location 68
}
:location 68
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistance p
:alias <>
:location 97
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 117
}
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1994-01-01"
:location 137
}
:typeName
{TYPPNAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 132
}
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 129
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 156
}
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\1994-01-01"
:location 175
}
:typeName
{TYPPNAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 170
}
}
:location -1
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\3"
:location 199
}
:typeName
{TYPPNAME
:names ("pg_catalog" "interval")
:typeOid 0
:setof false
:pct_type false
:typmods (

```

```

        {A_CONST
        :val 2
        :location 203
        }
    )
    :typemod -1
    :arrayBounds <>
    :location 190
    }
    :location -1
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 188
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 168
    }
    {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {SELECTSTMT
    :distinctClause <>
    :intoClause <>
    :targetList (
    {RESTARGET
    :name <>
    :indirection <>
    :val
    {A_CONST
    :val 1
    :location 239
    }
    :location 239
    }
    )
    :fromClause (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 254
    }
    )
    :whereClause
    {BOOLEXP
    :boolop and
    :args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("l_orderkey")
    :location 277
    }
    :rexpr
    {COLUMNREF
    :fields ("o_orderkey")
    :location 290
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 288
    }
    {A_EXPR
    :name ("<")
    :lexpr
    {COLUMNREF
    :fields ("l_commitdate")
    :location 315
    }
    :rexpr
    {COLUMNREF
    :fields ("l_receiptdate")
    :location 330
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 328
    }
    )
    :location 311
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 215
    }
    )
    :location 152
    }
    :groupClause (
    {COLUMNREF
    :fields ("o_orderpriority")
    :location 357

```

```

    }
  )
  :groupDistinct false
  :havingClause <>
  :windowClause <>
  :valuesLists <>
  :sortClause (
    {SORTBY
      :node
      {COLUMNREF
        :fields ("o_orderpriority")
        :location 382
      }
      :sortby_dir 0
      :sortby_nulls 0
      :useOp <>
      :location -1
    }
  )
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :lockingClause <>
  :withClause <>
  :op 0
  :all false
  :larg <>
  :rarg <>
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)
}
:stmt_location 0
:stmt_len 397
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname orders_secure
      :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
    }
    :rtekind 0
    :relid 16602
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname *GROUP*
      :colnames ("o_orderpriority")
    }
    :rtekind 9
  }
  :groupexprs (
    {VAR
      :varno 1
    }
  )
}
}
}

```



```

        :varattno 6
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 47
    }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16602
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 12 13)
    :insertedCols (b)
    :updatedCols (b)
    }
)
):jointree
    {FROMEXPR
    :fromlist (
        {RANGETBLREF
        :rtindex 1
        }
    )
    :quals
    {BOOLEXP
    :boolop and
    :args (
        {OPEXP
        :opno 1098
        :opfuncid 1090
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno 1
            :varattno 5
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location 117
            }
            {CONST
            :consttype 1082
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 137
            :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
            }
        )
        :location 129
    }
    {OPEXP
    :opno 2345
    :opfuncid 2338
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 1
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 156
        }
        {OPEXP
        :opno 1076
        :opfuncid 2071
        :opresulttype 1114
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 1082
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 175
            :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
            }
            {CONST
            :consttype 1186
            :consttypmod 196607

```

```

        :constcollid 0
        :constlen 16
        :constbyval false
        :constisnull false
        :location 199
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
    }
}
:location 188
}
)
:location 168
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_
linenumber" "l_quantity" "l_extendedprice" "l_disco
unt" "l_tax" "l_returnflag" "l_linestatus" "l_shipd
ate" "l_commitdate" "l_receiptdate" "l_shipinstruct
" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 19 20)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 277
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1

```

```

        :location 290
    }
)
:location 288
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 12
    :location 315
    }
    {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 330
    }
    )
:location 328
}
)
:location 311
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 239
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 215
}
)
:location 152
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1

```

```

        :location -1
    }
    :resno 1
    :resname o_orderpriority
    :ressortgroupref 1
    :resorigtbl 16602
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 68
    }
    :resno 2
    :resname order_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    )
    :options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
    )
    )
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false

```

```

:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 397
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname orders_secure
  :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")}
  :rtekind 0
  :relid 16602
  :inh true
  :relkind v
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname *GROUP*
  :colnames ("o_orderpriority")}
  }
  :rtekind 9
:groupexprs (
  {VAR
  :varno 1
  :varattno 6
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 6
  :location 47
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16602
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 12 13)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF

```

```

:rtindex 1
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 117
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 137
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 129
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 156
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 175
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 199
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 188
}
)
:location 168
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 19 20)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 277
          }
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 290
          }
        )
      }
      :location 288
    )
  }
  {OPEXP
    :opno 1095
    :opfuncid 1087
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 12
        :location 315
      }
      {VAR
        :varno 1
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
      }
    )
  }

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location 330
    }
}
    )
    :location 328
}
)
:location 311
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 239
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 215
}
)
:location 152
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname o_orderpriority
    :ressortgrouppref 1
    :resorigtbl 16602
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 68

```



```

    }
    :resno 2
    :resname order_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders_secure
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 1
  }
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
  }
}
)
}

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1

```

```

        :location -1
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    )
    :location -1
    }
    {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -120 19 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :location -1

```

```

    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16602
:inh false

```

```

:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16602
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 117
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 137
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
}
:location 129
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 156
}
{OPEXP
:opno 1076
:opfuncid 2071

```

```

:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 175
    :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
  }
  {CONST
    :consttype 1186
    :consttypmod 196607
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 199
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
  }
)
:location 188
}
}
:location 168
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBLENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname lineitem
            :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
          }
      :rtekind 0
      :relid 16566
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    )
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 19 20)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
  :quals
    {BOOLEXP
      :boolop and
      :args (
        {OEXPR
          :opno 96
          :opfuncid 65
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 1
              :vartype 23
              :vartypmod -1
              :varcollid 0
            }
          )
        }
      )
    }
  }

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 277
    }
    {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 290
    }
    )
    :location 288
}
{OPEXPR
    :opno 1095
    :opfuncid 1087
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
            :varno 1
            :varattno 12
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 12
            :location 315
        }
        {VAR
            :varno 1
            :varattno 13
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 13
            :location 330
        }
    )
    :location 328
}
    )
    :location 311
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 239
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 215
}
)
:location 152
}

```



```

    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname o_orderpriority
    :ressortgroupref 1
    :resorigtbl 16602
    :resorigcol 6
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2803
      :aggtype 20
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes <>
      :aggdirectargs <>
      :args <>
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar true
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggssplit 0
      :aggno -1
      :aggtransno -1
      :location 68
    }
    :resno 2
    :resname order_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders_secure
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
      }
    :rtable (
      {RANGETBLENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname orders
            :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
          }
        :rtekind 0
        :relid 16561
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 16561
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9 10 11 12 13 14 15 16)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTRY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname c
                :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
              }
            :rtekind 0
            :relid 16546
            :inh true
          }
        )
      }
    }
  }

```

```

:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -120 19 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)

```

```

        :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname o_orderkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname o_custkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
}

```

```

:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16602
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16602
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{BOOLEXPRESS
:boolop and
:args (
{OPEXPRESS
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 117
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 137
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 129
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 156
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 175
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 199
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
}
)
:location 188
}
)
:location 168
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen

```

```

        t")
    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 19 20)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location 277
        }
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 1
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location 290
        }
      )
    }
    :location 288
  }
  {OPEXP
    :opno 1095
    :opfuncid 1087
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 12
        :location 315
      }
      {VAR
        :varno 1
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location 330
      }
    )
  }
  :location 328
}
:location 311
}
}
:mergeActionList <>

```



```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 239
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 215
}
)
:location 152
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname o_orderpriority
    :ressortgrouppref 1
    :resorigtbl 16602
    :resorigcol 6
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2803
      :aggtype 20
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes <>
      :aggdirectargs <>
      :args <>
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar true
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggssplit 0
      :aggno -1
      :aggtransno -1
      :location 68
    }
    :resno 2
    :resname order_count
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (

```

```

{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 194594.51589866364
:plan.total_cost 194617.5859964136
:plan.plan_rows 5
:plan.plan_width 17
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname o_orderpriority
:ressortgroupref 1
:resorigtbl 16602
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 0
:aggtransno 0
:location 68
}
}
}

```

```

    }
:resno 2
:resname order_count
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHERMERGE
:plan.disabled_nodes 0
:plan.startup_cost 194594.51589866364
:plan.total_cost 194617.47599641362
:plan.plan_rows 12
:plan.plan_width 17
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 193594.49212422612
:plan.total_cost 193616.06712422607
:plan.plan_rows 5
:plan.plan_width 17
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>

```

```

:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 6
:aggno 0
:aggtransno 0
:location 68
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 193594.49212422612
:plan.total_cost 193601.6671242261
:plan.plan_rows 2870
:plan.plan_width 9
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 154455.46666666667
:join.plan.total_cost 193429.6560416667
:join.plan.plan_rows 2870
:join.plan.plan_width 9
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4806.4125
:join.plan.total_cost 40362.284374999996
:join.plan.plan_rows 10210
:join.plan.plan_width 13
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 5
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 4
        :varattnosyn 6
        :location -1
    }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 35383
:scan.plan.plan_rows 22585
:scan.plan.plan_width 17
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 9
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 9
        :location -1
    }
    :resno 9
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 137
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 129
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 32 105 23 -25 90 -1 -1 ]
}
)
:location 168
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4453.25
:plan.total_cost 4453.25
:plan.plan_rows 28253
:plan.plan_width 4
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 7
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4453.25
:scan.plan.plan_rows 28253
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 8
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 -120 -77 64 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 67807.2

```



```

    }
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
  )
  :location -1
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
  :varno -2
  :varattno 2
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 2
  :location -1
  }
)
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 135974.79166666666
:plan.total_cost 135974.79166666666
:plan.plan_rows 833461
:plan.plan_width 4
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 9
:plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR
  :varno -2
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 135974.79166666666
:scan.plan.plan_rows 833461
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR

```

```

        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 277
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location 315
}
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location 330
}
)
:location 328
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 277
}
)
:skewTable 16561
:skewColumn 1
:skewInherit false
:rows_total 2000306.4
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4

```

```

        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 277
    }
    }
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 1
:aggssplit 6
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 5
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 9
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 5
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
Finalize GroupAggregate (cost=194594.52..194617.59 rows=5 width=17) (actual time=1472.182..1494.702 rows=5.00 loops=1)
  Output: orders.o_orderpriority, count(*)
  Group Key: orders.o_orderpriority
  Buffers: shared hit=4628 read=129788, temp read=20134 written=20552
->  Gather Merge (cost=194594.52..194617.48 rows=12 width=17) (actual time=1472.021..1494.688 rows=15.00 loops=1)
    Output: orders.o_orderpriority, (PARTIAL count(*))
    Workers Planned: 2
    Workers Launched: 2
    Buffers: shared hit=4628 read=129788, temp read=20134 written=20552
->  Partial GroupAggregate (cost=193594.49..193616.07 rows=5 width=17) (actual time=1466.190..1466.852 rows=5.00 loops=3)
    Output: orders.o_orderpriority, PARTIAL count(*)
    Group Key: orders.o_orderpriority
    Buffers: shared hit=4628 read=129788, temp read=20134 written=20552
    Worker 0:  actual time=1463.738..1464.386 rows=5.00 loops=1
      Buffers: shared hit=1540 read=43176, temp read=6796 written=6900
    Worker 1:  actual time=1463.801..1464.477 rows=5.00 loops=1
      Buffers: shared hit=1549 read=43074, temp read=6814 written=6872

```

```

-> Sort (cost=193594.49..193601.67 rows=2870 width=9) (actual time=1466.017..1466.335 rows=7772.33 loops=3)
  Output: orders.o_orderpriority
  Sort Key: orders.o_orderpriority
  Sort Method: quicksort Memory: 193kB
  Buffers: shared hit=4628 read=129788, temp read=20134 written=20552
  Worker 0: actual time=1463.557..1463.874 rows=7962.00 loops=1
    Sort Method: quicksort Memory: 193kB
    Buffers: shared hit=1540 read=43176, temp read=6796 written=6900
  Worker 1: actual time=1463.616..1463.947 rows=8284.00 loops=1
    Sort Method: quicksort Memory: 385kB
    Buffers: shared hit=1549 read=43074, temp read=6814 written=6872
-> Parallel Hash Semi Join (cost=154455.47..193429.66 rows=2870 width=9) (actual time=1330.852..1463.568 rows=7772.33 loops=3)
  Output: orders.o_orderpriority
  Hash Cond: (orders.o_orderkey = lineitem.l_orderkey)
  Buffers: shared hit=4612 read=129788, temp read=20134 written=20552
  Worker 0: actual time=1334.138..1461.163 rows=7962.00 loops=1
    Buffers: shared hit=1532 read=43176, temp read=6796 written=6900
  Worker 1: actual time=1318.712..1461.301 rows=8284.00 loops=1
    Buffers: shared hit=1541 read=43074, temp read=6814 written=6872
-> Parallel Hash Semi Join (cost=4806.41..40362.28 rows=10210 width=13) (actual time=20.894..170.633 rows=8461.00 loops=3)
  Output: orders.o_orderpriority, orders.o_orderkey
  Hash Cond: (orders.o_custkey = c.c_custkey)
  Buffers: shared hit=4142 read=25538
  Worker 0: actual time=20.804..170.619 rows=8360.00 loops=1
    Buffers: shared hit=1372 read=8484
  Worker 1: actual time=21.083..170.698 rows=8545.00 loops=1
    Buffers: shared hit=1389 read=8494
-> Parallel Seq Scan on public.orders (cost=0.00..35383.00 rows=22585 width=17) (actual time=0.755..142.466 rows=18783.00
loops=3)
  Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orders.o_o
rderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
  Filter: ((orders.o_orderdate >= '1994-01-01'::date) AND (orders.o_orderdate < '1994-04-01 00:00:00'::timestamp without
time zone))
  Rows Removed by Filter: 481217
  Buffers: shared hit=470 read=25538
  Worker 0: actual time=0.739..142.475 rows=18726.00 loops=1
    Buffers: shared hit=150 read=8484
  Worker 1: actual time=0.808..142.531 rows=18645.00 loops=1
    Buffers: shared hit=164 read=8494
-> Parallel Hash (cost=4453.25..4453.25 rows=28253 width=4) (actual time=19.922..19.922 rows=22663.00 loops=3)
  Output: c.c_custkey
  Buckets: 131072 Batches: 1 Memory Usage: 3712kB
  Buffers: shared hit=3672
  Worker 0: actual time=19.732..19.733 rows=22664.00 loops=1
    Buffers: shared hit=1222
  Worker 1: actual time=20.011..20.011 rows=22671.00 loops=1
    Buffers: shared hit=1225
-> Parallel Seq Scan on public.customer c (cost=0.00..4453.25 rows=28253 width=4) (actual time=0.031..15.218 rows=22
663.00 loops=3)
  Output: c.c_custkey
  Filter: (c.c_acctbal > '5000'::double precision)
  Rows Removed by Filter: 27337
  Buffers: shared hit=3672
  Worker 0: actual time=0.035..15.278 rows=22664.00 loops=1
    Buffers: shared hit=1222
  Worker 1: actual time=0.022..15.214 rows=22671.00 loops=1
    Buffers: shared hit=1225
-> Parallel Hash (cost=135974.79..135974.79 rows=833461 width=4) (actual time=1135.342..1135.342 rows=1264432.00 loops=3)
  Output: lineitem.l_orderkey
  Buckets: 262144 (originally 262144) Batches: 32 (originally 16) Memory Usage: 6752kB
  Buffers: shared hit=470 read=104250, temp read=9125 written=20168
  Worker 0: actual time=1133.282..1133.283 rows=1262530.00 loops=1
    Buffers: shared hit=160 read=34692, temp read=3099 written=6772
  Worker 1: actual time=1133.313..1133.313 rows=1258432.00 loops=1
    Buffers: shared hit=152 read=34580, temp read=3070 written=6744
-> Parallel Seq Scan on public.lineitem (cost=0.00..135974.79 rows=833461 width=4) (actual time=0.524..610.725 rows=126443
2.00 loops=3)
  Output: lineitem.l_orderkey
  Filter: (lineitem.l_commitdate < lineitem.l_receiptdate)
  Rows Removed by Filter: 735973
  Buffers: shared hit=470 read=104250
  Worker 0: actual time=0.498..614.480 rows=1262530.00 loops=1
    Buffers: shared hit=160 read=34692
  Worker 1: actual time=0.378..611.863 rows=1258432.00 loops=1
    Buffers: shared hit=152 read=34580

Planning:
  Buffers: shared hit=232
  Planning Time: 6.941 ms
  Execution Time: 1495.683 ms
(91 rows)

tpch=> DO $$
DECLARE
  r RECORD;
BEGIN
  FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
  LOOP
    EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
  END LOOP;
END;
$$;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
  :stmt
    {DOSTMT
      :args (
        {DEFELEM
          :defnamespace <>
          :defname as
          :arg ""\
        }
      )
    }
  }
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
\ \ \ \ \ \ \ \ polycyname\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
\ \ \ \ \ \ \ \ public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ \ \ \ \ \ \ \ \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\)\
\ \ \ \ \ \ \ \ ;\
\ \ \ \ END\ LOOP;\
END;\
"

:defaction 0
:location 3

```

```

    }
  }
}
:stmt_location 0
:stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
:defaction 0
:location 3
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

```

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:reldid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>

```

[illegible]

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relrepident
" "relispartition" "relrewrite" "relfrozensid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}

```



```

{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8

```

```

:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>

```

```

:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistenc
e" "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2

```

```

:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}

```

```

{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24

```



```

:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false

```

```

:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
})
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
})
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
})
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
})
)
:location -1
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 25
:typeMod -1
:collation 0
})
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY

```

```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_authid
        :colnames ("oid" "rolname" "rolsuper" "rolinherit"
          "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
            lication" "rolbypassrsls" "rolconlimit" "rolpasswor
              d" "rolvaliduntil")
        }
      :rtekind 0
      :relid 1260
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  )
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SCALARARRAYOPEXPR
    :opno 607
    :opfuncid 184
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
      }
    )
    :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    }
  )

```

```

        }
        :resno 1
        :resname rolname
        :ressortgroupref 1
        :resorigtbl 1260
        :resorigcol 2
        :resjunk false
    }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:varatype 18
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
}
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR

```

```

:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false

```



```

        :location -1
        :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY

```

```

:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:varatype 194
:varitypmode -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 26
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:ReturningOldAlias <>
:ReturningNewAlias <>
:ReturningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:varatype 19
:varitypmode -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0

```



```

:alias <>
:eref
{
  ALIAS
  :aliasname pg_policies
  :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
    "cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{
  QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks true
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {
    ALIAS
    :aliasname pol
    :colnames <>
  }
  :eref
  {
    ALIAS
    :aliasname pol
    :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
      "polroles" "polqual" "polwithcheck")
  }
  :rtekind 0
  :relid 3256
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
}
  {RANGETBENTRY
  :alias
  {
    ALIAS
    :aliasname c
    :colnames <>
  }
  :eref
  {
    ALIAS
    :aliasname c
    :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
      "relowner" "relam" "relfilenode" "reltablespace" "relpages" "reltuples"
      "relallvisible" "relallfrozen" "reltoastrelid" "relhasindex" "relisshared"
      "relpersistence" "relkind" "relnatts" "relchecks" "relhasrules"
      "relhastriggers" "relhassubclass" "relrowsecurity" "relforcerowsecurity"
      "relispopulated" "relreplident" "relispartition" "relrewrite"
      "relfrozensxid" "relminmxid" "relacl" "reloptions" "relpartbound")
  }
  :rtekind 0
  :relid 1259
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 2
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
}
  {RANGETBENTRY
  :alias <>
  :eref
  {
    ALIAS
    :aliasname unnamed_join
    :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
      "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespace"
      "reltype" "reloftype" "relowner" "relam" "relfilenode" "reltablespace"
      "relpages" "reltuples" "relallvisible" "relallfrozen" "reltoastrelid"
      "relhasindex" "relisshared" "relpersistence" "relkind" "relnatts"
      "relchecks" "relhasrules" "relhastriggers" "relhassubclass"
      "relrowsecurity" "relforcerowsecurity" "relispopulated" "relreplident"
      "relispartition" "relrewrite" "relfrozensxid" "relminmxid" "relacl"
      "reloptions" "relpartbound")
  }
  :rtekind 2
  :jointype 0
  :joinmergedcols 0
  :joinaliasvars (
    {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 2
  }
  )
}

```

```

:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR

```

```

:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```



```

:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")}
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid

```

```

    "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
  {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
  {VAR
    :varno 1
    :varattno 4
    :vartype 18
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
  }
  {VAR
    :varno 1
    :varattno 5
    :vartype 16
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location -1
  }
  {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {VAR
    :varno 1
    :varattno 7
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
  }
  {VAR
    :varno 1
    :varattno 8
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location -1
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 26
    :vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR

```

```

:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4

```

```

:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr

```



```

{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1

```

```

        0 0 0 1 0 0 0 0 0 0 ]
    }
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:default
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
}

```

```

:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 1260
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {SCALARARRAYOPEXPR
  :opno 607
  :opfuncid 184
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
  )
  :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname rolname
  :ressortgroupref 1
  :resorigtbl 1260
  :resorigcol 2
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 93
  :sortop 660
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}

```

```

        :location -1
    }
    :location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:varatype 18
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
}
{CASEWHEN
:expr

```

```

{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
  {CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
  {CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
  {CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

        :constisnull false
        :location -1
        :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
}
)
:defaultresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8

```



```

:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 2.9850000000000003
:join.plan.total_cost 23.663875
:join.plan.plan_rows 10
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 1.9225

```



```

:join.plan.total_cost 22.3825
:join.plan.plan_rows 41
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 1
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.4
:scan.plan.plan_rows 440
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 2

```

```

:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location -1
    }
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}

```

```

:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 28
        :location -1
    }
:resno 28
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 29
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 29
        :location -1
    }
:resno 29
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 30
        :vartype 28
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 30
        :location -1
    }
:resno 30
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 31
        :vartype 28
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 31
        :location -1
    }
:resno 31
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 32
        :vartype 1034
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 32
        :location -1
    }
:resno 32
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 33
        :vartype 1009
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 33
    }

```

```

        :location -1
    }
    :resno 33
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 34
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 34
    :location -1
    }
    :resno 34
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 3
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 1.4100000000000001
    :plan.total_cost 1.4100000000000001
    :plan.plan_rows 41
    :plan.plan_width 68
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 3
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree
    {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 1.4100000000000001
    :scan.plan.plan_rows 41
    :scan.plan.plan_width 68
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 4
    :scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2

```



```

        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 2
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :skewTable 1259
    :skewColumn 1
    :skewInherit false
    :rows_total 0
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b)
    :join.plan.allParam (b)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual <>
    :hashclauses (
    {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno -1
    :varattno 2
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    )
    :location -1

```

```

    }
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
)
)
:join.plan.righttree
{HASH
  :plan.disabled_nodes 0
  :plan.startup_cost 1.05
  :plan.total_cost 1.05
  :plan.plan_rows 1
  :plan.plan_width 4
  :plan.parallel_aware false
  :plan.parallel_safe false
  :plan.async_capable false
  :plan.plan_node_id 5
  :plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  )
  :plan.qual <>
  :plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 1.05
    :scan.plan.plan_rows 1
    :scan.plan.plan_width 4
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 6
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
        {VAR
          :varno 5
          :varattno 1
          :vartype 26
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 5
          :varattnosyn 1
          :location -1
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  )
  :scan.plan.qual (
    {OEXPR
      :opno 93
      :opfuncid 62
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 950
      :args (
        {VAR
          :varno 5
          :varattno 2
          :vartype 19
          :vartypmod -1
          :varcollid 950
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 5
          :varattnosyn 2
          :location -1
        }
        {CONST
          :consttype 19

```



```

ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

ERROR: must be owner of table lineitem

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT

```

```

:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}
}

```

ERROR: must be owner of table orders

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
}
}
}

```

```

        :relpersistence p
        :alias <>
        :location 12
    }
    :cmds (
        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
    )
    :objtype 41
    :missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
}

```

ERROR: must be owner of table customer

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD

```

```

        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

ERROR: must be owner of table supplier

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0

```

```

        :missing_ok false
        :recurse false
    }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

ERROR: must be owner of table part

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}

```



```

    }
    :stmt_location 0
    :stmt_len 47
  }

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

ERROR: must be owner of table partsupp
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 45
}

WARNING: ===== ANALYZED QUERY =====

```

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

ERROR: must be owner of table nation

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnam region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT

```

```

:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

ERROR: must be owner of table region

tpch=> RESET ROLE:

tpch-> ^C

tpch=> RESET ROLE:

tpch-> ^C

tpch=> RESET ROLE;

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
}

```

```

:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

tpch=# DO $$
DECLARE
  r RECORD;
BEGIN
  FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
  LOOP
    EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
  END LOOP;
END;
$$;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {DOSTMT
  :args (
    {DEFELEM
    :defnamespace <>
    :defname as
    :arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
  :defaction 0
  :location 3
  }
  )
  }
:stmt_location 0
:stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DOSTMT
  :args (
    {DEFELEM
    :defnamespace <>
    :defname as
    :arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
  :defaction 0
  :location 3
  }
  )
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>

```

```

:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
}
}
}
}

```



```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname pol
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname pol
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck")
      }
    :rtekind 0
    :relid 3256
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
          "relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
          eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relh
          aindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
          lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
          wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
          " "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
          lacl" "reloptions" "relpartbound")
      }
    :rtekind 0
    :relid 1259
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
          ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
          tablespace" "relpages" "reltuples" "relallvisible" "relallfroz
          e" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
          "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
          " "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
          spopulated" "relreplident" "relispartition" "relrewrite" "relfr
          ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    )
  }
)

```

```

{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3

```



```

:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reld 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreld" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2

```

```

:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}

```

```

{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19

```

```

:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
)
)

```

```

        :location -1
    }
    :alias <>
    :rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394

```

```

:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 4 [ 16 0 0 0 ]
  }
)
:location -1
}
:elemexpr
{FUNCEXP
  :funcid 407
  :funcresulttype 19
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 950
  :inputcollid 0
  :args (
    {CASETESTEXP
      :typeid 25
      :typmod -1
      :collation 0
    }
  )
  :location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
  :subLinkType 6
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBLENTRY
          :alias <>
          :eref
            {ALIAS
              :aliasname pg_authid
              :colnames ("oid" "rolname" "rolsuper" "rolinherit"
                "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
                  lication" "rolbypassrils" "rolconlimit" "rolpasswor
                    d" "rolvaliduntil")
            }
          :rtekind 0
          :relid 1260
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 1260
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
}

```

```

)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{SCALARARRAYOPEXPR
  :opno 607
  :opfuncid 184
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 0
  :args (
    {VAR
      :varno 1
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    {VAR
      :varno 1
      :varattno 6
      :vartype 1028
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 1
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location -1
    }
  )
  :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
):result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
):result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18

```

```

        :typeMod -1
        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
:result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
    }
:location -1
}
{CASEWHEN
:expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {CASETESTEXPR
        :typeid 18
        :typeMod -1
        :collation 0
        }
        {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
:result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
:location -1
}
{CASEWHEN
:expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {CASETESTEXPR
        :typeid 18
        :typeMod -1
        :collation 0
        }
        {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
:result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
:location -1
}
)
:defresult
{CONST
:consttype 25

```



```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull true
        :location -1
        :constvalue <>
    }
    :location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:varatype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:varatype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>

```

```
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupByDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
)rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relicid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:security quals <>
}
)
:rtepermissions (
{RTEPERMISSIONINFO
:relicid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatecols (b)
})
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
})
)
quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varto 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
})
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
mergeActionList <>
mergeTargetRelation 0
mergeJoinCondition <>
targetList (
{TARGETENTRY
:expr
{VAR
:varto 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
})
:resno 1
:resname policyname
:ressortgroupidpref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
```

```

:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:resortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
}

```

```

}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
laci" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relaci" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
{VAR

```

```

:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR

```

```

:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false

```



```

        :location -1
        :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
    }
    :location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (

```

```

        {CASETESTEXPR
        :typeId 25
        :typeMod -1
        :collation 0
        }
    )
    :location -1
    }
    :resulttype 1003
    :resulttypmod -1
    :resultcollid 950
    :coerceformat 2
    :location -1
    }
    :location -1
    }
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1

```

```

        :varattnosyn 6
        :location -1
    }
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
}
}
}
}

```

```

        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR

```

```

        :typeId 18
        :typeMod -1
        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
    :location -1
    }
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeId 18
    :typeMod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
    }
    )
    :defresult
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
    }
    :location -1
    }
    :resno 6
    :resname cmd
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
    {VAR
    :varno 1
    :varattno 7
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
    }
    )
    }
    }

```

```

    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
  )
  :location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)

```

```
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:sstmt location 0
```

```

:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 2.9850000000000003
:join.plan.total_cost 23.663875
:join.plan.plan_rows 10
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname polycyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 1.9225
:join.plan.total_cost 22.3825
:join.plan.plan_rows 41
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
}

```



```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.4
:scan.plan.plan_rows 440
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9

```

```

:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3

```

```

:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 25
        :location -1
    }
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
}

```

```

    }
    :resno 30
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 3
  :varattno 31
  :vartype 28
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 31
  :location -1
  }
  :resno 31
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 3
  :varattno 32
  :vartype 1034
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 32
  :location -1
  }
  :resno 32
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 3
  :varattno 33
  :vartype 1009
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 33
  :location -1
  }
  :resno 33
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 3
  :varattno 34
  :vartype 194
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 34
  :location -1
  }
  :resno 34
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 1.4100000000000001
:plan.total_cost 1.4100000000000001
:plan.plan_rows 41
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false

```

```

:plan.plan_node_id 3
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 1.4100000000000001
    :scan.plan.plan_rows 41
    :scan.plan.plan_width 68
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 4
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 2
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 2
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno 2
            :varattno 3
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 3
            :location -1
          }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 2
  }
:plan.righttree <>
:plan.initPlan <>

```



```

:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno -1
        :varattno 2
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
      }
    )
    :location -1
  }
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 1.05
:plan.total_cost 1.05
:plan.plan_rows 1
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
  }
}

```

```
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.05
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
)
:scan.plan.lefttree <
:scan.plan.righttree <
:scan.plan.initPlan <
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 5
}
:plan.righttree <
:plan.initPlan <
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:skewTable 1259
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner unique true
```

```

:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
    )
    :location -1
  }
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
  }
)
}

tpch=# ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
  :stmt
    {ALTERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname lineitem
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALTERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
    :stmt_location 0
    :stmt_len 47
  }
)

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {ALTERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname lineitem
          :inh true
          :relpersistence p
          :alias <>

```

```

        :location 12
    }
    :cmds (
        {ALERTTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
    )
    :objtype 41
    :missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTTABLECMD
:subtype 55
:name <>
:num 0

```

```

:owner <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
}

```

```

:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false

```

```

:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false

```

```

:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
  {ALERTABLESTMT
  :relation
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp
    :inh true
    :relpersistence p
    :alias <>
    :location 12
    }
  :cmds (
    {ALERTABLECMD
    :subtype 55
    :name <>
    :num 0
    :newowner <>
    :def <>
    :behavior 0
    :missing_ok false
    :recurse false
    }
  )
  :objtype 41
  :missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
  :relation
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp
    :inh true
    :relpersistence p
    :alias <>
    :location 12
    }
  :cmds (
    {ALERTABLECMD
    :subtype 55
    :name <>
    :num 0
    :newowner <>
    :def <>
    :behavior 0
    :missing_ok false
    :recurse false
    }
  )
  :objtype 41
  :missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0

```



```

:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
}

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
}

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

tpch=# ALTER TABLE lineitem ENABLE ROW LEVEL SECURITY;

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>

```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

tpch=# CREATE POLICY lineitem_rls_policy ON lineitem
USING (
  EXISTS (
    SELECT 1 FROM supplier s
    WHERE s.s_suppkey = lineitem.l_suppkey
    AND s.s_acctbal > 1000
  )
);
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name lineitem_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 114
}
:rexpr
{COLUMNREF
:fields ("lineitem" "l_suppkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 159
}
:rexpr
{A_CONST
:val 1000
:location 173
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 171
}
)
:location 155
}
:groupClause <>
:groupDistinct false

```

```

:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 185
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name lineitem_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 114
}
:rexpr
{COLUMNREF
:fields ("lineitem" "l_suppkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 159
}
:rexpr
{A_CONST

```

```

        :val 1000
        :location 173
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 171
}
)
:location 155
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 185
}

```

tpch=# GRANT SELECT ON lineitem TO alice; GRANT SELECT ON supplier TO alice;

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:argtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

DETAIL: {QUERY

```

:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
}

```

```

:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

tpch=# GRANT SELECT ON lineitem TO alice;

```

GRANT SELECT ON supplier TO alice;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT

```

```

:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice

```



```

        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
  :stmt_location 0
  :stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {GRANTSTMT
      :is_grant true
      :targettype 0
      :objtype 41
      :objects (
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname lineitem
          :inh true
          :relpersistence p
          :alias <>
          :location 16
        }
      )
      :privileges (
        {ACCESSPRIV
          :priv_name select
          :cols <>
        }
      )
      :grantees (
        {ROLESPEC
          :roletype 0
          :rolename alice
          :location 28
        }
      )
      :grant_option false
      :grantor <>
      :behavior 0
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 33
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
  :stmt
    {GRANTSTMT
      :is_grant true
      :targettype 0
      :objtype 41
      :objects (
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname supplier
          :inh true
          :relpersistence p
          :alias <>
          :location 16
        }
      )
      :privileges (
        {ACCESSPRIV
          :priv_name select
          :cols <>
        }
      )
    }
  }
}

```

```

    )
    :grantees (
      {ROLESPEC
      :roletype 0
      :rolename alice
      :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
  :stmt_location 0
  :stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

tpch=# SET ROLE alice;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0

```

```
:stmt_len 14
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
   :kind 0
   :name role
   :args (
     {A_CONST
      :val "alice"
      :location 9
     }
   )
   :jumble_args false
   :is_local false
   :location 9
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}
```

tpch=> \timing on

EXPLAIN (ANALYZE, VERBOSE, BUFFERS)

```
select
  l_returnflag,
  l_linestatus,
  sum(l_quantity) as sum_qty,
  sum(l_extendedprice) as sum_base_price,
  sum(l_extendedprice * (1 - l_discount)) as sum_disc_price,
  sum(l_extendedprice * (1 - l_discount) * (1 + l_tax)) as sum_charge,
  avg(l_quantity) as avg_qty,
  avg(l_extendedprice) as avg_price,
  avg(l_discount) as avg_disc,
  count(*) as count_order
```

from

lineitem

where

l_shipdate <= date '1998-12-01' - interval '3' day

group by

l_returnflag,
l_linestatus

order by

l_returnflag,
l_linestatus;

```
\timing: extra argument "EXPLAIN" ignored
\timing: extra argument "(ANALYZE," ignored
\timing: extra argument "VERBOSE," ignored
\timing: extra argument "BUFFERS)" ignored
\timing: extra argument "select" ignored
\timing: extra argument "l_returnflag," ignored
\timing: extra argument "l_linestatus," ignored
\timing: extra argument "sum(l_quantity)" ignored
\timing: extra argument "as" ignored
\timing: extra argument "sum_qty," ignored
\timing: extra argument "sum(l_extendedprice)" ignored
\timing: extra argument "as" ignored
\timing: extra argument "sum_base_price," ignored
\timing: extra argument "sum(l_extendedprice" ignored
\timing: extra argument "*" ignored
\timing: extra argument "{1" ignored
\timing: extra argument "-" ignored
\timing: extra argument "l_discount))" ignored
\timing: extra argument "as" ignored
\timing: extra argument "sum_disc_price," ignored
\timing: extra argument "sum(l_extendedprice" ignored
\timing: extra argument "*" ignored
\timing: extra argument "{1" ignored
\timing: extra argument "-" ignored
\timing: extra argument "l_discount)" ignored
\timing: extra argument "*" ignored
\timing: extra argument "{1" ignored
```

```

\timing: extra argument "+" ignored
\timing: extra argument "l_tax))" ignored
\timing: extra argument "as" ignored
\timing: extra argument "sum_charge," ignored
\timing: extra argument "avg(l_quantity)" ignored
\timing: extra argument "as" ignored
\timing: extra argument "avg_qty," ignored
\timing: extra argument "avg(l_extendedprice)" ignored
\timing: extra argument "as" ignored
\timing: extra argument "avg_price," ignored
\timing: extra argument "avg(l_discount)" ignored
\timing: extra argument "as" ignored
\timing: extra argument "avg_disc," ignored
\timing: extra argument "count(*)" ignored
\timing: extra argument "as" ignored
\timing: extra argument "count_order" ignored
\timing: extra argument "from" ignored
\timing: extra argument "lineitem" ignored
\timing: extra argument "where" ignored
\timing: extra argument "l_shipdate" ignored
\timing: extra argument "<=" ignored
\timing: extra argument "date" ignored
\timing: extra argument "1998-12-01" ignored
\timing: extra argument "-" ignored
\timing: extra argument "interval" ignored
\timing: extra argument "3" ignored
\timing: extra argument "day" ignored
\timing: extra argument "group" ignored
\timing: extra argument "by" ignored
\timing: extra argument "l_returnflag," ignored
\timing: extra argument "l_linestatus" ignored
\timing: extra argument "order" ignored
\timing: extra argument "by" ignored
\timing: extra argument "l_returnflag," ignored
\timing: extra argument "l_linestatus;" ignored
tpch=>
tpch=> EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  l_returnflag,
  l_linestatus,
  sum(l_quantity) as sum_qty,
  sum(l_extendedprice) as sum_base_price,
  sum(l_extendedprice * (1 - l_discount)) as sum_disc_price,
  sum(l_extendedprice * (1 - l_discount) * (1 + l_tax)) as sum_charge,
  avg(l_quantity) as avg_qty,
  avg(l_extendedprice) as avg_price,
  avg(l_discount) as avg_disc,
  count(*) as count_order
from
  lineitem
where
  l_shipdate <= date '1998-12-01' - interval '3' day
group by
  l_returnflag,
  l_linestatus
order by
  l_returnflag,
  l_linestatus;

```

Box 2 – View setup and query:

```

sql-- Step 1: Disable RLS on lineitem
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS lineitem_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW lineitem_secure AS
SELECT l.*
FROM lineitem l
WHERE EXISTS (
  SELECT 1 FROM supplier s
  WHERE s.s_suppkey = l.l_suppkey
  AND s.s_acctbal > 1000
);

-- Step 4: Grant permissions
GRANT SELECT ON lineitem_secure TO current_user;

-- Step 5: Run Q1 with timing
\timing on
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  l_returnflag,
  l_linestatus,
  sum(l_quantity) as sum_qty,
  sum(l_extendedprice) as sum_base_price,
  sum(l_extendedprice * (1 - l_discount)) as sum_disc_price,
  sum(l_extendedprice * (1 - l_discount) * (1 + l_tax)) as sum_charge,
  avg(l_quantity) as avg_qty,
  avg(l_extendedprice) as avg_price,
  avg(l_discount) as avg_disc,
  count(*) as count_order
from
  lineitem_secure
where
  l_shipdate <= date '1998-12-01' - interval '3' day
group by
  l_returnflag,
  l_linestatus
order by
  l_returnflag,
  l_linestatus;

```

Run Box 1 first, note planning time and execution time, then run Box 2 and share both outputs. We will compare and document Q1 results before moving to Q2. 

```

WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (

```

```

{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l_returnflag")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l_linestatus")
:location 65
}
:location 65
}
{RESTARTGET
:name sum_qty
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("l_quantity")
:location 87
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 83
}
:location 83
}
{RESTARTGET
:name sum_base_price
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("l_extendedprice")
:location 119
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 115
}
:location 115
}
{RESTARTGET
:name sum_disc_price
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 163
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 182
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 186
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 184
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 179
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 159
}
:location 159

```

```

}
{RESTARTGET
:name sum_charge
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 226
}
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 245
}
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 249
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 247
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 242
}
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{A_CONST
:val 1
:location 264
}
}
:rexpr
{COLUMNREF
:fields ("l_tax")
:location 268
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 266
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 261
}
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 222
}
:location 222
}
{RESTARTGET
:name avg_qty
:indirection <>
:val
{FUNCCALL
:funcname ("avg")
:args (
{COLUMNREF
:fields ("l_quantity")
:location 299
}
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 295
}
:location 295
}
{RESTARTGET
:name avg_price
:indirection <>
:val
{FUNCCALL
:funcname ("avg")
:args (
{COLUMNREF
:fields ("l_extendedprice")
:location 331
}
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false

```

```

        :func_variadic false
        :funcformat 0
        :location 327
    }
    :location 327
}
{RESTARTGET
:name avg_disc
:indirection <>
:val
{FUNCCALL
:funcname ("avg")
:args (
    {COLUMNREF
    :fields ("l_discount")
    :location 370
    }
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 366
}
:location 366
}
{RESTARTGET
:name count_order
:indirection <>
:val
{FUNCCALL
:funcname ("count")
:args <>
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star true
:agg_distinct false
:func_variadic false
:funcformat 0
:location 399
}
:location 399
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 432
}
)
:whereClause
{A_EXPR
:name ("<=")
:lexpr
{COLUMNREF
:fields ("l_shipdate")
:location 451
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\1998-12-01"
:location 470
}
:typeName
{TYPPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 465
}
:location -1
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\3"
:location 494
}
:typeName
{TYPPENAME
:names ("pg_catalog" "interval")
:typeOid 0
:setof false
:pct_type false
:typmods (
    {A_CONST
    :val 8
    :location 498
    }
)
:typemod -1
:arrayBounds <>
:location 485
}
}

```

```

        :location -1
      }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 483
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 462
  }
  :groupClause (
    {COLUMNREF
      :fields ("l_returnflag")
      :location 515
    }
    {COLUMNREF
      :fields ("l_linestatus")
      :location 533
    }
  )
  :groupDistinct false
  :havingClause <>
  :windowClause <>
  :valuesLists <>
  :sortClause (
    {SORTBY
      :node
      {COLUMNREF
        :fields ("l_returnflag")
        :location 559
      }
      :sortby_dir 0
      :sortby_nulls 0
      :useOp <>
      :location -1
    }
    {SORTBY
      :node
      {COLUMNREF
        :fields ("l_linestatus")
        :location 577
      }
      :sortby_dir 0
      :sortby_nulls 0
      :useOp <>
      :location -1
    }
  )
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :lockingClause <>
  :withClause <>
  :op 0
  :all false
  :larg <>
  :rarg <>
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)
}
:stmt_location 0
:stmt_len 589
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>

```



```

:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_returnflag" "l_linestatus")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 47
}
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 65
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 15 16 17 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{OEXPR
:opno 2346
:opfuncid 2339
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 451
}
{OEXPR
:opno 1077
:opfuncid 2072
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false

```

```

        :location 470
        :constvalue 4 [ 116 -2 -1 -1 -1 -1 -1 ]
    }
    {CONST
    :consttype 1186
    :consttypmod 589823
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 494
    :constvalue 16 [ 0 0 0 0 0 0 0 0 3 0 0 0 0 0 0 ]
    }
    )
    :location 483
    }
    )
    :location 462
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname l_returnflag
    :ressortgroupref 1
    :resorigtbl 16566
    :resorigcol 9
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname l_linestatus
    :ressortgroupref 2
    :resorigtbl 16566
    :resorigcol 10
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 87
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 83
    }
    )

```

```

:resno 3
:resname sum_qty
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 119
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 115
}
:resno 4
:resname sum_base_price
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 163
}
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1

```

```

        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 182
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 186
}
)
:location 184
}
)
:location 179
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 159
}
:resno 5
:resname sum_disc_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 226
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0

```

```

        :args (
            {CONST
             :consttype 23
             :consttypmod -1
             :constcollid 0
             :constlen 4
             :constbyval true
             :constisnull false
             :location 245
             :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    {VAR
     :varno 1
     :varattno 7
     :vartype 701
     :vartypmod -1
     :varcollid 0
     :varnullingrels (b)
     :varlevelsup 0
     :varreturningtype 0
     :varnosyn 1
     :varattnosyn 7
     :location 249
    }
)
:location 247
}
)
:location 242
}
{OEXPR
:opno 591
:opfuncid 218
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {FUNCEXP
     :funcid 316
     :funcresulttype 701
     :funcset false
     :funcvariadic false
     :funcformat 2
     :funccollid 0
     :inputcollid 0
     :args (
        {CONST
         :consttype 23
         :consttypmod -1
         :constcollid 0
         :constlen 4
         :constbyval true
         :constisnull false
         :location 264
         :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
      )
      :location -1
    }
    {VAR
     :varno 1
     :varattno 8
     :vartype 701
     :vartypmod -1
     :varcollid 0
     :varnullingrels (b)
     :varlevelsup 0
     :varreturningtype 0
     :varnosyn 1
     :varattnosyn 8
     :location 268
    }
  )
  :location 266
}
)
:location 261
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 222
}
:resno 6
:resname sum_charge
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701

```

```

:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 5
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 5
      :location 299
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 295
}
:resno 7
:resname avg_qty
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location 331
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 327
}
:resno 8
:resname avg_price
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 370
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 366
}
:resno 9
:resname avg_disc
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 399
}
:resno 10
:resname count_order
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 98
:sortop 664

```

```

        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 589
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
}
}

```



```

:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_returnflag" "l_linestatus")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 9
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 47
}
{VAR
:varno 1
:varattno 10
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 65
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 15 16 17 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{OEXPR
:opno 2346
:opfuncid 2339
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 451
}
{OEXPR
:opno 1077
:opfuncid 2072
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 470
:constvalue 4 [ 116 -2 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 589823
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 494
}
}
}
}

```

```

        :constvalue 16 [ 0 0 0 0 0 0 0 0 3 0 0 0 0 0 0 0 ]
    }
    )
    :location 483
    }
    )
    :location 462
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname l_returnflag
    :ressortgroupref 1
    :resorigtbl 16566
    :resorigcol 9
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname l_linestatus
    :ressortgroupref 2
    :resorigtbl 16566
    :resorigcol 10
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 87
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
        }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 83
    }
    :resno 3
    :resname sum_qty
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111

```

```

:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location 119
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 115
}
:resno 4
:resname sum_base_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {OEXPR
      :opno 594
      :opfuncid 216
      :opresulttype 701
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 6
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 6
          :location 163
        }
        {OEXPR
          :opno 592
          :opfuncid 219
          :opresulttype 701
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {FUNCEXP
              :funcid 316
              :funcresulttype 701
              :funcset false
              :funcvariadic false
              :funcformat 2
              :funccollid 0
              :inputcollid 0
              :args (
                {CONST
                  :consttype 23
                  :consttypmod -1
                  :constcollid 0
                  :constlen 4
                  :constbyval true
                  :constisnull false
                  :location 182
                  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                }
              )
            }
          :location -1
        }
      )
    }
  }
)
:location -1
}
{VAR

```

```

        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 186
    }
}
:location 184
}
)
:location 179
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 159
}
:resno 5
:resname sum_disc_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 226
}
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 245
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
}
}
}
}
}

```

```

        )
        :location -1
    }
    {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 249
    }
    )
    :location 247
    }
    )
    :location 242
    }
    {OPEXPR
    :opno 591
    :opfuncid 218
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funcollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 264
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    {VAR
    :varno 1
    :varattno 8
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location 268
    }
    )
    :location 266
    }
    )
    :location 261
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 222
    }
    :resno 6
    :resname sum_charge
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2105
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 5

```

```

        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 299
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 295
}
:resno 7
:resname avg_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 331
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 327
}
:resno 8
:resname avg_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

        :varattnosyn 7
        :location 370
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 366
}
:resno 9
:resname avg_disc
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 399
}
:resno 10
:resname count_order
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tltSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tltSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>

```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: Table OID=16566
WARNING: ===== RLS POLICY ADDED =====
DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone"
"s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
}
:location -1

```



```

    }
    {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:ctelList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :ctelList <>
            :rtable (
              {RANGETBENTRY
                :alias
                  {ALIAS
                    :aliasname s
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname s
                    :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
                  }
                :rtekind 0
                :relid 16541
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
            )
          }
    )
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 16541
      :inh true
      :requiredPerms 2
      :checkAsUser 0
      :selectedCols (b 8 13)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
          }
        )
      }
    )
  }

```

```

:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1

```

```

    }
    :location -1
  }
}
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_returnflag" "l_linestatus")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 47
}
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 65
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 15 16 17 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{OEXPR
:opno 2346
:opfuncid 2339
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 451
}
{OEXPR
:opno 1077
:opfuncid 2072
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 470
:constvalue 4 [ 116 -2 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 589823
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 494
:constvalue 16 [ 0 0 0 0 0 0 0 0 3 0 0 0 0 0 0 0 ]
}
)
}
)

```

```

        :location 483
    }
}
:location 462
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname l_returnflag
:ressortgrouppref 1
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname l_linestatus
:ressortgrouppref 2
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 87
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 83
}
:resno 3
:resname sum_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0

```

```

:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 119
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 115
}
:resno 4
:resname sum_base_price
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location 163
              }
            {OPEXPR
              :opno 592
              :opfuncid 219
              :opresulttype 701
              :opretset false
              :opcollid 0
              :inputcollid 0
              :args (
                {FUNCEXPR
                  :funcid 316
                  :funcresulttype 701
                  :funcset false
                  :funcvariadic false
                  :funcformat 2
                  :funccollid 0
                  :inputcollid 0
                  :args (
                    {CONST
                      :consttype 23
                      :consttypmod -1
                      :constcollid 0
                      :constlen 4
                      :constbyval true
                      :constisnull false
                      :location 182
                      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                    }
                  )
                :location -1
              }
            {VAR
              :varno 1
              :varattno 7
              :vartype 701
            }
          }
        }
      }
    )
  }
}

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 186
    }
)
:location 184
}
)
:location 179
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 159
}
:resno 5
:resname sum_disc_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:verno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 226
}
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 245
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}

```

```

        {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 249
        }
    )
    :location 247
}
)
:location 242
}
{OPEXPR
:opno 591
:opfuncid 218
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 264
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 268
}
)
:location 266
}
)
:location 261
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 222
}
:resno 6
:resname sum_charge
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 299
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 295
}
:resno 7
:resname avg_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 331
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 327
}
:resno 8
:resname avg_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 370
}
}

```

```

        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 366
}
:resno 9
:resname avg_disc
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 399
}
:resno 10
:resname count_order
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0

```

```
)  
)
```

WARNING: ===== PLANNER INPUT =====:

```
DETAIL: {QUERY  
:commandType 1  
:querySource 0  
:canSetTag true  
:utilityStmt <>  
:resultRelation 0  
:hasAggs true  
:hasWindowFuncs false  
:hasTargetSRFs false  
:hasSubLinks true  
:hasDistinctOn false  
:hasRecursive false  
:hasModifyingCTE false  
:hasForUpdate false  
:hasRowSecurity true  
:hasGroupRTE true  
:isReturn false  
:cteList <>  
:rtable (  
  {RANGETBLENTTRY  
  :alias <>  
  :eref  
    {ALIAS  
    :aliasname lineitem  
    :colnames ("l_orderkey" "l_partkey" "l_supkey" "l_linenum" "l_quantity"  
      "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines  
      tatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l  
      _shipmode" "l_comment")  
    }  
  :rtekind 0  
  :relid 16566  
  :inh true  
  :relkind r  
  :rellockmode 1  
  :perminfoindex 1  
  :tablesample <>  
  :lateral false  
  :inFromCl true  
  :securityQuals (  
    {SUBLINK  
    :subLinkType 0  
    :subLinkId 0  
    :testexpr <>  
    :operName <>  
    :subselect  
      {QUERY  
      :commandType 1  
      :querySource 0  
      :canSetTag true  
      :utilityStmt <>  
      :resultRelation 0  
      :hasAggs false  
      :hasWindowFuncs false  
      :hasTargetSRFs false  
      :hasSubLinks false  
      :hasDistinctOn false  
      :hasRecursive false  
      :hasModifyingCTE false  
      :hasForUpdate false  
      :hasRowSecurity false  
      :hasGroupRTE false  
      :isReturn false  
      :cteList <>  
      :rtable (  
        {RANGETBLENTTRY  
        :alias  
          {ALIAS  
          :aliasname s  
          :colnames <>  
          }  
        :eref  
          {ALIAS  
          :aliasname s  
          :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s  
            _phone" "s_acctbal" "s_comment")  
          }  
        :rtekind 0  
        :relid 16541  
        :inh true  
        :relkind r  
        :rellockmode 1  
        :perminfoindex 1  
        :tablesample <>  
        :lateral false  
        :inFromCl true  
        :securityQuals <>  
        }  
      )  
      :rteperminfos (  
        {RTEPERMISSIONINFO  
        :relid 16541  
        :inh true  
        :requiredPerms 2  
        :checkAsUser 0  
        :selectedCols (b 8 13)  
        :insertedCols (b)  
        :updatedCols (b)  
        }  
      )  
    )  
  :jointree  
    {FROMEXPR  
    :fromlist (  
      {RANGETBLREF  
      :rtindex 1  
      }  
    )  
  :quals  
    {BOOLEXP  
    :boolop and  
    :args (  
      {OPEXP
```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```

```

        :groupClause <>
        :groupDistinct false
        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_returnflag" "l_linestatus")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 47
}
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 65
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relicid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 15 16 17 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{OPEXPR
:opno 2346
:opfuncid 2339
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 451
}
{OPEXPR
:opno 1077
:opfuncid 2072
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4

```

```

        :constbyval true
        :constisnull false
        :location 470
        :constvalue 4 [ 116 -2 -1 -1 -1 -1 -1 -1 ]
    }
    {CONST
    :consttype 1186
    :consttypmod 589823
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 494
    :constvalue 16 [ 0 0 0 0 0 0 0 0 3 0 0 0 0 0 0 0 ]
    }
    )
    :location 483
    }
    )
    :location 462
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname l_returnflag
    :ressortgroupref 1
    :resorigtbl 16566
    :resorigcol 9
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname l_linestatus
    :ressortgroupref 2
    :resorigtbl 16566
    :resorigcol 10
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 87
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
        }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1

```

```

        :location 83
    }
:resno 3
:resname sum_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 119
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 115
}
:resno 4
:resname sum_base_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 163
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST

```

```

        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 182
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 186
}
)
:location 184
}
)
:location 179
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 159
}
:resno 5
:resname sum_disc_price
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 226
}
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
}
}
}
}
}
}
}

```



```

:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 245
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
{VAR
  :varno 1
  :varattno 7
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 7
  :location 249
}
)
:location 247
}
)
:location 242
}
{OEXPR
:opno 591
:opfuncid 218
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 264
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  {VAR
    :varno 1
    :varattno 8
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location 268
  }
)
:location 266
}
)
:location 261
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 222
}
:resno 6
:resname sum_charge
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF

```

```

:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 5
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 5
      :location 299
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 295
}
:resno 7
:resname avg_qty
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2105
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
        {VAR
          :varno 1
          :varattno 6
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 6
          :location 331
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 327
  }
}
:resno 8
:resname avg_price
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2105
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>

```

```

:args (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 370
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 366
}
:resno 9
:resname avg_disc
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 399
  }
:resno 10
:resname count_order
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2

```

```

:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 2208754237.7362623
:plan.total_cost 2208817997.6162624
:plan.plan_rows 6
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname l_returnflag
:ressortgroupref 1
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname l_linestatus
:ressortgroupref 2
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 87
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false

```

```

:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 83
}
:resno 3
:resname sum_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 119
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 1
:aggtransno 1
:location 115
}
:resno 4
:resname sum_base_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 163
}
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true

```

```

        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
    }
    {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 186
    }
    }
    :location 184
}
)
:location 179
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 2
:aggtransno 2
:location 159
}
:resno 5
:resname sum_disc_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 226
}
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
}
{VAR
:varno -2
:varattno 5
:vartype 701

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 249
    }
}
:location 247
}
)
:location 242
}
{OEXPR
:opno 591
:opfuncid 218
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 268
}
)
:location 266
}
)
:location 261
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 3
:aggtransno 3
:location 222
}
:resno 6
:resname sum_charge
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 1022
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 299
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:aggorder <>

```

```

:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno 4
:aggtransno 4
:location 295
}
:resno 7
:resname avg_qty
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 1022
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 331
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno 5
:aggtransno 5
:location 327
}
:resno 8
:resname avg_price
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 1022
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 370
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0

```



```

:aggssplit 0
:aggno 6
:aggtransno 6
:location 366
}
:resno 9
:resname avg_disc
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 7
:aggtransno 7
:location 399
}
:resno 10
:resname count_order
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 2208754237.7362623
:plan.total_cost 2208757988.311262
:plan.plan_rows 1500230
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
}

```

```

    }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 2208518291.5
:scan.plan.plan_rows 1500230
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 10
        :location -1
    }
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 87
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 119
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 186
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 268
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{SUBPLAN
:subLinkType 2
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
  {PARAM
    :paramkind 1
    :paramid 1
    :paramtype 23
    :paramtypmod -1
    :paramcollid 0
    :location -1
  }
)
:location -1
}
:paramIds (i 1)
:plan_id 2
:plan_name SubPlan\ 2
:firstCollType 23
:firstCollTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 363.49
:per_call_cost 0.0025
}
{OPEXPR
:opno 2346
:opfncid 2339
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location 451
  }
  {CONST
    :consttype 1114
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 96 81 125 -91 -32 -1 -1 ]
  }
)
:location 462
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 1
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 2
:sortColIdx ( 1 2)
:sortOperators ( 664 664)
:collations ( 100 100)
:nullsFirst ( false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggsplit 0
:numCols 2
:grpColIdx ( 1 2)
:grpOperators ( 98 98)
:grpCollations ( 100 100)
:numGroups 6
:transitionSpace 144
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
GroupAggregate (cost=2208754237.74..2208817997.62 rows=6 width=68) (actual time=6097.324..8063.670 rows=4.00 loops=1)
  Output: lineitem.l_returnflag, lineitem.l_linestatus, sum(lineitem.l_quantity), sum(lineitem.l_extendedprice), sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount))), sum(((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)) * ('1'::double precision + lineitem.l_tax))), avg(lineitem.l_quantity), avg(lineitem.l_extendedprice), avg(lineitem.l_discount), count(*)
  Group Key: lineitem.l_returnflag, lineitem.l_linestatus
  Buffers: shared hit=752 read=104186, temp read=60168 written=60265
  -> Sort (cost=2208754237.74..2208757988.31 rows=1500230 width=36) (actual time=5442.840..6740.981 rows=4918239.00 loops=1)
    Output: lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax
    Sort Key: lineitem.l_returnflag, lineitem.l_linestatus
    Sort Method: external merge  Disk: 240688kB
    Buffers: shared hit=752 read=104186, temp read=60168 written=60265
    -> Seq Scan on public.lineitem (cost=0.00..2208518291.50 rows=1500230 width=36) (actual time=9.441..1732.757 rows=4918239.00 loops=1)
      Output: lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax
      Filter: ((ANY (lineitem.l_suppkey = (hashed SubPlan 2).col1)) AND (lineitem.l_shipdate <= '1998-11-28 00:00:00'::timestamp without time zone))
      Rows Removed by Filter: 1082976
      Buffers: shared hit=752 read=104186
      SubPlan 2
        -> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8196 width=4) (actual time=1.390..6.470 rows=8197.00 loops=1)
          Output: s.s_suppkey
          Filter: (s.s_acctbal > '1000'::double precision)
          Rows Removed by Filter: 1803
          Buffers: shared read=218

Planning:
  Buffers: shared hit=41 read=1
Planning Time: 4.135 ms
Execution Time: 8180.867 ms
(24 rows)

Time: 8207.129 ms (00:08.207)
ERROR:  syntax error at or near "Box"
LINE 1: Box 2 - View setup and query:
          ^
Time: 1.517 ms
WARNING:  ===== RAW PARSE TREE =====
DETAIL:   {RAWSTMT
  :stmt
    {DROPSTMT
      :objects (("lineitem_secure"))
      :removeType 51
      :behavior 0
      :missing_ok true
      :concurrent false
    }
    :stmt_location 0
    :stmt_len 35
  }

WARNING:  ===== ANALYZED QUERY =====
DETAIL:   {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {DROPSTMT
      :objects (("lineitem_secure"))
      :removeType 51
      :behavior 0
      :missing_ok true
      :concurrent false
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 35
}

NOTICE:  view "lineitem_secure" does not exist, skipping
Time: 2.334 ms
WARNING:  ===== RAW PARSE TREE =====
DETAIL:   {RAWSTMT
  :stmt
    {VIEWSTMT
      :view
        {RANGEVAR
          :catalogname <>
          :schemaname <>

```

```

:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTM
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l"
{A_STAR
}
}
):location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname l
:colnames <>
}
):location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTM
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
):location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
):location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("l" "l_suppkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 146
}
:rexpr
{A_CONST
:val 1000
:location 160
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 158
}
)
)

```

```

        :location 142
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 64
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
    :stmt_location 0
    :stmt_len 166
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("1"
{A_STAR
}
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
}
}
}
}

```

```

        :location 84
    }
)
:fromClause (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname supplier
    :inh true
    :relpersistence p
    :alias
    {ALIAS
    :aliasname s
    :colnames <>
    }
    :location 91
    }
)
:whereClause
{BOOLEXP
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("s" "s_suppkey")
    :location 112
    }
    :rexpr
    {COLUMNREF
    :fields ("l" "l_suppkey")
    :location 126
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 124
    }
    {A_EXPR
    :name (">")
    :lexpr
    {COLUMNREF
    :fields ("s" "s_acctbal")
    :location 146
    }
    :rexpr
    {A_CONST
    :val 1000
    :location 160
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 158
    }
)
:location 142
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>

```



```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname 1
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname 1
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias

```

```

        {ALIAS
        :aliasname s
        :colnames <>
        }
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_
_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 112
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 126
}
}
:location 124
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 146
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0

```

```

        :constlen 4
        :constbyval true
        :constisnull false
        :location 160
        :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location 158
    }
    )
    :location 142
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 84
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :location 64
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 38
    }
    :resno 1
    :resname l_orderkey
    :ressortgrouppref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 38
    }
    :resno 2
    :resname l_partkey
    :ressortgrouppref 0
    :resorigtbl 16566
    :resorigcol 2
    :resjunk false
    }
    }
    {TARGETENTRY
    :expr

```

```

{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
:resno 3
:resname l_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 38
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 38
}
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 38
}
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 38
}
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 38
}
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

        :varattnosyn 13
        :location 38
    }
:resno 13
:resname l_receiptdate
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:varatype 25
:varatypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 38
}
:resno 14
:resname l_shipinstruct
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:varatype 25
:varatypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 38
}
:resno 15
:resname l_shipmode
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:varatype 25
:varatypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 38
}
:resno 16
:resname l_comment
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

ERROR: permission denied for schema public

Time: 1.941 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true

```

```

        :relpersistence p
        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 2
    :rolename <>
    :location 35
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem_secure
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 2
    :rolename <>
    :location 35
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

ERROR: relation "lineitem_secure" does not exist

Time: 1.436 ms

\timing: extra argument "EXPLAIN" ignored

\timing: extra argument "(ANALYZE," ignored

\timing: extra argument "VERBOSE," ignored

\timing: extra argument "BUFFERS)" ignored

\timing: extra argument "select" ignored

\timing: extra argument "l_returnflag," ignored

```

\timing: extra argument "l_linestatus," ignored
\timing: extra argument "sum(l_quantity)" ignored
\timing: extra argument "as" ignored
\timing: extra argument "sum_qty," ignored
\timing: extra argument "sum(l_extendedprice)" ignored
\timing: extra argument "as" ignored
\timing: extra argument "sum_base_price," ignored
\timing: extra argument "sum(l_extendedprice" ignored
\timing: extra argument "*" ignored
\timing: extra argument "(1" ignored
\timing: extra argument "-" ignored
\timing: extra argument "l_discount))" ignored
\timing: extra argument "as" ignored
\timing: extra argument "sum_disc_price," ignored
\timing: extra argument "sum(l_extendedprice" ignored
\timing: extra argument "*" ignored
\timing: extra argument "(1" ignored
\timing: extra argument "-" ignored
\timing: extra argument "l_discount)" ignored
\timing: extra argument "*" ignored
\timing: extra argument "(1" ignored
\timing: extra argument "+" ignored
\timing: extra argument "l_tax))" ignored
\timing: extra argument "as" ignored
\timing: extra argument "sum_charge," ignored
\timing: extra argument "avg(l_quantity)" ignored
\timing: extra argument "as" ignored
\timing: extra argument "avg_qty," ignored
\timing: extra argument "avg(l_extendedprice)" ignored
\timing: extra argument "as" ignored
\timing: extra argument "avg_price," ignored
\timing: extra argument "avg(l_discount)" ignored
\timing: extra argument "as" ignored
\timing: extra argument "avg_disc," ignored
\timing: extra argument "count(*)" ignored
\timing: extra argument "as" ignored
\timing: extra argument "count_order" ignored
\timing: extra argument "from" ignored
\timing: extra argument "lineitem_secure" ignored
\timing: extra argument "where" ignored
\timing: extra argument "l_shipdate" ignored
\timing: extra argument "<=" ignored
\timing: extra argument "date" ignored
\timing: extra argument "1998-12-01" ignored
\timing: extra argument "-" ignored
\timing: extra argument "interval" ignored
\timing: extra argument "3" ignored
\timing: extra argument "day" ignored
\timing: extra argument "group" ignored
\timing: extra argument "by" ignored
\timing: extra argument "l_returnflag," ignored
\timing: extra argument "l_linestatus" ignored
\timing: extra argument "order" ignored
\timing: extra argument "by" ignored
\timing: extra argument "l_returnflag," ignored
\timing: extra argument "l_linestatus;" ignored
\timing: extra argument "Run" ignored
\timing: extra argument "Box" ignored
\timing: extra argument "1" ignored
\timing: extra argument "first," ignored
\timing: extra argument "note" ignored
\timing: extra argument "planning" ignored
\timing: extra argument "time" ignored
\timing: extra argument "and" ignored
\timing: extra argument "execution" ignored
\timing: extra argument "time," ignored
\timing: extra argument "then" ignored
\timing: extra argument "run" ignored
\timing: extra argument "Box" ignored
\timing: extra argument "2" ignored
\timing: extra argument "and" ignored
\timing: extra argument "share" ignored
\timing: extra argument "both" ignored
\timing: extra argument "outputs." ignored
\timing: extra argument "We" ignored
\timing: extra argument "will" ignored
\timing: extra argument "compare" ignored
\timing: extra argument "and" ignored
\timing: extra argument "document" ignored
\timing: extra argument "Q1" ignored
\timing: extra argument "results" ignored
\timing: extra argument "before" ignored
\timing: extra argument "moving" ignored
\timing: extra argument "to" ignored
\timing: extra argument "Q2.000000" ignored

```

tpch=> RESET ROLE;

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
}

```



```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 2.498 ms

tpch=# ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false

```

```

:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 5.754 ms

tpch=# DROP VIEW IF EXISTS lineitem_secure;

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("lineitem_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("lineitem_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

NOTICE: view "lineitem_secure" does not exist, skipping

Time: 1.713 ms

tpch=# CREATE VIEW lineitem_secure AS

SELECT l.*

FROM lineitem l

```

WHERE EXISTS (
  SELECT 1 FROM supplier s
  WHERE s.s_suppkey = l1_suppkey
  AND s.s_acctbal > 1000
);
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l"
{A_STAR
}
}
):location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname l
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("l" "l_suppkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF

```

```

        :fields ("s" "s_acctbal")
        :location 146
    }
    :rexpr
    {A_CONST
    :val 1000
    :location 160
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 158
    }
    )
    :location 142
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 64
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
    :stmt_location 0
    :stmt_len 166
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RETARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("1"
{A_STAR
}
}
)
:location 38
}
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>

```

```

:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("l" "l_suppkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 146
}
:rexpr
{A_CONST
:val 1000
:location 160
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 158
}
)
:location 142
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_
          _phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 112
          }
          {VAR
            :varno 1
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location 126
          }
        )
      }
    :location 124
  }
  {OEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 146
      }
    )
  }
)

```

```

        {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 160
        :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
        )
        :location -1
        }
        :location 158
        }
    )
    :location 142
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 84
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 38
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

:varnosyn 1
:varattnosyn 2
:location 38
}
:resno 2
:resname l_partkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
:resno 3
:resname l_suppkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname l_linenummer
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname l_quantity
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname l_extendedprice
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7

```

```

:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:varstype 701
:varstpmo -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 38
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:varstype 25
:varstpmo -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 38
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:varstype 25
:varstpmo -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 38
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:varstype 1082
:varstpmo -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 38
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:varstype 1082
:varstpmo -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 38
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 38
}
:resno 13
:resname l_receiptdate
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 38
}
:resno 14
:resname l_shipinstruct
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 38
}
:resno 15
:resname l_shipmode
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 38
}
:resno 16
:resname l_comment
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

Time: 18.817 ms

tpch=# GRANT SELECT ON lineitem_secure TO alice;

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 40
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
}
```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

Time: 5.012 ms
tpch=# EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  l_returnflag,
  l_linestatus,
  sum(l_quantity) as sum_qty,
  sum(l_extendedprice) as sum_base_price,
  sum(l_extendedprice * (1 - l_discount)) as sum_disc_price,
  sum(l_extendedprice * (1 - l_discount) * (1 + l_tax)) as sum_charge,
  avg(l_quantity) as avg_qty,
  avg(l_extendedprice) as avg_price,
  avg(l_discount) as avg_disc,
  count(*) as count_order
from
  lineitem_secure
where
  l_shipdate <= date '1998-12-01' - interval '3' day
group by
  l_returnflag,
  l_linestatus
order by
  l_returnflag,
  l_linestatus;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l_returnflag")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l_linestatus")
:location 65
}
:location 65
}
{RESTARTGET
:name sum_qty
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("l_quantity")
:location 87
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 83
}
:location 83
}
{RESTARTGET
:name sum_base_price
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("l_extendedprice")
:location 119
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 115
}
:location 115
}
{RESTARTGET
:name sum_disc_price
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr

```

```

        {COLUMNREF
        :fields ("l_extendedprice")
        :location 163
        }
    :rexpr
    {A_EXPR
    :name ("-")
    :lexpr
    {A_CONST
    :val 1
    :location 182
    }
    :rexpr
    {COLUMNREF
    :fields ("l_discount")
    :location 186
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 184
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 179
    }
    )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 0
    :location 159
    }
    :location 159
    }
    {RESTARTGET
    :name sum_charge
    :indirection <>
    :val
    {FUNCCALL
    :funcname ("sum")
    :args (
    {A_EXPR
    :name ("*")
    :lexpr
    {A_EXPR
    :name ("*")
    :lexpr
    {COLUMNREF
    :fields ("l_extendedprice")
    :location 226
    }
    :rexpr
    {A_EXPR
    :name ("-")
    :lexpr
    {A_CONST
    :val 1
    :location 245
    }
    :rexpr
    {COLUMNREF
    :fields ("l_discount")
    :location 249
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 247
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 242
    }
    :rexpr
    {A_EXPR
    :name ("+")
    :lexpr
    {A_CONST
    :val 1
    :location 264
    }
    :rexpr
    {COLUMNREF
    :fields ("l_tax")
    :location 268
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 266
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 261
    }
    )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 0
    :location 222
    }
    :location 222
    }
    {RESTARTGET
    :name avg_qty
    :indirection <>
    :val
    {FUNCCALL

```

```

:funcname ("avg")
:args (
  {COLUMNREF
    :fields ("l_quantity")
    :location 299
  }
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 295
}
:location 295
}
{RESTARTGET
:name avg_price
:indirection <>
:val
  {FUNCCALL
    :funcname ("avg")
    :args (
      {COLUMNREF
        :fields ("l_extendedprice")
        :location 331
      }
    )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 0
    :location 327
  }
:location 327
}
{RESTARTGET
:name avg_disc
:indirection <>
:val
  {FUNCCALL
    :funcname ("avg")
    :args (
      {COLUMNREF
        :fields ("l_discount")
        :location 370
      }
    )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 0
    :location 366
  }
:location 366
}
{RESTARTGET
:name count_order
:indirection <>
:val
  {FUNCCALL
    :funcname ("count")
    :args <>
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star true
    :agg_distinct false
    :func_variadic false
    :funcformat 0
    :location 399
  }
:location 399
}
)
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem_secure
    :inh true
    :relpersistence p
    :alias <>
    :location 432
  }
)
)
:whereClause
  {A_EXPR
    :name ("<=")
    :lexpr
      {COLUMNREF
        :fields ("l_shipdate")
        :location 458
      }
    :rexpr
      {A_EXPR
        :name ("-")
        :lexpr
          {TYPECAST
            :arg
              {A_CONST
                :val "1998-12-01"
                :location 477
              }
          }
        }
      }
  }

```

```

    }
    :typeName
    {TYPENAME
    :names ("date")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods <>
    :typemod -1
    :arrayBounds <>
    :location 472
    }
    :location -1
  }
  :rexpr
  {TYPECAST
  :arg
  {A_CONST
  :val "\3"
  :location 501
  }
  :typeName
  {TYPENAME
  :names ("pg_catalog" "interval")
  :typeOid 0
  :setof false
  :pct_type false
  :typmods (
  {A_CONST
  :val 8
  :location 505
  }
  )
  :typemod -1
  :arrayBounds <>
  :location 492
  }
  :location -1
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 490
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 469
  }
}
:groupClause (
{COLUMNREF
:fields ("l_returnflag")
:location 522
}
{COLUMNREF
:fields ("l_linestatus")
:location 540
}
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("l_returnflag")
:location 566
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("l_linestatus")
:location 584
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0

```



```

        :location 27
    }
}
}
:stmt_location 0
:stmt_len 596
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16607
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_returnflag" "l_linestatus")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 47
}
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 65
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16607
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 15 16 17 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)

```

```

:quals
{OEXPR
:opno 2346
:opfuncid 2339
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 458
}
{OEXPR
:opno 1077
:opfuncid 2072
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 477
:constvalue 4 [ 116 -2 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 589823
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 501
:constvalue 16 [ 0 0 0 0 0 0 0 0 3 0 0 0 0 0 0 0 ]
}
)
:location 490
}
)
:location 469
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname l_returnflag
:ressortgroupref 1
:resorigtbl 16607
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname l_linestatus
:ressortgroupref 2
:resorigtbl 16607
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>

```

```

:args (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 87
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 83
}
:resno 3
:resname sum_qty
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 119
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 115
  }
}
:resno 4
:resname sum_base_price
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 163
  }
  {OPEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 182
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
      {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 186
      }
    )
    :location 184
  }
)
:location 179
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 159
}
:resno 5
:resname sum_disc_price
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (

```

```

{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 226
  }
  {OEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 245
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
      {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 249
      }
    )
    :location 247
  }
)
:location 242
}
{OEXPR
:opno 591
:opfuncid 218
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 264
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  {VAR
    :varno 1
    :varattno 8
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location 268
  }
)
:location 266

```

```

    }
    )
    :location 261
  }
  :resno 1
  :resname <>
  :ressortgrouppref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 222
}
:resno 6
:resname sum_charge
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 299
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 295
}
:resno 7
:resname avg_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 331
}
:resno 1
:resname <>
:ressortgrouppref 0

```

```

        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
}
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 327
}
:resno 8
:resname avg_price
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 370
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 366
}
:resno 9
:resname avg_disc
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 399
}
:resno 10
:resname count_order
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>

```

```

: returningList <>
: groupClause (
  {SORTGROUPCLAUSE
    : tleSortGroupRef 1
    : eqop 98
    : sortop 664
    : reverse_sort false
    : nulls_first false
    : hashable true
  }
  {SORTGROUPCLAUSE
    : tleSortGroupRef 2
    : eqop 98
    : sortop 664
    : reverse_sort false
    : nulls_first false
    : hashable true
  }
)
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause (
  {SORTGROUPCLAUSE
    : tleSortGroupRef 1
    : eqop 98
    : sortop 664
    : reverse_sort false
    : nulls_first false
    : hashable true
  }
  {SORTGROUPCLAUSE
    : tleSortGroupRef 2
    : eqop 98
    : sortop 664
    : reverse_sort false
    : nulls_first false
    : hashable true
  }
)
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 0
}
: options (
  {DEFELEM
    : defnamespace <>
    : defname analyze
    : arg <>
    : defaction 0
    : location 9
  }
  {DEFELEM
    : defnamespace <>
    : defname verbose
    : arg <>
    : defaction 0
    : location 18
  }
  {DEFELEM
    : defnamespace <>
    : defname buffers
    : arg <>
    : defaction 0
    : location 27
  }
)
}
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: cteList <>
: rtable <>
: rteperminfos <>
: jointree <>
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList <>
: override 0
: onConflict <>
: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>

```



```
:stmt_location 0
:stmt_len 596
}
```

WARNING: ===== REWRITE INPUT =====:

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
:alias <>
:eref
  {ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16607
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
  {RANGETBLENTRY
:alias <>
:eref
  {ALIAS
:aliasname *GROUP*
:colnames ("l_returnflag" "l_linestatus")
}
:rtekind 9
:groupexprs (
  {VAR
:varno 1
:varattno 9
:varatype 25
:varatypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 47
}
  {VAR
:varno 1
:varattno 10
:varatype 25
:varatypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 65
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
:relid 16607
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 15 16 17 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
  {FROMEXPR
:fromlist (
  {RANGETBLREF
:rtindex 1
}
)
}
:quals
  {OPEXPR
:opno 2346
:opfuncid 2339
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1

```

```

:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 458
}
{OPEXPR
:opno 1077
:opfuncid 2072
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 477
:constvalue 4 [ 116 -2 -1 -1 -1 -1 -1 -1 ]
}
  {CONST
:consttype 1186
:consttypmod 589823
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 501
:constvalue 16 [ 0 0 0 0 0 0 0 0 3 0 0 0 0 0 0 0 ]
}
)
:location 490
}
)
:location 469
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname l_returnflag
:ressortgroupref 1
:resorigtbl 16607
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname l_linestatus
:ressortgroupref 2
:resorigtbl 16607
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 87
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 83
}
:resno 3
:resname sum_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 119
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 115
}
:resno 4
:resname sum_base_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 163
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 182
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 186
}
)
:location 184
}
)
:location 179
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 159
}
:resno 5
:resname sum_disc_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6

```

```

:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 226
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 245
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 249
}
)
:location 247
}
)
:location 242
}
{OPEXPR
:opno 591
:opfuncid 218
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 264
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 8
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 268
}
)
:location 266
}
)
:location 261
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 222
}
:resno 6
:resname sum_charge
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 299
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 295
}
:resno 7
:resname avg_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 331
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n

```

```

:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 327
}
:resno 8
:resname avg_price
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 370
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 366
}
:resno 9
:resname avg_disc
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 399
}
:resno 10
:resname count_order
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
{SORTGROUPCLAUSE

```

```

:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname l
:colnames <>
}
:eref
{ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
}
}
)

```



```

:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1

```

```

    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
  )
  :location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 6
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 6
  :location -1
  }
  {FUNCEXPR
  :funcid 316
  :funcresulttype 701
  :funcset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  :resno 1
  :resname ?column?
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}

```

```

}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname l_extendedprice
:resortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname l_discount
:resortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname l_tax
:resortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname l_returnflag
:resortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname l_linestatus
:resortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11

```

```

:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 16
        :location -1
    }
    :resno 16
    :resname l_comment
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 16
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16607
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_returnflag" "l_linestatus")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 47
}
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 65
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16607
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 15 16 17 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{OPEXPR
:opno 2346
:opfuncid 2339
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1

```

```

:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 458
}
{OPEXPR
:opno 1077
:opfuncid 2072
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 477
:constvalue 4 [ 116 -2 -1 -1 -1 -1 -1 -1 ]
}
  {CONST
:consttype 1186
:consttypmod 589823
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 501
:constvalue 16 [ 0 0 0 0 0 0 0 0 3 0 0 0 0 0 0 0 ]
}
)
:location 490
}
)
:location 469
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname l_returnflag
:ressortgroupref 1
:resorigtbl 16607
:resorigcol 9
:resjunk false
}
  {TARGETENTRY
:expr
  {VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname l_linestatus
:ressortgroupref 2
:resorigtbl 16607
:resorigcol 10
:resjunk false
}
  {TARGETENTRY
:expr
  {AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 87
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 83
}
:resno 3
:resname sum_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 119
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 115
}
:resno 4
:resname sum_base_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 163
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 182
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 186
}
)
:location 184
}
)
:location 179
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 159
}
:resno 5
:resname sum_disc_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6

```

```

:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 226
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 245
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 249
}
)
:location 247
}
)
:location 242
}
{OPEXPR
:opno 591
:opfuncid 218
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 264
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 268
}
)
:location 266
}
)
:location 261
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 222
}
:resno 6
:resname sum_charge
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 299
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 295
}
:resno 7
:resname avg_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 331
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n

```

```

:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 327
}
:resno 8
:resname avg_price
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 370
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 366
}
:resno 9
:resname avg_disc
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 399
}
:resno 10
:resname count_order
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
{SORTGROUPCLAUSE

```

```

:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname l
:colnames <>
}
}
:eref
{ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
}
}
}

```

```

:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1

```

```

    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
  )
  :location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 6
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 6
  :location -1
  }
  {FUNCEXPR
  :funcid 316
  :funcresulttype 701
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  :resno 1
  :resname ?column?
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}

```

```

}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}

```



```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname l_extendedprice
:resortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname l_discount
:resortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname l_tax
:resortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname l_returnflag
:resortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname l_linestatus
:resortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11

```

```

:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 16
        :location -1
    }
    :resno 16
    :resname l_comment
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 16
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16607
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_returnflag" "l_linestatus")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 47
}
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 65
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16607
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 15 16 17 18)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{OEXPR
:opno 2346
:opfuncid 2339
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1

```

```

:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 458
}
{OPEXPR
:opno 1077
:opfuncid 2072
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 477
:constvalue 4 [ 116 -2 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 589823
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 501
:constvalue 16 [ 0 0 0 0 0 0 0 0 3 0 0 0 0 0 0 0 ]
}
)
:location 490
}
)
:location 469
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname l_returnflag
:ressortgroupref 1
:resorigtbl 16607
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname l_linestatus
:ressortgroupref 2
:resorigtbl 16607
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 87
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 83
}
:resno 3
:resname sum_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 119
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 115
}
:resno 4
:resname sum_base_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 163
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 182
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 186
}
)
:location 184
}
)
:location 179
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 159
}
:resno 5
:resname sum_disc_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6

```

```

:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 226
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 245
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 249
}
)
:location 247
}
)
:location 242
}
{OPEXPR
:opno 591
:opfuncid 218
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 264
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 8
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 268
}
)
:location 266
}
)
:location 261
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 222
}
:resno 6
:resname sum_charge
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 299
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 295
}
:resno 7
:resname avg_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 331
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n

```



```

:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 327
}
:resno 8
:resname avg_price
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 370
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 366
}
:resno 9
:resname avg_disc
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 399
}
:resno 10
:resname count_order
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
{SORTGROUPCLAUSE

```

```

:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 248744.1136149792
:plan.total_cost 248746.19956235428
:plan.plan_rows 6
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 1
    :resname l_returnflag
    :ressortgroupref 1
    :resorigtbl 16607
    :resorigcol 9
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 2
    :resname l_linestatus
    :ressortgroupref 2
    :resorigtbl 16607
    :resorigcol 10
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 701
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
          {TARGETENTRY
            :expr
              {VAR
                :varno -2
                :varattno 3
                :vartype 701

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 0
:aggtransno 0
:location 83
}
:resno 3
:resname sum_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 1
:aggtransno 1
:location 115
}
:resno 4
:resname sum_base_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0

```

```

        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 2
:aggtransno 2
:location 159
}
:resno 5
:resname sum_disc_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 3
:aggtransno 3
:location 222
}
:resno 6
:resname sum_charge
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 1022
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 1022
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0

```

```

        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 4
:aggtransno 4
:location 295
}
:resno 7
:resname avg_qty
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 1022
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 1022
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 5
:aggtransno 5
:location 327
}
:resno 8
:resname avg_price
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 1022
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 9
:vartype 1022
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false

```

```

:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 6
:aggtransno 6
:location 366
}
:resno 9
:resname avg_disc
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 10
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 7
:aggtransno 7
:location 399
}
:resno 10
:resname count_order
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHERMERGE
:plan.disabled_nodes 0
:plan.startup_cost 248744.1136149792
:plan.total_cost 248745.74456235426
:plan.plan_rows 14
:plan.plan_width 140
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 1022
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}

```

```

    }
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 8
    :vartype 1022
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
  }
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 9
    :vartype 1022
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
  }
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 10
    :vartype 20
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
  }
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 247744.08984054168
:plan.total_cost 247744.1048405417
:plan.plan_rows 6
:plan.plan_width 140
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 9
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2

```



```

:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 1022
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
    }
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 1022
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 9
:vartype 1022
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 10
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 247743.9522916668
:plan.total_cost 247744.0122916667
:plan.plan_rows 6
:plan.plan_width 140
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 6
:aggno 0
:aggtransno 0
:location 83
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n

```

```

:aggpresorted false
:agglevelsup 0
:aggsplit 6
:aggno 1
:aggtransno 1
:location 115
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
)
:location 184
}
)
:location 179
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 6
:aggno 2
:aggtransno 2
:location 159
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
:expr
  {OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
  {OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
  {VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
)
:location 247
}
)
:location 242
}
{OEXPR
:opno 591
:opfuncid 218
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
  {VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
)
:location 266
}
)
:location 261
}
:resno 1

```

```

        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
}
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 6
:aggno 3
:aggtransno 3
:location 222
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 1022
:aggcollid 0
:inputcollid 0
:aggtranstype 1022
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 6
:aggno 4
:aggtransno 4
:location 295
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 1022
:aggcollid 0
:inputcollid 0
:aggtranstype 1022
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
}

```

```

:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 6
:aggno 5
:aggtransno 5
:location 327
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2105
    :aggtype 1022
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 1022
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {VAR
            :varno -2
            :varattno 5
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 7
            :location -1
          }
          :resno 1
          :resname <>
          :ressortgrouppref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 6
    :aggno 6
    :aggtransno 6
    :location 366
  }
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 20
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 6
    :aggno 7
    :aggtransno 7
    :location 399
  }
}
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
  {HASHJOIN
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 445.45
    :join.plan.total_cost 165779.47229166667
    :join.plan.plan_rows 2049112
    :join.plan.plan_width 36
    :join.plan.parallel_aware false
  }
}

```

```

:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 9
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgrouppref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 10
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 10
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgrouppref 2
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location -1
      }
    :resno 5
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
}
{TARGETENTRY

```



```

:expr
{VAR
:varno -2
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 135974.79166666666
:scan.plan.plan_rows 2500137
:scan.plan.plan_width 40
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}

```

```

    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 3
        :varattno 15
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 15
        :location -1
        }
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 2346
:opfuncid 2339
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 96 81 125 -91 -32 -1 -1 ]
}
)
:location 469
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanreliid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 8196
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 7
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 4
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>

```

```

:hashclauses (
  {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
    }
    {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
  )
  :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
  :varno -2
  :varattno 3
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 3
  :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 2
:aggssplit 6
:numCols 2
:grpCollIdx ( 1 2)
:grpOperators ( 98 98)
:grpCollations ( 100 100)
:numGroups 6
:transitionSpace 144
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:numCols 2
:sortCollIdx ( 1 2)
:sortOperators ( 664 664)
:collations ( 100 100)
:nullsFirst ( false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:numCols 2
:sortCollIdx ( 1 2)
:sortOperators ( 664 664)
:collations ( 100 100)
:nullsFirst ( false false)
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 9
:numCols 2
:grpCollIdx ( 1 2)
:grpOperators ( 98 98)
:grpCollations ( 100 100)
:numGroups 6
:transitionSpace 144
:aggParams (b)
:groupingSets <>
:chain <>
}

```

```
-----
Finalize GroupAggregate (cost=248744.11..248746.20 rows=6 width=68) (actual time=1534.322..1535.741 rows=4.00 loops=1)
  Output: l1_returnflag, l1_linestatus, sum(l1_quantity), sum(l1_extendedprice), sum((l1_extendedprice * ('1':double precision - l1_discount))), sum(
((l1_extendedprice * ('1':double precision - l1_discount)) * ('1':double precision + l1_tax))), avg(l1_quantity), avg(l1_extendedprice), avg(l1_disco
unt), count(*)
  Group Key: l1_returnflag, l1_linestatus
  Buffers: shared hit=1516 read=103874
  -> Gather Merge (cost=248744.11..248745.74 rows=14 width=140) (actual time=1534.308..1535.721 rows=12.00 loops=1)
    Output: l1_returnflag, l1_linestatus, (PARTIAL sum(l1_quantity)), (PARTIAL sum(l1_extendedprice)), (PARTIAL sum((l1_extendedprice * ('1':doubl
e precision - l1_discount)))), (PARTIAL sum(((l1_extendedprice * ('1':double precision - l1_discount)) * ('1':double precision + l1_tax)))), (PARTIAL a
vg(l1_quantity)), (PARTIAL avg(l1_extendedprice)), (PARTIAL avg(l1_discount)), (PARTIAL count(*))
    Workers Planned: 2
    Workers Launched: 2
    Buffers: shared hit=1516 read=103874
    -> Sort (cost=247744.09..247744.10 rows=6 width=140) (actual time=1523.407..1523.410 rows=4.00 loops=3)
      Output: l1_returnflag, l1_linestatus, (PARTIAL sum(l1_quantity)), (PARTIAL sum(l1_extendedprice)), (PARTIAL sum((l1_extendedprice * ('1':
:double precision - l1_discount)))), (PARTIAL sum(((l1_extendedprice * ('1':double precision - l1_discount)) * ('1':double precision + l1_tax)))), (PAR
TIAL avg(l1_quantity)), (PARTIAL avg(l1_extendedprice)), (PARTIAL avg(l1_discount)), (PARTIAL count(*))
      Sort Key: l1_returnflag, l1_linestatus
      Sort Method: quicksort Memory: 25kB
      Buffers: shared hit=1516 read=103874
      Worker 0: actual time=1518.300..1518.304 rows=4.00 loops=1
        Sort Method: quicksort Memory: 25kB
        Buffers: shared hit=516 read=34298
      Worker 1: actual time=1518.301..1518.304 rows=4.00 loops=1
        Sort Method: quicksort Memory: 25kB
        Buffers: shared hit=504 read=34640
      -> Partial HashAggregate (cost=247743.95..247744.01 rows=6 width=140) (actual time=1523.337..1523.340 rows=4.00 loops=3)
        Output: l1_returnflag, l1_linestatus, PARTIAL sum(l1_quantity), PARTIAL sum(l1_extendedprice), PARTIAL sum((l1_extendedprice * ('1'
::double precision - l1_discount))), PARTIAL sum(((l1_extendedprice * ('1':double precision - l1_discount)) * ('1':double precision + l1_tax))), PARTIA
L avg(l1_quantity), PARTIAL avg(l1_extendedprice), PARTIAL avg(l1_discount), PARTIAL count(*)
        Group Key: l1_returnflag, l1_linestatus
        Batches: 1 Memory Usage: 32kB
        Buffers: shared hit=1500 read=103874
        Worker 0: actual time=1518.225..1518.229 rows=4.00 loops=1
          Batches: 1 Memory Usage: 32kB
          Buffers: shared hit=508 read=34298
        Worker 1: actual time=1518.225..1518.229 rows=4.00 loops=1
          Batches: 1 Memory Usage: 32kB
          Buffers: shared hit=496 read=34640
        -> Hash Semi Join (cost=445.45..165779.47 rows=2049112 width=36) (actual time=4.955..874.819 rows=1639413.00 loops=3)
          Output: l1_returnflag, l1_linestatus, l1_quantity, l1_extendedprice, l1_discount, l1_tax
          Hash Cond: (l1_suppkey = s.s_suppkey)
          Buffers: shared hit=1500 read=103874
          Worker 0: actual time=4.264..866.182 rows=1623432.00 loops=1
            Buffers: shared hit=508 read=34298
          Worker 1: actual time=4.265..873.396 rows=1640196.00 loops=1
            Buffers: shared hit=496 read=34640
          -> Parallel Seq Scan on public.lineitem l1 (cost=0.00..135974.79 rows=2500137 width=40) (actual time=1.040..445.490 rows=2000372.
33 loops=3)
            Output: l1_orderkey, l1_partkey, l1_suppkey, l1_linenumber, l1_quantity, l1_extendedprice, l1_discount, l1_tax, l1_
returnflag, l1_linestatus, l1_shipdate, l1_commitdate, l1_receiptdate, l1_shipinstruct, l1_shipmode, l1_comment
            Filter: (l1_shipdate <= '1998-11-28 00:00:00':timestamp without time zone)
            Rows Removed by Filter: 33
            Buffers: shared hit=846 read=103874
            Worker 0: actual time=1.171..440.902 rows=1981740.00 loops=1
              Buffers: shared hit=290 read=34298
            Worker 1: actual time=1.056..444.102 rows=2000987.00 loops=1
              Buffers: shared hit=278 read=34640
            -> Hash (cost=343.00..343.00 rows=8196 width=4) (actual time=3.822..3.823 rows=8197.00 loops=3)
              Output: s.s_suppkey
              Buckets: 16384 Batches: 1 Memory Usage: 417kB
              Buffers: shared hit=654
              Worker 0: actual time=3.060..3.060 rows=8197.00 loops=1
                Buffers: shared hit=218
              Worker 1: actual time=3.177..3.177 rows=8197.00 loops=1
                Buffers: shared hit=218
              -> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8196 width=4) (actual time=0.147..2.589 rows=8197.00 loops=3)
                Output: s.s_suppkey
                Filter: (s.s_acctbal > '1000':double precision)
                Rows Removed by Filter: 1803
                Buffers: shared hit=654
                Worker 0: actual time=0.129..1.971 rows=8197.00 loops=1
                  Buffers: shared hit=218
                Worker 1: actual time=0.239..2.108 rows=8197.00 loops=1
                  Buffers: shared hit=218

Planning:
  Buffers: shared hit=18
  Planning Time: 11.750 ms
  Execution Time: 1536.638 ms
(69 rows)

Time: 1556.290 ms (00:01.556)
tpch=# RESET ROLE;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
  :stmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
    :stmt_location 0
    :stmt_len 10
  }

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
}
```

```

    }
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree <>
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList <>
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 10
  }
}

Time: 9.101 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
    END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on supplier (main filtered table in Q2)
ALTER TABLE supplier ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show suppliers from nations in EUROPE region
CREATE POLICY supplier_rls_policy ON supplier
USING (
    EXISTS (
        SELECT 1 FROM nation n
        JOIN region r ON n.n_regionkey = r.r_regionkey
        WHERE n.n_nationkey = supplier.s_nationkey
        AND r.r_name = 'EUROPE'
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON supplier TO alice;
GRANT SELECT ON nation TO alice;
GRANT SELECT ON region TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON partsupp TO alice;
SET ROLE alice;

-- Step 6: Run Q2 with timing
\timing on
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    s_acctbal,
    s_name,
    n_name,
    p_partkey,
    p_mfgr,
    s_address,
    s_phone,
    s_comment
from
    part,
    supplier,
    partsupp,
    nation,
    region
where
    p_partkey = ps_partkey
    and s_suppkey = ps_suppkey
    and p_size = 15
    and p_type like '%BRASS'
    and s_nationkey = n_nationkey
    and n_regionkey = r_regionkey

```



```

and r_name = 'EUROPE'
and ps_supplycost = (
  select
    min(ps_supplycost)
  from
    partsupp,
    supplier,
    nation,
    region
  where
    p_partkey = ps_partkey
    and s_suppkey = ps_suppkey
    and s_nationkey = n_nationkey
    and n_regionkey = r_regionkey
    and r_name = 'EUROPE'
)
order by
  s_acctbal desc,
  n_name,
  s_name,
  p_partkey limit 100;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {DOSTMT
:args (
  {DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ policymname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.policymname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
  :defaction 0
  :location 3
  }
  )
  }
  :stmt_location 0
  :stmt_len 236
  }

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DOSTMT
:args (
  {DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ policymname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.policymname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
  :defaction 0
  :location 3
  }
  )
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>

```

```

:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3

```

```

:varstype 19
:varystmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname polycyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varstype 19
:varystmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias

```

```

{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
laci" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relaci" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
}
{VAR

```

```

:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}

```



```

    }
    {VAR
    :varno 2
    :varattno 32
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 32
    :location -1
    }
    {VAR
    :varno 2
    :varattno 33
    :vartype 1009
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 33
    :location -1
    }
    {VAR
    :varno 2
    :varattno 34
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 34
    :location -1
    }
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid"
"nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2

```

```

:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30

```

```

:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
)

```

```

:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

        {VAR
        :varno 4
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
        }
        {VAR
        :varno 2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
        }
    )
    :location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgrouppref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgrouppref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR

```



```

:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1

```



```

        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :location -1
    }
    :location -1
    }
    :resno 5
    :resname roles
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {CASEEXPR
    :casetype 25
    :casecollid 100
    :arg
    {VAR
    :varno 1
    :varattno 4
    :vartype 18
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
    }
    }
    }

```

```

:args (
  {CASEWHEN
    :expr
    {OPEXPR
      :opno 92
      :opfuncid 61
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {CASETESTEXPR
          :typeid 18
          :typemod -1
          :collation 0
        }
        {CONST
          :consttype 18
          :consttypmod -1
          :constcollid 0
          :constlen 1
          :constbyval true
          :constisnull false
          :location -1
          :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
        }
      )
      :location -1
    }
  :result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
  }
  :location -1
}
{CASEWHEN
  :expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  :result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
  }
  :location -1
}
{CASEWHEN
  :expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  :result
  {CONST
    :consttype 25
    :consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
    }
    :location -1
}
{CASEWHEN
:expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
        }
        {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
:result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
    :location -1
}
{CASEWHEN
:expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
        }
        {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
:result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
}
)
:defresult
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
    }
    :location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {FUNCEXPR

```

```

:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
  {VAR
    :varno 1
    :varattno 7
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
:resno 7
:resname qual
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {FUNCEXP
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {VAR
        :varno 1
        :varattno 8
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    )
  }
:location -1
}
:resno 8
:resname with_check
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false

```

```

:releid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:releid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
}
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policymame
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozensid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtekind 0
}
}
}

```



```

:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relf
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2

```

```

:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}

```

```

)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}

```

```

}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```



```

:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree

```

```

{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY

```

```

:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4

```

```

:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {CASEEXPR
    :casetype 1003
    :casecollid 950
    :arg <>
    :args (
      {CASEWHEN
        :expr
          {OPEXPR
            :opno 1070
            :opfuncid 744
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 1028
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location -1
              }
              {CONST
                :consttype 1028
                :consttypmod -1
                :constcollid 0
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
              }
            )
            :location -1
          }
        }
      }
    :result
      {ARRAYCOERCEEXPR
        :arg
          {FUNCEXPR
            :funcid 394
            :funcresulttype 1009
            :funcresultset false
            :funcvariadic false
            :funcformat 0
            :funccollid 100
            :inputcollid 100
            :args (
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
              }
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 4 [ 16 0 0 0 ]
              }
            )
            :location -1
          }
        }
      :elemexpr
        {FUNCEXPR
          :funcid 407
          :funcresulttype 19
          :funcresultset false
          :funcvariadic false
          :funcformat 2
          :funccollid 950
          :inputcollid 0
          :args (
            {CASETESTEXPR
              :typeid 25
              :typemod -1
              :collation 0
            }
          )
          :location -1
        }
      :resulttype 1003
      :resulttypmod -1
      :resultcollid 950
      :coerceformat 2
      :location -1
    }
  :location -1
}
)
:default
{SUBLINK
:sublinkType 6

```

```

:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 93
        :sortop 660
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
}

```



```

:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25

```

```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
    :location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
}
:resno 7
:resname qual
:resortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:varatype 194
:varatypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 26
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{OPEXP
:opno 93
:opfuncid 62
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1

```



```

:varstype 19
:varstypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname polycyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:varstype 19
:varstypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 1.9225
:join.plan.total_cost 22.3825
:join.plan.plan_rows 41
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:varstype 19
:varstypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:varstype 19
:varstypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:varstype 26
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.4
:scan.plan.plan_rows 440
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
}

```

```

    }
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0

```



```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 31
        :location -1
    }
:resno 31
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 1.4100000000000001
:plan.total_cost 1.4100000000000001
:plan.plan_rows 41
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.4100000000000001
:scan.plan.plan_rows 41
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
)
:skewTable 1259
:skewColumn 1
:skewInherit false

```

```

:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
  {VAR
:varno -1
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 1.05
:plan.total_cost 1.05
:plan.plan_rows 1
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
  {TARGETENTRY
:expr
  {VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.05
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
  {TARGETENTRY
:expr

```



```

:varattnosyn 3
:location -1
}
{VAR
:varno -1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
)
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```



```

:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====:

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>

```

```

>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

```

}

WARNING: ===== FINAL PLAN =====:
DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

```

WARNING: ===== RAW PARSE TREE =====:
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("lineitem" "lineitem_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

```

WARNING: ===== ANALYZED QUERY =====:
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("lineitem" "lineitem_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 32.302 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
}

```

```

:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.960 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>

```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.305 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
}

```

```
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

Time: 0.267 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
}
```

```

:stmt_len 47
}

Time: 0.288 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

```

Time: 0.244 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT

```



```

:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.645 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>

```

```

        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 12
    }
    :cmds (
        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
    )
    :objtype 41
    :missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}
}

```

Time: 0.279 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
}
}

```

```

:cmds (
  {ALERTABLECMD
  :subtype 55
  :name <>
  :num 0
  :newowner <>
  :def <>
  :behavior 0
  :missing_ok false
  :recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
  :subtype 55
  :name <>
  :num 0
  :newowner <>
  :def <>
  :behavior 0
  :missing_ok false
  :recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

Time: 0.248 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
  :subtype 54
  :name <>
  :num 0
  :newowner <>

```

```

: def <>
: behavior 0
: missing_ok false
: recurse false
}
)
: objtype 41
: missing_ok false
}
: stmt_location 0
: stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
: commandType 6
: querySource 0
: canSetTag true
: utilityStmt
{ALERTABLESTMT
: relation
{RANGEVAR
: catalogname <>
: schemaname <>
: relname supplier
: inh true
: relpersistence p
: alias <>
: location 12
}
: cmds (
{ALERTABLECMD
: subtype 54
: name <>
: num 0
: newowner <>
: def <>
: behavior 0
: missing_ok false
: recurse false
}
)
: objtype 41
: missing_ok false
}
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: cteList <>
: rtable <>
: rteperminfos <>
: jointree <>
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList <>
: override 0
: onConflict <>
: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 46
}

```

Time: 0.217 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
: stmt
{CREATEPOLICYSTMT
: policy_name supplier_rls_policy
: table
{RANGEVAR
: catalogname <>
: schemaname <>
: relname supplier
: inh true
: relpersistence p
: alias <>
: location 37
}
: cmd_name all
: permissive true
: roles (
{ROLESPEC
: roletype 4
: rolename <>
: location -1
}
)
: qual
{SUBLINK

```

```

:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname r
:colnames <>
}
:location 111
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_regionkey")
:location 123
}
:rexpr
{COLUMNREF
:fields ("r" "r_regionkey")
:location 139
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 137
}
:alias <>
:rtindex 0
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 167
}
:rexpr
{COLUMNREF
:fields ("supplier" "s_nationkey")
:location 183
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 181
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r" "r_name")
:location 216
}
:rexpr
{A_CONST
:val "EUROPE"
:location 227
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 225
}
}
:location 212
}
:groupClause <>

```

```

        :groupDistinct false
        :havingClause <>
        :windowClause <>
        :valuesLists <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 243
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname r
:colnames <>
}
:location 111
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_regionkey")
:location 123
}
}
:rexpr

```

```

        {COLUMNREF
        :fields ("r" "r_regionkey")
        :location 139
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 137
    }
    :alias <>
    :rtindex 0
}
)
:whereClause
{BOOLEXPR
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 167
}
}
:rexpr
{COLUMNREF
:fields ("supplier" "s_nationkey")
:location 183
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 181
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r" "r_name")
:location 216
}
}
:rexpr
{A_CONST
:val "EUROPE"
:location 227
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 225
}
}
:location 212
}
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 243
}

```

Time: 2.538 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
}
```



```

:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

Time: 0.511 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.205 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 16
  }
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
  }
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 26
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 16
  }
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
  }
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 26
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.207 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
}

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.209 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistance p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistance p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
}

```

```

:ртеperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.173 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:ртеperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.207 ms

\timing: extra argument "EXPLAIN" ignored

\timing: extra argument "(ANALYZE," ignored

```

\timing: extra argument "VERBOSE," ignored
\timing: extra argument "BUFFERS)" ignored
\timing: extra argument "select" ignored
\timing: extra argument "s_acctbal," ignored
\timing: extra argument "s_name," ignored
\timing: extra argument "n_name," ignored
\timing: extra argument "p_partkey," ignored
\timing: extra argument "p_mfg", ignored
\timing: extra argument "s_address," ignored
\timing: extra argument "s_phone," ignored
\timing: extra argument "s_comment" ignored
\timing: extra argument "from" ignored
\timing: extra argument "part," ignored
\timing: extra argument "supplier," ignored
\timing: extra argument "partsupp," ignored
\timing: extra argument "nation," ignored
\timing: extra argument "region" ignored
\timing: extra argument "where" ignored
\timing: extra argument "p_partkey" ignored
\timing: extra argument "=" ignored
\timing: extra argument "ps_partkey" ignored
\timing: extra argument "and" ignored
\timing: extra argument "s_suppkey" ignored
\timing: extra argument "=" ignored
\timing: extra argument "ps_suppkey" ignored
\timing: extra argument "and" ignored
\timing: extra argument "p_size" ignored
\timing: extra argument "=" ignored
\timing: extra argument "15" ignored
\timing: extra argument "and" ignored
\timing: extra argument "p_type" ignored
\timing: extra argument "like" ignored
\timing: extra argument "%BRASS" ignored
\timing: extra argument "and" ignored
\timing: extra argument "s_nationkey" ignored
\timing: extra argument "=" ignored
\timing: extra argument "n_nationkey" ignored
\timing: extra argument "and" ignored
\timing: extra argument "n_regionkey" ignored
\timing: extra argument "=" ignored
\timing: extra argument "r_regionkey" ignored
\timing: extra argument "and" ignored
\timing: extra argument "r_name" ignored
\timing: extra argument "=" ignored
\timing: extra argument "EUROPE" ignored
\timing: extra argument "and" ignored
\timing: extra argument "ps_supplycost" ignored
\timing: extra argument "=" ignored
\timing: extra argument "(" ignored
\timing: extra argument "select" ignored
\timing: extra argument "min(ps_supplycost)" ignored
\timing: extra argument "from" ignored
\timing: extra argument "partsupp," ignored
\timing: extra argument "supplier," ignored
\timing: extra argument "nation," ignored
\timing: extra argument "region" ignored
\timing: extra argument "where" ignored
\timing: extra argument "p_partkey" ignored
\timing: extra argument "=" ignored
\timing: extra argument "ps_partkey" ignored
\timing: extra argument "and" ignored
\timing: extra argument "s_suppkey" ignored
\timing: extra argument "=" ignored
\timing: extra argument "ps_suppkey" ignored
\timing: extra argument "and" ignored
\timing: extra argument "s_nationkey" ignored
\timing: extra argument "=" ignored
\timing: extra argument "n_nationkey" ignored
\timing: extra argument "and" ignored
\timing: extra argument "n_regionkey" ignored
\timing: extra argument "=" ignored
\timing: extra argument "r_regionkey" ignored
\timing: extra argument "and" ignored
\timing: extra argument "r_name" ignored
\timing: extra argument "=" ignored
\timing: extra argument "EUROPE" ignored
\timing: extra argument ")" ignored
\timing: extra argument "order" ignored
\timing: extra argument "by" ignored
\timing: extra argument "s_acctbal" ignored
\timing: extra argument "desc," ignored
\timing: extra argument "n_name," ignored
\timing: extra argument "s_name," ignored
\timing: extra argument "p_partkey" ignored
\timing: extra argument "limit" ignored
\timing: extra argument "100;" ignored
tpch=> EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    s_acctbal,
    s_name,
    n_name,
    p_partkey,
    p_mfg,
    s_address,
    s_phone,
    s_comment
from
    part,
    supplier,
    partsupp,
    nation,
    region
where
    p_partkey = ps_partkey
    and s_suppkey = ps_suppkey
    and p_size = 15
    and p_type like '%BRASS'
    and s_nationkey = n_nationkey
    and n_regionkey = r_regionkey
    and r_name = 'EUROPE'
    and ps_supplycost = (
        select
            min(ps_supplycost)
        from
            partsupp,

```

```

        supplier,
        nation,
        region
    where
        p_partkey = ps_partkey
        and s_suppkey = ps_suppkey
        and s_nationkey = n_nationkey
        and n_regionkey = r_regionkey
        and r_name = 'EUROPE'
    )
order by
    s_acctbal desc,
    n_name,
    s_name,
    p_partkey limit 100;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_acctbal")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_name")
:location 62
}
:location 62
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("n_name")
:location 74
}
:location 74
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_partkey")
:location 86
}
:location 86
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_mfgr")
:location 101
}
:location 101
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_address")
:location 113
}
:location 113
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_phone")
:location 128
}
:location 128
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_comment")
:location 141
}
:location 141
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 160
}
)

```

```

{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 170
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 184
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 198
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 210
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_partkey")
:location 227
}
}
:rexpr
{COLUMNREF
:fields ("ps_partkey")
:location 239
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 237
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_supkey")
:location 258
}
}
:rexpr
{COLUMNREF
:fields ("ps_supkey")
:location 270
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 268
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 289
}
}
:rexpr
{A_CONST
:val 15
:location 298
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 296
}
{A_EXPR LIKE
:name ("~~")
:lexpr
{COLUMNREF
:fields ("p_type")
:location 309
}
}
:rexpr
{A_CONST
:val "%BRASS"
:location 321
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 316
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_nationkey")
:location 338
}
}
:rexpr
{COLUMNREF
:fields ("n_nationkey")

```



```

        :location 352
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 350
}
{A_EXPR
: name ("=")
: lexpr
    {COLUMNREF
    : fields ("n_regionkey")
    : location 372
    }
: rexpr
    {COLUMNREF
    : fields ("r_regionkey")
    : location 386
    }
: rexpr_list_start 0
: rexpr_list_end 0
: location 384
}
{A_EXPR
: name ("=")
: lexpr
    {COLUMNREF
    : fields ("r_name")
    : location 406
    }
: rexpr
    {A_CONST
    : val "EUROPE"
    : location 415
    }
: rexpr_list_start 0
: rexpr_list_end 0
: location 413
}
{A_EXPR
: name ("=")
: lexpr
    {COLUMNREF
    : fields ("ps_supplycost")
    : location 432
    }
: rexpr
    {SUBLINK
    : subLinkType 4
    : subLinkId 0
    : testexpr <>
    : operName <>
    : subselect
        {SELECTSTMT
        : distinctClause <>
        : intoClause <>
        : targetList (
            {RESTARGET
            : name <>
            : indirection <>
            : val
                {FUNCCALL
                : funcname ("min")
                : args (
                    {COLUMNREF
                    : fields ("ps_supplycost")
                    : location 481
                    }
                )
            : agg_order <>
            : agg_filter <>
            : over <>
            : agg_within_group false
            : agg_star false
            : agg_distinct false
            : func_variadic false
            : funcformat 0
            : location 477
            }
        : location 477
        }
    )
: fromClause (
    {RANGEVAR
    : catalogname <>
    : schemaname <>
    : relname partsupp
    : inh true
    : relpersistence p
    : alias <>
    : location 521
    }
    {RANGEVAR
    : catalogname <>
    : schemaname <>
    : relname supplier
    : inh true
    : relpersistence p
    : alias <>
    : location 543
    }
    {RANGEVAR
    : catalogname <>
    : schemaname <>
    : relname nation
    : inh true
    : relpersistence p
    : alias <>
    : location 565
    }
    {RANGEVAR
    : catalogname <>
    : schemaname <>
    : relname region
    : inh true
    : relpersistence p

```

```

        :alias <>
        :location 585
    }
)
:whereClause
{BOOLEXP
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("p_partkey")
    :location 618
    }
    :rexpr
    {COLUMNREF
    :fields ("ps_partkey")
    :location 630
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 628
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("s_suppkey")
    :location 657
    }
    :rexpr
    {COLUMNREF
    :fields ("ps_suppkey")
    :location 669
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 667
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("s_nationkey")
    :location 696
    }
    :rexpr
    {COLUMNREF
    :fields ("n_nationkey")
    :location 710
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 708
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("n_regionkey")
    :location 738
    }
    :rexpr
    {COLUMNREF
    :fields ("r_regionkey")
    :location 752
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 750
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("r_name")
    :location 780
    }
    :rexpr
    {A_CONST
    :val "EUROPE"
    :location 789
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 787
    }
    }
    :location 653
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 448
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 446
}
)
:location 254

```

```

    }
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
  {SORTBY
    :node
    {COLUMNREF
      :fields ("s_acctbal")
      :location 817
    }
    :sortby_dir 2
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
  {SORTBY
    :node
    {COLUMNREF
      :fields ("n_name")
      :location 837
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
  {SORTBY
    :node
    {COLUMNREF
      :fields ("s_name")
      :location 849
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
  {SORTBY
    :node
    {COLUMNREF
      :fields ("p_partkey")
      :location 861
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
)
:limitOffset <>
:limitCount
  {A_CONST
    :val 100
    :location 877
  }
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)
}
:stmt_location 0
:stmt_len 880
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {EXPLAINSTMT
    :query
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks true
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
    }
  }
}

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname region
        :colnames ("r_regionkey" "r_name" "r_comment")
      }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10 12 13)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
  }
)

```

```

:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 227
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 239
}
)
:location 237
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 258
}
{VAR
:varno 3

```

```

:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 270
}
)
:location 268
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 289
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 298
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 296
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 309
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 321
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 316
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 338
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 352
}
}

```

```

    }
  )
  :location 350
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location 372
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 386
  }
)
:location 384
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 406
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 415
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location 413
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 4
    :location 432
  }
  {SUBLINK
    :subLinkType 4
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs true
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
    }
  }
)
}

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqt
          y" "ps_supplycost" "ps_comment")
        }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_n
          ationkey" "s_phone" "s_acctbal" "s_comment")
        }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey"
          "n_comment")
        }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname region
        :colnames ("r_regionkey" "r_name" "r_comment")
        }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16531
    :inh true
    :requiredPerms 2
    :checkAsUser 0

```



```

:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
  {RANGETBLREF
  :rtindex 2
  }
  {RANGETBLREF
  :rtindex 3
  }
  {RANGETBLREF
  :rtindex 4
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 618
    }
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 630
    }
  )
  :location 628
  }
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 657
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 669
    }
  )
  :location 667
  }
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 696
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 710
}
)
:location 708
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 738
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 752
}
)
:location 750
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 780
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 789
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 6
9 ]
}
)
:location 787
}
)
:location 653
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2136
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR

```

```

        :varno 1
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 481
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 477
}
:resno 1
:resname min
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 448
}
)
:location 446
}
)
:location 254
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
}
:resno 2
:resname s_name

```

```

:ressortgroupref 3
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}

```

```

{TARGETENTRY
:expr
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 141
  }
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount
  {FUNCEXP
    :funcid 481
    :funcrestulttype 20
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 877
        :constvalue 4 [ 100 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
)

```

```

    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
  )
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 880
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname part
  :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
    "p_container" "p_retailprice" "p_comment")
  }
  :rtekind 0
  :relid 16551
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname supplier
  :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
    s_acctbal" "s_comment")
  }
  :rtekind 0
  :relid 16541
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 2
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname partsupp

```

```

        :colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
        s_comment")
    }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname nation
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname region
    :colnames ("r_regionkey" "r_name" "r_comment")
    }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    }
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10 12 13)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16531
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    {RANGETBLREF
    :rtindex 2
    }
    {RANGETBLREF
    :rtindex 3
    }
    {RANGETBLREF
    :rtindex 4
    }
    {RANGETBLREF
    :rtindex 5
    }
    )
    }

```

```

    }
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 227
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 239
}
)
:location 237
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 258
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 270
}
)
:location 268
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 289
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 298
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 296
}
{OPEXP

```



```

:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 309
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 321
    :constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
  }
)
:location 316
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 338
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 352
  }
)
:location 350
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location 372
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 386
  }
)
:location 384
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```

```

{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 406
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 415
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 413
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 432
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps
_supplycost" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation

```

```

        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname region
    :colnames ("r_regionkey" "r_name" "r_comment")
    }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16531
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    {RANGETBLREF
    :rtindex 2
    }
    {RANGETBLREF
    :rtindex 3
    }
    {RANGETBLREF
    :rtindex 4
    }
    )
    :quals
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 618
    }
    {VAR
    :varno 1
    :varattno 1

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 630
    }
)
:location 628
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 657
    }
    {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 669
    }
)
:location 667
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 696
    }
    {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 710
    }
)
:location 708
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 3
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location 738
    }
    {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 752
    }
)
:location 750
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 4
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 780
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 789
        :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
)
:location 787
}
)
:location 653
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {AGGREF
            :aggfnoid 2136
            :aggtype 701
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 0
            :aggargtypes (o 701)
            :aggdirectargs <>
            :args (
                {TARGETENTRY
                    :expr
                    {VAR
                        :varno 1
                        :varattno 4
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 1
                        :varattnosyn 4
                        :location 481
                    }
                    :resno 1
                    :resname <>
                    :ressortgroupref 0
                    :resorigtbl 0
                    :resorigcol 0
                    :resjunk false
                }
            )
            :aggorder <>
            :aggdistinct <>
            :aggfilter <>
            :aggstar false
            :aggvariadic false
            :aggkind n
            :aggpresorted false
            :agglevelsup 0
            :aggssplit 0
            :aggno -1
            :aggtransno -1
            :location 477
        }
        :resno 1
        :resname min
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>

```

```

        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 448
}
)
:location 446
}
)
:location 254
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:t1SortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:t1SortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}

```

```

    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
  )
:limitOffset <>
:limitCount
{FUNCEXP
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location 877
  :constvalue 4 [ 100 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16541

WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
}
)
)

```



```

:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment" "r_reg
ionkey" "r_name" "r_comment")
}
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>

```

```

:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
    }
}
:location -1
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
}
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: Table OID=16541

WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
    {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
        {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
        }
    }
)

```

```

:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname n
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname r
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname r
        :colnames ("r_regionkey" "r_name" "r_comment")
      }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment" "r_reg
ionkey" "r_name" "r_comment")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno 1
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1

```

```

:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
}
:location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

    }
  }
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location -1
  :stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname n

```

```

        :colnames <>
    }
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
}
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment"
"r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
}

```



```

:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
}
:alias <>
:rtindex 3
}
)

```

```

:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
)
:location -1
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>

```

```

        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}

```

```

    }
  )
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
  {RANGETBLREF
  :rtindex 2
  }
  {RANGETBLREF
  :rtindex 3
  }
  {RANGETBLREF
  :rtindex 4
  }
  {RANGETBLREF
  :rtindex 5
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 227
    }
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 239
    }
  )
  :location 237
  }
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 258
    }
    {VAR
    :varno 3
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 270
    }
  )
  :location 268
  }
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 289
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 298
:constvalue 4 [ 15 0 0 0 0 0 0 ]
}
)
:location 296
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 309
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 321
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 316
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 338
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 352
}
)
:location 350
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 372
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 386
}
)
:location 384
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 406
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 415
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 413
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 432
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps
_supplycost" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier

```

```

:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionke
y" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment"
)
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionke
y" "n_comment" "r_regionkey" "r_name" "r_comm
ent")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
}
)
}

```



```

    }
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
}
}
}

```

```

        :constvalue 10 [ 40 0 0 0 69 85 82 79 8
        0 69 ]
    }
)
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
    {RTEPERMISSIONINFO
        :relid 16556
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 9 11)
        :insertedCols (b)
        :updatedCols (b)
    }
    {RTEPERMISSIONINFO
        :relid 16541
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 11)
        :insertedCols (b)
    }
)

```

```

:updatedCols (b)
}
{RTEPERMISSIONINFO
:reld 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reld 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 618
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 630
}
)
:location 628
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 657
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 669
}
)
:location 667
}

```

```

{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 696
}
  {VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 710
}
)
:location 708
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 738
}
  {VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 752
}
)
:location 750
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 780
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 789
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 787
}
)
:location 653
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>

```

```

:targetList (
  {TARGETENTRY
    :expr
      {AGGREF
        :aggfnoid 2136
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
          {TARGETENTRY
            :expr
              {VAR
                :varno 1
                :varattno 4
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 4
                :location 481
              }
            :resno 1
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
          }
        )
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar false
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 477
      }
    :resno 1
    :resname min
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 448
}
)
:location 446
}
)
:location 254
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 47
      }
    :resno 1
    :resname s_acctbal
    :ressortgroupref 1
    :resorigtbl 16541
    :resorigcol 6
    :resjunk false
  }
)
{TARGETENTRY
:expr

```

```

{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 7
:resname s_phone
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:varitypmid -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 8
:resname s_comment
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount
{FUNCEXP
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 877
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

)

WARNING: ===== PLANNER INPUT =====

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
  {RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
  {SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias
  {ALIAS
:aliasname n
:colnames <>
}
:eref
  {ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
  {RANGETBENTRY
:alias
  {ALIAS
:aliasname r
:colnames <>
}
:eref
  {ALIAS
:aliasname r
```



```

        :colnames ("r_regionkey" "r_name" "r_comment")
    }
:rtkind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
    {ALIAS
    :aliasname unnamed_join
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment"
    "r_regionkey" "r_name" "r_comment")
    }
:rtkind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
{VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
{VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
{VAR
    :varno 1
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
    }
{VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
{VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
{VAR
    :varno 2
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }

```

```

    }
  )
  :joinleftcols (i 1 2 3 4)
  :joinrightcols (i 1 2 3)
  :join_using_alias <>
  :lateral false
  :inFromCl true
  :securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 10)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16531
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {JOINEXPR
  :jointype 0
  :isNatural false
  :larg
  {RANGETBLREF
  :rtindex 1
  }
  :rarg
  {RANGETBLREF
  :rtindex 2
  }
  :usingClause <>
  :join_using_alias <>
  :quals
  {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
  )
  :location -1
  }
  :alias <>
  :rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2

```

```

        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
    }
}
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
)
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1

```

```

:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96

```

```

:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 227
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 239
  }
)
:location 237
}
{OPEXPR
:opno 96
:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 258
  }
  {VAR
    :varno 3
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 270
  }
)
:location 268
}
{OPEXPR
:opno 96
:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 289
  }
  {CONST
    :constttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 298
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location 296
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR

```

```

:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 309
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 321
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 316
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 338
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 352
}
}
)
:location 350
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 372
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 386
}
}
)
:location 384
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 406
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 415
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 413
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 4
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 432
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps
_supplycost" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname n
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_regionke
          y" "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname r
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname r
        :colnames ("r_regionkey" "r_name" "r_comment"
          )
      }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("n_nationkey" "n_name" "n_regionke
          y" "n_comment" "r_regionkey" "r_name" "r_comm
          ent")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno 1
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2

```

```

        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
}
:location -1
}
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
)
:location -1
}
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 8
0 69 ]
}
}
)
:location -1
}
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
:resno 1

```

```

        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}

```

```

{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 618
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 630
}
)
:location 628
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 657
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 669
}
)
:location 667
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 696
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 710
    }
)
:location 708
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 3
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location 738
    }
    {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 752
    }
)
:location 750
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 4
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 780
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 789
        :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
)
:location 787
}
}
:location 653
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {AGGREF
            :aggfnoid 2136
            :aggtype 701
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 0
            :aggargtypes (o 701)
            :aggdirectargs <>
            :args (
                {TARGETENTRY
                    :expr
                    {VAR
                        :varno 1
                        :varattno 4
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 1
                        :varattnosyn 4
                        :location 481
                    }
                }
            )
        }
    }
)

```

```

        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 477
}
:resno 1
:resname min
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 448
}
)
:location 446
}
)
:location 254
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
:resno 1
:resname s_acctbal
:ressortgrouppref 1
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
:resno 2
:resname s_name
:ressortgrouppref 3
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

        :varattnosyn 7
        :location 141
    }
    :resno 8
    :resname s_comment
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 7
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 670
        :sortop 674
        :reverse_sort true
        :nulls_first true
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 4
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount
{FUNCEXPR
    :funcid 481
    :funcresulttype 20
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 877
            :constvalue 4 [ 100 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:      {LIMIT
    :plan.disabled_nodes 0
    :plan.startup_cost 176362814.39999998
    :plan.total_cost 176362814.40499997
    :plan.plan_rows 1
    :plan.plan_width 182
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 0
    :plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 1
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 6
                :location -1
            }
        }
    )
}

```



```

    }
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16541

```

```

:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 176362814.39999998
:plan.total_cost 176362814.40499997
:plan.plan_rows 1
:plan.plan_width 182
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}

```

```

:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 441437.82250000007
:join.plan.total_cost 176362814.39
:join.plan.plan_rows 1
:join.plan.plan_width 182
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25

```

```

        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 101
    }
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 6864
:scan.plan.plan_rows 802
:scan.plan.plan_width 19
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 1
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
        }
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
  :varno 1
  :varattno 8
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 8
  :location -1
  }
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
  :varno 1
  :varattno 9
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 9
  :location -1
  }
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
  {OEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 289
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 298
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
  )
:location 296
}
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 1
  :varattno 5
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 309
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 321
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 316
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 440953.66750000004
:plan.total_cost 440953.66750000004
:plan.plan_rows 32277
:plan.plan_width 175
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```



```

        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location -1
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 411622.8975
:join.plan.total_cost 440953.66750000004
:join.plan.plan_rows 32277
:join.plan.plan_width 175
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 5
:join.plan.targetlist (
{TARGETENTRY

```

```

:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 239
    }
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 432
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 26008
:scan.plan.plan_rows 800000
:scan.plan.plan_width 16
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 411617.835
:plan.total_cost 411617.835
:plan.plan_rows 405
:plan.plan_width 167
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 7
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
    }
    :resno 7
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0
:join.plan.total_cost 411617.835
:join.plan.plan_rows 405
:join.plan.plan_width 167
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 8
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:varitypmode -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 25
:varitypmode -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 25
:varitypmode -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 258
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0
:join.plan.total_cost 87.33500000000001
:join.plan.plan_rows 16
:join.plan.plan_width 36
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 9
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4

```

```

        :varattnosyn 1
        :location 352
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 40
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location -1
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location -1
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>

```



```

:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 4
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 20.645
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 11
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.625
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 12
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 386
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 406
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 415
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 6
9 ]
}
)
:location 413
}
)
:scan.plan.lefttree <>

```

```

        :scan.plan.righttree <>
        :scan.plan.initPlan <>
        :scan.plan.extParam (b)
        :scan.plan.allParam (b)
        :scan.scanrelid 5
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 3
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 4
                :varattnosyn 3
                :location 372
            }
            {VAR
                :varno -1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 5
                :varattnosyn 1
                :location 386
            }
        )
    }
    :location -1
}
)
:nestParams <>
}
:join.plan.righttree
{MATERIAL
    :plan.disabled_nodes 0
    :plan.startup_cost 0
    :plan.total_cost 410343
    :plan.plan_rows 5000
    :plan.plan_width 139
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 13
    :plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 1
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 6
                :location -1
            }
            :resno 1
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 2
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 2
                :location -1
            }
            :resno 2
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
    )
}
{TARGETENTRY
    :expr

```

```

        {VAR
        :varno -2
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
        }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 410318

```

```

:scan.plan.plan_rows 5000
:scan.plan.plan_width 139
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 14
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 6
      :location 47
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location 62
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 3
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 3
      :location 113
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 5
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 5
      :location 128
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 7
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 7
      :location 141
    }
    :resno 5
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
  }
)

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 258
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 338
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{SUBPLAN
:sublinkType 2
:testexpr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{PARAM
:paramkind 1
:paramid 4
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
:paramIds (i 4)
:plan_id 5
:plan_name SubPlan\ 5
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 42.012499999999996
:per_call_cost 0.0025
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0

```

```

:join.inner_unique false
:join.joinqual (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -1
        :varattno 7
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 338
      }
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 352
      }
    )
    :location -1
  }
)
:nestParams <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 258
  }
)
:skewTable 16556
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location 270
      }
      {VAR
        :varno -1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 258
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR

```

```

        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location 270
    }
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location 432
    }
    {VAR
        :varno -2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 239
    }
)
:skewTable 0
:skewColumn 0
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 670
        :opfuncid 293
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
    }
    :args (
        {SUBPLAN
            :subLinkType 4
            :testexpr <>
            :paramIds <>
            :plan_id 3
            :plan_name SubPlan\ 3
            :firstColType 701
            :firstColTypmod -1
            :firstColCollation 0
            :useHashTable false
            :unknownEqFalse false
            :parallel_safe false
            :setParam <>
            :parParam (i 0)
            :args (
                {VAR
                    :varno -2
                    :varattno 1
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 1
                    :location 618
                }
            )
        }
        :startup_cost 0
        :per_call_cost 438689.542500000004
    }
    {VAR
        :varno -1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location 432
    }
}
)
:location 446
}
{OPEXPR

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 227
  }
  {VAR
    :varno -1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 239
  }
)
:location -1
}
)
:hashoperators (o 670 96)
:hashcollations (o 0 0)
:hashkeys (
  {SUBPLAN
    :subLinkType 4
    :testexpr <>
    :paramIds <>
    :plan_id 3
    :plan_name SubPlan\ 3
    :firstColType 701
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable false
    :unknownEqFalse false
    :parallel_safe false
    :setParameter <>
    :parParam (i 0)
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 618
      }
    )
    :startup_cost 0
    :per_call_cost 438689.54250000004
  }
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 227
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 4
:sortCollIdx ( 1 3 2 4)
:sortOperators ( 674 664 664 97)
:collations ( 0 100 100 0)
:nullsFirst ( true false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:limitOffset <>
:limitCount
{CONST
  :consttype 20
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ 100 0 0 0 0 0 0 0 ]
}
:limitOption 0
:uniqNumCols 0

```



```
:uniqColIdx <>
:uniqOperators <>
:uniqCollations <>
}
```

QUERY PLAN

```
-----
Limit (cost=176362814.40..176362814.40 rows=1 width=182) (actual time=176933.344..176933.380 rows=100.00 loops=1)
  Output: supplier.s_acctbal, supplier.s_name, nation.n_name, part.p_partkey, part.p_mfgr, supplier.s_address, supplier.s_phone, supplier.s_comment
  Buffers: shared hit=467851 read=26785390, temp read=3037 written=3037
  -> Sort (cost=176362814.40..176362814.40 rows=1 width=182) (actual time=176933.340..176933.370 rows=100.00 loops=1)
    Output: supplier.s_acctbal, supplier.s_name, nation.n_name, part.p_partkey, part.p_mfgr, supplier.s_address, supplier.s_phone, supplier.s_comment
    Sort Key: supplier.s_acctbal DESC, nation.n_name, supplier.s_name, part.p_partkey
    Sort Method: top-N heapsort Memory: 71kB
    Buffers: shared hit=467851 read=26785390, temp read=3037 written=3037
    -> Hash Join (cost=441437.82..176362814.39 rows=1 width=182) (actual time=628.577..176931.648 rows=460.00 loops=1)
      Output: supplier.s_acctbal, supplier.s_name, nation.n_name, part.p_partkey, part.p_mfgr, supplier.s_address, supplier.s_phone, supplier.s_comm
ent
      Hash Cond: (((SubPlan 3) = partsupp.ps_supplycost) AND (part.p_partkey = partsupp.ps_partkey))
      Buffers: shared hit=467845 read=26785390, temp read=3037 written=3037
      -> Seq Scan on public.part (cost=0.00..6864.00 rows=802 width=19) (actual time=1.549..38.283 rows=747.00 loops=1)
        Output: part.p_partkey, part.p_name, part.p_mfgr, part.p_brand, part.p_type, part.p_size, part.p_container, part.p_retailprice, part.p_c
omment
        Filter: ((part.p_size = 15) AND (part.p_type ~ '%BRASS':text))
        Rows Removed by Filter: 199253
        Buffers: shared read=3864
      -> Hash (cost=440953.67..440953.67 rows=32277 width=175) (actual time=296.338..296.348 rows=158960.00 loops=1)
        Output: supplier.s_acctbal, supplier.s_name, supplier.s_address, supplier.s_phone, partsupp.ps_partkey, partsupp.ps_
supplycost, nation.n_name
        Buckets: 65536 (originally 32768) Batches: 4 (originally 1) Memory Usage: 7898kB
        Buffers: shared hit=220 read=18010, temp written=2573
        -> Hash Join (cost=411622.90..440953.67 rows=32277 width=175) (actual time=11.811..193.185 rows=158960.00 loops=1)
          Output: supplier.s_acctbal, supplier.s_name, supplier.s_address, supplier.s_phone, supplier.s_comment, partsupp.ps_partkey, partsu
pp.ps_supplycost, nation.n_name
          Hash Cond: (partsupp.ps_supplykey = supplier.s_supplykey)
          Buffers: shared hit=220 read=18010
          -> Seq Scan on public.partsupp (cost=0.00..26008.00 rows=800000 width=16) (actual time=1.329..61.056 rows=800000.00 loops=1)
            Output: partsupp.ps_partkey, partsupp.ps_supplykey, partsupp.ps_availqty, partsupp.ps_supplycost, partsupp.ps_comment
            Buffers: shared read=18008
          -> Hash (cost=411617.84..411617.84 rows=405 width=167) (actual time=10.461..10.470 rows=1987.00 loops=1)
            Output: supplier.s_acctbal, supplier.s_name, supplier.s_address, supplier.s_phone, supplier.s_comment, supplier.s_supplykey, n
ation.n_name
            Buckets: 2048 (originally 1024) Batches: 1 (originally 1) Memory Usage: 364kB
            Buffers: shared hit=220 read=2
            -> Nested Loop (cost=0.00..411617.84 rows=405 width=167) (actual time=0.907..9.533 rows=1987.00 loops=1)
              Output: supplier.s_acctbal, supplier.s_name, supplier.s_address, supplier.s_phone, supplier.s_comment, supplier.s_supp
key, nation.n_name
              Join Filter: (supplier.s_nationkey = nation.n_nationkey)
              Rows Removed by Join Filter: 7948
              Buffers: shared hit=220 read=2
              -> Nested Loop (cost=0.00..87.34 rows=16 width=36) (actual time=0.810..0.831 rows=5.00 loops=1)
                Output: nation.n_name, nation.n_nationkey
                Join Filter: (nation.n_regionkey = region.r_regionkey)
                Rows Removed by Join Filter: 20
                Buffers: shared read=2
                -> Seq Scan on public.nation (cost=0.00..18.10 rows=810 width=40) (actual time=0.528..0.533 rows=25.00 loops=1)
                  Output: nation.n_nationkey, nation.n_name, nation.n_regionkey, nation.n_comment
                  Buffers: shared read=1
                -> Materialize (cost=0.00..20.64 rows=4 width=4) (actual time=0.011..0.011 rows=1.00 loops=25)
                  Output: region.r_regionkey
                  Storage: Memory Maximum Storage: 17kB
                  Buffers: shared read=1
                  -> Seq Scan on public.region (cost=0.00..20.62 rows=4 width=4) (actual time=0.250..0.251 rows=1.00 loops
=1)
                    Output: region.r_regionkey
                    Filter: (region.r_name = 'EUROPE':text)
                    Rows Removed by Filter: 4
                    Buffers: shared read=1
                -> Materialize (cost=0.00..410343.00 rows=5000 width=139) (actual time=0.014..1.406 rows=1987.00 loops=5)
                  Output: supplier.s_acctbal, supplier.s_name, supplier.s_address, supplier.s_phone, supplier.s_comment, supplier.
s_supplykey, supplier.s_nationkey
                  Storage: Memory Maximum Storage: 366kB
                  Buffers: shared hit=220
                  -> Seq Scan on public.supplier (cost=0.00..410318.00 rows=5000 width=139) (actual time=0.062..5.170 rows=1987.
00 loops=1)
                    Output: supplier.s_acctbal, supplier.s_name, supplier.s_address, supplier.s_phone, supplier.s_comment, sup
plier.s_supplykey, supplier.s_nationkey
                    Filter: (ANY (supplier.s_nationkey = (hashed SubPlan 5).col1))
                    Rows Removed by Filter: 8013
                    Buffers: shared hit=220
                    SubPlan 5
                    -> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.023..0.029 rows=5.00 loops=1)
                      Output: n_1.n_nationkey
                      Hash Cond: (n_1.n_regionkey = r_1.r_regionkey)
                      Buffers: shared hit=2
                      -> Seq Scan on public.nation n_1 (cost=0.00..18.10 rows=810 width=8) (actual time=0.002..0.006 r
ows=25.00 loops=1)
                        Output: n_1.n_nationkey, n_1.n_name, n_1.n_regionkey, n_1.n_comment
                        Buffers: shared hit=1
                      -> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.008..0.009 rows=1.00 loops=1)
                        Output: r_1.r_regionkey
                        Buckets: 1024 Batches: 1 Memory Usage: 9kB
                        Buffers: shared hit=1
                        -> Seq Scan on public.region r_1 (cost=0.00..20.62 rows=4 width=4) (actual time=0.003..0.0
04 rows=1.00 loops=1)
                          Output: r_1.r_regionkey
                          Filter: (r_1.r_name = 'EUROPE':text)
                          Rows Removed by Filter: 4
                          Buffers: shared hit=1
                    SubPlan 3
                    -> Aggregate (cost=438689.53..438689.54 rows=1 width=8) (actual time=118.161..118.161 rows=1.00 loops=1494)
                      Output: min(partsupp_1.ps_supplycost)
                      Buffers: shared hit=467625 read=26763516
                      -> Nested Loop (cost=0.00..438689.53 rows=1 width=8) (actual time=118.156..118.159 rows=0.86 loops=1494)
                        Output: partsupp_1.ps_supplycost
                        Join Filter: (nation_1.n_regionkey = region_1.r_regionkey)
                        Buffers: shared hit=467625 read=26763516
                        -> Nested Loop (cost=0.00..438668.41 rows=8 width=12) (actual time=118.151..118.153 rows=0.86 loops=1494)
                          Output: partsupp_1.ps_supplycost, nation_1.n_regionkey
                          Join Filter: (supplier_1.s_nationkey = nation_1.n_nationkey)
                          Rows Removed by Join Filter: 21
                          Buffers: shared hit=467624 read=26763516
```

```

4)      -> Seq Scan on public.nation nation_1 (cost=0.00..18.10 rows=810 width=8) (actual time=0.002..0.003 rows=25.00 loops=149)
        Output: nation_1.n_nationkey, nation_1.n_name, nation_1.n_regionkey, nation_1.n_comment
        Buffers: shared hit=1494
    -> Materialize (cost=0.00..438626.02 rows=2 width=12) (actual time=4.679..4.726 rows=0.86 loops=37350)
        Output: partsupp_1.ps_supplycost, supplier_1.s_nationkey
        Storage: Memory Maximum Storage: 17kB
        Buffers: shared hit=466130 read=26763516
    -> Nested Loop (cost=0.00..438626.01 rows=2 width=12) (actual time=116.959..118.134 rows=0.86 loops=1494)
        Output: partsupp_1.ps_supplycost, supplier_1.s_nationkey
        Join Filter: (partsupp_1.ps_suppkey = supplier_1.s_suppkey)
        Rows Removed by Join Filter: 7947
        Buffers: shared hit=466130 read=26763516
    -> Seq Scan on public.supplier supplier_1 (cost=0.00..410318.00 rows=5000 width=8) (actual time=0.002..1.501
rows=1987.00 loops=1494)
        Output: supplier_1.s_suppkey, supplier_1.s_name, supplier_1.s_address, supplier_1.s_nationkey, supplier_
1.s_phone, supplier_1.s_acctbal, supplier_1.s_comment
        Filter: (ANY (supplier_1.s_nationkey = (hashed SubPlan 2).col1))
        Rows Removed by Filter: 8013
        Buffers: shared hit=325694
        SubPlan 2
        -> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.021..0.031 rows=5.00 loops=1)
            Output: n.n_nationkey
            Hash Cond: (n.n_regionkey = r.r_regionkey)
            Buffers: shared hit=2
        -> Seq Scan on public.nation n (cost=0.00..18.10 rows=810 width=8) (actual time=0.002..0.009 r
ows=25.00 loops=1)
            Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment
            Buffers: shared hit=1
        -> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.008..0.008 rows=1.00 loops=1)
            Output: r.r_regionkey
            Buckets: 1024 Batches: 1 Memory Usage: 9kB
            Buffers: shared hit=1
        -> Seq Scan on public.region r (cost=0.00..20.62 rows=4 width=4) (actual time=0.006..0.0
06 rows=1.00 loops=1)
            Output: r.r_regionkey
            Filter: (r.r_name = 'EUROPE'::text)
            Rows Removed by Filter: 4
            Buffers: shared hit=1
    -> Materialize (cost=0.00..28008.02 rows=4 width=12) (actual time=0.029..0.058 rows=4.00 loops=2968578)
        Output: partsupp_1.ps_supplycost, partsupp_1.ps_suppkey
        Storage: Memory Maximum Storage: 17kB
        Buffers: shared hit=140436 read=26763516
    -> Seq Scan on public.partsupp partsupp_1 (cost=0.00..28008.00 rows=4 width=12) (actual time=56.887..1
15.653 rows=4.00 loops=1494)
        Output: partsupp_1.ps_supplycost, partsupp_1.ps_suppkey
        Filter: (part.p_partkey = partsupp_1.ps_partkey)
        Rows Removed by Filter: 799996
        Buffers: shared hit=140436 read=26763516
    -> Materialize (cost=0.00..20.64 rows=4 width=4) (actual time=0.000..0.000 rows=1.00 loops=1284)
        Output: region_1.r_regionkey
        Storage: Memory Maximum Storage: 17kB
        Buffers: shared hit=1
    -> Seq Scan on public.region region_1 (cost=0.00..20.62 rows=4 width=4) (actual time=0.009..0.009 rows=1.00 loops=1)
        Output: region_1.r_regionkey
        Filter: (region_1.r_name = 'EUROPE'::text)
        Rows Removed by Filter: 4
        Buffers: shared hit=1

Planning:
  Buffers: shared hit=120 read=4
  Planning Time: 17.481 ms
  Execution Time: 176935.157 ms
(149 rows)

Time: 176975.260 ms (02:56.975)
tpch=> RESET ROLE;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS supplier_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW supplier_secure AS
SELECT s.*
FROM supplier s
WHERE EXISTS (
    SELECT 1 FROM nation n
    JOIN region r ON n.n_regionkey = r.r_regionkey
    WHERE n.n_nationkey = s.s_nationkey
    AND r.r_name = 'EUROPE'
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON supplier_secure TO alice;
GRANT SELECT ON nation TO alice;
GRANT SELECT ON region TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON partsupp TO alice;
SET ROLE alice;
WARNING: ===== RAW PARSE TREE =====
DETAIL:  {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:  {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false

```

```

:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 3.871 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 3.560 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("supplier_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("supplier_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

NOTICE: view "supplier_secure" does not exist, skipping

Time: 0.749 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT

```

```

:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s"
{A_STAR
}
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname r
:colnames <>
}
:location 109
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_regionkey")
:location 121
}
}
:rexpr
{COLUMNREF
:fields ("r" "r_regionkey")
:location 137
}
}
}
}

```

```

    }
    :repr_list_start 0
    :repr_list_end 0
    :location 135
  }
  :alias <>
  :rtindex 0
}
)
:whereClause
{BOOLEXPR
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 161
}
}
:repr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 177
}
}
:repr_list_start 0
:repr_list_end 0
:location 175
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r" "r_name")
:location 199
}
}
:repr
{A_CONST
:val "EUROPE"
:location 210
}
}
:repr_list_start 0
:repr_list_end 0
:location 208
}
)
:location 195
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 220
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RETARGET
:name <>

```

```

:indirection <>
:val
{COLUMNREF
:fields ("s"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetlist (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname r
:colnames <>
}
:location 109
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_regionkey")
:location 121
}
:rexpr
{COLUMNREF
:fields ("r" "r_regionkey")
:location 137
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 135
}
:alias <>
:rtindex 0
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 161
}
}
)

```

```

        :rexpr
        {COLUMNREF
        :fields ("s" "s_nationkey")
        :location 177
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 175
        }
        {A_EXPR
        :name ("=")
        :lexpr
        {COLUMNREF
        :fields ("r" "r_name")
        :location 199
        }
        :rexpr
        {A_CONST
        :val "EUROPE"
        :location 210
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 208
        }
    )
    :location 195
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 64
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 220
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>

```



```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname n
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname n
                :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
              }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname r
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname r
                :colnames ("r_regionkey" "r_name" "r_comment")
              }
          }
        )
      }
  }

```

```

:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment"
"r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
)

```

```

:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 121
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 137
}
)
:location 135
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 161
}
{VAR
:varno 1
:varattno 4
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 177
    }
}
:location 175
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 199
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 210
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
)
:location 208
}
}
:location 195
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 84
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1

```

```

:varattnosyn 1
:location 38
}
:resno 1
:resname s_suppkey
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 38
}
:resno 2
:resname s_name
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
:resno 3
:resname s_address
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname s_nationkey
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname s_phone
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname s_acctbal

```

```

:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 220
}

```

Time: 8.195 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 40
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select

```

```

        :cols <>
    }
)
:grantees (
    {ROLESPEC
        :roletype 0
        :rolename alice
        :location 35
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.960 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
}
)
}
}

```

```

        :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.327 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR

```



```

        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.248 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt

```

```

{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.273 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}
```

Time: 0.262 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
```

```

    }
  }
  :jumble_args false
  :is_local false
  :location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.167 ms

tpch=> EXPLAIN (ANALYZE, VERBOSE, BUFFERS)

```

select
  s_acctbal,
  s_name,
  n_name,
  p_partkey,
  p_mfgr,
  s_address,
  s_phone,
  s_comment
from
  part,
  supplier_secure s,
  partsupp,
  nation,
  region
where
  p_partkey = ps_partkey
  and s.s_suppkey = ps_suppkey
  and p_size = 15
  and p_type like '%BRASS'
  and s.s_nationkey = n_nationkey
  and n_regionkey = r_regionkey
  and r_name = 'EUROPE'
  and ps_supplycost = (
    select
      min(ps_supplycost)
    from
      partsupp,
      supplier_secure s2,
      nation,
      region
    where
      p_partkey = ps_partkey
      and s2.s_suppkey = ps_suppkey
      and s2.s_nationkey = n_nationkey
      and n_regionkey = r_regionkey
      and r_name = 'EUROPE'
  )
order by
  s_acctbal desc,
  n_name,
  s.s_name,
  p_partkey limit 100;
WARNING: ===== RAW PARSE TREE =====
DETAIL:   {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_acctbal")
:location 47
}
:location 47
}
{RESTARTGET
:name <>

```

```

:indirection <>
:val
  {COLUMNREF
   :fields ("s_name")
   :location 62
  }
:location 62
}
{RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
   :fields ("n_name")
   :location 74
  }
:location 74
}
{RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
   :fields ("p_partkey")
   :location 86
  }
:location 86
}
{RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
   :fields ("p_mfgr")
   :location 101
  }
:location 101
}
{RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
   :fields ("s_address")
   :location 113
  }
:location 113
}
{RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
   :fields ("s_phone")
   :location 128
  }
:location 128
}
{RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
   :fields ("s_comment")
   :location 141
  }
:location 141
}
)
:fromClause (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname part
   :inh true
   :relpersistance p
   :alias <>
   :location 160
  }
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname supplier_secure
   :inh true
   :relpersistance p
   :alias
   {ALIAS
    :aliasname s
    :colnames <>
   }
   :location 170
  }
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname partsupp
   :inh true
   :relpersistance p
   :alias <>
   :location 193
  }
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname nation
   :inh true
   :relpersistance p
   :alias <>
   :location 207
  }
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname region
   :inh true

```

```

:relpersistence p
:alias <>
:location 219
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_partkey")
:location 236
}
:rexpr
{COLUMNREF
:fields ("ps_partkey")
:location 248
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 246
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 267
}
:rexpr
{COLUMNREF
:fields ("ps_suppkey")
:location 281
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 279
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 300
}
:rexpr
{A_CONST
:val 15
:location 309
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 307
}
{A_EXPR LIKE
:name ("~~")
:lexpr
{COLUMNREF
:fields ("p_type")
:location 320
}
:rexpr
{A_CONST
:val "%BRASS"
:location 332
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 327
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 349
}
:rexpr
{COLUMNREF
:fields ("n_nationkey")
:location 365
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 363
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n_regionkey")
:location 385
}
:rexpr
{COLUMNREF
:fields ("r_regionkey")
:location 399
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 397
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r_name")
:location 419
}
:rexpr
{A_CONST
:val "EUROPE"

```

```

        :location 428
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 426
}
{A_EXPR
: name ("=")
: lexpr
    {COLUMNREF
    : fields ("ps_supplycost")
    : location 445
    }
}
: rexpr
    {SUBLINK
    : subLinkType 4
    : subLinkId 0
    : testexpr <>
    : operName <>
    : subselect
        {SELECTSTMT
        : distinctClause <>
        : intoClause <>
        : targetList (
            {RESTARTGET
            : name <>
            : indirection <>
            : val
                {FUNCCALL
                : funcname ("min")
                : args (
                    {COLUMNREF
                    : fields ("ps_supplycost")
                    : location 494
                    }
                )
            : agg_order <>
            : agg_filter <>
            : over <>
            : agg_within_group false
            : agg_star false
            : agg_distinct false
            : func_variadic false
            : funcformat 0
            : location 490
            }
        : location 490
        )
    }
    : fromClause (
        {RANGEVAR
        : catalogname <>
        : schemaname <>
        : relname partsupp
        : inh true
        : relpersistence p
        : alias <>
        : location 534
        }
        {RANGEVAR
        : catalogname <>
        : schemaname <>
        : relname supplier_secure
        : inh true
        : relpersistence p
        : alias
            {ALIAS
            : aliasname s2
            : colnames <>
            }
        : location 556
        }
        {RANGEVAR
        : catalogname <>
        : schemaname <>
        : relname nation
        : inh true
        : relpersistence p
        : alias <>
        : location 588
        }
        {RANGEVAR
        : catalogname <>
        : schemaname <>
        : relname region
        : inh true
        : relpersistence p
        : alias <>
        : location 608
        }
    )
    : whereClause
        {BOOLEXP
        : boolop and
        : args (
            {A_EXPR
            : name ("=")
            : lexpr
                {COLUMNREF
                : fields ("p_partkey")
                : location 641
                }
            : rexpr
                {COLUMNREF
                : fields ("ps_partkey")
                : location 653
                }
            : rexpr_list_start 0
            : rexpr_list_end 0
            : location 651
            }
            {A_EXPR
            : name ("=")
            : lexpr
                {COLUMNREF

```

```

        :fields ("s2" "s_supkey")
        :location 680
    }
    :rexpr
    {COLUMNREF
        :fields ("ps_supkey")
        :location 695
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 693
}
{A_EXPR
: name ("=")
:lexpr
{COLUMNREF
    :fields ("s2" "s_nationkey")
    :location 722
}
:rexpr
{COLUMNREF
    :fields ("n_nationkey")
    :location 739
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 737
}
{A_EXPR
: name ("=")
:lexpr
{COLUMNREF
    :fields ("n_regionkey")
    :location 767
}
:rexpr
{COLUMNREF
    :fields ("r_regionkey")
    :location 781
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 779
}
{A_EXPR
: name ("=")
:lexpr
{COLUMNREF
    :fields ("r_name")
    :location 809
}
:rexpr
{A_CONST
    :val "EUROPE"
    :location 818
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 816
}
}
:location 676
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 461
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 459
}
}
:location 263
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
    :fields ("s_acctbal")
    :location 846
}
:sortby_dir 2
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF
    :fields ("n_name")
    :location 866
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}

```



```

    }
    {SORTBY
    :node
    {COLUMNREF
    :fields ("s" "s_name")
    :location 878
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
    }
    {SORTBY
    :node
    {COLUMNREF
    :fields ("p_partkey")
    :location 892
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
    }
    )
    :limitOffset <>
    :limitCount
    {A_CONST
    :val 100
    :location 908
    }
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
    )
    }
    :stmt_location 0
    :stmt_len 911
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS

```

```

        :aliasname s
        :colnames <>
    }
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16613
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
st" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16613
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
}
{RTEPERMISSIONINFO
:relid 16531

```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 236
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 248
}
)
:location 246
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 267
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 281
}
)
:location 279
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1

```

```

:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 300
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 309
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 307
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 320
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 332
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 327
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 349
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 365
}
)
:location 363
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 385
}
)

```

```

    }
    {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 399
    }
  )
  :location 397
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 5
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 5
  :varattnosyn 2
  :location 419
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 428
  :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location 426
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 3
  :varattno 4
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 4
  :location 445
  }
  {SUBLINK
  :subLinkType 4
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs true
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname partsupp
    :colnames ("ps_partkey" "ps_suppkey" "ps_availqt
    y" "ps_supplycost" "ps_comment")
    }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromC1 true
    :securityQuals <>

```

```

}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s2
:colnames <>
}
:eref
{ALIAS
:aliasname s2
:colnames ("s_suppkey" "s_name" "s_address" "s_n
ationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16613
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16613
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
}

```

```

)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 641
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 653
}
)
:location 651
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 680
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 695
}
)
:location 693
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 722
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 739
}
}
)
:location 737

```

```

    }
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 767
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 781
    }
    )
    :location 779
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 809
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 818
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 6
    9 ]
    }
    )
    :location 816
    }
    )
    :location 676
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2136
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 494
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)

```



```

        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar false
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 490
    }
    :resno 1
    :resname min
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 461
}
)
:location 459
}
)
:location 263
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 47
    }
    :resno 1
    :resname s_acctbal
    :ressortgroupref 1
    :resorigtbl 16613
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 62
    }
    :resno 2
    :resname s_name
    :ressortgroupref 3
    :resorigtbl 16613
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 74
    }

```

```

:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16613
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16613
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16613
:resorigcol 7

```

```

        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 670
        :sortop 674
        :reverse_sort true
        :nulls_first true
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 4
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount
    {FUNCEXP
        :funcid 481
        :funcresulttype 20
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 908
                :constvalue 4 [ 100 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
    }
    {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
    }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false

```

```

:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 911
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
          "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16613
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
          s_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias <>

```

```

:eref
{
  ALIAS
  :aliasname nation
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{
  ALIAS
  :aliasname region
  :colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16613
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 236
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 248
}
)
:location 246
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 267
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 281
}
}
:location 279
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 300
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 309
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
}
:location 307
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 5
:location 320
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 332
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 327
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 349
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 365
}
}
:location 363
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 385
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 399
}
}
:location 397
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 419
}
{CONST
:consttype 25
:consttypmod -1

```

```

:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 428
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 426
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 445
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps
_supplycost" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s2
:colnames <>
}
:eref
{ALIAS
:aliasname s2
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16613
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true

```



```

:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16613
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 641
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 653
}
)
)
:location 651

```

```

}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 680
}
  {VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 695
}
)
:location 693
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 722
}
  {VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 739
}
)
:location 737
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 767
}
  {VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 781
}
)
:location 779
}
{OEXPR
:opno 98
:opfuncid 67

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 809
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 818
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location 816
}
)
:location 676
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2136
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 4
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location 494
          }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar false
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggssplit 0
      :aggno -1
      :aggtransno -1
      :location 490
    }
    :resno 1
    :resname min
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0

```

```

        }
        :location 461
    }
    )
    :location 459
}
)
:location 263
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16613
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16613
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3

```

```

        :location 101
    }
:resno 5
:resname p_mfgr
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:ressortgrouppref 0
:resorigtbl 16613
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 7
:resname s_phone
:ressortgrouppref 0
:resorigtbl 16613
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 8
:resname s_comment
:ressortgrouppref 0
:resorigtbl 16613
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 4
:eqop 96

```

```

:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount
{FUNCEXPR
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 908
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS

```

```

        :aliasname s
        :colnames <>
    }
    :eref
    {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
            one" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
}
)
:rteperminfos (
    {RTEPERMISSIONINFO
        :relid 16541
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 9 10 11 12 13 14)
        :insertedCols (b)
        :updatedCols (b)
    }
)
):jointree
{FROMEXPR
    :fromlist (
        {RANGETBLREF
            :rtindex 1
        }
    )
):quals
{SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
            {RANGETBLENTRY
                :alias
                {ALIAS
                    :aliasname n
                    :colnames <>
                }
            }
            :eref
            {ALIAS
                :aliasname n
                :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
                    ment")
            }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
        }
        {RANGETBLENTRY
            :alias
            {ALIAS
                :aliasname r
                :colnames <>
            }
        }
        :eref
        {ALIAS
            :aliasname r
            :colnames ("r_regionkey" "r_name" "r_comment")
        }
        :rtekind 0
        :relid 16531
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 2
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
    {RANGETBLENTRY
        :alias <>
    }
    :eref
    {ALIAS
        :aliasname unnamed_join
    }
}

```

```

:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment" "r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)

```



```

:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
  }
  :resno 1
  :resname s_suppkey
  :ressortgroupref 0
  :resorigtbl 16541
  :resorigcol 1
  :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    :resno 7
    :resname s_comment
    :resortgroupref 0
    :resorigtbl 16541
    :resorigcol 7
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16613
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16613
:inh true
:requiredPerms 2
:checkAsUser 0

```

```

:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 236
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 248
}
)
:location 246
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 267
}
{VAR
:varno 3

```

```

:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 281
}
)
:location 279
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 300
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 309
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 307
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 320
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 332
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 327
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 349
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 365
}
}

```

```

    }
  }
  :location 363
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location 385
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 399
  }
)
:location 397
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 419
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 428
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location 426
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 4
    :location 445
  }
  {SUBLINK
    :subLinkType 4
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs true
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
    }
  }
)
}

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname s2
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s2
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTY
            :alias
              {ALIAS
                :aliasname s
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname s
                :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
              }
            :rtekind 0
            :relid 16541
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16541
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 9 10 11 12 13 14)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  )
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false

```



```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname n
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_re
          gionkey" "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname r
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname r
        :colnames ("r_regionkey" "r_name" "r_co
          mment")
      }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("n_nationkey" "n_name" "n_re
          gionkey" "n_comment" "r_regionkey" "r_n
          ame" "r_comment")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno 1
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2

```

```

        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
}
:location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:location -1
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 8
2 79 80 69 ]
}
}
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
:resno 1

```

```

        :resname ?column?
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname s_suppkey
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4

```

```

        :location -1
    }
    :resno 4
    :resname s_nationkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 4
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location -1
    }
    :resno 5
    :resname s_phone
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 5
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    :resno 6
    :resname s_acctbal
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
    }
    :resno 7
    :resname s_comment
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 7
    :resjunk false
    }
    }
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :security_barrier false
    :relid 16613
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 2
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname nation
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")

```

```

    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname region
  :colnames ("r_regionkey" "r_name" "r_comment")
  }
  :rtekind 0
  :relid 16531
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 4
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16556
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 11)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16613
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 11)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 10)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16531
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
  {RANGETBLREF
  :rtindex 2
  }
  {RANGETBLREF
  :rtindex 3
  }
  {RANGETBLREF
  :rtindex 4
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 641
    }
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
  }
  }
  }

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 653
}
)
:location 651
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 680
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 695
}
}
)
:location 693
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 722
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 739
}
}
)
:location 737
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 767
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 4
        :varattnosyn 1
        :location 781
    }
)
:location 779
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 4
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 809
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 818
        :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
)
:location 816
}
)
:location 676
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {AGGREF
            :aggfnoid 2136
            :aggtype 701
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 0
            :aggargtypes (o 701)
            :aggdirectargs <>
            :args (
                {TARGETENTRY
                    :expr
                    {VAR
                        :varno 1
                        :varattno 4
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 1
                        :varattnosyn 4
                        :location 494
                    }
                    :resno 1
                    :resname <>
                    :ressortgroupref 0
                    :resorigtbl 0
                    :resorigcol 0
                    :resjunk false
                }
            )
            :aggorder <>
            :aggdistinct <>
            :aggfilter <>
            :aggstar false
            :aggvariadic false
            :aggkind n
            :aggpresorted false
            :agglevelsup 0
            :aggssplit 0
            :aggno -1
            :aggtransno -1
            :location 490
        }
        :resno 1
        :resname min
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>

```



```

        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 461
}
)
:location 459
}
)
:location 263
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 47
    }
    :resno 1
    :resname s_acctbal
    :ressortgroupref 1
    :resorigtbl 16613
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 62
    }
    :resno 2
    :resname s_name
    :ressortgroupref 3
    :resorigtbl 16613
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 74
    }
    :resno 3
    :resname n_name
    :ressortgroupref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 86
    }
    :resno 4
    :resname p_partkey
    :ressortgroupref 4
    :resorigtbl 16551
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR

```

```

:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16613
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16613
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16613
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:t1SortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:t1SortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
{SORTGROUPCLAUSE

```

```

:tleSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount
{FUNCEXPR
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 908
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
}
}
}

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
          one" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBENTRY
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname n
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname n
                :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
                  ment")
              }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname r
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname r
                :colnames ("r_regionkey" "r_name" "r_comment")
              }
            :rtekind 0
            :relid 16531
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 2
          }
        )
      }
  }

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment" "r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>

```

```

    }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 10)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16531
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {JOINEXPR
  :jointype 0
  :isNatural false
  :larg
  {RANGETBLREF
  :rtindex 1
  }
  :rarg
  {RANGETBLREF
  :rtindex 2
  }
  :usingClause <>
  :join_using_alias <>
  :quals
  {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
  )
  :location -1
  }
  :alias <>
  :rtindex 3
  }
)
:quals
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1

```

```

        :varattnosyn 4
        :location -1
    }
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname s_suppkey
:ressortgroupref 0

```

```

:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY

```



```

:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16613
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2

```

```

:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16613
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 236
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 248
}
)
:location 246
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 267
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 281
}
)
:location 279
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 300
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 309
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 307
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 320
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 332
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 327
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 349
}
{VAR
:varno 4

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 365
}
)
:location 363
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 385
}
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 399
}
)
:location 397
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 419
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 428
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 426
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 445
}
  {SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
:commandType 1
:querySource 0

```

```

:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_
          _supplycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname s2
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s2
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
          ey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTRY
            :alias
              {ALIAS
                :aliasname s
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname s
                :colnames ("s_suppkey" "s_name" "s_address" "s_n
                  ationkey" "s_phone" "s_acctbal" "s_comment")
              }
            :rtekind 0
            :relid 16541
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
        :rteperminfos (
          {RTEPERMISSIONINFO
            :relid 16541
            :inh true
            :requiredPerms 2
            :checkAsUser 10
            :selectedCols (b 8 9 10 11 12 13 14)
            :insertedCols (b)
            :updatedCols (b)
          }
        )
      }
    :jointree
      {FROMEXPR
        :fromlist (
          {RANGETBLREF
            :rtindex 1
          }
        )
        :quals
          {SUBLINK
            :subLinkType 0
            :subLinkId 0
            :testexpr <>
          }
      }
  }
)

```

```

:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_re
gionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_co
mment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_re
gionkey" "n_comment" "r_regionkey" "r_n
ame" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
    {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 3
    }
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
)
:location -1
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 8
2 79 80 69 ]
}
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST

```



```

        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname s_name
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    :resno 3
    :resname s_address
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR

```

```

        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
    :resno 4
    :resname s_nationkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 4
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16613
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false

```

```

:inFromC1 true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16613
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 641
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 653
}
)
:location 651
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 680
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 695
}
)
:location 693
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 722
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 739
}
)
:location 737
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 767
}
)

```

```

    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 781
    }
  )
  :location 779
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 4
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 2
  :location 809
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 818
  :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location 816
}
)
:location 676
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {AGGREF
  :aggfnoid 2136
  :aggtype 701
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes (o 701)
  :aggdirectargs <>
  :args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 494
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
  )
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar false
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggssplit 0
  :aggno -1
  :aggtransno -1
  :location 490
  }
  :resno 1
  :resname min
  :ressortgrouppref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0

```

```

        :onConflict <>
        :returningOldAlias <>
        :returningNewAlias <>
        :returningList <>
        :groupClause <>
        :groupDistinct false
        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 461
}
)
:location 459
}
)
:location 263
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 47
    }
    :resno 1
    :resname s_acctbal
    :ressortgrouppref 1
    :resorigtbl 16613
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 62
    }
    :resno 2
    :resname s_name
    :ressortgrouppref 3
    :resorigtbl 16613
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 74
    }
    :resno 3
    :resname n_name
    :ressortgrouppref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 86
    }

```

```

:resno 4
:resname p_partkey
:resortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
:resno 5
:resname p_mfgr
:resortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:resortgroupref 0
:resorigtbl 16613
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 7
:resname s_phone
:resortgroupref 0
:resorigtbl 16613
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 8
:resname s_comment
:resortgroupref 0
:resorigtbl 16613
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true

```

```

}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
}
:limitOffset <>
:limitCount
{FUNCEXP
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 908
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {LIMIT
:plan.disabled_nodes 0
:plan.startup_cost 11460276.69208333
:plan.total_cost 11460276.697083332
:plan.plan_rows 1
:plan.plan_width 182
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16613
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16613
:resorigcol 2
:resjunk false
}
}

```



```

{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16613
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16613
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8

```

```

:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16613
:resorigcol 7
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 11460276.69208333
:plan.total_cost 11460276.697083332
:plan.plan_rows 1
:plan.plan_width 182
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16613
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16613
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 4
:resname p_partkey
:ressortgroupref 4

```

```

:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
   :varno -2
   :varattno 5
   :vartype 25
   :vartypmod -1
   :varcollid 100
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 1
   :varattnosyn 3
   :location -1
  }
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
   :varno -2
   :varattno 6
   :vartype 25
   :vartypmod -1
   :varcollid 100
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 6
   :varattnosyn 3
   :location -1
  }
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16613
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
   :varno -2
   :varattno 7
   :vartype 25
   :vartypmod -1
   :varcollid 100
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 6
   :varattnosyn 5
   :location -1
  }
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16613
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
   :varno -2
   :varattno 8
   :vartype 25
   :vartypmod -1
   :varcollid 100
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 6
   :varattnosyn 7
   :location -1
  }
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16613
:resorigcol 7
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 24648.012083333335
:join.plan.total_cost 11460276.682083331
:join.plan.plan_rows 1
:join.plan.plan_width 182
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
  {TARGETENTRY
  :expr
    {VAR
     :varno -1
     :varattno 1
     :vartype 701
     :vartypmod -1
     :varcollid 0
     :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16613
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16613
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
}

```

```

    }
:resno 6
:resname s_address
:ressortgrouppref 0
:resorigtbl 16613
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
}
:resno 7
:resname s_phone
:ressortgrouppref 0
:resorigtbl 16613
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
}
:resno 8
:resname s_comment
:ressortgrouppref 0
:resorigtbl 16613
:resorigcol 7
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 6864
:scan.plan.plan_rows 802
:scan.plan.plan_width 19
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3

```

```

:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    :resno 8
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 320
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 332
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 327
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 300
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 309
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 307
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0

```

```

:plan.startup_cost 24570.552083333336
:plan.total_cost 24570.552083333336
:plan.plan_rows 5164
:plan.plan_width 175
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 6
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 3
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 4
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 5
      :location -1
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 5
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 7
      :location -1
    }
    :resno 5
    :resname <>
    :ressortgrouppref 0
  }
)

```



```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 1441.24
:plan.total_cost 24570.552083333336
:plan.plan_rows 5164
:plan.plan_width 175
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 248
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 445
}

```

```

    }
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 441.24
:join.plan.total_cost 23054.152083333334
:join.plan.plan_rows 2152
:join.plan.plan_width 175
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 6
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 5
        :location -1
    }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 248
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 445
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 21341.333333333332
:scan.plan.plan_rows 333333
:scan.plan.plan_width 16
:scan.plan.parallel_aware true

```

```

:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 7
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
      }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)

```

```

:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanreliid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 440.4275
:plan.total_cost 440.4275
:plan.plan_rows 65
:plan.plan_width 167
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 8
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 7
        :location -1
    }
    :resno 5
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 84.4275
:join.plan.total_cost 440.4275
:join.plan.plan_rows 65
:join.plan.plan_width 167
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 9
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
}

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree

```



```

{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 318
:scan.plan.plan_rows 10000
:scan.plan.plan_width 139
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 6
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 6
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 6
      :varattno 3
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 6
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 4
      :location -1
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 6
      :varattno 5
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 5
      :location -1
    }
    :resno 5

```

```

:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 6
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 84.41499999999999
:plan.total_cost 84.41499999999999
:plan.plan_rows 1
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 11
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 63.0475
:join.plan.total_cost 84.41499999999999
:join.plan.plan_rows 1
:join.plan.plan_width 40
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 12
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 365
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.675
:join.plan.total_cost 41.9725
:join.plan.plan_rows 16
:join.plan.plan_width 36
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 13

```

```

:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 2
      :location 74
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location 365
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
  :scan.plan.disabled_nodes 0
  :scan.plan.startup_cost 0
  :scan.plan.total_cost 18.1
  :scan.plan.plan_rows 810
  :scan.plan.plan_width 40
  :scan.plan.parallel_aware false
  :scan.plan.parallel_safe true
  :scan.plan.async_capable false
  :scan.plan.plan_node_id 14
  :scan.plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
      }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
      :expr
      {VAR
        :varno 4
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
      }
      :resno 2
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
      :expr
      {VAR
        :varno 4
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
      }
    }
  )
}

```

```

        :varattnosyn 3
        :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.625
:plan.total_cost 20.625
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 15
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.625
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 16
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 399
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 98

```

```

:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 419
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 69 85 8
      2 79 80 69 ]
  }
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 399
  }
)
:skewTable 16536
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 3
        :location 385
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 399
      }
    )
  }
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2

```

```

:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 385
}
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 42.17249999999999
:plan.total_cost 42.17249999999999
:plan.plan_rows 16
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 17
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 42.012499999999996
:plan.total_cost 42.17249999999999
:plan.plan_rows 16
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 18
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.675
:join.plan.total_cost 41.9725
:join.plan.plan_rows 16
:join.plan.plan_width 4
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 19
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 20
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 7
}

```



```

:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.625
:plan.total_cost 20.625
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 21
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.625
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 22
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 6
9 85 82 79 80 69 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 8
}

```

```

:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16536
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location -1
      }
    )
  }
  :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 3
    :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 2
:aggssplit 0
:numCols 1
:grpCollIdx ( 1)
:grpOperators ( 96)
:grpCollations ( 0)
:numGroups 16
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
    }
}
)
:skewTable 16536
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 365
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 365
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location -1
    }
)
)
:skewTable 16541
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR

```

```

        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 4
        :location -1
    }
    {VAR
    :varno -1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location -1
    }
    )
    :location -1
}

)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
)
:skewTable 16556
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 1)
:join.plan.allParam (b 1)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 281
}
{VAR
:varno -1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
)
}
:location -1
}

```

```

    )
    :hashoperators (o 96)
    :hashcollations (o 0)
    :hashkeys (
        {VAR
            :varno -2
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 2
            :location 281
        }
    )
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 1
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 248
    }
    {VAR
        :varno -2
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location 445
    }
)
:skewTable 0
:skewColumn 0
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
    }
    :args (
        {VAR
            :varno -2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 236
        }
        {VAR
            :varno -1
            :varattno 6
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 1
            :location 248
        }
    )
)
:location -1
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {SUBPLAN
    :subLinkType 4
    :testexpr <>
    :paramIds <>
    :plan_id 1
    :plan_name SubPlan\ 1
    :firstColType 701
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable false
    :unknownEqFalse false
    :parallel_safe false
    :setParam <>
    :parParam (i 0)
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 641
      }
    )
    :startup_cost 0
    :per_call_cost 28500.645
  }
  {VAR
    :varno -1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 4
    :location 445
  }
)
:location -1
}
)
:hashoperators (o 96 670)
:hashcollations (o 0 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 236
  }
  {SUBPLAN
    :subLinkType 4
    :testexpr <>
    :paramIds <>
    :plan_id 1
    :plan_name SubPlan\ 1
    :firstColType 701
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable false
    :unknownEqFalse false
    :parallel_safe false
    :setParam <>
    :parParam (i 0)
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 641
      }
    )
    :startup_cost 0
    :per_call_cost 28500.645
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 4
:sortColIdx ( 1 3 2 4)
:sortOperators ( 674 664 664 97)
:collations ( 0 100 100 0)
:nullsFirst ( true false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)

```

```

:plan.allParam (b)
:limitOffset <>
:limitCount
{CONST
:consttype 20
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 100 0 0 0 0 0 0 0 ]
}
:limitOption 0
:uniqNumCols 0
:uniqCollIdx <>
:uniqOperators <>
:uniqCollations <>
}

```

QUERY PLAN

```

Limit (cost=11460276.69..11460276.70 rows=1 width=182) (actual time=76726.944..76727.753 rows=100.00 loops=1)
Output: s.s_acctbal, s.s_name, nation.n_name, part.p_partkey, part.p_mfgr, s.s_address, s.s_phone, s.s_comment
Buffers: shared hit=836421 read=21186186, temp read=3038 written=3038
-> Sort (cost=11460276.69..11460276.70 rows=1 width=182) (actual time=76726.943..76727.534 rows=100.00 loops=1)
Output: s.s_acctbal, s.s_name, nation.n_name, part.p_partkey, part.p_mfgr, s.s_address, s.s_phone, s.s_comment
Sort Key: s.s_acctbal DESC, nation.n_name, s.s_name, part.p_partkey
Sort Method: top-N heapsort Memory: 69kB
Buffers: shared hit=836421 read=21186186, temp read=3038 written=3038
-> Hash Join (cost=24648.01..11460276.68 rows=1 width=182) (actual time=521.840..76725.475 rows=460.00 loops=1)
Output: s.s_acctbal, s.s_name, nation.n_name, part.p_partkey, part.p_mfgr, s.s_address, s.s_phone, s.s_comment
Hash Cond: ((part.p_partkey = partsupp.ps_partkey) AND ((SubPlan 1) = partsupp.ps_supplycost))
Buffers: shared hit=836421 read=21186186, temp read=3038 written=3038
-> Seq Scan on public.part (cost=0.00..6864.00 rows=802 width=19) (actual time=0.129..51.181 rows=747.00 loops=1)
Output: part.p_partkey, part.p_name, part.p_mfgr, part.p_brand, part.p_type, part.p_size, part.p_container, part.p_retailprice, part.p_c
omment
Filter: ((part.p_type ~ '%BRASS'::text) AND (part.p_size = 15))
Rows Removed by Filter: 199253
Buffers: shared hit=3864
-> Hash (cost=24570.55..24570.55 rows=5164 width=175) (actual time=183.770..184.348 rows=158960.00 loops=1)
Output: s.s_acctbal, s.s_name, s.s_address, s.s_phone, s.s_comment, partsupp.ps_partkey, partsupp.ps_supplycost, nation.n_name
Buckets: 65536 (originally 8192) Batches: 4 (originally 1) Memory Usage: 7892kB
Buffers: shared hit=854 read=17820, temp written=2573
-> Gather (cost=1441.24..24570.55 rows=5164 width=175) (actual time=10.340..106.839 rows=158960.00 loops=1)
Output: s.s_acctbal, s.s_name, s.s_address, s.s_phone, s.s_comment, partsupp.ps_partkey, partsupp.ps_supplycost, nation.n_name
Workers Planned: 2
Workers Launched: 2
Buffers: shared hit=854 read=17820
-> Hash Join (cost=441.24..23054.15 rows=2152 width=175) (actual time=5.763..117.381 rows=52986.67 loops=3)
Output: s.s_acctbal, s.s_name, s.s_address, s.s_phone, s.s_comment, partsupp.ps_partkey, partsupp.ps_supplycost, nation.n_na
me
Hash Cond: (partsupp.ps_suppkey = s.s_suppkey)
Buffers: shared hit=854 read=17820
Worker 0: actual time=3.999..129.385 rows=54677.00 loops=1
Buffers: shared hit=266 read=6150
Worker 1: actual time=3.820..128.872 rows=54895.00 loops=1
Buffers: shared hit=295 read=6162
-> Parallel Seq Scan on public.partsupp (cost=0.00..21341.33 rows=333333 width=16) (actual time=1.249..70.231 rows=266666.
67 loops=3)
Output: partsupp.ps_partkey, partsupp.ps_suppkey, partsupp.ps_availqty, partsupp.ps_supplycost, partsupp.ps_comment
Buffers: shared hit=188 read=17820
Worker 0: actual time=1.380..83.033 rows=275188.00 loops=1
Buffers: shared hit=44 read=6150
Worker 1: actual time=1.004..81.906 rows=277185.00 loops=1
Buffers: shared hit=73 read=6162
-> Hash (cost=440.43..440.43 rows=65 width=167) (actual time=4.500..4.512 rows=1987.00 loops=3)
Output: s.s_acctbal, s.s_name, s.s_address, s.s_phone, s.s_comment, s.s_suppkey, nation.n_name
Buckets: 2048 (originally 1024) Batches: 1 (originally 1) Memory Usage: 364kB
Buffers: shared hit=666
Worker 0: actual time=2.604..2.612 rows=1987.00 loops=1
Buffers: shared hit=222
Worker 1: actual time=2.806..2.813 rows=1987.00 loops=1
Buffers: shared hit=222
-> Hash Join (cost=84.43..440.43 rows=65 width=167) (actual time=0.322..3.841 rows=1987.00 loops=3)
Output: s.s_acctbal, s.s_name, s.s_address, s.s_phone, s.s_comment, s.s_suppkey, nation.n_name
Hash Cond: (s.s_nationkey = n.n_nationkey)
Buffers: shared hit=666
Worker 0: actual time=0.208..1.985 rows=1987.00 loops=1
Buffers: shared hit=222
Worker 1: actual time=0.219..2.173 rows=1987.00 loops=1
Buffers: shared hit=222
-> Seq Scan on public.supplier s (cost=0.00..318.00 rows=10000 width=139) (actual time=0.038..2.244 rows=10000
.00 loops=3)
Output: s.s_suppkey, s.s_name, s.s_address, s.s_nationkey, s.s_phone, s.s_acctbal, s.s_comment
Buffers: shared hit=654
Worker 0: actual time=0.045..0.648 rows=10000.00 loops=1
Buffers: shared hit=218
Worker 1: actual time=0.050..0.700 rows=10000.00 loops=1
Buffers: shared hit=218
-> Hash (cost=84.41..84.41 rows=1 width=40) (actual time=0.272..0.282 rows=5.00 loops=3)
Output: nation.n_name, nation.n_nationkey, n.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=12
Worker 0: actual time=0.151..0.157 rows=5.00 loops=1
Buffers: shared hit=4
Worker 1: actual time=0.157..0.161 rows=5.00 loops=1
Buffers: shared hit=4
-> Hash Join (cost=63.05..84.41 rows=1 width=40) (actual time=0.260..0.277 rows=5.00 loops=3)
Output: nation.n_name, nation.n_nationkey, n.n_nationkey
Hash Cond: (nation.n_nationkey = n.n_nationkey)
Buffers: shared hit=12
Worker 0: actual time=0.133..0.151 rows=5.00 loops=1
Buffers: shared hit=4
Worker 1: actual time=0.147..0.156 rows=5.00 loops=1
Buffers: shared hit=4
-> Hash Join (cost=20.68..41.97 rows=16 width=36) (actual time=0.195..0.203 rows=5.00 loops=3)
Output: nation.n_name, nation.n_nationkey
Hash Cond: (nation.n_regionkey = region.r_regionkey)
Buffers: shared hit=6
Worker 0: actual time=0.097..0.102 rows=5.00 loops=1
Buffers: shared hit=2
Worker 1: actual time=0.107..0.112 rows=5.00 loops=1

```

```

Buffers: shared hit=2
-> Seq Scan on public.nation (cost=0.00..18.10 rows=810 width=40) (actual time=0.035..0.041
rows=25.00 loops=3)

Output: nation.n_nationkey, nation.n_name, nation.n_regionkey, nation.n_comment
Buffers: shared hit=3
Worker 0: actual time=0.043..0.045 rows=25.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.049..0.050 rows=25.00 loops=1
Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.144..0.146 rows=1.00 loops=3)
Output: region.r_regionkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=3
Worker 0: actual time=0.046..0.047 rows=1.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.050..0.052 rows=1.00 loops=1
Buffers: shared hit=1
-> Seq Scan on public.region (cost=0.00..20.62 rows=4 width=4) (actual time=0.033..0.0
40 rows=1.00 loops=3)

Output: region.r_regionkey
Filter: (region.r_name = 'EUROPE')::text)
Rows Removed by Filter: 4
Buffers: shared hit=3
Worker 0: actual time=0.039..0.040 rows=1.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.043..0.043 rows=1.00 loops=1
Buffers: shared hit=1
-> Hash (cost=42.17..42.17 rows=16 width=4) (actual time=0.040..0.042 rows=5.00 loops=3)
Output: n.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=6
Worker 0: actual time=0.030..0.032 rows=5.00 loops=1
Buffers: shared hit=2
Worker 1: actual time=0.030..0.032 rows=5.00 loops=1
Buffers: shared hit=2
-> HashAggregate (cost=42.01..42.17 rows=16 width=4) (actual time=0.035..0.037 rows=5.00 loo
ps=3)

Output: n.n_nationkey
Group Key: n.n_nationkey
Batches: 1 Memory Usage: 32kB
Buffers: shared hit=6
Worker 0: actual time=0.024..0.025 rows=5.00 loops=1
Batches: 1 Memory Usage: 32kB
Buffers: shared hit=2
Worker 1: actual time=0.025..0.026 rows=5.00 loops=1
Batches: 1 Memory Usage: 32kB
Buffers: shared hit=2
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.028..0.032 rows=5.00 l
oops=3)

Output: n.n_nationkey
Hash Cond: (n.n_regionkey = r.r_regionkey)
Buffers: shared hit=6
Worker 0: actual time=0.017..0.021 rows=5.00 loops=1
Buffers: shared hit=2
Worker 1: actual time=0.017..0.021 rows=5.00 loops=1
Buffers: shared hit=2
-> Seq Scan on public.nation n (cost=0.00..18.10 rows=810 width=8) (actual time=
0.004..0.005 rows=25.00 loops=3)

Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment
Buffers: shared hit=3
Worker 0: actual time=0.002..0.003 rows=25.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.002..0.004 rows=25.00 loops=1
Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.009..0.010 rows=1.00 l
oops=3)

Output: r.r_regionkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=3
Worker 0: actual time=0.010..0.010 rows=1.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.009..0.010 rows=1.00 loops=1
Buffers: shared hit=1
-> Seq Scan on public.region r (cost=0.00..20.62 rows=4 width=4) (actual t
ime=0.005..0.005 rows=1.00 loops=3)

Output: r.r_regionkey
Filter: (r.r_name = 'EUROPE')::text)
Rows Removed by Filter: 4
Buffers: shared hit=3
Worker 0: actual time=0.005..0.005 rows=1.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.005..0.005 rows=1.00 loops=1
Buffers: shared hit=1

SubPlan 1
-> Aggregate (cost=28500.64..28500.65 rows=1 width=8) (actual time=63.336..63.336 rows=1.00 loops=1207)
Output: min(partsupp_1.ps_supplycost)
Buffers: shared hit=831703 read=21168366
-> Nested Loop (cost=42.37..28500.63 rows=1 width=8) (actual time=62.057..63.333 rows=1.06 loops=1207)
Output: partsupp_1.ps_supplycost
Join Filter: (nation_1.n_regionkey = region_1.r_regionkey)
Buffers: shared hit=831703 read=21168366
-> Nested Loop (cost=42.37..28479.76 rows=4 width=12) (actual time=62.056..63.332 rows=1.06 loops=1207)
Output: partsupp_1.ps_supplycost, nation_1.n_regionkey
Join Filter: (nation_1.n_nationkey = n_1.n_nationkey)
Rows Removed by Join Filter: 26
Buffers: shared hit=831702 read=21168366
-> Nested Loop (cost=42.37..28451.53 rows=1 width=16) (actual time=62.046..63.320 rows=1.06 loops=1207)
Output: s_1.s_nationkey, n_1.n_nationkey, partsupp_1.ps_supplycost
Join Filter: (partsupp_1.ps_suppkey = s_1.s_suppkey)
Rows Removed by Join Filter: 7947
Buffers: shared hit=830418 read=21168366
-> Hash Join (cost=42.37..395.52 rows=800 width=12) (actual time=0.002..1.648 rows=1987.00 loops=1207)
Output: s_1.s_nationkey, s_1.s_suppkey, n_1.n_nationkey
Inner Unique: true
Hash Cond: (s_1.s_nationkey = n_1.n_nationkey)
Buffers: shared hit=263128
-> Seq Scan on public.supplier s_1 (cost=0.00..318.00 rows=10000 width=8) (actual time=0.001..0.515 rows=100
00.00 loops=1207)

Output: s_1.s_suppkey, s_1.s_name, s_1.s_address, s_1.s_nationkey, s_1.s_phone, s_1.s_acctbal, s_1.s_com
ment

Buffers: shared hit=263126
-> Hash (cost=42.17..42.17 rows=16 width=4) (actual time=0.035..0.039 rows=5.00 loops=1)
Output: n_1.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=2

```



```

-> HashAggregate (cost=42.01..42.17 rows=16 width=4) (actual time=0.032..0.037 rows=5.00 loops=1)
  Output: n_1.n_nationkey
  Group Key: n_1.n_nationkey
  Batches: 1 Memory Usage: 32kB
  Buffers: shared hit=2
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.023..0.030 rows=5.00 loops=1)
  Output: n_1.n_nationkey
  Hash Cond: (n_1.n_regionkey = r_1.r_regionkey)
  Buffers: shared hit=2
-> Seq Scan on public.nation n_1 (cost=0.00..18.10 rows=810 width=8) (actual time=0.007..0.008 rows=25.00 loops=1)
  Output: n_1.n_nationkey, n_1.n_name, n_1.n_regionkey, n_1.n_comment
  Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.008..0.008 rows=1.00 loops=1)
  Output: r_1.r_regionkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=1
-> Seq Scan on public.region r_1 (cost=0.00..20.62 rows=4 width=4) (actual time=0.005..0.006 rows=1.00 loops=1)
  Output: r_1.r_regionkey
  Filter: (r_1.r_name = 'EUROPE'::text)
  Rows Removed by Filter: 4
  Buffers: shared hit=1
-> Materialize (cost=0.00..28008.02 rows=4 width=12) (actual time=0.015..0.031 rows=4.00 loops=2398309)
  Output: partsupp_1.ps_supplycost, partsupp_1.ps_suppkey
  Storage: Memory Maximum Storage: 17kB
  Buffers: shared hit=567290 read=21168366
-> Seq Scan on public.partsupp partsupp_1 (cost=0.00..28008.00 rows=4 width=12) (actual time=30.065..30.066 rows=4.00 loops=1207)
  Output: partsupp_1.ps_supplycost, partsupp_1.ps_suppkey
  Filter: (part.p_partkey = partsupp_1.ps_partkey)
  Rows Removed by Filter: 799996
  Buffers: shared hit=567290 read=21168366
-> Seq Scan on public.nation nation_1 (cost=0.00..18.10 rows=810 width=8) (actual time=0.002..0.003 rows=25.00 loops=128)
  Output: nation_1.n_nationkey, nation_1.n_name, nation_1.n_regionkey, nation_1.n_comment
  Buffers: shared hit=1284
-> Materialize (cost=0.00..20.64 rows=4 width=4) (actual time=0.000..0.000 rows=1.00 loops=1284)
  Output: region_1.r_regionkey
  Storage: Memory Maximum Storage: 17kB
  Buffers: shared hit=1
-> Seq Scan on public.region region_1 (cost=0.00..20.62 rows=4 width=4) (actual time=0.006..0.006 rows=1.00 loops=1)
  Output: region_1.r_regionkey
  Filter: (region_1.r_name = 'EUROPE'::text)
  Rows Removed by Filter: 4
  Buffers: shared hit=1

```

```

Planning:
  Buffers: shared hit=23
Planning Time: 21.744 ms
Execution Time: 76729.986 ms
(239 rows)

```

```

Time: 76768.363 ms (01:16.768)
tpch=> RESET ROLE;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
  :stmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
    :stmt_location 0
    :stmt_len 10
  }
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
}

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 11.671 ms
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
    END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on supplier (main filtered table in Q2)
ALTER TABLE supplier ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show suppliers from nations in EUROPE region
CREATE POLICY supplier_rls_policy ON supplier
USING (
    EXISTS (
        SELECT 1 FROM nation n
        JOIN region r ON n.n_regionkey = r.r_regionkey
        WHERE n.n_nationkey = supplier.s_nationkey
        AND r.r_name = 'EUROPE'
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON supplier TO alice;
GRANT SELECT ON nation TO alice;
GRANT SELECT ON region TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON partsupp TO alice;
SET ROLE alice;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
:defaction 0
:location 3
}
}
:stmt_location 0
:stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
:defaction 0
:location 3
}
}
)

```

```

    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname pg_policies
  :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
    "cmd" "qual" "with_check")
  }
  :rtekind 0
  :relid 12018
  :inh true
  :relkind v
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 12018
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 10)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
)
:quals
{OEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
  {VAR
  :varno 1
  :varattno 1
  :vartype 19
  }
  }
}

```



```

}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")}
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"

```

```

        "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
        "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
        spopulated" "relreplident" "relispartition" "relrewrite" "relfr
        ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
        " "nspname" "nspowner" "nspacl")
    }
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
    {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
    {VAR
        :varno 1
        :varattno 4
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
    {VAR
        :varno 1
        :varattno 5
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location -1
    }
    {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    {VAR
        :varno 1
        :varattno 8
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    {VAR

```

```

:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950

```

```

:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reldid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reldid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
}
}

```



```

        {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
        }
    )
    :location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 3
:resname policynome
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
}
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1

```

```

        :constbyval false
        :constisnull false
        :location -1
        :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
        0 0 0 1 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false

```

```

        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
)
:jointree
    {FROMEXPR
    :fromlist (
        {RANGETBLREF
        :rtindex 1
        }
    )
    :quals
        {SCALARARRAYOPEXPR
        :opno 607
        :opfuncid 184
        :hashfuncid 0
        :negfuncid 0
        :useOr true
        :inputcollid 0
        :args (
            {VAR
            :varno 1
            :varattno 1
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
            }
            {VAR
            :varno 1
            :varattno 6
            :vartype 1028
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location -1
            }
        )
        :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
        {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
        }
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>

```

```

        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
:location -1
}
:resno 5
:resname roles
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:varatype 18
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
}

```

```

:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25

```

```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
}
)
:defaultresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
}

```



```

:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS

```

```

:aliasname pol
:colnames ("oid" "polname" "polreloid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:reloid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastreloid" "relh
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtekind 0
:reloid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreloid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastreloid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}

```

```

{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5

```

```

:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2

```



```

:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}

```

```

{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21

```

```

:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false

```

```

    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 3256
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 9 10 11 12 13 14 15)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 1259
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 9 10)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 2615
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals <>
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
}
)
}
}

```

```

    }
  )
  :location -1
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 25
    :typeMod -1
    :collation 0
  }
)
:location -1
}
:resulttype 1003
:resulttypemod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
    {ALIAS
      :aliasname pg_authid
      :colnames ("oid" "rolname" "rolsuper" "rolinherit"
        "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
        lication" "rolbypassrls" "rolconlimit" "rolpasswor
        d" "rolvaliduntil")
    }
    :rtekind 0
    :relid 1260
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
}
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
}
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
  }
)
}
}
}

```



```

        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    )
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
        }
        :resno 1
        :resname rolname
        :ressortgroupref 1
        :resorigtbl 1260
        :resorigcol 2
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 93
        :sortop 660
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 18
    :typeMod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
  :opno 92
  :opfuncid 61
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 18
      :typeMod -1
      :collation 0
    }
    {CONST
      :consttype 18
      :consttypmod -1
      :constcollid 0
      :constlen 1
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
  :opno 92
  :opfuncid 61
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 18
      :typeMod -1
      :collation 0
    }
    {CONST
      :consttype 18
      :consttypmod -1
      :constcollid 0
      :constlen 1
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}

```

```

    }
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 950

```

```

:inputcollid 950
:args (
  {VAR
    :varno 1
    :varattno 7
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {FUNCEXP
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {VAR
        :varno 1
        :varattno 8
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    )
  }
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false

```

```

:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4.907500000000001
:join.plan.total_cost 26.215249999999997
:join.plan.plan_rows 20
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 3.845
:join.plan.total_cost 24.715
:join.plan.plan_rows 82
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.4
:scan.plan.plan_rows 440
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```



```

{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 19
        :location -1
    }
:resno 19
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>

```

```

:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 2.8200000000000003
:plan.total_cost 2.8200000000000003
:plan.plan_rows 82
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 2.8200000000000003
:scan.plan.plan_rows 82
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

        :resorigcol 0
        :resjunk false
    }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 607
        :opfuncid 184
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 1
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 1
                :location -1
            }
            {VAR
                :varno -1
                :varattno 2
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 3
                :location -1
            }
        )
        :location -1
    }
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
    }
)
}
:join.plan.righttree
{HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 1.05
    :plan.total_cost 1.05
    :plan.plan_rows 1
    :plan.plan_width 4
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 5
    :plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -2

```

```

:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.05
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5

```



```

:varattnosyn 1
:location -1
}
)
:skewTable 1259
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
{VAR
:varno -1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
}
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
)
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST

```

```

:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0

```

```

        :paramid 3
        :paramtype 19
        :paramtypmod -1
        :paramcollid 950
        :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
}
}
)
}

```

```

        :location 55
    }
)
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====:
DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

```

WARNING: ===== RAW PARSE TREE =====:
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
}

```

```

    }
    :stmt_location 0
    :stmt_len 0
  }

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 31.535 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55

```

```

        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.964 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
  }
)
}

```

```

        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.620 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.316 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```



```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.259 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false

```

```

:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.221 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0

```

```

:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.233 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
}

```

```

:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.232 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnam region
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnam region
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
}

```

```

:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.186 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
}

```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

Time: 0.228 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname r
:colnames <>
}
:location 111
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_regionkey")
:location 123
}
:rexpr
{COLUMNREF
:fields ("r" "r_regionkey")
:location 139
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 137
}
:alias <>
:rtindex 0
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")

```

```

        :lexpr
        {COLUMNREF
         :fields ("n" "n_nationkey")
         :location 167
        }
        :rexpr
        {COLUMNREF
         :fields ("supplier" "s_nationkey")
         :location 183
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 181
    }
    {A_EXPR
     :name ("=")
    :lexpr
     {COLUMNREF
      :fields ("r" "r_name")
      :location 216
     }
    :rexpr
     {A_CONST
      :val "EUROPE"
      :location 227
     }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 225
  }
}
:location 212
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 243
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
}
:location 82
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation

```

```

        :inh true
        :relpersistence p
        :alias
        {ALIAS
         :aliasname n
         :colnames <>
        }
        :location 89
    }
    :rarg
    {RANGEVAR
     :catalogname <>
     :schemaname <>
     :relname region
     :inh true
     :relpersistence p
     :alias
     {ALIAS
      :aliasname r
      :colnames <>
     }
     :location 111
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {A_EXPR
     :name ("=")
     :lexpr
     {COLUMNREF
      :fields ("n" "n_regionkey")
      :location 123
     }
     :rexpr
     {COLUMNREF
      :fields ("r" "r_regionkey")
      :location 139
     }
     :rexpr_list_start 0
     :rexpr_list_end 0
     :location 137
    }
    :alias <>
    :rtindex 0
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 167
}
:rexpr
{COLUMNREF
:fields ("supplier" "s_nationkey")
:location 183
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 181
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r" "r_name")
:location 216
}
:rexpr
{A_CONST
:val "EUROPE"
:location 227
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 225
}
}
:location 212
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false

```



```

:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 243
}

```

Time: 1.037 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false

```

```

:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.852 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 16
  }
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
  }
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 26
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 16
  }
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
  }
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 26
  }
)
:grant_option false
:grantor <>
}

```

```

:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.455 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0

```

```

        :rolename alice
        :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.322 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select

```

```

        :cols <>
    }
)
:grantees (
    {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.217 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
}
)
}
}

```

```

        :location 16
    }
)
:privileges (
    {ACCESSPRIV
        :priv_name select
        :cols <>
    }
)
:grantees (
    {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.177 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
}

```

```

:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.158 ms

tpch=> EXPLAIN (ANALYZE, VERBOSE, BUFFERS)

```

select
  s_acctbal,
  s_name,
  n_name,
  p_partkey,
  p_mfg,
  s_address,
  s_phone,
  s_comment
from
  part,
  supplier,
  partsupp,
  nation,
  region
where
  p_partkey = ps_partkey
  and s_suppkey = ps_suppkey
  and p_size = 15
  and p_type like '%BRASS'
  and s_nationkey = n_nationkey
  and n_regionkey = r_regionkey
  and r_name = 'EUROPE'
  and ps_supplycost = (
    select
      min(ps_supplycost)
    from
      partsupp,
      supplier,
      nation,
      region
    where
      p_partkey = ps_partkey
      and s_suppkey = ps_suppkey
      and s_nationkey = n_nationkey
      and n_regionkey = r_regionkey
      and r_name = 'EUROPE'
  )
order by
  s_acctbal desc,
  n_name,
  s_name,
  p_partkey limit 100;
WARNING: ===== RAW PARSE TREE =====
DETAIL:   {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_acctbal")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_name")
:location 62
}
:location 62
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("n_name")
:location 74
}
:location 74
}
}
}

```

```

{RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
  :fields ("p_partkey")
  :location 86
  }
:location 86
}
{RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
  :fields ("p_mfgr")
  :location 101
  }
:location 101
}
{RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
  :fields ("s_address")
  :location 113
  }
:location 113
}
{RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
  :fields ("s_phone")
  :location 128
  }
:location 128
}
{RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
  :fields ("s_comment")
  :location 141
  }
:location 141
}
)
:fromClause (
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname part
  :inh true
  :relpersistance p
  :alias <>
  :location 160
  }
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname supplier
  :inh true
  :relpersistance p
  :alias <>
  :location 170
  }
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname partsupp
  :inh true
  :relpersistance p
  :alias <>
  :location 184
  }
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname nation
  :inh true
  :relpersistance p
  :alias <>
  :location 198
  }
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname region
  :inh true
  :relpersistance p
  :alias <>
  :location 210
  }
)
)
:whereClause
{BOOLEXP
:boolop and
:args (
  {A_EXPR
  :name ("=")
  :lexpr
  {COLUMNREF
  :fields ("p_partkey")
  :location 227
  }
  :rexpr
  {COLUMNREF
  :fields ("ps_partkey")
  :location 239
  }
  :rexpr_list_start 0

```



```

:rexpr_list_end 0
:location 237
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_supkey")
:location 258
}
:rexpr
{COLUMNREF
:fields ("ps_supkey")
:location 270
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 268
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 289
}
:rexpr
{A_CONST
:val 15
:location 298
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 296
}
{A_EXPR LIKE
:name ("~~")
:lexpr
{COLUMNREF
:fields ("p_type")
:location 309
}
:rexpr
{A_CONST
:val "%BRASS"
:location 321
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 316
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_nationkey")
:location 338
}
:rexpr
{COLUMNREF
:fields ("n_nationkey")
:location 352
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 350
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n_regionkey")
:location 372
}
:rexpr
{COLUMNREF
:fields ("r_regionkey")
:location 386
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 384
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r_name")
:location 406
}
:rexpr
{A_CONST
:val "EUROPE"
:location 415
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 413
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("ps_supplycost")
:location 432
}
:rexpr
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>

```

```

:intoClause <>
:targetList (
  {RESTARTGET
    :name <>
    :indirection <>
    :val
      {FUNCCALL
        :funcname ("min")
        :args (
          {COLUMNREF
            :fields ("ps_supplycost")
            :location 481
          }
        )
        :agg_order <>
        :agg_filter <>
        :over <>
        :agg_within_group false
        :agg_star false
        :agg_distinct false
        :func_variadic false
        :funcformat 0
        :location 477
      }
    :location 477
  }
)
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp
    :inh true
    :relpersistence p
    :alias <>
    :location 521
  }
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname supplier
    :inh true
    :relpersistence p
    :alias <>
    :location 543
  }
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname nation
    :inh true
    :relpersistence p
    :alias <>
    :location 565
  }
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname region
    :inh true
    :relpersistence p
    :alias <>
    :location 585
  }
)
:whereClause
{BOOLEXP
  :boolop and
  :args (
    {A_EXPR
      :name ("=")
      :lexpr
        {COLUMNREF
          :fields ("p_partkey")
          :location 618
        }
      :rexpr
        {COLUMNREF
          :fields ("ps_partkey")
          :location 630
        }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 628
    }
    {A_EXPR
      :name ("=")
      :lexpr
        {COLUMNREF
          :fields ("s_suppkey")
          :location 657
        }
      :rexpr
        {COLUMNREF
          :fields ("ps_suppkey")
          :location 669
        }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 667
    }
    {A_EXPR
      :name ("=")
      :lexpr
        {COLUMNREF
          :fields ("s_nationkey")
          :location 696
        }
      :rexpr
        {COLUMNREF
          :fields ("n_nationkey")
          :location 710
        }
      :rexpr_list_start 0
      :rexpr_list_end 0
    }
  )
}

```

```

        :location 708
      }
      {A_EXPR
      :name ("=")
      :lexpr
      {COLUMNREF
      :fields ("n_regionkey")
      :location 738
      }
      :rexpr
      {COLUMNREF
      :fields ("r_regionkey")
      :location 752
      }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 750
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("r_name")
    :location 780
    }
    :rexpr
    {A_CONST
    :val "EUROPE"
    :location 789
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 787
  }
}
:location 653
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 448
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 446
}
)
:location 254
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("s_acctbal")
:location 817
}
:sortby_dir 2
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("n_name")
:location 837
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("s_name")
:location 849
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("p_partkey")
:location 861
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
}
:limitOffset <>
:limitCount

```

```

        {A_CONST
        :val 100
        :location 877
        }
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 880
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "ps_comment")
}
:rtekind 0
:relid 16556

```

```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and

```

```

:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 227
      }
      {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 239
      }
    )
  :location 237
}
{OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location 258
    }
    {VAR
      :varno 3
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 2
      :location 270
    }
  )
  :location 268
}
{OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 1
      :varattno 6
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location 289
    }
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 298
      :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
  )
  :location 296
}
{OPEXPR
  :opno 1209
  :opfuncid 850
  :opresulttype 16
  :opretset false
  :opcollid 0

```

```

:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 309
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 321
    :constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
  }
)
:location 316
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 338
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 352
  }
)
:location 350
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location 372
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 386
  }
)
:location 384
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 406
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 415
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 413
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 432
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqt
y" "ps_supplycost" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_n
ationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtekind 0
:relid 16536

```



```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
  {ALIAS
    :aliasname region
    :colnames ("r_regionkey" "r_name" "r_comment")
  }
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16531
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
      {RANGETBLREF
        :rtindex 2
      }
      {RANGETBLREF
        :rtindex 3
      }
      {RANGETBLREF
        :rtindex 4
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 618
          }
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
          }
        )
      }
    )
  }

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 630
    }
}
:location 628
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 657
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 669
    }
    )
:location 667
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 696
    }
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 710
    }
    )
:location 708
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 738
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 752
    }
    )
}

```

```

    }
  )
  :location 750
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 780
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 789
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 6
      9 ]
  }
)
:location 787
}
)
:location 653
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2136
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 4
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location 481
          }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar false
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggsplit 0
      :aggno -1
      :aggtransno -1
      :location 477
    }
    :resno 1
    :resname min
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>

```

```

        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 448
}
)
:location 446
}
)
:location 254
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
:resno 1
:resname s_acctbal
:resortgroupref 1
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
:resno 2
:resname s_name
:resortgroupref 3
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 3
:resname n_name
:resortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
:resno 4
:resname p_partkey
:resortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 101
    }
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 98

```

```

:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount
{FUNCEXPR
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 877
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 880
}

```

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY

```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
          "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
          s_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname region
        :colnames ("r_regionkey" "r_name" "r_comment")
      }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16551

```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 227
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 239
}
)
:location 237
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1

```



```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 258
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 270
}
)
:location 268
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 289
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 298
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 296
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 309
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 321
:constvalue 10 [ 40 0 0 0 0 37 66 82 65 83 83 ]
}
)
:location 316
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 338
}
)

```

```

    {VAR
      :varno 4
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location 352
    }
  )
:location 350
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location 372
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 386
  }
)
:location 384
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 406
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 415
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location 413
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 4
    :location 432
  }
  {SUBLINK
    :subLinkType 4
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY

```

```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps
          _supplycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
          ey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
          ment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname region
        :colnames ("r_regionkey" "r_name" "r_comment")
      }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536

```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 618
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 630
}
)
:location 628
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 657
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 669
}
)
:location 667
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 696
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 710
  }
)
:location 708
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 738
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 752
  }
)
:location 750
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 780
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 789
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location 787
}
)
:location 653
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {AGGREF

```

```

:aggfnoid 2136
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 4
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 4
      :location 481
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 477
}
:resno 1
:resname min
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 448
}
)
:location 446
}
)
:location 254
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 6
      :location 47
    }
    :resno 1
    :resname s_acctbal
    :ressortgroupref 1
    :resorigtbl 16541
    :resorigcol 6
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
:resno 2
:resname s_name
:ressortgrouppref 3
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 3
:resname n_name
:ressortgrouppref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
:resno 4
:resname p_partkey
:ressortgrouppref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
:resno 5
:resname p_mfgr
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 2
        :varattnosyn 5
        :location 128
    }
:resno 7
:resname s_phone
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 8
:resname s_comment
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tlesortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tlesortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tlesortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tlesortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount
{FUNCEXP
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 877
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16541
WARNING: ===== RLS POLICY ADDED =====
DETAIL: (


```

{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment" "r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 3
    }
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST

```

```

:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: Table OID=16541
WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)

```

```

{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment" "r_reg
ionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 16536

```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
)
)
:location -1

```

```

    }
    {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
    )
    :location -1
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  :resno 1
  :resname ?column?
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname part

```

```

:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment"
"r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1

```



```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCI true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
}
)

```

```

        :updatedCols (b)
    }
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref

```

```

        {ALIAS
        :aliasname region
        :colnames ("r_regionkey" "r_name" "r_comment")
        }
:rtckind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 227
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 239
    }
}
:location 237
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 258
    }
    {VAR
        :varno 3
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location 270
    }
)
:location 268
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 289
    }
    {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 298
        :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
)
:location 296
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 1
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 309
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 321
        :constvalue 10 [ 40 0 0 0 0 37 66 82 65 83 83 ]
    }
)
:location 316
}
{OPEXPR
:opno 96

```

```

:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 338
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 352
  }
)
:location 350
}
{OPEXPR
:opno 96
:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location 372
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 386
  }
)
:location 384
}
{OPEXPR
:opno 98
:opfuncid 67
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 406
  }
  {CONST
    :constttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 415
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location 413
}
{OPEXPR
:opno 670
:opfuncid 293
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR

```

```

:varno 3
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 432
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps
supplycost" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionke
y" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r

```

```

:rellockmode 1
:perminfoindex 1
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment"
)
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionke
y" "n_comment" "r_regionkey" "r_name" "r_comm
ent")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location -1
  }
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 0 69 85 82 79 8
0 69 ]
  }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1

```

```

        :stmt_len -1
    }
    :location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 618
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 630
}
)
:location 628
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 657
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 669
}
}
)
:location 667
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 696
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 710
}
}
)
:location 708
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 3
        :varattnosyn 3
        :location 738
    }
    {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 752
    }
    )
    :location 750
    }
    {OPEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
                :varno 4
                :varattno 2
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 4
                :varattnosyn 2
                :location 780
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 789
                :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
            }
        )
        :location 787
    }
    )
    :location 653
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {AGGREF
            :aggfnoid 2136
            :aggtype 701
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 0
            :aggargtypes (o 701)
            :aggdirectargs <>
            :args (
                {TARGETENTRY
                    :expr
                    {VAR
                        :varno 1
                        :varattno 4
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 1
                        :varattnosyn 4
                        :location 481
                    }
                    :resno 1
                    :resname <>
                    :ressortgroupref 0
                    :resorigtbl 0
                    :resorigcol 0
                    :resjunk false
                }
            )
        }
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar false
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 477
    }
    :resno 1
    :resname min
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false

```

```

        }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :location 448
    }
    )
    :location 446
    }
    )
    :location 254
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 47
    }
    :resno 1
    :resname s_acctbal
    :ressortgroupref 1
    :resorigtbl 16541
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 62
    }
    :resno 2
    :resname s_name
    :ressortgroupref 3
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 74
    }
    :resno 3
    :resname n_name
    :ressortgroupref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1

```

```

        :varattnosyn 1
        :location 86
    }
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 670
:sortop 674

```

```

:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
}
:limitOffset <>
:limitCount
{FUNCEXP
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 877
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1

```



```

:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname n
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname n
                :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
              }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname r
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname r
                :colnames ("r_regionkey" "r_name" "r_comment")
              }
            :rtekind 0
            :relid 16531
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 2
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname unnamed_join
                :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment"
                  "r_regionkey" "r_name" "r_comment")
              }
            :rtekind 2
            :jointype 0
            :joinmergedcols 0
            :joinaliasvars (
              {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location -1
              }
              {VAR
                :varno 1
                :varattno 2
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 2
                :location -1
              }
              {VAR
                :varno 1
                :varattno 3

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
}
:rarg
{RANGETBLREF
:rtindex 2
}
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
}
}

```

```

:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
  }
)
:location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
      }
    )
    :location -1
  }
  {OPEXP
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
      }
    )
    :location -1
  }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0

```

```

:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname partsupp
    :colnames ("ps_partkey" "ps_supplekey" "ps_availqty" "ps_supplycost" "p
      s_comment")
  }
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname nation
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
  }
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname region
    :colnames ("r_regionkey" "r_name" "r_comment")
  }
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10 12 13)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO

```

```

:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 227
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 239
}
)
:location 237
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1

```

```

:location 258
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 270
}
)
:location 268
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 289
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 298
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 296
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 309
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 321
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 316
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 338
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 352
    }
}
:location 350
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 4
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 3
        :location 372
    }
    {VAR
        :varno 5
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 386
    }
)
:location 384
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 5
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 406
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 415
        :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
)
:location 413
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 3
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location 432
    }
    {SUBLINK
        :subLinkType 4
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
        {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs true
            :hasWindowFuncs false
            :hasTargetSRFs false
        }
    }
)
}

```

```

:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps
          _supplycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
          ey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBLENTY
                :alias
                  {ALIAS
                    :aliasname n
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname n
                    :colnames ("n_nationkey" "n_name" "n_regionke
                      y" "n_comment")
                  }
                :rtekind 0
                :relid 16536
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
              {RANGETBLENTY
                :alias
                  {ALIAS
                    :aliasname r
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname r
                    :colnames ("r_regionkey" "r_name" "r_comment"
                      )
                  }
                :rtekind 0
                :relid 16531
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 2
                :tablesample <>
                :lateral false

```



```

:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionke
y" "n_comment" "r_regionkey" "r_name" "r_comm
ent")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}

```

```

)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16531
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {JOINEXPR
      :jointype 0
      :isNatural false
      :larg
        {RANGETBLREF
          :rtindex 1
        }
      :rarg
        {RANGETBLREF
          :rtindex 2
        }
      :usingClause <>
      :join_using_alias <>
      :quals
        {OPEXPR
          :opno 96
          :opfuncid 65
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 3
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 3
              :location -1
            }
            {VAR
              :varno 2
              :varattno 1
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 2
              :varattnosyn 1
              :location -1
            }
          )
        }
      :location -1
    }
  )
  :alias <>
  :rtindex 3
}
)
:quals
{BOOLEXPR
  :boolop and
  :args (
    {OPEXPR
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location -1
        }
        {VAR
          :varno 2
          :varattno 4
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 1
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 4
        }
      )
    }
  )
}

```

```

        :location -1
      }
    )
    :location -1
  }
  {OPEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 69 85 82 79 8
    0 69 ]
    }
  )
  :location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  :resno 1
  :resname ?column?
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>

```

```

:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 618
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 630
}
)
:location 628
}
{OEXPR
:opno 96
:opfuncid 65

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 657
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 669
  }
)
:location 667
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 696
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 710
  }
)
:location 708
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 738
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 752
  }
)
:location 750
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100

```

```

        :args (
            {VAR
            :varno 4
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 2
            :location 780
            }
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 789
            :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
            }
        )
        :location 787
    }
}
:location 653
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2136
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 481
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
        }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 477
    }
    :resno 1
    :resname min
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 448
}
)

```

```

        :location 446
    }
)
:location 254
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:varatype 701
:varatpmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
:resno 1
:resname s_acctbal
:ressortgrouppref 1
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:varatype 25
:varatpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
:resno 2
:resname s_name
:ressortgrouppref 3
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:varatype 25
:varatpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 3
:resname n_name
:ressortgrouppref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:varatype 23
:varatpmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
:resno 4
:resname p_partkey
:ressortgrouppref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:varatype 25
:varatpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
:resno 5
:resname p_mfgr

```

```

:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}

```



```

    }
)
:limitOffset <>
:limitCount
{FUNCEXP
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 877
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {LIMIT
:plan.disabled_nodes 0
:plan.startup_cost 176362814.39999998
:plan.total_cost 176362814.40499997
:plan.plan_rows 1
:plan.plan_width 182
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:plan.qual <
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 176362814.39999998
:plan.total_cost 176362814.40499997

```

```

:plan.plan_rows 1
:plan.plan_width 182
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 6
      :location -1
    }
    :resno 1
    :resname s_acctbal
    :ressortgroupref 1
    :resorigtbl 16541
    :resorigcol 6
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname s_name
    :ressortgroupref 3
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 3
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 2
      :location -1
    }
    :resno 3
    :resname n_name
    :ressortgroupref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    :resno 4
    :resname p_partkey
    :ressortgroupref 4
    :resorigtbl 16551
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 5
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location -1
    }
    :resno 5
    :resname p_mfgr
    :ressortgroupref 0
    :resorigtbl 16551
    :resorigcol 3
  }
)

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 441437.82250000007
:join.plan.total_cost 176362814.39
:join.plan.plan_rows 1
:join.plan.plan_width 182
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 2
:location 62
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 7

```

```

:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 6864
:scan.plan.plan_rows 802
:scan.plan.plan_width 19
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
}
}

```

```

        :varattnosyn 9
        :location -1
    }
    :resno 9
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 289
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 298
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 296
}
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 309
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 321
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 316
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 440953.66750000004
:plan.total_cost 440953.66750000004
:plan.plan_rows 32277
:plan.plan_width 175
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
}
}

```



```

:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 411622.8975
:join.plan.total_cost 440953.667500000004
:join.plan.plan_rows 32277
:join.plan.plan_width 175
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 5
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
}
}

```

```

        :varnosyn 2
        :varattnosyn 3
        :location 113
    }
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 239
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 432
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 8

```

```

:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 26008
:scan.plan.plan_rows 800000
:scan.plan.plan_width 16
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
    }
    :resno 5
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 411617.835
:plan.total_cost 411617.835
:plan.plan_rows 405
:plan.plan_width 167
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 7
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5

```

```

        :location -1
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0
:join.plan.total_cost 411617.835
:join.plan.plan_rows 405
:join.plan.plan_width 167
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 8
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1

```

```

:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 258
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 74
    }
    :resno 7
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0
:join.plan.total_cost 87.33500000000001
:join.plan.plan_rows 16
:join.plan.plan_width 36
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 9
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 352
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 40
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location -1
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location -1
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 4
    }
    :join.plan.righttree
    {MATERIAL
    :plan.disabled_nodes 0
    :plan.startup_cost 0
    :plan.total_cost 20.645
    :plan.plan_rows 4
    :plan.plan_width 4
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 11
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree
    {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 20.625
    :scan.plan.plan_rows 4
    :scan.plan.plan_width 4
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 12
    :scan.plan.targetlist (

```

```

{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 386
  }
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
  {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 5
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 406
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 415
        :constvalue 10 [ 40 0 0 0 69 85 82 79 80 6
          9 ]
      }
    )
    :location 413
  }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 3
        :location 372
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 386
      }
    )
  }
)
:location -1
}

```

```

)
:nestParams <>
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 410343
:plan.plan_rows 5000
:plan.plan_width 139
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 13
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

        :varattnosyn 7
        :location -1
    }
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 410318
:scan.plan.plan_rows 5000
:scan.plan.plan_width 139
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 14
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

        :varno 2
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location 113
    }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 258
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 338
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{SUBPLAN
:subLinkType 2
:testexpr
{OPEXPR
:opno 96
:opfuncid 65

```

```

        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno 2
                :varattno 4
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 4
                :location -1
            }
            {PARAM
                :paramkind 1
                :paramid 4
                :paramtype 23
                :paramtypmod -1
                :paramcollid 0
                :location -1
            }
        )
        :location -1
    }
    :paramIds (i 4)
    :plan_id 5
    :plan_name SubPlan\ 5
    :firstColType 23
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable true
    :unknownEqFalse true
    :parallel_safe true
    :setParam <>
    :parParam <>
    :args <>
    :startup_cost 42.012499999999996
    :per_call_cost 0.0025
    }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -1
                :varattno 7
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 4
                :location 338
            }
            {VAR
                :varno -2
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 4
                :varattnosyn 1
                :location 352
            }
        )
    }
    :location -1
}
)
:nestParams <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
    }
)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 258
    }
)
:skewTable 16556
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 2
                :location 270
            }
            {VAR
                :varno -1
                :varattno 6
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 1
                :location 258
            }
        )
    }
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location 270
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location 432
    }
    {VAR
        :varno -2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 239
    }
)
:skewTable 0
:skewColumn 0
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)

```

```

:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 670
    :opfuncid 293
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {SUBPLAN
        :subLinkType 4
        :testexpr <>
        :paramIds <>
        :plan_id 3
        :plan_name SubPlan\ 3
        :firstColType 701
        :firstColTypmod -1
        :firstColCollation 0
        :useHashTable false
        :unknownEqFalse false
        :parallel_safe false
        :setParam <>
        :parParam (i 0)
        :args (
          {VAR
            :varno -2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 618
          }
        )
        :startup_cost 0
        :per_call_cost 438689.54250000004
      }
      {VAR
        :varno -1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location 432
      }
    )
    :location 446
  }
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 227
      }
      {VAR
        :varno -1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 239
      }
    )
    :location -1
  }
)
:hashoperators (o 670 96)
:hashcollations (o 0 0)
:hashkeys (
  {SUBPLAN
    :subLinkType 4
    :testexpr <>
    :paramIds <>
    :plan_id 3
    :plan_name SubPlan\ 3
    :firstColType 701
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable false
    :unknownEqFalse false
    :parallel_safe false
    :setParam <>
    :parParam (i 0)
  }
)

```



```

:args (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 618
  }
)
:startup_cost 0
:per_call_cost 438689.54250000004
}
{VAR
  :varno -2
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location 227
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 4
:sortColIdx ( 1 3 2 4)
:sortOperators ( 674 664 664 97)
:collations ( 0 100 100 0)
:nullsFirst ( true false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:limitOffset <>
:limitCount
{CONST
  :consttype 20
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ 100 0 0 0 0 0 0 0 ]
}
:limitOption 0
:uniqNumCols 0
:uniqColIdx <>
:uniqOperators <>
:uniqCollations <>
}

```

QUERY PLAN

```

-----
Limit (cost=176362814.40..176362814.40 rows=1 width=182) (actual time=95877.763..95877.823 rows=100.00 loops=1)
  Output: supplier.s_acctbal, supplier.s_name, nation.n_name, part.p_partkey, part.p_mfgr, supplier.s_address, supplier.s_phone, supplier.s_comment
  Buffers: shared hit=1314891 read=25938344, temp read=3037 written=3037
  -> Sort (cost=176362814.40..176362814.40 rows=1 width=182) (actual time=95877.760..95877.808 rows=100.00 loops=1)
    Output: supplier.s_acctbal, supplier.s_name, nation.n_name, part.p_partkey, part.p_mfgr, supplier.s_address, supplier.s_phone, supplier.s_comment
    Sort Key: supplier.s_acctbal DESC, nation.n_name, supplier.s_name, part.p_partkey
    Sort Method: top-N heapsort  Memory: 71kB
    Buffers: shared hit=1314891 read=25938344, temp read=3037 written=3037
    -> Hash Join (cost=441437.82..176362814.39 rows=1 width=182) (actual time=581.540..95874.744 rows=460.00 loops=1)
      Output: supplier.s_acctbal, supplier.s_name, nation.n_name, part.p_partkey, part.p_mfgr, supplier.s_address, supplier.s_phone, supplier.s_comm
ent
      Hash Cond: (((SubPlan 3) = partsupp.ps_supplycost) AND (part.p_partkey = partsupp.ps_partkey))
      Buffers: shared hit=1314891 read=25938344, temp read=3037 written=3037
      -> Seq Scan on public.part (cost=0.00..6864.00 rows=802 width=19) (actual time=0.746..51.266 rows=747.00 loops=1)
        Output: part.p_partkey, part.p_name, part.p_mfgr, part.p_brand, part.p_type, part.p_size, part.p_container, part.p_retailprice, part.p_c
omment
        Filter: ((part.p_size = 15) AND (part.p_type ~~ '%BRASS':text))
        Rows Removed by Filter: 199253
        Buffers: shared hit=3864
      -> Hash (cost=440953.67..440953.67 rows=32277 width=175) (actual time=274.413..274.436 rows=158960.00 loops=1)
        Output: supplier.s_acctbal, supplier.s_name, supplier.s_address, supplier.s_phone, supplier.s_comment, partsupp.ps_partkey, partsupp.ps_
supplycost, nation.n_name
        Buckets: 65536 (originally 32768) Batches: 4 (originally 1) Memory Usage: 7898kB
        Buffers: shared hit=786 read=17444, temp read=17444, temp written=2573
        -> Hash Join (cost=411622.90..440953.67 rows=32277 width=175) (actual time=7.416..178.858 rows=158960.00 loops=1)
          Output: supplier.s_acctbal, supplier.s_name, supplier.s_address, supplier.s_phone, supplier.s_comment, partsupp.ps_partkey, partsu
pp.ps_supplycost, nation.n_name
          Hash Cond: (partsupp.ps_suppkey = supplier.s_supplykey)
          Buffers: shared hit=786 read=17444
          -> Seq Scan on public.partsupp (cost=0.00..26008.00 rows=800000 width=16) (actual time=1.315..62.556 rows=800000.00 loops=1)
            Output: partsupp.ps_partkey, partsupp.ps_suppkey, partsupp.ps_availqty, partsupp.ps_supplycost, partsupp.ps_comment
            Buffers: shared hit=564 read=17444
          -> Hash (cost=411617.84..411617.84 rows=405 width=167) (actual time=6.047..6.066 rows=1987.00 loops=1)
            Output: supplier.s_acctbal, supplier.s_name, supplier.s_address, supplier.s_phone, supplier.s_comment, supplier.s_suppkey, n
ation.n_name
            Buckets: 2048 (originally 1024) Batches: 1 (originally 1) Memory Usage: 364kB
            Buffers: shared hit=222
            -> Nested Loop (cost=0.00..411617.84 rows=405 width=167) (actual time=0.446..5.188 rows=1987.00 loops=1)
              Output: supplier.s_acctbal, supplier.s_name, supplier.s_address, supplier.s_phone, supplier.s_comment, supplier.s_supp
key, nation.n_name
              Join Filter: (supplier.s_nationkey = nation.n_nationkey)
              Rows Removed by Join Filter: 7948
              Buffers: shared hit=222
              -> Nested Loop (cost=0.00..87.34 rows=16 width=36) (actual time=0.080..0.090 rows=5.00 loops=1)
                Output: nation.n_name, nation.n_nationkey

```

```

Join Filter: (nation.n_regionkey = region.r_regionkey)
Rows Removed by Join Filter: 20
Buffers: shared hit=2
-> Seq Scan on public.nation (cost=0.00..18.10 rows=810 width=40) (actual time=0.020..0.023 rows=25.00 loops=1)

Output: nation.n_nationkey, nation.n_name, nation.n_regionkey, nation.n_comment
Buffers: shared hit=1
-> Materialize (cost=0.00..20.64 rows=4 width=4) (actual time=0.002..0.002 rows=1.00 loops=25)
Output: region.r_regionkey
Storage: Memory Maximum Storage: 17kB
Buffers: shared hit=1
-> Seq Scan on public.region (cost=0.00..20.62 rows=4 width=4) (actual time=0.047..0.047 rows=1.00 loops=1)

Output: region.r_regionkey
Filter: (region.r_name = 'EUROPE'::text)
Rows Removed by Filter: 4
Buffers: shared hit=1
-> Materialize (cost=0.00..410343.00 rows=5000 width=139) (actual time=0.063..0.800 rows=1987.00 loops=5)
Output: supplier.s_acctbal, supplier.s_name, supplier.s_address, supplier.s_phone, supplier.s_comment, supplier.s_suppkey, supplier.s_nationkey

Storage: Memory Maximum Storage: 366kB
Buffers: shared hit=220
-> Seq Scan on public.supplier (cost=0.00..410318.00 rows=5000 width=139) (actual time=0.286..2.609 rows=1987.00 loops=1)

Output: supplier.s_acctbal, supplier.s_name, supplier.s_address, supplier.s_phone, supplier.s_comment, supplier.s_suppkey, supplier.s_nationkey

Filter: (ANY (supplier.s_nationkey = (hashed SubPlan 5).col1))
Rows Removed by Filter: 8013
Buffers: shared hit=220
SubPlan 5
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.098..0.113 rows=5.00 loops=1)
Output: n_1.n_nationkey
Hash Cond: (n_1.n_regionkey = r_1.r_regionkey)
Buffers: shared hit=2
-> Seq Scan on public.nation n_1 (cost=0.00..18.10 rows=810 width=8) (actual time=0.032..0.038 rows=25.00 loops=1)

Output: n_1.n_nationkey, n_1.n_name, n_1.n_regionkey, n_1.n_comment
Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.029..0.035 rows=1.00 loops=1)
Output: r_1.r_regionkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=1
-> Seq Scan on public.region r_1 (cost=0.00..20.62 rows=4 width=4) (actual time=0.004..0.010 rows=1.00 loops=1)

Output: r_1.r_regionkey
Filter: (r_1.r_name = 'EUROPE'::text)
Rows Removed by Filter: 4
Buffers: shared hit=1

SubPlan 3
-> Aggregate (cost=438689.53..438689.54 rows=1 width=8) (actual time=63.917..63.917 rows=1.00 loops=1494)
Output: min(partsupp_1.ps_supplycost)
Buffers: shared hit=1310241 read=25920900
-> Nested Loop (cost=0.00..438689.53 rows=1 width=8) (actual time=63.912..63.914 rows=0.86 loops=1494)
Output: partsupp_1.ps_supplycost
Join Filter: (nation_1.n_regionkey = region_1.r_regionkey)
Buffers: shared hit=1310241 read=25920900
-> Nested Loop (cost=0.00..438668.41 rows=8 width=12) (actual time=63.906..63.908 rows=0.86 loops=1494)
Output: partsupp_1.ps_supplycost, nation_1.n_regionkey
Join Filter: (supplier_1.s_nationkey = nation_1.n_nationkey)
Rows Removed by Join Filter: 21
Buffers: shared hit=1310240 read=25920900
-> Seq Scan on public.nation nation_1 (cost=0.00..18.10 rows=810 width=8) (actual time=0.002..0.004 rows=25.00 loops=1494)

Output: nation_1.n_nationkey, nation_1.n_name, nation_1.n_regionkey, nation_1.n_comment
Buffers: shared hit=1494
-> Materialize (cost=0.00..438626.02 rows=2 width=12) (actual time=2.516..2.556 rows=0.86 loops=37350)
Output: partsupp_1.ps_supplycost, supplier_1.s_nationkey
Storage: Memory Maximum Storage: 17kB
Buffers: shared hit=1308746 read=25920900
-> Nested Loop (cost=0.00..438626.01 rows=2 width=12) (actual time=62.899..63.889 rows=0.86 loops=1494)
Output: partsupp_1.ps_supplycost, supplier_1.s_nationkey
Join Filter: (partsupp_1.ps_suppkey = supplier_1.s_suppkey)
Rows Removed by Join Filter: 7947
Buffers: shared hit=1308746 read=25920900
-> Seq Scan on public.supplier supplier_1 (cost=0.00..410318.00 rows=5000 width=8) (actual time=0.002..1.533 rows=1987.00 loops=1494)

Output: supplier_1.s_suppkey, supplier_1.s_name, supplier_1.s_address, supplier_1.s_nationkey, supplier_1.s_phone, supplier_1.s_acctbal, supplier_1.s_comment

Filter: (ANY (supplier_1.s_nationkey = (hashed SubPlan 2).col1))
Rows Removed by Filter: 8013
Buffers: shared hit=325694
SubPlan 2
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.047..0.058 rows=5.00 loops=1)
Output: n.n_nationkey
Hash Cond: (n.n_regionkey = r.r_regionkey)
Buffers: shared hit=2
-> Seq Scan on public.nation n (cost=0.00..18.10 rows=810 width=8) (actual time=0.002..0.008 rows=25.00 loops=1)

Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment
Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.010..0.013 rows=1.00 loops=1)
Output: r.r_regionkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=1
-> Seq Scan on public.region r (cost=0.00..20.62 rows=4 width=4) (actual time=0.007..0.008 rows=1.00 loops=1)

Output: r.r_regionkey
Filter: (r.r_name = 'EUROPE'::text)
Rows Removed by Filter: 4
Buffers: shared hit=1
-> Materialize (cost=0.00..28008.02 rows=4 width=12) (actual time=0.015..0.031 rows=4.00 loops=2968578)
Output: partsupp_1.ps_supplycost, partsupp_1.ps_suppkey
Storage: Memory Maximum Storage: 17kB
Buffers: shared hit=983052 read=25920900
-> Seq Scan on public.partsupp partsupp_1 (cost=0.00..28008.00 rows=4 width=12) (actual time=30.435..61.347 rows=4.00 loops=1494)

Output: partsupp_1.ps_supplycost, partsupp_1.ps_suppkey
Filter: (part.p_partkey = partsupp_1.ps_partkey)
Rows Removed by Filter: 799996
Buffers: shared hit=983052 read=25920900
-> Materialize (cost=0.00..20.64 rows=4 width=4) (actual time=0.000..0.000 rows=1.00 loops=1284)
Output: region_1.r_regionkey
Storage: Memory Maximum Storage: 17kB
Buffers: shared hit=1
-> Seq Scan on public.region region_1 (cost=0.00..20.62 rows=4 width=4) (actual time=0.010..0.010 rows=1.00 loops=1)

```

Output: region_1.r_regionkey
Filter: (region_1.r_name = 'EUROPE'::text)
Rows Removed by Filter: 4
Buffers: shared hit=1

Planning:
Buffers: shared hit=20
Planning Time: 8.205 ms
Execution Time: 95879.702 ms
(149 rows)

Time: 95899.041 ms (01:35.899)

tpch=> -- Step 1: Reset role and disable RLS

RESET ROLE;

ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any

DROP VIEW IF EXISTS supplier_secure;

-- Step 3: Create view with same filter logic as RLS policy

CREATE VIEW supplier_secure AS

SELECT s.*

FROM supplier s

WHERE EXISTS (

SELECT 1 FROM nation n

JOIN region r ON n.n_regionkey = r.r_regionkey

WHERE n.n_nationkey = s.s_nationkey

AND r.r_name = 'EUROPE'

);

-- Step 4: Grant permissions and set role

GRANT SELECT ON supplier_secure TO alice;

GRANT SELECT ON nation TO alice;

GRANT SELECT ON region TO alice;

GRANT SELECT ON part TO alice;

GRANT SELECT ON partsupp TO alice;

SET ROLE alice;

WARNING: ===== RAW PARSE TREE =====

DETAIL: {RAWSTMT

:stmt

{VARIABLESETSTMT

:kind 4

:name role

:args <>

:jumble_args false

:is_local false

:location -1

}

:stmt_location 0

:stmt_len 10

}

WARNING: ===== ANALYZED QUERY =====

DETAIL: {QUERY

:commandType 6

:querySource 0

:canSetTag true

:utilityStmt

{VARIABLESETSTMT

:kind 4

:name role

:args <>

:jumble_args false

:is_local false

:location -1

}

:resultRelation 0

:hasAggs false

:hasWindowFuncs false

:hasTargetSRFs false

:hasSubLinks false

:hasDistinctOn false

:hasRecursive false

:hasModifyingCTE false

:hasForUpdate false

:hasRowSecurity false

:hasGroupRTE false

:isReturn false

:cteList <>

:rtable <>

:rteperminfos <>

:jointree <>

:mergeActionList <>

:mergeTargetRelation 0

:mergeJoinCondition <>

:targetList <>

:override 0

:onConflict <>

:returningOldAlias <>

:returningNewAlias <>

:returningList <>

:groupClause <>

:groupDistinct false

:groupingSets <>

:havingQual <>

:windowClause <>

:distinctClause <>

:sortClause <>

:limitOffset <>

:limitCount <>

:limitOption 0

:rowMarks <>

:setOperations <>

:constraintDeps <>

:withCheckOptions <>

:stmt_location 0

:stmt_len 10

}

Time: 7.475 ms

WARNING: ===== RAW PARSE TREE =====

DETAIL: {RAWSTMT

:stmt

{ALERTABLESTMT

:relation

{RANGEVAR

```

:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
}

```

Time: 4.268 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("supplier_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

```

```

}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPTMT
:objects (("supplier_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

```

Time: 4.683 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect

```

```

{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
    :name <>
    :indirection <>
    :val
      {A_CONST
        :val 1
        :location 84
      }
    :location 84
  }
)
:fromClause (
  {JOINEXPR
    :jointype 0
    :isNatural false
    :larg
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname nation
        :inh true
        :relpersistence p
        :alias
          {ALIAS
            :aliasname n
            :colnames <>
          }
        :location 91
      }
    :rarg
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname region
        :inh true
        :relpersistence p
        :alias
          {ALIAS
            :aliasname r
            :colnames <>
          }
        :location 109
      }
    :usingClause <>
    :join_using_alias <>
    :quals
      {A_EXPR
        :name ("=")
        :lexpr
          {COLUMNREF
            :fields ("n" "n_regionkey")
            :location 121
          }
        :rexpr
          {COLUMNREF
            :fields ("r" "r_regionkey")
            :location 137
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 135
      }
    :alias <>
    :rtindex 0
  }
)
:whereClause
  {BOOLEXP
    :boolop and
    :args (
      {A_EXPR
        :name ("=")
        :lexpr
          {COLUMNREF
            :fields ("n" "n_nationkey")
            :location 161
          }
        :rexpr
          {COLUMNREF
            :fields ("s" "s_nationkey")
            :location 177
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 175
      }
      {A_EXPR
        :name ("=")
        :lexpr
          {COLUMNREF
            :fields ("r" "r_name")
            :location 199
          }
        :rexpr
          {A_CONST
            :val "EUROPE"
            :location 210
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 208
      }
    )
  :location 195
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>

```

```

        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 220
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg

```

```

        {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias
        {ALIAS
        :aliasname n
        :colnames <>
        }
        :location 91
        }
    :rarg
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname region
    :inh true
    :relpersistence p
    :alias
    {ALIAS
    :aliasname r
    :colnames <>
    }
    :location 109
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("n" "n_regionkey")
    :location 121
    }
    :rexpr
    {COLUMNREF
    :fields ("r" "r_regionkey")
    :location 137
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 135
    }
    :alias <>
    :rtindex 0
    }
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 161
}
:rexpr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 177
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 175
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r" "r_name")
:location 199
}
:rexpr
{A_CONST
:val "EUROPE"
:location 210
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 208
}
}
)
:location 195
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>

```



```

:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 220
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1

```

```

    }
)
:quals
{
  {SUBLINK
  :subLinkType 0
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
  {RANGETBLENTRY
  :alias
  {ALIAS
  :aliasname n
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname n
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
  }
  :rtekind 0
  :relid 16536
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBLENTRY
  :alias
  {ALIAS
  :aliasname r
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname r
  :colnames ("r_regionkey" "r_name" "r_comment")
  }
  :rtekind 0
  :relid 16531
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 2
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBLENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname unnamed_join
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment"
  "r_regionkey" "r_name" "r_comment")
  }
  :rtekind 2
  :jointype 0
  :joinmergedcols 0
  :joinaliasvars (
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location -1
  }
  {VAR
  :varno 1
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  {VAR
  :varno 1
  :varattno 3
  :vartype 23
  :vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:varatype 25
:varatpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:varatype 23
:varatpmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:varatype 25
:varatpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:varatype 25
:varatpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR

```

```

        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 121
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 137
    }
    )
    :location 135
    }
    :alias <>
    :rtindex 3
    }
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 161
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 177
}
)
:location 175
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 199
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 210
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 208
}
)
:location 195
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (

```

```

{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 84
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 38
}
:resno 1
:resname s_supkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 38
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 38
  }
:resno 4
:resname s_nationkey
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 38
  }
:resno 5
:resname s_phone
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 38
  }
:resno 6
:resname s_acctbal
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 38
  }
:resno 7
:resname s_comment
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 220
}

```

Time: 7.342 ms

WARNING: ===== RAW PARSE TREE =====:

DETAIL: {RAWSTMT

```

:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 40
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
}

```

```

:stmt_len 40
}

Time: 0.900 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
}

```



```
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}
```

Time: 0.301 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
}
```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.244 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
}

```

```

:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.355 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.249 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.217 ms

tpch=> EXPLAIN (ANALYZE, VERBOSE, BUFFERS)

```

select
s_acctbal,
s_name,

```

```

n_name,
p_partkey,
p_mfgr,
s_address,
s_phone,
s_comment
from
part,
supplier_secure s,
partsupp,
nation,
region
where
p_partkey = ps_partkey
and s.s_suppkey = ps_suppkey
and p_size = 15
and p_type like '%BRASS'
and s.s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'EUROPE'
and ps_supplycost = (
select
min(ps_supplycost)
from
partsupp,
supplier_secure s2,
nation,
region
where
p_partkey = ps_partkey
and s2.s_suppkey = ps_suppkey
and s2.s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'EUROPE'
)
order by
s_acctbal desc,
n_name,
s.s_name,
p_partkey limit 100;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_acctbal")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_name")
:location 62
}
:location 62
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("n_name")
:location 74
}
:location 74
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_partkey")
:location 86
}
:location 86
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_mfgr")
:location 101
}
:location 101
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_address")
:location 113
}
:location 113
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_phone")

```

```

        :location 128
    }
:location 128
}
{RESTARTGET
:name <>
:indirection <>
:val
    {COLUMNREF
    :fields ("s_comment")
    :location 141
    }
:location 141
}
)
:fromClause (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname part
    :inh true
    :relpersistance p
    :alias <>
    :location 160
    }
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname supplier_secure
    :inh true
    :relpersistance p
    :alias
        {ALIAS
        :aliasname s
        :colnames <>
        }
    :location 170
    }
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp
    :inh true
    :relpersistance p
    :alias <>
    :location 193
    }
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname nation
    :inh true
    :relpersistance p
    :alias <>
    :location 207
    }
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname region
    :inh true
    :relpersistance p
    :alias <>
    :location 219
    }
)
:whereClause
{BOOLEXP
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
        {COLUMNREF
        :fields ("p_partkey")
        :location 236
        }
    :rexpr
        {COLUMNREF
        :fields ("ps_partkey")
        :location 248
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 246
    }
    {A_EXPR
    :name ("=")
    :lexpr
        {COLUMNREF
        :fields ("s" "s_supkey")
        :location 267
        }
    :rexpr
        {COLUMNREF
        :fields ("ps_supkey")
        :location 281
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 279
    }
    {A_EXPR
    :name ("=")
    :lexpr
        {COLUMNREF
        :fields ("p_size")
        :location 300
        }
    :rexpr
        {A_CONST
        :val 15
        :location 309
        }
    :rexpr_list_start 0

```

```

:rexpr_list_end 0
:location 307
}
{A_EXPR LIKE
:name ("~~")
:lexpr
{COLUMNREF
:fields ("p_type")
:location 320
}
:rexpr
{A_CONST
:val "%BRASS"
:location 332
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 327
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 349
}
:rexpr
{COLUMNREF
:fields ("n_nationkey")
:location 365
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 363
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n_regionkey")
:location 385
}
:rexpr
{COLUMNREF
:fields ("r_regionkey")
:location 399
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 397
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r_name")
:location 419
}
:rexpr
{A_CONST
:val "EUROPE"
:location 428
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 426
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("ps_supplycost")
:location 445
}
:rexpr
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{FUNCCALL
:funcname ("min")
:args (
{COLUMNREF
:fields ("ps_supplycost")
:location 494
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 490
}
:location 490
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp

```

```

:inh true
:relpersistence p
:alias <>
:location 534
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s2
:colnames <>
}
:location 556
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 588
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 608
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_partkey")
:location 641
}
:rexpr
{COLUMNREF
:fields ("ps_partkey")
:location 653
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 651
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s2" "s_suppkey")
:location 680
}
:rexpr
{COLUMNREF
:fields ("ps_suppkey")
:location 695
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 693
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s2" "s_nationkey")
:location 722
}
:rexpr
{COLUMNREF
:fields ("n_nationkey")
:location 739
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 737
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n_regionkey")
:location 767
}
:rexpr
{COLUMNREF
:fields ("r_regionkey")
:location 781
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 779
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r_name")
:location 809
}
:rexpr
{A_CONST
:val "EUROPE"

```



```

        :location 818
      }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 816
    }
  )
  :location 676
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 461
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 459
}
)
:location 263
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
  {SORTBY
    :node
    {COLUMNREF
      :fields ("s_acctbal")
      :location 846
    }
    :sortby_dir 2
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
  {SORTBY
    :node
    {COLUMNREF
      :fields ("n_name")
      :location 866
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
  {SORTBY
    :node
    {COLUMNREF
      :fields ("s" "s_name")
      :location 878
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
  {SORTBY
    :node
    {COLUMNREF
      :fields ("p_partkey")
      :location 892
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
)
:limitOffset <>
:limitCount
  {A_CONST
    :val 100
    :location 908
  }
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
)
{DEFELEM

```

```

:dfnamespace <>
:dfname buffers
:arg <>
:dfaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 911
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16618
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
st" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false

```

```

:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16618
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 236
}
{VAR
:varno 3

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 248
}
)
:location 246
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 267
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 281
}
}
)
:location 279
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 300
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 309
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
)
:location 307
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 320
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 332
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
}

```

```

    }
)
:location 327
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 349
}
  {VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 365
}
)
:location 363
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 385
}
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 399
}
)
:location 397
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 419
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 428
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 426
}
{OPEXPR
:opno 670
:opfuncid 293

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 4
    :location 445
  }
  {SUBLINK
    :subLinkType 4
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs true
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname partsupp
                :colnames ("ps_partkey" "ps_suppkey" "ps_availqt
                  y" "ps_supplycost" "ps_comment")
              }
            :rtekind 0
            :relid 16556
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBLENTRY
            :alias
              {ALIAS
                :aliasname s2
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname s2
                :colnames ("s_suppkey" "s_name" "s_address" "s_n
                  ationkey" "s_phone" "s_acctbal" "s_comment")
              }
            :rtekind 0
            :relid 16618
            :inh true
            :relkind v
            :rellockmode 1
            :perminfoindex 2
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBLENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname nation
                :colnames ("n_nationkey" "n_name" "n_regionkey"
                  "n_comment")
              }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 3
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBLENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname region
                :colnames ("r_regionkey" "r_name" "r_comment")
              }
            :rtekind 0
            :relid 16531
            :inh true
            :relkind r

```

```

        :rellockmode 1
        :perminfoindex 4
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16618
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 641
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 653
}
)
:location 651
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 680
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 695
}
)
:location 693
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 722
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 739
}
)
:location 737
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 767
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 781
}
)
:location 779
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```



```

        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 809
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 818
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 6
    9 ]
    }
    }
    :location 816
    }
    )
    :location 676
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2136
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 494
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 490
    }
    :resno 1
    :resname min
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :location 461
    }
    )
    :location 459
    }
    )
    :location 263
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0

```

```

:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 6
      :location 47
    }
  }
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16618
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 62
  }
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16618
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 74
  }
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 86
  }
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 101
  }
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
  {VAR

```

```

        :varno 2
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location 113
    }
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount
{FUNCEXPR
:funcid 481
:funcresulttype 20
:funcresultset false

```

```

:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 908
    :constvalue 4 [ 100 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 911
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
  }
)
}

```

```

:eref
{
  ALIAS
  :aliasname part
  :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
    "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{
  ALIAS
  :aliasname s
  :colnames <>
}
}
:eref
{
  ALIAS
  :aliasname s
  :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
    s_acctbal" "s_comment")
}
:rtekind 0
:relid 16618
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
}
:eref
{
  ALIAS
  :aliasname partsupp
  :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
    s_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
}
:eref
{
  ALIAS
  :aliasname nation
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
}
:eref
{
  ALIAS
  :aliasname region
  :colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16618
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 236
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 248
}
)
:location 246
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 267
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location 281
    }
)
:location 279
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 300
    }
    {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 309
        :constvalue 4 [ 15 0 0 0 0 0 0 ]
    }
)
:location 307
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 1
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 320
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 332
        :constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
    }
)
:location 327
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 349
    }
    {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 365
    }
)
:location 363
}

```

```

{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 385
}
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 399
}
)
:location 397
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 419
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 428
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 426
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 445
}
  {SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false

```



```

:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_
          _supplycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname s2
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s2
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
          ey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16618
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
          ment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname region
        :colnames ("r_regionkey" "r_name" "r_comment")
      }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16618
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16531
    :inh true
    :requiredPerms 2
    :checkAsUser 0
  }
)

```

```

:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 641
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 653
}
)
:location 651
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 680
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 695
}
)
:location 693
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 722
    }
    {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 739
    }
}
:location 737
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 3
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location 767
    }
    {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 781
    }
)
:location 779
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 4
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 809
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 818
        :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
    }
)
:location 816
}
}
:location 676
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {AGGREF
            :aggfnoid 2136
            :aggtype 701
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 0
            :aggargtypes (o 701)
            :aggdirectargs <>
            :args (
                {TARGETENTRY
                    :expr
                    {VAR
                        :varno 1

```

```

        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 494
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 490
}
:resno 1
:resname min
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 461
}
)
:location 459
}
)
:location 263
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 47
}
:resno 1
:resname s_acctbal
:ressortgrouppref 1
:resorigtbl 16618
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
:resno 2
:resname s_name
:ressortgrouppref 3

```

```

:resorigtbl 16618
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:varstype 23
:varstype -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 5
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount
{FUNCEXP
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 908
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
}
)

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
          "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 1
  }
  :subquery
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks true
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBLENTTRY
          :alias
            {ALIAS
              :aliasname s
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname s
              :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
                one" "s_acctbal" "s_comment")
            }
          :rtekind 0
          :relid 16541
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 16541
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9 10 11 12 13 14)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
  :jointree
    {FROMEXPR
      :fromlist (
        {RANGETBLREF
          :rtindex 1
        }
      )
    }
    :quals
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname n
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname r
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname r
        :colnames ("r_regionkey" "r_name" "r_comment")
      }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment" "r_regionkey" "r_name" "r_comment")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno 1
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
      }
    )
  )

```



```

:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
    )
    :location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:location -1
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
}
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0

```

```

        :resorigcol 0
        :resjunk false
    }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname s_name
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    :resno 3
    :resname s_address
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
    }
    :resno 4

```

```

:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16618
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
}
:rtekind 0
:relid 16556

```

```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16618
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
)
:quals
{BOOLEXP
:boolop and

```

```

:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 236
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 248
}
)
:location 246
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 267
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 281
}
)
:location 279
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 300
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 309
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 307
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 320
  }
  {CONST
    :constttype 25
    :constttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 332
    :constvalue 10 [ 40 0 0 0 0 37 66 82 65 83 83 ]
  }
)
:location 327
}
{OPEXPR
:opno 96
:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 349
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 365
  }
)
:location 363
}
{OPEXPR
:opno 96
:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location 385
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 399
  }
)
:location 397
}
{OPEXPR
:opno 98
:opfuncid 67
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 419
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 428
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location 426
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 445
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps
_supplycost" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s2
:colnames <>
}
:eref
{ALIAS
:aliasname s2
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false

```



```

:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_n
          ationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{SUBLINK
  :subLinkType 0
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBLENTRY
          :alias
            {ALIAS
              :aliasname n
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname n
              :colnames ("n_nationkey" "n_name" "n_re
                gionkey" "n_comment")
            }
          :rtekind 0
          :relid 16536
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
        {RANGETBLENTRY
          :alias
            {ALIAS
              :aliasname r
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname r
              :colnames ("r_regionkey" "r_name" "r_co
                mment")
            }
          :rtekind 0
          :relid 16531
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 2
          :tablesample <>
          :lateral false
        }
      )
    }
  }
}

```

```

:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_re
gionkey" "n_comment" "r_regionkey" "r_n
ame" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}

```

```

)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 10)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16531
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {JOINEXPR
  :jointype 0
  :isNatural false
  :larg
  {RANGETBLREF
  :rtindex 1
  }
  :rarg
  {RANGETBLREF
  :rtindex 2
  }
  :usingClause <>
  :join_using_alias <>
  :quals
  {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
  )
  :location -1
  }
  :alias <>
  :rtindex 3
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
  )
  }
  }
)

```

```

        :location -1
    }
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 69 85 8
2 79 80 69 ]
    }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0

```

```

:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY

```

```

        :expr
        {VAR
        :varno 1
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
        }
        :resno 7
        :resname s_comment
        :ressortgroupref 0
        :resorigtbl 16541
        :resorigcol 7
        :resjunk false
    }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16618
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16618
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2

```

```

:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 641
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 653
}
)
:location 651
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 680
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 695
}
)
:location 693
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 722
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 739
  }
)
:location 737
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 767
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 781
  }
)
:location 779
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 809
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 818
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location 816
}
)
:location 676
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2136
      :aggtype 701
    }
  }
)

```



```

:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 494
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 490
}
:resno 1
:resname min
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 461
}
)
:location 459
}
)
:location 263
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 47
      }
    :resno 1
    :resname s_acctbal
    :ressortgrouppref 1
    :resorigtbl 16618
    :resorigcol 6
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
:resno 2
:resname s_name
:ressortgrouppref 3
:resorigtbl 16618
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 3
:resname n_name
:ressortgrouppref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
:resno 4
:resname p_partkey
:ressortgrouppref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
:resno 5
:resname p_mfgr
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
:resno 6
:resname s_address
:ressortgrouppref 0
:resorigtbl 16618
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5

```

```

        :location 128
    }
    :resno 7
    :resname s_phone
    :ressortgroupref 0
    :resorigtbl 16618
    :resorigcol 5
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 141
    }
    :resno 8
    :resname s_comment
    :ressortgroupref 0
    :resorigtbl 16618
    :resorigcol 7
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :limitOffset <>
    :limitCount
    {FUNCEXPR
    :funcid 481
    :funcresulttype 20
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 908
    :constvalue 4 [ 100 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    )

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0

```

```

:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
          "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname s
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname s
                :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
                  one" "s_acctbal" "s_comment")
              }
            :rtekind 0
            :relid 16541
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
        :rteperminfos (
          {RTEPERMISSIONINFO
            :relid 16541
            :inh true
            :requiredPerms 2
            :checkAsUser 10
            :selectedCols (b 8 9 10 11 12 13 14)
            :insertedCols (b)
            :updatedCols (b)
          }
        )
      }
    :jointree
      {FROMEXPR
        :fromlist (
          {RANGETBLREF
            :rtindex 1
          }
        )
        :quals
          {SUBLINK
            :subLinkType 0
            :subLinkId 0
            :testexpr <>
          }
      }
  }
)

```

```

:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment" "r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3

```

```

:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 3
    }
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varvartype 23
:varvartypmod -1
:varvarcollid 0
:varvarnullingrels (b)
:varvarlevelsup 0
:varvarreturningtype 0
:varvarnosyn 1
:varvarattnosyn 1
:varvarlocation -1
}
{VAR
:varno 1
:varvarattno 4
:varvartype 23
:varvartypmod -1
:varvarcollid 0
:varvarnullingrels (b)
:varvarlevelsup 1
:varvarreturningtype 0
:varvarnosyn 1
:varvarattnosyn 4
:varvarlocation -1
}
)
:location -1
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:varvartype 25
:varvartypmod -1
:varvarcollid 100
:varvarnullingrels (b)
:varvarlevelsup 0
:varvarreturningtype 0
:varvarnosyn 2
:varvarattnosyn 2
:varvarlocation -1
}
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:conststlen -1
:constbyval false
:constisnull false
:constlocation -1
:constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:conststypmod -1
:constcollid 0

```

```

        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}
:resno 1
:resname s_suppkey
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 2
:resname s_name
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:resno 3
:resname s_address
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23

```



```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:reldid 16618
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}

```

```

{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16618
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
}

```

```

{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 236
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 248
}
)
:location 246
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 267
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 281
}
)
:location 279
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 300
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 309
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]

```

```

    }
  )
  :location 307
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 320
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 332
    :constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
  }
)
:location 327
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 349
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 365
  }
)
:location 363
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location 385
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 399
  }
)
:location 397
}
{OPEXPR
:opno 98
:opfuncid 67

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 419
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 428
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location 426
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 4
    :location 445
  }
  {SUBLINK
    :subLinkType 4
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs true
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname partsupp
                :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "ps_comment")
              }
            :rtekind 0
            :relid 16556
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBLENTRY
            :alias
              {ALIAS
                :aliasname s2
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname s2
                :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
              }
            :rtekind 1
          }
        )
      }
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_n
          ationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTRY
            :alias
              {ALIAS
                :aliasname n
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname n
                :colnames ("n_nationkey" "n_name" "n_re
                  gionkey" "n_comment")
              }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBLENTRY
            :alias
              {ALIAS
                :aliasname r
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname r
                :colnames ("r_regionkey" "r_name" "r_co

```

```

        mment")
    }
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_re
gionkey" "n_comment" "r_regionkey" "r_n
ame" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3

```

```

        :location -1
    }
)
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
}
:location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}
{VAR

```



```

        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 69 85 8
            2 79 80 69 ]
    }
)
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
:resno 1
:resname s_supkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6

```

```

        :location -1
    }
    :resno 6
    :resname s_acctbal
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
    }
    :resno 7
    :resname s_comment
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 7
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :security_barrier false
    :relid 16618
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 2
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname nation
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname region
    :colnames ("r_regionkey" "r_name" "r_comment")
    }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    }
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16618
    :inh true

```

```

:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 641
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 653
}
)
:location 651
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 680
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 695
}
)
}

```

```

    }
  }
  :location 693
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 722
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 739
  }
)
:location 737
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 767
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 781
  }
)
:location 779
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 809
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 818
    :constvalue 10 [ 40 0 0 0 69 85 82 79 80 69 ]
  }
)
:location 816
}
)
:location 676
}

```

```

    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
      {TARGETENTRY
      :expr
      {AGGREF
      :aggfnoid 2136
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 494
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar false
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggsplit 0
      :aggno -1
      :aggtransno -1
      :location 490
      }
      :resno 1
      :resname min
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
      }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :location 461
  }
)
:location 459
}
)
:location 263
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 2
  :varattno 6
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 6
  :location 47
  }
  :resno 1
  :resname s_acctbal
  :ressortgroupref 1
  :resorigtbl 16618
  :resorigcol 6

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 62
}
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16618
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 113
}
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 128
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 141
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount
{FUNCEXP
:funcid 481
:funcresulttype 20
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 908
:constvalue 4 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>

```



```

:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {LIMIT
:plan.disabled_nodes 0
:plan.startup_cost 11460276.69208333
:plan.total_cost 11460276.697083332
:plan.plan_rows 1
:plan.plan_width 182
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:varstype 701
:varstype -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16618
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16618
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:varstype 23
:varstype -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
:resno 5
:resname p_mfgr
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 6
:resname s_address
:ressortgrouppref 0
:resorigtbl 16618
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 7
:resname s_phone
:ressortgrouppref 0
:resorigtbl 16618
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 8
:resname s_comment
:ressortgrouppref 0
:resorigtbl 16618
:resorigcol 7
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 11460276.69208333
:plan.total_cost 11460276.697083332
:plan.plan_rows 1
:plan.plan_width 182
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 1
:resname s_acctbal
:ressortgrouppref 1
:resorigtbl 16618
:resorigcol 6
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16618
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 7
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 24648.012083333335
:join.plan.total_cost 11460276.682083331
:join.plan.plan_rows 1
:join.plan.plan_width 182
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 1
:resname s_acctbal
:ressortgroupref 1
:resorigtbl 16618
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 3
:resorigtbl 16618
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 3
:resname n_name
:ressortgroupref 2
:resorigtbl 16536

```

```

:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 86
}
:resno 4
:resname p_partkey
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 101
}
:resno 5
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 6
:resname s_address
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 7
:resname s_phone
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 8
:resname s_comment
:ressortgroupref 0
:resorigtbl 16618
:resorigcol 7
:resjunk false
}
}
:join.plan.qual <>

```

```

:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 6864
:scan.plan.plan_rows 802
:scan.plan.plan_width 19
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}

```

```

:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 5
:location 320
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 332
:constvalue 10 [ 40 0 0 0 37 66 82 65 83 83 ]
}
)
:location 327
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 300
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 309
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 307
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 24570.552083333336
:plan.total_cost 24570.552083333336
:plan.plan_rows 5164
:plan.plan_width 175
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```



```

:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 1441.24
:plan.total_cost 24570.552083333336
:plan.plan_rows 5164
:plan.plan_width 175
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 248
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 445
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 441.24
:join.plan.total_cost 23054.152083333334
:join.plan.plan_rows 2152
:join.plan.plan_width 175
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 6
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 6
        :location -1
    }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 248
}
}

```

```

:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 445
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 21341.333333333332
:scan.plan.plan_rows 33333
:scan.plan.plan_width 16
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 7
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 440.4275
:plan.total_cost 440.4275
:plan.plan_rows 65
:plan.plan_width 167
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 8
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6

```

```

        :varattnosyn 2
        :location -1
    }
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 7
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 84.4275
:join.plan.total_cost 440.4275
:join.plan.plan_rows 65
:join.plan.plan_width 167
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 9
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 7
        :location -1
    }
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 318
:scan.plan.plan_rows 10000
:scan.plan.plan_width 139
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>

```

```

:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 6
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 84.41499999999999
:plan.total_cost 84.41499999999999
:plan.plan_rows 1
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 11
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 63.0475
:join.plan.total_cost 84.41499999999999
:join.plan.plan_rows 1
:join.plan.plan_width 40
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 12
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 1
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 365
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.675
:join.plan.total_cost 41.9725
:join.plan.plan_rows 16
:join.plan.plan_width 36
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 13
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 74
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 365
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 40

```

```

:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 14
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 4
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 4
      :location -1
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 4
}
:join.plan.righttree
{HASH
  :plan.disabled_nodes 0
  :plan.startup_cost 20.625
  :plan.total_cost 20.625
  :plan.plan_rows 4
  :plan.plan_width 4
  :plan.parallel_aware false
  :plan.parallel_safe true
  :plan.async_capable false
  :plan.plan_node_id 15
  :plan.targetlist (
    {TARGETENTRY

```

```

:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.625
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 16
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 399
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 419
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 69 85 8
2 79 80 69 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 399
    }
)
:skewTable 16536
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 3
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 4
                :varattnosyn 3
                :location 385
            }
            {VAR
                :varno -1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 5
                :varattnosyn 1
                :location 399
            }
        )
        :location -1
    }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 3
        :location 385
    }
)
}
:join.plan.righttree
{HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 42.172499999999999
    :plan.total_cost 42.172499999999999
    :plan.plan_rows 16
    :plan.plan_width 4
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 17
    :plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 7
                :varattnosyn 1
                :location -1
            }
            :resno 1
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
    )
    :plan.qual <>
    :plan.lefttree
    {AGG
        :plan.disabled_nodes 0
        :plan.startup_cost 42.012499999999996
        :plan.total_cost 42.172499999999999
    }
}

```

```

:plan.plan_rows 16
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 18
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {HASHJOIN
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 20.675
    :join.plan.total_cost 41.9725
    :join.plan.plan_rows 16
    :join.plan.plan_width 4
    :join.plan.parallel_aware false
    :join.plan.parallel_safe true
    :join.plan.async_capable false
    :join.plan.plan_node_id 19
    :join.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno -2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 7
            :varattnosyn 1
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :join.plan.qual <>
  }
:join.plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 18.1
    :scan.plan.plan_rows 810
    :scan.plan.plan_width 8
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 20
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 7
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 7
            :varattnosyn 1
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    {TARGETENTRY
      :expr
        {VAR
          :varno 7
          :varattno 2
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 7
          :varattnosyn 2
          :location -1
        }
      :resno 1
      :resname <>
      :ressortgrouppref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  }

```



```

    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 7
  :varattno 3
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 7
  :varattnosyn 3
  :location -1
  }
  :resno 3
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 7
  :varattno 4
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 7
  :varattnosyn 4
  :location -1
  }
  :resno 4
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  )
  :scan.plan.qual <>
  :scan.plan.lefttree <>
  :scan.plan.righttree <>
  :scan.plan.initPlan <>
  :scan.plan.extParam (b)
  :scan.plan.allParam (b)
  :scan.scanrelid 7
  }
  :join.plan.righttree
  {HASH
  :plan.disabled_nodes 0
  :plan.startup_cost 20.625
  :plan.total_cost 20.625
  :plan.plan_rows 4
  :plan.plan_width 4
  :plan.parallel_aware false
  :plan.parallel_safe true
  :plan.async_capable false
  :plan.plan_node_id 21
  :plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR
  :varno -2
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 8
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  )
  :plan.qual <>
  :plan.lefttree
  {SEQSCAN
  :scan.plan.disabled_nodes 0
  :scan.plan.startup_cost 0
  :scan.plan.total_cost 20.625
  :scan.plan.plan_rows 4
  :scan.plan.plan_width 4
  :scan.plan.parallel_aware false
  :scan.plan.parallel_safe true
  :scan.plan.async_capable false
  :scan.plan.plan_node_id 22
  :scan.plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR
  :varno 8
  :varattno 1
  :vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 6
9 85 82 79 80 69 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 8
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
)
:skewTable 16536
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 3
:location -1
}
{VAR
:varno -1

```

```

        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location -1
    }
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 3
        :location -1
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 2
:aggsplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 96)
:grpCollations ( 0)
:numGroups 16
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
    }
)
:skewTable 16536
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
    :args (
        {VAR
            :varno -2
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 1
            :location 365
        }
        {VAR
            :varno -1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 7
            :varattnosyn 1
            :location -1
        }
    )
}
)

```

```

        :location -1
    }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 365
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
    }
)
}
:skewTable 16541
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 4
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 6
                :varattnosyn 4
                :location -1
            }
            {VAR
                :varno -1
                :varattno 3
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 7
                :varattnosyn 1
                :location -1
            }
        )
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 4
        :location -1
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2

```

```

        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location -1
    }
}
:skewTable 16556
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 1)
:join.plan.allParam (b 1)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location 281
        }
        {VAR
        :varno -1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location -1
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 281
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 1
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
    :varno -2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 248
    }
    {VAR
    :varno -2
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location 445
    }
}
:skewTable 0
:skewColumn 0
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 236
        }
        {VAR
        :varno -1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 248
        }
    )
    :location -1
}
{OEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {SUBPLAN
    :subLinkType 4
    :testexpr <>
    :paramIds <>
    :plan_id 1
    :plan_name SubPlan\ 1
    :firstColType 701
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable false
    :unknownEqFalse false
    :parallel_safe false
    :setParam <>
    :parParam (i 0)
    :args (
        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 641
        }
    )
    :startup_cost 0
    :per_call_cost 28500.645
}
{VAR
:varno -1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location 445
}
}
:location -1
}
)
:hashoperators (o 96 670)
:hashcollations (o 0 0)

```

```

:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 236
  }
  {SUBPLAN
    :subLinkType 4
    :testexpr <>
    :paramIds <>
    :plan_id 1
    :plan_name SubPlan\ 1
    :firstCollType 701
    :firstCollTypmod -1
    :firstColCollation 0
    :useHashTable false
    :unknownEqFalse false
    :parallel_safe false
    :setParam <>
    :parParam (i 0)
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 641
      }
    )
    :startup_cost 0
    :per_call_cost 28500.645
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 4
:sortColIdx ( 1 3 2 4)
:sortOperators ( 674 664 664 97)
:collations ( 0 100 100 0)
:nullsFirst ( true false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:limitOffset <>
:limitCount
{CONST
  :consttype 20
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ 100 0 0 0 0 0 0 0 ]
}
:limitOption 0
:uniqNumCols 0
:uniqColIdx <>
:uniqOperators <>
:uniqCollations <>
}

```

QUERY PLAN

```

Limit (cost=11460276.69..11460276.70 rows=1 width=182) (actual time=75992.763..75992.886 rows=100.00 loops=1)
  Output: s.s_acctbal, s.s_name, nation.n_name, part.p_partkey, part.p_mfgr, s.s_address, s.s_phone, s.s_comment
  Buffers: shared hit=1517733 read=20504874, temp read=3038 written=3038
  -> Sort (cost=11460276.69..11460276.70 rows=1 width=182) (actual time=75992.761..75992.877 rows=100.00 loops=1)
    Output: s.s_acctbal, s.s_name, nation.n_name, part.p_partkey, part.p_mfgr, s.s_address, s.s_phone, s.s_comment
    Sort Key: s.s_acctbal DESC, nation.n_name, s.s_name, part.p_partkey
    Sort Method: top-N heapsort Memory: 69kB
    Buffers: shared hit=1517733 read=20504874, temp read=3038 written=3038
  -> Hash Join (cost=24648.01..11460276.68 rows=1 width=182) (actual time=294.504..75991.846 rows=460.00 loops=1)
    Output: s.s_acctbal, s.s_name, nation.n_name, part.p_partkey, part.p_mfgr, s.s_address, s.s_phone, s.s_comment
    Hash Cond: ((part.p_partkey = partsupp.ps_partkey) AND ((SubPlan 1) = partsupp.ps_supplycost))
    Buffers: shared hit=1517733 read=20504874, temp read=3038 written=3038
  -> Seq Scan on public.part (cost=0.00..6864.00 rows=802 width=19) (actual time=0.173..51.057 rows=747.00 loops=1)
    Output: part.p_partkey, part.p_name, part.p_mfgr, part.p_brand, part.p_type, part.p_size, part.p_container, part.p_retailprice, part.p_c
comment
    Filter: ((part.p_type ~ '%BRASS'::text) AND (part.p_size = 15))
    Rows Removed by Filter: 199253
    Buffers: shared hit=3864
  -> Hash (cost=24570.55..24570.55 rows=5164 width=175) (actual time=168.630..168.735 rows=158960.00 loops=1)
    Output: s.s_acctbal, s.s_name, s.s_address, s.s_phone, s.s_comment, partsupp.ps_partkey, partsupp.ps_supplycost, nation.n_name
    Buckets: 65536 (originally 8192) Batches: 4 (originally 1) Memory Usage: 7892kB
    Buffers: shared hit=1418 read=17256, temp written=2574
  -> Gather (cost=1441.24..24570.55 rows=5164 width=175) (actual time=5.402..87.599 rows=158960.00 loops=1)
    Output: s.s_acctbal, s.s_name, s.s_address, s.s_phone, s.s_comment, partsupp.ps_partkey, partsupp.ps_supplycost, nation.n_name
    Workers Planned: 2
    Workers Launched: 2
    Buffers: shared hit=1418 read=17256
  -> Hash Join (cost=441.24..23054.15 rows=2152 width=175) (actual time=4.154..99.012 rows=52986.67 loops=3)
    Output: s.s_acctbal, s.s_name, s.s_address, s.s_phone, s.s_comment, partsupp.ps_partkey, partsupp.ps_supplycost, nation.n_na
me

```

```

Hash Cond: (partsupp.ps_suppkey = s.s_suppkey)
Buffers: shared hit=1418 read=17256
Worker 0: actual time=3.958..110.530 rows=55129.00 loops=1
  Buffers: shared hit=528 read=5936
Worker 1: actual time=3.804..110.645 rows=55586.00 loops=1
  Buffers: shared hit=530 read=6016
-> Parallel Seq Scan on public.partsupp (cost=0.00..21341.33 rows=333333 width=16) (actual time=0.792..56.397 rows=266666.
67 loops=3)

Output: partsupp.ps_partkey, partsupp.ps_suppkey, partsupp.ps_availqty, partsupp.ps_supplycost, partsupp.ps_comment
Buffers: shared hit=752 read=17256
Worker 0: actual time=1.062..67.178 rows=277052.00 loops=1
  Buffers: shared hit=306 read=5936
Worker 1: actual time=0.719..66.923 rows=280678.00 loops=1
  Buffers: shared hit=308 read=6016
-> Hash (cost=440.43..440.43 rows=65 width=167) (actual time=3.350..3.362 rows=1987.00 loops=3)
Output: s.s_acctbal, s.s_name, s.s_address, s.s_phone, s.s_comment, s.s_suppkey, nation.n_name
Hash Cond: (s.s_nationkey = n.n_nationkey)
Buckets: 2048 (originally 1024) Batches: 1 (originally 1) Memory Usage: 364kB
Buffers: shared hit=666
Worker 0: actual time=2.889..2.898 rows=1987.00 loops=1
  Buffers: shared hit=222
Worker 1: actual time=3.076..3.088 rows=1987.00 loops=1
  Buffers: shared hit=222
-> Hash Join (cost=84.43..440.43 rows=65 width=167) (actual time=0.195..2.574 rows=1987.00 loops=3)
Output: s.s_acctbal, s.s_name, s.s_address, s.s_phone, s.s_comment, s.s_suppkey, nation.n_name
Hash Cond: (s.s_nationkey = n.n_nationkey)
Buffers: shared hit=666
Worker 0: actual time=0.188..2.199 rows=1987.00 loops=1
  Buffers: shared hit=222
Worker 1: actual time=0.202..2.325 rows=1987.00 loops=1
  Buffers: shared hit=222
-> Seq Scan on public.supplier s (cost=0.00..318.00 rows=10000 width=139) (actual time=0.040..0.952 rows=10000
.00 loops=3)

Output: s.s_suppkey, s.s_name, s.s_address, s.s_nationkey, s.s_phone, s.s_acctbal, s.s_comment
Buffers: shared hit=654
Worker 0: actual time=0.041..0.691 rows=10000.00 loops=1
  Buffers: shared hit=218
Worker 1: actual time=0.041..0.770 rows=10000.00 loops=1
  Buffers: shared hit=218
-> Hash (cost=84.41..84.41 rows=1 width=40) (actual time=0.142..0.151 rows=5.00 loops=3)
Output: nation.n_name, nation.n_nationkey, n.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=12
Worker 0: actual time=0.138..0.145 rows=5.00 loops=1
  Buffers: shared hit=4
Worker 1: actual time=0.151..0.158 rows=5.00 loops=1
  Buffers: shared hit=4
-> Hash Join (cost=63.05..84.41 rows=1 width=40) (actual time=0.133..0.146 rows=5.00 loops=3)
Output: nation.n_name, nation.n_nationkey, n.n_nationkey
Hash Cond: (nation.n_nationkey = n.n_nationkey)
Buffers: shared hit=12
Worker 0: actual time=0.128..0.139 rows=5.00 loops=1
  Buffers: shared hit=4
Worker 1: actual time=0.141..0.152 rows=5.00 loops=1
  Buffers: shared hit=4
-> Hash Join (cost=20.68..41.97 rows=16 width=36) (actual time=0.088..0.096 rows=5.00 loops=3)
Output: nation.n_name, nation.n_nationkey
Hash Cond: (nation.n_regionkey = region.r_regionkey)
Buffers: shared hit=6
Worker 0: actual time=0.087..0.093 rows=5.00 loops=1
  Buffers: shared hit=2
Worker 1: actual time=0.104..0.110 rows=5.00 loops=1
  Buffers: shared hit=2
-> Seq Scan on public.nation (cost=0.00..18.10 rows=810 width=40) (actual time=0.033..0.035
rows=25.00 loops=3)

Output: nation.n_nationkey, nation.n_name, nation.n_regionkey, nation.n_comment
Buffers: shared hit=3
Worker 0: actual time=0.037..0.040 rows=25.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.045..0.048 rows=25.00 loops=1
  Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.044..0.046 rows=1.00 loops=3)
Output: region.r_regionkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=3
Worker 0: actual time=0.043..0.044 rows=1.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.049..0.050 rows=1.00 loops=1
  Buffers: shared hit=1
-> Seq Scan on public.region (cost=0.00..20.62 rows=4 width=4) (actual time=0.037..0.0
38 rows=1.00 loops=3)

Output: region.r_regionkey
Filter: (region.r_name = 'EUROPE')::text)
Rows Removed by Filter: 4
Buffers: shared hit=3
Worker 0: actual time=0.036..0.037 rows=1.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.041..0.042 rows=1.00 loops=1
  Buffers: shared hit=1
-> Hash (cost=42.17..42.17 rows=16 width=4) (actual time=0.034..0.036 rows=5.00 loops=3)
Output: n.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=6
Worker 0: actual time=0.034..0.037 rows=5.00 loops=1
  Buffers: shared hit=2
Worker 1: actual time=0.030..0.032 rows=5.00 loops=1
  Buffers: shared hit=2
-> HashAggregate (cost=42.01..42.17 rows=16 width=4) (actual time=0.027..0.030 rows=5.00 loo
ps=3)

Output: n.n_nationkey
Group Key: n.n_nationkey
Batches: 1 Memory Usage: 32kB
Buffers: shared hit=6
Worker 0: actual time=0.023..0.027 rows=5.00 loops=1
  Batches: 1 Memory Usage: 32kB
  Buffers: shared hit=2
Worker 1: actual time=0.025..0.026 rows=5.00 loops=1
  Batches: 1 Memory Usage: 32kB
  Buffers: shared hit=2
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.019..0.024 rows=5.00 1
oops=3)

Output: n.n_nationkey
Hash Cond: (n.n_regionkey = r.r_regionkey)
Buffers: shared hit=6
Worker 0: actual time=0.017..0.021 rows=5.00 loops=1
  Buffers: shared hit=2

```



```

Worker 1: actual time=0.017..0.021 rows=5.00 loops=1
  Buffers: shared hit=2
-> Seq Scan on public.nation n (cost=0.00..18.10 rows=810 width=8) (actual time=
0.002..0.004 rows=25.00 loops=3)

Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment
Buffers: shared hit=3
Worker 0: actual time=0.002..0.004 rows=25.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.002..0.003 rows=25.00 loops=1
  Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.008..0.008 rows=1.00 l
oops=3)

Output: r.r_regionkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=3
Worker 0: actual time=0.009..0.009 rows=1.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.009..0.009 rows=1.00 loops=1
  Buffers: shared hit=1
-> Seq Scan on public.region r (cost=0.00..20.62 rows=4 width=4) (actual t
ime=0.004..0.005 rows=1.00 loops=3)

Output: r.r_regionkey
Filter: (r.r_name = 'EUROPE')::text)
Rows Removed by Filter: 4
Buffers: shared hit=3
Worker 0: actual time=0.005..0.005 rows=1.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.005..0.005 rows=1.00 loops=1
  Buffers: shared hit=1

SubPlan 1
-> Aggregate (cost=28500.64..28500.65 rows=1 width=8) (actual time=62.740..62.740 rows=1.00 loops=1207)
  Output: min(partsupp_1.ps_supplycost)
  Buffers: shared hit=1512451 read=20487618
  -> Nested Loop (cost=42.37..28500.63 rows=1 width=8) (actual time=61.460..62.737 rows=1.06 loops=1207)
    Output: partsupp_1.ps_supplycost
    Join Filter: (nation_1.n_regionkey = region_1.r_regionkey)
    Buffers: shared hit=1512451 read=20487618
    -> Nested Loop (cost=42.37..28479.76 rows=4 width=12) (actual time=61.459..62.736 rows=1.06 loops=1207)
      Output: partsupp_1.ps_supplycost, nation_1.n_regionkey
      Join Filter: (nation_1.n_nationkey = n_1.n_nationkey)
      Rows Removed by Join Filter: 26
      Buffers: shared hit=1512450 read=20487618
      -> Nested Loop (cost=42.37..28451.53 rows=1 width=16) (actual time=61.448..62.723 rows=1.06 loops=1207)
        Output: s_1.s_nationkey, n_1.n_nationkey, partsupp_1.ps_supplycost
        Join Filter: (partsupp_1.ps_suppkey = s_1.s_suppkey)
        Rows Removed by Join Filter: 7947
        Buffers: shared hit=1511166 read=20487618
        -> Hash Join (cost=42.37..395.52 rows=800 width=12) (actual time=0.002..1.661 rows=1987.00 loops=1207)
          Output: s_1.s_nationkey, s_1.s_suppkey, n_1.n_nationkey
          Inner Unique: true
          Hash Cond: (s_1.s_nationkey = n_1.n_nationkey)
          Buffers: shared hit=263128
          -> Seq Scan on public.supplier s_1 (cost=0.00..318.00 rows=10000 width=8) (actual time=0.001..0.518 rows=100
00.00 loops=1207)

          Output: s_1.s_suppkey, s_1.s_name, s_1.s_address, s_1.s_nationkey, s_1.s_phone, s_1.s_acctbal, s_1.s_com
ment
          Buffers: shared hit=263126
          -> Hash (cost=42.17..42.17 rows=16 width=4) (actual time=0.029..0.033 rows=5.00 loops=1)
            Output: n_1.n_nationkey
            Buckets: 1024 Batches: 1 Memory Usage: 9kB
            Buffers: shared hit=2
            -> HashAggregate (cost=42.01..42.17 rows=16 width=4) (actual time=0.026..0.031 rows=5.00 loops=1)
              Output: n_1.n_nationkey
              Group Key: n_1.n_nationkey
              Batches: 1 Memory Usage: 32kB
              Buffers: shared hit=2
              -> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.019..0.026 rows=5.00 loops=1)
                Output: n_1.n_nationkey
                Hash Cond: (n_1.n_regionkey = r_1.r_regionkey)
                Buffers: shared hit=2
                -> Seq Scan on public.nation n_1 (cost=0.00..18.10 rows=810 width=8) (actual time=0.005..0
.006 rows=25.00 loops=1)

                Output: n_1.n_nationkey, n_1.n_name, n_1.n_regionkey, n_1.n_comment
                Buffers: shared hit=1
                -> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.008..0.009 rows=1.00 loops=1)
                  Output: r_1.r_regionkey
                  Buckets: 1024 Batches: 1 Memory Usage: 9kB
                  Buffers: shared hit=1
                  -> Seq Scan on public.region r_1 (cost=0.00..20.62 rows=4 width=4) (actual time=0.00
5..0.006 rows=1.00 loops=1)

                  Output: r_1.r_regionkey
                  Filter: (r_1.r_name = 'EUROPE')::text)
                  Rows Removed by Filter: 4
                  Buffers: shared hit=1
          -> Materialize (cost=0.00..28008.02 rows=4 width=12) (actual time=0.015..0.030 rows=4.00 loops=2398309)
            Output: partsupp_1.ps_supplycost, partsupp_1.ps_suppkey
            Storage: Memory Maximum Storage: 17kB
            Buffers: shared hit=1248038 read=20487618
            -> Seq Scan on public.partsupp partsupp_1 (cost=0.00..28008.00 rows=4 width=12) (actual time=29.645..60.057
rows=4.00 loops=1207)

            Output: partsupp_1.ps_supplycost, partsupp_1.ps_suppkey
            Filter: (part.p_partkey = partsupp_1.ps_partkey)
            Rows Removed by Filter: 799996
            Buffers: shared hit=1248038 read=20487618
          -> Seq Scan on public.nation nation_1 (cost=0.00..18.10 rows=810 width=8) (actual time=0.002..0.003 rows=25.00 loops=128
4)

            Output: nation_1.n_nationkey, nation_1.n_name, nation_1.n_regionkey, nation_1.n_comment
            Buffers: shared hit=1284
          -> Materialize (cost=0.00..20.64 rows=4 width=4) (actual time=0.000..0.000 rows=1.00 loops=1284)
            Output: region_1.r_regionkey
            Storage: Memory Maximum Storage: 17kB
            Buffers: shared hit=1
            -> Seq Scan on public.region region_1 (cost=0.00..20.62 rows=4 width=4) (actual time=0.004..0.005 rows=1.00 loops=1)
              Output: region_1.r_regionkey
              Filter: (region_1.r_name = 'EUROPE')::text)
              Rows Removed by Filter: 4
              Buffers: shared hit=1

Planning:
  Buffers: shared hit=23
  Planning Time: 13.357 ms
  Execution Time: 75994.221 ms (239 rows)

Time: 76022.295 ms (01:16.022)
tpch=> RESET ROLE;

```

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}
```

Time: 7.664 ms

tpch=# -- Step 1: Drop all existing policies

```
DO $$
DECLARE
  r RECORD;
BEGIN
  FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
  LOOP
    EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
  END LOOP;
END;
$$;
```

-- Step 2: Disable RLS on all tables

```
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;
```

-- Step 3: Enable RLS on orders

```
ALTER TABLE orders ENABLE ROW LEVEL SECURITY;
```

-- Step 4: Create policy - only show orders from customers with acctbal > 5000

```
CREATE POLICY orders_rls_policy ON orders
USING (
  EXISTS (
    SELECT 1 FROM customer c
    WHERE c.c_custkey = orders.o_custkey
    AND c.c_acctbal > 5000
  )
);
```

-- Step 5: Grant permissions and set role

```
GRANT SELECT ON orders TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;
```

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {DOSTMT
  :args (
    {DEFELEM
    :defnamespace <>
    :defname as
    :arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
  :defaction 0
  :location 3
  }
  )
}
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DOSTMT
  :args (
    {DEFELEM
    :defnamespace <>
    :defname as
    :arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
  :defaction 0
  :location 3
  }
  )
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```



```

:varstype 19
:varystmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== REWRITE OUTPUT =====
DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
:alias
{ALIAS
:aliasname pol
:colnames <>
}
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY

```

```

:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lcl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6

```

```

:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR

```

```

:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}

```



```

}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reliid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreliid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastreliid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
}
{VAR

```

```

:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}

```

```

    }
    {VAR
    :varno 2
    :varattno 32
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 32
    :location -1
    }
    {VAR
    :varno 2
    :varattno 33
    :vartype 1009
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 33
    :location -1
    }
    {VAR
    :varno 2
    :varattno 34
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 34
    :location -1
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    {VAR
    :varno 4
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location -1
    }
    {VAR
    :varno 4
    :varattno 4
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location -1
    }
    }
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259

```



```

:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgrouppref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgrouppref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]

```

```

    }
    :location -1
  }
)
:defresult
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
  :casetype 1003
  :casecollid 950
  :arg <>
  :args (
    {CASEWHEN
      :expr
      {OPEXPR
        :opno 1070
        :opfuncid 744
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 1028
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location -1
          }
          {CONST
            :consttype 1028
            :consttypmod -1
            :constcollid 0
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
              0 0 0 1 0 0 0 0 0 0 0 ]
          }
        )
      }
      :location -1
    }
  )
}
:result
{ARRAYCOERCEEXPR
  :arg
  {FUNCEXPR
    :funcid 394
    :funcresulttype 1009
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 100
    :inputcollid 100
    :args (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 4 [ 16 0 0 0 ]
      }
    )
  }
  :location -1
}
:elemexpr
{FUNCEXPR
  :funcid 407
  :funcresulttype 19
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 950
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 25

```

```

        :typeMod -1
        :collation 0
    }
}
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:sublinkType 6
:sublinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrles" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
}
}

```

```

    }
  )
  :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname rolname
  :ressortgroupref 1
  :resorigtbl 1260
  :resorigcol 2
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 93
  :sortop 660
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true

```

```

        :constisnull false
        :location -1
        :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1

```

```

        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
    :location -1
    }
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
    }
    )
    :defresult
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
    }
    :location -1
    }
    :resno 6
    :resname cmd
    :resortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
    {VAR
    :varno 1
    :varattno 7
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
    }
    {VAR

```

```

        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree

```



```
{FROMEXPR
:fromlist (
  {RANGETBLREF
    rtindex 1
  }
)
:quals
{OPEXPR
 :opno 93
 :opfncid 62
 :opresulttype 16
 :opretset false
 :opccllid 0
 :inputcollid 950
 :args (
   {VAR
     :varno 1
     :varattno 1
     :vartype 19
     :vartypmod -1
     :varcollid 950
     :varnullingrels (b)
     :varlevelsup 0
     :varreturningtype 0
     :varnosyn 1
     :varattnosyn 1
     :location 52
   }
   {CONST
     :consttype 19
     :consttypmod -1
     :constcollid 950
     :constlen 64
     :constbyval false
     :constisnull false
     :location 65
     :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
   }
 )
 :location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 7
      }
    :resno 1
    :resname polyciname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 19
      }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupByClause <>
:groupByDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
```

)

WARNING: ===== PLANNER INPUT =====:

```
DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias
  {ALIAS
:aliasname pol
:colnames <>
}
}
:eref
  {ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
  {ALIAS
:aliasname c
:colnames <>
}
}
:eref
  {ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lactl" "relotions" "relpartbound")
}
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
```

```

        populated" "relreplident" "relispartition" "relrewrite" "relfr
        ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
    }
:rtkind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
    {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
    {VAR
        :varno 1
        :varattno 4
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
    {VAR
        :varno 1
        :varattno 5
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location -1
    }
    {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    {VAR
        :varno 1
        :varattno 8
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    {VAR
        :varno 2
        :varattno 1
        :vartype 26

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2

```

```

:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}

```

```

{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27

```

```

:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615

```

```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtkind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0

```



```

:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2

```

```

:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}

```

```

{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607

```

```

:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
  }
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policynome
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0

```

```

:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 1028
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
  {FUNCEXP
    :funcid 394
    :funcresulttype 1009
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 100
    :inputcollid 100
    :args (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 4 [ 16 0 0 0 ]
      }
    )
    :location -1
  }
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 25
    :typemod -1
    :collation 0
  }
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defaultresult
{SUBLINK
:sublinkType 6
:sublinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
  }
}

```



```

:rtable (
  {RANGETBLENTY
  :alias <>
  :eref
  {ALIAS
    :aliasname pg_authid
    :colnames ("oid" "rolname" "rolsuper" "rolinherit"
      "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
        lication" "rolbypassrls" "rolconlimit" "rolpasswor
          d" "rolvaliduntil")
    }
  :rtekind 0
  :relid 1260
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 1260
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {SCALARARRAYOPEXPR
  :opno 607
  :opfuncid 184
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
  )
  :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname rolname
  :ressortgroupref 1
  :resorigtbl 1260
  :resorigcol 2
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>

```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1

```

```

        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18

```

```

        :typeMod -1
        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
    }
    )
    :defresult
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
    }
    :location -1
    }
    }
    :resno 6
    :resname cmd
    :resortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {FUNCEXP
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
    {VAR
    :varno 1
    :varattno 7
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    }
    :resno 7
    :resname qual
    :resortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {FUNCEXP
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
    {VAR
    :varno 1
    :varattno 8
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)

```



```

    )
    :location 63
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 3
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 3
  :location 7
  }
  :resno 1
  :resname polycynname
  :ressortgroupref 0
  :resorigtbl 12018
  :resorigcol 3
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 19
  }
  :resno 2
  :resname tablename
  :ressortgroupref 0
  :resorigtbl 12018
  :resorigcol 2
  :resjunk false
  }
  )
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:      {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4.907500000000001
:join.plan.total_cost 26.215249999999997
:join.plan.plan_rows 20
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.async_node_id 0
:join.plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR
  :varno -2
  :varattno 1
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname polycynname
  :ressortgroupref 0
  :resorigtbl 12018
  :resorigcol 3
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno -2
  :varattno 2

```

```

:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 3.845
:join.plan.total_cost 24.715
:join.plan.plan_rows 82
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.4
:scan.plan.plan_rows 440
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3

```

```

:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
}

```

```

    }
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
  }
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
  }
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
  }
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
  }
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
  }
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 32
        :location -1
    }
:resno 32
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 2.8200000000000003
:plan.total_cost 2.8200000000000003
:plan.plan_rows 82
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 2.8200000000000003
:scan.plan.plan_rows 82
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno -1
    :varattno 2
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    )
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
    }
    )
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 1.05
:plan.total_cost 1.05
:plan.plan_rows 1
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.05
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
}
:scan.plan.qual (

```



```
{OPEXPR
 :opno 93
 :opfuncid 62
 :oproslttype 16
 :opretset false
 :opccllid 0
 :inputcollid 950
 :args (
   {VAR
    :varno 5
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturnngtype 0
    :varnosyn 5
    :varattnosyn 2
    :location -1
   }
   {CONST
    :consttpe 19
    :consttypmod -1
    :constcollid 950
    :constlen 64
    :constbyval false
    :constisnull false
    :location 65
    :constantvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
   }
 )
 :location 63
 }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
   :varno -2
   :varattno 1
   :vartype 26
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturnngtype 0
   :varnosyn 5
   :varattnosyn 1
   :location -1
  }
)
:skewTable 1259
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
  {OPEXPR
   :opno 607
   :opfucind 184
   :oproslttype 16
   :opretset false
   :opccllid 0
   :inputcollid 0
   :args (
     {VAR
      :varno -2
      :varattno 3
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturnngtype 0
      :varnosyn 3
      :varattnosyn 3
      :location -1
     }
     {VAR
      :varno -1
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturnngtype 0
      :varnosyn 5
      :varattnosyn 1
      :location -1
     }
   )
   :location -1
 }
)
```

```

:hashkeys (
  {VAR
   :varno -2
   :varattno 3
   :vartype 26
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 3
   :varattnosyn 3
   :location -1
  }
)
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
   :fromlist <>
   :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
   :expr
   {FUNCEXP
    :funcid 3539
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {CONST
       :consttype 25
       :consttypmod -1
       :constcollid 100
       :constlen -1
       :constbyval false
       :constisnull false
       :location 7
       :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
        70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
      }
      {PARAM
       :paramkind 0
       :paramid 3
       :paramtype 19
       :paramtypmod -1
       :paramcollid 950
       :location 41
      }
      {PARAM
       :paramkind 0
       :paramid 4
       :paramtype 19
       :paramtypmod -1
       :paramcollid 950
       :location 55
      }
    )
    :location 0
  }
}
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>

```

```
:stmt_location 0
:stmt_len 0
}
```

WARNING: ===== REWRITE OUTPUT =====:

```
DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)
```

WARNING: ===== PLANNER INPUT =====:

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
```

```

:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0

```

```

:funccollid 950
:inputcollid 950
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 7
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
      70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
  }
  {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
  }
  {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
  }
)
:location 0
}
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
  :stmt
    {DROPSTMT
      :objects (("supplier" "supplier_rls_policy"))
      :removeType 28
      :behavior 0
      :missing_ok true
      :concurrent false
    }
    :stmt_location 0
    :stmt_len 0
  }
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {DROPSTMT
      :objects (("supplier" "supplier_rls_policy"))
      :removeType 28
      :behavior 0
      :missing_ok true
      :concurrent false
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
}

```

```
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

Time: 32.453 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}
```

```
WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}
```

```
Time: 0.170 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}
```

```
WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
```

```

:querySource 0
:canSetTag true
:utilityStmt
  {ALERTTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
  }
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 1.170 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
  }
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTTABLESTMT
    :relation
      {RANGEVAR

```

```

:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.295 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
}
}
}

```



```

        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.268 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>

```

```

        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.249 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
  }
}

```

```

    }
  )
  :objtype 41
  :missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.226 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0

```

```

:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.231 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.657 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>

```

```

:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.232 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALTERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALTERTABLECMD
        :subtype 54
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 44
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALTERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALTERTABLECMD
        :subtype 54
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>

```

```

:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 44
}

```

Time: 0.322 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name orders_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 35
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 78
}
:location 78
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 85
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 110
}
:rexpr
{COLUMNREF
:fields ("orders" "o_custkey")
:location 124
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 122
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("c" "c_acctbal")
:location 153
}
:rexpr
{A_CONST

```

```

        :val 5000
        :location 167
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 165
}
)
:location 149
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 54
}
:with_check <>
}
:stmt_location 0
:stmt_len 179
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name orders_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 35
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 78
}
}
:location 78
)
}
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
}
:location 85
)
}
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 110
}
}
:rexpr
{COLUMNREF
:fields ("orders" "o_custkey")
:location 124
}
}
:rexpr_list_start 0

```



```

        :rexpr_list_end 0
        :location 122
    }
    {A_EXPR
    :name (">")
    :lexpr
        {COLUMNREF
        :fields ("c" "c_acctbal")
        :location 153
        }
    :rexpr
        {A_CONST
        :val 5000
        :location 167
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 165
    }
    )
    :location 149
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 54
    }
    :with_check <>
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 179
}

```

Time: 1.409 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname orders
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
  )
}

```

```

    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.535 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
}
}

```

```

    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
  :stmt_location 0
  :stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {GRANTSTMT
      :is_grant true
      :targettype 0
      :objtype 41
      :objects (
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname customer
          :inh true
          :relpersistence p
          :alias <>
          :location 16
        }
      )
      :privileges (
        {ACCESSPRIV
          :priv_name select
          :cols <>
        }
      )
      :grantees (
        {ROLESPEC
          :roletype 0
          :rolename alice
          :location 28
        }
      )
      :grant_option false
      :grantor <>
      :behavior 0
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 33
}

```

Time: 0.232 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
  :stmt
    {GRANTSTMT
      :is_grant true
      :targettype 0
      :objtype 41
      :objects (
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname lineitem
          :inh true
          :relpersistence p
          :alias <>
          :location 16
        }
      )
    }
  }
}

```

```

)
:privileges (
  {ACCESSPRIV
  :priv_name select
  :cols <>
  }
)
:grantees (
  {ROLESPEC
  :roletype 0
  :rolename alice
  :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname lineitem
  :inh true
  :relpersistence p
  :alias <>
  :location 16
  }
)
:privileges (
  {ACCESSPRIV
  :priv_name select
  :cols <>
  }
)
:grantees (
  {ROLESPEC
  :roletype 0
  :rolename alice
  :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

Time: 0.257 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
  :val "alice"
  :location 9
  }
)
}
}

```

```

    )
    :jumble_args false
    :is_local false
    :location 9
  }
  :stmt_location 0
  :stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.140 ms

tpch=> EXPLAIN (ANALYZE, VERBOSE, BUFFERS)

```

select
  o_orderpriority,
  count(*) as order_count
from
  orders
where
  o_orderdate >= date '1994-01-01'
  and o_orderdate < date '1994-01-01' + interval '3' month
  and exists (
    select
      *
    from
      lineitem
    where
      l_orderkey = o_orderkey
      and l_commitdate < l_receiptdate
  )

```

```

group by
  o_orderpriority
order by
  o_orderpriority;

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {EXPLAINSTMT
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("o_orderpriority")
:location 47
}
:location 47
}
  {RESTARTGET
:name order_count

```

```

:indirection <>
:val
{FUNCCALL
:funcname ("count")
:args <>
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star true
:agg_distinct false
:func_variadic false
:funcformat 0
:location 68
}
:location 68
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 101
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 118
}
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1994-01-01"
:location 138
}
:typeName
{TYPPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 133
}
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 130
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 159
}
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\1994-01-01"
:location 178
}
:typeName
{TYPPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 173
}
}
:location -1
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\3"
:location 202
}
:typeName
{TYPPENAME
:names ("pg_catalog" "interval")
:typeOid 0
:setof false
:pct_type false
:typmods (
{A_CONST
:val 2
:location 206
}
)
:typemod -1
:arrayBounds <>

```

```

        :location 193
    }
    :location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 191
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 171
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields (
{A_STAR
}
)
:location 256
}
:location 256
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 283
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_orderkey")
:location 318
}
:rexpr
{COLUMNREF
:fields ("o_orderkey")
:location 331
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 329
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("l_commitdate")
:location 358
}
:rexpr
{COLUMNREF
:fields ("l_receiptdate")
:location 373
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 371
}
)
:location 354
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 220
}
)
:location 155
}
:groupClause (
{COLUMNREF
:fields ("o_orderpriority")
:location 406
}
)
:groupDistinct false
:havingClause <>

```

```

:windowClause <>
:valuesLists <>
:sortClause (
  {SORTBY
    :node
    {COLUMNREF
      :fields ("o_orderpriority")
      :location 435
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)
}
:stmt_location 0
:stmt_len 450
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname orders
      :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
    }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname *GROUP*
      :colnames ("o_orderpriority")
    }
    :rtekind 9
    :groupexprs (
      {VAR
        :varno 1
        :varattno 6
        :vartype 25
        :vartypmod -1
        :varcollid 100
      }
    )
  }
)
}
}

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 47
    }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 118
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 138
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 130
}
)
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 159
}
{OEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 178
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false

```

```

        :location 202
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
    }
)
:location 191
}
)
:location 171
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_
linenumber" "l_quantity" "l_extendedprice" "l_disco
unt" "l_tax" "l_returnflag" "l_linestatus" "l_shipd
ate" "l_commitdate" "l_receiptdate" "l_shipinstruct
" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCI true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20
21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 318
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 331
}
)
)
)

```

```

        :location 329
      }
      {OEXPR
      :opno 1095
      :opfuncid 1087
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
        :varno 1
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 12
        :location 358
        }
        {VAR
        :varno 1
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location 373
        }
      )
      :location 371
    }
  }
  :location 354
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location 256
  }
  :resno 1
  :resname l_orderkey
  :ressortgroupref 0
  :resorigtbl 16566
  :resorigcol 1
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 256
  }
  :resno 2
  :resname l_partkey
  :ressortgroupref 0
  :resorigtbl 16566
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 3
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 3
  :location 256
  }
  :resno 3
  :resname l_supkey
  :ressortgroupref 0
  :resorigtbl 16566
  :resorigcol 3
  :resjunk false
  }
  {TARGETENTRY
  :expr

```

```

{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 256
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 256
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 256
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 256
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 256
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 256
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 256
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 256
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 256
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 256
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

        :varattnosyn 14
        :location 256
    }
    :resno 14
    :resname l_shipinstruct
    :ressortgrouppref 0
    :resorigtbl 16566
    :resorigcol 14
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 256
}
:resno 15
:resname l_shipmode
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 256
}
:resno 16
:resname l_comment
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 220
}
}
:location 155
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderpriority
:ressortgrouppref 1
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0

```

```

        :inputcollid 0
        :aggtranstype 0
        :aggargtypes <>
        :aggdirectargs <>
        :args <>
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar true
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 68
    }
    :resno 2
    :resname order_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 450
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
:alias <>
:eref
  {ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
  {RANGETBLENTRY
:alias <>
:eref
  {ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
:rtekind 9
:groupexprs (
  {VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
  {FROMEXPR
:fromlist (
  {RANGETBLREF
:rtindex 1
}
)
:quals
  {BOOLEXP
:boolop and
:args (
  {OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```



```

{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 118
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 138
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 130
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 159
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 178
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 202
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 191
}
)
:location 171
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen

```

```

        t")
    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
}
)
:rteperminfos (
(RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 318
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 331
}
)
:location 329
}
{OPEXP
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 358
}
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 373
}
)
:location 371
}
)
:location 354
}
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 256
}
:resno 1
:resname l_orderkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 256
}
:resno 2
:resname l_partkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 256
}
:resno 3
:resname l_suppkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 256
}
:resno 4
:resname l_linenummer
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 256
}
:resno 5
:resname l_quantity
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 256
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 256
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 256
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 256
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 256
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 256
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 256
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 256
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 256
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 256
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 1
        :varattnosyn 16
        :location 256
    }
    :resno 16
    :resname l_comment
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 16
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 220
}
)
:location 155
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname o_orderpriority
    :ressortgroupref 1
    :resorigtbl 16561
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 68
    }
    :resno 2
    :resname order_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>

```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tltSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16561
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
  {SUBLINK
   :subLinkType 0
   :subLinkId 0
   :testexpr <>
   :operName <>
  }
  :subselect
  {QUERY
   :commandType 1
   :querySource 0
   :canSetTag true
   :utilityStmt <>
   :resultRelation 0
   :hasAggs false
   :hasWindowFuncs false
   :hasTargetSRFs false
   :hasSubLinks false
   :hasDistinctOn false
   :hasRecursive false
   :hasModifyingCTE false
   :hasForUpdate false
   :hasRowSecurity false
   :hasGroupRTE false
   :isReturn false
   :cteList <>
  }
  :rtable (
    {RANGETBLENTRY
     :alias
     {ALIAS
      :aliasname c
      :colnames <>
     }
    }
    :eref
    {ALIAS
     :aliasname c
     :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone"
      "c_acctbal" "c_mktsegment" "c_comment")
    }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
   :relid 16546
   :inh true
   :requiredPerms 2
   :checkAsUser 0
   :selectedCols (b 8 13)
   :insertedCols (b)
   :updatedCols (b)
  }
)
:jointree
{FROMEXPR
 :fromlist (
  {RANGETBLREF
   :rtindex 1
  }
)
}
:quals
{BOOLEXP
 :boolop and
 :args (
  {OPEXP
   :opno 96
   :opfuncid 65
   :opresulttype 16
   :opretset false
   :opcollid 0
   :inputcollid 0
  }
  :args (
    {VAR
     :varno 1
     :varattno 1
     :vartype 23
     :vartypmod -1
     :varcollid 0
     :varnullingrels (b)
     :varlevelsup 0
     :varreturningtype 0
    }
  )
)
}

```

```

:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:varatt 23
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -120 19 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1

```



```

    }
    :location -1
  }
)

```

WARNING: ===== REWRITE OUTPUT =====:

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity true
    :hasGroupRTE true
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname orders
            :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
          }
        :rtekind 0
        :relid 16561
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals (
          {SUBLINK
            :subLinkType 0
            :subLinkId 0
            :testexpr <>
            :operName <>
            :subselect
              {QUERY
                :commandType 1
                :querySource 0
                :canSetTag true
                :utilityStmt <>
                :resultRelation 0
                :hasAggs false
                :hasWindowFuncs false
                :hasTargetSRFs false
                :hasSubLinks false
                :hasDistinctOn false
                :hasRecursive false
                :hasModifyingCTE false
                :hasForUpdate false
                :hasRowSecurity false
                :hasGroupRTE false
                :isReturn false
                :cteList <>
                :rtable (
                  {RANGETBENTRY
                    :alias
                      {ALIAS
                        :aliasname c
                        :colnames <>
                      }
                    :eref
                      {ALIAS
                        :aliasname c
                        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
                      }
                    :rtekind 0
                    :relid 16546
                    :inh true
                    :relkind r
                    :rellockmode 1
                    :perminfoindex 1
                    :tablesample <>
                    :lateral false
                    :inFromCl true
                    :securityQuals <>
                  }
                )
              }
            :rteperminfos (
              {RTEPERMISSIONINFO
                :relid 16546
                :inh true
                :requiredPerms 2
                :checkAsUser 0
                :selectedCols (b 8 13)
                :insertedCols (b)
                :updatedCols (b)
              }
            )
          }
        :jointree
          {FROMEXPR
            :fromlist (
              {RANGETBLREF
                :rtindex 1
              }
            )
          }
        :quals
          {BOOLEXP
            :boolop and
            :args (

```

```

{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
  {VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
  {FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -120 19 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>

```

```

        :returningList <>
        :groupClause <>
        :groupDistinct false
        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 118
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 138
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 130
}
{OPEXP
:opno 2345
:opfncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR

```

```

:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 159
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 178
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 202
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 191
}
)
:location 171
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:reldid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXPR

```

```

:boolop and
:args (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 318
      }
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 331
      }
    )
    :location 329
  }
  {OEXPR
    :opno 1095
    :opfuncid 1087
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 12
        :location 358
      }
      {VAR
        :varno 1
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location 373
      }
    )
    :location 371
  }
)
:location 354
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 256
    }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 256
}
:resno 2
:resname l_partkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 256
}
:resno 3
:resname l_suppkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 256
}
:resno 4
:resname l_linenummer
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 256
}
:resno 5
:resname l_quantity
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 256
}
:resno 6
:resname l_extendedprice
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 256
}

```

```

    }
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
   :varno 1
   :varattno 8
   :vartype 701
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 1
   :varattnosyn 8
   :location 256
  }
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
   :varno 1
   :varattno 9
   :vartype 25
   :vartypmod -1
   :varcollid 100
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 1
   :varattnosyn 9
   :location 256
  }
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
   :varno 1
   :varattno 10
   :vartype 25
   :vartypmod -1
   :varcollid 100
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 1
   :varattnosyn 10
   :location 256
  }
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
   :varno 1
   :varattno 11
   :vartype 1082
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 1
   :varattnosyn 11
   :location 256
  }
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
   :varno 1
   :varattno 12
   :vartype 1082
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 1
   :varattnosyn 12
   :location 256
  }
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566

```

```

:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 256
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 256
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 256
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 256
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 220

```



```

    }
  )
  :location 155
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 2
  :varattno 1
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname o_orderpriority
  :ressortgroupref 1
  :resorigtbl 16561
  :resorigcol 6
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {AGGREF
  :aggfnoid 2803
  :aggtype 20
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes <>
  :aggdirectargs <>
  :args <>
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar true
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggsplit 0
  :aggno -1
  :aggtransno -1
  :location 68
  }
  :resno 2
  :resname order_count
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 98
  :sortop 664
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 98
  :sortop 664
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false

```

```

:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBENTRY
                :alias
                  {ALIAS
                    :aliasname c
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname c
                    :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
                  }
                :rtekind 0
                :relid 16546
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
            )
          }
        :rteperminfos (
          {RTEPERMISSIONINFO
            :relid 16546
            :inh true
            :requiredPerms 2
            :checkAsUser 0
            :selectedCols (b 8 13)
            :insertedCols (b)
            :updatedCols (b)
          }
        )
      }
    :jointree
      {FROMEXPR
        :fromlist (
          {RANGETBLREF
            :rtindex 1
          }
        )
      }
    :quals
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
              }
            )
          }
        )
      }
    )
  }
)

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -120 19 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1

```

```

        :stmt_len -1
    }
    :location -1
}
)
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 6
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
):quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 118
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 138
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 130
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 159
}
{OPEXP
:opno 1076
:opfuncid 2071
:opresulttype 1114

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 178
    :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
  }
  {CONST
    :consttype 1186
    :consttypmod 196607
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 202
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
  }
)
:location 191
}
)
:location 171
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
    {ALIAS
      :aliasname lineitem
      :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromC1 true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 318
    }
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 331
    }
    )
    :location 329
    }
    {OPEXPR
    :opno 1095
    :opfuncid 1087
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 12
    :location 358
    }
    {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 373
    }
    )
    :location 371
    }
    )
    :location 354
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 256
}
:resno 1
:resname l_orderkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 256
}
:resno 2
:resname l_partkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 256
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 256
}
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 256
}
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 256
}
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 256
}
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location 256
    }
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 256
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 256
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 256
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 256
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13

```



```

        :location 256
    }
    :resno 13
    :resname l_receiptdate
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 13
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 256
    }
    :resno 14
    :resname l_shipinstruct
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 14
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 256
    }
    :resno 15
    :resname l_shipmode
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 15
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 16
    :location 256
    }
    :resno 16
    :resname l_comment
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 16
    :resjunk false
    }
    }
    :location 220
    }
    }
    :location 155
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 25
    :vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderpriority
:ressortgroupref 1
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 68
}
:resno 2
:resname order_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 8883274415.708885
:plan.total_cost 8883274719.763882
:plan.plan_rows 5
:plan.plan_width 17
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
}

```

```

:resno 1
:resname o_orderpriority
:ressortgrouppref 1
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno 0
:aggtransno 0
:location 68
}
:resno 2
:resname order_count
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 8883274415.708885
:plan.total_cost 8883274517.043884
:plan.plan_rows 40534
:plan.plan_width 9
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 212549.3375
:join.plan.total_cost 8883271313.470623
:join.plan.plan_rows 40534
:join.plan.plan_width 9
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0

```

```

:scan.plan.startup_cost 0
:scan.plan.total_cost 8883048508
:scan.plan.plan_rows 144199
:scan.plan.plan_width 13
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 6
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 331
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual (
  {OEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 118
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 138
        :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
      }
    )
    :location 130
  }
  {SUBPLAN
    :subLinkType 2
  }
  :testexpr
    {OEXPR
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 2
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 2
          :location -1
        }
        {PARAM
          :paramkind 1

```

```

        :paramid 1
        :paramtype 23
        :paramtypmod -1
        :paramcollid 0
        :location -1
    }
)
:location -1
}
:paramids (i 1)
:plan_id 2
:plan_name SubPlan\ 2
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 5716.52
:per_call_cost 0.0025
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 159
    }
    {CONST
    :consttype 1114
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 32 105 23 -25 90 -1 -1 ]
    }
)
:location 171
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 179731.5
:plan.total_cost 179731.5
:plan.plan_rows 2000307
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 179731.5
:scan.plan.plan_rows 2000307
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
    {TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 318
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location 358
}
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location 373
}
)
:location 371
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 318
}
)
:skewTable 16561
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 331
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 318
}
}
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 331
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggsplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 5
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
GroupAggregate (cost=8883274415.71..8883274719.76 rows=5 width=17) (actual time=2852.543..2854.339 rows=5.00 loops=1)
  Output: orders.o_orderpriority, count(*)
  Group Key: orders.o_orderpriority
  Buffers: shared hit=5552 read=128848, temp read=14748 written=14748
  -> Sort (cost=8883274415.71..8883274517.04 rows=40534 width=9) (actual time=2852.070..2852.921 rows=23317.00 loops=1)
    Output: orders.o_orderpriority
    Sort Key: orders.o_orderpriority
    Sort Method: quicksort Memory: 769kB
    Buffers: shared hit=5552 read=128848, temp read=14748 written=14748
    -> Hash Semi Join (cost=212549.34..8883271313.47 rows=40534 width=9) (actual time=1888.312..2843.557 rows=23317.00 loops=1)
      Output: orders.o_orderpriority
      Hash Cond: (orders.o_orderkey = lineitem.l_orderkey)
      Buffers: shared hit=5552 read=128848, temp read=14748 written=14748
      -> Seq Scan on public.orders (cost=0.00..8883048508.00 rows=144199 width=13) (actual time=176.679..587.853 rows=25383.00 loops=1)
        Output: orders.o_orderpriority, orders.o_orderkey
        Filter: ((orders.o_orderdate >= '1994-01-01'::date) AND (ANY (orders.o_custkey = (hashed SubPlan 2).col1)) AND (orders.o_orderdate < '19
94-04-01 00:00:00'::timestamp without time zone))
        Rows Removed by Filter: 1474617
        Buffers: shared hit=4424 read=25256
        SubPlan 2
          -> Seq Scan on public.customer c (cost=0.00..5547.00 rows=67808 width=4) (actual time=0.334..160.302 rows=67989.00 loops=1)
            Output: c.c_custkey
            Filter: (c.c_acctbal > '5000'::double precision)
            Rows Removed by Filter: 82011
            Buffers: shared hit=3672
      -> Hash (cost=179731.50..179731.50 rows=2000307 width=4) (actual time=1707.407..1707.408 rows=3793296.00 loops=1)
        Output: lineitem.l_orderkey
        Buckets: 262144 (originally 262144) Batches: 32 (originally 16) Memory Usage: 6223kB
        Buffers: shared hit=1128 read=103592, temp written=10750
        -> Seq Scan on public.lineitem (cost=0.00..179731.50 rows=2000307 width=4) (actual time=0.409..1159.843 rows=3793296.00 loops=1)
          Output: lineitem.l_orderkey
          Filter: (lineitem.l_commitdate < lineitem.l_receiptdate)
          Rows Removed by Filter: 2207919
          Buffers: shared hit=1128 read=103592
    Planning:
      Buffers: shared hit=10
    Planning Time: 4.363 ms
    Execution Time: 2856.513 ms
    (37 rows)

Time: 2878.527 ms (00:02.879)
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;

```

```
-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS orders_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW orders_secure AS
SELECT o.*
FROM orders o
WHERE EXISTS (
    SELECT 1 FROM customer c
    WHERE c.c_custkey = o.o_custkey
    AND c.c_acctbal > 5000
);
```

```
-- Step 4: Grant permissions and set role
GRANT SELECT ON orders_secure TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}
```

```
WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}
```

```
Time: 7.111 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {ALTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
```



```

        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
  :stmt_location 0
  :stmt_len 45
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

Time: 2.981 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("orders_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("orders_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 3.754 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {VIEWSTMT
:view
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("o"
  {A_STAR
  }
  )
:location 36
}
:location 36
}
)
:fromClause (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias
  {ALIAS
:aliasname o
:colnames <>
}
:location 45
}
)
:whereClause
  {SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {A_CONST
:val 1
:location 80
}
:location 80
}
)
:fromClause (
  {RANGEVAR

```

```

:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 87
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 108
}
:rexpr
{COLUMNREF
:fields ("o" "o_custkey")
:location 122
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 120
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("c" "c_acctbal")
:location 142
}
:rexpr
{A_CONST
:val 5000
:location 156
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 154
}
}
:location 138
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 60
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 162
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
}
}

```

```

:intoClause <>
:targetList (
  {RESTARGET
    :name <>
    :indirection <>
    :val
      {COLUMNREF
        :fields ("o"
          {A_STAR
            }
          )
        :location 36
      }
    :location 36
  }
)
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname orders
    :inh true
    :relpersistance p
    :alias
      {ALIAS
        :aliasname o
        :colnames <>
      }
    :location 45
  }
)
:whereClause
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {SELECTTMT
        :distinctClause <>
        :intoClause <>
        :targetList (
          {RESTARGET
            :name <>
            :indirection <>
            :val
              {A_CONST
                :val 1
                :location 80
              }
            :location 80
          }
        )
        :fromClause (
          {RANGEVAR
            :catalogname <>
            :schemaname <>
            :relname customer
            :inh true
            :relpersistance p
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
              }
            :location 87
          }
        )
        :whereClause
          {BOOLEXP
            :boolop and
            :args (
              {A_EXPR
                :name ("=")
                :lexpr
                  {COLUMNREF
                    :fields ("c" "c_custkey")
                    :location 108
                  }
                :rexpr
                  {COLUMNREF
                    :fields ("o" "o_custkey")
                    :location 122
                  }
                :rexpr_list_start 0
                :rexpr_list_end 0
                :location 120
              }
              {A_EXPR
                :name (">")
                :lexpr
                  {COLUMNREF
                    :fields ("c" "c_acctbal")
                    :location 142
                  }
                :rexpr
                  {A_CONST
                    :val 5000
                    :location 156
                  }
                :rexpr_list_start 0
                :rexpr_list_end 0
                :location 154
              }
            )
          }
        :location 138
      }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
  }

```

```

        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :location 60
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 162
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}

```

```

    }
  )
  :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16)
    :insertedCols (b)
    :updatedCols (b)
    }
  )
  :jointree
    {FROMEXPR
    :fromlist (
      {RANGETBLREF
      :rtindex 1
      }
    )
    :quals
      {SUBLINK
      :subLinkType 0
      :subLinkId 0
      :testexpr <>
      :operName <>
      :subselect
        {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :ctelList <>
        :rtable (
          {RANGETBLENTRY
          :alias
            {ALIAS
            :aliasname c
            :colnames <>
            }
          :eref
            {ALIAS
            :aliasname c
            :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
            }
          :rtekind 0
          :relid 16546
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
          }
        )
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
      :relid 16546
      :inh true
      :requiredPerms 2
      :checkAsUser 0
      :selectedCols (b 8 13)
      :insertedCols (b)
      :updatedCols (b)
      }
    )
  )
  :jointree
    {FROMEXPR
    :fromlist (
      {RANGETBLREF
      :rtindex 1
      }
    )
    :quals
      {BOOLEXP
      :boolop and
      :args (
        {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location 108
          }
        )
        {VAR
        :varno 1

```

```

        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 122
    }
}
:location 120
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 142
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 156
        :constvalue 4 [ -120 19 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
)
:location 154
}
)
:location 138
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 80
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 60
}
}
:mergeActionList <>
:mergeTargetRelation 0

```

```

:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 36
      }
    :resno 1
    :resname o_orderkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 36
      }
    :resno 2
    :resname o_custkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 36
      }
    :resno 3
    :resname o_orderstatus
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 36
      }
    :resno 4
    :resname o_totalprice
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 4
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 36
      }
    :resno 5
    :resname o_orderdate
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 5
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR

```



```

:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 36
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 36
}
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 36
}
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 36
}
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 162
}

```

Time: 5.277 ms

WARNING: ===== RAW PARSE TREE =====

DETAIL: {RAWSTMT

```

:stmt
{GRANTSTMT
:is_grant true

```

```

:targettype 0
:objtype 41
:objects (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname orders_secure
    :inh true
    :relpersistence p
    :alias <>
    :location 16
  }
)
:privileges (
  {ACCESSPRIV
    :priv_name select
    :cols <>
  }
)
:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 33
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 38
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders_secure
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 33
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 38
}

```

Time: 0.779 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
}
```

```
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}
```

Time: 0.316 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
}
```

```

:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.239 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.177 ms

tpch=> EXPLAIN (ANALYZE, VERBOSE, BUFFERS)

```

select
  o_orderpriority,
  count(*) as order_count
from
  orders_secure
where
  o_orderdate >= date '1994-01-01'
  and o_orderdate < date '1994-01-01' + interval '3' month
  and exists (
    select
      *
    from
      lineitem
    where
      l_orderkey = o_orderkey
      and l_commitdate < l_receiptdate
  )
group by

```

```

    o_orderpriority
order by
    o_orderpriority;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o_orderpriority")
:location 47
}
:location 47
}
{RESTARTGET
:name order_count
:indirection <>
:val
{FUNCCALL
:funcname ("count")
:args <>
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star true
:agg_distinct false
:func_variadic false
:funcformat 0
:location 68
}
:location 68
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 101
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 125
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1994-01-01"
:location 145
}
:typeName
{TYPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 140
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 137
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 166
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\1994-01-01"
:location 185
}
:typeName
{TYPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 180
}

```

```

    }
    :location -1
  }
  :rexpr
  {TYPECAST
    :arg
    {A_CONST
      :val "\3"
      :location 209
    }
    :typeName
    {TYPENAME
      :names ("pg_catalog" "interval")
      :typeOid 0
      :setof false
      :pct_type false
      :typmods (
        {A_CONST
          :val 2
          :location 213
        }
      )
      :typemod -1
      :arrayBounds <>
      :location 200
    }
    :location -1
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 198
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 178
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
    :name <>
    :indirection <>
    :val
    {COLUMNREF
      :fields (
        {A_STAR
        }
      )
      :location 263
    }
    :location 263
  }
)
}
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 290
  }
)
:whereClause
{BOOLEXP
:boolop and
:args (
  {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
      :fields ("l_orderkey")
      :location 325
    }
  }
  :rexpr
  {COLUMNREF
    :fields ("o_orderkey")
    :location 338
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 336
}
  {A_EXPR
    :name ("<")
    :lexpr
    {COLUMNREF
      :fields ("l_commitdate")
      :location 365
    }
  }
  :rexpr
  {COLUMNREF
    :fields ("l_receiptdate")
    :location 380
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 378
}
)
:location 361
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>

```

```

        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :location 227
}
)
:location 162
}
:groupClause (
{COLUMNREF
:fields ("o_orderpriority")
:location 413
}
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("o_orderpriority")
:location 442
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:define analyze
:arg <>
:deffaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:define verbose
:arg <>
:deffaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:define buffers
:arg <>
:deffaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 457
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders_secure
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16623
}
}
}

```



```

:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
  {ALIAS
  :aliasname *GROUP*
  :colnames ("o_orderpriority")
  }
:rtekind 9
:groupexprs (
  {VAR
  :varno 1
  :varattno 6
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 6
  :location 47
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16623
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 12 13)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
    {BOOLEXP
    :boolop and
    :args (
      {OEXPR
      :opno 1098
      :opfuncid 1090
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
        :varno 1
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 125
        }
        {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 145
        :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
        }
      )
    }
  :location 137
  }
  {OEXPR
  :opno 2345
  :opfuncid 2338
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 166
    }
  )
  {OEXPR

```

```

:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 185
    :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
  }
  {CONST
    :consttype 1186
    :consttypmod 196607
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 209
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
  }
)
:location 198
}
)
:location 178
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBLENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname lineitem
            :colnames ("l_orderkey" "l_partkey" "l_supkey" "l_
linenumber" "l_quantity" "l_extendedprice" "l_disco
unt" "l_tax" "l_returnflag" "l_linestatus" "l_shipd
ate" "l_commitdate" "l_receiptdate" "l_shipinstruct
" "l_shipmode" "l_comment")
          }
        :rtekind 0
        :relid 16566
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16566
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20
21 22 23)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 325
    }
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 338
    }
    )
    :location 336
    }
    {OPEXPR
    :opno 1095
    :opfuncid 1087
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 12
    :location 365
    }
    {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 380
    }
    )
    :location 378
    }
    )
    :location 361
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 263
    }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 263
    }
    :resno 2
    :resname l_partkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 2
    :resjunk false
    }
    )

```

```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 263
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 263
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 263
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 263
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 263
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8

```

```

:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 263
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 263
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 263
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 263
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 263
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location 263
    }
    :resno 13
    :resname l_receiptdate
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 13
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 263
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 263
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 263
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:location 227
}
}
:location 162
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2

```

```

        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
:resno 1
:resname o_orderpriority
:resortgroupref 1
:resorigtbl 16623
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 68
}
:resno 2
:resname order_count
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0

```

```

:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 457
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders_secure
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16623
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname *GROUP*
        :colnames ("o_orderpriority")
      }
    :rtekind 9
    :groupexprs (
      {VAR
        :varno 1
        :varattno 6
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 47
      }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16623
    :inh true
    :requiredPerms 2
    :checkAsUser 0
  }
)

```



```

:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 125
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 145
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 137
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 166
}
{OPEXP
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 185
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 209
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 198
}
)
:location 178
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true

```

```

:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location 325
        }
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 1
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location 338
        }
      )
    }
    :location 336
  }
)
{OPEXP
  :opno 1095
  :opfuncid 1087
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 1
      :varattno 12
      :vartype 1082
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
    }
  )
}

```

```

        :varnosyn 1
        :varattnosyn 12
        :location 365
    }
    {VAR
    :varno 1
    :varattno 13
    :vartype 1002
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 380
    }
    )
    :location 378
    }
    )
    :location 361
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 263
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 263
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 263
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 263
}
:resno 4
:resname l_linenumber
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 263
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 263
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 263
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 263
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 263
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 263
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 263
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 263
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 263
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 263
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 15
        :location 263
    }
    :resno 15
    :resname l_shipmode
    :ressortgrouppref 0
    :resorigtbl 16566
    :resorigcol 15
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 263
}
:resno 16
:resname l_comment
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 227
}
)
:location 162
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderpriority
:ressortgrouppref 1
:resorigtbl 16623
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 68
}
:resno 2

```

```

:resname order_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
   :alias <>
   :eref
   {ALIAS
    :aliasname orders_secure
    :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
   }
  }
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
   :alias
   {ALIAS
    :aliasname o
    :colnames <>
   }
  }
:eref
  {ALIAS
   :aliasname o
   :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
  }
:rtekind 0
:relid 16561
:inh true
:relkind r

```

```

        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16)
    :insertedCols (b)
    :updatedCols (b)
    }
)
:jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF
    :rtindex 1
    }
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBLENTRY
    :alias
    {ALIAS
    :aliasname c
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname c
    :colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
    }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
    }
)
:jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF
    :rtindex 1
    }
)
:quals
{BOOLEXP
:boolop and
:args (
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0

```



```

:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -120 19 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1

```

```

    }
    :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
:resno 1
:resname o_orderkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
  }
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location -1
  }
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561

```

```

:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false

```

```

:relid 16623
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16623
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 125
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 145
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 137
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 166
}
{OPEXP

```

```

:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 185
    :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
  }
  {CONST
    :consttype 1186
    :consttypmod 196607
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 209
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
  }
)
:location 198
}
}
:location 178
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBLENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname lineitem
            :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
          }
        :rtekind 0
        :relid 16566
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
  }
:rtoperinfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
  :quals
    {BOOLEXP
      :boolop and
      :args (
        {OPEXP
          :opno 96
          :opfuncid 65
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 1
            }
          )
        }
      )
    }
  }

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 325
    }
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 338
    }
    )
    :location 336
    }
    {OPEXPR
    :opno 1095
    :opfuncid 1087
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 12
    :location 365
    }
    {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 380
    }
    )
    :location 378
    }
    )
    :location 361
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 263
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 263
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 263
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 263
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 263
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 263
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 263
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8

```

```

:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 263
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 263
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 263
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 263
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 263
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```



```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location 263
    }
    :resno 13
    :resname l_receiptdate
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 13
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 263
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 263
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 263
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:location 227
}
}
:location 162
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2

```

```

:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderpriority
:resortgroupref 1
:resorigtbl 16623
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 68
}
:resno 2
:resname order_count
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref

```

```

{ALIAS
:aliasname orders_secure
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtable 1
}
)
}
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
}
}

```

```

        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
    }
)
:jointree
    {FROMEXPR
    :fromlist (
        {RANGETBLREF
        :rtindex 1
        }
    )
    :quals
        {BOOLEXP
        :boolop and
        :args (
            {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location -1
                }
                {VAR
                :varno 1
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 1
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 2
                :location -1
                }
            )
        }
    :location -1
    }
    {OPEXP
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
        }
        {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ -120 19 0 0 0 0 0 0 ]
            }
        )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0

```

```

:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname o_orderkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname o_custkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname o_orderstatus
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 3
  }
)

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

        :varno 1
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 9
        :location -1
    }
    :resno 9
    :resname o_comment
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 9
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16623
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16623
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 125
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 145
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 137
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 166
}
{OEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 185
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 209
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 198
}
)
:location 178
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGEBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
}
:rtekind 0
:relid 16566
:inh true

```



```

:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 325
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 338
}
)
:location 336
}
{OEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 365
}
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 380
}
)
:location 378
}
)
:location 361
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 263
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 263
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 263
}
:resno 3
:resname l_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 263
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 263
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 263
}
:resno 6
:resname l_extendedprice
:resortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 263
}
:resno 7
:resname l_discount
:resortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 263
}
:resno 8
:resname l_tax
:resortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 263
}
:resno 9
:resname l_returnflag
:resortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 263
}
:resno 10
:resname l_linestatus
:resortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 11
:location 263
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 263
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 263
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 263
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 263
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 263
}
:resno 16

```

```

        :resname l_comment
        :ressortgroupref 0
        :resorigtbl 16566
        :resorigcol 16
        :resjunk false
    }
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 227
}
)
:location 162
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderpriority
:ressortgroupref 1
:resorigtbl 16623
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 68
}
:resno 2
:resname order_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tlesortgroupref 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE

```

```

:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 194594.51589866364
:plan.total_cost 194617.5859964136
:plan.plan_rows 5
:plan.plan_width 17
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname o_orderpriority
:ressortgroupref 1
:resorigtbl 16623
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 9
:aggno 0
:aggtransno 0
:location 68
}
:resno 2
:resname order_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHERMERGE
:plan.disabled_nodes 0
:plan.startup_cost 194594.51589866364
:plan.total_cost 194617.47599641362
:plan.plan_rows 12

```

```

:plan.plan_width 17
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 20
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {AGG
    :plan.disabled_nodes 0
    :plan.startup_cost 193594.49212422612
    :plan.total_cost 193616.06712422607
    :plan.plan_rows 5
    :plan.plan_width 17
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 2
    :plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno -2
            :varattno 1
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 0
            :varattnosyn 0
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 1
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {AGGREF
            :aggfnoid 2803
            :aggtype 20
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 20
            :aggargtypes <>
            :aggdirectargs <>
            :args <>
            :aggorder <>
            :aggdistinct <>
            :aggfilter <>
            :aggstar true
            :aggvariadic false
            :aggkind n
            :aggpresorted false
            :agglevelsup 0
            :aggssplit 6
            :aggno 0
            :aggtransno 0
            :location 68
          }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
      }
    )
  }

```

```

        :resjunk false
    }
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 193594.49212422612
:plan.total_cost 193601.6671242261
:plan.plan_rows 2870
:plan.plan_width 9
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 154455.46666666667
:join.plan.total_cost 193429.6560416667
:join.plan.plan_rows 2870
:join.plan.plan_width 9
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4806.4125
:join.plan.total_cost 40362.284374999996
:join.plan.plan_rows 10210
:join.plan.plan_width 13
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 5
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1

```



```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 35383
:scan.plan.plan_rows 22585
:scan.plan.plan_width 17
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)

```

```

:scan.plan.qual (
  {OEXPR
  :opno 1098
  :opfuncid 1090
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 4
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 5
    :location -1
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 145
    :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
    }
  )
  :location 137
  }
  {OEXPR
  :opno 2345
  :opfuncid 2338
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 4
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 5
    :location -1
    }
    {CONST
    :consttype 1114
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 32 105 23 -25 90 -1 -1 ]
    }
  )
  :location 178
  }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4453.25
:plan.total_cost 4453.25
:plan.plan_rows 28253
:plan.plan_width 4
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 7
:plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR
  :varno -2
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 5
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN

```

```

:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4453.25
:scan.plan.plan_rows 28253
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 8
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 5
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual (
  {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 5
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 -120 -77 64 ]
      }
    )
    :location -1
  }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 67807.2
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (

```

```

        {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 135974.79166666666
:plan.total_cost 135974.79166666666
:plan.plan_rows 833461
:plan.plan_width 4
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 9
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 135974.79166666666
:scan.plan.plan_rows 833461
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 325
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0

```

```

        :resorigcol 0
        :resjunk false
    }
)
:scan.plan.qual (
    {OEXPR
    :opno 1095
    :opfuncid 1087
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 3
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 12
        :location 365
        }
        {VAR
        :varno 3
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 13
        :location 380
        }
    )
    :location 378
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 325
    }
)
:skewTable 16561
:skewColumn 1
:skewInherit false
:rows_total 2000306.4
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 325
        }
    )
}

```

```

    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:numCols 1
:sortCollIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 1
:aggsplit 6
:numCols 1
:grpCollIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 5
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:numCols 1
:sortCollIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggsplit 9
:numCols 1
:grpCollIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 5
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
Finalize GroupAggregate (cost=194594.52..194617.59 rows=5 width=17) (actual time=1379.722..1404.948 rows=5.00 loops=1)
  Output: o.o_orderpriority, count(*)
  Group Key: o.o_orderpriority
  Buffers: shared hit=5756 read=128660, temp read=20139 written=20520
-> Gather Merge (cost=194594.52..194617.48 rows=12 width=17) (actual time=1379.525..1404.938 rows=15.00 loops=1)
  Output: o.o_orderpriority, (PARTIAL count(*))
  Workers Planned: 2
  Workers Launched: 2
  Buffers: shared hit=5756 read=128660, temp read=20139 written=20520
-> Partial GroupAggregate (cost=193594.49..193616.07 rows=5 width=17) (actual time=1363.406..1364.155 rows=5.00 loops=3)
  Output: o.o_orderpriority, PARTIAL count(*)
  Group Key: o.o_orderpriority
  Buffers: shared hit=5756 read=128660, temp read=20139 written=20520
  Worker 0: actual time=1355.954..1356.718 rows=5.00 loops=1
    Buffers: shared hit=1935 read=42724, temp read=6684 written=6812
  Worker 1: actual time=1356.724..1357.459 rows=5.00 loops=1
    Buffers: shared hit=1877 read=42496, temp read=6700 written=6804
-> Sort (cost=193594.49..193601.67 rows=2870 width=9) (actual time=1363.207..1363.571 rows=7772.33 loops=3)
  Output: o.o_orderpriority
  Sort Key: o.o_orderpriority
  Sort Method: quicksort Memory: 193kB
  Buffers: shared hit=5756 read=128660, temp read=20139 written=20520
  Worker 0: actual time=1355.747..1356.118 rows=8010.00 loops=1
    Sort Method: quicksort Memory: 193kB
    Buffers: shared hit=1935 read=42724, temp read=6684 written=6812
  Worker 1: actual time=1356.524..1356.882 rows=7809.00 loops=1
    Sort Method: quicksort Memory: 193kB
    Buffers: shared hit=1877 read=42496, temp read=6700 written=6804
-> Parallel Hash Semi Join (cost=154455.47..193429.66 rows=2870 width=9) (actual time=1207.963..1360.236 rows=7772.33 loops=3)
  Output: o.o_orderpriority
  Hash Cond: (o.o_orderkey = lineitem.l_orderkey)
  Buffers: shared hit=5740 read=128660, temp read=20139 written=20520
  Worker 0: actual time=1205.933..1353.256 rows=8010.00 loops=1

```

```

    Buffers: shared hit=1927 read=42724, temp read=6684 written=6812
Worker 1: actual time=1190.640..1353.088 rows=7809.00 loops=1
    Buffers: shared hit=1869 read=42496, temp read=6700 written=6804
-> Parallel Hash Semi Join (cost=4806.41..40362.28 rows=10210 width=13) (actual time=17.871..164.755 rows=8461.00 loops=3)
    Output: o.o_orderpriority, o.o_orderkey
    Hash Cond: (o.o_custkey = c.c_custkey)
    Buffers: shared hit=4518 read=25162
    Worker 0: actual time=17.848..164.825 rows=8435.00 loops=1
        Buffers: shared hit=1504 read=8394
    Worker 1: actual time=17.904..164.776 rows=8608.00 loops=1
        Buffers: shared hit=1507 read=8368
    -> Parallel Seq Scan on public.orders o (cost=0.00..35383.00 rows=22585 width=17) (actual time=0.792..139.983 rows=18783.0
0 loops=3)
        Output: o.o_orderkey, o.o_custkey, o.o_orderstatus, o.o_totalprice, o.o_orderdate, o.o_orderpriority, o.o_clerk, o.o_s
hipriority, o.o_comment
    ))
        Rows Removed by Filter: 481217
        Buffers: shared hit=846 read=25162
        Worker 0: actual time=0.610..140.136 rows=18815.00 loops=1
            Buffers: shared hit=283 read=8394
        Worker 1: actual time=0.913..139.859 rows=18905.00 loops=1
            Buffers: shared hit=290 read=8368
    -> Parallel Hash (cost=4453.25..4453.25 rows=28253 width=4) (actual time=16.874..16.875 rows=22663.00 loops=3)
        Output: c.c_custkey
        Buckets: 131072 Batches: 1 Memory Usage: 3712kB
        Buffers: shared hit=3672
        Worker 0: actual time=16.947..16.947 rows=22685.00 loops=1
            Buffers: shared hit=1221
        Worker 1: actual time=16.957..16.957 rows=22579.00 loops=1
            Buffers: shared hit=1217
    -> Parallel Seq Scan on public.customer c (cost=0.00..4453.25 rows=28253 width=4) (actual time=0.021..12.990 rows=22
663.00 loops=3)
        Output: c.c_custkey
        Filter: (c.c_acctbal > '5000'::double precision)
        Rows Removed by Filter: 27337
        Buffers: shared hit=3672
        Worker 0: actual time=0.025..12.944 rows=22685.00 loops=1
            Buffers: shared hit=1221
        Worker 1: actual time=0.020..12.980 rows=22579.00 loops=1
            Buffers: shared hit=1217
    -> Parallel Hash (cost=135974.79..135974.79 rows=833461 width=4) (actual time=1020.913..1020.913 rows=1264432.00 loops=3)
        Output: lineitem.l_orderkey
        Buckets: 262144 (originally 262144) Batches: 32 (originally 16) Memory Usage: 6752kB
        Buffers: shared hit=1222 read=103498, temp read=9135 written=20136
        Worker 0: actual time=1014.146..1014.146 rows=1258445.00 loops=1
            Buffers: shared hit=423 read=34330, temp read=3039 written=6684
        Worker 1: actual time=1014.136..1014.136 rows=1248975.00 loops=1
            Buffers: shared hit=362 read=34128, temp read=3039 written=6676
    -> Parallel Seq Scan on public.lineitem (cost=0.00..135974.79 rows=833461 width=4) (actual time=0.750..563.823 rows=126443
2.00 loops=3)
        Output: lineitem.l_orderkey
        Filter: (lineitem.l_commitdate < lineitem.l_receiptdate)
        Rows Removed by Filter: 735973
        Buffers: shared hit=1222 read=103498
        Worker 0: actual time=0.353..567.718 rows=1258445.00 loops=1
            Buffers: shared hit=423 read=34330
        Worker 1: actual time=0.502..560.751 rows=1248975.00 loops=1
            Buffers: shared hit=362 read=34128

Planning:
  Buffers: shared hit=15
  Planning Time: 8.738 ms
  Execution Time: 1405.986 ms
(91 rows)

Time: 1432.442 ms (00:01.432)
tpch=> RESET ROLE;
WARNING: ===== RAW PARSE TREE =====
DETAIL:  {RAWSTMT
  :stmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
    :stmt_location 0
    :stmt_len 10
  }

WARNING: ===== ANALYZED QUERY =====
DETAIL:  {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :ctelList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>

```



```

:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 1.921 ms
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
    END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on orders
ALTER TABLE orders ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show orders from customers with acctbal > 5000
CREATE POLICY orders_rls_policy ON orders
USING (
    EXISTS (
        SELECT 1 FROM customer c
        WHERE c.c_custkey = orders.o_custkey
        AND c.c_acctbal > 5000
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON orders TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
    :stmt
    {DOSTMT
    :args (
    {DEFELEM
    :defnamespace <>
    :defname as
    :arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
        :defaction 0
        :location 3
    }
    }
    :stmt_location 0
    :stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
    :commandType 6
    :querySource 0
    :canSetTag true
    :utilityStmt
    {DOSTMT
    :args (
    {DEFELEM
    :defnamespace <>
    :defname as
    :arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\

```

```

\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ \ \ \ \ \ \ \ \ IF\ EXISTS\ %I\ ON\ %I',\ r.policyname,\ r.tablename\
\ \ \ \ \ \ \ \ \ );
\ \ \ \ \ \ \ \ END\ LOOP;\
END;\
"

```

```

:defaultion 0
:location 3
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR

```



```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
          "cmd" "qual" "with_check")
        }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname pol
                :colnames <>
                }
            :eref
              {ALIAS
                :aliasname pol
                :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
                  "polroles" "polqual" "polwithcheck")
                }
            :rtekind 0
            :relid 3256
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
            }
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
                }
            :eref
              {ALIAS
                :aliasname c
                :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
                  "relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
                  eltuples" "relallyvisible" "relallfrozen" "reltoastrelid" "relha
                  sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
                  lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
                  wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
                  " "relispartition" "relrewrite" "relfrozensxid" "relminmxid" "re
                  lacl" "reloptions" "relpartbound")
                }
            :rtekind 0
            :relid 1259
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 2
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
            }
          {RANGETBENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname unnamed_join
                :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
                  "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
                  ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
                  tablespace" "relpages" "reltuples" "relallyvisible" "relallfroze
                  n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
                  "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
                  " "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
                  spopulated" "relreplident" "relispartition" "relrewrite" "relfr
                  ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
                }
            :rtekind 2
            :jointype 0
            :joinmergedcols 0
            :joinaliasvars (
              {VAR

```

```

:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>

```

```

}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablesace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8

```

```

:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
}
{VAR

```

```

:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2

```

```

        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 3
    }
    :rarg
    {RANGETBLREF
    :rtindex 4
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals <>
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname schemaname
    :ressortgroupref 0
    :resorigtbl 2615
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policynome
:ressortgrouppref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep

```

```

        location "rolbypassrls" "rolconnlimit" "rolpassword"
        "rolvaliduntil")
    }
    :rtekind 0
    :relid 1260
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tltSortGroupRef 1
:eqop 93
:sortop 660

```

```

        :reverse_sort false
        :nulls_first false
        :hashable true
    }
}
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}

```

```

:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1

```

```

        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1

```



```

{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 3
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 7
  }
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 19
  }
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
          "cmd" "qual" "with_check")
      }
    :rtekind 1
  }
:subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
  }
}

```



```

:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozensxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1

```

```

:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}

```

```

{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13

```

```

:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reliid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreliid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablesampl" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2

```



```

:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}

```

```

{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29

```

```

:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 4
        :varattnosyn 4
        :location -1
    }
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b 5)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 2
      :location -1
    }
  }
  :resno 1
  :resname schemaname
  :ressortgrouppref 0
  :resorigtbl 2615
  :resorigcol 2
  :resjunk false
}
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
  }
  :resno 2
  :resname tablename
  :ressortgrouppref 0
  :resorigtbl 1259
  :resorigcol 2
  :resjunk false
}
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
  }
  :resno 3
  :resname policyname
  :ressortgrouppref 0
  :resorigtbl 3256
  :resorigcol 2
  :resjunk false
}
  {TARGETENTRY
    :expr
    {CASEEXPR
      :casetype 25
      :casecollid 100

```

```

:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 ]
}
}
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
}

```

```

        :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 4 [ 16 0 0 0 ]
    }
    )
    :location -1
    }
    :elemexpr
    {FUNCEXP
    :funcid 407
    :funcresulttype 19
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 950
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeid 25
    :typemod -1
    :collation 0
    }
    )
    :location -1
    }
    :resulttype 1003
    :resulttypmod -1
    :resultcollid 950
    :coerceformat 2
    :location -1
    }
    :location -1
    }
    )
    :defresult
    {SUBLINK
    :sublinkType 6
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname pg_authid
    :colnames ("oid" "rolname" "rolsuper" "rolinherit"
    "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
    lication" "rolbypassrls" "rolconlimit" "rolpasswor
    d" "rolvaliduntil")
    }
    :rtekind 0
    :relid 1260
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    :quals
    {SCALARARRAYOPEXP
    :opno 607
    :opfuncid 184
    :hashfuncid 0
    :negfuncid 0
    :useOr true

```

```

        :inputcollid 0
        :args (
            {VAR
                :varno 1
                :varattno 1
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location -1
            }
            {VAR
                :varno 1
                :varattno 6
                :vartype 1028
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 1
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location -1
            }
        )
        :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
        }
        :resno 1
        :resname rolname
        :ressortgroupref 1
        :resorigtbl 1260
        :resorigcol 2
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 93
        :sortop 660
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```



```

:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:args (
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}

```

```

    }
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>

```

```

        :withCheckOptions <>
            :stmt_location -1
            :stmt_len -1
        }
    :security_barrier false
    :releid 12018
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:releid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatecols (b)
})
)
:jointree
{JOINTREE
:fromlist (
{FROMLIST
:rtindex 1
})
)
:quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varsyn 1
:varattnosyn 1
:location 52
})
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
})
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varsyn 1
:varattnosyn 3
:location 7
})
:resno 1
:resname polycyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varsyn 1
:varattnosyn 2
:location 19
})
:resno 2
:resname tablename
:ressortgroupref 0

```

```

:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4.907500000000001
:join.plan.total_cost 26.256500000000003
:join.plan.plan_rows 20
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 3.845
:join.plan.total_cost 24.75625
:join.plan.plan_rows 82
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.43
:scan.plan.plan_rows 443
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
    }
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8

```

```

        :location -1
    }
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0

```



```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34

```

```

        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 2.8200000000000003
:plan.total_cost 2.8200000000000003
:plan.plan_rows 82
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 2.8200000000000003
:scan.plan.plan_rows 82
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 607
        :opfuncid 184
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 1
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 1
                :location -1
            }
            {VAR
                :varno -1
                :varattno 2
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 3
                :location -1
            }
        )
    }
    :location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
    }
)
}
:join.plan.righttree
{HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 1.05
    :plan.total_cost 1.05

```

```
:plan.plan_rows 1
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.05
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
```

```

:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
  }
)
:skewTable 1259
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
  }
  :args (
    {VAR
      :varno -2
      :varattno 3
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 3
      :location -1
    }
    {VAR
      :varno -1
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location -1
    }
  )
  :location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
  }
)
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
    :fromlist <>
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY

```



```

:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25

```

```

:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3

```

```

        :paramtype 19
        :paramtypmod -1
        :paramcollid 950
        :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
}
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>

```

```

}

WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("orders" "orders_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("orders" "orders_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

```

Time: 28.125 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>

```

```

:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.164 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALTERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALTERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALTERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALTERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>

```

```

:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.853 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
}

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

Time: 0.271 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>

```

```
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

Time: 0.673 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
```



```
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

Time: 0.285 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}
```

```
Time: 0.253 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}
```

```
WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

```
Time: 0.293 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
```

```

        {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 12
        }
      :cmds (
        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :stmt_location 0
  :stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
  :relation
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname nation
    :inh true
    :relpersistence p
    :alias <>
    :location 12
    }
  :cmds (
    {ALERTABLECMD
    :subtype 55
    :name <>
    :num 0
    :newowner <>
    :def <>
    :behavior 0
    :missing_ok false
    :recurse false
    }
  )
  :objtype 41
  :missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.244 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {ALERTABLESTMT
  :relation
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname region
    :inh true
    :relpersistence p
    }
  }
}

```

```

        :alias <>
        :location 12
    }
    :cmds (
        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
    )
    :objtype 41
    :missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.236 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54

```

```

        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 44
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 44
}
}

```

```

Time: 0.235 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name orders_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 35
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
}
}

```

```

)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 78
}
:location 78
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 85
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 110
}
:rexpr
{COLUMNREF
:fields ("orders" "o_custkey")
:location 124
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 122
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("c" "c_acctbal")
:location 153
}
:rexpr
{A_CONST
:val 5000
:location 167
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 165
}
)
:location 149
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 54
}
:with_check <>
}
:stmt_location 0
:stmt_len 179
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name orders_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true

```

```

:relpersistence p
:alias <>
:location 35
}
:cmd_name all
:permissive true
:roles (
  {ROLESPEC
    :roletype 4
    :rolename <>
    :location -1
  }
)
:qual
{SUBLINK
  :subLinkType 0
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
    {SELECTSTMT
      :distinctClause <>
      :intoClause <>
      :targetList (
        {RESTARTGET
          :name <>
          :indirection <>
          :val
            {A_CONST
              :val 1
              :location 78
            }
          :location 78
        }
      )
      :fromClause (
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname customer
          :inh true
          :relpersistence p
          :alias
            {ALIAS
              :aliasname c
              :colnames <>
            }
          :location 85
        }
      )
      :whereClause
        {BOOLEXP
          :boolop and
          :args (
            {A_EXPR
              :name ("=")
              :lexpr
                {COLUMNREF
                  :fields ("c" "c_custkey")
                  :location 110
                }
              :rexpr
                {COLUMNREF
                  :fields ("orders" "o_custkey")
                  :location 124
                }
              :rexpr_list_start 0
              :rexpr_list_end 0
              :location 122
            }
            {A_EXPR
              :name (">")
              :lexpr
                {COLUMNREF
                  :fields ("c" "c_acctbal")
                  :location 153
                }
              :rexpr
                {A_CONST
                  :val 5000
                  :location 167
                }
              :rexpr_list_start 0
              :rexpr_list_end 0
              :location 165
            }
          )
        }
      :location 149
    }
  :groupClause <>
  :groupDistinct false
  :havingClause <>
  :windowClause <>
  :valuesLists <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :lockingClause <>
  :withClause <>
  :op 0
  :all false
  :larg <>
  :rarg <>
}
:location 54
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 179
}

```

Time: 0.747 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
}

```



```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.472 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
  }
}

```

```

    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.553 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targettype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targettype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
}

```

```

)
:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.217 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
}

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

Time: 0.149 ms
tpch=> select
  o_orderpriority,
  count(*) as order_count
from
  orders
where
  o_orderdate >= date '1994-01-01'
  and o_orderdate < date '1994-01-01' + interval '3' month
  and exists (
    select
      *
    from
      lineitem
    where
      l_orderkey = o_orderkey
      and l_commitdate < l_receiptdate
  )
group by
  o_orderpriority
order by
  o_orderpriority;
WARNING: ===== RAW PARSE TREE =====
DETAIL:   {RAWSTMT
:stmt
  {SELECTSTMT
    :distinctClause <>
    :intoClause <>
    :targetList (
      {RESTARTGET
        :name <>
        :indirection <>
        :val
          {COLUMNREF
            :fields ("o_orderpriority")
            :location 11
          }
        :location 11
      }
      {RESTARTGET
        :name order_count
        :indirection <>
        :val
          {FUNCCALL
            :funcname ("count")
            :args <>
            :agg_order <>
            :agg_filter <>
            :over <>
            :agg_within_group false
            :agg_star true
            :agg_distinct false
            :func_variadic false
            :funcformat 0
            :location 32
          }
        :location 32
      }
    )
  :fromClause (
    {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname orders
      :inh true
      :relpersistence p
      :alias <>
      :location 65
    }
  )
  :whereClause
    {BOOLEXP
      :boolop and
      :args (
        {A_EXPR
          :name (">=")
          :lexpr
            {COLUMNREF
              :fields ("o_orderdate")
              :location 82
            }
          :rexpr
            {TYPECAST
              :arg
                {A_CONST
                  :val "\1994-01-01"
                  :location 102
                }
              :typeName
                {TYPENAME
                  :names ("date")
                  :typeOid 0

```

```

        :setof false
        :pct_type false
        :typmods <>
        :typemod -1
        :arrayBounds <>
        :location 97
    }
    :location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 94
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 123
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\\1994-01-01"
:location 142
}
:typeName
{TYPPNAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 137
}
}
:location -1
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\\3"
:location 166
}
:typeName
{TYPPNAME
:names ("pg_catalog" "interval")
:typeOid 0
:setof false
:pct_type false
:typmods (
{A_CONST
:val 2
:location 170
}
)
:typemod -1
:arrayBounds <>
:location 157
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 155
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 135
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields (
{A_STAR
}
)
:location 220
}
}
:location 220
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relnamelineitem
:inh true
:relpersistence p
:alias <>
:location 247
}
)
:whereClause
{BOOLEXP
:boolop and
:args (

```

```

        {A_EXPR
        :name ("=")
        :lexpr
        {COLUMNREF
        :fields ("l_orderkey")
        :location 282
        }
        :rexpr
        {COLUMNREF
        :fields ("o_orderkey")
        :location 295
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 293
        }
        {A_EXPR
        :name ("<")
        :lexpr
        {COLUMNREF
        :fields ("l_commitdate")
        :location 322
        }
        :rexpr
        {COLUMNREF
        :fields ("l_receiptdate")
        :location 337
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 335
        }
    )
    :location 318
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 184
    }
    )
    :location 119
    }
    :groupClause (
    {COLUMNREF
    :fields ("o_orderpriority")
    :location 370
    }
    )
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause (
    {SORTBY
    :node
    {COLUMNREF
    :fields ("o_orderpriority")
    :location 399
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
    }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :stmt_location 0
    :stmt_len 414
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>

```

```

:eref
{
  ALIAS
  :aliasname orders
  :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias <>
:eref
{
  ALIAS
  :aliasname *GROUP*
  :colnames ("o_orderpriority")
}
:rtekind 9
:groupexprs (
{
  VAR
  :varno 1
  :varattno 6
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 6
  :location 11
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 82
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 102
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 94
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
}
)
}
}

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 123
}
{OEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 142
    :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
  }
  {CONST
    :consttype 1186
    :consttypmod 196607
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 166
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
  }
)
:location 155
}
)
:location 135
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname lineitem
            :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate"
"l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
          }
        :rtekind 0
        :relid 16566
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
  }
:ртеperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
  :quals
    {BOOLEXP
      :boolop and
      :args (
        {OEXPR
          :opno 96
          :opfuncid 65

```



```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 282
  }
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 295
  }
)
:location 293
}
{OEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 12
    :location 322
  }
  {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 337
  }
)
:location 335
}
:location 318
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 220
      }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 220
      }

```

```

    }
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 220
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 220
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 220
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 220
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 220
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566

```

```

:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 220
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 220
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 220
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 220
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 220
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 1
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location 220
        }
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 220
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 220
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 220
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 184
}
)
:location 119
}
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname o_orderpriority
    :ressortgroupref 1
    :resorigtbl 16561
    :resorigcol 6
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {AGGREF
        :aggfnoid 2803
        :aggtype 20
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes <>
        :aggdirectargs <>
        :args <>
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar true
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggssplit 0
        :aggno -1
        :aggtransno -1
        :location 32
      }
    :resno 2
    :resname order_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 414
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false

```

```

:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname *GROUP*
        :colnames ("o_orderpriority")
      }
    :rtekind 9
    :groupexprs (
      {VAR
        :varno 1
        :varattno 6
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 11
      }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 12 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 1098
        :opfuncid 1090
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 5
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location 82
          }
          {CONST
            :consttype 1082
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 102
            :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
          }
        )
        :location 94
      }
      {OPEXP
        :opno 2345
        :opfuncid 2338
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (

```

```

{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 123
}
{OEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 142
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 166
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 155
}
)
:location 135
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals

```

```

{BOOLEXP
:boolop and
:args (
  {OEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 282
    }
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 295
    }
  )
  :location 293
  }
  {OEXPR
  :opno 1095
  :opfuncid 1087
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 12
    :location 322
    }
    {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 337
    }
  )
  :location 335
  }
)
:location 318
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location 220
  }
  :resno 1
  :resname l_orderkey
  :ressortgroupref 0
  :resorigtbl 16566
  :resorigcol 1
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 23
  :vartypmod -1
  :varcollid 0
  }

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 220
    }
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 220
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 220
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 220
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 220
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7

```

```

        :location 220
    }
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 220
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 220
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 220
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 220
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 220
}
:resno 12
:resname l_commitdate
:ressortgroupref 0

```

```

:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 220
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 220
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 220
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 220
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

```

        :location 184
    }
)
:location 119
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname o_orderpriority
    :ressortgroupref 1
    :resorigtbl 16561
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 32
    }
    :resno 2
    :resname order_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 414
}

```

WARNING: Table OID=16561

WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
    {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY

```

```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone"
          "c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
          }
          {FROMEXPR
            :varattnosyn 1
            :location -1
          }
        )
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    )
  }
:location -1
}
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
  }
)

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -120 19 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
}
)
}
)

```

```

:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname c
                :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
              }
            :rtekind 0
            :relid 16546
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16546
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 13)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  )
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXPR
    :boolop and
    :args (
      {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
          }
        )
      }
    )
  }

```

```

    )
    :location -1
  }
  {OPEXPR
  :opno 674
  :opfuncid 297
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ -120 19 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  )
  :location -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  :resno 1
  :resname ?column?
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
:rtekind 9
:groupexprs (
  {VAR
  :varno 1
  :varattno 6

```



```

:vartype 25
:vartypemod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 11
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypemod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 82
}
{CONST
:consttype 1082
:consttypemod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 102
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 94
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypemod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 123
}
{OPEXP
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypemod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 142
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypemod 196607
:constcollid 0

```

```

        :constlen 16
        :constbyval false
        :constisnull false
        :location 166
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
    }
}
:location 155
}
)
:location 135
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 282
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1

```

```

        :location 295
    }
)
:location 293
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 12
    :location 322
    }
    {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 337
    }
    )
    :location 335
    }
    )
    :location 318
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 220
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 220
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 220
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 220
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 220
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 220
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 220
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 220
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 220
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 220
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 220
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 220
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 220
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 14
        :location 220
    }
    :resno 14
    :resname l_shipinstruct
    :ressortgrouppref 0
    :resorigtbl 16566
    :resorigcol 14
    :resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 220
  }
:resno 15
:resname l_shipmode
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 16
    :location 220
  }
:resno 16
:resname l_comment
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 184
}
)
:location 119
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname o_orderpriority
    :ressortgrouppref 1
    :resorigtbl 16561
    :resorigcol 6
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {AGGREF

```

```

:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 32
}
:resno 2
:resname order_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 414
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGEABLEENTRY
   :alias <>
   :eref
   {ALIAS
    :aliasname orders
    :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
   }
   :rtekind 0
   :relid 16561
   :inh true
   :relkind r
   :rellockmode 1
   :perminfoindex 1
   :tablesample <>
   :lateral false
   :inFromCl true
   :securityQuals (
    {SUBLINK
     :subLinkType 0
     :subLinkId 0
     :testexpr <>
     :operName <>
     :subselect

```

```

{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c
          _phone" "c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
          }
        )
      }
      :location -1
    )
  }
  {OPEXP
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
      }
    )
  }
)

```



```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 4 [ -120 19 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    )
    :location -1
}
)
:location -1
}
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 11
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)

```

```

:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXPR
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 82
}
){CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 102
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 94
}
){OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 123
}
){OEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 142
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
){CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 166
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 155
}
)
:location 135
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
}

```

```

:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 282
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 295
}
)
}
:location 293
}
{OEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 12

```

```

        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 12
        :location 322
    }
    {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 337
    }
    )
    :location 335
    }
    )
    :location 318
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 220
    }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 220
    }
    :resno 2
    :resname l_partkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 220
    }
    :resno 3
    :resname l_suppkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 220
    }
    }

```

```

:resno 4
:resname l_linenumber
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 220
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 220
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 220
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 220
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 220
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 220
}
:resno 10
:resname l_linestatus
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 220
}
:resno 11
:resname l_shipdate
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 220
}
:resno 12
:resname l_commitdate
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 220
}
:resno 13
:resname l_receiptdate
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 220
}
:resno 14
:resname l_shipinstruct
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

        :varno 1
        :varattno 15
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 15
        :location 220
    }
    :resno 15
    :resname l_shipmode
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 15
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 220
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 184
}
)
:location 119
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderpriority
:ressortgroupref 1
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0

```

```

        :aggssplit 0
        :aggno -1
        :aggtransno -1
        :location 32
    }
    :resno 2
    :resname order_count
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 414
}

WARNING: ===== FINAL PLAN =====
DETAIL:      {AGG
:plan.disabled_nodes 0
:plan.startup_cost 8883274415.708885
:plan.total_cost 8883274719.763882
:plan.plan_rows 5
:plan.plan_width 17
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
    }
    :resno 1
    :resname o_orderpriority
    :ressortgrouppref 1
    :resorigtbl 16561
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 20
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno 0
    :aggtransno 0
    :location 32
    }
    :resno 2
    :resname order_count
    :ressortgrouppref 0

```



```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 8883274415.708885
:plan.total_cost 8883274517.043884
:plan.plan_rows 40534
:plan.plan_width 9
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 212549.3375
:join.plan.total_cost 8883271313.470623
:join.plan.plan_rows 40534
:join.plan.plan_width 9
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 8883048508
:scan.plan.plan_rows 144199
:scan.plan.plan_width 13
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 295
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 82
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 102
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 94
}
{SUBPLAN
:subLinkType 2
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:paramIds (i 1)
:plan_id 2
:plan_name SubPlan\ 2
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 5716.52
:per_call_cost 0.0025
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1

```

```

:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 123
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 32 105 23 -25 90 -1 -1 ]
}
)
:location 135
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 179731.5
:plan.total_cost 179731.5
:plan.plan_rows 2000307
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 179731.5
:scan.plan.plan_rows 2000307
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 282
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 12

```

```

        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 12
        :location 322
    }
    {VAR
    :varno 3
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 13
    :location 337
    }
    )
    :location 335
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 3
    }
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 282
    }
    )
    :skewTable 16561
    :skewColumn 1
    :skewInherit false
    :rows_total 0
    }
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 295
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 282
        }
    )
    :location -1
    }
    )
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0

```

```

        :varnosyn 1
        :varattnosyn 1
        :location 295
    }
}
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggsplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 5
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

o_orderpriority	order_count
1-URGENT	4751
2-HIGH	4737
3-MEDIUM	4661
4-NOT SPECIFIED	4591
5-LOW	4577

(5 rows)

Time: 2522.047 ms (00:02.522)

```

tpch> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;

```

```

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS orders_secure;

```

```

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW orders_secure AS
SELECT o.*
FROM orders o
WHERE EXISTS (
    SELECT 1 FROM customer c
    WHERE c.c_custkey = o.o_custkey
    AND c.c_acctbal > 5000
);

```

```

-- Step 4: Grant permissions and set role
GRANT SELECT ON orders_secure TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
}

```

```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 11.042 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false

```

```

:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 4.358 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("orders_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("orders_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 3.463 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o"
{A_STAR

```

```

    }
  )
  :location 36
}
:location 36
}
)
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname orders
    :inh true
    :relpersistance p
    :alias
    {ALIAS
      :aliasname o
      :colnames <>
    }
    :location 45
  }
)
:whereClause
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {SELECTTMT
        :distinctClause <>
        :intoClause <>
        :targetList (
          {RESTARGET
            :name <>
            :indirection <>
            :val
              {A_CONST
                :val 1
                :location 80
              }
            :location 80
          }
        )
        :fromClause (
          {RANGEVAR
            :catalogname <>
            :schemaname <>
            :relname customer
            :inh true
            :relpersistance p
            :alias
            {ALIAS
              :aliasname c
              :colnames <>
            }
            :location 87
          }
        )
        :whereClause
          {BOOLEXP
            :boolop and
            :args (
              {A_EXPR
                :name ("=")
                :lexpr
                  {COLUMNREF
                    :fields ("c" "c_custkey")
                    :location 108
                  }
                :rexpr
                  {COLUMNREF
                    :fields ("o" "o_custkey")
                    :location 122
                  }
                :rexpr_list_start 0
                :rexpr_list_end 0
                :location 120
              }
              {A_EXPR
                :name (">")
                :lexpr
                  {COLUMNREF
                    :fields ("c" "c_acctbal")
                    :location 142
                  }
                :rexpr
                  {A_CONST
                    :val 5000
                    :location 156
                  }
                :rexpr_list_start 0
                :rexpr_list_end 0
                :location 154
              }
            )
            :location 138
          }
        :groupClause <>
        :groupDistinct false
        :havingClause <>
        :windowClause <>
        :valuesLists <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
      }
    :location 60
  }

```



```

    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
  }
  :replace false
  :options <>
  :withCheckOption 0
}
:stmt_location 0
:stmt_len 162
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o"
{A_STAR
}
)
:location 36
}
:location 36
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname o
:colnames <>
}
:location 45
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 80
}
:location 80
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 87
}
)
}
:whereClause

```

```

{BOOLEXPR
:boolop and
:args (
  {A_EXPR
:name ("=")
:lexpr
  {COLUMNREF
:fields ("c" "c_custkey")
:location 108
}
}
:rexpr
  {COLUMNREF
:fields ("o" "o_custkey")
:location 122
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 120
}
{A_EXPR
:name (">")
:lexpr
  {COLUMNREF
:fields ("c" "c_acctbal")
:location 142
}
}
:rexpr
  {A_CONST
:val 5000
:location 156
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 154
}
)
:location 138
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 60
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>

```

```

:stmt_location 0
:stmt_len 162
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname o
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname o
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname c
                :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
              }
            :rtekind 0
            :relid 16546
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    }
  }

```

```

)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16546
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 13)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {BOOLEXPR
  :boolop and
  :args (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 108
      }
      {VAR
      :varno 1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 1
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 122
      }
    )
    :location 120
  }
  {OPEXPR
  :opno 674
  :opfuncid 297
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 142
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 156
      :constvalue 4 [ -120 19 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  :location 154
}
)
:location 138
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY

```

```

        :expr
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 80
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :location 60
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 36
}
:resno 1
:resname o_orderkey
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 36
}
:resno 2
:resname o_custkey
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 36
}
:resno 3
:resname o_orderstatus
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 36
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 36
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 36
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 36
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 36
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 36
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 162
}

```

Time: 6.675 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 33
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 38
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 33
}
)
:grant_option false
}

```

```

:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 38
}

```

Time: 0.871 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC

```



```

        :roletype 0
        :rolename alice
        :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.239 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV

```

```

:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.290 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
}

```

```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

Time: 0.170 ms
tpch=> select
    o_orderpriority,
    count(*) as order_count
from
    orders_secure
where
    o_orderdate >= date '1994-01-01'
    and o_orderdate < date '1994-01-01' + interval '3' month
    and exists (
        select
            *
        from
            lineitem
        where
            l_orderkey = o_orderkey
            and l_commitdate < l_receiptdate
    )
group by
    o_orderpriority
order by
    o_orderpriority;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o_orderpriority")
:location 11
}
:location 11
}
{RESTARTGET
:name order_count
:indirection <>
:val
{FUNCCALL
:funcname ("count")
:args <>
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star true
:agg_distinct false
:func_variadic false
:funcformat 0
:location 32
}
:location 32
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 65
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 89
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1994-01-01"
:location 109
}
}
:typeName

```

```

        {TYPENAME
        :names ("date")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods <>
        :typemod -1
        :arrayBounds <>
        :location 104
        }
    :location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 101
}
{A_EXPR
:name ("<"")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 130
}
}
:rexpr
{A_EXPR
:name ("+"")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\1994-01-01"
:location 149
}
:typeName
{TYPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 144
}
:location -1
}
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\3"
:location 173
}
:typeName
{TYPENAME
:names ("pg_catalog" "interval")
:typeOid 0
:setof false
:pct_type false
:typmods (
{A_CONST
:val 2
:location 177
}
)
:typemod -1
:arrayBounds <>
:location 164
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 162
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 142
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RETARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields (
{A_STAR
}
)
:location 227
}
}
:location 227
}
)
}
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 254
}
)
}
:whereClause

```

```

{BOOLEXP
:boolop and
:args (
  {A_EXPR
  :name ("=")
  :lexpr
  {COLUMNREF
  :fields ("l_orderkey")
  :location 289
  }
  :rexpr
  {COLUMNREF
  :fields ("o_orderkey")
  :location 302
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 300
  }
  {A_EXPR
  :name ("<")
  :lexpr
  {COLUMNREF
  :fields ("l_commitdate")
  :location 329
  }
  :rexpr
  {COLUMNREF
  :fields ("l_receiptdate")
  :location 344
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 342
  }
  )
  :location 325
  }
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 191
}
)
:location 126
}
:groupClause (
  {COLUMNREF
  :fields ("o_orderpriority")
  :location 377
  }
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
  {SORTBY
  :node
  {COLUMNREF
  :fields ("o_orderpriority")
  :location 406
  }
  :sortby_dir 0
  :sortby_nulls 0
  :useOp <>
  :location -1
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:stmt_location 0
:stmt_len 421
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>

```

```

:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders_secure
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o
_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16628
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 11
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16628
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 89
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 109
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 101
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5

```

```

:varstype 1082
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 130
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 149
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 173
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 162
}
)
:location 142
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (

```

```

{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 289
}
  {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 302
}
)
:location 300
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 329
}
  {VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 344
}
)
:location 342
}
)
:location 325
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 227
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
  {TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

:varnosyn 1
:varattnosyn 2
:location 227
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 227
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 227
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 227
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 227
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 227
}
:resno 7

```

```

:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 227
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 227
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 227
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 227
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 227
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}

```

```

    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 227
    }
    :resno 13
    :resname l_receiptdate
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 13
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 227
    }
    :resno 14
    :resname l_shipinstruct
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 14
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 227
    }
    :resno 15
    :resname l_shipmode
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 15
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 16
    :location 227
    }
    :resno 16
    :resname l_comment
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 16
    :resjunk false
    }
    }
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :location 191
    }
    )

```

```

        :location 126
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname o_orderpriority
    :ressortgroupref 1
    :resorigtbl 16628
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 32
    }
    :resno 2
    :resname order_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 421
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:ctelList <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders_secure
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16628
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname *GROUP*
        :colnames ("o_orderpriority")
      }
    :rtekind 9
    :groupexprs (
      {VAR
        :varno 1
        :varattno 6
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 11
      }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16628
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 12 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
  :quals
    {BOOLEXP
      :boolop and
      :args (
        {OPEXP
          :opno 1098
          :opfuncid 1090
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 5
              :vartype 1082
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 5
              :location 89
            }
            {CONST
              :consttype 1082
              :consttypmod -1
              :constcollid 0
              :constlen 4
              :constbyval true
              :constisnull false
              :location 109
              :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
            }
          )
        }
        :location 101
      }
    )
    {OPEXP
      :opno 2345
      :opfuncid 2338
      :opresulttype 16
      :opretset false
    }
  }

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 130
  }
  {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 149
        :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
      }
      {CONST
        :consttype 1186
        :consttypmod 196607
        :constcollid 0
        :constlen 16
        :constbyval false
        :constisnull false
        :location 173
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
      }
    )
    :location 162
  }
)
:location 142
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBLENTY
        :alias <>
        :eref
          {ALIAS
            :aliasname lineitem
            :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
          }
        :rtekind 0
        :relid 16566
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
  }
:ртеperinfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1

```

```

    }
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 289
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 302
}
)
:location 300
}
{OPEXP
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 329
}
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 344
}
)
:location 342
}
)
:location 325
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 227
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 227
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 227
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 227
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 227
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 227
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```



```

:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 227
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 227
}
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 227
}
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 227
}
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 227
}
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 227
}
}

```

```

:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 227
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 227
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 227
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 227
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>

```

```

        :stmt_location 0
        :stmt_len 0
    }
    :location 191
}
)
:location 126
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname o_orderpriority
    :ressortgroupref 1
    :resorigtbl 16628
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 32
    }
    :resno 2
    :resname order_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 421
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    }
)

```

```

:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders_secure
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTY
            :alias
              {ALIAS
                :aliasname o
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname o
                :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
              }
            :rtekind 0
            :relid 16561
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16561
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 9 10 11 12 13 14 15 16)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{SUBLINK
  :subLinkType 0
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBLENTY
          :alias
            {ALIAS

```

```

        :aliasname c
        :colnames <>
    }
    :eref
    {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationk
            ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
    }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
        :relid 16546
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 13)
        :insertedCols (b)
        :updatedCols (b)
    }
)
:jointree
{FROMEXPR
    :fromlist (
        {RANGETBLREF
            :rtindex 1
        }
    )
}
:quals
{BOOLEXP
    :boolop and
    :args (
        {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {VAR
                    :varno 1
                    :varattno 1
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 1
                    :location -1
                }
                {VAR
                    :varno 1
                    :varattno 2
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 1
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 2
                    :location -1
                }
            )
        }
        :location -1
    }
    {OPEXP
        :opno 674
        :opfuncid 297
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno 1
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location -1
            }
            {FUNCEXP
                :funcid 316
                :funcresulttype 701
                :funcset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                    {CONST
                        :consttype 23
                        :consttypmod -1
                        :constcollid 0
                        :constlen 4
                    }
                )
            }
        )
    }
}

```

```

        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ -120 19 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
    }
    :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname o_orderkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname o_custkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR

```

```

:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    :resno 8
    :resname o_shippriority
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 8
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16628
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_orderpriority")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 11
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16628
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)

```



```

:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 89
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 109
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
)
:location 101
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 130
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 149
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 173
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 162
}
)
:location 142
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false

```

```

:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
          mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
            "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
              " "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
                t")
          }
        :rtekind 0
        :relid 16566
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
      23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location 289
              }
              {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 1
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location 302
              }
            )
          }
          :location 300
        }
      {OPEXP
        :opno 1095
        :opfuncid 1087
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 12
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 12
            :location 329
          }
          {VAR
            :varno 1
            :varattno 13
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location 344
    }
    )
    :location 342
}
)
:location 325
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 227
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 227
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 227
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 227
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 5
:location 227
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 227
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 227
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 227
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 227
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 227
}
:resno 10

```

```

:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 227
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 227
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 227
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 227
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 227
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}

```

```

    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 16
    :location 227
    }
    :resno 16
    :resname l_comment
    :ressortgrouppref 0
    :resorigtbl 16566
    :resorigcol 16
    :resjunk false
    }
  )
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 0
  }
  :location 191
  }
  )
  :location 126
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 2
  :varattno 1
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname o_orderpriority
  :ressortgrouppref 1
  :resorigtbl 16628
  :resorigcol 6
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {AGGREF
  :aggfnoid 2803
  :aggtype 20
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes <>
  :aggdirectargs <>
  :args <>
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar true
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggssplit 0
  :aggno -1
  :aggtransno -1
  :location 32
  }
  :resno 2
  :resname order_count
  :ressortgrouppref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  )
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>

```

```

:groupClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 421
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
   :alias <>
   :eref
   {ALIAS
    :aliasname orders_secure
    :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
   }
   :rtekind 1
   :subquery
   {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
       :alias
       {ALIAS
        :aliasname o
        :colnames <>
       }
       :eref
       {ALIAS
        :aliasname o
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
       }
       :rtekind 0
       :relid 16561
       :inh true
       :relkind r
       :rellockmode 1
       :perminfoindex 1
       :tablesample <>
       :lateral false
       :inFromC1 true
       :securityQuals <>
      }
    )
    :rteperminfos (
      {RTEPERMISSIONINFO
       :relid 16561
       :inh true

```

```

:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1

```



```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
)
:location -1
}
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 4 [ -120 19 0 0 0 0 0 0 ]
            }
        )
    }
    :location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16628
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref

```

```

        {ALIAS
        :aliasname *GROUP*
        :colnames ("o_orderpriority")
        }
:rtekind 9
:groupexprs (
  {VAR
  :varno 1
  :varattno 6
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 6
  :location 11
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16628
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 12 13)
  :insertedCols (b)
  :updatedCols (b)
  }
)
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
}
:quals
  {BOOLEXP
  :boolop and
  :args (
    {OPEXP
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 1
      :varattno 5
      :vartype 1082
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 5
      :location 89
      }
      {CONST
      :consttype 1082
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 109
      :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
      }
    )
    :location 101
  )
  }
  {OPEXP
  :opno 2345
  :opfuncid 2338
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 130
    }
    {OPEXP
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
      :consttype 1082
      :consttypmod -1
      :constcollid 0
      :constlen 4

```

```

:constbyval true
:constisnull false
:location 149
:constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 173
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 162
}
)
:location 142
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 289
}
{VAR
:varno 1

```

```

        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 302
    }
)
:location 300
}
{OEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 12
    :location 329
    }
    {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 344
    }
)
:location 342
}
)
:location 325
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 227
    }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 227
    }
    :resno 2
    :resname l_partkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1

```

```

:varattnosyn 3
:location 227
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 227
}
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 227
}
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 227
}
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 227
}
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 227
}
}
:resno 8
:resname l_tax

```

```

:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 227
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 227
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 227
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 227
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 227
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}

```



```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 227
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 227
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 227
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 191
}
)
:location 126
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1

```

```

:resname o_orderpriority
:ressortgroupref 1
:resorigtbl 16628
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 32
}
:resno 2
:resname order_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 421
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 194594.51589866364
:plan.total_cost 194617.5859964136
:plan.plan_rows 5
:plan.plan_width 17
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname o_orderpriority
:ressortgroupref 1
:resorigtbl 16628
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr

```

```

{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 20
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 9
:aggno 0
:aggtransno 0
:location 32
}
:resno 2
:resname order_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
  {GATHERMERGE
    :plan.disabled_nodes 0
    :plan.startup_cost 194594.51589866364
    :plan.total_cost 194617.47599641362
    :plan.plan_rows 12
    :plan.plan_width 17
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 1
    :plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno -2
            :varattno 1
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 0
            :varattnosyn 0
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 1
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno -2
            :varattno 2
            :vartype 20
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 0
            :varattnosyn 0
            :location -1
          }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
:plan.qual <>
:plan.lefttree
  {AGG
    :plan.disabled_nodes 0

```

```

:plan.startup_cost 193594.49212422612
:plan.total_cost 193616.06712422607
:plan.plan_rows 5
:plan.plan_width 17
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {AGGREF
        :aggfnoid 2803
        :aggtype 20
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 20
        :aggargtypes <>
        :aggdirectargs <>
        :args <>
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar true
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 6
        :aggno 0
        :aggtransno 0
        :location 32
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {SORT
    :plan.disabled_nodes 0
    :plan.startup_cost 193594.49212422612
    :plan.total_cost 193601.6671242261
    :plan.plan_rows 2870
    :plan.plan_width 9
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 3
    :plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno -2
            :varattno 1
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 6
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 1
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
:plan.qual <>
:plan.lefttree
  {HASHJOIN
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 154455.46666666667
    :join.plan.total_cost 193429.6560416667
    :join.plan.plan_rows 2870
    :join.plan.plan_width 9
    :join.plan.parallel_aware true
    :join.plan.parallel_safe true
    :join.plan.async_capable false
    :join.plan.plan_node_id 4
    :join.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR

```

```

        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 6
        :location -1
    }
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4806.4125
:join.plan.total_cost 40362.284374999996
:join.plan.plan_rows 10210
:join.plan.plan_width 13
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 5
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 35383
:scan.plan.plan_rows 22585
:scan.plan.plan_width 17
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 7
        :location -1
    }
    :resno 7
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 4
        :varattno 8
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 8
        :location -1
    }
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 4
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 9
        :location -1
    }
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
    {OPEXPR
        :opno 1098
        :opfuncid 1090
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno 4
                :varattno 5
                :vartype 1082
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 4
                :varattnosyn 5
                :location -1
            }
            {CONST
                :consttype 1082
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 109
                :constvalue 4 [ 113 -9 -1 -1 -1 -1 -1 -1 ]
            }
        )
    }
    :location 101
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 4
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 5
        :location -1
    }

```

```

    }
    {CONST
    :consttype 1114
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 32 105 23 -25 90 -1 -1 ]
    }
  )
  :location 142
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4453.25
:plan.total_cost 4453.25
:plan.plan_rows 28253
:plan.plan_width 4
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 7
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4453.25
:scan.plan.plan_rows 28253
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 8
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
)
)
)

```



```

        {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 -120 -77 64 ]
        }
    )
    :location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 67807.2
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 135974.79166666666
:plan.total_cost 135974.79166666666
:plan.plan_rows 833461
:plan.plan_width 4

```

```

:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 9
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 135974.79166666666
    :scan.plan.plan_rows 833461
    :scan.plan.plan_width 4
    :scan.plan.parallel_aware true
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 10
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 3
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 1
            :location 289
          }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
:scan.plan.qual (
  {OPEXPR
    :opno 1095
    :opfuncid 1087
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 12
        :location 329
      }
      {VAR
        :varno 3
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 13
        :location 344
      }
    )
    :location 342
  }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (

```

```

        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 289
        }
    )
    :skewTable 16561
    :skewColumn 1
    :skewinherit false
    :rows_total 2000306.4
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 289
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 1
:aggsplit 6
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 5
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:numCols 1

```

```

:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 9
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 5
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

```

o_orderpriority | order_count
-----+-----
1-URGENT        |         4751
2-HIGH          |         4737
3-MEDIUM       |         4661
4-NOT SPECIFIED |         4591
5-LOW          |         4577
(5 rows)

```

```

Time: 1354.588 ms (00:01.355)
tpch=> RESET ROLE;
WARNING: ===== RAW PARSE TREE =====
DETAIL:  {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL:  {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

```

Time: 4.237 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT policyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP

```

```

EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.policyname, r.tablename);
END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on customer
ALTER TABLE customer ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show customers from ASIA region
CREATE POLICY customer_rls_policy ON customer
USING (
    EXISTS (
        SELECT 1 FROM nation n
        JOIN region r ON n.n_regionkey = r.r_regionkey
        WHERE n.n_nationkey = customer.c_nationkey
        AND r.r_name = 'ASIA'
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON customer TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON supplier TO alice;
GRANT SELECT ON nation TO alice;
GRANT SELECT ON region TO alice;
SET ROLE alice;

-- Step 6: Run Q5
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    n_name,
    sum(l_extendedprice * (1 - l_discount)) as revenue
from
    customer,
    orders,
    lineitem,
    supplier,
    nation,
    region
where
    c_custkey = o_custkey
    and l_orderkey = o_orderkey
    and l_suppkey = s_suppkey
    and c_nationkey = s_nationkey
    and s_nationkey = n_nationkey
    and n_regionkey = r_regionkey
    and r_name = 'ASIA'
    and o_orderdate >= date '1995-01-01'
    and o_orderdate < date '1995-01-01' + interval '1' year
group by
    n_name
order by
    revenue desc;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
: {DOSTMT
:args (
: {DEFELEM
: defnamespace <>
: defname as
: arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ policyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.policyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
: defaction 0
: location 3
}
)
}
: stmt_location 0
: stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
: commandType 6
: querySource 0
: canSetTag true
: utilityStmt
: {DOSTMT
:args (
: {DEFELEM
: defnamespace <>
: defname as
: arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ policyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\

```

```

\ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.policyname,\ r.tablename\)
;\
\ \ \ \ END\ LOOP;\
END;\
"
    :defaction 0
    :location 3
  }
}
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

WARNING: ===== REWRITE INPUT =====:
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 93

```



```

:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
          "cmd" "qual" "with_check")
        }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname pol
                :colnames <>
                }
            :eref
              {ALIAS
                :aliasname pol
                :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
                  "polroles" "polqual" "polwithcheck")
                }
            :rtekind 0
            :relid 3256
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
            }
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
                }
            :eref
              {ALIAS
                :aliasname c
                :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
                  "relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
                    eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
                      sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
                        lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
                          wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
                            " "relispartition" "relrewrite" "relfrozensxid" "relminmxid" "re
                              lacl" "reloptions" "relpartbound")
                }
            :rtekind 0
            :relid 1259
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 2
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
            }
          {RANGETBENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname unnamed_join
                :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
                  "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
                    ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
                      tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
                        n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
                          "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
                            " "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
                              spopulated" "relreplident" "relispartition" "relrewrite" "relfr
                                ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
                }
            :rtekind 2
            :jointype 0
            :joinmergedcols 0
            :joinaliasvars (
              {VAR
                :varno 1

```



```

:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}

```

```

{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10

```

```

:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reld 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}

```

```

{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreleid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastreleid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2

```

```

:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}

```



```

{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26

```

```

:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1

```

```

        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 3
    }
:ragr
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {CONST
    :consttype 1028
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
    0 0 0 1 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor

```

```

        d" "rolvaliduntil")
    }
    :rtekind 0
    :relid 1260
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tlesortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
}
)

```

```

        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result

```



```

{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true

```

```

        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3

```

```

      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location -1
    }
  )
  :location -1
}

:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

)

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupByClause <>
:groupByDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}

:security_barrier false
:reldid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}

)

:rteperminfos (
{RTEPERMISSIONINFO
:reldid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updateCols (b)
}

)

:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}

)

:quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varto 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}

)

:location 63
}

}

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
```

```

:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
}
}
}

```

```

:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname pol
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname pol
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck")
      }
    :rtekind 0
    :relid 3256
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
          "relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
            eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
              sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
                lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
                  wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
                    " "relispartition" "relrewrite" "relfrozensid" "relminmxid" "re
                      laci" "reloptions" "relpartbound")
      }
    :rtekind 0
    :relid 1259
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
            ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
              tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
                n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
                  "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
                    " "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
                      spopulated" "relreplident" "relispartition" "relrewrite" "relfr
                        ozenxid" "relminmxid" "relaci" "reloptions" "relpartbound")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno 1
        :varattno 4

```

```

:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR

```

```

:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```



```

:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reliid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreliid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR

```

```

:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4

```

```

        :varattnosyn 4
        :location -1
    }
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
}
:rarg
{RANGETBLREF
:rtindex 2
}
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16

```



```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b 5)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 2
      :location -1
    }
  }
  :resno 1
  :resname schemaname
  :ressortgroupref 0
  :resorigtbl 2615
  :resorigcol 2
  :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>

```

```

:args (
  {CASEWHEN
    :expr
    {VAR
      :varno 1
      :varattno 5
      :vartype 16
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 5
      :location -1
    }
  }
  :result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
  }
  :location -1
}
)
:defresult
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {CASEEXPR
    :casetype 1003
    :casecollid 950
    :arg <>
    :args (
      {CASEWHEN
        :expr
        {OPEXPR
          :opno 1070
          :opfuncid 744
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 6
              :vartype 1028
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 6
              :location -1
            }
            {CONST
              :consttype 1028
              :consttypmod -1
              :constcollid 0
              :constlen -1
              :constbyval false
              :constisnull false
              :location -1
              :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
                0 0 0 1 0 0 0 0 0 0 ]
            }
          )
        }
        :location -1
      }
    )
  }
  :result
  {ARRAYCOERCEEXPR
    :arg
    {FUNCEXPR
      :funcid 394
      :funcresulttype 1009
      :funcset false
      :funcvariadic false
      :funcformat 0
      :funccollid 100
      :inputcollid 100
      :args (
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location -1
          :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
        }
      )
    }
  }
}

```

```

        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 4 [ 16 0 0 0 ]
        }
    )
    :location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrsls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
}
}

```

```

        :args (
            {VAR
                :varno 1
                :varattno 1
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location -1
            }
            {VAR
                :varno 1
                :varattno 6
                :vartype 1028
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 1
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location -1
            }
        )
        :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
            {VAR
                :varno 1
                :varattno 2
                :vartype 19
                :vartypmod -1
                :varcollid 950
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 2
                :location -1
            }
        :resno 1
        :resname rolname
        :ressortgroupref 1
        :resorigtbl 1260
        :resorigcol 2
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 93
        :sortop 660
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {CASEEXPR
        :casetype 25
        :casecollid 100
        :arg
            {VAR
                :varno 1
                :varattno 4
                :vartype 18
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
            }
        }
    }
}

```

```

:varnosyn 1
:varattnosyn 4
:location -1
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}

```

```

:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 7
:resname qual
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>

```

```

        :stmt_location -1
        :stmt_len -1
    }
    :security_barrier false
    :relid 12018
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatecols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018

```



```

:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4.907500000000001
:join.plan.total_cost 26.256500000000003
:join.plan.plan_rows 20
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname polycynname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 3.845
:join.plan.total_cost 24.75625
:join.plan.plan_rows 82
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.43
:scan.plan.plan_rows 443
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
    }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
}

```

```

    }
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 29
        :location -1
    }
:resno 29
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>

```



```

        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 2.8200000000000003
:plan.total_cost 2.8200000000000003
:plan.plan_rows 82
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 2.8200000000000003
:scan.plan.plan_rows 82
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{VAR
:varno -1
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 1.05
:plan.total_cost 1.05
:plan.plan_rows 1

```

```
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.05
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 93
:opfucind 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
```

```

{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:skewTable 1259
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
{VAR
:varno -1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
)
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr

```

```

{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
  {PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
  {PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
  {CONST
:consttype 25
:consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 7
        :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
        70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
    }
    {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
    )
    :location 0
    }
    :resno 1
    :resname format
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19

```

```

        :paramtypmod -1
        :paramcollid 950
        :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
    )
    :location 0
    }
    :resno 1
    :resname format
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:   {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
  {DROPSTMT
:objects (("orders" "orders_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DROPSTMT
:objects (("orders" "orders_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
```

Time: 32.062 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
}
```



```

:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.562 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.927 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rtepermInfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.315 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
}

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.297 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>

```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

Time: 0.341 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.292 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 47
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

Time: 0.259 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
```

```

:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}
}

```

Time: 0.265 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
}
}
}

```

```

        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
  :stmt_location 0
  :stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.245 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 54
        :name <>

```



```

: num 0
: newowner <>
: def <>
: behavior 0
: missing_ok false
: recurse false
}
)
: objtype 41
: missing_ok false
}
: stmt_location 0
: stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
: commandType 6
: querySource 0
: canSetTag true
: utilityStmt
{ALERTABLESTMT
: relation
{RANGEVAR
: catalogname <>
: schemaname <>
: relname customer
: inh true
: relpersistence p
: alias <>
: location 12
}
}
: cmds (
{ALERTABLECMD
: subtype 54
: name <>
: num 0
: newowner <>
: def <>
: behavior 0
: missing_ok false
: recurse false
}
)
: objtype 41
: missing_ok false
}
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: ctelList <>
: rtable <>
: rteperminfos <>
: jointree <>
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList <>
: override 0
: onConflict <>
: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 46
}

```

Time: 0.236 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
: stmt
{CREATEPOLICYSTMT
: policy_name customer_rls_policy
: table
{RANGEVAR
: catalogname <>
: schemaname <>
: relname customer
: inh true
: relpersistence p
: alias <>
: location 37
}
: cmd_name all
: permissive true
: roles (
{ROLESPEC
: roletype 4
: rolename <>
: location -1
}
)
}
}

```

```

:qual
{
  {SUBLINK
  :subLinkType 0
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
  {SELECTSTMT
  :distinctClause <>
  :intoClause <>
  :targetList (
  {RESTARTGET
  :name <>
  :indirection <>
  :val
  {A_CONST
  :val 1
  :location 82
  }
  :location 82
  }
  )
  :fromClause (
  {JOINEXPR
  :jointype 0
  :isNatural false
  :larg
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname nation
  :inh true
  :relpersistence p
  :alias
  {ALIAS
  :aliasname n
  :colnames <>
  }
  :location 89
  }
  :rang
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname region
  :inh true
  :relpersistence p
  :alias
  {ALIAS
  :aliasname r
  :colnames <>
  }
  :location 111
  }
  :usingClause <>
  :join_using_alias <>
  :quals
  {A_EXPR
  :name ("=")
  :lexpr
  {COLUMNREF
  :fields ("n" "n_regionkey")
  :location 123
  }
  :rexpr
  {COLUMNREF
  :fields ("r" "r_regionkey")
  :location 139
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 137
  }
  :alias <>
  :rtindex 0
  }
  )
  :whereClause
  {BOOLEXP
  :boolop and
  :args (
  {A_EXPR
  :name ("=")
  :lexpr
  {COLUMNREF
  :fields ("n" "n_nationkey")
  :location 167
  }
  :rexpr
  {COLUMNREF
  :fields ("customer" "c_nationkey")
  :location 183
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 181
  }
  {A_EXPR
  :name ("=")
  :lexpr
  {COLUMNREF
  :fields ("r" "r_name")
  :location 216
  }
  :rexpr
  {A_CONST
  :val "ASIA"
  :location 227
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 225
  }
  )
  :location 212

```

```

    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
  }
  :location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 241
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name customer_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname r
:colnames <>
}
:location 111
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_regionkey")
:location 123

```

```

        }
        :rexpr
        {COLUMNREF
        :fields ("r" "r_regionkey")
        :location 139
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 137
    }
    :alias <>
    :rtindex 0
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 167
}
}
:rexpr
{COLUMNREF
:fields ("customer" "c_nationkey")
:location 183
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 181
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r" "r_name")
:location 216
}
}
:rexpr
{A_CONST
:val "ASIA"
:location 227
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 225
}
}
:location 212
}
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 241
}

```

Time: 1.963 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
}
```

```
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}
```

Time: 0.607 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
```

```

:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.186 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
}

```

```

:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.200 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0

```



```

:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.190 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false

```

```

:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.192 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname region
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname region
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.195 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
}

```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

Time: 0.151 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("n_name")
:location 47
}
:location 47
}
{RESTARTGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 63
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 82
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 86
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 84
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 79
}
}
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 59
}
:location 59
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 119
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 133
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 145
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 159
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation

```

```

:inh true
:relpersistance p
:alias <>
:location 173
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistance p
:alias <>
:location 185
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c_custkey")
:location 202
}
:rexpr
{COLUMNREF
:fields ("o_custkey")
:location 214
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 212
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_orderkey")
:location 232
}
:rexpr
{COLUMNREF
:fields ("o_orderkey")
:location 245
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 243
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_suppkey")
:location 264
}
:rexpr
{COLUMNREF
:fields ("s_suppkey")
:location 276
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 274
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c_nationkey")
:location 294
}
:rexpr
{COLUMNREF
:fields ("s_nationkey")
:location 308
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 306
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_nationkey")
:location 328
}
:rexpr
{COLUMNREF
:fields ("n_nationkey")
:location 342
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 340
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n_regionkey")
:location 362
}
:rexpr
{COLUMNREF
:fields ("r_regionkey")
:location 376
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 374
}
}

```

```

{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r_name")
:location 396
}
}
:rexpr
{A_CONST
:val "ASIA"
:location 405
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 403
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 420
}
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\\1995-01-01"
:location 440
}
:typeName
{TYPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 435
}
}
:location -1
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 432
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 461
}
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\\1995-01-01"
:location 480
}
:typeName
{TYPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 475
}
}
:location -1
}
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\\1"
:location 504
}
:typeName
{TYPENAME
:names ("pg_catalog" "interval")
:typeOid 0
:setof false
:pct_type false
:typmods (
{A_CONST
:val 4
:location 508
}
)
:typemod -1
:arrayBounds <>
:location 495
}
}
:location -1
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 493
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 473
}
}
)
:location 228
}
}
:groupClause (
{COLUMNREF

```

```

        :fields ("n_name")
        :location 526
    }
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
    {SORTBY
        :node
        {COLUMNREF
            :fields ("revenue")
            :location 546
        }
        :sortby_dir 2
        :sortby_nulls 0
        :useOp <>
        :location -1
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
    }
    {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
    }
)
}
:stmt_location 0
:stmt_len 558
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
            :aliasname customer
            :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
        }
        :rtekind 0
        :relid 16546
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
    {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
            :aliasname orders
            :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
        }
        :rtekind 0
    }
}
}
}

```

```

:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("n_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (

```



```

{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 202
}
{VAR
:varno 2
:varattno 2
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 214
}
)
)
}

```

```

)
:location 212
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 232
}
  {VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 245
}
)
:location 243
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 264
}
  {VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 276
}
)
:location 274
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 294
}
  {VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 308
}
)
:location 306
}
{OPEXPR

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 328
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 342
  }
)
:location 340
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 5
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location 362
  }
  {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 376
  }
)
:location 374
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 396
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 405
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
  }
)
:location 403
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

        {VAR
        :varno 2
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location 420
        }
        {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 440
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
        }
    )
    :location 432
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 461
    }
    {OEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 480
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
        }
        {CONST
        :consttype 1186
        :consttypmod 327679
        :constcollid 0
        :constlen 16
        :constbyval false
        :constisnull false
        :location 504
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
        }
    )
    :location 493
}
)
:location 473
}
)
:location 228
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 7
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname n_name
    :ressortgroupref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111

```

```

:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {OPEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 3
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 6
            :location 63
          }
          {OPEXPR
            :opno 592
            :opfuncid 219
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {FUNCEXPR
                :funcid 316
                :funcresulttype 701
                :funcretset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                  {CONST
                    :consttype 23
                    :consttypmod -1
                    :constcollid 0
                    :constlen 4
                    :constbyval true
                    :constisnull false
                    :location 82
                    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                  }
                )
                :location -1
              }
              {VAR
                :varno 3
                :varattno 7
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 7
                :location 86
              }
            )
            :location 84
          }
        )
        :location 79
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 59
}
:resno 2
:resname revenue
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE

```

```

        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 670
        :sortop 674
        :reverse_sort true
        :nulls_first true
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
    }
    {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
    }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 558
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false

```

```

:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:ctelList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname customer
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
          c_acctbal" "c_mktsegment" "c_comment")
        }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o
          _orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
        }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_qua
          ntity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines
          tatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "
          l_shipmode" "l_comment")
        }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
        }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
        }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname region
        :colnames ("r_regionkey" "r_name" "r_comment")
        }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 6
    :tablesample <>
  }
)

```

```

:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("n_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 5
:varattno 2
:varatype 25
:varitypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP

```



```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 202
  }
  {VAR
    :varno 2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 214
  }
)
:location 212
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 232
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 245
  }
)
:location 243
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 264
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 276
  }
)
:location 274
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 294
  }
  {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 308
  }
)
:location 306
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 328
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 342
  }
)
:location 340
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 5
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location 362
  }
  {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 376
  }
)
:location 374
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR

```

```

:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 396
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 405
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
)
:location 403
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 420
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 440
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 432
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 461
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 480
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 504
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
}
)
:location 493
}
)
:location 473
}
)

```

```

        :location 228
    }
}

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 7
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname n_name
    :ressortgroupref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {OEXPR
        :opno 594
        :opfncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno 3
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 6
            :location 63
            }
            {OEXPR
            :opno 592
            :opfncid 219
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {FUNCEXP
                :fncid 316
                :fncresulttype 701
                :fncretset false
                :fncvariadic false
                :fncformat 2
                :fnccollid 0
                :inputcollid 0
                :args (
                    {CONST
                    :consttype 23
                    :consttypmod -1
                    :constcollid 0
                    :constlen 4
                    :constbyval true
                    :constisnull false
                    :location 82
                    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                    }
                )
                :location -1
            }
            {VAR
            :varno 3
            :varattno 7
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 7
            :location 86
            }
        )
        :location 84
    }
    )
    :location 79
    }
    :resno 1
    :resname <>
    :ressortgroupref 0

```

```

        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 59
}
:resno 2
:resname revenue
:resortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
)
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16546

WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
    {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
        {RANGETBENTRY
        :alias
        {ALIAS
        :aliasname n
        :colnames <>
        }
        :eref
        {ALIAS
        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
        }
        :rtekind 0
        :relid 16536
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
    }
    }
)

```

```

:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment" "r_reg
ionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
{VAR

```

```

:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
    }
    )
    :location -1
    }
    {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
    }
:location -1
    }
)

```

WARNING: ===== REWRITE OUTPUT =====
 DETAIL: (


```

{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname customer
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
          c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBENTRY
                :alias
                  {ALIAS
                    :aliasname n
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname n
                    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
                  }
                :rtekind 0
                :relid 16536
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
              {RANGETBENTRY
                :alias
                  {ALIAS
                    :aliasname r
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname r
                    :colnames ("r_regionkey" "r_name" "r_comment")
                  }
                :rtekind 0
                :relid 16531
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 2
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
              {RANGETBENTRY
                :alias <>
                :eref
                  {ALIAS
                    :aliasname unnamed_join
                    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment"
                      "r_regionkey" "r_name" "r_comment")
                  }
                :rtekind 2

```

```

:jointype 0
:joinmergedcols 0
:joinaliasvars (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
  {VAR
    :varno 1
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
  }
  {VAR
    :varno 2
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16531

```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```

```

        {VAR
        :varno 2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
        }
    )
    :location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("n_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14)
:insertedCols (b)
:updatedCols (b)
}

```

```

}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 202
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 214
}
)
:location 212
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 232
}
{VAR
:varno 2

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 245
}
)
:location 243
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 264
}
  {VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 276
}
)
:location 274
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 294
}
  {VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 308
}
)
:location 306
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 328
}
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 342
    }
}
:location 340
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 5
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location 362
    }
    {VAR
        :varno 6
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 376
    }
)
:location 374
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 6
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 2
        :location 396
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 405
        :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
    }
)
:location 403
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location 420
    }
    {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 440
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 432
}

```



```

{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 461
}
  {OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 480
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
  {CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 504
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
}
)
:location 493
}
)
:location 473
}
)
:location 228
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {VAR
:varno 7
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
}
:resno 1
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
:expr
  {OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 3
:varattnosyn 6
:location 63
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 82
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 86
}
)
:location 84
}
)
:location 79
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 59
}
:resno 2
:resname revenue
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tlesortgroupref 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tlesortgroupref 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0

```

```

:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname r
:colnames <>
}
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
}

```

```

}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment"
"r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO

```

```

:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
}
)

```

```

        :location -1
      }
      {OPEXPR
      :opno 98
      :opfuncid 67
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 100
      :args (
        {VAR
        :varno 2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
        }
      )
      :location -1
    }
  )
  :location -1
}

}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  :resno 1
  :resname ?column?
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_qua

```

```

        ntity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines
        tatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "
        l_shipmode" "l_comment")
    }
:rtkind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtkind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtkind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtkind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("n_name")
}
:rtkind 9
:groupexprs (
{VAR
:verno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rtperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
}

```

```

:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 202
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 214
}
)
:location 212
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1

```



```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 232
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 245
}
)
:location 243
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 264
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 276
}
}
)
:location 274
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 294
}
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 308
}
}
)
:location 306
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 4
:varattnosyn 4
:location 328
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 342
}
)
:location 340
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location 362
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 376
}
}
)
:location 374
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 396
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 405
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
}
)
:location 403
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 420
}
{CONST
:consttype 1082
:consttypmod -1

```

```

        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 440
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 432
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 461
    }
    {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 480
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
        }
        {CONST
        :consttype 1186
        :consttypmod 327679
        :constcollid 0
        :constlen 16
        :constbyval false
        :constisnull false
        :location 504
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
        }
    )
    :location 493
    }
)
:location 473
}
)
:location 228
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 7
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname n_name
    :ressortgroupref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {OPEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0

```

```

:args (
  {VAR
    :varno 3
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location 63
  }
  {OPEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 82
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
      {VAR
        :varno 3
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location 86
      }
    )
    :location 84
  }
)
:location 79
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 59
}
:resno 2
:resname revenue
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1

```

```

:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {SORT
:plan.disabled_nodes 0
:plan.startup_cost 6345278.615277885
:plan.total_cost 6345279.115277885
:plan.plan_rows 200
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 1
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname revenue
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 6345250.546421696
:plan.total_cost 6345270.971421695
:plan.plan_rows 200
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701

```

```

:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {OEXPR
      :opno 594
      :opfuncid 216
      :opresulttype 701
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno -2
          :varattno 2
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 3
          :varattnosyn 6
          :location 63
        }
        {OEXPR
          :opno 592
          :opfuncid 219
          :opresulttype 701
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {CONST
              :consttype 701
              :consttypmod -1
              :constcollid 0
              :constlen 8
              :constbyval true
              :constisnull false
              :location -1
              :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
            }
            {VAR
              :varno -2
              :varattno 3
              :vartype 701
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 3
              :varattnosyn 7
              :location 86
            }
          )
        }
      )
      :location 84
    }
  )
  :location 79
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 59
}
:resno 2
:resname revenue
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
  :plan.disabled_nodes 0
  :plan.startup_cost 6345250.546421696
  :plan.total_cost 6345254.231421696
  :plan.plan_rows 1474
  :plan.plan_width 48
  :plan.parallel_aware false
  :plan.parallel_safe false
  :plan.async_capable false
  :plan.plan_node_id 2
  :plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location -1
    }
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 188486.23333333337
:join.plan.total_cost 6345172.9733333334
:join.plan.plan_rows 1474
:join.plan.plan_width 48
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 63
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
}

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 86
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 6155172
:scan.plan.plan_rows 75000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{SUBPLAN
:subLinkType 2
:testexpr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
    {PARAM
    :paramkind 1
    :paramid 1
    :paramtype 23
    :paramtypmod -1
    :paramcollid 0
    :location -1
    }
    )
    :location -1
    }
    :paramids (i 1)
    :plan_id 2
    :plan_name SubPlan\ 2
    :firstColType 23
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable true
    :unknownEqFalse true
    :parallel_safe true
    :setParam <>
    :parParam <>
    :args <>
    :startup_cost 42.012499999999996
    :per_call_cost 0.0025
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 1
    }
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 187380.52333333337
:plan.total_cost 187380.52333333337
:plan.plan_rows 73714
:plan.plan_width 60
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
}

```

```

:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 2
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 37996.0725
:plan.total_cost 187380.5233333337
:plan.plan_rows 73714
:plan.plan_width 60
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 214
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location 63
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 86
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 308
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 342
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 36996.0725
:join.plan.total_cost 179009.12333333338
:join.plan.plan_rows 30714
:join.plan.plan_width 60
:join.plan.parallel_aware true
:join.plan.parallel_safe true

```

```

:join.plan.async_capable false
:join.plan.plan_node_id 7
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location 214
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 6
      :location 63
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 7
      :location 86
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 4
      :location 308
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 5
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 2
      :location -1
    }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
}
)

```

```

{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 342
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 428.2975
:join.plan.total_cost 141553.87708333333
:join.plan.plan_rows 202531
:join.plan.plan_width 60
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 8
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 86
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 232
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 308
}
}

```

```

:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 342
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 129723.83333333334
:scan.plan.plan_rows 2500383
:scan.plan.plan_width 24
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 9
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
    }
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13

```

```

:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 418.1725
:plan.total_cost 418.1725
:plan.plan_rows 810
:plan.plan_width 44
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 10
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 42.1725
:join.plan.total_cost 418.1725
:join.plan.plan_rows 810
:join.plan.plan_width 44
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 11
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 276
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4

```

```

        :location 308
    }
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 342
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 318
:scan.plan.plan_rows 10000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 12
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4

```

```

        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 3
        :location -1
    }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 4
}

```

```

:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 41.9725
:plan.total_cost 41.9725
:plan.plan_rows 16
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 13
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.675
:join.plan.total_cost 41.9725
:join.plan.plan_rows 16
:join.plan.plan_width 36
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 14
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 342
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)

```

```

:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 40
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 15
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 5
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.625
:plan.total_cost 20.625

```

```

:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 16
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 20.625
    :scan.plan.plan_rows 4
    :scan.plan.plan_width 4
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 17
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 6
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 6
            :varattnosyn 1
            :location 376
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
:scan.plan.qual (
  {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 6
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 2
        :location 396
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 405
        :constvalue 8 [ 32 0 0 0 65 83
          73 65 ]
      }
    )
    :location 403
  }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 6
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (

```



```

        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 376
        }
    )
    :skewTable 16536
    :skewColumn 3
    :skewInherit false
    :rows_total 0
    }
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location 362
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 376
        }
    )
    :location -1
    }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location 362
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 342
    }
)
:skewTable 16541
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OEXPR
    :opno 96

```

```

:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 308
  }
  {VAR
    :varno -1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 342
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 308
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 276
  }
)
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location 264
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0

```

```

        :varnosyn 4
        :varattnosyn 1
        :location 276
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location 264
    }
)
}
:join.plan.righttree
{HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 35383
    :plan.total_cost 35383
    :plan.plan_rows 94782
    :plan.plan_width 8
    :plan.parallel_aware true
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 18
    :plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 2
                :location -1
            }
            :resno 1
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 1
                :location -1
            }
            :resno 2
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
    )
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 35383
    :scan.plan.plan_rows 94782
    :scan.plan.plan_width 8
    :scan.plan.parallel_aware true
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 19
    :scan.plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno 2
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 2
                :location 214
            }
            :resno 1
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 245
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 420
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 440
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 432
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 461
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 32 -39 -79 49 -115 -1 -1 ]
}
)
:location 473
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 2)
:plan.allParam (b 2)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 245
    }
}
:skewTable 16566
:skewColumn 1
:skewInherit false
:rows_total 227476.8
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 232
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 245
}
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 232
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 2
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 214
}
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 308
}
}

```

```

    }
  )
  :skewTable 0
  :skewColumn 0
  :skewInherit false
  :rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 202
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 214
      }
    )
  }
  :location -1
}
{OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno -2
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 4
      :location 294
    }
    {VAR
      :varno -1
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 4
      :location 308
    }
  )
}
:location -1
}
)
:hashoperators (o 96 96)
:hashcollations (o 0 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 202
  }
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
  }
)

```

```

:varattnosyn 4
:location 294
}
}
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggsplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 200
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 2)
:sortOperators ( 674)
:collations ( 0)
:nullsFirst ( true)
}

```

QUERY PLAN

```

-----
Sort (cost=6345278.62..6345279.12 rows=200 width=40) (actual time=952.291..952.669 rows=5.00 loops=1)
  Output: nation.n_name, (sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount))))
  Sort Key: (sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))) DESC
  Sort Method: quicksort  Memory: 25kB
  Buffers: shared hit=7718 read=127344, temp read=1019 written=1019
-> GroupAggregate (cost=6345250.55..6345270.97 rows=200 width=40) (actual time=951.066..952.432 rows=5.00 loops=1)
  Output: nation.n_name, sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
  Group Key: nation.n_name
  Buffers: shared hit=7718 read=127344, temp read=1019 written=1019
-> Sort (cost=6345250.55..6345254.23 rows=1474 width=48) (actual time=950.811..951.484 rows=7378.00 loops=1)
  Output: nation.n_name, lineitem.l_extendedprice, lineitem.l_discount
  Sort Key: nation.n_name
  Sort Method: quicksort  Memory: 493kB
  Buffers: shared hit=7718 read=127344, temp read=1019 written=1019
-> Hash Join (cost=188486.23..6345172.97 rows=1474 width=48) (actual time=875.609..948.277 rows=7378.00 loops=1)
  Output: nation.n_name, lineitem.l_extendedprice, lineitem.l_discount
  Hash Cond: ((customer.c_custkey = orders.o_custkey) AND (customer.c_nationkey = supplier.s_nationkey))
  Buffers: shared hit=7718 read=127344, temp read=1019 written=1019
-> Seq Scan on public.customer (cost=0.00..6155172.00 rows=75000 width=8) (actual time=0.053..40.766 rows=30183.00 loops=1)
  Output: customer.c_custkey, customer.c_name, customer.c_address, customer.c_nationkey, customer.c_phone, customer.c_acctbal, custo
mer.c_mktsegment, customer.c_comment
  Filter: (ANY (customer.c_nationkey = (hashed SubPlan 2).col1))
  Rows Removed by Filter: 119817
  Buffers: shared hit=3674
  SubPlan 2
    -> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.033..0.036 rows=5.00 loops=1)
      Output: n.n_nationkey
      Hash Cond: (n.n_regionkey = r.r_regionkey)
      Buffers: shared hit=2
      -> Seq Scan on public.nation n (cost=0.00..18.10 rows=810 width=8) (actual time=0.016..0.017 rows=25.00 loops=1)
        Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment
        Buffers: shared hit=1
      -> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.010..0.010 rows=1.00 loops=1)
        Output: r.r_regionkey
        Buckets: 1024  Batches: 1  Memory Usage: 9kB
        Buffers: shared hit=1
        -> Seq Scan on public.region r (cost=0.00..20.62 rows=4 width=4) (actual time=0.008..0.008 rows=1.00 loops=1)
          Output: r.r_regionkey
          Filter: (r.r_name = 'ASIA'::text)
          Rows Removed by Filter: 4
          Buffers: shared hit=1
-> Hash (cost=187380.52..187380.52 rows=73714 width=60) (actual time=875.168..875.544 rows=183230.00 loops=1)
  Output: orders.o_custkey, lineitem.l_extendedprice, lineitem.l_discount, supplier.s_nationkey, nation.n_name, nation.n_nationkey
  Buckets: 131072 (originally 131072)  Batches: 2 (originally 1)  Memory Usage: 7538kB
  Buffers: shared hit=4044 read=127344, temp written=680
-> Gather (cost=37996.07..187380.52 rows=73714 width=60) (actual time=152.220..810.997 rows=183230.00 loops=1)
  Output: orders.o_custkey, lineitem.l_extendedprice, lineitem.l_discount, supplier.s_nationkey, nation.n_name, nation.n_natio
nkey

Workers Planned: 2
Workers Launched: 2
Buffers: shared hit=4044 read=127344
-> Parallel Hash Join (cost=36996.07..179009.12 rows=30714 width=60) (actual time=141.170..824.162 rows=61076.67 loops=3)
  Output: orders.o_custkey, lineitem.l_extendedprice, lineitem.l_discount, supplier.s_nationkey, nation.n_name, nation.n
_nationkey

Hash Cond: (lineitem.l_orderkey = orders.o_orderkey)
Buffers: shared hit=4044 read=127344
Worker 0:  actual time=135.946..839.606 rows=63035.00 loops=1
  Buffers: shared hit=1365 read=43110
Worker 1:  actual time=135.965..839.459 rows=63037.00 loops=1
  Buffers: shared hit=1354 read=42978
-> Hash Join (cost=428.30..141553.88 rows=202531 width=60) (actual time=3.137..568.710 rows=400371.00 loops=3)
  Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_orderkey, supplier.s_nationkey, nation.n_name,
nation.n_nationkey

Hash Cond: (lineitem.l_suppkey = supplier.s_suppkey)
Buffers: shared hit=2540 read=102840
Worker 0:  actual time=3.137..585.657 rows=412344.00 loops=1
  Buffers: shared hit=862 read=35348

```

```

Worker 1: actual time=3.138.586.031 rows=412405.00 loops=1
  Buffers: shared hit=864 read=35250
-> Parallel Seq Scan on public.lineitem (cost=0.00..129723.83 rows=2500383 width=24) (actual time=0.499..176.5
02 rows=2000405.00 loops=3)
  Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_qua
ntity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdat
e, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
  Buffers: shared hit=1880 read=102840
  Worker 0: actual time=0.550..181.785 rows=2062443.00 loops=1
  Buffers: shared hit=642 read=35348
  Worker 1: actual time=0.553..181.669 rows=2057052.00 loops=1
  Buffers: shared hit=644 read=35250
-> Hash (cost=418.17..418.17 rows=810 width=44) (actual time=2.622..2.625 rows=2003.00 loops=3)
  Output: supplier.s_suppkey, supplier.s_nationkey, nation.n_name, nation.n_nationkey
  Buckets: 2048 (originally 1024) Batches: 1 (originally 1) Memory Usage: 120kB
  Buffers: shared hit=660
  Worker 0: actual time=2.572..2.576 rows=2003.00 loops=1
  Buffers: shared hit=220
  Worker 1: actual time=2.569..2.573 rows=2003.00 loops=1
  Buffers: shared hit=220
-> Hash Join (cost=42.17..418.17 rows=810 width=44) (actual time=0.204..2.276 rows=2003.00 loops=3)
  Output: supplier.s_suppkey, supplier.s_nationkey, nation.n_name, nation.n_nationkey
  Hash Cond: (supplier.s_nationkey = nation.n_nationkey)
  Buffers: shared hit=660
  Worker 0: actual time=0.275..2.234 rows=2003.00 loops=1
  Buffers: shared hit=220
  Worker 1: actual time=0.272..2.231 rows=2003.00 loops=1
  Buffers: shared hit=220
-> Seq Scan on public.supplier (cost=0.00..318.00 rows=10000 width=8) (actual time=0.056..1.053 ro
ws=10000.00 loops=3)
  Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_nationkey, supplie
r.s_phone, supplier.s_acctbal, supplier.s_comment
  Buffers: shared hit=654
  Worker 0: actual time=0.080..0.962 rows=10000.00 loops=1
  Buffers: shared hit=218
  Worker 1: actual time=0.077..0.957 rows=10000.00 loops=1
  Buffers: shared hit=218
-> Hash (cost=41.97..41.97 rows=16 width=36) (actual time=0.132..0.134 rows=5.00 loops=3)
  Output: nation.n_name, nation.n_nationkey
  Hash Cond: (nation.n_nationkey = nation.n_nationkey)
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=6
  Worker 0: actual time=0.182..0.183 rows=5.00 loops=1
  Buffers: shared hit=2
  Worker 1: actual time=0.181..0.184 rows=5.00 loops=1
  Buffers: shared hit=2
-> Hash Join (cost=20.68..41.97 rows=16 width=36) (actual time=0.124..0.128 rows=5.00 loops=
3)
  Output: nation.n_name, nation.n_nationkey
  Hash Cond: (nation.n_regionkey = region.r_regionkey)
  Buffers: shared hit=6
  Worker 0: actual time=0.173..0.177 rows=5.00 loops=1
  Buffers: shared hit=2
  Worker 1: actual time=0.172..0.178 rows=5.00 loops=1
  Buffers: shared hit=2
-> Seq Scan on public.nation (cost=0.00..18.10 rows=810 width=40) (actual time=0.057..
0.059 rows=25.00 loops=3)
  Output: nation.n_nationkey, nation.n_name, nation.n_regionkey, nation.n_comment
  Buffers: shared hit=3
  Worker 0: actual time=0.084..0.085 rows=25.00 loops=1
  Buffers: shared hit=1
  Worker 1: actual time=0.082..0.085 rows=25.00 loops=1
  Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.059..0.060 rows=1.00 loops=3)
)
  Output: region.r_regionkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=3
  Worker 0: actual time=0.081..0.081 rows=1.00 loops=1
  Buffers: shared hit=1
  Worker 1: actual time=0.081..0.082 rows=1.00 loops=1
  Buffers: shared hit=1
-> Seq Scan on public.region (cost=0.00..20.62 rows=4 width=4) (actual time=0.05
1..0.051 rows=1.00 loops=3)
  Output: region.r_regionkey
  Filter: (region.r_name = 'ASIA'::text)
  Rows Removed by Filter: 4
  Buffers: shared hit=3
  Worker 0: actual time=0.071..0.072 rows=1.00 loops=1
  Buffers: shared hit=1
  Worker 1: actual time=0.074..0.074 rows=1.00 loops=1
  Buffers: shared hit=1
-> Parallel Hash (cost=35383.00..35383.00 rows=94782 width=8) (actual time=137.787..137.787 rows=76212.33 loops=3)
  Output: orders.o_custkey, orders.o_orderkey
  Buckets: 262144 Batches: 1 Memory Usage: 11040kB
  Buffers: shared hit=1504 read=24504
  Worker 0: actual time=132.788..132.788 rows=72459.00 loops=1
  Buffers: shared hit=503 read=7762
  Worker 1: actual time=132.788..132.788 rows=72230.00 loops=1
  Buffers: shared hit=490 read=7728
-> Parallel Seq Scan on public.orders (cost=0.00..35383.00 rows=94782 width=8) (actual time=0.867..122.400 row
s=76212.33 loops=3)
  Output: orders.o_custkey, orders.o_orderkey
  Filter: ((orders.o_orderdate >= '1995-01-01'::date) AND (orders.o_orderdate < '1996-01-01 00:00:00'::times
tamp without time zone))
  Rows Removed by Filter: 423788
  Buffers: shared hit=1504 read=24504
  Worker 0: actual time=0.921..118.305 rows=72459.00 loops=1
  Buffers: shared hit=503 read=7762
  Worker 1: actual time=1.155..118.486 rows=72230.00 loops=1
  Buffers: shared hit=490 read=7728

Planning:
  Buffers: shared hit=27
  Planning Time: 4.755 ms
  Execution Time: 953.751 ms
(156 rows)

Time: 965.804 ms
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS customer_secure;

```



```

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW customer_secure AS
SELECT c.*
FROM customer c
WHERE EXISTS (
    SELECT 1 FROM nation n
    JOIN region r ON n.n_regionkey = r.r_regionkey
    WHERE n.n_nationkey = c.c_nationkey
    AND r.r_name = 'ASIA'
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON customer_secure TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON supplier TO alice;
GRANT SELECT ON nation TO alice;
GRANT SELECT ON region TO alice;
SET ROLE alice;

-- Step 5: Run Q5
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    n_name,
    sum(l_extendedprice * (1 - l_discount)) as revenue
from
    customer_secure c,
    orders,
    lineitem,
    supplier,
    nation,
    region
where
    c.c_custkey = o_custkey
    and l_orderkey = o_orderkey
    and l_suppkey = s_suppkey
    and c.c_nationkey = s_nationkey
    and s_nationkey = n_nationkey
    and n_regionkey = r_regionkey
    and r_name = 'ASIA'
    and o_orderdate >= date '1995-01-01'
    and o_orderdate < date '1995-01-01' + interval '1' year
group by
    n_name
order by
    revenue desc;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
}

```

```

:stmt_len 10
}

Time: 1.831 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

```

Time: 2.266 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT

```

```

:stmt
{DROPSTMT
:objects (("customer_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("customer_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

NOTICE: view "customer_secure" does not exist, skipping
Time: 0.902 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>

```

```

    }
    :location 47
  }
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schmaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
:rarg
{RANGEVAR
:catalogname <>
:schmaname <>
:relname region
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname r
:colnames <>
}
:location 109
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_regionkey")
:location 121
}
:rexpr
{COLUMNREF
:fields ("r" "r_regionkey")
:location 137
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 135
}
:alias <>
:rtindex 0
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 161
}
:rexpr
{COLUMNREF
:fields ("c" "c_nationkey")
:location 177
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 175
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r" "r_name")
:location 199
}
:rexpr
{A_CONST
:val "ASIA"
:location 210
}
:rexpr_list_start 0
:rexpr_list_end 0

```

```

        :location 208
    }
)
:location 195
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 218
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST

```

```

        :val 1
        :location 84
    }
    :location 84
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname r
:colnames <>
}
:location 109
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_regionkey")
:location 121
}
:rexpr
{COLUMNREF
:fields ("r" "r_regionkey")
:location 137
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 135
}
:alias <>
:rtindex 0
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 161
}
:rexpr
{COLUMNREF
:fields ("c" "c_nationkey")
:location 177
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 175
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r" "r_name")
:location 199
}
:rexpr
{A_CONST
:val "ASIA"
:location 210
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 208
}
}
:location 195
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>

```

```

        }
        :location 64
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 218
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
          c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
  }
)

```

```

:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rttable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment"
"r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
}

```

```

:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 121
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 137
}
)
:location 135
}
:alias <>
:rtindex 3
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 161
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 177
}
)
:location 175
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 199
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 210
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
}

```

```

        )
        :location 208
    }
)
:location 195
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 84
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 38
}
:resno 1
:resname c_custkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 38
}
:resno 2
:resname c_name
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 3
:location 38
}
:resno 3
:resname c_address
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname c_nationkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname c_phone
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname c_mktsegment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 38
}
:resno 8

```

```

:resname c_comment
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 218
}

```

Time: 4.742 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 40
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.746 ms

WARNING: ===== RAW_PARSE_TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targetype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED_QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targetype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
}

```

```

:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.375 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
}

```

```

    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.385 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
  }
}

```



```

:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.303 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
   :is_grant true
   :targettype 0
   :objtype 41
   :objects (
    {RANGEVAR
     :catalogname <>
     :schemaname <>
     :relname nation
     :inh true
     :relpersistence p
     :alias <>
     :location 16
    }
   )
   :privileges (
    {ACCESSPRIV
     :priv_name select
     :cols <>
    }
   )
   :grantees (
    {ROLESPEC
     :roletype 0
     :rolename alice
     :location 26
    }
   )
   :grant_option false
   :grantor <>
   :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
   :is_grant true
   :targettype 0
   :objtype 41
   :objects (
    {RANGEVAR
     :catalogname <>
     :schemaname <>
     :relname nation
     :inh true
     :relpersistence p
     :alias <>
     :location 16
    }
   )
  }
}

```

```

:privileges (
  {ACCESSPRIV
  :priv_name select
  :cols <>
  }
)
:grantees (
  {ROLESPEC
  :roletype 0
  :rolename alice
  :location 26
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.299 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname region
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname region
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

```

    :inh true
    :relpersistence p
    :alias <>
    :location 16
  }
)
:privileges (
  {ACCESSPRIV
    :priv_name select
    :cols <>
  }
)
:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.304 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false

```

```

:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.221 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("n_name")
:location 47
}
:location 47
}
{RESTARTGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 63
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 82
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 86
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 84
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 79
}
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 59
}
:location 59
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
}
)

```

```

:location 119
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistance p
:alias <>
:location 142
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistance p
:alias <>
:location 154
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistance p
:alias <>
:location 168
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistance p
:alias <>
:location 182
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistance p
:alias <>
:location 194
}
}
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 211
}
}
:rexpr
{COLUMNREF
:fields ("o_custkey")
:location 225
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 223
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_orderkey")
:location 243
}
}
:rexpr
{COLUMNREF
:fields ("o_orderkey")
:location 256
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 254
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_suppkey")
:location 275
}
}
:rexpr
{COLUMNREF
:fields ("s_suppkey")
:location 287
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 285
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_nationkey")
:location 305
}
}
:rexpr
{COLUMNREF
:fields ("s_nationkey")
:location 321
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 319

```

```

}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_nationkey")
:location 341
}
:rexpr
{COLUMNREF
:fields ("n_nationkey")
:location 355
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 353
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n_regionkey")
:location 375
}
:rexpr
{COLUMNREF
:fields ("r_regionkey")
:location 389
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 387
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r_name")
:location 409
}
:rexpr
{A_CONST
:val "ASIA"
:location 418
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 416
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 433
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 453
}
:typeName
{TYPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 448
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 445
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 474
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 493
}
:typeName
{TYPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 488
}
:location -1
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1"

```

```

        :location 517
      }
    :typeName
    {
      TYPENAME
      :names ("pg_catalog" "interval")
      :typeOid 0
      :setof false
      :pct_type false
      :typmods (
        {
          A_CONST
          :val 4
          :location 521
        }
      )
      :typemod -1
      :arrayBounds <>
      :location 508
    }
    :location -1
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 506
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 486
}
)
:location 239
}
:groupClause (
  {
    COLUMNREF
    :fields ("n_name")
    :location 539
  }
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
  {
    SORTBY
    :node
    {
      COLUMNREF
      :fields ("revenue")
      :location 559
    }
    :sortby_dir 2
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
  {
    DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {
    DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {
    DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)
}
:stmt_location 0
:stmt_len 571
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false

```

```

:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16633
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname region
        :colnames ("r_regionkey" "r_name" "r_comment")
      }
    :rtekind 0
    :relid 16531
    :inh true

```



```

:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("n_name")
}
}
:rtekind 9
:groupexprs (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16633
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
}
:quals

```

```

{BOOLEXP
:boolop and
:args (
  {OEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 211
    }
    {VAR
    :varno 2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 225
    }
  )
  :location 223
  }
  {OEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 243
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 256
    }
  )
  :location 254
  }
  {OEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 275
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 287
    }
  )
  :location 285
  }
  {OEXPR

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 305
  }
  {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 321
  }
)
:location 319
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 341
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 355
  }
)
:location 353
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 5
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location 375
  }
  {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 389
  }
)
:location 387
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 409
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 418
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
  }
)
:location 416
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 433
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 453
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
  }
)
:location 445
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 474
  }
  {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 493
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
      {CONST
        :consttype 1186
        :consttypmod 327679
        :constcollid 0
        :constlen 16
        :constbyval false
        :constisnull false
        :location 517
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
      }
    )
  }
)
:location 506
}

```



```

        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 59
}
:resno 2
:resname revenue
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 670
        :sortop 674
        :reverse_sort true
        :nulls_first true
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
    }
    {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
    }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0

```

```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 571
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16633
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o
_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_qua
ntity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines
tatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "
l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
}
}

```

```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("n_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 5
:varattno 2
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16633
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0

```



```

:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 211
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 225
}
)
:location 223
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 243
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 256
}
)
:location 254
}
{OPEXP

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 275
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 287
  }
)
:location 285
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 305
  }
  {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 321
  }
)
:location 319
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 341
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 355
  }
)
:location 353
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 5
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location 375
  }
  {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 389
  }
)
:location 387
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 409
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 418
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
  }
)
:location 416
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 433
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 453
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
  }
)
:location 445
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 474
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 493
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 517
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
}
)
:location 506
}
)
:location 486
}
)
:location 239
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname n_name
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 63
}
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
}
}
}
}
}

```

```

:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 82
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 86
}
)
:location 84
}
)
:location 79
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 59
}
:resno 2
:resname revenue
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
  }
)

```

```

:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
          c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname c
                :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
                  one" "c_acctbal" "c_mktsegment" "c_comment")
              }
            :rtekind 0
            :relid 16546
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16546
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 9 10 11 12 13 14 15)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (

```

```

{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment" "r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
)
:location -1

```



```

    }
    :alias <>
    :rtindex 3
  }
)
:qual
{BOOLEXP
:boolop and
:args (
  {OEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
    }
  )
  :location -1
  }
  {OEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
    }
  )
  :location -1
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  :resno 1
  :resname ?column?
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false

```

```

        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname c_custkey
:resortgroupref 0
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname c_name
:resortgroupref 0
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname c_address
:resortgroupref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname c_nationkey
:resortgroupref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location -1
    }
:resno 5
:resname c_phone
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname c_mktsegment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname c_comment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16633
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>

```

```

}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("n_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 5
:varattno 2
:varstype 25
:varstymod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5

```

```

        :varattnosyn 2
        :location 47
    }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16633
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 211
}
{VAR
:varno 2
:varattno 2

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 225
    }
}
:location 223
}
{OPEXPR
:opno 96
:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 243
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 256
    }
)
:location 254
}
{OPEXPR
:opno 96
:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 275
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 287
    }
)
:location 285
}
{OPEXPR
:opno 96
:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 305
    }
    {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location 321
    }
)
:location 319
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 4
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location 341
    }
    {VAR
        :varno 5
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 355
    }
)
:location 353
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 5
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location 375
    }
    {VAR
        :varno 6
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 389
    }
)
:location 387
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 6
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 2
        :location 409
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 418
        :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
    }
)
)

```

```

:location 416
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 433
}
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 453
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 445
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 474
}
  {OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 493
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
  {CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 517
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
}
)
:location 506
}
)
:location 486
}
)
:location 239
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {VAR
:varno 7
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
}
:resno 1

```



```

:resname n_name
:ressortgrouppref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 63
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 82
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 86
}
)
:location 84
}
)
:location 79
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 59
}
:resno 2
:resname revenue
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 670
   :sortop 674
   :reverse_sort true
   :nulls_first true
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
   :alias
   {ALIAS
    :aliasname c
    :colnames <>
   }
  }
:eref
  {ALIAS
   :aliasname c
   :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
c_acctbal" "c_mktsegment" "c_comment")
  }
:rtekind 1
:subquery
  {QUERY
   :commandType 1
   :querySource 0
   :canSetTag true
   :utilityStmt <>
   :resultRelation 0
   :hasAggs false
   :hasWindowFuncs false
   :hasTargetSRFs false
   :hasSubLinks true
   :hasDistinctOn false
   :hasRecursive false
   :hasModifyingCTE false
   :hasForUpdate false
   :hasRowSecurity false
   :hasGroupRTE false
   :isReturn false
   :cteList <>
   :rtable (
     {RANGETBENTRY
      :alias
      {ALIAS
       :aliasname c
       :colnames <>
      }
    }
   :eref
     {ALIAS
      :aliasname c
      :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
    }
   :rtekind 0
   :relid 16546
   :inh true
   :relkind r
   :rellockmode 1

```

```

:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment" "r_regionkey" "r_name" "r_comment")
}
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:varatype 25
:varatpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 23
:varatpmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:varatype 25
:varatpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:varatype 23
:varatpmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:varatype 25
:varatpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:varatype 25
:varatpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR

```

```

:fromlist (
  {JOINEXPR
  :jointype 0
  :isNatural false
  :larg
    {RANGETBLREF
    :rtindex 1
    }
  :rarg
    {RANGETBLREF
    :rtindex 2
    }
  :usingClause <>
  :join_using_alias <>
  :quals
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 1
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location -1
      }
      {VAR
      :varno 2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
      }
    )
    :location -1
  }
  :alias <>
  :rtindex 3
}
)
:quals
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
    }
  )
  :location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 2
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2

```

```

        :varattnosyn 2
        :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname c_name
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 2

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname c_address
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname c_nationkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname c_phone
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname c_mktsegment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

        :varno 1
        :varattno 8
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    :resno 8
    :resname c_comment
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 8
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16633
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS

```



```

        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
    }
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("n_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16633
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}

```

```

)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 211
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 225
}
)
:location 223
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 243
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 256
}
)
:location 254
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 275
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 287
}
)
:location 285
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 305
}
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 321
}
}
)
:location 319
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 341
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 355
}
}
)
:location 353
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5

```

```

:varattnosyn 3
:location 375
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 389
}
)
:location 387
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 409
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 418
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
)
:location 416
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 433
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 453
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 445
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 474
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
}
}

```

```

        :args (
            {CONST
            :consttype 1082
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 493
            :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
            }
            {CONST
            :consttype 1186
            :consttypmod 327679
            :constcollid 0
            :constlen 16
            :constbyval false
            :constisnull false
            :location 517
            :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
            }
        )
        :location 506
    }
)
:location 486
}
)
:location 239
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 7
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname n_name
    :ressortgroupref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {OEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno 3
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 6
            :location 63
            }
            {OEXPR
            :opno 592
            :opfuncid 219
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {FUNCEXPR
                :funcid 316
                :funcresulttype 701
                :funcset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                    {CONST
                    :consttype 23
                    :consttypmod -1
                    :constcollid 0
                    :constlen 4
                    :constbyval true
                    :constisnull false

```

```

        :location 82
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 86
}
)
:location 84
}
)
:location 79
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 59
}
:resno 2
:resname revenue
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tlesortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tlesortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {SORT
:plan.disabled_nodes 0
:plan.startup_cost 180974.6001823278
:plan.total_cost 180974.6726823278
:plan.plan_rows 29
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 1
:resname n_name
:ressortgrouppref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname revenue
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 180969.9384555209
:plan.total_cost 180973.8957750835
:plan.plan_rows 29
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname n_name
:ressortgrouppref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 63
}
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST

```

```

        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
    }
    {VAR
    :varno -2
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location 86
    }
    )
    :location 84
    }
    )
    :location 79
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno 0
    :aggtransno 0
    :location 59
    }
    :resno 2
    :resname revenue
    :ressortgrouppref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree
    {GATHERMERGE
    :plan.disabled_nodes 0
    :plan.startup_cost 180969.9384555209
    :plan.total_cost 180973.3157750835
    :plan.plan_rows 29
    :plan.plan_width 48
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 2
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 2
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location 63
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    }
    {TARGETENTRY

```



```

:expr
  {VAR
   :varno -2
   :varattno 3
   :vartype 701
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 3
   :varattnosyn 7
   :location 86
  }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
  {SORT
   :plan.disabled_nodes 0
   :plan.startup_cost 179969.91468108338
   :plan.total_cost 179969.94468108338
   :plan.plan_rows 12
   :plan.plan_width 48
   :plan.parallel_aware false
   :plan.parallel_safe true
   :plan.async_capable false
   :plan.plan_node_id 3
   :plan.targetlist (
     {TARGETENTRY
      :expr
        {VAR
         :varno -2
         :varattno 1
         :vartype 25
         :vartypmod -1
         :varcollid 100
         :varnullingrels (b)
         :varlevelsup 0
         :varreturningtype 0
         :varnosyn 5
         :varattnosyn 2
         :location -1
        }
      :resno 1
      :resname <>
      :ressortgroupref 2
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
     :expr
       {VAR
        :varno -2
        :varattno 2
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
       }
      :resno 2
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
     :expr
       {VAR
        :varno -2
        :varattno 3
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location -1
       }
      :resno 3
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  }
)
:plan.qual <>
:plan.lefttree
  {HASHJOIN
   :join.plan.disabled_nodes 0
   :join.plan.startup_cost 40840.652500000004
   :join.plan.total_cost 179969.69958333333
   :join.plan.plan_rows 12
   :join.plan.plan_width 48
   :join.plan.parallel_aware false
   :join.plan.parallel_safe true
   :join.plan.async_capable false
   :join.plan.plan_node_id 4
   :join.plan.targetlist (

```

```

{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 63
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 86
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 40372.652500000004
:join.plan.total_cost 179483.15208333335
:join.plan.plan_rows 2457
:join.plan.plan_width 64
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 5
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1

```

```

        :location -1
    }
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 63
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 86
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 275
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 355
}
:resno 7
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 129723.83333333334
:scan.plan.plan_rows 2500383
:scan.plan.plan_width 24
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
    }
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
    }
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location -1
    }
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 8
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 8
        :location -1
    }
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 9
        :location -1
    }
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 10
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 10
        :location -1
    }

```

```

    }
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 40364.9775
:plan.total_cost 40364.9775
:plan.plan_rows 614
:plan.plan_width 48
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 7
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4623.985
:join.plan.total_cost 40364.9775
:join.plan.plan_rows 614
:join.plan.plan_width 48
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 8
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 4
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 256
}
}
:resno 3

```



```

:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 355
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 35383
:scan.plan.plan_rows 94782
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 9
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

        :varattnosyn 8
        :location -1
    }
    :resno 8
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 433
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 453
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 445
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 474
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 32 -39 -79 49 -115 -1 -1 ]
}
)
:location 486
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 2
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4618.9225
:plan.total_cost 4618.9225

```

```

:plan.plan_rows 405
:plan.plan_width 48
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 10
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 4
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 1
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 9
      :varattnosyn 1
      :location -1
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 4
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 2
      :location -1
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 5
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location -1
    }
    :resno 5
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
  }
)

```

```

        :resjunk false
    }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 84.4275
:join.plan.total_cost 4618.9225
:join.plan.plan_rows 405
:join.plan.plan_width 48
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 11
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 5
        :varattnosyn 1
        :location 355
    }
    :resno 5
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4297
:scan.plan.plan_rows 62500
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 12
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 8
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 5
        :location -1
        }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 8
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 6
    :location -1
    }
    :resno 6
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 8
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 7
    :location -1
    }
    :resno 7
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 8
    :varattno 8
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 8
    :location -1
    }
    :resno 8
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    }
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b 0)
    :scan.plan.allParam (b 0)
    :scan.scanrelid 8
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 84.41499999999999
    :plan.total_cost 84.41499999999999
    :plan.plan_rows 1
    :plan.plan_width 40
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 13
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 63.0475
:join.plan.total_cost 84.41499999999999
:join.plan.plan_rows 1
:join.plan.plan_width 40
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 14
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 355
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```



```

}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.675
:join.plan.total_cost 41.9725
:join.plan.plan_rows 16
:join.plan.plan_width 36
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 15
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 355
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 40
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 16
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
}

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 5
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.625
:plan.total_cost 20.625
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 17
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN

```

```

:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.625
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 18
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 6
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 389
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual (
  {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 6
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 2
        :location 409
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 8 [ 32 0 0 0 65
          83 73 65 ]
      }
    )
    :location -1
  }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 6
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 389
  }
)
:skewTable 16536
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
  }
)

```

```

:args (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location 375
  }
  {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 389
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location 375
  }
)
}
:join.plan.righttree
{HASH
  :plan.disabled_nodes 0
  :plan.startup_cost 42.172499999999999
  :plan.total_cost 42.172499999999999
  :plan.plan_rows 16
  :plan.plan_width 4
  :plan.parallel_aware false
  :plan.parallel_safe true
  :plan.async_capable false
  :plan.plan_node_id 19
  :plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 1
        :location -1
      }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  )
  :plan.qual <>
  :plan.lefttree
  {AGG
    :plan.disabled_nodes 0
    :plan.startup_cost 42.012499999999999
    6
    :plan.total_cost 42.172499999999999
    :plan.plan_rows 16
    :plan.plan_width 4
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 20
    :plan.targetlist (
      {TARGETENTRY
        :expr
        {VAR
          :varno -2
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 9
          :varattnosyn 1
          :location -1
        }
        :resno 1
        :resname <>
      }
    )
  }
}

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.675
:join.plan.total_cost 41.9725
:join.plan.plan_rows 16
:join.plan.plan_width 4
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 21
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false

:scan.plan.plan_node_id 22
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 3
:location -1
}

```

```

    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 9
  :varattno 4
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 9
  :varattnosyn 4
  :location -1
  }
  :resno 4
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 9
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.625
:plan.total_cost 20.625
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 23
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0

:scan.plan.startup_cost 0
:scan.plan.total_cost 20.62
5
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware f
alse
:scan.plan.parallel_safe tr
ue
:scan.plan.async_capable fa
lse
:scan.plan.plan_node_id 24
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 10
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
)

```

```

:scan.plan.qual (
  {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 10
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 2
        :location -1
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 8 [ 32 0
          0 0 65 83 73 65 ]
        }
      )
    :location -1
  }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 10
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 10
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16536
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 1
        :location -1
      }
    )
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)

```

```

        :hashkeys (
            {VAR
            :varno -2
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 9
            :varattnosyn 3
            :location -1
            }
        )
    }
    :plan.rightrighttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :aggstrategy 2
    :aggsplit 0
    :numCols 1
    :grpColIdx ( 1)
    :grpOperators ( 96)
    :grpCollations ( 0)
    :numGroups 16
    :transitionSpace 0
    :aggParams (b)
    :groupingSets <>
    :chain <>
    }
    :plan.rightrighttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 1
        :location -1
        }
    )
    :skewTable 16536
    :skewColumn 1
    :skewInherit false
    :rows_total 0
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b)
    :join.plan.allParam (b)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual <>
    :hashclauses (
        {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno -2
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 1
            :location 355
            }
            {VAR
            :varno -1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 9
            :varattnosyn 1
            :location -1
            }
        )
    )
    :location -1
    }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1

```



```

        :location 355
      }
    )
  }
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 9
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 4
        :location -1
      }
      {VAR
        :varno -1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 1
        :location -1
      }
    )
  }
  :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 4
    :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location -1
  }
)
}
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 972
}

```

```

:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 225
      }
      {VAR
        :varno -1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location -1
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 225
  }
)
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 256
  }
)
:skewTable 16566
:skewColumn 1
:skewInherit false
:rows_total 1473.6
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 243
      }
    )
  }
)

```

```

        {VAR
        :varno -1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 256
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 243
    }
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 318
:plan.total_cost 318
:plan.plan_rows 10000
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 25
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 318
:scan.plan.plan_rows 10000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 26
:scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 287
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
        :varno 4
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location 321
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 4
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
        {VAR
            :varno -2
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 4
            :location 321
        }
        {VAR
            :varno -2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 1
            :location 287
        }
    )
    :skewTable 0
    :skewColumn 0
    :skewInherit false
    :rows_total 0
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b 0)
    :join.plan.allParam (b 0)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual <>
    :hashclauses (
        {OPEXPR
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {VAR
                    :varno -2
                    :varattno 2
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 9
                    :varattnosyn 1
                    :location -1
                }
                {VAR
                    :varno -1
                    :varattno 2
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location 321
    }
)
:location -1
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno -2
        :varattno 5
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location 275
    }
    {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 287
    }
)
:location -1
}
)
:hashoperators (o 96 96)
:hashcollations (o 0 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno -2
        :varattno 5
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location 275
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggsplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 29
:transitionSpace 0
:aggParams (b)
:groupingSets <>

```

```

:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 2)
:sortOperators ( 674)
:collations ( 0)
:nullsFirst ( true)
}

```

QUERY PLAN

```

-----
Sort (cost=180974.60..180974.67 rows=29 width=40) (actual time=857.218..858.008 rows=5.00 loops=1)
  Output: nation.n_name, (sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount))))
  Sort Key: (sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))) DESC
  Sort Method: quicksort Memory: 25kB
  Buffers: shared hit=8302 read=126780
-> GroupAggregate (cost=180969.94..180973.90 rows=29 width=40) (actual time=855.555..857.986 rows=5.00 loops=1)
  Output: nation.n_name, sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
  Group Key: nation.n_name
  Buffers: shared hit=8302 read=126780
-> Gather Merge (cost=180969.91..179969.94 rows=29 width=48) (actual time=855.144..857.104 rows=7378.00 loops=1)
  Output: nation.n_name, lineitem.l_extendedprice, lineitem.l_discount
  Workers Planned: 2
  Workers Launched: 2
  Buffers: shared hit=8302 read=126780
-> Sort (cost=179969.91..179969.94 rows=12 width=48) (actual time=848.813..848.921 rows=2459.33 loops=3)
  Output: nation.n_name, lineitem.l_extendedprice, lineitem.l_discount
  Sort Key: nation.n_name
  Sort Method: quicksort Memory: 200kB
  Buffers: shared hit=8302 read=126780
  Worker 0: actual time=845.878..845.981 rows=2385.00 loops=1
    Sort Method: quicksort Memory: 194kB
    Buffers: shared hit=2650 read=42072
  Worker 1: actual time=845.924..846.033 rows=2454.00 loops=1
    Sort Method: quicksort Memory: 196kB
    Buffers: shared hit=2608 read=42500
-> Hash Join (cost=40840.65..179969.70 rows=12 width=48) (actual time=184.270..846.860 rows=2459.33 loops=3)
  Output: nation.n_name, lineitem.l_extendedprice, lineitem.l_discount
  Hash Cond: ((n.n_nationkey = supplier.s_nationkey) AND (lineitem.l_suppkey = supplier.s_suppkey))
  Buffers: shared hit=8286 read=126780
  Worker 0: actual time=181.743..843.974 rows=2385.00 loops=1
    Buffers: shared hit=2642 read=42072
  Worker 1: actual time=180.893..843.844 rows=2454.00 loops=1
    Buffers: shared hit=2600 read=42500
-> Parallel Hash Join (cost=40372.65..179483.15 rows=2457 width=64) (actual time=180.011..821.741 rows=61195.00 loops=3)
  Output: c.c_nationkey, n.n_nationkey, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_suppkey, nation.n_name, nati
on.n_nationkey
  Hash Cond: (lineitem.l_orderkey = orders.o_orderkey)
  Buffers: shared hit=7632 read=126780
  Worker 0: actual time=177.544..819.036 rows=61004.00 loops=1
    Buffers: shared hit=2424 read=42072
  Worker 1: actual time=177.287..819.129 rows=60858.00 loops=1
    Buffers: shared hit=2382 read=42500
-> Parallel Seq Scan on public.lineitem (cost=0.00..129723.83 rows=2500383 width=24) (actual time=0.754..303.387 rows=2000
405.00 loops=3)
  Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, linei
tem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.
l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
  Buffers: shared hit=2162 read=102558
  Worker 0: actual time=0.849..303.938 rows=1991189.00 loops=1
    Buffers: shared hit=739 read=34004
  Worker 1: actual time=0.812..302.678 rows=2012127.00 loops=1
    Buffers: shared hit=725 read=34388
-> Parallel Hash (cost=40364.98..40364.98 rows=614 width=48) (actual time=179.102..179.110 rows=15243.67 loops=3)
  Output: c.c_nationkey, n.n_nationkey, orders.o_orderkey, nation.n_name, nation.n_nationkey
  Buckets: 65536 (originally 2048) Batches: 1 (originally 1) Memory Usage: 3632kB
  Buffers: shared hit=5470 read=24222
  Worker 0: actual time=176.394..176.402 rows=15188.00 loops=1
    Buffers: shared hit=1685 read=8068
  Worker 1: actual time=176.424..176.434 rows=15378.00 loops=1
    Buffers: shared hit=1657 read=8112
-> Parallel Hash Join (cost=4623.98..40364.98 rows=614 width=48) (actual time=20.330..163.457 rows=15243.67 loops=3)
  Output: c.c_nationkey, n.n_nationkey, orders.o_orderkey, nation.n_name, nation.n_nationkey
  Hash Cond: (orders.o_custkey = c.c_custkey)
  Buffers: shared hit=5470 read=24222
  Worker 0: actual time=17.594..161.302 rows=15188.00 loops=1
    Buffers: shared hit=1685 read=8068
  Worker 1: actual time=17.750..159.710 rows=15378.00 loops=1
    Buffers: shared hit=1657 read=8112
-> Parallel Seq Scan on public.orders (cost=0.00..35383.00 rows=94782 width=8) (actual time=0.558..119.123 row
s=76212.33 loops=3)
  Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate
, orders.o_orderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
  Filter: ((orders.o_orderdate >= '1995-01-01'::date) AND (orders.o_orderdate < '1996-01-01 00:00:00'::times
tamp without time zone))
  Rows Removed by Filter: 423788
  Buffers: shared hit=1786 read=24222
  Worker 0: actual time=0.574..119.731 rows=76284.00 loops=1
    Buffers: shared hit=612 read=8068
  Worker 1: actual time=0.583..118.526 rows=76597.00 loops=1
    Buffers: shared hit=595 read=8112
-> Parallel Hash (cost=4618.92..4618.92 rows=405 width=48) (actual time=19.702..19.708 rows=10061.00 loops=3)
  Output: c.c_nationkey, c.c_custkey, n.n_nationkey, nation.n_name, nation.n_nationkey
  Buckets: 32768 (originally 1024) Batches: 1 (originally 1) Memory Usage: 2264kB
  Buffers: shared hit=3684
  Worker 0: actual time=17.004..17.010 rows=8841.00 loops=1
    Buffers: shared hit=1073
  Worker 1: actual time=17.004..17.013 rows=8628.00 loops=1
    Buffers: shared hit=1062
-> Hash Join (cost=84.43..4618.92 rows=405 width=48) (actual time=0.221..15.717 rows=10061.00 loops=3)
  Output: c.c_nationkey, c.c_custkey, n.n_nationkey, nation.n_name, nation.n_nationkey
  Hash Cond: (c.c_nationkey = n.n_nationkey)
  Buffers: shared hit=3684
  Worker 0: actual time=0.261..13.542 rows=8841.00 loops=1
    Buffers: shared hit=1073
  Worker 1: actual time=0.261..13.648 rows=8628.00 loops=1
    Buffers: shared hit=1062

```

```

18..9.016 rows=50000.00 loops=3)
ent, c.c_comment

-> Parallel Seq Scan on public.customer c (cost=0.00..4297.00 rows=62500 width=8) (actual time=0.0
    Output: c.c_custkey, c.c_name, c.c_address, c.c_nationkey, c.c_phone, c.c_acctbal, c.c_mktsegm
    Buffers: shared hit=3672
    Worker 0: actual time=0.030..7.895 rows=43623.00 loops=1
    Buffers: shared hit=1069
    Worker 1: actual time=0.012..8.043 rows=43128.00 loops=1
    Buffers: shared hit=1058
-> Hash (cost=84.41..84.41 rows=1 width=40) (actual time=0.194..0.198 rows=5.00 loops=3)
    Output: nation.n_name, nation.n_nationkey, n.n_nationkey
    Buckets: 1024 Batches: 1 Memory Usage: 9kB
    Buffers: shared hit=12
    Worker 0: actual time=0.221..0.225 rows=5.00 loops=1
    Buffers: shared hit=4
    Worker 1: actual time=0.238..0.244 rows=5.00 loops=1
    Buffers: shared hit=4
-> Hash Join (cost=63.05..84.41 rows=1 width=40) (actual time=0.182..0.191 rows=5.00 loops=3)
    Output: nation.n_name, nation.n_nationkey, n.n_nationkey
    Hash Cond: (nation.n_nationkey = n.n_nationkey)
    Buffers: shared hit=12
    Worker 0: actual time=0.209..0.218 rows=5.00 loops=1
    Buffers: shared hit=4
    Worker 1: actual time=0.227..0.237 rows=5.00 loops=1
    Buffers: shared hit=4
-> Hash Join (cost=20.68..41.97 rows=16 width=36) (actual time=0.126..0.132 rows=5.00
loops=3)
    Output: nation.n_name, nation.n_nationkey
    Hash Cond: (nation.n_regionkey = region.r_regionkey)
    Buffers: shared hit=6
    Worker 0: actual time=0.156..0.161 rows=5.00 loops=1
    Buffers: shared hit=2
    Worker 1: actual time=0.171..0.177 rows=5.00 loops=1
    Buffers: shared hit=2
-> Seq Scan on public.nation (cost=0.00..18.10 rows=810 width=40) (actual time=0
.062..0.064 rows=25.00 loops=3)
ent
    Output: nation.n_nationkey, nation.n_name, nation.n_regionkey, nation.n_comm
    Buffers: shared hit=3
    Worker 0: actual time=0.079..0.081 rows=25.00 loops=1
    Buffers: shared hit=1
    Worker 1: actual time=0.086..0.087 rows=25.00 loops=1
    Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.052..0.053 rows=1.00 1
oops=3)
    Output: region.r_regionkey
    Buckets: 1024 Batches: 1 Memory Usage: 9kB
    Buffers: shared hit=3
    Worker 0: actual time=0.066..0.067 rows=1.00 loops=1
    Buffers: shared hit=1
    Worker 1: actual time=0.073..0.075 rows=1.00 loops=1
    Buffers: shared hit=1
-> Seq Scan on public.region (cost=0.00..20.62 rows=4 width=4) (actual tim
e=0.044..0.045 rows=1.00 loops=3)
    Output: region.r_regionkey
    Filter: (region.r_name = 'ASIA'::text)
    Rows Removed by Filter: 4
    Buffers: shared hit=3
    Worker 0: actual time=0.057..0.058 rows=1.00 loops=1
    Buffers: shared hit=1
    Worker 1: actual time=0.066..0.066 rows=1.00 loops=1
    Buffers: shared hit=1
-> Hash (cost=42.17..42.17 rows=16 width=4) (actual time=0.046..0.047 rows=5.00 loops=
3)
    Output: n.n_nationkey
    Buckets: 1024 Batches: 1 Memory Usage: 9kB
    Buffers: shared hit=6
    Worker 0: actual time=0.043..0.044 rows=5.00 loops=1
    Buffers: shared hit=2
    Worker 1: actual time=0.045..0.046 rows=5.00 loops=1
    Buffers: shared hit=2
-> HashAggregate (cost=42.01..42.17 rows=16 width=4) (actual time=0.037..0.040 r
ows=5.00 loops=3)
    Output: n.n_nationkey
    Group Key: n.n_nationkey
    Batches: 1 Memory Usage: 32kB
    Buffers: shared hit=6
    Worker 0: actual time=0.036..0.037 rows=5.00 loops=1
    Batches: 1 Memory Usage: 32kB
    Buffers: shared hit=2
    Worker 1: actual time=0.038..0.040 rows=5.00 loops=1
    Batches: 1 Memory Usage: 32kB
    Buffers: shared hit=2
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.027..0.031
rows=5.00 loops=3)
    Output: n.n_nationkey
    Hash Cond: (n.n_regionkey = r.r_regionkey)
    Buffers: shared hit=6
    Worker 0: actual time=0.024..0.028 rows=5.00 loops=1
    Buffers: shared hit=2
    Worker 1: actual time=0.026..0.030 rows=5.00 loops=1
    Buffers: shared hit=2
-> Seq Scan on public.nation n (cost=0.00..18.10 rows=810 width=8) (
actual time=0.003..0.004 rows=25.00 loops=3)
    Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment
    Buffers: shared hit=3
    Worker 0: actual time=0.003..0.004 rows=25.00 loops=1
    Buffers: shared hit=1
    Worker 1: actual time=0.003..0.004 rows=25.00 loops=1
    Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.011..0.012
rows=1.00 loops=3)
    Output: r.r_regionkey
    Buckets: 1024 Batches: 1 Memory Usage: 9kB
    Buffers: shared hit=3
    Worker 0: actual time=0.013..0.013 rows=1.00 loops=1
    Buffers: shared hit=1
    Worker 1: actual time=0.013..0.013 rows=1.00 loops=1
    Buffers: shared hit=1
-> Seq Scan on public.region r (cost=0.00..20.62 rows=4 width=
4) (actual time=0.005..0.005 rows=1.00 loops=3)
    Output: r.r_regionkey
    Filter: (r.r_name = 'ASIA'::text)
    Rows Removed by Filter: 4

```

```

Buffers: shared hit=3
Worker 0: actual time=0.006..0.007 rows=1.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.006..0.006 rows=1.00 loops=1
  Buffers: shared hit=1
-> Hash (cost=318.00..318.00 rows=10000 width=8) (actual time=3.760..3.761 rows=10000.00 loops=3)
   Output: supplier.s_suppkey, supplier.s_nationkey
   Buckets: 16384  Batches: 1  Memory Usage: 519kB
   Buffers: shared hit=654
   Worker 0:  actual time=3.535..3.536 rows=10000.00 loops=1
     Buffers: shared hit=218
   Worker 1:  actual time=3.534..3.536 rows=10000.00 loops=1
     Buffers: shared hit=218
-> Seq Scan on public.supplier (cost=0.00..318.00 rows=10000 width=8) (actual time=0.060..2.035 rows=10000.00 loops=3)
   Output: supplier.s_suppkey, supplier.s_nationkey
   Buffers: shared hit=654
   Worker 0:  actual time=0.074..1.801 rows=10000.00 loops=1
     Buffers: shared hit=218
   Worker 1:  actual time=0.073..1.878 rows=10000.00 loops=1
     Buffers: shared hit=218

Planning:
  Buffers: shared hit=27
Planning Time: 7.752 ms
Execution Time: 858.379 ms
(214 rows)

```

```

Time: 871.243 ms
tpch=> RESET ROLE;
WARNING: ===== RAW PARSE TREE =====
DETAIL:  {RAWSTMT

```

```

:stmt
  {VARIABLESETSTMT
    :kind 4
    :name role
    :args <>
    :jumble_args false
    :is_local false
    :location -1
  }
:stmt_location 0
:stmt_len 10
}

```

```

WARNING: ===== ANALYZED QUERY =====

```

```

DETAIL:  {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 4
    :name role
    :args <>
    :jumble_args false
    :is_local false
    :location -1
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

```

Time: 8.400 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
  r RECORD;
BEGIN
  FOR r IN SELECT polname, tablename FROM pg_policies WHERE schemaname = 'public'
  LOOP
    EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polname, r.tablename);
  END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables

```



```

RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on lineitem
ALTER TABLE lineitem ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show lineitems from suppliers with acctbal > 1000
CREATE POLICY lineitem_rls_policy ON lineitem
USING (
    EXISTS (
        SELECT 1 FROM supplier s
        WHERE s.s_suppkey = lineitem.l_suppkey
        AND s.s_acctbal > 1000
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 6: Run Q6
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    sum(l_extendedprice * l_discount) as revenue
from
    lineitem
where
    l_shipdate >= date '1993-01-01'
    and l_shipdate < date '1994-03-01' + interval '1' year
    and l_discount between 0.06 - 0.01 and 0.06 + 0.01
    and l_quantity < 10;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
    :stmt
    {DOSTMT
    :args (
    {DEFELEM
    :defnamespace <>
    :defname as
    :arg ""
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
    T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
    public\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
    \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
    );\
\ \ \ \ END\ LOOP;\
END;\
"
    :defaction 0
    :location 3
    }
    )
    }
    :stmt_location 0
    :stmt_len 236
    }

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
    :commandType 6
    :querySource 0
    :canSetTag true
    :utilityStmt
    {DOSTMT
    :args (
    {DEFELEM
    :defnamespace <>
    :defname as
    :arg ""
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
    T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
    public\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
    \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
    );\
\ \ \ \ END\ LOOP;\
END;\
"
    :defaction 0
    :location 3
    }
    )
    }
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>

```

```

:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
}
}
}
}

```



```

:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname pol
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname pol
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck")
      }
    :rtekind 0
    :relid 3256
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
          "relowner" "relam" "relfilenode" "reltablespace" "relpages" "reltuples"
          "relallvisible" "relallfrozen" "reltoastrelid" "relhasindex" "relisshared"
          "relpersistence" "relkind" "relnatts" "relchecks" "relhasrules"
          "relhastriggers" "relhassubclass" "relrowsecurity" "relforcerowsecurity"
          "relispopulated" "relreplident" "relispartition" "relrewrite"
          "relfrozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
      }
    :rtekind 0
    :relid 1259
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespace"
          "reltype" "reloftype" "relowner" "relam" "relfilenode" "reltablespace"
          "relpages" "reltuples" "relallvisible" "relallfrozen" "reltoastrelid"
          "relhasindex" "relisshared" "relpersistence" "relkind" "relnatts"
          "relchecks" "relhasrules" "relhastriggers" "relhassubclass"
          "relrowsecurity" "relforcerowsecurity" "relispopulated" "relreplident"
          "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "relacl"
          "reloptions" "relpartbound")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1

```

```

:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}

```

```

{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12

```

```

:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "relloftype" "relowner" "relam" "relfilenode" "rel
tablesapce" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2

```

```

:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}

```

```

{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28

```

```

:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
)

```

```

        :alias <>
        :rtindex 3
    }
    :rarg
    {RANGETBLREF
    :rtindex 4
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}

```



```

    }
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false

```

```

:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 4 [ 16 0 0 0 ]
  }
)
:location -1
}
:elemexpr
{FUNCEXPR
  :funcid 407
  :funcresulttype 19
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 950
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 25
      :typemod -1
      :collation 0
    }
  )
  :location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
  :sublinkType 6
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
          :alias <>
          :eref
            {ALIAS
              :aliasname pg_authid
              :colnames ("oid" "rolname" "rolsuper" "rolinherit"
                "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
                  lication" "rolbypassrsls" "rolconlimit" "rolpasswor
                    d" "rolvaliduntil")
            }
          :rtekind 0
          :relid 1260
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 1260
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
}
:jointree

```

```

FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY

```

```

:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}

```

```

    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```



```

:varstype 19
:varystmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY

```



```

:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lcl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6

```

```

:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
}
{VAR

```

```

:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reliid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreliid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastreliid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14

```



```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
}
{VAR

```

```

:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}

```

```

    }
    {VAR
    :varno 2
    :varattno 32
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 32
    :location -1
    }
    {VAR
    :varno 2
    :varattno 33
    :vartype 1009
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 33
    :location -1
    }
    {VAR
    :varno 2
    :varattno 34
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 34
    :location -1
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    {VAR
    :varno 4
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location -1
    }
    {VAR
    :varno 4
    :varattno 4
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location -1
    }
    }
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259

```

```

:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgrouppref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgrouppref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]

```

```

    }
    :location -1
  }
)
:defresult
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
  :casetype 1003
  :casecollid 950
  :arg <>
  :args (
    {CASEWHEN
      :expr
      {OPEXPR
        :opno 1070
        :opfuncid 744
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 1028
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location -1
          }
          {CONST
            :consttype 1028
            :consttypmod -1
            :constcollid 0
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
              0 0 0 1 0 0 0 0 0 0 0 ]
          }
        )
      }
      :location -1
    }
  )
}
:result
{ARRAYCOERCEEXPR
  :arg
  {FUNCEXPR
    :funcid 394
    :funcresulttype 1009
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 100
    :inputcollid 100
    :args (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 4 [ 16 0 0 0 ]
      }
    )
  }
  :location -1
}
:elemexpr
{FUNCEXPR
  :funcid 407
  :funcresulttype 19
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 950
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 25

```

```

        :typeMod -1
        :collation 0
    }
}
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:sublinkType 6
:sublinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrsls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
}
}

```

```

    }
  )
  :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname rolname
  :ressortgroupref 1
  :resorigtbl 1260
  :resorigcol 2
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 93
  :sortop 660
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true

```



```

        :constisnull false
        :location -1
        :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1

```

```

        :collation 0
      }
      {CONST
      :consttype 18
      :consttypmod -1
      :constcollid 0
      :constlen 1
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  :result
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
  }
  :location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:varatype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR

```

```

        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree

```

```
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opccllid 0
:inputcollid 950
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 52
  }
  {CONST
    :consttype 19
    :consttypmod -1
    :constcollid 950
    :constlen 64
    :constbyval false
    :constisnull false
    :location 65
    :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
  }
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 7
      }
    :resno 1
    :resname polycyname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 19
      }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupByClause <>
:groupByDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
```

WARNING: ===== FINAL PLAN =====:

```
DETAIL:      {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4.907500000000001
:join.plan.total_cost 26.256500000000003
:join.plan.plan_rows 20
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname policyname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
  {HASHJOIN
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 3.845
    :join.plan.total_cost 24.75625
    :join.plan.plan_rows 82
    :join.plan.plan_width 132
    :join.plan.parallel_aware false
    :join.plan.parallel_safe false
    :join.plan.async_capable false
    :join.plan.plan_node_id 1
    :join.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno -1
            :varattno 1
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 2
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno -2
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 2
            :location -1
          }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
```

```

{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.43
:scan.plan.plan_rows 443
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4

```

```

        :location -1
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```



```

:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30

```

```

:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 2.8200000000000003
:plan.total_cost 2.8200000000000003
:plan.plan_rows 82
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (

```

```

{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 1
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
  }
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 2
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 2.8200000000000003
    :scan.plan.plan_rows 82
    :scan.plan.plan_width 68
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 4
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 2
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 2
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno 2
            :varattno 3
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 3
            :location -1
          }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 2
  }
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)

```

```

:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno -1
        :varattno 2
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
      }
    )
    :location -1
  }
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
)
}
:join.plan.righttree
{HASH
  :plan.disabled_nodes 0
  :plan.startup_cost 1.05
  :plan.total_cost 1.05
  :plan.plan_rows 1
  :plan.plan_width 4
  :plan.parallel_aware false
  :plan.parallel_safe false
  :plan.async_capable false
  :plan.plan_node_id 5
  :plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
    }
  )
}

```

```

        :resjunk false
    }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
 :scan.plan.disabled_nodes 0
 :scan.plan.startup_cost 0
 :scan.plan.total_cost 1.05
 :scan.plan.plan_rows 1
 :scan.plan.plan_width 4
 :scan.plan.parallel_aware false
 :scan.plan.parallel_safe false
 :scan.plan.async_capable false
 :scan.plan.plan_node_id 6
 :scan.plan.targetlist (
 {TARGETENTRY
 :expr
 {VAR
 :varno 5
 :varattno 1
 :vartype 26
 :vartypmod -1
 :varcollid 0
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 5
 :varattnosyn 1
 :location -1
 }
 :resno 1
 :resname <>
 :ressortgroupref 0
 :resorigtbl 0
 :resorigcol 0
 :resjunk false
 }
 )
 :scan.plan.qual (
 {OPEXPR
 :opno 93
 :opfuncid 62
 :opresulttype 16
 :opretset false
 :opcollid 0
 :inputcollid 950
 :args (
 {VAR
 :varno 5
 :varattno 2
 :vartype 19
 :vartypmod -1
 :varcollid 950
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 5
 :varattnosyn 2
 :location -1
 }
 {CONST
 :consttype 19
 :consttypmod -1
 :constcollid 950
 :constlen 64
 :constbyval false
 :constisnull false
 :location 65
 :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
 }
 )
 :location 63
 }
 )
 :scan.plan.lefttree <>
 :scan.plan.righttree <>
 :scan.plan.initPlan <>
 :scan.plan.extParam (b)
 :scan.plan.allParam (b)
 :scan.scanrelid 5
 }
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
 {VAR
 :varno -2
 :varattno 1
 :vartype 26
 :vartypmod -1
 :varcollid 0
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 5
 :varattnosyn 1
 :location -1
 }
 )
:skewTable 1259
:skewColumn 3
:skewinherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
```

```

{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
  {VAR
:varno -1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
)
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
  {PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
}
)
}
)
}

```



```

        :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
    )
    :location 0
    }
    :resno 1
    :resname format
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
:location 0

```

```

    }
    :resno 1
    :resname format
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
  :fromlist <>
  :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {FUNCEXP
  :funcid 3539
  :funcresulttype 25
  :funcresultset false
  :funcvariadic false
  :funcformat 0
  :funccollid 950
  :inputcollid 950
  :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 7
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
      70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
    }
    {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
  )
  :location 0
  }
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>

```

```

:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("customer" "customer_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("customer" "customer_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
}
}

```

```

:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 24.483 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
}

```

```

:stmt_len 10
}

Time: 0.362 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

```

Time: 1.256 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT

```

```

:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.360 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>

```

```

        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 12
    }
    :cmds (
        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
    )
    :objtype 41
    :missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
}

```

Time: 0.343 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
}
}

```

```

:cmds (
  {ALERTABLECMD
  :subtype 55
  :name <>
  :num 0
  :newowner <>
  :def <>
  :behavior 0
  :missing_ok false
  :recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
  :subtype 55
  :name <>
  :num 0
  :newowner <>
  :def <>
  :behavior 0
  :missing_ok false
  :recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

Time: 0.309 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
  :subtype 55
  :name <>
  :num 0
  :newowner <>

```



```

:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.300 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
}
}

```

```

      :objtype 41
      :missing_ok false
    }
    :stmt_location 0
    :stmt_len 47
  }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname partsupp
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 47
}

```

Time: 0.292 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
  :stmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname nation
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :stmt_location 0
  :stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}
```

Time: 0.285 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 45
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
```

```

:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.282 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>

```

```

:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

Time: 0.289 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name lineitem_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>

```

```

:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_supkey")
:location 114
}
}
:rexpr
{COLUMNREF
:fields ("lineitem" "l_supkey")
:location 128
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acotbal")
:location 159
}
}
:rexpr
{A_CONST
:val 1000
:location 173
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 171
}
}
:location 155
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 185
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name lineitem_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 37
}
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
}
)
}
}
}

```

```

        :val
        {A_CONST
         :val 1
         :location 82
        }
      :location 82
    }
  )
  :fromClause (
    {RANGEVAR
     :catalogname <>
     :schemaname <>
     :relname supplier
     :inh true
     :relpersistence p
     :alias
     {ALIAS
      :aliasname s
      :colnames <>
     }
     :location 89
    }
  )
  :whereClause
  {BOOLEXP
   :boolop and
   :args (
     {A_EXPR
      :name ("=")
      :lexpr
      {COLUMNREF
       :fields ("s" "s_supkey")
       :location 114
      }
     }
     :rexpr
     {COLUMNREF
      :fields ("lineitem" "l_supkey")
      :location 128
     }
     :rexpr_list_start 0
     :rexpr_list_end 0
     :location 126
   )
   {A_EXPR
    :name (">")
    :lexpr
    {COLUMNREF
     :fields ("s" "s_acctbal")
     :location 159
    }
   }
   :rexpr
   {A_CONST
    :val 1000
    :location 173
   }
   :rexpr_list_start 0
   :rexpr_list_end 0
   :location 171
 }
 )
 :location 155
 }
 :groupClause <>
 :groupDistinct false
 :havingClause <>
 :windowClause <>
 :valuesLists <>
 :sortClause <>
 :limitOffset <>
 :limitCount <>
 :limitOption 0
 :lockingClause <>
 :withClause <>
 :op 0
 :all false
 :larg <>
 :rarg <>
 }
 :location 58
 }
 :with_check <>
 }
 :resultRelation 0
 :hasAggs false
 :hasWindowFuncs false
 :hasTargetSRFs false
 :hasSubLinks false
 :hasDistinctOn false
 :hasRecursive false
 :hasModifyingCTE false
 :hasForUpdate false
 :hasRowSecurity false
 :hasGroupRTE false
 :isReturn false
 :ctelList <>
 :rttable <>
 :rteperminfos <>
 :jointree <>
 :mergeActionList <>
 :mergeTargetRelation 0
 :mergeJoinCondition <>
 :targetList <>
 :override 0
 :onConflict <>
 :returningOldAlias <>
 :returningNewAlias <>
 :returningList <>
 :groupClause <>
 :groupDistinct false
 :groupingSets <>
 :havingQual <>
 :windowClause <>
 :distinctClause <>
 :sortClause <>
 :limitOffset <>

```

```

:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 185
}

```

Time: 1.057 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false

```



```

:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.652 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
}

```

```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.227 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.132 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {EXPLAINSTMT
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (

```

```

{RESTARGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 51
}
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 69
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 67
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 47
}
:location 47
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 101
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l_shipdate")
:location 120
}
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1993-01-01"
:location 139
}
}
:typeName
{TYPPNAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 134
}
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 131
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("l_shipdate")
:location 160
}
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\1994-03-01"
:location 178
}
}
:typeName
{TYPPNAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 173
}
}
:location -1
}
:rexpr
{TYPECAST

```

```

        :arg
        {A_CONST
        :val "\1"
        :location 202
        }
        :typeName
        {TYPE_NAME
        :names ("pg_catalog" "interval")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods (
        {A_CONST
        :val 4
        :location 206
        }
        )
        :typemod -1
        :arrayBounds <>
        :location 193
        }
        :location -1
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 191
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 171
        }
        {A_EXPR BETWEEN
        :name ("BETWEEN")
        :lexpr
        {COLUMNREF
        :fields ("l_discount")
        :location 219
        }
        }
        :rexpr (
        {A_EXPR
        :name ("-")
        :lexpr
        {A_CONST
        :val 0.06
        :location 238
        }
        :rexpr
        {A_CONST
        :val 0.01
        :location 245
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 243
        }
        {A_EXPR
        :name ("+")
        :lexpr
        {A_CONST
        :val 0.06
        :location 254
        }
        :rexpr
        {A_CONST
        :val 0.01
        :location 261
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 259
        }
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 230
        }
        {A_EXPR
        :name ("<")
        :lexpr
        {COLUMNREF
        :fields ("l_quantity")
        :location 274
        }
        :rexpr
        {A_CONST
        :val 10
        :location 287
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 285
        }
        }
        :location 156
        }
        :groupClause <>
        :groupDistinct false
        :havingClause <>
        :windowClause <>
        :valuesLists <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
        }
        :options (
        {DEFELEM
        :defnamespace <>
        :defname analyze

```

```

:arg <>
:deffaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:define verbose
:arg <>
:deffaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:define buffers
:arg <>
:deffaction 0
:location 27
}
}
}
:stmt_location 0
:stmt_len 289
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXPR
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 120
}
}
}
}
)
}
}

```

```

    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 139
    :constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 131
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 11
  :vartype 1082
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 11
  :location 160
  }
  {OPEXPR
  :opno 1076
  :opfuncid 2071
  :opresulttype 1114
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 178
    :constvalue 4 [ -84 -9 -1 -1 -1 -1 -1 -1 ]
    }
    {CONST
    :consttype 1186
    :consttypmod 327679
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 202
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
    }
  )
  :location 191
  }
)
:location 171
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
  :opno 675
  :opfuncid 298
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 219
    }
    {FUNCEXPR
    :funcid 1746
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXPR
      :opno 1759
      :opfuncid 1725
      :opresulttype 1700
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {CONST
        :consttype 1700
        :consttypmod -1
        :constcollid 0
        :constlen -1

```

```

        :constbyval false
        :constisnull false
        :location 238
        :constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
    }
    {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 245
    :constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
    }
    )
    :location 243
    }
    )
    :location -1
    }
    )
    :location 230
    }
    {OEXPR
    :opno 673
    :opfuncid 296
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 219
    }
    {FUNCEXP
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {OEXPR
    :opno 1758
    :opfuncid 1724
    :opresulttype 1700
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 254
    :constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
    }
    {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 261
    :constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
    }
    )
    :location 259
    }
    )
    :location -1
    }
    )
    :location 230
    }
    )
    :location 230
    }
    {OEXPR
    :opno 672
    :opfuncid 295
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 274
    }

```

```

        {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 287
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    :location 285
}
)
:location 156
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {OPEXP
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opresultset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 51
            }
            {VAR
            :varno 1
            :varattno 7
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 7
            :location 69
            }
        )
        :location 67
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 47
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>

```



```

: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 0
}
: options (
{DEFELEM
: defnamespace <>
: defname analyze
: arg <>
: defaction 0
: location 9
}
{DEFELEM
: defnamespace <>
: defname verbose
: arg <>
: defaction 0
: location 18
}
{DEFELEM
: defnamespace <>
: defname buffers
: arg <>
: defaction 0
: location 27
}
)
}
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: cteList <>
: rtable <>
: rteperminfos <>
: jointree <>
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList <>
: override 0
: onConflict <>
: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 289
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
: commandType 1
: querySource 0
: canSetTag true
: utilityStmt <>
: resultRelation 0
: hasAggs true
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: cteList <>
: rtable (
{RANGETBENTRY
: alias <>
: eref
{ALIAS
: aliasname lineitem
: colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")

```

```

    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 12 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
)
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 1098
        :opfuncid 1090
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 11
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 11
            :location 120
          }
          {CONST
            :consttype 1082
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 139
            :constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 -1 ]
          }
        )
      }
      :location 131
    )
  }
  {OPEXP
    :opno 2345
    :opfuncid 2338
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 11
        :location 160
      }
      {OPEXP
        :opno 1076
        :opfuncid 2071
        :opresulttype 1114
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 1082
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 178
            :constvalue 4 [ -84 -9 -1 -1 -1 -1 -1 -1 ]
          }
          {CONST
            :consttype 1186
            :consttypmod 327679
            :constcollid 0
            :constlen 16
            :constbyval false
            :constisnull false
          }
        )
      }
    )
  }

```

```

        :location 202
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
    }
}
:location 191
}
)
:location 171
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 219
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OEXPR
:opno 1759
:opfuncid 1725
:opresulttype 1700
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 245
:constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
}
)
:location 243
}
)
:location -1
}
)
:location 230
}
{OEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 219
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OEXPR
:opno 1758
:opfuncid 1724
:opresulttype 1700
:opretset false
:opcollid 0

```

```

        :inputcollid 0
        :args (
            {CONST
                :consttype 1700
                :consttypmod -1
                :constcollid 0
                :constlen -1
                :constbyval false
                :constisnull false
                :location 254
                :constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
            }
            {CONST
                :consttype 1700
                :consttypmod -1
                :constcollid 0
                :constlen -1
                :constbyval false
                :constisnull false
                :location 261
                :constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
            }
        )
        :location 259
    }
)
:location -1
}
)
:location 230
}
)
:location 230
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 274
    }
    {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 287
                :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
)
:location 285
}
)
:location 156
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {AGGREF
            :aggfnoid 2111
            :aggtype 701
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 0
            :aggargtypes (o 701)
            :aggdirectargs <>
            :args (
                {TARGETENTRY
                    :expr
                    {OPEXPR
                        :opno 594
                        :opfuncid 216
                        :opresulttype 701
                        :opretset false
                        :opcollid 0
                        :inputcollid 0
                        :args (
                            {VAR
                                :varno 1
                                :varattno 6
                                :vartype 701
                                :vartypmod -1
                                :varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 51
    }
    {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 69
    }
    )
    :location 67
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 47
    }
    :resno 1
    :resname revenue
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }

```

WARNING: Table OID=16566

WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone"
"s_acctbal" "s_comment")
}
}
}

```

```

:rtkind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGEtblref
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
)

```

```

        :location -1
    }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
    {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs true
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity true
        :hasGroupRTE false
        :isReturn false
        :cteList <>
    }
    :rtable (
        {RANGETBLENTY
            :alias <>
            :eref
            {ALIAS
                :aliasname lineitem
                :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
            }
            :rtekind 0
            :relid 16566
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals (
                {SUBLINK
                    :subLinkType 0
                    :subLinkId 0
                    :testexpr <>
                    :operName <>
                    :subselect
                    {QUERY
                        :commandType 1
                        :querySource 0
                        :canSetTag true
                        :utilityStmt <>
                        :resultRelation 0
                        :hasAggs false
                        :hasWindowFuncs false
                        :hasTargetSRFs false
                        :hasSubLinks false
                        :hasDistinctOn false
                        :hasRecursive false
                    }
                }
            )
        }
    )
}
)

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname s
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname s
      :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_
        _phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location -1
        }
        {VAR
          :varno 1
          :varattno 3
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 1
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 3
          :location -1
        }
      )
    }
    :location -1
  )
}
{OPEXP
  :opno 674
  :opfuncid 297
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 1
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location -1
    }
    {FUNCEXP
      :funcid 316
      :funcresulttype 701
      :funcset false
    }
  )
}

```



```

        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    :location -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
)
:rtpermissions (
    {RTEPERMISSIONINFO
        :relid 16566
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 12 13 14 18)
        :insertedCols (b)
        :updatedCols (b)
    }
)
)
:jointree
{FROMEXPR
    :fromlist (
        {RANGETBLREF
            :rtindex 1
        }
    )
}
)
:quals
{BOOLEXP
    :boolop and
    :args (
        {OPEXP
            :opno 1098
            :opfuncid 1090
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {VAR
                    :varno 1
                    :varattno 11
                    :vartype 1082
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                }
            )
        }
    )
}

```

```

:varnosyn 1
:varattnosyn 11
:location 120
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 139
:constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 ]
}
)
:location 131
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 160
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 178
:constvalue 4 [ -84 -9 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 202
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
}
)
:location 191
}
)
:location 171
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 219
}
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 1759
:opfuncid 1725
:opresulttype 1700
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700

```

```

        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location 238
        :constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
    }
    {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 245
    :constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
    }
    )
    :location 243
    }
    )
    :location -1
    }
    )
:location 230
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 219
    }
    {FUNCEXPR
    :funcid 1746
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXPR
        :opno 1758
        :opfuncid 1724
        :opresulttype 1700
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 1700
            :consttypmod -1
            :constcollid 0
            :constlen -1
            :constbyval false
            :constisnull false
            :location 254
            :constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
            }
            {CONST
            :consttype 1700
            :consttypmod -1
            :constcollid 0
            :constlen -1
            :constbyval false
            :constisnull false
            :location 261
            :constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
            }
        )
        :location 259
        }
    )
    :location -1
    }
    )
:location 230
}
)
:location 230
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1

```

```

:varattnosyn 5
:location 274
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 287
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location 285
}
)
:location 156
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {OPEXP
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opresultset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location 51
              }
              {VAR
                :varno 1
                :varattno 7
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 7
                :location 69
              }
            )
          }
        }
      :location 67
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 47
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO

```

```

:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
)
):rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
):quals
{BOOLEXPRESS
:boolop and
:args (
{OPEXPRESS
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 120
}
{CONST
:conststype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 139
:constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 -1 ]
}
)
:location 131
}
{OPEXPRESS
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 160
}
{OEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 178
    :constvalue 4 [ -84 -9 -1 -1 -1 -1 -1 -1 ]
  }
  {CONST
    :consttype 1186
    :consttypmod 327679
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 202
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
  }
)
:location 191
}
)
:location 171
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 219
      }
      {FUNCEXP
        :funcid 1746
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {OEXPR
            :opno 1759
            :opfuncid 1725
            :opresulttype 1700
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 1700
                :consttypmod -1
                :constcollid 0
                :constlen -1
                :constbyval false
                :constisnull false
                :location 238
                :constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
              }
              {CONST
                :consttype 1700
                :consttypmod -1
                :constcollid 0
                :constlen -1
                :constbyval false
                :constisnull false
                :location 245
                :constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
              }
            )
          }
        :location 243
      }
    )
  }
)
:location -1
}
)
:location 230
}
{OEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0

```



```

:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 219
  }
  {FUNCEXP
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXP
        :opno 1758
        :opfuncid 1724
        :opresulttype 1700
        :opresultset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 1700
            :consttypmod -1
            :constcollid 0
            :constlen -1
            :constbyval false
            :constisnull false
            :location 254
            :constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
          }
          {CONST
            :consttype 1700
            :consttypmod -1
            :constcollid 0
            :constlen -1
            :constbyval false
            :constisnull false
            :location 261
            :constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
          }
        )
      }
    )
    :location 259
  }
)
:location -1
}
)
:location 230
}
:location 230
}
{OPEXP
:opno 672
:opfuncid 295
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 274
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 287
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location 285
}
)
:location 156
}
}
:mergeActionList <>

```

```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location 51
              }
              {VAR
                :varno 1
                :varattno 7
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 7
                :location 69
              }
            )
          }
        :location 67
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 47
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 2208578574.45
:plan.total_cost 2208578574.46
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false

```

```

:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
      {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 701
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
          {TARGETENTRY
            :expr
              {OEXPR
                :opno 594
                :opfuncid 216
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                  {VAR
                    :varno -2
                    :varattno 6
                    :vartype 701
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 6
                    :location 51
                  }
                  {VAR
                    :varno -2
                    :varattno 7
                    :vartype 701
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 7
                    :location 69
                  }
                )
              :location 67
            }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno 0
    :aggtransno 0
    :location 47
  }
  :resno 1
  :resname revenue
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:plan.qual <>
:plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 2208578300.7
    :scan.plan.plan_rows 54750
    :scan.plan.plan_width 16
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 1
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      )
    )
  }

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 12
        :location -1
    }
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 120
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 139
:constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 ]
}
)
:location 131
}
{OEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 219
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ -102 -103 -103 -103 -103 -103 -87 63 ]
}
)
:location 230
}
{OEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 219
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ -20 81 -72 30 -123 -21 -79 63 ]
}
)
:location 230
}
{OEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 274
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0

```

```

        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 36 64 ]
    }
}
:location 285
}
{SUBPLAN
:subLinkType 2
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    {PARAM
    :paramkind 1
    :paramid 1
    :paramtype 23
    :paramtypmod -1
    :paramcollid 0
    :location -1
    }
    )
:location -1
}
:paramIds (i 1)
:plan_id 2
:plan_name SubPlan\ 2
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 363.49
:per_call_cost 0.0025
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location 160
    }
    {CONST
    :consttype 1114
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 96 104 6 38 117 -1 -1 ]
    }
    )
:location 171
}
}
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggsplit 0
:numCols 0
:grpColIdx ( )
:grpOperators ( )
:grpCollations ( )
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>

```



```
:chain <>
}
```

QUERY PLAN

```
-----
Aggregate  (cost=2208578574.45..2208578574.46 rows=1 width=8) (actual time=1074.950..1074.950 rows=1.00 loops=1)
  Output: sum((lineitem.l_extendedprice * lineitem.l_discount))
  Buffers: shared hit=2662 read=102276
  -> Seq Scan on public.lineitem  (cost=0.00..2208578300.70 rows=54750 width=16) (actual time=3.820..1070.791 rows=79045.00 loops=1)
    Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.
    l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_ship
    instruct, lineitem.l_shipmode, lineitem.l_comment
    Filter: ((lineitem.l_shipdate >= '1993-01-01'::date) AND (lineitem.l_discount >= '0.05'::double precision) AND (lineitem.l_discount <= '0.07'::doubl
    e precision) AND (lineitem.l_quantity < '10'::double precision) AND (ANY (lineitem.l_suppkey = (hashed SubPlan 2).col1)) AND (lineitem.l_shipdate < '1995-03-
    01 00:00:00'::timestamp without time zone))
    Rows Removed by Filter: 5922170
    Buffers: shared hit=2662 read=102276
    SubPlan 2
      -> Seq Scan on public.supplier s  (cost=0.00..343.00 rows=8196 width=4) (actual time=0.018..1.999 rows=8197.00 loops=1)
        Output: s.s_suppkey
        Filter: (s.s_acctbal > '1000'::double precision)
        Rows Removed by Filter: 1803
        Buffers: shared hit=218

Planning:
  Buffers: shared hit=4
  Planning Time: 1.822 ms
  Execution Time: 1075.483 ms
(18 rows)

Time: 1084.445 ms (00:01.084)
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS lineitem_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW lineitem_secure AS
SELECT l.*
FROM lineitem l
WHERE EXISTS (
  SELECT 1 FROM supplier s
  WHERE s.s_suppkey = l.l_suppkey
  AND s.s_acctbal > 1000
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON lineitem_secure TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 5: Run Q6
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  sum(l_extendedprice * l_discount) as revenue
from
  lineitem_secure
where
  l_shipdate >= date '1993-01-01'
  and l_shipdate < date '1994-03-01' + interval '1' year
  and l_discount between 0.06 - 0.01 and 0.06 + 0.01
  and l_quantity < 10;
WARNING: ===== RAW PARSE TREE =====
DETAIL:   {RAWSTMT
  :stmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
  :stmt_location 0
  :stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:   {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
}
```

```

:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 9.762 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
}

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 4.490 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("lineitem_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("lineitem_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

Time: 6.512 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF

```

```

        :fields ("l"
        {A_STAR
        }
        )
        :location 38
    }
    :location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname l
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("l" "l_suppkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 146
}
:rexpr
{A_CONST
:val 1000
:location 160
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 158
}
)
:location 142
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>

```

```

    }
    :location 64
  }
  :groupClause <>
  :groupDistinct false
  :havingClause <>
  :windowClause <>
  :valuesLists <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :lockingClause <>
  :withClause <>
  :op 0
  :all false
  :larg <>
  :rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 166
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("1"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 91
}
}
}
}
}

```

```

)
:whereClause
{BOOLEXPR
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 112
}
}
:rexpr
{COLUMNREF
:fields ("l" "l_suppkey")
:location 126
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 146
}
}
:rexpr
{A_CONST
:val 1000
:location 160
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 158
}
}
:location 142
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>

```

```

:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias
  {ALIAS
:aliasname l
:colnames <>
}
:eref
  {ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
  {FROMEXPR
:fromlist (
  {RANGETBLREF
:rteindex 1
}
)
:quals
  {SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias
  {ALIAS
:aliasname s
:colnames <>
}
:eref
  {ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
}
}
}
}

```

```

:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 112
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 126
}
)
:location 124
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 146
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 160
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 158
}
)
:location 142
}
}
:mergeActionList <>

```



```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 84
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 38
    }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 38
    }
    :resno 2
    :resname l_partkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location 38
    }
    :resno 3
    :resname l_suppkey
    :ressortgroupref 0
    :resorigtbl 16566

```

```

:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 38
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 38
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 38
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 38
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 38
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 38
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 38
}
:resno 14
:resname l_shipinstruct
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 38
}
:resno 15
:resname l_shipmode
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 38
}
:resno 16
:resname l_comment
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

Time: 7.548 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
)

```

```

        :grant_option false
        :grantor <>
        :behavior 0
    }
    :stmt_location 0
    :stmt_len 40
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}
}

```

Time: 0.627 ms
WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (

```

```

        {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
        }
    )
    :grant_option false
    :grantor <>
    :behavior 0
    }
    :stmt_location 0
    :stmt_len 33
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relnname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.223 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}
```

Time: 0.503 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
  {EXPLAINSTMT
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARGET
:name revenue
:indirection <>
:val
  {FUNCCALL
:funcname ("sum")
:args (
  {A_EXPR
:name ("*")
:lexpr
  {COLUMNREF
:fields ("l_extendedprice")
:location 51
}
}
:rexpr
  {COLUMNREF
:fields ("l_discount")
:location 69
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 67
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 47
}
:location 47
}
)
:fromClause (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
```

```

:inh true
:relpersistence p
:alias <>
:location 101
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l_shipdate")
:location 127
}
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1993-01-01"
:location 146
}
:typeName
{TYPPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 141
}
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 138
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("l_shipdate")
:location 167
}
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\1994-03-01"
:location 185
}
:typeName
{TYPPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 180
}
}
:location -1
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1"
:location 209
}
:typeName
{TYPPENAME
:names ("pg_catalog" "interval")
:typeOid 0
:setof false
:pct_type false
:typmods (
{A_CONST
:val 4
:location 213
}
)
:typemod -1
:arrayBounds <>
:location 200
}
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 198
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 178
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("l_discount")
:location 226
}
}
:rexpr (
{A_EXPR
:name ("-")
:lexpr

```



```

        {A_CONST
        :val 0.06
        :location 245
        }
    :rexpr
    {A_CONST
    :val 0.01
    :location 252
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 250
    }
    {A_EXPR
    :name ("+")
    :lexpr
    {A_CONST
    :val 0.06
    :location 261
    }
    :rexpr
    {A_CONST
    :val 0.01
    :location 268
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 266
    }
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 237
    }
    {A_EXPR
    :name ("<")
    :lexpr
    {COLUMNREF
    :fields ("l_quantity")
    :location 281
    }
    :rexpr
    {A_CONST
    :val 10
    :location 294
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 292
    }
    }
    :location 163
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
    )
    }
    :stmt_location 0
    :stmt_len 296
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false

```

```

:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem_secure
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
          "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
            ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
              "l_shipinstruct" "l_shipmode" "l_comment")
        }
    :rtekind 0
    :relid 16638
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16638
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 12 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{BOOLEXPR
  :boolop and
  :args (
    {OEXPR
      :opno 1098
      :opfuncid 1090
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 11
          :vartype 1082
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 11
          :location 127
        }
        {CONST
          :consttype 1082
          :consttypmod -1
          :constcollid 0
          :constlen 4
          :constbyval true
          :constisnull false
          :location 146
          :constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 -1 ]
        }
      )
    }
    :location 138
  }
  {OEXPR
    :opno 2345
    :opfuncid 2338
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 11
        :location 167
      }
      {OEXPR
        :opno 1076
        :opfuncid 2071
        :opresulttype 1114
        :opretset false
        :opcollid 0
        :inputcollid 0
      }
    )
  }
}

```

```

:args (
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 185
    :constvalue 4 [ -84 -9 -1 -1 -1 -1 -1 -1 ]
  }
  {CONST
    :consttype 1186
    :consttypmod 327679
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 209
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
  }
)
:location 198
}
)
:location 178
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 226
      }
      {FUNCEXP
        :funcid 1746
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {OPEXP
            :opno 1759
            :opfuncid 1725
            :opresulttype 1700
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 1700
                :consttypmod -1
                :constcollid 0
                :constlen -1
                :constbyval false
                :constisnull false
                :location 245
                :constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
              }
              {CONST
                :consttype 1700
                :consttypmod -1
                :constcollid 0
                :constlen -1
                :constbyval false
                :constisnull false
                :location 252
                :constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
              }
            )
          }
        :location 250
      )
    )
  }
  :location -1
}
)
:location 237
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1

```

```

:varattnosyn 7
:location 226
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OEXPR
:opno 1758
:opfuncid 1724
:opresulttype 1700
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 261
:constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 268
:constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
}
)
:location 266
}
)
:location -1
}
)
:location 237
}
)
:location 237
}
{OEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 281
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 294
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 292
}
)
:location 163
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)

```

```

:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {OPEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 51
          }
          {VAR
            :varno 1
            :varattno 7
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 7
            :location 69
          }
        )
      }
    :location 67
  }
  :resno 1
  :resname <>
  :ressortgrouppref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 47
}
:resno 1
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)
)

```

```

}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 296
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16638
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16638
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
}
)
}
}

```

```

:args (
  {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location 127
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 146
    :constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 -1 ]
  }
)
:location 138
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location 167
  }
  {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 185
        :constvalue 4 [ -84 -9 -1 -1 -1 -1 -1 -1 ]
      }
      {CONST
        :consttype 1186
        :consttypmod 327679
        :constcollid 0
        :constlen 16
        :constbyval false
        :constisnull false
        :location 209
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
      }
    )
  }
:location 198
}
)
:location 178
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 226
      }
      {FUNCEXPR
        :funcid 1746
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (

```

```

{OPEXPR
:opno 1759
:opfuncid 1725
:opresulttype 1700
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 245
    :constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
  }
  {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 252
    :constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
  }
)
:location 250
}
)
:location -1
}
)
:location 237
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 226
  }
  {FUNCEXPR
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXPR
        :opno 1758
        :opfuncid 1724
        :opresulttype 1700
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 1700
            :consttypmod -1
            :constcollid 0
            :constlen -1
            :constbyval false
            :constisnull false
            :location 261
            :constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
          }
          {CONST
            :consttype 1700
            :consttypmod -1
            :constcollid 0
            :constlen -1
            :constbyval false
            :constisnull false
            :location 268
            :constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
          }
        )
      }
    :location 266
  }
)
:location -1
}
)
:location 237
}
)
:location 237
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```



```

        {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 281
        }
        {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 294
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
        }
        )
        :location -1
        }
    )
    :location 292
}
}
:location 163
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXP
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 51
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 69
}
)
:location 67
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1

```

```

        :location 47
    }
    :resno 1
    :resname revenue
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem_secure
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname l
:colnames <>
}
:eref
{ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true

```

```

:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rttable (
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtkind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
            }
        )
    }
    :location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname 1_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname 1_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname 1_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname 1_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
}

```

```

    }
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566

```

```

        :resorigcol 16
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16638
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16638
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 127
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 146
:constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 ]
}
)
:location 138
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 167
}
{OPEXP

```



```

:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 185
    :constvalue 4 [ -84 -9 -1 -1 -1 -1 -1 -1 ]
  }
  {CONST
    :consttype 1186
    :consttypmod 327679
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 209
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
  }
)
:location 198
}
)
:location 178
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 226
      }
      {FUNCEXP
        :funcid 1746
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {OPEXP
            :opno 1759
            :opfuncid 1725
            :opresulttype 1700
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 1700
                :consttypmod -1
                :constcollid 0
                :constlen -1
                :constbyval false
                :constisnull false
                :location 245
                :constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
              }
              {CONST
                :consttype 1700
                :consttypmod -1
                :constcollid 0
                :constlen -1
                :constbyval false
                :constisnull false
                :location 252
                :constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
              }
            )
          }
        :location 250
      }
    )
  }
  :location -1
}
)
:location 237
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 7
    :vartype 701

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 226
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OEXPR
  :opno 1758
  :opfuncid 1724
  :opresulttype 1700
  :opresultset false
  :opcollid 0
  :inputcollid 0
  :args (
    {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 261
    :constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
    }
    {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 268
    :constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
    }
  )
  :location 266
  }
)
:location -1
}
)
:location 237
}
{OEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 281
  }
  {FUNCEXP
  :funcid 316
  :funcresulttype 701
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 294
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
  }
)
:location 292
}
)
:location 163
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {AGGREF

```

```

:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {OEXPR
      :opno 594
      :opfuncid 216
      :opresulttype 701
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 6
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 6
          :location 51
        }
        {VAR
          :varno 1
          :varattno 7
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 7
          :location 69
        }
      )
    }
    :location 67
  }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 47
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false

```

```

:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem_secure
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 1
  :subquery
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks true
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
          :alias
            {ALIAS
              :aliasname 1
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname 1
              :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
            }
          :rtekind 0
          :relid 16566
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 16566
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  :quals
    {SUBLINK
      :subLinkType 0
      :subLinkId 0
      :testexpr <>
      :operName <>
      :subselect
        {QUERY
          :commandType 1
          :querySource 0
          :canSetTag true
          :utilityStmt <>
          :resultRelation 0
          :hasAggs false
          :hasWindowFuncs false
          :hasTargetSRFs false
          :hasSubLinks false
          :hasDistinctOn false
          :hasRecursive false
          :hasModifyingCTE false
          :hasForUpdate false
          :hasRowSecurity false
          :hasGroupRTE false
          :isReturn false
          :cteList <>
          :rtable (
            {RANGETBENTRY
              :alias
                {ALIAS
                  :aliasname s
                  :colnames <>
                }
              :eref
                {ALIAS
                  :aliasname s

```

```

        :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
        ey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
  :quals
    {BOOLEXP
      :boolop and
      :args (
        {OPEXP
          :opno 96
          :opfuncid 65
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 1
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 1
              :location -1
            }
            {VAR
              :varno 1
              :varattno 3
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 1
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 3
              :location -1
            }
          )
        }
      )
    }
  :location -1
}
{OPEXP
  :opno 674
  :opfuncid 297
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 1
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location -1
    }
    {FUNCEXP
      :funcid 316
      :funcresulttype 701
      :funcresultset false
      :funcvariadic false
      :funcformat 2
      :funccollid 0
      :inputcollid 0
      :args (
        {CONST
          :consttype 23
          :consttypmod -1
          :constcollid 0
          :constlen 4
          :constbyval true
          :constisnull false
          :location -1
          :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
        }
      )
    }
  )
}

```

```

        :location -1
      }
    )
    :location -1
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname l_partkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
}

```

```

    }
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566

```



```

:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16638
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16638
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree

```

```

{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 127
}
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 146
:constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 ]
}
)
:location 138
}
  {OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 167
}
  {OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 185
:constvalue 4 [ -84 -9 -1 -1 -1 -1 -1 ]
}
  {CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 209
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
}
)
:location 198
}
)
:location 178
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 226
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXP
:opno 1759
:opfuncid 1725
:opresulttype 1700
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 245
:constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 252
:constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
}
)
:location 250
}
)
:location -1
}
)
:location 237
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 226
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXP
:opno 1758
:opfuncid 1724
:opresulttype 1700
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 261
:constvalue 8 [ 32 0 0 0 127 -127 88 2 ]
}
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 268
:constvalue 8 [ 32 0 0 0 127 -127 100 0 ]
}
)
:location 266
}

```

```

        )
        :location -1
    }
)
:location 237
}
)
:location 237
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 281
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 294
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
)
:location 292
}
)
:location 163
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {OPEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 51
            }
            {VAR
            :varno 1
            :varattno 7
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 7
            :location 69
            }
        )
        :location 67
        }
    )
    :resno 1
    :resname <>

```

```

        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 47
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 163060.13512500003
:plan.total_cost 163060.14512500004
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 0
:aggtransno 0
:location 47
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

    }
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 163059.920125
:plan.total_cost 163060.13012500003
:plan.plan_rows 2
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 162059.920125
:plan.total_cost 162059.930125
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
)
:location 67
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n

```

```

        :aggpresorted false
        :agglevelsup 0
        :aggsplit 6
        :aggno 0
        :aggtransno 0
        :location 47
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 445.45
:join.plan.total_cost 161895.430125
:join.plan.plan_rows 32898
:join.plan.plan_width 16
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 160978.625
:scan.plan.plan_rows 40139
:scan.plan.plan_width 20
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```



```

        :varattnosyn 7
        :location -1
    }
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
:resno 12
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:verno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:verno 2
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:verno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:verno 2
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:verno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1

```

```

    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 146
    :constvalue 4 [ 4 -10 -1 -1 -1 -1 -1 ]
    }
)
:location 138
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 2
  :varattno 11
  :vartype 1082
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 11
  :location -1
  }
  {CONST
  :consttype 1114
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ 0 96 104 6 38 117 -1 -1 ]
  }
)
:location 178
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 2
  :varattno 7
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 7
  :location -1
  }
  {CONST
  :consttype 701
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ -102 -103 -103 -103 -103 -103 -87 63 ]
  }
)
:location 237
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 2
  :varattno 7
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 7
  :location -1
  }
  {CONST
  :consttype 701
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ -20 81 -72 30 -123 -21 -79 63 ]
  }
)
:location 237

```

```

    }
    {OPEXPR
    :opno 672
    :opfuncid 295
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location -1
        }
        {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 36 64 ]
        }
    )
    :location 292
    }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 2
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 8196
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:scan.plan.qual (

```

```

{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
  }
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    )
  }
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR

```

```

:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 0
:aggsplit 6
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggsplit 9
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
Finalize Aggregate (cost=163060.14..163060.15 rows=1 width=8) (actual time=629.882..631.076 rows=1.00 loops=1)
  Output: sum((l1_extendedprice * l1_discount))
  Buffers: shared hit=3192 read=102182
-> Gather (cost=163059.92..163060.13 rows=2 width=8) (actual time=629.718..631.070 rows=3.00 loops=1)
  Output: (PARTIAL sum((l1_extendedprice * l1_discount)))
  Workers Planned: 2
  Workers Launched: 2
  Buffers: shared hit=3192 read=102182
-> Partial Aggregate (cost=162059.92..162059.93 rows=1 width=8) (actual time=620.001..620.002 rows=1.00 loops=3)
  Output: PARTIAL sum((l1_extendedprice * l1_discount))
  Buffers: shared hit=3192 read=102182
  Worker 0: actual time=615.490..615.491 rows=1.00 loops=1
    Buffers: shared hit=1054 read=33824
  Worker 1: actual time=615.464..615.465 rows=1.00 loops=1
    Buffers: shared hit=1069 read=33696
-> Hash Semi Join (cost=445.45..161895.43 rows=32898 width=16) (actual time=4.509..618.198 rows=26348.33 loops=3)
  Output: l1_extendedprice, l1_discount
  Hash Cond: (l1_suppkey = s.s_suppkey)
  Buffers: shared hit=3192 read=102182
  Worker 0: actual time=3.969..613.746 rows=26078.00 loops=1
    Buffers: shared hit=1054 read=33824
  Worker 1: actual time=4.176..613.680 rows=26240.00 loops=1
    Buffers: shared hit=1069 read=33696
-> Parallel Seq Scan on public.lineitem l (cost=0.00..160978.62 rows=40139 width=20) (actual time=1.121..601.314 rows=32148.33 loops=3)
)
  Output: l1_orderkey, l1_partkey, l1_suppkey, l1_linenum, l1_quantity, l1_extendedprice, l1_discount, l1_tax, l1_return
flag, l1_linestatus, l1_shipdate, l1_commitdate, l1_receiptdate, l1_shipinstruct, l1_shipmode, l1_comment
  Filter: ((l1_shipdate >= '1993-01-01'::date) AND (l1_shipdate < '1995-03-01 00:00:00'::timestamp without time zone) AND (l1_dis
count >= '0.05'::double precision) AND (l1_discount <= '0.07'::double precision) AND (l1_quantity < '10'::double precision))
  Rows Removed by Filter: 1968257
  Buffers: shared hit=2538 read=102182
  Worker 0: actual time=1.276..597.701 rows=31956.00 loops=1
    Buffers: shared hit=836 read=33824
  Worker 1: actual time=1.519..597.372 rows=31969.00 loops=1
    Buffers: shared hit=851 read=33696
-> Hash (cost=343.00..343.00 rows=8196 width=4) (actual time=3.267..3.268 rows=8197.00 loops=3)
  Output: s.s_suppkey
  Buckets: 16384 Batches: 1 Memory Usage: 417kB
  Buffers: shared hit=654
  Worker 0: actual time=2.666..2.667 rows=8197.00 loops=1
    Buffers: shared hit=218
  Worker 1: actual time=2.623..2.624 rows=8197.00 loops=1
    Buffers: shared hit=218
-> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8196 width=4) (actual time=0.038..2.076 rows=8197.00 loops=3)
  Output: s.s_suppkey
  Filter: (s.s_acctbal > '1000'::double precision)
  Rows Removed by Filter: 1803
  Buffers: shared hit=654
  Worker 0: actual time=0.043..1.667 rows=8197.00 loops=1
    Buffers: shared hit=218
  Worker 1: actual time=0.049..1.579 rows=8197.00 loops=1
    Buffers: shared hit=218

Planning:
  Buffers: shared hit=11

```

Planning Time: 6.568 ms
Execution Time: 631.529 ms
(53 rows)

...skipping...

```
    Buffers: shared hit=1054 read=33824
    Worker 1: actual time=615.464..615.465 rows=1.00 loops=1
    Buffers: shared hit=1069 read=33696
    -> Hash Semi Join (cost=445.45..161895.43 rows=32898 width=16) (actual time=4.509..618.198 rows=26348.33 loops=3)
        Output: l1_extendedprice, l1_discount
        Hash Cond: (l1_suppkey = s.s_suppkey)
        Buffers: shared hit=3192 read=102182
        Worker 0: actual time=3.969..613.746 rows=26078.00 loops=1
            Buffers: shared hit=1054 read=33824
        Worker 1: actual time=4.176..613.680 rows=26240.00 loops=1
            Buffers: shared hit=1069 read=33696
        -> Parallel Seq Scan on public.lineitem l (cost=0.00..160978.62 rows=40139 width=20) (actual time=1.121..601.314 rows=32148.33 loops=3)
    )
    Output: l1_orderkey, l1_partkey, l1_suppkey, l1_linenum, l1_quantity, l1_extendedprice, l1_discount, l1_tax, l1_return
    flag, l1_linestatus, l1_shipdate, l1_commitdate, l1_receiptdate, l1_shipinstruct, l1_shipmode, l1_comment
    Filter: ((l1_shipdate >= '1993-01-01'::date) AND (l1_shipdate < '1995-03-01 00:00:00'::timestamp without time zone) AND (l1_dis
    count >= '0.05'::double precision) AND (l1_discount <= '0.07'::double precision) AND (l1_quantity < '10'::double precision))
    Rows Removed by Filter: 1968257
    Buffers: shared hit=2538 read=102182
    Worker 0: actual time=1.276..597.701 rows=31956.00 loops=1
        Buffers: shared hit=836 read=33824
    Worker 1: actual time=1.519..597.372 rows=31969.00 loops=1
        Buffers: shared hit=851 read=33696
    -> Hash (cost=343.00..343.00 rows=8196 width=4) (actual time=3.267..3.268 rows=8197.00 loops=3)
        Output: s.s_suppkey
        Buckets: 16384 Batches: 1 Memory Usage: 417kB
        Buffers: shared hit=654
        Worker 0: actual time=2.666..2.667 rows=8197.00 loops=1
            Buffers: shared hit=218
        Worker 1: actual time=2.623..2.624 rows=8197.00 loops=1
            Buffers: shared hit=218
        -> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8196 width=4) (actual time=0.038..2.076 rows=8197.00 loops=3)
            Output: s.s_suppkey
            Filter: (s.s_acctbal > '1000'::double precision)
            Rows Removed by Filter: 1803
            Buffers: shared hit=654
            Worker 0: actual time=0.043..1.667 rows=8197.00 loops=1
                Buffers: shared hit=218
            Worker 1: actual time=0.049..1.579 rows=8197.00 loops=1
                Buffers: shared hit=218
```

Planning:
Buffers: shared hit=11
Planning Time: 6.568 ms
Execution Time: 631.529 ms
(53 rows)

Time: 644.073 ms
tpch=> RESET ROLE;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>

```

:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 8.102 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
    END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on supplier
ALTER TABLE supplier ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show suppliers from FRANCE or GERMANY
CREATE POLICY supplier_rls_policy ON supplier
USING (
    EXISTS (
        SELECT 1 FROM nation n
        WHERE n.n_nationkey = supplier.s_nationkey
        AND n.n_name IN ('FRANCE', 'GERMANY')
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON supplier TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

-- Step 6: Run Q7
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    supp_nation,
    cust_nation,
    l_year,
    sum(volume) as revenue
from
(
    select
        n1.n_name as supp_nation,
        n2.n_name as cust_nation,
        extract(year from l_shipdate) as l_year,
        l_extendedprice * (1 - l_discount) as volume
    from
        supplier,
        lineitem,
        orders,
        customer,
        nation n1,
        nation n2
    where
        s_suppkey = l_suppkey
        and o_orderkey = l_orderkey
        and c_custkey = o_custkey
        and s_nationkey = n1.n_nationkey
        and c_nationkey = n2.n_nationkey
        and (
            (n1.n_name = 'GERMANY' and n2.n_name = 'FRANCE')
            or (n1.n_name = 'FRANCE' and n2.n_name = 'GERMANY')
        )
        and l_shipdate between date '1995-01-01' and date '1996-12-31'
    ) as shipping
group by
    supp_nation,
    cust_nation,
    l_year
order by
    supp_nation,
    cust_nation,
    l_year;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\)
```



```

; \
\ \ \ \ END\ LOOP; \
END; \
"
    :defaction 0
    :location 3
    }
    )
    }
    :stmt_location 0
    :stmt_len 236
    }

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD; \
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
\ \ \ \ \ policyname, \ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ \ \ \ \ IF\ EXISTS\ %I\ ON\ %I', \ r.policyname, \ r.tablename\ )
; \
\ \ \ \ END\ LOOP; \
END; \
"
    :defaction 0
    :location 3
    }
    )
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 0

```

```
:relid 12018
:inh true
:rekind v
:rellockmode 1
:perminfoindex 1
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatecols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
quals
{OPEXPR
:opno 93
:opfncid 62
:oprojtype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varsyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varsyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname polycname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varsyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
```

```

)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
laci" "reloptions" "relpartbound")
}
}
}
)

```

```

:rtkind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtkind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17

```

```

:varstype 18
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:varstype 18
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:varstype 21
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:varstype 21
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:varstype 16
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:varstype 16
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:varstype 16
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:varstype 16
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:varstype 16
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
}
{VAR

```

```

:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}

```



```

    }
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilename" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5

```

```

:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33

```

```

:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reliid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reliid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reliid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
)

```

```

:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (

```

```

{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}

```



```

:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK

```

```

:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconndef" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
  {VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:varatype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}

```

```

    }
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
      }
    )
  }
:location -1
}
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
  }
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
      }
    )
  }
:location -1
}
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
  }
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
      }
    )
  }
:location -1
}
:result
  {CONST

```

```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
    :location -1
}
{CASEWHEN
:expr
    {OPEXPR
        :opno 92
        :opfuncid 61
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CASETESTEXPR
                :typeid 18
                :typemod -1
                :collation 0
            }
            {CONST
                :consttype 18
                :consttypmod -1
                :constcollid 0
                :constlen 1
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
            }
        )
    }
    :location -1
}
:result
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
}
)
:defresult
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull true
        :location -1
        :constvalue <>
    }
    :location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {FUNCEXPR
        :funcid 1716
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
            {VAR
                :varno 1
                :varattno 7
                :vartype 194
                :vartypmod -1
                :varcollid 950
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 7
                :location -1
            }
            {VAR
                :varno 1
                :varattno 3
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 3
                :location -1
            }
        )
    }
    :location -1
}
:resno 7
:resname qual

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rtepermissions (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1

```

```

:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname polycynname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false

```

```

:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname pg_policies
  :colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
    "cmd" "qual" "with_check")
  }
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelat 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname pol
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname pol
  :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
    "polroles" "polqual" "polwithcheck")
  }
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
  "relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
  eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relh
  asindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
  lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
  wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
  " "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
  lacl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
  "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
  ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
  tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
  n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
  "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
  " "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
  spopulated" "relreplident" "relispartition" "relrewrite" "relfr
  ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
  {VAR
  :varno 1
  :varattno 1
  :vartype 26
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1

```



```

:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2

```

```

:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
}
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relnam" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel

```

```

tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```



```

:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1

```

```

        :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 3
    }
    :rarg
    {RANGETBLREF
    :rtindex 4
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals <>
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname schemaname
    :ressortgroupref 0
    :resorigtbl 2615
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0

```

```

:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1

```

```

        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
        0 0 0 1 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrsls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tieSortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>

```

```

        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
}
}

```



```

        :constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
    }
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result

```

```

        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 7 [ 28 0 0 0 65 76 76 ]
        }
    :location -1
}
)
:defaultresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 7
:resname qual
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL: {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4.907500000000001
:join.plan.total_cost 26.256500000000003
:join.plan.plan_rows 20
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}

```

```

)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 3.845
:join.plan.total_cost 24.75625
:join.plan.plan_rows 82
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.43
:scan.plan.plan_rows 443
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3

```

```

:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
}

```



```

    }
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1

```

```

        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 33
        :location -1
    }
    :resno 33
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 3
    :varattno 34
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 34
    :location -1
  }
  :resno 34
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 2.8200000000000003
:plan.total_cost 2.8200000000000003
:plan.plan_rows 82
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
      }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
      :expr
        {VAR
          :varno -2
          :varattno 2
          :vartype 26
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 3
          :location -1
        }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    }
  )
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 2.8200000000000003
:scan.plan.plan_rows 82
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4

```

```

:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 3
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 3
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno -1
        :varattno 2
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
      }
    )
  }
)

```

```

        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
    }
)
}
:join.plan.righttree
{HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 1.05
    :plan.total_cost 1.05
    :plan.plan_rows 1
    :plan.plan_width 4
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 5
    :plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 1
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 5
                :varattnosyn 1
                :location -1
            }
            :resno 1
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
    )
    :plan.qual <>
    :plan.lefttree
    {SEQSCAN
        :scan.plan.disabled_nodes 0
        :scan.plan.startup_cost 0
        :scan.plan.total_cost 1.05
        :scan.plan.plan_rows 1
        :scan.plan.plan_width 4
        :scan.plan.parallel_aware false
        :scan.plan.parallel_safe false
        :scan.plan.async_capable false
        :scan.plan.plan_node_id 6
        :scan.plan.targetlist (
            {TARGETENTRY
                :expr
                {VAR
                    :varno 5
                    :varattno 1
                    :vartype 26
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 5
                    :varattnosyn 1
                    :location -1
                }
                :resno 1
                :resname <>
                :ressortgroupref 0
                :resorigtbl 0
                :resorigcol 0
                :resjunk false
            }
        )
        :scan.plan.qual (
            {OPEXPR
                :opno 93
                :opfuncid 62
                :opresulttype 16
                :opretset false
                :opcollid 0
                :inputcollid 950
                :args (
                    {VAR
                        :varno 5
                        :varattno 2
                        :vartype 19
                        :vartypmod -1
                        :varcollid 950
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                    }
                )
            }
        )
    )
}

```

```

        :varnosyn 5
        :varattnosyn 2
        :location -1
    }
    {CONST
    :consttype 19
    :consttypmod -1
    :constcollid 950
    :constlen 64
    :constbyval false
    :constisnull false
    :location 65
    :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 ]
    }
    )
    :location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:skewTable 1259
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 607
:opfncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
{VAR
:varno -1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
}
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
)
}

```

WARNING: ===== REWRITE INPUT =====:

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
  :fromlist <>
  :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {FUNCEXP
  :funcid 3539
  :funcresulttype 25
  :funcresultset false
  :funcvariadic false
  :funcformat 0
  :funccollid 950
  :inputcollid 950
  :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 7
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
    70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
    }
    {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
  )
  :location 0
  }
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
```

WARNING: ===== REWRITE OUTPUT =====:

```
DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
```



```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>

```

```

:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3

```

```

        :paramtype 19
        :paramtypmod -1
        :paramcollid 950
        :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
    )
    :location 0
    }
    :resno 1
    :resname format
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree <>
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :resconstantqual <>
    }

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {DROPSTMT
    :objects (("lineitem" "lineitem_rls_policy"))
    :removeType 28
    :behavior 0
    :missing_ok true
    :concurrent false
  }
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DROPSTMT
    :objects (("lineitem" "lineitem_rls_policy"))
    :removeType 28
    :behavior 0
    :missing_ok true
    :concurrent false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 30.216 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
    :kind 4
    :name role
    :args <>
    :jumble_args false
    :is_local false
    :location -1
  }
}

```

```
:stmt_location 0
:stmt_len 10
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}
```

Time: 0.846 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
}
```

```

        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.995 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
  }
)
}

```

```

        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.666 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.300 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.374 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false

```



```

:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.241 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0

```

```

:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.232 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
}

```

```

: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 45
}

```

Time: 0.280 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
: stmt
  {ALERTABLESTMT
    : relation
      {RANGEVAR
        : catalogname <>
        : schemaname <>
        : relname region
        : inh true
        : relpersistence p
        : alias <>
        : location 12
      }
    : cmds (
      {ALERTABLECMD
        : subtype 55
        : name <>
        : num 0
        : newowner <>
        : def <>
        : behavior 0
        : missing_ok false
        : recurse false
      }
    )
    : objtype 41
    : missing_ok false
  }
: stmt_location 0
: stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
: commandType 6
: querySource 0
: canSetTag true
: utilityStmt
  {ALERTABLESTMT
    : relation
      {RANGEVAR
        : catalogname <>
        : schemaname <>
        : relname region
        : inh true
        : relpersistence p
        : alias <>
        : location 12
      }
    : cmds (
      {ALERTABLECMD
        : subtype 55
        : name <>
        : num 0
        : newowner <>
        : def <>
        : behavior 0
        : missing_ok false
        : recurse false
      }
    )
    : objtype 41
    : missing_ok false
  }
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: cteList <>
: rtable <>
: rteperminfos <>
: jointree <>
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList <>
: override 0
: onConflict <>
: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
}

```

```

:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.320 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
}

```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

Time: 0.712 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
}
:rexpr
{COLUMNREF
:fields ("supplier" "s_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_name")
:location 161
}
:rexpr (
{A_CONST
:val "FRANCE"
:location 174
}
{A_CONST
:val "GERMANY"
:location 184
}
)
:rexpr_list_start 173
:rexpr_list_end 193
:location 170
}
)
:location 157
}
:groupClause <>
:groupDistinct false

```

```

:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 202
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("supplier" "s_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_name")
:location 161
}
:rexpr (
{A_CONST

```

```

        :val "FRANCE"
        :location 174
    }
    {A_CONST
    :val "GERMANY"
    :location 184
    }
)
:rexpr_list_start 173
:rexpr_list_end 193
:location 170
}
)
:location 157
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 202
}

```

Time: 2.127 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0

```

```

:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.470 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
}

```



```

    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
  :stmt_location 0
  :stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.171 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
}
)

```

```

:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 26
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname orders
   :inh true
   :relpersistence p
   :alias <>
   :location 16
  }
)
:privileges (
  {ACCESSPRIV
   :priv_name select
   :cols <>
  }
)
:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 26
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.222 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname customer
   :inh true
   :relpersistence p
   :alias <>
   :location 16
  }
)
}
}

```

```

:privileges (
  {ACCESSPRIV
  :priv_name select
  :cols <>
  }
)
:grantees (
  {ROLESPEC
  :roletype 0
  :rolename alice
  :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname customer
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

Time: 0.185 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname nation

```

```

        :inh true
        :relpersistence p
        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname nation
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.179 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role

```

```

      :args (
        {A_CONST
         :val "alice"
         :location 9
        }
      )
      :jumble_args false
      :is_local false
      :location 9
    }
  :stmt_location 0
  :stmt_len 14
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
   :kind 0
   :name role
   :args (
     {A_CONST
      :val "alice"
      :location 9
     }
   )
   :jumble_args false
   :is_local false
   :location 9
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.107 ms
 WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
  {EXPLAINSTMT
   :query
     {SELECTSTMT
      :distinctClause <>
      :intoClause <>
      :targetList (
        {RESTARTGET
         :name <>
         :indirection <>
         :val
           {COLUMNREF
            :fields ("supp_nation")
            :location 47
           }
         :location 47
        }
        {RESTARTGET
         :name <>
         :indirection <>
         :val
           {COLUMNREF
            :fields ("cust_nation")
            :location 64
           }
         :location 64
        }
        {RESTARTGET
         :name <>
         :indirection <>
         :val
           {COLUMNREF
            :fields ("l_year")
            :location 81
           }
         :location 81
        }
      )
    }
  }
}

```

```

}
{RESTARTGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("volume")
:location 97
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 93
}
:location 93
}
)
:fromClause (
{RANGESUBSELECT
:lateral false
:subquery
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name supp_nation
:indirection <>
:val
{COLUMNREF
:fields ("n1" "n_name")
:location 154
}
:location 154
}
{RESTARTGET
:name cust_nation
:indirection <>
:val
{COLUMNREF
:fields ("n2" "n_name")
:location 192
}
:location 192
}
{RESTARTGET
:name l_year
:indirection <>
:val
{FUNCCALL
:funcname ("pg_catalog" "extract")
:args (
{A_CONST
:val "year"
:location 238
}
{COLUMNREF
:fields ("l_shipdate")
:location 248
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 3
:location 230
}
:location 230
}
{RESTARTGET
:name volume
:indirection <>
:val
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 283
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 302
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 306
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 304
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 299
}
}
:location 283

```

```

    }
  )
  :fromClause (
    {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname supplier
      :inh true
      :relpersistance p
      :alias <>
      :location 353
    }
    {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname lineitem
      :inh true
      :relpersistance p
      :alias <>
      :location 375
    }
    {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname orders
      :inh true
      :relpersistance p
      :alias <>
      :location 397
    }
    {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname customer
      :inh true
      :relpersistance p
      :alias <>
      :location 417
    }
    {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname nation
      :inh true
      :relpersistance p
      :alias
      {ALIAS
        :aliasname n1
        :colnames <>
      }
      :location 439
    }
    {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname nation
      :inh true
      :relpersistance p
      :alias
      {ALIAS
        :aliasname n2
        :colnames <>
      }
      :location 462
    }
  )
  :whereClause
  {BOOLEXP
    :boolop and
    :args (
      {A_EXPR
        :name ("=")
        :lexpr
        {COLUMNREF
          :fields ("s_suppkey")
          :location 498
        }
        :rexpr
        {COLUMNREF
          :fields ("l_suppkey")
          :location 510
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 508
      }
      {A_EXPR
        :name ("=")
        :lexpr
        {COLUMNREF
          :fields ("o_orderkey")
          :location 536
        }
        :rexpr
        {COLUMNREF
          :fields ("l_orderkey")
          :location 549
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 547
      }
      {A_EXPR
        :name ("=")
        :lexpr
        {COLUMNREF
          :fields ("c_custkey")
          :location 576
        }
        :rexpr
        {COLUMNREF
          :fields ("o_custkey")
          :location 588
        }
        :rexpr_list_start 0

```

```

:repr_list_end 0
:location 586
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_nationkey")
:location 614
}
:repr
{COLUMNREF
:fields ("n1" "n_nationkey")
:location 628
}
:repr_list_start 0
:repr_list_end 0
:location 626
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c_nationkey")
:location 659
}
:repr
{COLUMNREF
:fields ("n2" "n_nationkey")
:location 673
}
:repr_list_start 0
:repr_list_end 0
:location 671
}
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n1" "n_name")
:location 723
}
:repr
{A_CONST
:val "GERMANY"
:location 735
}
:repr_list_start 0
:repr_list_end 0
:location 733
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n2" "n_name")
:location 749
}
:repr
{A_CONST
:val "FRANCE"
:location 761
}
:repr_list_start 0
:repr_list_end 0
:location 759
}
)
}
:location 745
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n1" "n_name")
:location 791
}
:repr
{A_CONST
:val "FRANCE"
:location 803
}
:repr_list_start 0
:repr_list_end 0
:location 801
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n2" "n_name")
:location 816
}
:repr
{A_CONST
:val "GERMANY"
:location 828
}
:repr_list_start 0
:repr_list_end 0
:location 826
}
}
)
:location 812
}
)

```



```

        :location 787
      }
      {A_EXPR BETWEEN
      :name ("BETWEEN")
      :lexpr
      {COLUMNREF
      :fields ("l_shipdate")
      :location 869
      }
      :rexpr (
      {TYPECAST
      :arg
      {A_CONST
      :val "\1995-01-01"
      :location 893
      }
      :typeName
      {TYPENAME
      :names ("date")
      :typeOid 0
      :setof false
      :pct_type false
      :typmods <>
      :typemod -1
      :arrayBounds <>
      :location 888
      }
      :location -1
      }
      {TYPECAST
      :arg
      {A_CONST
      :val "\1996-12-31"
      :location 915
      }
      :typeName
      {TYPENAME
      :names ("date")
      :typeOid 0
      :setof false
      :pct_type false
      :typmods <>
      :typemod -1
      :arrayBounds <>
      :location 910
      }
      :location -1
      }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 880
    }
  )
  :location 532
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:alias
{ALIAS
:aliasname shipping
:colnames <>
}
}
)
:whereClause <>
:groupClause (
{COLUMNREF
:fields ("supp_nation")
:location 959
}
{COLUMNREF
:fields ("cust_nation")
:location 976
}
{COLUMNREF
:fields ("l_year")
:location 993
}
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("supp_nation")
:location 1013
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("cust_nation")
:location 1030
}

```

```

    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
  {SORTBY
  :node
  {COLUMNREF
  :fields ("l_year")
  :location 1047
  }
  :sortby_dir 0
  :sortby_nulls 0
  :useOp <>
  :location -1
  }
}
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 1053
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname shipping
:colnames <>
}
:eref
{ALIAS
:aliasname shipping
:colnames ("supp_nation" "cust_nation" "l_year" "volume")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (

```

```

{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey"
"s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
ippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
"c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
}

```

```

:rtkind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 498
}
)
}
)
}

```

```

{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 510
}
)
:location 508
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 536
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 549
}
)
:location 547
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 576
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 588
}
)
:location 586
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 614
}
{VAR
:varno 5
:varattno 1
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 628
}
)
:location 626
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 659
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 673
}
)
:location 671
}
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 723
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 735
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 8
9 ]
}
)
:location 733
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 749
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```

```

        :constlen -1
        :constbyval false
        :constisnull false
        :location 761
        :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
}
:location 759
}
)
:location 745
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 791
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 803
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 801
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 816
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 828
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 8
9 ]
}
)
:location 826
}
)
:location 812
}
)
:location 787
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 869
}
{CONST

```

```

        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 893
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 880
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 869
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 915
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 880
}
)
:location 880
}
)
:location 532
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 154
    }
:resno 1
:resname supp_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 192
    }
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
    {FUNCEXPR
    :funcid 6199
    :funcresulttype 1700
    :funcsetset false
    :funcvariadic false
    :funcformat 3
    :funccollid 0
    :inputcollid 100
    :args (
        {CONST
        :consttype 25
        :consttypmod -1

```



```

:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 248
}
)
:location 230
}
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 302
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 306
}
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reld 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 97
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)

```

```

        {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
        }
        {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 1752
        :sortop 1754
        :reverse_sort false
        :nulls_first false
        :hashable true
        }
    )
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (
        {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
        }
        {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
        }
        {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 1752
        :sortop 1754
        :reverse_sort false
        :nulls_first false
        :hashable true
        }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
:options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>

```

```

:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1053
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname shipping
:colnames <>
}
}
:eref
{ALIAS
:aliasname shipping
:colnames ("supp_nation" "cust_nation" "l_year" "volume")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
}
:rtekind 0
:relid 16561
:inh true
:relkind r

```

```

:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
}
)

```

```

:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 498
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 510
}
)
:location 508
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 536
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 549
}
)
:location 547
}
{OPEXP
:opno 96
:opfuncid 65

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 576
  }
  {VAR
    :varno 3
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 588
  }
)
:location 586
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 614
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 628
  }
)
:location 626
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 659
  }
  {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 673
  }
)
:location 671
}
{BOOLEXP
:boolop or
:args (
  {BOOLEXP
:boolop and
:args (
  {OPEXPR

```



```

:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 723
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 735
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
  }
)
:location 733
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 749
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 761
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
  }
)
:location 759
}
)
:location 745
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 791
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 803
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
  }
)
:location 801
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```

```

        {VAR
        :varno 6
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 2
        :location 816
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 828
        :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
        }
    )
    :location 826
}
)
:location 812
}
)
:location 787
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 869
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 893
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 880
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 869
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 915
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
}
)
:location 880
}
)
:location 880
}
)
:location 532
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY

```

```

:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 154
}
:resno 1
:resname supp_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 192
}
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 248
}
)
:location 230
}
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 302
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  {VAR
    :varno 2
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 306
  }
)
:location 304
}
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
  {ALIAS
    :aliasname *GROUP*
    :colnames ("supp_nation" "cust_nation" "l_year")
  }
}
:rtekind 9
:groupexprs (
  {VAR
    :varno 1
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 47
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
  }
)

```

```

:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 97
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16541
WARNING: ===== RLS POLICY ADDED =====:

```
DETAIL: {  
  {SUBLINK  
    :subLinkType 0  
    :subLinkId 0  
    :testexpr <>  
    :operName <>  
    :subselect  
      {QUERY  
        :commandType 1  
        :querySource 0  
        :canSetTag true  
        :utilityStmt <>  
        :resultRelation 0  
        :hasAggs false  
        :hasWindowFuncs false  
        :hasTargetSRFs false  
        :hasSubLinks false  
        :hasDistinctOn false  
        :hasRecursive false  
        :hasModifyingCTE false  
        :hasForUpdate false  
        :hasRowSecurity false  
        :hasGroupRTE false  
        :isReturn false  
        :cteList <>  
        :rtable (  
          {RANGETBLENTRY  
            :alias  
              {ALIAS  
                :aliasname n  
                :colnames <>  
              }  
            :eref  
              {ALIAS  
                :aliasname n  
                :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")  
              }  
            :rtekind 0  
            :relid 16536  
            :inh true  
            :relkind r  
            :rellockmode 1  
            :perminfoindex 1  
            :tablesample <>  
            :lateral false  
            :inFromCl true  
            :securityQuals <>  
          }  
        )  
        :rteperminfos (  
          {RTEPERMISSIONINFO  
            :relid 16536  
            :inh true  
            :requiredPerms 2  
            :checkAsUser 0  
            :selectedCols (b 8 9)  
            :insertedCols (b)  
            :updatedCols (b)  
          }  
        )  
      }  
    :jointree  
      {FROMEXPR  
        :fromlist (  
          {RANGETBLREF  
            :rtindex 1  
          }  
        )  
      }  
    :quals  
      {BOOLEXP  
        :boolop and  
        :args (  
          {OPEXP  
            :opno 96  
            :opfuncid 65  
            :opresulttype 16  
            :opretset false  
            :opcollid 0  
            :inputcollid 0  
            :args (  
              {VAR  
                :varno 1  
                :varattno 1  
                :vartype 23  
                :vartypmod -1  
                :varcollid 0  
                :varnullingrels (b)  
                :varlevelsup 0  
                :varreturningtype 0  
                :varnosyn 1  
                :varattnosyn 1  
                :location -1  
              }  
              {VAR  
                :varno 1  
                :varattno 4  
                :vartype 23  
                :vartypmod -1  
                :varcollid 0  
                :varnullingrels (b)  
                :varlevelsup 1  
                :varreturningtype 0  
                :varnosyn 1  
                :varattnosyn 4  
                :location -1  
              }  
            )  
          }  
        :location -1  
      }  
    {SCALARARRAYOPEXP  
      :opno 98  
      :opfuncid 67  
      :hashfuncid 0  
    }
```

```

: negfuncid 0
: useOr true
: inputcollid 100
: args (
  {VAR
    : varno 1
    : varattno 2
    : vartype 25
    : vartypmod -1
    : varcollid 100
    : varnullingrels (b)
    : varlevelsup 0
    : varreturningtype 0
    : varnosyn 1
    : varattnosyn 2
    : location -1
  }
  {ARRAYEXPR
    : array_typeid 1009
    : array_collid 100
    : element_typeid 25
    : elements (
      {CONST
        : consttype 25
        : consttypmod -1
        : constcollid 100
        : constlen -1
        : constbyval false
        : constisnull false
        : location -1
        : constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
      }
      {CONST
        : consttype 25
        : consttypmod -1
        : constcollid 100
        : constlen -1
        : constbyval false
        : constisnull false
        : location -1
        : constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
      }
    )
    : multidims false
    : list_start -1
    : list_end -1
    : location -1
  }
)
: location -1
}
)
: location -1
}
)
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList (
  {TARGETENTRY
    : expr
      {CONST
        : consttype 23
        : consttypmod -1
        : constcollid 0
        : constlen 4
        : constbyval true
        : constisnull false
        : location -1
        : constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    : resno 1
    : resname ?column?
    : ressortgroupref 0
    : resorigtbl 0
    : resorigcol 0
    : resjunk false
  }
)
: override 0
: onConflict <>
: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location -1
: stmt_len -1
}
: location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    : commandType 1
    : querySource 0
    : canSetTag true
    : utilityStmt <>
    : resultRelation 0
    : hasAggs true
    : hasWindowFuncs false
  }
)

```



```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
    :aliasname shipping
    :colnames <>
  }
  :eref
  {ALIAS
    :aliasname shipping
    :colnames ("supp_nation" "cust_nation" "l_year" "volume")
  }
  :rtekind 1
  :subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity true
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
      :alias <>
      :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
          one" "s_acctbal" "s_comment")
      }
      :rtekind 0
      :relid 16541
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals (
        {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
        {QUERY
          :commandType 1
          :querySource 0
          :canSetTag true
          :utilityStmt <>
          :resultRelation 0
          :hasAggs false
          :hasWindowFuncs false
          :hasTargetSRFs false
          :hasSubLinks false
          :hasDistinctOn false
          :hasRecursive false
          :hasModifyingCTE false
          :hasForUpdate false
          :hasRowSecurity false
          :hasGroupRTE false
          :isReturn false
          :cteList <>
          :rtable (
            {RANGETBENTRY
            :alias
            {ALIAS
              :aliasname n
              :colnames <>
            }
            :eref
            {ALIAS
              :aliasname n
              :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
                ment")
            }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        }
      )
    }
  }
  :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
  }
)

```

```

:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 8
9 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>

```

```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname lineitem
    :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum"
      "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
        ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
        "l_shipinstruct" "l_shipmode" "l_comment")
  }
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname orders
    :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
      ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
      "o_comment")
  }
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname customer
    :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
      one" "c_acctbal" "c_mktsegment" "c_comment")
  }
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
  {ALIAS
    :aliasname n1
    :colnames <>
  }
}

```

```

:eref
  {ALIAS
  :aliasname n1
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
  }
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
  {ALIAS
  :aliasname n2
  :colnames <>
  }
:eref
  {ALIAS
  :aliasname n2
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
  }
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16541
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 11)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16566
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 10 13 14 18)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16561
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16546
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 11)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
  {RANGETBLREF
  :rtindex 2
  }
  {RANGETBLREF
  :rtindex 3
  }
  {RANGETBLREF
  :rtindex 4
  }
  {RANGETBLREF
  :rtindex 5
  }
  {RANGETBLREF
  :rtindex 6
  }
)

```

```

    }
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 498
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 510
}
)
:location 508
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 536
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 549
}
)
:location 547
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 576
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 588
}
)

```

```

:location 586
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 614
}
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 628
}
)
:location 626
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 659
}
  {VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 673
}
)
:location 671
}
{BOOLEXPR
:boolop or
:args (
  {BOOLEXPR
:boolop and
:args (
  {OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 723
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 735
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
)
:location 733

```

```

    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 749
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 761
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
    )
    :location 759
    }
    )
    :location 745
    }
    {BOOLEXPR
    :boolop and
    :args (
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 791
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 803
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
    )
    :location 801
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 816
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 828
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
    }
    )
    :location 826
    }
    )
    :location 812
    }
    )
    :location 787
    }

```

```

{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 869
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 893
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 ]
}
)
:location 880
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 869
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 915
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 ]
}
)
:location 880
}
)
:location 880
}
)
:location 532
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 154
}
:resno 1
:resname supp_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

:varnosyn 6
:varattnosyn 2
:location 192
}
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {FUNCEXP
    :funcid 6199
    :funcresulttype 1700
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 0
    :inputcollid 100
    :args (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 238
        :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
      }
      {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 248
      }
    )
    :location 230
  }
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {OPEXP
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 283
      }
      {OPEXP
        :opno 592
        :opfuncid 219
        :opresulttype 701
        :opresultset false
        :opcollid 0
        :inputcollid 0
        :args (
          {FUNCEXP
            :funcid 316
            :funcresulttype 701
            :funcresultset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 302
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
              }
            )
            :location -1
          }
          {VAR
            :varno 2
            :varattno 7
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
          }
        )
      }
    )
  }
}

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location 306
    }
    )
    :location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals <>

```

```

}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname supp_nation
    :ressortgroupref 1
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname cust_nation
    :ressortgroupref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 3
      :vartype 1700
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname l_year
    :ressortgroupref 3
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 4
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location 97
          }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
    }
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
  }
)

```

```

        :aggtransno -1
        :location 93
    }
    :resno 4
    :resname revenue
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 1752
        :sortop 1754
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 1752
        :sortop 1754
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity true
    :hasGroupRTE true
    :isReturn false
    :cteList <>
    :rtable (
        {RANGETBLENTRY
            :alias
            {ALIAS
                :aliasname shipping
                :colnames <>
            }
        }
    :eref
    {ALIAS
        :aliasname shipping
        :colnames ("supp_nation" "cust_nation" "l_year" "volume")
    }
}

```

```

    }
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
  {SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias
  {ALIAS
:aliasname n
:colnames <>
}
:eref
  {ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
:opno 96
:opfuncid 65
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
  }
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 0 70 82 65 78 67 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 0 71 69 82 77 65 78 8
          9 ]
      }
    )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
  }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
  }
  :resno 1
  :resname ?column?
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false

```

```

    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}

```

```

    }
    :eref
    {ALIAS
    :aliasname n2
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 6
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 498
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 510
}
)
:location 508
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 536
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 549
}
}
:location 547
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 576
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 588
}
}
:location 586
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4

```

```

:location 614
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 628
}
)
:location 626
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 659
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 673
}
}
:location 671
}
{BOOLEXPR
:boolop or
:args (
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 723
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 735
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
}
:location 733
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 749
}

```

```

    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 761
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
  )
  :location 759
}
)
:location 745
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 791
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 803
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
  )
  :location 801
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 6
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 6
  :varattnosyn 2
  :location 816
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 828
  :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
  }
)
:location 826
}
)
:location 812
}
)
:location 787
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 1098
  :opfuncid 1090
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2

```

```

        :varattnosyn 11
        :location 869
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 893
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 880
    }
    {OPEXPR
    :opno 1096
    :opfuncid 1088
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 869
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 915
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 880
    }
    )
    :location 880
    }
    )
    :location 532
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 154
}
:resno 1
:resname supp_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 192
}
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100

```

```

:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 238
    :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
  }
  {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 248
  }
)
:location 230
}
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {OEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 283
      }
      {OEXPR
        :opno 592
        :opfuncid 219
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {FUNCEXP
            :funcid 316
            :funcresulttype 701
            :funcset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 302
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
              }
            )
            :location -1
          }
          {VAR
            :varno 2
            :varattno 7
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 7
            :location 306
          }
        )
      }
    )
    :location 304
  }
}
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0

```

```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1

```

```

:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 97
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664

```

```

:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
}
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:      {AGG
:plan.disabled_nodes 0
:plan.startup_cost 416674.0636114039
:plan.total_cost 416696.2636114039
:plan.plan_rows 740
:plan.plan_width 104
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2

```



```

:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:varstype 1700
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname l_year
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:conststypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
{VAR
:varno -2
:varattno 5
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
)
:location 304
}
)
:location 299
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0

```

```

:aggtransno 0
:location 93
}
:resno 4
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 416674.0636114039
:plan.total_cost 416675.9136114039
:plan.plan_rows 740
:plan.plan_width 112
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 194142.8175
:join.plan.total_cost 416638.7975
:join.plan.plan_rows 740
:join.plan.plan_width 112
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno -1
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
)
:location 230
}
}
:resno 3

```

```

:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0
:join.plan.total_cost 222440.17
:join.plan.plan_rows 200
:join.plan.plan_width 36
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 498
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 221818

```

```

:scan.plan.plan_rows 5000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
      }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
  }
)

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{SUBPLAN
:subLinkType 2
:testexpr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
:paramIds (i 1)
:plan_id 2
:plan_name SubPlan\ 2
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 20.145
:per_call_cost 0.0025
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 22.189999999999998
:plan.plan_rows 8
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true

```

```

:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 22.15
    :scan.plan.plan_rows 8
    :scan.plan.plan_width 36
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 6
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 7
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 7
            :varattnosyn 2
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno 7
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 7
            :varattnosyn 1
            :location 628
          }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
:scan.plan.qual (
  {BOOLEXP
    :boolop or
    :args (
      {OPEXP
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
      }
    )
  }
)

```

```

:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 7
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 2
    :location 723
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 735
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
  }
)
:location 733
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 7
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 2
    :location 791
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 803
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
  }
)
:location 801
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 7
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
  {OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 4
    :location 614
  }
  {VAR
    :varno -1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
  }
)
}
)

```



```

        :varnosyn 7
        :varattnosyn 1
        :location 628
    }
)
:location -1
}
)
:nestParams <>
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 193222.33000000002
:plan.total_cost 193222.33000000002
:plan.plan_rows 73639
:plan.plan_width 56
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 7
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 11
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 6
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 7
    :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location -1
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 5

```

```

:varstype 25
:varystmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 40628.295
:plan.total_cost 193222.33000000002
:plan.plan_rows 73639
:plan.plan_width 56
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 8
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:varstype 1082
:varystmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:varstype 701
:varystmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:varstype 701
:varystmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:varstype 23
:varystmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 510
}
:resno 4
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 39628.295
:join.plan.total_cost 184858.43
:join.plan.plan_rows 30683
:join.plan.plan_width 56
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 9
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 3
        :location 510
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 142225.75
:scan.plan.plan_rows 767076
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 9

```

```

:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 14
        :location -1
    }
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 869
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 893
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 ]
}
)
:location 880
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 869
}
{CONST
:consttype 1082

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 915
        :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 880
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 39315.795
:plan.total_cost 39315.795
:plan.plan_rows 25000
:plan.plan_width 36
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 11
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4609.875
:join.plan.total_cost 39315.795
:join.plan.plan_rows 25000
:join.plan.plan_width 36
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 12
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 536
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1

```



```

:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 32258
:scan.plan.plan_rows 625000
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 13
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 5
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4578.625
:plan.total_cost 4578.625
:plan.plan_rows 2500
:plan.plan_width 36
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 14
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 22.25
:join.plan.total_cost 4578.625
:join.plan.plan_rows 2500
:join.plan.plan_width 36
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 15
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 576
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}

```

```

    }
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4297
:scan.plan.plan_rows 62500
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 16
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 5
        :location -1
    }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 6
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 22.15
:plan.total_cost 22.15
:plan.plan_rows 8
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 17
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 8
        :varattnosyn 2
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 22.15
:scan.plan.plan_rows 8
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 18
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 673
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{BOOLEXP
:boolop or
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2

```

```

        :location 749
      }
      {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location 761
      :constvalue 10 [ 40 0 0 0 70 82 6
      5 78 67 69 ]
      }
    )
    :location 759
  }
  {OPEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 8
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 2
    :location 816
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 828
    :constvalue 11 [ 44 0 0 0 71 69 8
    2 77 65 78 89 ]
    }
  )
  :location 826
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 8
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
  :varno -2
  :varattno 2
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 8
  :varattnosyn 1
  :location 673
  }
)
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 4
    :location 659
    }
  )
  {VAR

```

```

        :varno -1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location 673
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 4
        :location 659
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 2)
:plan.allParam (b 2)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 576
    }
)
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 6000
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 5
                :varattnosyn 2
                :location 588
            }
            {VAR
                :varno -1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 6
                :varattnosyn 1
                :location 576
            }
        )
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
    }
)

```



```

        :varnosyn 5
        :varattnosyn 2
        :location 588
    }
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 2)
:plan.allParam (b 2)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 536
    }
)
:skewTable 16566
:skewColumn 1
:skewInherit false
:rows_total 60000
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 4
                :varattnosyn 1
                :location 549
            }
            {VAR
                :varno -1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 5
                :varattnosyn 1
                :location 536
            }
        )
        :location -1
    }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 549
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 2
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
    }
)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 510
}
)
:skewTable 16541
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 723
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 735
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 733
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 749
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 761
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 759
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 7
        :varattnosyn 2
        :location 791
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 803
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
    )
    :location 801
    }
    {OEXPR
    :opno 98
    :opfncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno -1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 2
    :location 816
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 828
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
    }
    )
    :location 826
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
:hashclauses (
{OEXPR
:opno 96
:opfncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 498
}
{VAR
:varno -1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 510
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 498
}
)
}

```



```

Hash Cond: (orders.o_custkey = customer.c_custkey)
Buffers: shared hit=5743 read=23940
Worker 0:  actual time=32.489..159.362 rows=40622.00 loops=1
  Buffers: shared hit=1511 read=7986
Worker 1:  actual time=32.843..160.167 rows=40577.00 loops=1
  Buffers: shared hit=1472 read=7990
->  Parallel Seq Scan on public.orders  (cost=0.00..32258.00 rows=625000 width=8) (actual time=0.599..54.819 row
s=500000.00 loops=3)
    Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate
, orders.o_orderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
    Buffers: shared hit=2068 read=23940
    Worker 0:  actual time=0.453..54.789 rows=500398.00 loops=1
      Buffers: shared hit=695 read=7986
    Worker 1:  actual time=0.807..55.085 rows=500687.00 loops=1
      Buffers: shared hit=689 read=7990
->  Parallel Hash  (cost=4578.62..4578.62 rows=2500 width=36) (actual time=36.057..36.059 rows=4002.67 loops=3)
    Output: customer.c_custkey, n2.n_name
    Buckets: 16384 (originally 8192)  Batches: 1 (originally 1)  Memory Usage: 768kB
    Buffers: shared hit=3675
    Worker 0:  actual time=32.014..32.017 rows=2651.00 loops=1
      Buffers: shared hit=816
    Worker 1:  actual time=32.012..32.015 rows=2654.00 loops=1
      Buffers: shared hit=783
->  Hash Join  (cost=22.25..4578.62 rows=2500 width=36) (actual time=0.064..32.719 rows=4002.67 loops=3)
    Output: customer.c_custkey, n2.n_name
    Hash Cond: (customer.c_nationkey = n2.n_nationkey)
    Buffers: shared hit=3675
    Worker 0:  actual time=0.082..28.579 rows=2651.00 loops=1
      Buffers: shared hit=816
    Worker 1:  actual time=0.081..27.063 rows=2654.00 loops=1
      Buffers: shared hit=783
->  Parallel Seq Scan on public.customer  (cost=0.00..4297.00 rows=62500 width=8) (actual time=0.008
..27.150 rows=50000.00 loops=3)
    Output: customer.c_custkey, customer.c_name, customer.c_address, customer.c_nationkey, custome
r.c_phone, customer.c_acctbal, customer.c_mktsegment, customer.c_comment
    Buffers: shared hit=3672
    Worker 0:  actual time=0.007..24.410 rows=32808.00 loops=1
      Buffers: shared hit=815
    Worker 1:  actual time=0.012..23.272 rows=32274.00 loops=1
      Buffers: shared hit=782
->  Hash  (cost=22.15..22.15 rows=8 width=36) (actual time=0.048..0.048 rows=2.00 loops=3)
    Output: n2.n_name, n2.n_nationkey
    Buckets: 1024  Batches: 1  Memory Usage: 9kB
    Buffers: shared hit=3
    Worker 0:  actual time=0.066..0.067 rows=2.00 loops=1
      Buffers: shared hit=1
    Worker 1:  actual time=0.061..0.061 rows=2.00 loops=1
      Buffers: shared hit=1
->  Seq Scan on public.nation n2  (cost=0.00..22.15 rows=8 width=36) (actual time=0.038..0.040
rows=2.00 loops=3)
    Output: n2.n_name, n2.n_nationkey
    Filter: ((n2.n_name = 'FRANCE'::text) OR (n2.n_name = 'GERMANY'::text))
    Rows Removed by Filter: 23
    Buffers: shared hit=3
    Worker 0:  actual time=0.057..0.059 rows=2.00 loops=1
      Buffers: shared hit=1
    Worker 1:  actual time=0.051..0.053 rows=2.00 loops=1
      Buffers: shared hit=1

Planning:
  Buffers: shared hit=35
Planning Time: 3.980 ms
Execution Time: 849.111 ms
(133 rows)

Time: 860.797 ms
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS supplier_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW supplier_secure AS
SELECT s.*
FROM supplier s
WHERE EXISTS (
  SELECT 1 FROM nation n
  WHERE n.n_nationkey = s.s_nationkey
  AND n.n_name IN ('FRANCE', 'GERMANY')
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON supplier_secure TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

-- Step 5: Run Q7
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  supp_nation,
  cust_nation,
  l_year,
  sum(volume) as revenue
from
  (
    select
      n1.n_name as supp_nation,
      n2.n_name as cust_nation,
      extract(year from l_shipdate) as l_year,
      l_extendedprice * (1 - l_discount) as volume
    from
      supplier_secure s,
      lineitem,
      orders,
      customer,
      nation n1,
      nation n2
    where
      s.s_suppkey = l_suppkey
      and o_orderkey = l_orderkey

```

```

        and c_custkey = o_custkey
        and s.s_nationkey = n1.n_nationkey
        and c_nationkey = n2.n_nationkey
        and (
            (n1.n_name = 'GERMANY' and n2.n_name = 'FRANCE')
            or (n1.n_name = 'FRANCE' and n2.n_name = 'GERMANY')
        )
        and l_shipdate between date '1995-01-01' and date '1996-12-31'
    ) as shipping
group by
    supp_nation,
    cust_nation,
    l_year
order by
    supp_nation,
    cust_nation,
    l_year;

```

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 2.253 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
}
}

```

```

    }
  )
  :objtype 41
  :missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds {
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
}
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 1.774 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("supplier_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("supplier_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

Time: 3.156 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>

```



```

:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 110
}
}
:rexpr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 126
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_name")
:location 148
}
}
:rexpr (
{A_CONST
:val "FRANCE"
:location 161
}
{A_CONST
:val "GERMANY"
:location 171
}
)
:rexpr_list_start 160
:rexpr_list_end 180
:location 157
}
)
:location 144
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 183
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
}

```

```

:aliases <>
:query
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s"
{A_STAR
}
}
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 110
}
:rexpr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_name")
:location 148
}
:rexpr (
{A_CONST
:val "FRANCE"
:location 161
}
{A_CONST
:val "GERMANY"
:location 171
}
)
:rexpr_list_start 160
:rexpr_list_end 180
:location 157
}
)
:location 144

```

```

    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
  }
  :location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 183
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 0
  }
}

```

```

:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 110
}
{VAR
:varno 1
:varattno 4
:varatype 23
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 126
}
)
:location 124
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:varatype 25
:varatypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 148
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 161
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 171
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:multidims false
:list_start 160
:list_end 180
:location -1
}
)
:location 157
}
)
:location 144
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 84
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>

```

```

        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 38
}
:resno 1
:resname s_suppkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 38
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname s_phone
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname s_acctbal
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname s_comment
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 183
}

```

Time: 3.004 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false

```

```

:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 40
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.545 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC

```



```

        :roletype 0
        :rolename alice
        :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

```

Time: 0.357 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV

```

```

        :priv_name select
        :cols <>
    }
}
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname orders
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}
}

```

Time: 0.334 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname customer
    :inh true
    :relpersistence p
    }
)
}
}

```

```

        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
        :priv_name select
        :cols <>
    }
)
:grantees (
    {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
    {GRANTSTMT
        :is_grant true
        :targtype 0
        :objtype 41
        :objects (
            {RANGEVAR
                :catalogname <>
                :schemaname <>
                :relname customer
                :inh true
                :relpersistence p
                :alias <>
                :location 16
            }
        )
        :privileges (
            {ACCESSPRIV
                :priv_name select
                :cols <>
            }
        )
        :grantees (
            {ROLESPEC
                :roletype 0
                :rolename alice
                :location 28
            }
        )
        :grant_option false
        :grantor <>
        :behavior 0
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.362 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
    {GRANTSTMT
        :is_grant true
        :targtype 0
        :objtype 41
        :objects (

```

```

        {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
        }
    )
    :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
    )
    :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
    )
    :grant_option false
    :grantor <>
    :behavior 0
    }
    :stmt_location 0
    :stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.305 ms

WARNING: ===== RAW PARSE TREE =====

DETAIL: {RAWSTMT

```

:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
  :val "alice"
  :location 9
  }
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
  :val "alice"
  :location 9
  }
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

```

Time: 0.204 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARGET
  :name <>
  :indirection <>
  :val
  {COLUMNREF
  :fields ("supp_nation")
  :location 47
  }
  :location 47
  }
  {RESTARGET
  :name <>
  :indirection <>
  :val
  {COLUMNREF
  :fields ("cust_nation")
  :location 64
  }
  :location 64
  }
  {RESTARGET
  :name <>
  :indirection <>
  :val
  {COLUMNREF

```

```

        :fields ("l_year")
        :location 81
    }
:location 81
}
{RESTARTGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("volume")
:location 97
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 93
}
:location 93
}
)
:fromClause (
{RANGESUBSELECT
:lateral false
:subquery
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetlist (
{RESTARTGET
:name supp_nation
:indirection <>
:val
{COLUMNREF
:fields ("n1" "n_name")
:location 154
}
:location 154
}
{RESTARTGET
:name cust_nation
:indirection <>
:val
{COLUMNREF
:fields ("n2" "n_name")
:location 192
}
:location 192
}
{RESTARTGET
:name l_year
:indirection <>
:val
{FUNCCALL
:funcname ("pg_catalog" "extract")
:args (
{A_CONST
:val "year"
:location 238
}
{COLUMNREF
:fields ("l_shipdate")
:location 248
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 3
:location 230
}
:location 230
}
{RESTARTGET
:name volume
:indirection <>
:val
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 283
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 302
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 306
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 304
}
:rexpr_list_start 0

```

```

        :rexpr_list_end 0
        :location 299
    }
    :location 283
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 353
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 384
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 406
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 426
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:location 448
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:location 471
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 507
}
}
:rexpr
{COLUMNREF
:fields ("l_suppkey")
:location 521
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 519
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("o_orderkey")
:location 547
}
}
:rexpr
{COLUMNREF
:fields ("l_orderkey")
:location 560
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 558
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c_custkey")

```

```

        :location 587
    }
    :rexpr
    {COLUMNREF
    :fields ("o_custkey")
    :location 599
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 597
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("s" "s_nationkey")
    :location 625
    }
    }
    :rexpr
    {COLUMNREF
    :fields ("n1" "n_nationkey")
    :location 641
    }
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 639
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("c_nationkey")
    :location 672
    }
    }
    :rexpr
    {COLUMNREF
    :fields ("n2" "n_nationkey")
    :location 686
    }
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 684
    }
    {BOOLEXP
    :boolop or
    :args (
    {BOOLEXP
    :boolop and
    :args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("n1" "n_name")
    :location 736
    }
    }
    :rexpr
    {A_CONST
    :val "GERMANY"
    :location 748
    }
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 746
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("n2" "n_name")
    :location 762
    }
    }
    :rexpr
    {A_CONST
    :val "FRANCE"
    :location 774
    }
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 772
    }
    )
    :location 758
    }
    {BOOLEXP
    :boolop and
    :args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("n1" "n_name")
    :location 804
    }
    }
    :rexpr
    {A_CONST
    :val "FRANCE"
    :location 816
    }
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 814
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("n2" "n_name")
    :location 829
    }
    }
    :rexpr
    {A_CONST
    :val "GERMANY"
    :location 841
    }
    }

```



```

        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 839
    }
)
:location 825
}
)
:location 800
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("l_shipdate")
:location 882
}
}:rexpr (
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 906
}
:typeName
{TYPPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 901
}
:location -1
}
{TYPECAST
:arg
{A_CONST
:val "\1996-12-31"
:location 928
}
:typeName
{TYPPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 923
}
:location -1
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 893
}
)
:location 543
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:alias
{ALIAS
:aliasname shipping
:colnames <>
}
}
)
:whereClause <>
:groupClause (
{COLUMNREF
:fields ("supp_nation")
:location 972
}
{COLUMNREF
:fields ("cust_nation")
:location 989
}
{COLUMNREF
:fields ("l_year")
:location 1006
}
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("supp_nation")
:location 1026
}
}
:sortby_dir 0
:sortby_nulls 0

```

```

:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("cust_nation")
:location 1043
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("l_year")
:location 1060
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
}
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:define analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:define verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:define buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 1066
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname shipping
:colnames <>
}
:eref
{ALIAS
:aliasname shipping
:colnames ("supp_nation" "cust_nation" "l_year" "volume")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey"
          "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16645
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
          mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
          "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
          " "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
          t")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
          talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
          ippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname customer
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
          "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname n1
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname n1
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
          t")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
}

```

```

{RANGETBLENTY
:alias
  {ALIAS
    :aliasname n2
    :colnames <>
  }
:eref
  {ALIAS
    :aliasname n2
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
  }
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16645
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
      {RANGETBLREF
        :rtindex 2
      }
      {RANGETBLREF
        :rtindex 3
      }
      {RANGETBLREF
        :rtindex 4
      }
      {RANGETBLREF
        :rtindex 5
      }
      {RANGETBLREF
        :rtindex 6
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR

```

```

:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 507
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 521
}
)
:location 519
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 547
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 560
}
}
)
:location 558
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 587
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 599
}
}
)
:location 597
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 625
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 641
}
)
:location 639
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 672
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 686
}
)
:location 684
}
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 736
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 748
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 8
9 ]
}
)
:location 746
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 2
        :location 762
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 774
    :constvalue 10 [ 40 0 0 0 0 70 82 65 78 67 69 ]
    }
    )
    :location 772
    }
    )
    :location 758
    }
    {BOOLEXPR
    :boolop and
    :args (
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 804
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 816
    :constvalue 10 [ 40 0 0 0 0 70 82 65 78 67 69 ]
    }
    )
    :location 814
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 829
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 841
    :constvalue 11 [ 44 0 0 0 0 71 69 82 77 65 78 8
    9 ]
    }
    )
    :location 839
    }
    )
    :location 825
    }
    )
    :location 800
    }
    {BOOLEXPR
    :boolop and
    :args (
    {OPEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2

```

```

        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 882
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 906
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 893
    }
    {OPEXPR
    :opno 1096
    :opfuncid 1088
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 882
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 928
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 893
    }
    )
    :location 893
    }
    :location 543
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 154
}
:resno 1
:resname supp_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 192
}
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr

```



```

{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 238
    :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
  }
  {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 248
  }
)
:location 230
}
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {OPEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 283
      }
      {OPEXPR
        :opno 592
        :opfuncid 219
        :opresulttype 701
        :opresultset false
        :opcollid 0
        :inputcollid 0
        :args (
          {FUNCEXPR
            :funcid 316
            :funcresulttype 701
            :funcresultset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 302
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
              }
            )
            :location -1
          }
          {VAR
            :varno 2
            :varattno 7
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 7
            :location 306
          }
        )
      }
    )
    :location 304
  }
)
:location 299
}
:resno 4

```

```

        :resname volume
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
:resno 1
:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 97
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>

```

```

: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause (
  {SORTGROUPCLAUSE
    : tleSortGroupRef 1
    : eqop 98
    : sortop 664
    : reverse_sort false
    : nulls_first false
    : hashable true
  }
  {SORTGROUPCLAUSE
    : tleSortGroupRef 2
    : eqop 98
    : sortop 664
    : reverse_sort false
    : nulls_first false
    : hashable true
  }
  {SORTGROUPCLAUSE
    : tleSortGroupRef 3
    : eqop 1752
    : sortop 1754
    : reverse_sort false
    : nulls_first false
    : hashable true
  }
)
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause (
  {SORTGROUPCLAUSE
    : tleSortGroupRef 1
    : eqop 98
    : sortop 664
    : reverse_sort false
    : nulls_first false
    : hashable true
  }
  {SORTGROUPCLAUSE
    : tleSortGroupRef 2
    : eqop 98
    : sortop 664
    : reverse_sort false
    : nulls_first false
    : hashable true
  }
  {SORTGROUPCLAUSE
    : tleSortGroupRef 3
    : eqop 1752
    : sortop 1754
    : reverse_sort false
    : nulls_first false
    : hashable true
  }
)
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 0
}
: options (
  {DEFELEM
    : defnamespace <>
    : defname analyze
    : arg <>
    : defaction 0
    : location 9
  }
  {DEFELEM
    : defnamespace <>
    : defname verbose
    : arg <>
    : defaction 0
    : location 18
  }
  {DEFELEM
    : defnamespace <>
    : defname buffers
    : arg <>
    : defaction 0
    : location 27
  }
)
}
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: cteList <>
: rtable <>
: rteperminfos <>
: jointree <>
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList <>
: override 0

```

```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1066
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname shipping
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname shipping
  :colnames ("supp_nation" "cust_nation" "l_year" "volume")
  }
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname s
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname s
  :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
  }
:rtekind 0
:relid 16645
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false

```

```

:inFromC1 true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromC1 true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesampl <>
:lateral false
:inFromC1 true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesampl <>
:lateral false
:inFromC1 true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesampl <>
:lateral false
:inFromC1 true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16645
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 507
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 521
}
)
:location 519
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 547
}
{VAR
:varno 2
:varattno 1

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 560
}
)
:location 558
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 587
  }
  {VAR
    :varno 3
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 599
  }
)
:location 597
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 625
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 641
  }
)
:location 639
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 672
  }
  {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 686
}
)
:location 684
}
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 736
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 748
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 746
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 762
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 774
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 772
}
)
:location 758
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 804
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1

```

```

        :constbyval false
        :constisnull false
        :location 816
        :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
}
:location 814
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 829
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 841
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
    }
)
:location 839
}
)
:location 825
}
)
:location 800
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 882
        }
        {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 906
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
        }
    )
)
:location 893
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 882
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 928
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
)
}

```

```

        }
        )
        :location 893
        }
    )
    :location 893
    }
)
:location 543
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 154
}
:resno 1
:resname supp_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 192
}
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 248
}
)
:location 230
}
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2

```

```

:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 302
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 306
}
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname supp_nation
:ressortgrouppref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname cust_nation
:ressortgrouppref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgrouppref 3

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 97
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 1752

```

```

:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== REWRITE OUTPUT =====
DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname shipping
:colnames <>
}
:eref
{ALIAS
:aliasname shipping
:colnames ("supp_nation" "cust_nation" "l_year" "volume")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
}
}

```

```

:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1

```



```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 70 82 65 78 6
7 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 71 69 82 77 6
5 78 89 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>

```

```

        :groupDistinct false
        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname s_name
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    :resno 3
    :resname s_address
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
    }
    :resno 4
    :resname s_nationkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 4
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1

```

```

:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16645
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colNames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>

```

```

}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
):rteperminfos (
{RTEPERMISSIONINFO
:relid 16645
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546

```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reld 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reld 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 507
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 521
}
)
:location 519
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 547
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 560
}
)
:location 558
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 587
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 599
}
}
:location 597
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 625
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 641
}
}
:location 639
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 672
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 6
:varattnosyn 1
:location 686
}
)
:location 684
}
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 736
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 748
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 746
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 762
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 774
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 772
}
)
:location 758
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 804
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false

```

```

        :location 816
        :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
)
:location 814
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 829
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 841
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 839
}
)
:location 825
}
)
:location 800
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 882
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 906
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 893
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 882
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 928
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
}
)
)

```



```

        :location 893
      }
    )
    :location 893
  }
)
:location 543
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 5
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 2
      :location 154
    }
    :resno 1
    :resname supp_nation
    :ressortgroupref 0
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 6
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 2
      :location 192
    }
    :resno 2
    :resname cust_nation
    :ressortgroupref 0
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {FUNCEXP
      :funcid 6199
      :funcresulttype 1700
      :funcresultset false
      :funcvariadic false
      :funcformat 3
      :funccollid 0
      :inputcollid 100
      :args (
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 238
          :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
        }
        {VAR
          :varno 2
          :varattno 11
          :vartype 1082
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 11
          :location 248
        }
      )
    }
    :location 230
  }
  :resno 3
  :resname l_year
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
{TARGETENTRY
:expr
{OPEXP
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 701

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 302
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 306
}
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:varstype 701
:varstypepm -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 97
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 1752
:sortop 1754
:reverse_sort false
}
)

```

```

:nullable_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname shipping
:colnames <>
}
:eref
{ALIAS
:aliasname shipping
:colnames ("supp_nation" "cust_nation" "l_year" "volume")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey"
"s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:reloid 16541

```

```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 0 70 82 65 78 6
7 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 0 71 69 82 77 6
5 78 89 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>

```

```

        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname s_supkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25

```



```

        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location -1
    }
    :resno 5
    :resname s_phone
    :ressortgrouppref 0
    :resorigtbl 16541
    :resorigcol 5
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16645
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumbr"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY

```

```

:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
):rteperminfos (
{RTEPERMISSIONINFO
:relid 16645
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2

```

```

:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 507
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 521
}
)
:location 519
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 547
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 560
    }
)
:location 558
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 587
    }
    {VAR
        :varno 3
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location 599
    }
)
:location 597
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 625
    }
    {VAR
        :varno 5
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 641
    }
)
:location 639
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 4
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location 672
    }
    {VAR
        :varno 6
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1

```

```

        :location 686
    }
)
:location 684
}
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 736
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 748
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 746
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 762
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 774
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 772
}
)
:location 758
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 804
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 816
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
}
)
}

```

```

    }
  )
  :location 814
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 829
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 841
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
  }
)
:location 839
}
)
:location 825
}
)
:location 800
}
{BOOLEXP
:boolop and
:args (
  {OPEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 882
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 906
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
    )
  }
:location 893
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 882
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 928
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
  }
)
:location 893
}

```

```

        )
        :location 893
    }
)
:location 543
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 154
}
:resno 1
:resname supp_nation
:resortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 192
}
:resno 2
:resname cust_nation
:resortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 248
}
}
:location 230
}
:resno 3
:resname l_year
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXP
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 302
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 306
}
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```



```

:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {VAR
            :varno 1
            :varattno 4
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location 97
          }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar false
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggssplit 0
      :aggno -1
      :aggtransno -1
      :location 93
    )
  :resno 4
  :resname revenue
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)

```

```

    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL:      {AGG
:plan.disabled_nodes 0
:plan.startup_cost 185710.15675646122
:plan.total_cost 185718.65182039893
:plan.plan_rows 59
:plan.plan_width 104
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4

```

```

:varstype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
{VAR
:varno -2
:varattno 5
:varstype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
)
:location 304
}
)
:location 299
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHERMERGE
:plan.disabled_nodes 0
:plan.startup_cost 185710.15675646122
:plan.total_cost 185717.02932039893
:plan.plan_rows 59
:plan.plan_width 112
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:varstype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2

```

```

:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 184710.1329820237
:plan.total_cost 184710.1954820237
:plan.plan_rows 25
:plan.plan_width 112
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 1
:resname <>

```

```

:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 180167.41
:join.plan.total_cost 184709.5525
:join.plan.plan_rows 25
:join.plan.plan_width 112
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno -2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
)
:location 230
}
:resno 3
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7

```

```

        :location 306
    }
    :resno 5
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 180145.16
:join.plan.total_cost 184681.655
:join.plan.plan_rows 1228
:join.plan.plan_width 56
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 672
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1

```



```

:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4297
:scan.plan.plan_rows 62500
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 6
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 180129.81
:plan.total_cost 180129.81
:plan.plan_rows 1228
:plan.plan_width 56
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
{TARGETENTRY

```

```

:expr
{VAR
:varno -2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 145522.94

```

```

:join.plan.total_cost 180129.81
:join.plan.plan_rows 1228
:join.plan.plan_width 56
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 7
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -1
      :varattno 1
      :vartype 1082
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 11
      :location 248
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -1
      :varattno 2
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 6
      :location 283
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -1
      :varattno 3
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 7
      :location 306
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 2
      :location 599
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -1
      :varattno 5
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 2
      :location -1
    }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 32258
:scan.plan.plan_rows 625000
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 8
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 5
        :location -1
    }
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 5
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 145507.59
:plan.total_cost 145507.59
:plan.plan_rows 1228

```

```

:plan.plan_width 56
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 9
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 11
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 6
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 3
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 7
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 2
        :location -1
      }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }

```

```

    }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 393.035
:join.plan.total_cost 145507.59
:join.plan.plan_rows 1228
:join.plan.plan_width 56
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 10
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 560
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7

```



```

        :varattnosyn 2
        :location -1
    }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 142225.75
:scan.plan.plan_rows 767076
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 11
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 4
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 15

```

```

        :location -1
    }
    :resno 15
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 16
    :location -1
    }
    :resno 16
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual (
    {OEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 11
    :location 882
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 906
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 893
    }
    {OEXPR
    :opno 1096
    :opfuncid 1088
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 11
    :location 882
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 928
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 893
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b 0)
    :scan.plan.allParam (b 0)
    :scan.scanrelid 4
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 392.83500000000004
    :plan.total_cost 392.83500000000004
    :plan.plan_rows 16

```

```

:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 12
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 9
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 42.475
:join.plan.total_cost 392.83500000000004
:join.plan.plan_rows 16
:join.plan.plan_width 36
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 13
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 9
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -1
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.225
:join.plan.total_cost 368.925

```

```

:join.plan.plan_rows 400
:join.plan.plan_width 12
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 14
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 4
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 1
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 1
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 318
    :scan.plan.plan_rows 10000
    :scan.plan.plan_width 8
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 15
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 9
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 9
            :varattnosyn 1
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 9
        :varattno 2
        :vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 9
        :varattnosyn 7
        :location -1
    }
    :resno 7
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 9
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.125
:plan.total_cost 20.125
:plan.plan_rows 8
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 16
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.125
:scan.plan.plan_rows 8
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 17
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 10
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 10
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 2
:location -1
}
{CONST
:consttype 1009

```



```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 48 [ -64 0 0 0 1 0
          0 0 0 0 0 0 25 0 0 0 2 0 0 0
          1 0 0 0 40 0 0 0 70 82 65 78 6
          7 69 0 0 44 0 0 0 71 69 82 77
          65 78 89 0 ]
      }
    }
    :location -1
  }
}
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 10
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 10
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16541
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 4
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 1
        :location -1
      }
    )
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 9
    :varattnosyn 4
    :location -1
  }
)
}
:join.plan.righttree
{HASH
  :plan.disabled_nodes 0
  :plan.startup_cost 22.15
  :plan.total_cost 22.15
}

```

```

:plan.plan_rows 8
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 18
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 1
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 22.15
:scan.plan.plan_rows 8
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 19
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 7
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 7
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 1
      :location 641
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual (
  {BOOLEXP
    :boolop or
    :args (
      {OPEXP

```

```

:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 7
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 2
    :location 736
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 748
    :constvalue 11 [ 44 0 0 0 71 6
      9 82 77 65 78 89 ]
  }
)
:location 746
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 7
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 2
    :location 804
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 816
    :constvalue 10 [ 40 0 0 0 70 8
      2 65 78 67 69 ]
  }
)
:location 814
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 7
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location 641
  }
)
:skewTable 16536
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 10
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno -1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location 641
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 10
    :varattnosyn 1
    :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 9
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 3
        :location 521
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 1

```

```

        :location -1
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location 521
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 560
  }
)
}
:skewTable 16561
:skewColumn 1
:skewInherit false
:rows_total 2947.2
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 547
      }
      {VAR
        :varno -1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 560
      }
    )
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 547
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)

```

```

:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 599
  }
)
:skewTable 16546
:skewColumn 1
:skewInherit false
:rows_total 2947.2
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 587
      }
      {VAR
        :varno -1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 599
      }
    )
  }
  :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 587
  }
)
}
:join.plan.righttree
{HASH
  :plan.disabled_nodes 0
  :plan.startup_cost 22.15
  :plan.total_cost 22.15
  :plan.plan_rows 8
  :plan.plan_width 36
  :plan.parallel_aware false
  :plan.parallel_safe true
  :plan.async_capable false
  :plan.plan_node_id 20
  :plan.targetlist (
    {TARGETENTRY
      :expr
        {VAR
          :varno -2
          :varattno 1
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 8
          :varattnosyn 2
          :location -1
        }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
    }
  )
}

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 22.15
:scan.plan.plan_rows 8
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 21
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 686
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{BOOLEXP
:boolop or
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 762
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
}
}
}
)

```

```

        :location 774
        :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
)
:location 772
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 829
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 841
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 839
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 8
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 686
}
)
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
{BOOLEXPR
:boolop or
:args (
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 736
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false

```



```

        :location 748
        :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
    }
)
:location 746
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 762
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 774
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 772
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 804
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 816
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 814
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 829
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 841
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 839
}
)

```

```

        :location -1
      }
    )
    :location -1
  }
)
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 4
    :location 672
  }
  {VAR
    :varno -1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location 686
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 4
    :location 672
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:numCols 3
:sortColIdx ( 1 2 3)
:sortOperators ( 664 664 1754)
:collations ( 100 100 0)
:nullsFirst ( false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:numCols 3
:sortColIdx ( 1 2 3)
:sortOperators ( 664 664 1754)
:collations ( 100 100 0)
:nullsFirst ( false false false)
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 0
:numCols 3
:grpColIdx ( 1 2 3)
:grpOperators ( 98 98 1752)
:grpCollations ( 100 100 0)
:numGroups 59
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
GroupAggregate (cost=185710.16..185718.65 rows=59 width=104) (actual time=856.556..860.041 rows=4.00 loops=1)
  Output: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate)), sum((lineitem.l_extendedprice * ('1':double precision - lineitem.l_discount)))
  Group Key: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate))
  Buffers: shared hit=9817 read=125276
->  Gather Merge (cost=185710.16..185717.03 rows=59 width=112) (actual time=855.491..858.273 rows=5924.00 loops=1)
      Output: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate)), lineitem.l_extendedprice, lineitem.l_discount

```

```

Workers Planned: 2
Workers Launched: 2
Buffers: shared hit=9817 read=125276
-> Sort (cost=184710.13..184710.20 rows=25 width=112) (actual time=848.444..848.543 rows=1974.67 loops=3)
    Output: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate)), lineitem.l_extendedprice, lineitem.l_discount
    Sort Key: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate))
    Sort Method: quicksort Memory: 157kB
    Buffers: shared hit=9817 read=125276
    Worker 0: actual time=845.092..845.191 rows=2008.00 loops=1
        Sort Method: quicksort Memory: 158kB
        Buffers: shared hit=3255 read=41532
    Worker 1: actual time=845.057..845.154 rows=1940.00 loops=1
        Sort Method: quicksort Memory: 155kB
        Buffers: shared hit=3292 read=41792
-> Hash Join (cost=180167.41..184709.55 rows=25 width=112) (actual time=811.793..846.660 rows=1974.67 loops=3)
    Output: n1.n_name, n2.n_name, EXTRACT(year FROM lineitem.l_shipdate), lineitem.l_extendedprice, lineitem.l_discount
    Hash Cond: (customer.c_nationkey = n2.n_nationkey)
    Join Filter: (((n1.n_name = 'GERMANY'::text) AND (n2.n_name = 'FRANCE'::text)) OR ((n1.n_name = 'FRANCE'::text) AND (n2.n_name = 'GERMAN
Y'::text)))

    Rows Removed by Join Filter: 1933
    Buffers: shared hit=9787 read=125276
    Worker 0: actual time=808.858..843.287 rows=2008.00 loops=1
        Buffers: shared hit=3240 read=41532
    Worker 1: actual time=808.863..843.204 rows=1940.00 loops=1
        Buffers: shared hit=3277 read=41792
-> Parallel Hash Join (cost=180145.16..184681.65 rows=1228 width=56) (actual time=811.593..842.331 rows=48567.67 loops=3)
    Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, customer.c_nationkey, n1.n_name
    Hash Cond: (customer.c_custkey = orders.o_custkey)
    Buffers: shared hit=9784 read=125276
    Worker 0: actual time=808.574..838.861 rows=48857.00 loops=1
        Buffers: shared hit=3239 read=41532
    Worker 1: actual time=808.713..838.949 rows=48402.00 loops=1
        Buffers: shared hit=3276 read=41792
-> Parallel Seq Scan on public.customer (cost=0.00..4297.00 rows=62500 width=8) (actual time=0.020..7.913 rows=50000.00 loops=3)
    Output: customer.c_custkey, customer.c_name, customer.c_address, customer.c_nationkey, customer.c_phone, customer.c_acctbal,
customer.c_mktsegment, customer.c_comment
    Buffers: shared hit=3672
    Worker 0: actual time=0.019..7.912 rows=49970.00 loops=1
        Buffers: shared hit=1223
    Worker 1: actual time=0.025..7.855 rows=49799.00 loops=1
        Buffers: shared hit=1219
-> Parallel Hash (cost=180129.81..180129.81 rows=1228 width=56) (actual time=811.530..811.534 rows=48567.67 loops=3)
    Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, orders.o_custkey, n1.n_name
    Buckets: 262144 (originally 4096) Batches: 1 (originally 1) Memory Usage: 14400kB
    Buffers: shared hit=6112 read=125276
    Worker 0: actual time=808.535..808.540 rows=48132.00 loops=1
        Buffers: shared hit=2016 read=41532
    Worker 1: actual time=808.646..808.651 rows=48692.00 loops=1
        Buffers: shared hit=2057 read=41792
-> Parallel Hash Join (cost=145522.94..180129.81 rows=1228 width=56) (actual time=627.234..788.834 rows=48567.67 loops=3)
    Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, orders.o_custkey, n1.n_name
    Hash Cond: (orders.o_orderkey = lineitem.l_orderkey)
    Buffers: shared hit=6112 read=125276
    Worker 0: actual time=624.409..784.979 rows=48132.00 loops=1
        Buffers: shared hit=2016 read=41532
    Worker 1: actual time=624.514..786.832 rows=48692.00 loops=1
        Buffers: shared hit=2057 read=41792
-> Parallel Seq Scan on public.orders (cost=0.00..32258.00 rows=625000 width=8) (actual time=0.665..47.396 rows=5000
00.00 loops=3)
    Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orde
rs.o_orderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
    Buffers: shared hit=2350 read=23658
    Worker 0: actual time=0.825..47.385 rows=497959.00 loops=1
        Buffers: shared hit=771 read=7864
    Worker 1: actual time=0.830..47.485 rows=503188.00 loops=1
        Buffers: shared hit=772 read=7954
-> Parallel Hash (cost=145507.59..145507.59 rows=1228 width=56) (actual time=626.512..626.516 rows=48567.67 loops=3)
    Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_orderkey, n1.n_name
    Buckets: 262144 (originally 4096) Batches: 1 (originally 1) Memory Usage: 14368kB
    Buffers: shared hit=3762 read=101618
    Worker 0: actual time=623.513..623.517 rows=48100.00 loops=1
        Buffers: shared hit=1245 read=33668
    Worker 1: actual time=623.631..623.635 rows=48552.00 loops=1
        Buffers: shared hit=1285 read=33838
-> Hash Join (cost=393.04..145507.59 rows=1228 width=56) (actual time=3.220..597.838 rows=48567.67 loops=3)
    Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_orderkey, n1.n_name
    Hash Cond: (lineitem.l_suppkey = s.s_suppkey)
    Buffers: shared hit=3762 read=101618
    Worker 0: actual time=3.220..595.086 rows=48100.00 loops=1
        Buffers: shared hit=1245 read=33668
    Worker 1: actual time=3.411..597.372 rows=48552.00 loops=1
        Buffers: shared hit=1285 read=33838
-> Parallel Seq Scan on public.lineitem (cost=0.00..142225.75 rows=767076 width=28) (actual time=0.516..
532.316 rows=609483.33 loops=3)
    Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem
.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_com
mitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
    Filter: ((lineitem.l_shipdate >= '1995-01-01'::date) AND (lineitem.l_shipdate <= '1996-12-31'::date)
)

    Rows Removed by Filter: 1390922
    Buffers: shared hit=3102 read=101618
    Worker 0: actual time=0.541..530.185 rows=604312.00 loops=1
        Buffers: shared hit=1025 read=33668
    Worker 1: actual time=0.505..531.977 rows=609129.00 loops=1
        Buffers: shared hit=1065 read=33838
-> Hash (cost=392.84..392.84 rows=16 width=36) (actual time=2.653..2.654 rows=798.00 loops=3)
    Output: s.s_suppkey, n1.n_name
    Buckets: 1024 Batches: 1 Memory Usage: 42kB
    Buffers: shared hit=660
    Worker 0: actual time=2.666..2.668 rows=798.00 loops=1
        Buffers: shared hit=220
    Worker 1: actual time=2.780..2.782 rows=798.00 loops=1
        Buffers: shared hit=220
-> Hash Join (cost=42.48..392.84 rows=16 width=36) (actual time=0.079..2.457 rows=798.00 loops=3)
    Output: s.s_suppkey, n1.n_name
    Hash Cond: (n.n_nationkey = n1.n_nationkey)
    Buffers: shared hit=660
    Worker 0: actual time=0.084..2.464 rows=798.00 loops=1
        Buffers: shared hit=220
    Worker 1: actual time=0.083..2.513 rows=798.00 loops=1
        Buffers: shared hit=220
-> Hash Semi Join (cost=20.23..368.93 rows=400 width=12) (actual time=0.061..2.285 rows=798.
00 loops=3)
    Output: s.s_nationkey, s.s_suppkey, n.n_nationkey
    Hash Cond: (s.s_nationkey = n.n_nationkey)

```

```

Buffers: shared hit=657
Worker 0: actual time=0.060..2.283 rows=798.00 loops=1
  Buffers: shared hit=219
Worker 1: actual time=0.067..2.314 rows=798.00 loops=1
  Buffers: shared hit=219
-> Seq Scan on public.supplier s (cost=0.00..318.00 rows=10000 width=8) (actual time=0
.033..1.016 rows=10000.00 loops=3)
  s.s_comment

Output: s.s_suppkey, s.s_name, s.s_address, s.s_nationkey, s.s_phone, s.s_acctbal,

Buffers: shared hit=654
Worker 0: actual time=0.035..0.896 rows=10000.00 loops=1
  Buffers: shared hit=218
Worker 1: actual time=0.041..0.950 rows=10000.00 loops=1
  Buffers: shared hit=218
-> Hash (cost=20.12..20.12 rows=8 width=4) (actual time=0.013..0.013 rows=2.00 loops=3)

Output: n.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=3
Worker 0: actual time=0.014..0.014 rows=2.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.014..0.015 rows=2.00 loops=1
  Buffers: shared hit=1
-> Seq Scan on public.nation n (cost=0.00..20.12 rows=8 width=4) (actual time=0.
006..0.009 rows=2.00 loops=3)

Output: n.n_nationkey
Filter: (n.n_name = ANY ('{FRANCE,GERMANY}':text[]))
Rows Removed by Filter: 23
Buffers: shared hit=3
Worker 0: actual time=0.006..0.009 rows=2.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.007..0.009 rows=2.00 loops=1
  Buffers: shared hit=1
-> Hash (cost=22.15..22.15 rows=8 width=36) (actual time=0.012..0.013 rows=2.00 loops=3)
Output: n1.n_name, n1.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=3
Worker 0: actual time=0.019..0.019 rows=2.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.011..0.011 rows=2.00 loops=1
  Buffers: shared hit=1
-> Seq Scan on public.nation n1 (cost=0.00..22.15 rows=8 width=36) (actual time=0.004.
.0.009 rows=2.00 loops=3)

Output: n1.n_name, n1.n_nationkey
Filter: ((n1.n_name = 'GERMANY':text) OR (n1.n_name = 'FRANCE':text))
Rows Removed by Filter: 23
Buffers: shared hit=3
Worker 0: actual time=0.004..0.015 rows=2.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.005..0.007 rows=2.00 loops=1
  Buffers: shared hit=1
-> Hash (cost=22.15..22.15 rows=8 width=36) (actual time=0.093..0.093 rows=2.00 loops=3)
Output: n2.n_name, n2.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=3
Worker 0: actual time=0.177..0.177 rows=2.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.073..0.073 rows=2.00 loops=1
  Buffers: shared hit=1
-> Seq Scan on public.nation n2 (cost=0.00..22.15 rows=8 width=36) (actual time=0.083..0.086 rows=2.00 loops=3)
Output: n2.n_name, n2.n_nationkey
Filter: ((n2.n_name = 'FRANCE':text) OR (n2.n_name = 'GERMANY':text))
Rows Removed by Filter: 23
Buffers: shared hit=3
Worker 0: actual time=0.166..0.168 rows=2.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.062..0.065 rows=2.00 loops=1
  Buffers: shared hit=1

Planning:
  Buffers: shared hit=23
Planning Time: 9.411 ms
Execution Time: 860.286 ms
(179 rows)

Time: 874.458 ms
tpch=> RESET ROLE
tpch-> ;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
  {VARIABLESETSTMT
    :kind 4
    :name role
    :args <>
    :jumble_args false
    :is_local false
    :location -1
  }
:stmt_location 0
:stmt_len 11
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 4
    :name role
    :args <>
    :jumble_args false
    :is_local false
    :location -1
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false

```

```

:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 11
}

Time: 1.765 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
    END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on supplier
ALTER TABLE supplier ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show suppliers from FRANCE or GERMANY
CREATE POLICY supplier_rls_policy ON supplier
USING (
    EXISTS (
        SELECT 1 FROM nation n
        WHERE n.n_nationkey = supplier.s_nationkey
        AND n.n_name IN ('FRANCE', 'GERMANY')
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON supplier TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

-- Step 6: Run Q7
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    supp_nation,
    cust_nation,
    l_year,
    sum(volume) as revenue
from
(
    select
        n1.n_name as supp_nation,
        n2.n_name as cust_nation,
        extract(year from l_shipdate) as l_year,
        l_extendedprice * (1 - l_discount) as volume
    from
        supplier,
        lineitem,
        orders,
        customer,
        nation n1,
        nation n2
    where
        s_suppkey = l_suppkey
        and o_orderkey = l_orderkey
        and c_custkey = o_custkey
        and s_nationkey = n1.n_nationkey
        and c_nationkey = n2.n_nationkey
        and (
            (n1.n_name = 'GERMANY' and n2.n_name = 'FRANCE')
            or (n1.n_name = 'FRANCE' and n2.n_name = 'GERMANY')
        )
        and l_shipdate between date '1995-01-01' and date '1996-12-31'
    ) as shipping
group by
    supp_nation,

```

```

        cust_nation,
        l_year
order by
    supp_nation,
    cust_nation,
    l_year;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
:deffaction 0
:location 3
}
)
}
:stmt_location 0
:stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
:deffaction 0
:location 3
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true

```

```
utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "polycyname" "permissive" "roles"
          "cmd" "qual" "with_check")
      }
    :rtekind 0
    :relid 12018
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rtepermissions (
  {RTEPERMISSIONINFO
    :relid 12018
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
quals
{OPEXPR
  :opno 93
  :opfncid 62
  :opresulttype 16
  :opretset false
  :opcoid 0
  :inputcollid 950
  :args (
    {VAR
      :varno 1
      :varattno 1
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 52
    }
    {CONST
      :consttype 19
      :consttypmod -1
      :constcollid 950
      :constlen 64
      :constbyval false
      :constisnull false
      :location 65
      :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
    }
  )
  :location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 7
      }
    :resno 1
    :resname polycyname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1

```



```

:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relh
asindex" "relisshared" "relpersistence" "relkind" "relnatts" "r
elchecks" "relhasrules" "relhastriggers" "relhassubclass" "relr
owsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lcl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
sopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relcl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24

```

```

:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR

```

```

:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablesampl" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}

```

```

{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4

```

```

:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 3256
:inh true
:requiredPerms 2

```

```

:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reldid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reldid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2

```

```

        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname schemaname
    :ressortgroupref 0
    :resorigtbl 2615
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 1259
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 3
    :resname policyname
    :ressortgroupref 0
    :resorigtbl 3256
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {CASEEXPR
    :casetype 25
    :casecollid 100
    :arg <>
    :args (
        {CASEWHEN
        :expr
        {VAR
        :varno 1
        :varattno 5
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location -1
        }
        :result
        {CONST
        :consttype 25

```

```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
    }
    :location -1
}
)
:defaultresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varatype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcresultset false

```

```

:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 25
    :typeMod -1
    :collation 0
  }
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_authid
        :colnames ("oid" "rolname" "rolsuper" "rolinherit"
          "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
            lication" "rolbypassrsls" "rolconlimit" "rolpasswor
              d" "rolvaliduntil")
        }
      :rtekind 0
      :relid 1260
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  )
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0

```



```

    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull true
  :location -1
  :constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
      }
    )
  }
}

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2

```

[illegible]

```

:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join

```

```

:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "relotype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
}

```

```

:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
{VAR

```

```

:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF

```



```

        :rtindex 2
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 3
    }
    :rarg
    {RANGETBLREF
    :rtindex 4
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals <>
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    }
    :resno 1

```

```

:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr

```

```

{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 1028
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
  {FUNCEXPR
    :funcid 394
    :funcresulttype 1009
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 100
    :inputcollid 100
    :args (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 4 [ 16 0 0 0 ]
      }
    )
    :location -1
  }
)
:elemexpr
  {FUNCEXPR
    :funcid 407
    :funcresulttype 19
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 950
    :inputcollid 0
    :args (
      {CASETSTEXPR
        :typeId 25
        :typeMod -1
        :collation 0
      }
    )
    :location -1
  }
)
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
  }
}

```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_authid
        :colnames ("oid" "rolname" "rolsuper" "rolinherit"
          "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
            location" "rolbypassrls" "rolconndeflimit" "rolpasswor
              d" "rolvaliduntil")
        }
      :rtekind 0
      :relid 1260
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  )
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{SCALARARRAYOPEXPR
  :opno 607
  :opfuncid 184
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 0
  :args (
    {VAR
      :varno 1
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    {VAR
      :varno 1
      :varattno 6
      :vartype 1028
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 1
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location -1
    }
  )
  :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
  }
)
:override 0

```

```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1

```

```

        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
    }
    :location -1
    }
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
    }
    :location -1
    }
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
    :location -1
    }
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 92
    :opfuncid 61

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 18
    :typeMod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull true
  :location -1
  :constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {FUNCEXP
    :funcid 1716
    :funcresulttype 25
    :funcset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    )
  }
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {FUNCEXP
    :funcid 1716
    :funcresulttype 25
    :funcset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (

```

```

        {VAR
        :varno 1
        :varattno 8
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
        }
        {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
        }
    )
    :location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
):quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64

```



```

        :constbyval false
        :constisnull false
        :location 65
        :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
    }
}
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL:      {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4.907500000000001
:join.plan.total_cost 26.256500000000003
:join.plan.plan_rows 20
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 3.845
:join.plan.total_cost 24.75625
:join.plan.plan_rows 82
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.43
:scan.plan.plan_rows 443
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false

```

```

:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 4
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 5
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
      }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
}
:scan.plan.targetlist

```

```

{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 16
        :location -1
    }
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32

```



```

        :vartype 1034
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 32
        :location -1
    }
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 2.8200000000000003
:plan.total_cost 2.8200000000000003
:plan.plan_rows 82
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 2.8200000000000003
:scan.plan.plan_rows 82
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno -1
    :varattno 2
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 1.05
:plan.total_cost 1.05
:plan.plan_rows 1
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.05
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 5
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:skewTable 1259
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
{VAR
:varno -1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
}
)

```

```

    }
  }
  :location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
  }
)
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree
    {FROMEXPR
      :fromlist <>
      :quals <>
    }
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList (
    {TARGETENTRY
      :expr
        {FUNCEXP
          :funcid 3539
          :funcresulttype 25
          :funcresultset false
          :funcvariadic false
          :funcformat 0
          :funccollid 950
          :inputcollid 950
          :args (
            {CONST
              :consttype 25
              :consttypmod -1
              :constcollid 100
              :constlen -1
              :constbyval false
              :constisnull false
              :location 7
              :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
                70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
              }
            {PARAM
              :paramkind 0
              :paramid 3
              :paramtype 19
              :paramtypmod -1
              :paramcollid 950
              :location 41
            }
            {PARAM
              :paramkind 0
              :paramid 4
              :paramtype 19
              :paramtypmod -1
              :paramcollid 950
              :location 55
            }
          )
        }
      :location 0
    }
  :resno 1
  :resname format
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
  :fromlist <>
  :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {FUNCEXP
  :funcid 3539
  :funcresulttype 25
  :funcresultset false
  :funcvariadic false
  :funcformat 0
  :funccollid 950
  :inputcollid 950
  :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 7
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
    70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
    }
    {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
  )
  :location 0
  }
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
```

WARNING: ===== FINAL PLAN =====:

```
DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
```

```

:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcreset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPTMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPTMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
}

```



```

:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 29.883 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.200 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}

```

```

:stmt_location 0
:stmt_len 47
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

Time: 0.406 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY

```

```

:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.294 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation

```

```

{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.307 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
}
}
}

```

```

:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
    :subtype 55
    :name <>
    :num 0
    :newowner <>
    :def <>
    :behavior 0
    :missing_ok false
    :recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.309 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55

```

```

        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.308 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
  }
)
}

```

```

        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.281 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.268 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```



```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.356 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false

```

```

:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

Time: 0.285 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
  {ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
  {SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
  {ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
  {BOOLEXP
:boolop and
:args (
    {A_EXPR
:name ("=")
:lexpr
  {COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
:rexpr
  {COLUMNREF
:fields ("supplier" "s_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
  {A_EXPR IN
:name ("=")

```

```

        :lexpr
        {COLUMNREF
        :fields ("n" "n_name")
        :location 161
        }
        :rexpr (
        {A_CONST
        :val "FRANCE"
        :location 174
        }
        {A_CONST
        :val "GERMANY"
        :location 184
        }
        )
        :rexpr_list_start 173
        :rexpr_list_end 193
        :location 170
    }
}
:location 157
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 202
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR

```

```

        :name ("=")
        :lexpr
          {COLUMNREF
            :fields ("n" "n_nationkey")
            :location 112
          }
        :rexpr
          {COLUMNREF
            :fields ("supplier" "s_nationkey")
            :location 128
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 126
      }
      {A_EXPR IN
        :name ("=")
        :lexpr
          {COLUMNREF
            :fields ("n" "n_name")
            :location 161
          }
        :rexpr (
          {A_CONST
            :val "FRANCE"
            :location 174
          }
          {A_CONST
            :val "GERMANY"
            :location 184
          }
        )
        :rexpr_list_start 173
        :rexpr_list_end 193
        :location 170
      }
    }
  }
  :location 157
}

:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 202
}

```

Time: 0.714 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
  :stmt
    {GRANTSTMT
      :is_grant true
      :targettype 0
      :objtype 41
      :objects (
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relnname supplier

```

```

        :inh true
        :relpersistence p
        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.240 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0

```

```

:objtype 41
:objects (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 16
  }
)
:privileges (
  {ACCESSPRIV
    :priv_name select
    :cols <>
  }
)
:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.314 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
}
```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

Time: 0.246 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
}

```



```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.228 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
  }
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
  }
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 26
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
  }
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
  }
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 26
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.273 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.280 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RETARGET
:name <>
:indirection <>
:val
{COLUMNREF

```

```

        :fields ("supp_nation")
        :location 47
    }
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("cust_nation")
:location 64
}
}
:location 64
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l_year")
:location 81
}
}
:location 81
}
{RESTARTGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("volume")
:location 97
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 93
}
}
:location 93
}
)
:fromClause (
{RANGESUBSELECT
:lateral false
:subquery
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name supp_nation
:indirection <>
:val
{COLUMNREF
:fields ("n1" "n_name")
:location 154
}
}
:location 154
}
{RESTARTGET
:name cust_nation
:indirection <>
:val
{COLUMNREF
:fields ("n2" "n_name")
:location 192
}
}
:location 192
}
{RESTARTGET
:name l_year
:indirection <>
:val
{FUNCCALL
:funcname ("pg_catalog" "extract")
:args (
{A_CONST
:val "year"
:location 238
}
{COLUMNREF
:fields ("l_shipdate")
:location 248
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 3
:location 230
}
}
:location 230
}
{RESTARTGET
:name volume
:indirection <>
:val
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")

```

```

        :location 283
      }
    :rexpr
    {A_EXPR
     :name ("-")
     :lexpr
     {A_CONST
      :val 1
      :location 302
     }
     :rexpr
     {COLUMNREF
      :fields ("l_discount")
      :location 306
     }
     :rexpr_list_start 0
     :rexpr_list_end 0
     :location 304
   }
   :rexpr_list_start 0
   :rexpr_list_end 0
   :location 299
 }
 :location 283
}
)
:fromClause (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname supplier
   :inh true
   :relpersistance p
   :alias <>
   :location 353
  }
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname lineitem
   :inh true
   :relpersistance p
   :alias <>
   :location 375
  }
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname orders
   :inh true
   :relpersistance p
   :alias <>
   :location 397
  }
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname customer
   :inh true
   :relpersistance p
   :alias <>
   :location 417
  }
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname nation
   :inh true
   :relpersistance p
   :alias
   {ALIAS
    :aliasname n1
    :colnames <>
   }
   :location 439
  }
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname nation
   :inh true
   :relpersistance p
   :alias
   {ALIAS
    :aliasname n2
    :colnames <>
   }
   :location 462
  }
)
:whereClause
{BOOLEXP
 :boolop and
 :args (
  {A_EXPR
   :name ("=")
   :lexpr
   {COLUMNREF
    :fields ("s_suppkey")
    :location 498
   }
   :rexpr
   {COLUMNREF
    :fields ("l_suppkey")
    :location 510
   }
   :rexpr_list_start 0
   :rexpr_list_end 0
   :location 508
 }
  {A_EXPR
   :name ("=")
   :lexpr
   {COLUMNREF
    :fields ("o_orderkey")

```

```

        :location 536
    }
    :rexpr
    {COLUMNREF
    :fields ("l_orderkey")
    :location 549
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 547
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("c_custkey")
    :location 576
    }
    :rexpr
    {COLUMNREF
    :fields ("o_custkey")
    :location 588
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 586
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("s_nationkey")
    :location 614
    }
    :rexpr
    {COLUMNREF
    :fields ("n1" "n_nationkey")
    :location 628
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 626
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("c_nationkey")
    :location 659
    }
    :rexpr
    {COLUMNREF
    :fields ("n2" "n_nationkey")
    :location 673
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 671
    }
    {BOOLEXP
    :boolop or
    :args (
    {BOOLEXP
    :boolop and
    :args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("n1" "n_name")
    :location 723
    }
    :rexpr
    {A_CONST
    :val "GERMANY"
    :location 735
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 733
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("n2" "n_name")
    :location 749
    }
    :rexpr
    {A_CONST
    :val "FRANCE"
    :location 761
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 759
    }
    )
    :location 745
    }
    {BOOLEXP
    :boolop and
    :args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("n1" "n_name")
    :location 791
    }
    :rexpr
    {A_CONST
    :val "FRANCE"
    :location 803
    }
    }
    )
    }

```

```

        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 801
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("n2" "n_name")
    :location 816
    }
    :rexpr
    {A_CONST
    :val "GERMANY"
    :location 828
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 826
    }
    )
    :location 812
    }
    )
    :location 787
    }
    {A_EXPR BETWEEN
    :name ("BETWEEN")
    :lexpr
    {COLUMNREF
    :fields ("l_shipdate")
    :location 869
    }
    :rexpr (
    {TYPECAST
    :arg
    {A_CONST
    :val "\1995-01-01"
    :location 893
    }
    :typeName
    {TYPENAME
    :names ("date")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods <>
    :typemod -1
    :arrayBounds <>
    :location 888
    }
    :location -1
    }
    {TYPECAST
    :arg
    {A_CONST
    :val "\1996-12-31"
    :location 915
    }
    :typeName
    {TYPENAME
    :names ("date")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods <>
    :typemod -1
    :arrayBounds <>
    :location 910
    }
    :location -1
    }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 880
    }
    )
    :location 532
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :alias
    {ALIAS
    :aliasname shipping
    :colnames <>
    }
    }
    )
    :whereClause <>
    :groupClause (
    {COLUMNREF
    :fields ("supp_nation")
    :location 959
    }
    {COLUMNREF
    :fields ("cust_nation")
    :location 976
    }
    {COLUMNREF
    :fields ("l_year")

```

```

        :location 993
    }
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
    {SORTBY
        :node
        {COLUMNREF
            :fields ("supp_nation")
            :location 1013
        }
        :sortby_dir 0
        :sortby_nulls 0
        :useOp <>
        :location -1
    }
    {SORTBY
        :node
        {COLUMNREF
            :fields ("cust_nation")
            :location 1030
        }
        :sortby_dir 0
        :sortby_nulls 0
        :useOp <>
        :location -1
    }
    {SORTBY
        :node
        {COLUMNREF
            :fields ("l_year")
            :location 1047
        }
        :sortby_dir 0
        :sortby_nulls 0
        :useOp <>
        :location -1
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
    }
    {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
    }
)
}
:stmt_location 0
:stmt_len 1053
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
    {RANGETBLENTY
        :alias
        {ALIAS
            :aliasname shipping
            :colnames <>
        }
    }
:eref
{ALIAS

```

```

:aliasname shipping
:colnames ("supp_nation" "cust_nation" "l_year" "volume")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey"
"s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
ippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
"c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}

```



```

    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTRY
  :alias
  {ALIAS
  :aliasname n2
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname n2
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
  }
  :rtekind 0
  :relid 16536
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 6
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
}
:quals

```

```

{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 498
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 510
}
)
:location 508
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 536
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 549
}
)
:location 547
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 576
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 588
}
)
:location 586
}
{OPEXP

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 614
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 628
  }
)
:location 626
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 659
  }
  {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 673
  }
)
:location 671
}
{BOOLEXP
:boolop or
:args (
  {BOOLEXP
    :boolop and
    :args (
      {OEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
          {VAR
            :varno 5
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 2
            :location 723
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 735
            :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 8
              9 ]
          }
        )
      }
    )
    :location 733
  }
)
{OEXPR

```

```

:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 749
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 761
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
  }
)
:location 759
}
)
:location 745
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 5
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 791
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 803
        :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
      }
    )
    :location 801
  }
  {OPEXP
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 6
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 2
        :location 816
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 828
        :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 8
          9 ]
      }
    )
    :location 826
  }
)
:location 812
}
)
:location 787
}
{BOOLEXP

```

```

:boolop and
:args (
  {OPEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 869
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 893
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
    )
    :location 880
  }
  {OPEXPR
    :opno 1096
    :opfuncid 1088
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 869
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 915
        :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
      }
    )
    :location 880
  }
)
:location 880
}
:location 532
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 5
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 2
      :location 154
    }
  }
  :resno 1
  :resname supp_nation
  :ressortgroupref 0
  :resorigtbl 16536
  :resorigcol 2
  :resjunk false
}
{TARGETENTRY
  :expr
  {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
  }
}

```

```

:varattnosyn 2
:location 192
}
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 248
}
)
:location 230
}
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXP
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
}
{OPEXP
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 302
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location 306
    }
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBREF
:rtindex 1
}
)
:quals <>
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname supp_nation
    :ressortgroupref 1
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname cust_nation
    :ressortgroupref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 3
      :vartype 1700
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname l_year
    :ressortgroupref 3
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 4
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location 97
          }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
    }
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
  }
)

```



```

        :location 93
    }
    :resno 4
    :resname revenue
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 1752
        :sortop 1754
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 1752
        :sortop 1754
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
    }
    {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
    }
)
)
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false

```

```

:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1053
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname shipping
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname shipping
        :colnames ("supp_nation" "cust_nation" "l_year" "volume")
      }
  }
:rtekind 1
:subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname supplier
            :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
              one" "s_acctbal" "s_comment")
          }
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
          "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
            ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
          "l_shipinstruct" "l_shipmode" "l_comment")
      }
    }
  }
}

```

```

:rtkind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtkind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtkind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtkind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtkind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
)
{RTEPERMISSIONINFO

```

```

:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 498
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 510
}
)
:location 508
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 536
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 549
}
)
:location 547
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 576
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 588
}
)
:location 586
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 614
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 628
}
)
:location 626
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 659

```

```

    }
    {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 673
    }
  )
:location 671
}
{BOOLEXP
:boolop or
:args (
  {BOOLEXP
  :boolop and
  :args (
    {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
      :varno 5
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 2
      :location 723
      }
      {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location 735
      :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
      }
    )
    :location 733
  }
  {OEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 749
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 761
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
  )
  :location 759
}
)
:location 745
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5

```

```

        :varattnosyn 2
        :location 791
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 803
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
    )
    :location 801
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 816
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 828
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
    }
    )
    :location 826
    }
    )
    :location 812
    }
    )
    :location 787
    }
    {BOOLEXPR
    :boolop and
    :args (
    {OPEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 869
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 893
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 880
    }
    {OPEXPR
    :opno 1096
    :opfuncid 1088
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 869
    }
    {CONST

```

```

        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 915
        :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
}
:location 880
}
)
:location 880
}
)
:location 532
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 154
}
:resno 1
:resname supp_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 192
}
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 248
}
)
:location 230
}
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXP
:opno 594

```



```

:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 283
  }
  {OPEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 302
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
      {VAR
        :varno 2
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location 306
      }
    )
    :location 304
  }
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname *GROUP*
    :colnames ("supp_nation" "cust_nation" "l_year")
  }
}

```

```

:rtekind 9
:groupexprs (
  {VAR
    :varno 1
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 47
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 64
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 1700
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 81
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname supp_nation
    :resortgroupref 1
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname cust_nation
    :resortgroupref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 3
        :vartype 1700
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 97
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 98

```

```

:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: Table OID=16541
WARNING: ===== RLS POLICY ADDED =====
DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
}
)
}
)
}
)

```

```

:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 0 70 82 65 78 67 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 0 71 69 82 77 65 78 89 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname shipping
:colnames <>
}
:eref
{ALIAS
:aliasname shipping
:colnames ("supp_nation" "cust_nation" "l_year" "volume")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}

```

```

    }
    :eref
    {ALIAS
    :aliasname n
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
    ment")
    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
{CONST

```

```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 8
9 ]
    }
    )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
    }
:location -1
    }
)
}
{RANGETBENTRY
:alias <>
:eref
    {ALIAS
    :aliasname lineitem
    :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
    "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
    "l_shipinstruct" "l_shipmode" "l_comment")
    }
:rtkind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
    }
{RANGETBENTRY
:alias <>
:eref
    {ALIAS
    :aliasname orders
    :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
    "o_comment")
    }
:rtkind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
    }
}
{RANGETBENTRY

```



```

:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
}
)

```

```

:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 498
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 510
}
)
:location 508
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 536
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 549
}
)
:location 547
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 576
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 588
}
)
:location 586
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 614
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 628
}
}
:location 626
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 659
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 673
}
}
:location 671
}
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR

```

```

:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 723
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 735
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 733
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 749
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 761
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 759
}
)
:location 745
}
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 791
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 803
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 801
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 2
        :location 816
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 828
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
    }
    )
    :location 826
    }
    )
    :location 812
    }
    )
    :location 787
    }
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 869
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 893
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 880
    }
    {OPEXP
    :opno 1096
    :opfuncid 1088
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 869
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 915
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 880
    }
    )
    :location 880
    }
    )
    :location 532
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 154
}
:resno 1
:resname supp_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 192
}
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 248
}
)
:location 230
}
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false

```

```

        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 302
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    {VAR
        :varno 2
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location 306
    }
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
    {ALIAS
        :aliasname *GROUP*
        :colnames ("supp_nation" "cust_nation" "l_year")
    }
}
:rtekind 9
:groupexprs (
    {VAR
        :varno 1
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 47
    }
    {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 64
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 1700

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 81
    }
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname supp_nation
    :ressortgroupref 1
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname cust_nation
    :ressortgroupref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 3
      :vartype 1700
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname l_year
    :ressortgroupref 3
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 4
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)

```



```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 97
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>

```

```

:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname shipping
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname shipping
        :colnames ("supp_nation" "cust_nation" "l_year" "volume")
      }
  }
:rtekind 1
:subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity true
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname supplier
            :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
              one" "s_acctbal" "s_comment")
          }
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBENTRY
                :alias
                  {ALIAS
                    :aliasname n
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname n
                    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
                      ment")
                  }
              }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
    :rteperminfos (
      {RTEPERMISSIONINFO

```

```

:releid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 8
9 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
)
:location -1

```

```

    }
  }
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList (
    {TARGETENTRY
      :expr
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
      :resno 1
      :resname ?column?
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  )
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount 0
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location -1
  :stmt_len -1
}
:location -1
}
}
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
{RANGETBENTRY
:alias
{ALIAS

```

```

        :aliasname n1
        :colnames <>
    }
    :eref
    {ALIAS
        :aliasname n1
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBLENTRY
    :alias
        {ALIAS
            :aliasname n2
            :colnames <>
        }
    :eref
        {ALIAS
            :aliasname n2
            :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
        }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 6
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
        :relid 16541
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 11)
        :insertedCols (b)
        :updatedCols (b)
    }
    {RTEPERMISSIONINFO
        :relid 16566
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 10 13 14 18)
        :insertedCols (b)
        :updatedCols (b)
    }
    {RTEPERMISSIONINFO
        :relid 16561
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 9)
        :insertedCols (b)
        :updatedCols (b)
    }
    {RTEPERMISSIONINFO
        :relid 16546
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 11)
        :insertedCols (b)
        :updatedCols (b)
    }
    {RTEPERMISSIONINFO
        :relid 16536
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 9)
        :insertedCols (b)
        :updatedCols (b)
    }
    {RTEPERMISSIONINFO
        :relid 16536
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 9)
        :insertedCols (b)
        :updatedCols (b)
    }
    )
    :jointree
    {FROMEXPR
        :fromlist (
            {RANGETBLREF
                :rtindex 1
            }
            {RANGETBLREF
                :rtindex 2
            }
            {RANGETBLREF
                :rtindex 3
            }
            {RANGETBLREF
                :rtindex 4
            }
            {RANGETBLREF
                :rtindex 5
            }
        )
    }

```

```

    }
    {RANGETBLREF
    :rtindex 6
    }
)
:quals
{BOOLEXPR
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 498
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 510
}
)
:location 508
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 536
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 549
}
)
:location 547
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 576
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2

```

```

        :location 588
    }
)
:location 586
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 614
    }
    {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 628
    }
)
:location 626
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 659
    }
    {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 673
    }
)
:location 671
}
{BOOLEXPR
:boolop or
:args (
    {BOOLEXPR
    :boolop and
    :args (
        {OPEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
            :varno 5
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 2
            :location 723
            }
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 735
            :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]

```

```

    }
  }
  :location 733
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 749
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 761
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
  }
)
:location 759
}
)
:location 745
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 5
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 791
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 803
        :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
      }
    )
  }
  :location 801
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 816
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 828
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
  }
)
:location 826
}
)
:location 812
}

```



```

)
:location 787
}
{BOOLEXPR
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 869
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 893
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 ]
}
)
:location 880
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 869
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 915
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 ]
}
)
:location 880
}
)
:location 880
}
)
:location 532
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 154
}
}
:resno 1
:resname supp_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 192
}
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 2
:varattno 11
:varatype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 248
}
)
:location 230
}
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXP
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OPEXP
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 302
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 2
:varattno 7
:varatype 701

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location 306
    }
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1

```

```

    }
  }
  :quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 2
  :varattno 1
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname supp_nation
  :ressortgroupref 1
  :resorigtbl 16536
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 2
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 2
  :location -1
  }
  :resno 2
  :resname cust_nation
  :ressortgroupref 2
  :resorigtbl 16536
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 2
  :varattno 3
  :vartype 1700
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 3
  :location -1
  }
  :resno 3
  :resname l_year
  :ressortgroupref 3
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {AGGREF
  :aggfnoid 2111
  :aggtype 701
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes (o 701)
  :aggdirectargs <>
  :args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 97
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
  )
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar false
  :aggvariadic false
  :aggkind n
  :aggpresorted false

```

```

:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
:tletSortGroupRef 1
:equip 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
  {SORTGROUPCLAUSE
:tletSortGroupRef 2
:equip 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
  {SORTGROUPCLAUSE
:tletSortGroupRef 3
:equip 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
:tletSortGroupRef 1
:equip 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
  {SORTGROUPCLAUSE
:tletSortGroupRef 2
:equip 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
  {SORTGROUPCLAUSE
:tletSortGroupRef 3
:equip 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:      {AGG
:plan.disabled_nodes 0
:plan.startup_cost 416674.0636114039
:plan.total_cost 416696.2636114039
:plan.plan_rows 740
:plan.plan_width 104
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
:expr
  {VAR
:varno -2
:varattno 1
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
:resno 1

```

```

:resname supp_nation
:ressortgrouppref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname cust_nation
:ressortgrouppref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname l_year
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
}
}
}

```

```

        )
        :location 304
    }
    )
    :location 299
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno 0
:aggtransno 0
:location 93
}
:resno 4
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 416674.0636114039
:plan.total_cost 416675.9136114039
:plan.plan_rows 740
:plan.plan_width 112
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 194142.8175
:join.plan.total_cost 416638.7975
:join.plan.plan_rows 740
:join.plan.plan_width 112
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1

```



```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 238
        :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
    }
    {VAR
    :varno -1
    :varattno 1
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 11
    :location 248
    }
    )
    :location 230
    }
:resno 3
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0
:join.plan.total_cost 222440.17
:join.plan.plan_rows 200
:join.plan.plan_width 36
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 498
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1

```

```

:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 221818
:scan.plan.plan_rows 5000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{SUBPLAN
:subLinkType 2
:testexpr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
:paramIds (i 1)
:plan_id 2
:plan_name SubPlan\ 2
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true

```

```

        :parallel_safe true
        :setParam <>
        :parParam <>
        :args <>
        :startup_cost 20.145
        :per_call_cost 0.0025
    }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 22.189999999999998
:plan.plan_rows 8
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 22.15
:scan.plan.plan_rows 8
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location 628
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{BOOLEXP
:boolop or
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 723
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 735
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 733
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 791
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 803
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 801
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 7
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 4
    :location 614
  }
  {VAR
    :varno -1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location 628
  }
)
:location -1
}
)
:nestParams <>
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 193222.33000000002
:plan.total_cost 193222.33000000002
:plan.plan_rows 73639
:plan.plan_width 56
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 7
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 11
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 6
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 3
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 7
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR

```

```

:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 40628.295
:plan.total_cost 193222.33000000002
:plan.plan_rows 73639
:plan.plan_width 56
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 8
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
:resno 3

```

```

:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 510
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 39628.295
:join.plan.total_cost 184858.43
:join.plan.plan_rows 30683
:join.plan.plan_width 56
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 9
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1

```



```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 7
        :location 306
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 510
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 142225.75
:scan.plan.plan_rows 767076
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 4
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 10
:location -1
}
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location -1
}
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 12
:location -1
}
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 13
        :location -1
    }
    :resno 13
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 869
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 893
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 ]
}
)
)
:location 880

```

```

    }
    {OPEXPR
    :opno 1096
    :opfuncid 1088
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 11
    :location 869
    }
    {CONST
    :consttype 1082
    :constypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 915
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 880
  }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 39315.795
:plan.total_cost 39315.795
:plan.plan_rows 25000
:plan.plan_width 36
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 11
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4609.875
:join.plan.total_cost 39315.795
:join.plan.plan_rows 25000
:join.plan.plan_width 36
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 12
:join.plan.targetlist (
{TARGETENTRY
:expr

```

```

        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 536
        }
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 32258
:scan.plan.plan_rows 625000
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 13
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
}

```

```

:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 5
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4578.625
:plan.total_cost 4578.625
:plan.plan_rows 2500
:plan.plan_width 36
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 14
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 22.25
:join.plan.total_cost 4578.625
:join.plan.plan_rows 2500
:join.plan.plan_width 36
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 15
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6

```



```

        :varattnosyn 1
        :location 576
    }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4297
:scan.plan.plan_rows 62500
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 16
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 6
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 6

```

```

    }
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 22.15
:plan.total_cost 22.15
:plan.plan_rows 8
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 17
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 22.15
:scan.plan.plan_rows 8
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 18
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 673
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

)
:scan.plan.qual (
  {BOOLEXP
  :boolop or
  :args (
    {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
      :varno 8
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 2
      :location 749
      }
      {CONST
      :consttype 25
      :constypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location 761
      :constvalue 10 [ 40 0 0 0 70 82 6
      5 78 67 69 ]
      }
    )
    :location 759
  }
  {OEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 8
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 2
    :location 816
    }
    {CONST
    :consttype 25
    :constypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 828
    :constvalue 11 [ 44 0 0 0 71 69 8
    2 77 65 78 89 ]
    }
  )
  :location 826
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 8
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
  :varno -2
  :varattno 2
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 8
  :varattnosyn 1
  :location 673
  }
)
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 0
:join.inner_unique false

```

```

:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 4
        :location 659
      }
      {VAR
        :varno -1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location 673
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 4
    :location 659
  }
)
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 2)
:plan.allParam (b 2)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 576
  }
)
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 6000
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 588
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 576
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 588
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 2)
:plan.allParam (b 2)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 536
    }
)
:skewTable 16566
:skewColumn 1
:skewInherit false
:rows_total 60000
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 4
                :varattnosyn 1
                :location 549
            }
            {VAR
                :varno -1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 5
                :varattnosyn 1
                :location 536
            }
        )
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 549
    }
)

```

```

    )
  }
  :plan.righttree <>
  :plan.initPlan <>
  :plan.extParam (b)
  :plan.allParam (b)
  :num_workers 2
  :rescan_param 2
  :single_copy false
  :invisible false
  :initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location 510
  }
)
:skewTable 16541
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
  {BOOLEXP
    :boolop or
    :args (
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 98
            :opfuncid 67
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 100
            :args (
              {VAR
                :varno -2
                :varattno 2
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 7
                :varattnosyn 2
                :location 723
              }
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 735
                :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
              }
            )
          }
        :location 733
      }
      {OPEXP
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
          {VAR
            :varno -1
            :varattno 5
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 8
            :varattnosyn 2
            :location 749
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 761
            :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
          }
        )
      }
    :location 759
  )
}

```

```

    }
  )
  :location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno -2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 2
    :location 791
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 803
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
  )
  :location 801
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno -1
  :varattno 5
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 8
  :varattnosyn 2
  :location 816
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 828
  :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
  }
)
:location 826
}
)
:location -1
}
)
:location -1
}
)
:hashclauses (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno -2
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 1
  :location 498
  }
  {VAR
  :varno -1
  :varattno 4
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 3

```



```

        :location 510
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 498
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 3
:sortColIdx ( 1 2 3)
:sortOperators ( 664 664 1754)
:collations ( 100 100 0)
:nullsFirst ( false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggsplit 0
:numCols 3
:grpColIdx ( 1 2 3)
:grpOperators ( 98 98 1752)
:grpCollations ( 100 100 0)
:numGroups 740
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
GroupAggregate (cost=416674.06..416696.26 rows=740 width=104) (actual time=885.418..887.170 rows=4.00 loops=1)
  Output: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate)), sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
  Group Key: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate))
  Buffers: shared hit=9911 read=124712, temp read=505 written=505
  -> Sort (cost=416674.06..416675.91 rows=740 width=112) (actual time=884.934..885.501 rows=5924.00 loops=1)
    Output: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate)), lineitem.l_extendedprice, lineitem.l_discount
    Sort Key: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate))
    Sort Method: quicksort Memory: 516kB
    Buffers: shared hit=9911 read=124712, temp read=505 written=505
    -> Hash Join (cost=194142.82..416638.80 rows=740 width=112) (actual time=865.397..880.909 rows=5924.00 loops=1)
      Output: n1.n_name, n2.n_name, EXTRACT(year FROM lineitem.l_shipdate), lineitem.l_extendedprice, lineitem.l_discount
      Hash Cond: (supplier.s_suppkey = lineitem.l_suppkey)
      Join Filter: (((n1.n_name = 'GERMANY'::text) AND (n2.n_name = 'FRANCE'::text)) OR ((n1.n_name = 'FRANCE'::text) AND (n2.n_name = 'GERMANY'::te
xt)))
      Rows Removed by Join Filter: 5799
      Buffers: shared hit=9911 read=124712, temp read=505 written=505
      -> Nested Loop (cost=0.00..222440.17 rows=200 width=36) (actual time=0.076..3.217 rows=798.00 loops=1)
        Output: supplier.s_suppkey, n1.n_name
        Join Filter: (supplier.s_nationkey = n1.n_nationkey)
        Rows Removed by Join Filter: 798
        Buffers: shared hit=220
        -> Seq Scan on public.supplier (cost=0.00..221818.00 rows=5000 width=8) (actual time=0.065..2.795 rows=798.00 loops=1)
          Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_nationkey, supplier.s_phone, supplier.s_acctbal, suppl
ier.s_comment
          Filter: (ANY (supplier.s_nationkey = (hashed SubPlan 2).col1))
          Rows Removed by Filter: 9202
          Buffers: shared hit=219
          SubPlan 2
            -> Seq Scan on public.nation n (cost=0.00..20.12 rows=8 width=4) (actual time=0.026..0.029 rows=2.00 loops=1)
              Output: n.n_nationkey
              Filter: (n.n_name = ANY ('{FRANCE,GERMANY}'::text[]))
              Rows Removed by Filter: 23
              Buffers: shared hit=1
            -> Materialize (cost=0.00..22.19 rows=8 width=36) (actual time=0.000..0.000 rows=2.00 loops=798)
              Output: n1.n_name, n1.n_nationkey
              Storage: Memory Maximum Storage: 17kB
              Buffers: shared hit=1
            -> Seq Scan on public.nation n1 (cost=0.00..22.15 rows=8 width=36) (actual time=0.005..0.011 rows=2.00 loops=1)
              Output: n1.n_name, n1.n_nationkey
              Filter: ((n1.n_name = 'GERMANY'::text) OR (n1.n_name = 'FRANCE'::text))
              Rows Removed by Filter: 23
              Buffers: shared hit=1
          -> Hash (cost=193222.33..193222.33 rows=73639 width=56) (actual time=864.969..865.286 rows=148370.00 loops=1)
            Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_suppkey, n2.n_name
            Buckets: 131072 (originally 131072) Batches: 2 (originally 1) Memory Usage: 7169kB
            Buffers: shared hit=9691 read=124712, temp written=502
            -> Gather (cost=40628.29..193222.33 rows=73639 width=56) (actual time=163.886..808.041 rows=148370.00 loops=1)
              Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_suppkey, n2.n_name
              Workers Planned: 2
              Workers Launched: 2
              Buffers: shared hit=9691 read=124712
              -> Parallel Hash Join (cost=39628.29..184858.43 rows=30683 width=56) (actual time=158.547..824.680 rows=49456.67 loops=3)
                Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_suppkey, n2.n_name
                Hash Cond: (lineitem.l_orderkey = orders.o_orderkey)
                Buffers: shared hit=9691 read=124712
                Worker 0: actual time=155.984..840.721 rows=51210.00 loops=1
                  Buffers: shared hit=3050 read=42500
                Worker 1: actual time=156.064..840.415 rows=50237.00 loops=1

```

```

        Buffers: shared hit=3037 read=42448
-> Parallel Seq Scan on public.lineitem (cost=0.00..142225.75 rows=767076 width=28) (actual time=1.163..549.903 rows=60948
3.33 loops=3)
        Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, linei
tem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.
l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
        Filter: ((lineitem.l_shipdate >= '1995-01-01'::date) AND (lineitem.l_shipdate <= '1996-12-31'::date))
        Rows Removed by Filter: 1390922
        Buffers: shared hit=3384 read=101336
        Worker 0: actual time=1.337..564.198 rows=626632.00 loops=1
        Buffers: shared hit=1152 read=34722
        Worker 1: actual time=1.366..566.020 rows=621860.00 loops=1
        Buffers: shared hit=1147 read=34502
-> Parallel Hash (cost=39315.79..39315.79 rows=25000 width=36) (actual time=156.980..156.984 rows=40441.33 loops=3)
        Output: orders.o_orderkey, n2.n_name
        Buckets: 131072 (originally 65536) Batches: 1 (originally 1) Memory Usage: 7296kB
        Buffers: shared hit=6307 read=23376
        Worker 0: actual time=154.449..154.453 rows=40678.00 loops=1
        Buffers: shared hit=1898 read=7778
        Worker 1: actual time=154.439..154.443 rows=41029.00 loops=1
        Buffers: shared hit=1890 read=7946
-> Parallel Hash Join (cost=4609.88..39315.79 rows=25000 width=36) (actual time=21.240..145.625 rows=40441.33 loops=
3)
        Output: orders.o_orderkey, n2.n_name
        Hash Cond: (orders.o_custkey = customer.c_custkey)
        Buffers: shared hit=6307 read=23376
        Worker 0: actual time=18.716..143.182 rows=40678.00 loops=1
        Buffers: shared hit=1898 read=7778
        Worker 1: actual time=18.708..143.882 rows=41029.00 loops=1
        Buffers: shared hit=1890 read=7946
-> Parallel Seq Scan on public.orders (cost=0.00..32258.00 rows=625000 width=8) (actual time=0.716..58.342 row
s=500000.00 loops=3)
        Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate
, orders.o_orderpriority, orders.o_clerk, orders.o_comment
        Buffers: shared hit=2632 read=23376
        Worker 0: actual time=0.734..58.617 rows=499392.00 loops=1
        Buffers: shared hit=881 read=7778
        Worker 1: actual time=0.720..57.918 rows=509190.00 loops=1
        Buffers: shared hit=881 read=7946
-> Parallel Hash (cost=4578.62..4578.62 rows=2500 width=36) (actual time=20.494..20.496 rows=4002.67 loops=3)
        Output: customer.c_custkey, n2.n_name
        Buckets: 16384 (originally 8192) Batches: 1 (originally 1) Memory Usage: 768kB
        Buffers: shared hit=3675
        Worker 0: actual time=17.964..17.967 rows=3313.00 loops=1
        Buffers: shared hit=1017
        Worker 1: actual time=17.959..17.962 rows=3327.00 loops=1
        Buffers: shared hit=1009
-> Hash Join (cost=22.25..4578.62 rows=2500 width=36) (actual time=0.119..19.320 rows=4002.67 loops=3)
        Output: customer.c_custkey, n2.n_name
        Hash Cond: (customer.c_nationkey = n2.n_nationkey)
        Buffers: shared hit=3675
        Worker 0: actual time=0.183..17.192 rows=3313.00 loops=1
        Buffers: shared hit=1017
        Worker 1: actual time=0.120..16.979 rows=3327.00 loops=1
        Buffers: shared hit=1009
-> Parallel Seq Scan on public.customer (cost=0.00..4297.00 rows=62500 width=8) (actual time=0.024
..14.069 rows=50000.00 loops=3)
        Output: customer.c_custkey, customer.c_name, customer.c_address, customer.c_nationkey, custome
r.c_phone, customer.c_acctbal, customer.c_mktsegment, customer.c_comment
        Buffers: shared hit=3672
        Worker 0: actual time=0.029..12.843 rows=41345.00 loops=1
        Buffers: shared hit=1016
        Worker 1: actual time=0.031..12.713 rows=41101.00 loops=1
        Buffers: shared hit=1008
-> Hash (cost=22.15..22.15 rows=8 width=36) (actual time=0.083..0.083 rows=2.00 loops=3)
        Output: n2.n_name, n2.n_nationkey
        Buckets: 1024 Batches: 1 Memory Usage: 9kB
        Buffers: shared hit=3
        Worker 0: actual time=0.146..0.146 rows=2.00 loops=1
        Buffers: shared hit=1
        Worker 1: actual time=0.080..0.080 rows=2.00 loops=1
        Buffers: shared hit=1
-> Seq Scan on public.nation n2 (cost=0.00..22.15 rows=8 width=36) (actual time=0.070..0.072
rows=2.00 loops=3)
        Output: n2.n_name, n2.n_nationkey
        Filter: ((n2.n_name = 'FRANCE'::text) OR (n2.n_name = 'GERMANY'::text))
        Rows Removed by Filter: 23
        Buffers: shared hit=3
        Worker 0: actual time=0.134..0.137 rows=2.00 loops=1
        Buffers: shared hit=1
        Worker 1: actual time=0.070..0.073 rows=2.00 loops=1
        Buffers: shared hit=1

Planning:
  Buffers: shared hit=20
  Planning Time: 3.723 ms
  Execution Time: 887.881 ms
(133 rows)

Time: 896.822 ms
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS supplier_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW supplier_secure AS
SELECT s.*
FROM supplier s
WHERE EXISTS (
  SELECT 1 FROM nation n
  WHERE n.n_nationkey = s.s_nationkey
  AND n.n_name IN ('FRANCE', 'GERMANY')
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON supplier_secure TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

```

```
-- Step 5: Run Q7
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  supp_nation,
  cust_nation,
  l_year,
  sum(volume) as revenue
from
  (
    select
      n1.n_name as supp_nation,
      n2.n_name as cust_nation,
      extract(year from l_shipdate) as l_year,
      l_extendedprice * (1 - l_discount) as volume
    from
      supplier_secure s,
      lineitem,
      orders,
      customer,
      nation n1,
      nation n2
    where
      s.s_suppkey = l_suppkey
      and o_orderkey = l_orderkey
      and c_custkey = o_custkey
      and s.s_nationkey = n1.n_nationkey
      and c_nationkey = n2.n_nationkey
      and (
        (n1.n_name = 'GERMANY' and n2.n_name = 'FRANCE')
        or (n1.n_name = 'FRANCE' and n2.n_name = 'GERMANY')
      )
      and l_shipdate between date '1995-01-01' and date '1996-12-31'
  ) as shipping
group by
  supp_nation,
  cust_nation,
  l_year
order by
  supp_nation,
  cust_nation,
  l_year;
```

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}
```

Time: 1.950 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 47
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

Time: 2.526 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {DROPSTMT
    :objects (("supplier_secure"))
    :removeType 51
  }
}
```

```

        :behavior 0
        :missing_ok true
        :concurrent false
    }
    :stmt_location 0
    :stmt_len 35
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPTMT
:objects (("supplier_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

Time: 2.989 ms
 WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s"
{A_STAR
}
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 47
}
)
:whereClause

```

```

{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RETARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 110
}
:rexpr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_name")
:location 148
}
:rexpr (
{A_CONST
:val "FRANCE"
:location 161
}
{A_CONST
:val "GERMANY"
:location 171
}
)
:rexpr_list_start 160
:rexpr_list_end 180
:location 157
}
)
:location 144
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false

```

```

:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 183
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s"
{A_STAR
}
)
}
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 110
}
}
:rexpr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 126
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
}
}

```

```

    }
    {A_EXPR IN
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("n" "n_name")
    :location 148
    }
    :rexpr (
    {A_CONST
    :val "FRANCE"
    :location 161
    }
    {A_CONST
    :val "GERMANY"
    :location 171
    }
    )
    :rexpr_list_start 160
    :rexpr_list_end 180
    :location 157
    }
    )
    :location 144
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 64
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 183
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false

```



```

:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBENTRY
                :alias
                  {ALIAS
                    :aliasname n
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname n
                    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
                  }
                :rtekind 0
                :relid 16536
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
            )
            :rteperminfos (
              {RTEPERMISSIONINFO
                :relid 16536
                :inh true
                :requiredPerms 2
                :checkAsUser 0
                :selectedCols (b 8 9)
                :insertedCols (b)
                :updatedCols (b)
              }
            )
          }
        }
      }
    :jointree
      {FROMEXPR

```

```

:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 110
      }
      {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 126
      }
    )
    :location 124
  }
  {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 148
      }
    )
    {ARRAYEXPR
      :array_typeid 1009
      :array_collid 100
      :element_typeid 25
      :elements (
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 161
          :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 171
          :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
        }
      )
      :multidims false
      :list_start 160
      :list_end 180
      :location -1
    )
    :location 157
  }
)
:location 144
}

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
    }
  }
)

```

```

        :constlen 4
        :constbyval true
        :constisnull false
        :location 84
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 38
}
}
:resno 1
:resname s_supkey
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 38
}
}
:resno 2
:resname s_name
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
}
:resno 3
:resname s_address
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname s_nationkey
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname s_phone
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname s_acctbal
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname s_comment
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 183
}

```

Time: 3.800 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (

```

```

        {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier_secure
        :inh true
        :relpersistence p
        :alias <>
        :location 16
        }
    )
    :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
    )
    :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 35
    }
    )
    :grant_option false
    :grantor <>
    :behavior 0
    }
    :stmt_location 0
    :stmt_len 40
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.437 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT

```

```

:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
}

```

```

:stmt_len 33
}

Time: 0.303 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
}

```

```
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}
```

Time: 0.276 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
}
```



```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.337 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
}

```

```
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}
```

Time: 0.381 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}
```

Time: 0.210 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
```

```

:name <>
:indirection <>
:val
{COLUMNREF
:fields ("supp_nation")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("cust_nation")
:location 64
}
:location 64
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l_year")
:location 81
}
:location 81
}
{RESTARTGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("volume")
:location 97
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 93
}
:location 93
}
)
:fromClause (
{RANGESUBSELECT
:lateral false
:subquery
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name supp_nation
:indirection <>
:val
{COLUMNREF
:fields ("n1" "n_name")
:location 154
}
:location 154
}
{RESTARTGET
:name cust_nation
:indirection <>
:val
{COLUMNREF
:fields ("n2" "n_name")
:location 192
}
:location 192
}
{RESTARTGET
:name l_year
:indirection <>
:val
{FUNCCALL
:funcname ("pg_catalog" "extract")
:args (
{A_CONST
:val "year"
:location 238
}
{COLUMNREF
:fields ("l_shipdate")
:location 248
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 3
:location 230
}
:location 230
}
{RESTARTGET
:name volume
:indirection <>
:val
{A_EXPR

```

```

        :name ("*")
        :lexpr
        {COLUMNREF
         :fields ("l_extendedprice")
         :location 283
        }
        :rexpr
        {A_EXPR
         :name ("-")
         :lexpr
         {A_CONST
          :val 1
          :location 302
         }
         :rexpr
         {COLUMNREF
          :fields ("l_discount")
          :location 306
         }
         :rexpr_list_start 0
         :rexpr_list_end 0
         :location 304
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 299
       }
      :location 283
    }
  )
  :fromClause (
    {RANGEVAR
     :catalogname <>
     :schemaname <>
     :relname supplier_secure
     :inh true
     :relpersistence p
     :alias
     {ALIAS
      :aliasname s
      :colnames <>
     }
     :location 353
    }
    {RANGEVAR
     :catalogname <>
     :schemaname <>
     :relname lineitem
     :inh true
     :relpersistence p
     :alias <>
     :location 384
    }
    {RANGEVAR
     :catalogname <>
     :schemaname <>
     :relname orders
     :inh true
     :relpersistence p
     :alias <>
     :location 406
    }
    {RANGEVAR
     :catalogname <>
     :schemaname <>
     :relname customer
     :inh true
     :relpersistence p
     :alias <>
     :location 426
    }
    {RANGEVAR
     :catalogname <>
     :schemaname <>
     :relname nation
     :inh true
     :relpersistence p
     :alias
     {ALIAS
      :aliasname n1
      :colnames <>
     }
     :location 448
    }
    {RANGEVAR
     :catalogname <>
     :schemaname <>
     :relname nation
     :inh true
     :relpersistence p
     :alias
     {ALIAS
      :aliasname n2
      :colnames <>
     }
     :location 471
    }
  )
  :whereClause
  {BOOLEXP
   :boolop and
   :args (
     {A_EXPR
      :name ("=")
      :lexpr
      {COLUMNREF
       :fields ("s" "s_suppkey")
       :location 507
      }
     }
     :rexpr
     {COLUMNREF
      :fields ("l_suppkey")
      :location 521
     }
     :rexpr_list_start 0
  )

```

```

:repr_list_end 0
:location 519
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("o_orderkey")
:location 547
}
:repr
{COLUMNREF
:fields ("l_orderkey")
:location 560
}
:repr_list_start 0
:repr_list_end 0
:location 558
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c_custkey")
:location 587
}
:repr
{COLUMNREF
:fields ("o_custkey")
:location 599
}
:repr_list_start 0
:repr_list_end 0
:location 597
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 625
}
:repr
{COLUMNREF
:fields ("n1" "n_nationkey")
:location 641
}
:repr_list_start 0
:repr_list_end 0
:location 639
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c_nationkey")
:location 672
}
:repr
{COLUMNREF
:fields ("n2" "n_nationkey")
:location 686
}
:repr_list_start 0
:repr_list_end 0
:location 684
}
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n1" "n_name")
:location 736
}
:repr
{A_CONST
:val "GERMANY"
:location 748
}
:repr_list_start 0
:repr_list_end 0
:location 746
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n2" "n_name")
:location 762
}
:repr
{A_CONST
:val "FRANCE"
:location 774
}
:repr_list_start 0
:repr_list_end 0
:location 772
}
)
:location 758
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF

```

```

        :fields ("n1" "n_name")
        :location 804
    }
    :rexpr
    {A_CONST
     :val "FRANCE"
     :location 816
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 814
    }
    {A_EXPR
     :name ("=")
     :lexpr
     {COLUMNREF
      :fields ("n2" "n_name")
      :location 829
     }
     :rexpr
     {A_CONST
      :val "GERMANY"
      :location 841
     }
     :rexpr_list_start 0
     :rexpr_list_end 0
     :location 839
    }
    }
    :location 825
    }
    }
    :location 800
    }
    {A_EXPR BETWEEN
     :name ("BETWEEN")
     :lexpr
     {COLUMNREF
      :fields ("l_shipdate")
      :location 882
     }
     :rexpr (
      {TYPECAST
       :arg
       {A_CONST
        :val "\1995-01-01"
        :location 906
       }
       :typeName
       {TYPENAME
        :names ("date")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods <>
        :typemod -1
        :arrayBounds <>
        :location 901
       }
      }
      :location -1
      }
      {TYPECAST
       :arg
       {A_CONST
        :val "\1996-12-31"
        :location 928
       }
       :typeName
       {TYPENAME
        :names ("date")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods <>
        :typemod -1
        :arrayBounds <>
        :location 923
       }
      }
      :location -1
      }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 893
    }
    }
    :location 543
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :alias
    {ALIAS
     :aliasname shipping
     :colnames <>
    }
    }
    }
    :whereClause <>
    :groupClause (
     {COLUMNREF
      :fields ("supp_nation")
    }
  )

```

```

        :location 972
      }
      {COLUMNREF
      :fields ("cust_nation")
      :location 989
      }
      {COLUMNREF
      :fields ("l_year")
      :location 1006
      }
    )
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause (
      {SORTBY
      :node
      {COLUMNREF
      :fields ("supp_nation")
      :location 1026
      }
      :sortby_dir 0
      :sortby_nulls 0
      :useOp <>
      :location -1
      }
      {SORTBY
      :node
      {COLUMNREF
      :fields ("cust_nation")
      :location 1043
      }
      :sortby_dir 0
      :sortby_nulls 0
      :useOp <>
      :location -1
      }
      {SORTBY
      :node
      {COLUMNREF
      :fields ("l_year")
      :location 1060
      }
      :sortby_dir 0
      :sortby_nulls 0
      :useOp <>
      :location -1
      }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
  }
  :options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
  )
}
:stmt_location 0
:stmt_len 1066
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (

```

```

{RANGETBENTRY
:alias
{ALIAS
:aliasname shipping
:colnames <>
}
:eref
{ALIAS
:aliasname shipping
:colnames ("supp_nation" "cust_nation" "l_year" "volume")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey"
"s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16650
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate"
"l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
ippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
"c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}

```



```

}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16650
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
}

```

```

    }
    {RANGETBLREF
    :rtindex 4
    }
    {RANGETBLREF
    :rtindex 5
    }
    {RANGETBLREF
    :rtindex 6
    }
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 507
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 521
}
)
:location 519
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 547
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 560
}
)
:location 558
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 587
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 599
}
)
:location 597
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 625
}
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 641
}
)
:location 639
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 672
}
  {VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 686
}
)
:location 684
}
{BOOLEXP
:boolop or
:args (
  {BOOLEXP
:boolop and
:args (
  {OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 736
}
  {CONST
:consttype 25
:consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 748
        :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 8
          9 ]
      }
    )
    :location 746
  }
  {OPEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 762
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 774
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
  )
  :location 772
}
)
:location 758
}
{BOOLEXP
:boolop and
:args (
  {OPEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 804
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 816
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
  )
  :location 814
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 6
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 6
  :varattnosyn 2
  :location 829
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 841
  :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 8

```

```

        9 ]
      }
    )
    :location 839
  }
)
:location 825
}
)
:location 800
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
  :opno 1098
  :opfuncid 1090
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 882
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 906
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 ]
    }
  )
  :location 893
  }
  {OEXPR
  :opno 1096
  :opfuncid 1088
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 882
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 928
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 ]
    }
  )
  :location 893
  }
)
:location 893
}
)
:location 543
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 5
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 5
  :varattnosyn 2
  :location 154
  }
  :resno 1
  :resname supp_nation
  :ressortgroupref 0
  :resorigtbl 16536
  :resorigcol 2
  :resjunk false
  }

```

```

{TARGETENTRY
:expr
  {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 192
  }
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {FUNCEXP
    :funcid 6199
    :funcresulttype 1700
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 0
    :inputcollid 100
    :args (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 238
        :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
      }
      {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 248
      }
    )
    :location 230
  }
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {OPEXP
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 283
      }
      {OPEXP
        :opno 592
        :opfuncid 219
        :opresulttype 701
        :opresultset false
        :opcollid 0
        :inputcollid 0
        :args (
          {FUNCEXP
            :funcid 316
            :funcresulttype 701
            :funcresultset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 302
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
              }
            )
          }
        )
      }
    )
  }
}

```

```

        }
    }
    :location -1
}
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 306
}
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
}
:lateral false
:inFromCl false
:securityQuals <>

```

```

    }
)
:rteperminfos <>
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname supp_nation
    :ressortgroupref 1
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname cust_nation
    :ressortgroupref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 3
      :vartype 1700
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname l_year
    :ressortgroupref 3
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 4
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location 97
          }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
    }
  )
}

```



```

    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 93
  }
  :resno 4
  :resname revenue
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)

```

```

    }
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1066
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias
  {ALIAS
:aliasname shipping
:colnames <>
}
:eref
  {ALIAS
:aliasname shipping
:colnames ("supp_nation" "cust_nation" "l_year" "volume")
}
:rtekind 1
:subquery
  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias
  {ALIAS
:aliasname s
:colnames <>
}
:eref
  {ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16650
:inh true
:relkind v
:rellockmode 1

```

```

:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16650
:inh true

```

```

:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 507
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 521
}
)
}
:location 519
}

```

```

{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 547
}
  {VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 560
}
)
:location 558
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 587
}
  {VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 599
}
)
:location 597
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 625
}
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 641
}
)
:location 639
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 672
  }
  {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 686
  }
)
:location 684
}
{BOOLEXP
:boolop or
:args (
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
          {VAR
            :varno 5
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 2
            :location 736
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 748
            :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
          }
        )
      }
      :location 746
    }
    {OPEXP
      :opno 98
      :opfuncid 67
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 100
      :args (
        {VAR
          :varno 6
          :varattno 2
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 6
          :varattnosyn 2
          :location 762
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 774
          :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
        }
      )
    }
    :location 772
  }
)
:location 758
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 98

```

```

:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 804
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 816
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
  }
)
:location 814
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 829
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 841
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
  }
)
:location 839
}
)
:location 825
}
)
:location 800
}
{BOOLEXPR
:boolop and
:args (
  {OEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 882
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 906
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
    )
  }
  :location 893
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0

```

```

        :inputcollid 0
        :args (
            {VAR
                :varno 2
                :varattno 11
                :vartype 1082
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 11
                :location 882
            }
            {CONST
                :consttype 1082
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 928
                :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
            }
        )
        :location 893
    }
}
:location 893
}
:location 543
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 5
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 2
            :location 154
        }
    }
    :resno 1
    :resname supp_nation
    :ressortgroupref 0
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 6
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 6
            :varattnosyn 2
            :location 192
        }
    }
    :resno 2
    :resname cust_nation
    :ressortgroupref 0
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
        :expr
        {FUNCEXP
            :funcid 6199
            :funcresulttype 1700
            :funcresultset false
            :funcvariadic false
            :funcformat 3
            :funccollid 0
            :inputcollid 100
            :args (
                {CONST
                    :consttype 25
                    :consttypmod -1
                    :constcollid 100
                    :constlen -1
                    :constbyval false
                    :constisnull false
                    :location 238
                    :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
                }
                {VAR
                    :varno 2
                    :varattno 11
                    :vartype 1082
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 2
                    :varattnosyn 11
                }
            )
        }
    }

```



```

        :location 248
    }
)
:location 230
}
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 302
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 306
}
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
}
:security_barrier false

```

```

:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2

```

```

:resname cust_nation
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 97
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false

```

```

:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 3
   :eqop 1752
   :sortop 1754
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
   :alias
   {ALIAS
    :aliasname shipping
    :colnames <>
   }
  }
:eref
{ALIAS
:aliasname shipping
:colnames ("supp_nation" "cust_nation" "l_year" "volume")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
   :alias
   {ALIAS
    :aliasname s
    :colnames <>
   }
  }
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_supkey" "s_name" "s_address" "s_nationkey"
          "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBENTRY
                :alias
                  {ALIAS
                    :aliasname n
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname n
                    :colnames ("n_nationkey" "n_name" "n_regionkey"
                      "n_comment")
                  }
                :rtekind 0
                :relid 16536
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
            )
          }
        :rteperminfos (
          {RTEPERMISSIONINFO
            :relid 16536
            :inh true
            :requiredPerms 2
            :checkAsUser 10
            :selectedCols (b 8 9)
            :insertedCols (b)
            :updatedCols (b)
          }
        )
      }
    )
  }
)

```

```

:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 70 82 65 78 6
7 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 71 69 82 77 6
5 78 89 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr

```

```

        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname s_suppkey
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
        }
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16650
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1

```



```

:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16650
:inh true
:requiredPerms 2
:checkAsUser 0

```

```

:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 507
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 521
}
)
:location 519
}
{OPEXP
:opno 96

```

```

:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 547
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 560
  }
)
:location 558
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 587
  }
  {VAR
    :varno 3
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 599
  }
)
:location 597
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 625
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 641
  }
)
:location 639
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 672
  }
  {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 686
  }
)
:location 684
}
{BOOLEXP
:boolop or
:args (
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
          {VAR
            :varno 5
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 2
            :location 736
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 748
            :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
          }
        )
      }
      :location 746
    }
    {OPEXP
      :opno 98
      :opfuncid 67
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 100
      :args (
        {VAR
          :varno 6
          :varattno 2
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 6
          :varattnosyn 2
          :location 762
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 774
          :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
        }
      )
    }
    :location 772
  }
)
:location 758
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 98
    :opfuncid 67
    :opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 804
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 816
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
  }
)
:location 814
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 829
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 841
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
  }
)
:location 839
}
)
:location 825
}
)
:location 800
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 882
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 906
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
    )
  }
)
:location 893
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

        {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 882
        }
        {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 928
        :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
        }
    )
    :location 893
}
)
:location 893
}
)
:location 543
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 154
}
:resno 1
:resname supp_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 192
}
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 248
}
}
}

```

```

    )
    :location 230
  }
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 302
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 306
}
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false

```

```

:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2

```



```

:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:varstype 1700
:varstype -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:varstype 701
:varstype -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 97
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>

```

```

>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 3
   :eqop 1752
   :sortop 1754
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
   :alias
   {ALIAS
    :aliasname shipping
    :colnames <>
   }
  :eref
  {ALIAS
   :aliasname shipping
   :colnames ("supp_nation" "cust_nation" "l_year" "volume")
  }
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
   :alias
   {ALIAS
    :aliasname s
    :colnames <>
   }
  :eref
  {ALIAS
   :aliasname s
   :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
  }
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false

```

```

:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_supkey" "s_name" "s_address" "s_nationkey"
          "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBLENTRY
                :alias
                  {ALIAS
                    :aliasname n
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname n
                    :colnames ("n_nationkey" "n_name" "n_regionkey"
                      "n_comment")
                  }
                :rtekind 0
                :relid 16536
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
            )
          }
        :rteperminfos (
          {RTEPERMISSIONINFO
            :relid 16536
            :inh true
            :requiredPerms 2
            :checkAsUser 10
            :selectedCols (b 8 9)
            :insertedCols (b)
            :updatedCols (b)
          }
        )
      }
    )
  }
:jointree
  {FROMEXPR

```

```

:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location -1
        }
        {VAR
          :varno 1
          :varattno 4
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 1
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 4
          :location -1
        }
      )
    }
  :location -1
}
{SCALARARRAYOPEXP
  :opno 98
  :opfuncid 67
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 100
  :args (
    {VAR
      :varno 1
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
  )
  {ARRAYEXP
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 70 82 65 78 6
          7 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 71 69 82 77 6
          5 78 89 ]
      }
    )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname s_name
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    :resno 3
    :resname s_address
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1

```

```

:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16650
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true

```

```

:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16650
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)

```

```

:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:verno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 507
}
{VAR
:verno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 521
}
)
:location 519
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16

```



```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 547
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 560
  }
)
:location 558
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 587
  }
  {VAR
    :varno 3
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 599
  }
)
:location 597
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 625
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 641
  }
)
:location 639
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 672
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 686
}
)
:location 684
}
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 736
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 748
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 746
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 762
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 774
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 772
}
)
:location 758
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 100
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 804
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 816
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
  }
)
:location 814
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 829
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 841
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
  }
)
:location 839
}
)
:location 825
}
)
:location 800
}
{BOOLEXP
:boolop and
:args (
  {OPEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 882
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 906
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
    )
  }
:location 893
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2

```

```

        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 882
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 928
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 ]
    }
    )
    :location 893
    }
    )
    :location 893
    }
    )
    :location 543
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 154
    }
    :resno 1
    :resname supp_nation
    :ressortgroupref 0
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 192
    }
    :resno 2
    :resname cust_nation
    :ressortgroupref 0
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {FUNCEXP
    :funcid 6199
    :funcresulttype 1700
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 0
    :inputcollid 100
    :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 238
    :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
    }
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 248
    }
    )
    :location 230

```

```

    }
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 302
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 306
}
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0

```

```

:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
}

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREG
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 97
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>

```

```

:sortClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 98
  :sortop 664
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
  {SORTGROUPCLAUSE
  :tleSortGroupRef 2
  :eqop 98
  :sortop 664
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
  {SORTGROUPCLAUSE
  :tleSortGroupRef 3
  :eqop 1752
  :sortop 1754
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL:      {AGG
:plan.disabled_nodes 0
:plan.startup_cost 185710.15675646122
:plan.total_cost 185718.65182039893
:plan.plan_rows 59
:plan.plan_width 104
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR
  :varno -2
  :varattno 1
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 0
  :varattnosyn 0
  :location -1
  }
:resno 1
:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```



```

{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 701
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno -2
                :varattno 4
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 4
                :varattnosyn 6
                :location 283
              }
              {OPEXPR
                :opno 592
                :opfuncid 219
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                  {CONST
                    :consttype 701
                    :consttypmod -1
                    :constcollid 0
                    :constlen 8
                    :constbyval true
                    :constisnull false
                    :location -1
                    :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
                  }
                  {VAR
                    :varno -2
                    :varattno 5
                    :vartype 701
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 4
                    :varattnosyn 7
                    :location 306
                  }
                )
              }
            :location 304
          }
        :location 299
      )
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
  {GATHERMERGE
    :plan.disabled_nodes 0
    :plan.startup_cost 185710.15675646122
    :plan.total_cost 185717.02932039893
    :plan.plan_rows 59
    :plan.plan_width 112
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 1
    :plan.targetlist (
      {TARGETENTRY
        :expr

```

```

    {VAR
      :varno -2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 0
      :varattnosyn 0
      :location -1
    }
  :resno 1
  :resname <>
  :ressortgroupref 1
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
  }
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 3
    :vartype 1700
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
  }
:resno 3
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 6
    :location 283
  }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 7
    :location 306
  }
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 184710.1329820237
:plan.total_cost 184710.1954820237

```

```

:plan.plan_rows 25
:plan.plan_width 112
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 2
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 3
      :vartype 1700
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 0
      :varattnosyn 0
      :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 3
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 4
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 6
      :location -1
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 5
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 7
      :location -1
    }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
  }
)

```

```

        :resjunk false
    }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 180167.41
:join.plan.total_cost 184709.5525
:join.plan.plan_rows 25
:join.plan.plan_width 112
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno -2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
)
:location 230
}
:resno 3
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 4
        :varattnosyn 6
        :location 283
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 180145.16
:join.plan.total_cost 184681.655
:join.plan.plan_rows 1228
:join.plan.plan_width 56
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 4
        :location 672
        }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
  :varno -1
  :varattno 5
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 7
  :varattnosyn 2
  :location -1
  }
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4297
:scan.plan.plan_rows 62500
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
  {TARGETENTRY
  :expr
    {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location -1
    }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
  :expr
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location -1
    }
  :resno 2
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
  :expr
    {VAR
    :varno 6
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 3
    :location -1
    }
  }
}

```

```

:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0

```

```

        :resjunk false
    }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 6
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 180129.81
:plan.total_cost 180129.81
:plan.plan_rows 1228
:plan.plan_width 56
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2

```



```

        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 2
        :location -1
    }
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 145522.94
:join.plan.total_cost 180129.81
:join.plan.plan_rows 1228
:join.plan.plan_width 56
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 7
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 599
}
}
:resno 4
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 32258
:scan.plan.plan_rows 625000
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 8
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 4
        :location -1
    }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 5
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 5
        :location -1
    }
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 5
        :varattno 6
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 6
        :location -1
    }
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 5
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 7
        :location -1
    }
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 5
        :varattno 8
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 8
        :location -1
    }
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 5
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 9
    }
}

```

```

        :location -1
    }
    :resno 9
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 5
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 145507.59
:plan.total_cost 145507.59
:plan.plan_rows 1228
:plan.plan_width 56
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 9
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 393.035
:join.plan.total_cost 145507.59
:join.plan.plan_rows 1228
:join.plan.plan_width 56
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 10
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 560
    }
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 142225.75
:scan.plan.plan_rows 767076
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 11
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 9
:vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

        :varnosyn 4
        :varattnosyn 14
        :location -1
    }
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 15
:location -1
}
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 16
:location -1
}
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 882
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 906
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
}
:location 893
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 882
}
{CONST
:consttype 1082
:consttypmod -1

```

```

        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 928
        :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
}
)
:location 893
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanreliid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 392.83500000000004
:plan.total_cost 392.83500000000004
:plan.plan_rows 16
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 12
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 42.475
:join.plan.total_cost 392.83500000000004
:join.plan.plan_rows 16
:join.plan.plan_width 36
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 13
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 2
        :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.225
:join.plan.total_cost 368.925
:join.plan.plan_rows 400
:join.plan.plan_width 12
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 14
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 318
:scan.plan.plan_rows 10000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 15
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 9

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 6
        :location -1
    }
    :resno 6
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 9
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.125
:plan.total_cost 20.125
:plan.plan_rows 8
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 16
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.125
:scan.plan.plan_rows 8
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 17
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 10
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)

```

```

:scan.plan.qual (
  {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {VAR
        :varno 10
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 2
        :location -1
      }
      {CONST
        :consttype 1009
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 48 [ -64 0 0 0 1 0
          0 0 0 0 0 0 25 0 0 0 2 0 0 0
          1 0 0 0 40 0 0 0 70 82 65 78 6
          7 69 0 0 44 0 0 0 71 69 82 77
          65 78 89 0 ]
        }
      )
    :location -1
  }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 10
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 10
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16541
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 4
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 1
        :location -1
      }
    )
  }
)
:location -1
}

```

```

)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 9
    :varattnosyn 4
    :location -1
  }
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 22.15
:plan.total_cost 22.15
:plan.plan_rows 8
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 18
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 1
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 22.15
:scan.plan.plan_rows 8
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 19
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 7
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 7

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 641
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{BOOLEXP
:boolop or
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 736
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 748
:constvalue 11 [ 44 0 0 0 71 6
9 82 77 65 78 89 ]
}
)
:location 746
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 804
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 816
:constvalue 10 [ 40 0 0 0 70 8
2 65 78 67 69 ]
}
)
:location 814
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 7
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location 641
    }
}
)
:skewTable 16536
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 3
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 10
                :varattnosyn 1
                :location -1
            }
            {VAR
                :varno -1
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 7
                :varattnosyn 1
                :location 641
            }
        )
    }
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 1
        :location -1
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 1
        :location -1
    }
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (

```

```

        {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 3
        :location 521
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 1
        :location -1
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 521
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 560
}
)
:skewTable 16561
:skewColumn 1
:skewInherit false
:rows_total 2947.2
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 547
}
{VAR
:varno -1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 560
}
)
}
:location -1

```

```

    }
  )
  :hashoperators (o 96)
  :hashcollations (o 0)
  :hashkeys (
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location 547
    }
  )
  :plan.righttree <>
  :plan.initPlan <>
  :plan.extParam (b 0)
  :plan.allParam (b 0)
  :hashkeys (
    {VAR
      :varno -2
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 2
      :location 599
    }
  )
  :skewTable 16546
  :skewColumn 1
  :skewInherit false
  :rows_total 2947.2
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
  }
  :args (
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 1
      :location 587
    }
    {VAR
      :varno -1
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 2
      :location 599
    }
  )
  :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 587
  }
)
}
:join.plan.righttree
{HASH
  :plan.disabled_nodes 0
  :plan.startup_cost 22.15
  :plan.total_cost 22.15
  :plan.plan_rows 8
  :plan.plan_width 36
  :plan.parallel_aware false

```

```

:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 20
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 22.15
    :scan.plan.plan_rows 8
    :scan.plan.plan_width 36
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 21
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 8
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 8
            :varattnosyn 2
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno 8
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 8
            :varattnosyn 1
            :location 686
          }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
:scan.plan.qual (
  {BOOLEXP
    :boolop or
    :args (
      {OPEXP
        :opno 98
        :opfuncid 67
        :opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 8
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 2
    :location 762
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 774
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
  }
)
:location 772
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 8
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 2
    :location 829
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 841
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
  }
)
:location 839
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 8
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location 686
  }
)
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
  {BOOLEXPR
    :boolop or
  :args (
    {BOOLEXPR
      :boolop and
    :args (
      {OPEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 2
    :location 736
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 748
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
  }
)
:location 746
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno -1
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 2
    :location 762
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 774
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
  }
)
:location 772
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno -2
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 2
        :location 804
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 816
        :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
      }
    )
  }
  :location 814
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno -1
    :varattno 1

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 2
        :location 829
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 841
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
    }
    }
    :location 839
}
)
:location -1
}
)
:location -1
}
)
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 672
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 686
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 672
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:numCols 3
:sortColIdx ( 1 2 3)
:sortOperators ( 664 664 1754)
:collations ( 100 100 0)
:nullsFirst ( false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:numCols 3
:sortColIdx ( 1 2 3)
:sortOperators ( 664 664 1754)
:collations ( 100 100 0)
:nullsFirst ( false false false)
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1

```

```

:aggsplit 0
:numCols 3
:grpColIdx ( 1 2 3 )
:grpOperators ( 98 98 1752)
:grpCollations ( 100 100 0)
:numGroups 59
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

QUERY PLAN

-----
GroupAggregate (cost=185710.16..185718.65 rows=59 width=104) (actual time=999.133..1002.231 rows=4.00 loops=1)
  Output: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate)), sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
  Group Key: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate))
  Buffers: shared hit=10715 read=124378
  -> Gather Merge (cost=185710.16..185717.03 rows=59 width=112) (actual time=998.201..1000.670 rows=5924.00 loops=1)
    Output: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate)), lineitem.l_extendedprice, lineitem.l_discount
    Workers Planned: 2
    Workers Launched: 2
    Buffers: shared hit=10715 read=124378
    -> Sort (cost=184710.13..184710.20 rows=25 width=112) (actual time=990.912..991.086 rows=1974.67 loops=3)
      Output: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate)), lineitem.l_extendedprice, lineitem.l_discount
      Sort Key: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate))
      Sort Method: quicksort Memory: 154kB
      Buffers: shared hit=10715 read=124378
      Worker 0: actual time=987.615..987.700 rows=1956.00 loops=1
        Sort Method: quicksort Memory: 155kB
        Buffers: shared hit=3561 read=40980
      Worker 1: actual time=988.247..988.334 rows=2042.00 loops=1
        Sort Method: quicksort Memory: 160kB
        Buffers: shared hit=3523 read=41288
      -> Hash Join (cost=180167.41..184709.55 rows=25 width=112) (actual time=949.011..989.328 rows=1974.67 loops=3)
        Output: n1.n_name, n2.n_name, EXTRACT(year FROM lineitem.l_shipdate), lineitem.l_extendedprice, lineitem.l_discount
        Hash Cond: (customer.c_nationkey = n2.n_nationkey)
        Join Filter: (((n1.n_name = 'GERMANY'::text) AND (n2.n_name = 'FRANCE'::text)) OR ((n1.n_name = 'FRANCE'::text) AND (n2.n_name = 'GERMAN
Y'::text)))
        Rows Removed by Join Filter: 1933
        Buffers: shared hit=10685 read=124378
        Worker 0: actual time=945.799..985.781 rows=1956.00 loops=1
          Buffers: shared hit=3546 read=40980
        Worker 1: actual time=945.812..986.592 rows=2042.00 loops=1
          Buffers: shared hit=3508 read=41288
        -> Parallel Hash Join (cost=180145.16..184681.65 rows=1228 width=56) (actual time=948.855..985.115 rows=48567.67 loops=3)
          Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, customer.c_nationkey, n1.n_name
          Hash Cond: (customer.c_custkey = orders.o_custkey)
          Buffers: shared hit=10682 read=124378
          Worker 0: actual time=945.683..981.543 rows=48534.00 loops=1
            Buffers: shared hit=3545 read=40980
          Worker 1: actual time=945.673..982.437 rows=48416.00 loops=1
            Buffers: shared hit=3507 read=41288
          -> Parallel Seq Scan on public.customer (cost=0.00..4297.00 rows=62500 width=8) (actual time=0.016..12.010 rows=50000.00 loops=3)
            Output: customer.c_custkey, customer.c_name, customer.c_address, customer.c_nationkey, customer.c_phone, customer.c_acctbal,
customer.c_mktsegment, customer.c_comment
            Buffers: shared hit=3672
            Worker 0: actual time=0.016..12.024 rows=49899.00 loops=1
              Buffers: shared hit=1217
            Worker 1: actual time=0.029..12.045 rows=49995.00 loops=1
              Buffers: shared hit=1231
          -> Parallel Hash (cost=180129.81..180129.81 rows=1228 width=56) (actual time=948.802..948.893 rows=48567.67 loops=3)
            Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, orders.o_custkey, n1.n_name
            Buckets: 262144 (originally 4096) Batches: 1 (originally 1) Memory Usage: 14400kB
            Buffers: shared hit=7010 read=124378
            Worker 0: actual time=945.648..945.653 rows=48587.00 loops=1
              Buffers: shared hit=2328 read=40980
            Worker 1: actual time=945.616..945.621 rows=48069.00 loops=1
              Buffers: shared hit=2276 read=41288
            -> Parallel Hash Join (cost=145522.94..180129.81 rows=1228 width=56) (actual time=771.945..927.648 rows=48567.67 loops=3)
              Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, orders.o_custkey, n1.n_name
              Hash Cond: (orders.o_orderkey = lineitem.l_orderkey)
              Buffers: shared hit=7010 read=124378
              Worker 0: actual time=768.948..923.950 rows=48587.00 loops=1
                Buffers: shared hit=2328 read=40980
              Worker 1: actual time=769.006..924.245 rows=48069.00 loops=1
                Buffers: shared hit=2276 read=41288
              -> Parallel Seq Scan on public.orders (cost=0.00..32258.00 rows=625000 width=8) (actual time=1.184..48.827 rows=5000
0.00 loops=3)
                Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orde
rs.o_orderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
                Buffers: shared hit=2684 read=23324
                Worker 0: actual time=1.366..49.323 rows=497783.00 loops=1
                  Buffers: shared hit=886 read=7774
                Worker 1: actual time=1.409..49.964 rows=494108.00 loops=1
                  Buffers: shared hit=832 read=7720
                -> Parallel Hash (cost=145507.59..145507.59 rows=1228 width=56) (actual time=770.709..770.713 rows=48567.67 loops=3)
                  Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_orderkey, n1.n_name
                  Buckets: 262144 (originally 4096) Batches: 1 (originally 1) Memory Usage: 14368kB
                  Buffers: shared hit=4326 read=101054
                  Worker 0: actual time=767.552..767.556 rows=47801.00 loops=1
                    Buffers: shared hit=1442 read=33206
                  Worker 1: actual time=767.530..767.534 rows=48448.00 loops=1
                    Buffers: shared hit=1444 read=33568
                  -> Hash Join (cost=393.04..145507.59 rows=1228 width=56) (actual time=3.003..734.071 rows=48567.67 loops=3)
                    Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_orderkey, n1.n_name
                    Hash Cond: (lineitem.l_suppkey = s.s_suppkey)
                    Buffers: shared hit=4326 read=101054
                    Worker 0: actual time=2.631..727.026 rows=47801.00 loops=1
                      Buffers: shared hit=1442 read=33206
                    Worker 1: actual time=2.607..734.321 rows=48448.00 loops=1
                      Buffers: shared hit=1444 read=33568
                    -> Parallel Seq Scan on public.lineitem (cost=0.00..142225.75 rows=767076 width=28) (actual time=0.454..
640.159 rows=609483.33 loops=3)
                      Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem
.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_com
mitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
                      Filter: ((lineitem.l_shipdate >= '1995-01-01'::date) AND (lineitem.l_shipdate <= '1996-12-31'::date))
                      Rows Removed by Filter: 1390922

```



```

Buffers: shared hit=3666 read=101054
Worker 0: actual time=0.451..635.109 rows=601691.00 loops=1
  Buffers: shared hit=1222 read=33206
Worker 1: actual time=0.407..641.195 rows=606710.00 loops=1
  Buffers: shared hit=1224 read=33568
-> Hash (cost=392.84..392.84 rows=16 width=36) (actual time=2.537..2.538 rows=798.00 loops=3)
  Output: s.s_suppkey, n1.n_name
  Buckets: 1024 Batches: 1 Memory Usage: 42kB
  Buffers: shared hit=660
  Worker 0: actual time=2.169..2.170 rows=798.00 loops=1
    Buffers: shared hit=220
  Worker 1: actual time=2.192..2.193 rows=798.00 loops=1
    Buffers: shared hit=220
-> Hash Join (cost=42.48..392.84 rows=16 width=36) (actual time=0.093..2.398 rows=798.00 loops=3)
  Output: s.s_suppkey, n1.n_name
  Hash Cond: (n.n_nationkey = n1.n_nationkey)
  Buffers: shared hit=660
  Worker 0: actual time=0.087..2.044 rows=798.00 loops=1
    Buffers: shared hit=220
  Worker 1: actual time=0.096..2.068 rows=798.00 loops=1
    Buffers: shared hit=220
-> Hash Semi Join (cost=20.23..368.93 rows=400 width=12) (actual time=0.072..2.232 rows=798.
00 loops=3)

  Output: s.s_nationkey, s.s_suppkey, n.n_nationkey
  Hash Cond: (s.s_nationkey = n.n_nationkey)
  Buffers: shared hit=657
  Worker 0: actual time=0.070..1.895 rows=798.00 loops=1
    Buffers: shared hit=219
  Worker 1: actual time=0.077..1.917 rows=798.00 loops=1
    Buffers: shared hit=219
-> Seq Scan on public.supplier s (cost=0.00..318.00 rows=10000 width=8) (actual time=0
.037..0.995 rows=10000.00 loops=3)

  s.s_comment

  Buffers: shared hit=654
  Worker 0: actual time=0.041..0.768 rows=10000.00 loops=1
    Buffers: shared hit=218
  Worker 1: actual time=0.047..0.790 rows=10000.00 loops=1
    Buffers: shared hit=218
-> Hash (cost=20.12..20.12 rows=8 width=4) (actual time=0.015..0.015 rows=2.00 loops=3)

  Output: n.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=3
  Worker 0: actual time=0.016..0.016 rows=2.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.016..0.017 rows=2.00 loops=1
    Buffers: shared hit=1
-> Seq Scan on public.nation n (cost=0.00..20.12 rows=8 width=4) (actual time=0.
008..0.010 rows=2.00 loops=3)

  Output: n.n_nationkey
  Filter: (n.n_name = ANY ('{FRANCE,GERMANY}'::text[]))
  Rows Removed by Filter: 23
  Buffers: shared hit=3
  Worker 0: actual time=0.007..0.010 rows=2.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.008..0.011 rows=2.00 loops=1
    Buffers: shared hit=1
-> Hash (cost=22.15..22.15 rows=8 width=36) (actual time=0.011..0.011 rows=2.00 loops=3)
  Output: n1.n_name, n1.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=3
  Worker 0: actual time=0.012..0.012 rows=2.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.013..0.013 rows=2.00 loops=1
    Buffers: shared hit=1
-> Seq Scan on public.nation n1 (cost=0.00..22.15 rows=8 width=36) (actual time=0.005.
.0.007 rows=2.00 loops=3)

  Output: n1.n_name, n1.n_nationkey
  Filter: ((n1.n_name = 'GERMANY'::text) OR (n1.n_name = 'FRANCE'::text))
  Rows Removed by Filter: 23
  Buffers: shared hit=3
  Worker 0: actual time=0.005..0.007 rows=2.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.006..0.008 rows=2.00 loops=1
    Buffers: shared hit=1
-> Hash (cost=22.15..22.15 rows=8 width=36) (actual time=0.062..0.062 rows=2.00 loops=3)
  Output: n2.n_name, n2.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=3
  Worker 0: actual time=0.071..0.071 rows=2.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.065..0.065 rows=2.00 loops=1
    Buffers: shared hit=1
-> Seq Scan on public.nation n2 (cost=0.00..22.15 rows=8 width=36) (actual time=0.053..0.055 rows=2.00 loops=3)
  Output: n2.n_name, n2.n_nationkey
  Filter: ((n2.n_name = 'FRANCE'::text) OR (n2.n_name = 'GERMANY'::text))
  Rows Removed by Filter: 23
  Buffers: shared hit=3
  Worker 0: actual time=0.060..0.063 rows=2.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.055..0.057 rows=2.00 loops=1
    Buffers: shared hit=1

Planning:
  Buffers: shared hit=23
Planning Time: 9.227 ms
Execution Time: 1002.506 ms
(179 rows)

Time: 1020.728 ms (00:01.021)
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS supplier_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW supplier_secure AS
SELECT s.*
FROM supplier s
WHERE EXISTS (
  SELECT 1 FROM nation n
  WHERE n.n_nationkey = s.s_nationkey

```

```

        AND n.n_name IN ('FRANCE', 'GERMANY')
    );

-- Step 4: Grant permissions and set role
GRANT SELECT ON supplier_secure TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

-- Step 5: Run Q7
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    supp_nation,
    cust_nation,
    l_year,
    sum(volume) as revenue
from
    (
        select
            n1.n_name as supp_nation,
            n2.n_name as cust_nation,
            extract(year from l_shipdate) as l_year,
            l_extendedprice * (1 - l_discount) as volume
        from
            supplier_secure s,
            lineitem,
            orders,
            customer,
            nation n1,
            nation n2
        where
            s.s_suppkey = l_suppkey
            and o_orderkey = l_orderkey
            and c_custkey = o_custkey
            and s.s_nationkey = n1.n_nationkey
            and c_nationkey = n2.n_nationkey
            and (
                (n1.n_name = 'GERMANY' and n2.n_name = 'FRANCE')
                or (n1.n_name = 'FRANCE' and n2.n_name = 'GERMANY')
            )
            and l_shipdate between date '1995-01-01' and date '1996-12-31'
        ) as shipping
    group by
        supp_nation,
        cust_nation,
        l_year
    order by
        supp_nation,
        cust_nation,
        l_year;

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:   {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:   {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>

```

```
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}
```

Time: 0.847 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
```

```

:stmt_location 0
:stmt_len 47
}

Time: 1.503 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("supplier_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("supplier_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

```

Time: 1.174 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s"
{A_STAR
}
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier

```

```

:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RETARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 110
}
:rexpr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_name")
:location 148
}
:rexpr (
{A_CONST
:val "FRANCE"
:location 161
}
{A_CONST
:val "GERMANY"
:location 171
}
)
:rexpr_list_start 160
:rexpr_list_end 180
:location 157
}
)
:location 144
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 183
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s"
{A_STAR
}
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:sublinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetlist (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF

```

```

        :fields ("n" "n_nationkey")
        :location 110
    }
    :rexpr
    {COLUMNREF
        :fields ("s" "s_nationkey")
        :location 126
    }

    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 124
    }
    {A_EXPR IN
    :name ("=")
    :lexpr
    {COLUMNREF
        :fields ("n" "n_name")
        :location 148
    }

    :rexpr (
        {A_CONST
        :val "FRANCE"
        :location 161
        }
        {A_CONST
        :val "GERMANY"
        :location 171
        }
    )
    :rexpr_list_start 160
    :rexpr_list_end 180
    :location 157
    }
    }
    :location 144
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 64
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 183

```

```
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
)
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTY
            :alias
              {ALIAS
                :aliasname n
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname n
                :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
              }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
```



```

:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 110
}
{VAR
:varno 1
:varattno 4
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 126
}
)
:location 124
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 148
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 161
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 171
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:multidims false
:list_start 160
:list_end 180
:location -1
}
)
:location 157
}
)
:location 144
}

```

```

    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
      {TARGETENTRY
      :expr
      {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 84
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
      :resno 1
      :resname ?column?
      :ressortgrouppref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
      }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
  }
  :location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location 38
  }
  :resno 1
  :resname s_suppkey
  :ressortgrouppref 0
  :resorigtbl 16541
  :resorigcol 1
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 38
  }
  :resno 2
  :resname s_name
  :ressortgrouppref 0
  :resorigtbl 16541
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 3
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 3
  :location 38
  }
  :resno 3
  :resname s_address

```

```

:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 183

```

```

}

Time: 2.766 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 40
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
}

```

```

:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.666 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
}

```

```

>windowClause <>
>distinctClause <>
>sortClause <>
>limitOffset <>
>limitCount <>
>limitOption 0
>rowMarks <>
>setOperations <>
>constraintDeps <>
>withCheckOptions <>
>stmt_location 0
>stmt_len 33
}

```

Time: 0.470 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
}

```

```

:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.438 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname customer
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname customer
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree <>
:mergeActionList <>
}

```

```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.435 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false

```



```

:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.311 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.203 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("supp_nation")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("cust_nation")
:location 64
}
:location 64
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l_year")
:location 81
}
:location 81
}
{RESTARTGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("volume")
:location 97
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 93
}
:location 93
}
)
:fromClause (
{RANGESUBSELECT
:lateral false
:subquery
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name supp_nation
:indirection <>
:val
{COLUMNREF
:fields ("n1" "n_name")
:location 154
}
:location 154
}
{RESTARTGET
:name cust_nation
:indirection <>
:val
{COLUMNREF
:fields ("n2" "n_name")
:location 192
}
:location 192
}
{RESTARTGET
:name l_year
:indirection <>
:val
{FUNCCALL
:funcname ("pg_catalog" "extract")
:args (
{A_CONST
:val "year"
:location 238
}
{COLUMNREF
:fields ("l_shipdate")
:location 248
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
```

```

        :func_variadic false
        :funcformat 3
        :location 230
    }
:location 230
}
{RESTARTGET
:name volume
:indirection <>
:val
    {A_EXPR
    :name ("*")
    :lexpr
        {COLUMNREF
        :fields ("l_extendedprice")
        :location 283
        }
    :rexpr
        {A_EXPR
        :name ("-")
        :lexpr
            {A_CONST
            :val 1
            :location 302
            }
        :rexpr
            {COLUMNREF
            :fields ("l_discount")
            :location 306
            }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 304
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 299
    }
:location 283
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias
    {ALIAS
    :aliasname s
    :colnames <>
    }
:location 353
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 384
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 406
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 426
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
    {ALIAS
    :aliasname n1
    :colnames <>
    }
:location 448
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
    {ALIAS
    :aliasname n2
    :colnames <>
    }
:location 471
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
    {A_EXPR
    :name ("=")

```

```

:lexpr
  {COLUMNREF
   :fields ("s" "s_suppkey")
   :location 507
  }
:rexpr
  {COLUMNREF
   :fields ("l_suppkey")
   :location 521
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 519
}
{A_EXPR
: name ("=")
:lexpr
  {COLUMNREF
   :fields ("o_orderkey")
   :location 547
  }
:rexpr
  {COLUMNREF
   :fields ("l_orderkey")
   :location 560
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 558
}
{A_EXPR
: name ("=")
:lexpr
  {COLUMNREF
   :fields ("c_custkey")
   :location 587
  }
:rexpr
  {COLUMNREF
   :fields ("o_custkey")
   :location 599
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 597
}
{A_EXPR
: name ("=")
:lexpr
  {COLUMNREF
   :fields ("s" "s_nationkey")
   :location 625
  }
:rexpr
  {COLUMNREF
   :fields ("n1" "n_nationkey")
   :location 641
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 639
}
{A_EXPR
: name ("=")
:lexpr
  {COLUMNREF
   :fields ("c_nationkey")
   :location 672
  }
:rexpr
  {COLUMNREF
   :fields ("n2" "n_nationkey")
   :location 686
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 684
}
{BOOLEXPR
: boolop or
: args (
  {BOOLEXPR
   : boolop and
   : args (
     {A_EXPR
      : name ("=")
      :lexpr
        {COLUMNREF
         :fields ("n1" "n_name")
         :location 736
        }
     :rexpr
        {A_CONST
         :val "GERMANY"
         :location 748
        }
     :rexpr_list_start 0
     :rexpr_list_end 0
     :location 746
    }
    {A_EXPR
     : name ("=")
     :lexpr
        {COLUMNREF
         :fields ("n2" "n_name")
         :location 762
        }
     :rexpr
        {A_CONST
         :val "FRANCE"
         :location 774
        }
     :rexpr_list_start 0
     :rexpr_list_end 0
     :location 772
    }
  )
}

```

```

    }
  )
  :location 758
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
    :name ("=")
    :lexpr
      {COLUMNREF
        :fields ("n1" "n_name")
        :location 804
      }
    :rexpr
      {A_CONST
        :val "FRANCE"
        :location 816
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 814
  }
  {A_EXPR
    :name ("=")
    :lexpr
      {COLUMNREF
        :fields ("n2" "n_name")
        :location 829
      }
    :rexpr
      {A_CONST
        :val "GERMANY"
        :location 841
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 839
  }
)
  :location 825
}
)
:location 800
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
  {COLUMNREF
    :fields ("l_shipdate")
    :location 882
  }
:rexpr (
  {TYPECAST
    :arg
      {A_CONST
        :val "\1995-01-01"
        :location 906
      }
    :typeName
      {TYPENAME
        :names ("date")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods <>
        :typemod -1
        :arrayBounds <>
        :location 901
      }
    :location -1
  }
  {TYPECAST
    :arg
      {A_CONST
        :val "\1996-12-31"
        :location 928
      }
    :typeName
      {TYPENAME
        :names ("date")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods <>
        :typemod -1
        :arrayBounds <>
        :location 923
      }
    :location -1
  }
)
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 893
}
)
:location 543
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}

```

```

        :alias
        {ALIAS
        :aliasname shipping
        :colnames <>
        }
    }
)
:whereClause <>
:groupClause (
    {COLUMNREF
    :fields ("supp_nation")
    :location 972
    }
    {COLUMNREF
    :fields ("cust_nation")
    :location 989
    }
    {COLUMNREF
    :fields ("l_year")
    :location 1006
    }
)
:groupDistinct false
:havingClause <>
:windowClause <>
:valuesLists <>
:sortClause (
    {SORTBY
    :node
    {COLUMNREF
    :fields ("supp_nation")
    :location 1026
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
    }
    {SORTBY
    :node
    {COLUMNREF
    :fields ("cust_nation")
    :location 1043
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
    }
    {SORTBY
    :node
    {COLUMNREF
    :fields ("l_year")
    :location 1060
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
)
}
:stmt_location 0
:stmt_len 1066
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname shipping
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname shipping
        :colnames ("supp_nation" "cust_nation" "l_year" "volume")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname s
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname s
                :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey"
                  "s_phone" "s_acctbal" "s_comment")
              }
            :rtekind 0
            :relid 16654
            :inh true
            :relkind v
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromC1 true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname lineitem
                :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
                  mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
                  "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate"
                  "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
                  t")
              }
            :rtekind 0
            :relid 16566
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 2
            :tablesample <>
            :lateral false
            :inFromC1 true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname orders
                :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_o
                  talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
                  ippriority" "o_comment")
              }
            :rtekind 0
            :relid 16561
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 3
            :tablesample <>
            :lateral false
            :inFromC1 true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname customer
                :colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
                  "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
              }
            :rtekind 0
            :relid 16561
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 3
            :tablesample <>
            :lateral false
            :inFromC1 true
            :securityQuals <>
          }
        )
      }
    :rtekind 0
    :relid 16654
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromC1 true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
          mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
          "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate"
          "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
          t")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromC1 true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_o
          talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
          ippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromC1 true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname customer
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
          "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromC1 true
    :securityQuals <>
  }
)

```

```

    }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
  :alias
    {ALIAS
    :aliasname n1
    :colnames <>
    }
  :eref
    {ALIAS
    :aliasname n1
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
    }
  :rtekind 0
  :relid 16536
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 5
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBLENTY
  :alias
    {ALIAS
    :aliasname n2
    :colnames <>
    }
  :eref
    {ALIAS
    :aliasname n2
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
    }
  :rtekind 0
  :relid 16536
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 6
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16654
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 11)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16566
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 10 13 14 18)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16561
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16546
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 11)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
)

```



```

:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 507
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 521
}
)
:location 519
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 547
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 560
}
)
:location 558
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 587
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 599
}
)
:location 597
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 625
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 641
}
)
:location 639
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 672
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 686
}
)
:location 684
}
{BOOLEXPR
:boolop or
:args (
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 736
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 748
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 8
9 ]
}
)
:location 746
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 762
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 774
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 772
}
)
:location 758
}
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 804
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 816
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 814
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2

```

```

        :location 829
      }
      {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location 841
      :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 8
      9 ]
      }
    )
    :location 839
  }
)
:location 825
}
)
:location 800
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 1098
  :opfuncid 1090
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 882
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 906
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
  )
  :location 893
}
{OPEXP
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 2
  :varattno 11
  :vartype 1082
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 11
  :location 882
  }
  {CONST
  :consttype 1082
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location 928
  :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
  }
)
:location 893
}
)
:location 893
}
)
:location 543
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 5
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0

```

```

:varnosyn 5
:varattnosyn 2
:location 154
}
:resno 1
:resname supp_nation
:ressortgrouppref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 192
}
:resno 2
:resname cust_nation
:ressortgrouppref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 248
}
)
:location 230
}
:resno 3
:resname l_year
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0

```

```

        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 302
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    {VAR
        :varno 2
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location 306
    }
    )
    :location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reliid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
    {ALIAS
        :aliasname *GROUP*
        :colnames ("supp_nation" "cust_nation" "l_year")
    }
:rtekind 9
:groupexprs (
    {VAR
        :varno 1
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 47
    }
    {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 64
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 1700
        :vartypmod -1
        :varcollid 0
    }
}

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 81
    }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname supp_nation
    :ressortgroupref 1
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname cust_nation
    :ressortgroupref 2
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 3
      :vartype 1700
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname l_year
    :ressortgroupref 3
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 4
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
          }
        }
      )
    }
  }
)

```

```

        :varnosyn 1
        :varattnosyn 4
        :location 97
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>

```



```

:define verbose
:arg <>
:default 0
:location 18
}
{DEFELEM
:default <>
:define buffers
:arg <>
:default 0
:location 27
}
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1066
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname shipping
:colnames <>
}
:eref
{ALIAS
:aliasname shipping
:colnames ("supp_nation" "cust_nation" "l_year" "volume")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
}
}
}

```

```

:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16654
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1

```

```

:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16654
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 507
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 521
}
)
:location 519
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 547
}
  {VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 560
}
)
:location 558
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 587
}
  {VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 599
}
)
:location 597
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 625
}
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 5
:varattnosyn 1
:location 641
}
)
:location 639
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 672
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 686
}
)
:location 684
}
{BOOLEXPR
:boolop or
:args (
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 736
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 748
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 746
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 762
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 774
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)

```

```

    )
    :location 772
  }
)
:location 758
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 804
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 816
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
  )
  :location 814
  }
  {OEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 829
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 841
    :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
    }
  )
  :location 839
  }
)
:location 825
}
)
:location 800
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
  :opno 1098
  :opfuncid 1090
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 882
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 906
  )

```

```

        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 893
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 882
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 928
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 893
}
)
:location 893
}
)
:location 543
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 154
    }
:resno 1
:resname supp_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 192
    }
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
    {FUNCEXPR
    :funcid 6199
    :funcresulttype 1700
    :funcset false
    :funcvariadic false
    :funcformat 3
    :funccollid 0
    :inputcollid 100
    :args (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 238
        :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
        }
    )
}

```

```

        {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 248
        }
    )
    :location 230
}
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 302
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 306
}
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>

```



```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reldid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2

```

```

:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:varstype 1700
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 97
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)

```

```

    }
    {SORTGROUPCLAUSE
     :tleSortGroupRef 3
     :eqop 1752
     :sortop 1754
     :reverse_sort false
     :nulls_first false
     :hashable true
    }
  )
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause (
    {SORTGROUPCLAUSE
     :tleSortGroupRef 1
     :eqop 98
     :sortop 664
     :reverse_sort false
     :nulls_first false
     :hashable true
    }
    {SORTGROUPCLAUSE
     :tleSortGroupRef 2
     :eqop 98
     :sortop 664
     :reverse_sort false
     :nulls_first false
     :hashable true
    }
    {SORTGROUPCLAUSE
     :tleSortGroupRef 3
     :eqop 1752
     :sortop 1754
     :reverse_sort false
     :nulls_first false
     :hashable true
    }
  )
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
   :commandType 1
   :querySource 0
   :canSetTag true
   :utilityStmt <>
   :resultRelation 0
   :hasAggs true
   :hasWindowFuncs false
   :hasTargetSRFs false
   :hasSubLinks false
   :hasDistinctOn false
   :hasRecursive false
   :hasModifyingCTE false
   :hasForUpdate false
   :hasRowSecurity false
   :hasGroupRTE true
   :isReturn false
   :cteList <>
   :rtable (
    {RANGETBENTRY
     :alias
     {ALIAS
      :aliasname shipping
      :colnames <>
     }
    }
   :eref
   {ALIAS
    :aliasname shipping
    :colnames ("supp_nation" "cust_nation" "l_year" "volume")
   }
   :rtekind 1
   :subquery
   {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
     {RANGETBENTRY
      :alias
      {ALIAS
       :aliasname s
       :colnames <>
      }
     }
    :eref
    {ALIAS
     :aliasname s
     :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph

```

```

        one "s_acctbal" "s_comment")
    }
:rtkind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey"
"s_phone" "s_acctbal" "s_comment")
}
:rtkind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtkind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
}
)

```

```

:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {BOOLEXP
  :boolop and
  :args (
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
      }
      {VAR
      :varno 1
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 1
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 4
      :location -1
      }
    )
    :location -1
  }
  {SCALARARRAYOPEXP
  :opno 98
  :opfuncid 67
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 100
  :args (
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    {ARRAYEXP
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location -1
      :constvalue 10 [ 40 0 0 0 70 82 65 78 6
      7 69 ]
      }
      {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location -1
      :constvalue 11 [ 44 0 0 0 71 69 82 77 6
      5 78 89 ]
      }
    )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
  }
)
:location -1

```

```

        }
        :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname s_name
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3

```

```

        :location -1
    }
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>

```

```

:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16654
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>

```



```

:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16654
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 507
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 521
}
)
:location 519
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 547
}
  {VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 560
}
)
:location 558
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 587
}
  {VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 599
}
)
:location 597
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 625
}
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1

```

```

        :location 641
    }
)
:location 639
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 672
    }
    {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 686
    }
)
:location 684
}
{BOOLEXPR
:boolop or
:args (
    {BOOLEXPR
    :boolop and
    :args (
        {OPEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
            :varno 5
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 2
            :location 736
            }
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 748
            :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
            }
        )
    }
)
:location 746
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 762
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 774
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
)
}
:location 772

```

```

    }
  )
  :location 758
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 804
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 816
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
  )
  :location 814
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 6
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 6
  :varattnosyn 2
  :location 829
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 841
  :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
  }
)
:location 839
}
)
:location 825
}
)
:location 800
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 1098
  :opfuncid 1090
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 882
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 906
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
  )
}

```

```

        )
        :location 893
    }
    {OPEXPR
    :opno 1096
    :opfuncid 1088
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 882
        }
        {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 928
        :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 ]
        }
    )
    :location 893
    }
    )
    :location 893
    }
    )
    :location 543
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 154
    }
    :resno 1
    :resname supp_nation
    :ressortgroupref 0
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 192
    }
    :resno 2
    :resname cust_nation
    :ressortgroupref 0
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {FUNCEXPR
    :funcid 6199
    :funcresulttype 1700
    :funcset false
    :funcvariadic false
    :funcformat 3
    :funccollid 0
    :inputcollid 100
    :args (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 238
        :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
        }
        {VAR
        :varno 2

```

```

:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 248
}
)
:location 230
}
:resno 3
:resname l_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 302
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 306
}
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>

```

```

:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reld 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("supp_nation" "cust_nation" "l_year")
}
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 64
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname supp_nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:varatype 1700
:varatpmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:varatype 701
:varatpmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 97
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
{SORTGROUPCLAUSE

```



```

:tleSortGroupRef 3
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 3
   :eqop 1752
   :sortop 1754
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
   :alias
   {ALIAS
    :aliasname shipping
    :colnames <>
   }
  :eref
  {ALIAS
   :aliasname shipping
   :colnames ("supp_nation" "cust_nation" "l_year" "volume")
  }
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
   :alias
   {ALIAS
    :aliasname s
    :colnames <>
   }
  :eref
  {ALIAS
   :aliasname s
   :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
  }
}
}
}

```

```

:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey"
"s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO

```

```

:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 70 82 65 78 6
7 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 71 69 82 77 6
5 78 89 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
)

```

```

        :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
        }
        :resno 1
        :resname s_suppkey
        :ressortgrouppref 0
        :resorigtbl 16541
        :resorigcol 1
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
        }
        :resno 2
        :resname s_name
        :ressortgrouppref 0
        :resorigtbl 16541
        :resorigcol 2
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 3
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location -1
        }
    }
)

```

```

:resno 3
:resname s_address
:resortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:resortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:resortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:resortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:resortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>

```

```

:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16654
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true

```

```

    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16654
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
      {RANGETBLREF
        :rtindex 2
      }
      {RANGETBLREF
        :rtindex 3
      }
      {RANGETBLREF
        :rtindex 4
      }
      {RANGETBLREF
        :rtindex 5
      }
      {RANGETBLREF
        :rtindex 6
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 507
          }
          {VAR
            :varno 2
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
          }
        )
      }
    )
  }

```

```

        :varnosyn 2
        :varattnosyn 3
        :location 521
    }
)
:location 519
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 547
    }
    {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 560
    }
)
:location 558
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 587
    }
    {VAR
        :varno 3
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location 599
    }
)
:location 597
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 625
    }
    {VAR
        :varno 5
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 641
    }
)
}

```



```

)
:location 639
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 4
  :varattno 4
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 4
  :location 672
  }
  {VAR
  :varno 6
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 6
  :varattnosyn 1
  :location 686
  }
)
:location 684
}
{BOOLEXPR
:boolop or
:args (
  {BOOLEXPR
  :boolop and
  :args (
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
      :varno 5
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 2
      :location 736
      }
      {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location 748
      :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
      }
    )
  )
  :location 746
  }
  {OPEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 6
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 762
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 774
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
  )
  :location 772
  }
)
)

```

```

:location 758
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 804
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 816
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 814
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 829
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 841
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 839
}
)
:location 825
}
)
:location 800
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 882
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 906
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 ]
}
)
}
:location 893

```

```

    }
    {OPEXPR
    :opno 1096
    :opfuncid 1088
    :opresultttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 882
    }
    {CONST
    :constttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 928
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 893
  }
)
:location 893
}
)
:location 543
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 154
}
:resno 1
:resname supp_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 192
}
:resno 2
:resname cust_nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresultttype 1700
:funcset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:constttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 2
:varattno 11
:vartype 1082

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 248
    }
}
:location 230
}
:resno 3
:resname l_year
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 283
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 302
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 306
}
)
:location 304
}
)
:location 299
}
:resno 4
:resname volume
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>

```

```

        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :security_barrier false
    :reldid 0
    :inh false
    :relkind <>
    :rellockmode 0
    :perminfoindex 0
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname *GROUP*
    :colnames ("supp_nation" "cust_nation" "l_year")
    }
    :rtekind 9
    :groupexprs (
    {VAR
    :varno 1
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 47
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 64
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 1700
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 81
    }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
    }
    )
    :rteperminfos <>
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    :quals <>
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname supp_nation
    :ressortgroupref 1
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname cust_nation
:ressortgroupref 2
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname l_year
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 97
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 93
}
:resno 4
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 1752

```

```

:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 3
   :eqop 1752
   :sortop 1754
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 185710.15675646122
:plan.total_cost 185718.65182039893
:plan.plan_rows 59
:plan.plan_width 104
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
   }
   :resno 1
   :resname supp_nation
   :ressortgroupref 1
   :resorigtbl 16536
   :resorigcol 2
   :resjunk false
  }
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
   }
   :resno 2
   :resname cust_nation
   :ressortgroupref 2
   :resorigtbl 16536
   :resorigcol 2
   :resjunk false
  }
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 3
    :vartype 1700
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0

```

```

:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname l_year
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
}
:location 304
}
)
:location 299
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 93
}
:resno 4
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHERMERGE
:plan.disabled_nodes 0

```



```

:plan.startup_cost 185710.15675646122
:plan.total_cost 185717.02932039893
:plan.plan_rows 59
:plan.plan_width 112
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 2
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 3
        :vartype 1700
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 3
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 6
        :location 283
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 7
        :location 306
      }
    :resno 5
    :resname <>
    :ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 184710.1329820237
:plan.total_cost 184710.1954820237
:plan.plan_rows 25
:plan.plan_width 112
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 7
        :location -1
    }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 180167.41
:join.plan.total_cost 184709.5525
:join.plan.plan_rows 25
:join.plan.plan_width 112
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 238
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno -2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
)
:location 230
}
:resno 3
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 6
    :location 283
  }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 7
    :location 306
  }
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 180145.16
:join.plan.total_cost 184681.655
:join.plan.plan_rows 1228
:join.plan.plan_width 56
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 1
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 11
        :location 248
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 2
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 6
        :location 283
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 3
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 7

```

```

        :location 306
    }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 672
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4297
:scan.plan.plan_rows 62500
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6

```

```

:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 8
        :location -1
    }
    :resno 8
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 6
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 180129.81
:plan.total_cost 180129.81
:plan.plan_rows 1228
:plan.plan_width 56
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
}
}

```

```

:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 145522.94
:join.plan.total_cost 180129.81
:join.plan.plan_rows 1228
:join.plan.plan_width 56
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 7
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23

```



```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 599
    }
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 32258
:scan.plan.plan_rows 625000
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 8
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 5
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 9
        :location -1
        }
    :resno 9
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 5
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 145507.59
:plan.total_cost 145507.59
:plan.plan_rows 1228
:plan.plan_width 56
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 9
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
    }
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 393.035
:join.plan.total_cost 145507.59
:join.plan.plan_rows 1228
:join.plan.plan_width 56
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 10
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 248
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location 283
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location 306
}
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 560
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 142225.75
:scan.plan.plan_rows 767076
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 11
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4

```

```

        :varattnosyn 3
        :location -1
    }
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 8
:location -1
}
:resno 8
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location 882
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 906
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 893
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 11
:vartype 1082
:vartypmod -1

```



```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 11
        :location 882
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 928
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 893
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b 0)
    :scan.plan.allParam (b 0)
    :scan.scanreliid 4
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 392.83500000000004
    :plan.total_cost 392.83500000000004
    :plan.plan_rows 16
    :plan.plan_width 36
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 12
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 9
    :varattnosyn 1
    :location -1
    }
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 2
    :location -1
    }
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    }
    )
    :plan.qual <>
    :plan.lefttree
    {HASHJOIN
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 42.475
    :join.plan.total_cost 392.83500000000004
    :join.plan.plan_rows 16
    :join.plan.plan_width 36
    :join.plan.parallel_aware false
    :join.plan.parallel_safe true
    :join.plan.async_capable false
    :join.plan.plan_node_id 13
    :join.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 9
    :varattnosyn 1
    :location -1
    }
    }
    :resno 1

```

```

:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.225
:join.plan.total_cost 368.925
:join.plan.plan_rows 400
:join.plan.plan_width 12
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 14
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 318

```

```

:scan.plan.plan_rows 10000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 15
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 9
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 9
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 9
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 9
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 9
      :varattno 3
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 9
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 9
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 9
      :varattnosyn 4
      :location -1
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 9
      :varattno 5
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 9
      :varattnosyn 5
      :location -1
    }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
  }
)

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 9
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.125
:plan.total_cost 20.125
:plan.plan_rows 8
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 16
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.125
:scan.plan.plan_rows 8
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 17
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 10
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10

```

```

        :varattnosyn 1
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 10
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 2
:location -1
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 48 [ -64 0 0 0 1 0
0 0 0 0 0 0 25 0 0 0 2 0 0 0
1 0 0 0 40 0 0 0 70 82 65 78 6
7 69 0 0 44 0 0 0 71 69 82 77
65 78 89 0 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 10
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
)
:skewTable 16541
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 4
:location -1
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 1
        :location -1
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 4
        :location -1
    }
)
}
:join.plan.righttree
{HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 22.15
    :plan.total_cost 22.15
    :plan.plan_rows 8
    :plan.plan_width 36
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 18
    :plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 1
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 7
                :varattnosyn 2
                :location -1
            }
            :resno 1
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 7
                :varattnosyn 1
                :location -1
            }
            :resno 2
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
    )
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 22.15
    :scan.plan.plan_rows 8
    :scan.plan.plan_width 36
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 19
    :scan.plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno 7
                :varattno 2
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 7
                :varattnosyn 2
                :location -1
            }
        }
    )
}

```

```

:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 641
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{BOOLEXP
:boolop or
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 736
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 748
:constvalue 11 [ 44 0 0 0 71 6
9 82 77 65 78 89 ]
}
)
:location 746
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 804
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 816
:constvalue 10 [ 40 0 0 0 70 8
2 65 78 67 69 ]
}
)
:location 814
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 7
}

```

```

:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location 641
  }
)
:skewTable 16536
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno -1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location 641
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 10
    :varattnosyn 1
    :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 9
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0

```



```

:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 3
        :location 521
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 1
        :location -1
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location 521
  }
)
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 560
  }
)
:skewTable 16561
:skewColumn 1
:skewInherit false
:rows_total 2947.2
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 547
      }
      {VAR
        :varno -1
        :varattno 4
        :vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 560
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 547
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 599
    }
)
:skewTable 16546
:skewColumn 1
:skewInherit false
:rows_total 2947.2
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
    :args (
        {VAR
            :varno -2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 6
            :varattnosyn 1
            :location 587
        }
        {VAR
            :varno -1
            :varattno 4
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 2
            :location 599
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 587
    }
)

```

```

    }
  }
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 22.15
:plan.total_cost 22.15
:plan.plan_rows 8
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 20
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 22.15
:scan.plan.plan_rows 8
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 21
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 686
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
}
}

```

```

        :resjunk false
    }
)
:scan.plan.qual (
{BOOLEXP
:boolop or
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 762
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 774
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 772
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 829
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 841
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 839
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 8
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 686
}
)
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false

```

```

:join.joinqual (
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 736
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 748
:constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
}
)
:location 746
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 762
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 774
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 772
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 804
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 816
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 814
}

```

```

        {OPEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
        {VAR
        :varno -1
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 2
        :location 829
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 841
        :constvalue 11 [ 44 0 0 0 71 69 82 77 65 78 89 ]
        }
        )
        :location 839
    }
)
:location -1
}
)
:location -1
}
)
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 672
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 686
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 672
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:numCols 3
:sortColIdx ( 1 2 3)
:sortOperators ( 664 664 1754)
:collations ( 100 100 0)
:nullsFirst ( false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:numCols 3

```

```

:sortColIdx ( 1 2 3)
:sortOperators ( 664 664 1754)
:collations ( 100 100 0)
:nullsFirst ( false false false)
:initParam (b)
}

:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 0
:numCols 3
:grpColIdx ( 1 2 3)
:grpOperators ( 98 98 1752)
:grpCollations ( 100 100 0)
:numGroups 59
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

GroupAggregate (cost=185710.16..185718.65 rows=59 width=104) (actual time=870.813..874.356 rows=4.00 loops=1)
  Output: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate)), sum((lineitem.l_extendedprice * ('1':double precision - lineitem.l_discount)))
  Group Key: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate))
  Buffers: shared hit=11279 read=123814
  -> Gather Merge (cost=185710.16..185717.03 rows=59 width=112) (actual time=869.747..872.594 rows=5924.00 loops=1)
    Output: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate)), lineitem.l_extendedprice, lineitem.l_discount
    Workers Planned: 2
    Workers Launched: 2
    Buffers: shared hit=11279 read=123814
    -> Sort (cost=184710.13..184710.20 rows=25 width=112) (actual time=860.026..860.234 rows=1974.67 loops=3)
      Output: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate)), lineitem.l_extendedprice, lineitem.l_discount
      Sort Key: n1.n_name, n2.n_name, (EXTRACT(year FROM lineitem.l_shipdate))
      Sort Method: quicksort Memory: 160kB
      Buffers: shared hit=11279 read=123814
      Worker 0: actual time=856.260..856.356 rows=1940.00 loops=1
        Sort Method: quicksort Memory: 155kB
        Buffers: shared hit=3716 read=40764
      Worker 1: actual time=855.106..855.202 rows=1947.00 loops=1
        Sort Method: quicksort Memory: 155kB
        Buffers: shared hit=3757 read=40890
      -> Hash Join (cost=180167.41..184709.55 rows=25 width=112) (actual time=827.112..858.452 rows=1974.67 loops=3)
        Output: n1.n_name, n2.n_name, EXTRACT(year FROM lineitem.l_shipdate), lineitem.l_extendedprice, lineitem.l_discount
        Hash Cond: (customer.c_nationkey = n2.n_nationkey)
        Join Filter: (((n1.n_name = 'GERMANY'::text) AND (n2.n_name = 'FRANCE'::text)) OR ((n1.n_name = 'FRANCE'::text) AND (n2.n_name = 'GERMAN
Y'::text)))
        Rows Removed by Join Filter: 1933
        Buffers: shared hit=11249 read=123814
        Worker 0: actual time=822.988..854.571 rows=1940.00 loops=1
          Buffers: shared hit=3701 read=40764
        Worker 1: actual time=822.388..853.411 rows=1947.00 loops=1
          Buffers: shared hit=3742 read=40890
        -> Parallel Hash Join (cost=180145.16..184681.65 rows=1228 width=56) (actual time=826.957..854.204 rows=48567.67 loops=3)
          Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, customer.c_nationkey, n1.n_name
          Hash Cond: (customer.c_custkey = orders.o_custkey)
          Buffers: shared hit=11246 read=123814
          Worker 0: actual time=822.759..850.336 rows=47941.00 loops=1
            Buffers: shared hit=3700 read=40764
          Worker 1: actual time=822.250..849.245 rows=47946.00 loops=1
            Buffers: shared hit=3741 read=40890
          -> Parallel Seq Scan on public.customer (cost=0.00..4297.00 rows=62500 width=8) (actual time=0.009..4.647 rows=50000.00 loops=3)
            Output: customer.c_custkey, customer.c_name, customer.c_address, customer.c_nationkey, customer.c_phone, customer.c_acctbal,
customer.c_mktsegment, customer.c_comment
            Buffers: shared hit=3672
            Worker 0: actual time=0.015..4.925 rows=49157.00 loops=1
              Buffers: shared hit=1200
            Worker 1: actual time=0.011..4.974 rows=49409.00 loops=1
              Buffers: shared hit=1208
          -> Parallel Hash (cost=180129.81..180129.81 rows=1228 width=56) (actual time=826.905..827.022 rows=48567.67 loops=3)
            Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, orders.o_custkey, n1.n_name
            Buckets: 262144 (originally 4096) Batches: 1 (originally 1) Memory Usage: 14368kB
            Buffers: shared hit=7574 read=123814
            Worker 0: actual time=822.720..822.726 rows=48107.00 loops=1
              Buffers: shared hit=2500 read=40764
            Worker 1: actual time=822.202..822.207 rows=48658.00 loops=1
              Buffers: shared hit=2533 read=40890
          -> Parallel Hash Join (cost=145522.94..180129.81 rows=1228 width=56) (actual time=654.078..806.018 rows=48567.67 loops=3)
            Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, orders.o_custkey, n1.n_name
            Hash Cond: (orders.o_orderkey = lineitem.l_orderkey)
            Buffers: shared hit=7574 read=123814
            Worker 0: actual time=649.977..800.414 rows=48107.00 loops=1
              Buffers: shared hit=2500 read=40764
            Worker 1: actual time=649.411..801.423 rows=48658.00 loops=1
              Buffers: shared hit=2533 read=40890
          -> Parallel Seq Scan on public.orders (cost=0.00..32258.00 rows=625000 width=8) (actual time=0.780..45.133 rows=5000
0.00 loops=3)
            Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orde
rs.o_orderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
            Buffers: shared hit=2966 read=23042
            Worker 0: actual time=0.891..45.732 rows=493879.00 loops=1
              Buffers: shared hit=988 read=7588
            Worker 1: actual time=0.804..45.405 rows=500466.00 loops=1
              Buffers: shared hit=999 read=7672
          -> Parallel Hash (cost=145507.59..145507.59 rows=1228 width=56) (actual time=653.249..653.253 rows=48567.67 loops=3)
            Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_orderkey, n1.n_name
            Buckets: 262144 (originally 4096) Batches: 1 (originally 1) Memory Usage: 14368kB
            Buffers: shared hit=4608 read=100772
            Worker 0: actual time=649.057..649.062 rows=48103.00 loops=1
              Buffers: shared hit=1512 read=33176
            Worker 1: actual time=648.541..648.546 rows=48044.00 loops=1
              Buffers: shared hit=1534 read=33218
          -> Hash Join (cost=393.04..145507.59 rows=1228 width=56) (actual time=3.065..624.523 rows=48567.67 loops=3)
            Output: lineitem.l_shipdate, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_orderkey, n1.n_name
            Hash Cond: (lineitem.l_suppkey = s.s_suppkey)
            Buffers: shared hit=4608 read=100772
            Worker 0: actual time=3.156..618.267 rows=48103.00 loops=1
              Buffers: shared hit=1512 read=33176

```

```

Worker 1: actual time=2.749..620.533 rows=48044.00 loops=1
  Buffers: shared hit=1534 read=33218
-> Parallel Seq Scan on public.lineitem (cost=0.00..142225.75 rows=767076 width=28) (actual time=0.406..
549.321 rows=609483.33 loops=3)
  Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem
.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_com
mitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
  Filter: ((lineitem.l_shipdate >= '1995-01-01'::date) AND (lineitem.l_shipdate <= '1996-12-31'::date)
)
  Rows Removed by Filter: 1390922
  Buffers: shared hit=3948 read=100772
Worker 0: actual time=0.568..544.214 rows=602615.00 loops=1
  Buffers: shared hit=1292 read=33176
Worker 1: actual time=0.332..546.447 rows=602111.00 loops=1
  Buffers: shared hit=1314 read=33218
-> Hash (cost=392.84..392.84 rows=16 width=36) (actual time=2.639..2.640 rows=798.00 loops=3)
  Output: s.s_suppkey, n1.n_name
  Buckets: 1024 Batches: 1 Memory Usage: 42kB
  Buffers: shared hit=660
Worker 0: actual time=2.567..2.568 rows=798.00 loops=1
  Buffers: shared hit=220
Worker 1: actual time=2.387..2.389 rows=798.00 loops=1
  Buffers: shared hit=220
-> Hash Join (cost=42.48..392.84 rows=16 width=36) (actual time=0.102..2.491 rows=798.00 loops=3)
  Output: s.s_suppkey, n1.n_name
  Hash Cond: (n.n_nationkey = n1.n_nationkey)
  Buffers: shared hit=660
Worker 0: actual time=0.119..2.427 rows=798.00 loops=1
  Buffers: shared hit=220
Worker 1: actual time=0.137..2.250 rows=798.00 loops=1
  Buffers: shared hit=220
-> Hash Semi Join (cost=20.23..368.93 rows=400 width=12) (actual time=0.083..2.301 rows=798.
00 loops=3)
  Output: s.s_nationkey, s.s_suppkey, n.n_nationkey
  Hash Cond: (s.s_nationkey = n.n_nationkey)
  Buffers: shared hit=657
Worker 0: actual time=0.099..2.245 rows=798.00 loops=1
  Buffers: shared hit=219
Worker 1: actual time=0.113..2.064 rows=798.00 loops=1
  Buffers: shared hit=219
-> Seq Scan on public.supplier s (cost=0.00..318.00 rows=10000 width=8) (actual time=0
.042..0.877 rows=10000.00 loops=3)
  Output: s.s_suppkey, s.s_name, s.s_address, s.s_nationkey, s.s_phone, s.s_acctbal,
s.s_comment
  Buffers: shared hit=654
Worker 0: actual time=0.065..0.915 rows=10000.00 loops=1
  Buffers: shared hit=218
Worker 1: actual time=0.047..0.796 rows=10000.00 loops=1
  Buffers: shared hit=218
-> Hash (cost=20.12..20.12 rows=8 width=4) (actual time=0.021..0.022 rows=2.00 loops=3)
)
  Output: n.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=3
Worker 0: actual time=0.019..0.019 rows=2.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.032..0.033 rows=2.00 loops=1
  Buffers: shared hit=1
-> Seq Scan on public.nation n (cost=0.00..20.12 rows=8 width=4) (actual time=0.
008..0.016 rows=2.00 loops=3)
  Output: n.n_nationkey
  Filter: (n.n_name = ANY ('{FRANCE,GERMANY}'::text[]))
  Rows Removed by Filter: 23
  Buffers: shared hit=3
Worker 0: actual time=0.009..0.012 rows=2.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.008..0.026 rows=2.00 loops=1
  Buffers: shared hit=1
-> Hash (cost=22.15..22.15 rows=8 width=36) (actual time=0.013..0.013 rows=2.00 loops=3)
  Output: n1.n_name, n1.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=3
Worker 0: actual time=0.014..0.014 rows=2.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.016..0.016 rows=2.00 loops=1
  Buffers: shared hit=1
-> Seq Scan on public.nation n1 (cost=0.00..22.15 rows=8 width=36) (actual time=0.006.
.0008 rows=2.00 loops=3)
  Output: n1.n_name, n1.n_nationkey
  Filter: ((n1.n_name = 'GERMANY'::text) OR (n1.n_name = 'FRANCE'::text))
  Rows Removed by Filter: 23
  Buffers: shared hit=3
Worker 0: actual time=0.006..0.008 rows=2.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.008..0.010 rows=2.00 loops=1
  Buffers: shared hit=1
-> Hash (cost=22.15..22.15 rows=8 width=36) (actual time=0.065..0.065 rows=2.00 loops=3)
  Output: n2.n_name, n2.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=3
Worker 0: actual time=0.099..0.100 rows=2.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.064..0.064 rows=2.00 loops=1
  Buffers: shared hit=1
-> Seq Scan on public.nation n2 (cost=0.00..22.15 rows=8 width=36) (actual time=0.055..0.058 rows=2.00 loops=3)
  Output: n2.n_name, n2.n_nationkey
  Filter: ((n2.n_name = 'FRANCE'::text) OR (n2.n_name = 'GERMANY'::text))
  Rows Removed by Filter: 23
  Buffers: shared hit=3
Worker 0: actual time=0.088..0.091 rows=2.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.055..0.057 rows=2.00 loops=1
  Buffers: shared hit=1

Planning:
  Buffers: shared hit=23
  Planning Time: 11.544 ms
  Execution Time: 874.515 ms
(179 rows)

Time: 891.953 ms
tpch=> RESET ROLE;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT

```



```

:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 8.719 ms

```

tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT policyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.policyname, r.tablename);
    END LOOP;
END;
$$;

```

```

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

```

```

-- Step 3: Enable RLS on orders
ALTER TABLE orders ENABLE ROW LEVEL SECURITY;

```

```

-- Step 4: Create policy - only show orders from customers in ASIA region
CREATE POLICY orders_rls_policy ON orders
USING (
    EXISTS (
        SELECT 1 FROM customer c
        JOIN nation n1 ON c.c_nationkey = n1.n_nationkey
        JOIN region r ON n1.n_regionkey = r.r_regionkey
        WHERE c.c_custkey = orders.o_custkey
        AND r.r_name = 'ASIA'
    )
);

```

```

-- Step 5: Grant permissions and set role
GRANT SELECT ON orders TO alic;
GRANT SELECT ON customer TO alic;
GRANT SELECT ON lineitem TO alic;
GRANT SELECT ON supplier TO alic;
GRANT SELECT ON part TO alic;
GRANT SELECT ON nation TO alic;

```

```

GRANT SELECT ON region TO alice;
SET ROLE alice;

-- Step 6: Run Q8
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  o_year,
  sum(case
    when nation = 'INDIA' then volume
    else 0
  end) / sum(volume) as mkt_share
from
  (
    select
      extract(year from o_orderdate) as o_year,
      l_extendedprice * (1 - l_discount) as volume,
      n2.n_name as nation
    from
      part,
      supplier,
      lineitem,
      orders,
      customer,
      nation n1,
      nation n2,
      region
    where
      p_partkey = l_partkey
      and s_suppkey = l_suppkey
      and l_orderkey = o_orderkey
      and o_custkey = c_custkey
      and c_nationkey = n1.n_nationkey
      and n1.n_regionkey = r_regionkey
      and r_name = 'ASIA'
      and s_nationkey = n2.n_nationkey
      and o_orderdate between date '1995-01-01' and date '1996-12-31'
      and p_type = 'ECONOMY ANODIZED STEEL'
  ) as all_nations
group by
  o_year
order by
  o_year;
WARNING: ===== RAW PARSE TREE =====
DETAIL:   {RAWSTMT
:stmt
{DOSTMT
:args {
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
:defaction 0
:location 3
}
}
}
:stmt_location 0
:stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:   {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args {
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
:defaction 0
:location 3
}
}
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false

```

```

:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
}
}
}
}

```

```

        :constlen 64
        :constbyval false
        :constisnull false
        :location 65
        :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0
        0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
        0 0 0 0 0 0 0 0 0 0 ]
    }
}
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 7
    }
    :resno 1
    :resname policyname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 19
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
    }
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
        {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
        "cmd" "qual" "with_check")
        }
        :rtekind 1
        :subquery
    }
    )
}
)

```

```

{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname pol
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname pol
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck")
      }
    :rtekind 0
    :relid 3256
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
          "relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
          eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
          sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
          lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
          wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
          " "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
          lacl" "reloptions" "relpartbound")
      }
    :rtekind 0
    :relid 1259
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
          ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
          tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
          n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
          "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
          " "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
          spopulated" "relreplident" "relispartition" "relrewrite" "relfr
          ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    )
  }
)
}

```

```

}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshred" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR

```

```

:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
}
}

```



```

        )
        :location -1
    }
    :alias <>
    :rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policynome
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR

```

```

:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 4 [ 16 0 0 0 ]
  }
)
:location -1
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeId 25
    :typeMod -1
    :collation 0
  }
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:sublinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname pg_authid
      :colnames ("oid" "rolname" "rolsuper" "rolinherit"
        "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
        lication" "rolbypassrles" "rolconlimit" "rolpasswor
        d" "rolvaliduntil")
    }
    :rtekind 0
    :relid 1260
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
}

```

```

    }
  )
  :jointtree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
    {SCALARARRAYOPEXPR
      :opno 607
      :opfuncid 184
      :hashfuncid 0
      :negfuncid 0
      :useOr true
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 26
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location -1
        }
        {VAR
          :varno 1
          :varattno 6
          :vartype 1028
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 1
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 6
          :location -1
        }
      )
    }
    :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:varatype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR

```

```

        :typeId 18
        :typeMod -1
        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
    }
    :location -1
    }
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeId 18
    :typeMod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
    :location -1
    }
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeId 18
    :typeMod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
    }
    }
    :defresult
    {CONST

```

```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull true
        :location -1
        :constvalue <>
    }
    :location -1
}
:resno 6
:resname cmd
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>

```

```
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relockmode v
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
|requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatecols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoidid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varsyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varsyn 1
:varattnosyn 3
:location 7
}
}
:resno 1
:resname policymame
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
```



```

{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true

```

```

:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lcl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relcl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}

```

```

{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6

```

```

:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1

```

```

:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2

```



```

:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}

```

```

{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22

```

```

:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)

```

```

}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

        :constisnull false
        :location -1
        :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
    }
    :location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0

```

```

        :args (
          {CASETESTEXPR
           :typeId 25
           :typeMod -1
           :collation 0
          }
        )
        :location -1
      }
      :resulttype 1003
      :resulttypmod -1
      :resultcollid 950
      :coerceformat 2
      :location -1
    }
  }
  :location -1
}
)
:defresult
{SUBLINK
 :subLinkType 6
 :subLinkId 0
 :testexpr <>
 :operName <>
 :subselect
 {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBLENTRY
     :alias <>
     :eref
     {ALIAS
      :aliasname pg_authid
      :colnames ("oid" "rolname" "rolsuper" "rolinherit"
        "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
        lication" "rolbypassrls" "rolconndeflimit" "rolpasswor
        d" "rolvaliduntil")
      }
      :rtekind 0
      :relid 1260
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  )
  :rteperminfos (
    {RTEPERMISSIONINFO
     :relid 1260
     :inh true
     :requiredPerms 2
     :checkAsUser 10
     :selectedCols (b 8 9)
     :insertedCols (b)
     :updatedCols (b)
    }
  )
}
:jointree
{FROMEXPR
 :fromlist (
  {RANGETBLREF
   :rtindex 1
  }
)
}
:quals
{SCALARARRAYOPEXPR
 :opno 607
 :opfuncid 184
 :hashfuncid 0
 :negfuncid 0
 :useOr true
 :inputcollid 0
 :args (
  {VAR
   :varno 1
   :varattno 1
   :vartype 26
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 1
   :varattnosyn 1
   :location -1
  }
  {VAR
   :varno 1
   :varattno 6
   :vartype 1028
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 1
   :varreturningtype 0
  }
)
}

```



```

        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1

```

```

        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

        {CASETESTEXPR
        :typeId 18
        :typeMod -1
        :collation 0
        }
        {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
        }
    }
    :location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7

```

```

        :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :resno 7
    :resname qual
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {FUNCEXP
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
    {VAR
    :varno 1
    :varattno 8
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :resno 8
    :resname with_check
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :security_barrier false
    :relid 12018
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 12018
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)

```

```
}
}jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
(OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupByClause <>
:groupByDistinct false
:groupBySets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
```

```

:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4.907500000000001
:join.plan.total_cost 26.270249999999997
:join.plan.plan_rows 20
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 3.845
:join.plan.total_cost 24.77
:join.plan.plan_rows 82
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.44
:scan.plan.plan_rows 444
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
}

```



```

:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 25
        :location -1
    }
:resno 25
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 26
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 26
        :location -1
    }
:resno 26
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 27
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 27
        :location -1
    }
:resno 27
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 28
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 28
        :location -1
    }
:resno 28
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 29
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 29
        :location -1
    }
:resno 29
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 30
        :vartype 28
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 30
    }

```

```

        :location -1
    }
    :resno 30
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 31
    :vartype 28
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 31
    :location -1
    }
    :resno 31
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 32
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 32
    :location -1
    }
    :resno 32
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 33
    :vartype 1009
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 33
    :location -1
    }
    :resno 33
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 34
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 34
    :location -1
    }
    :resno 34
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 3
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 2.8200000000000003
    :plan.total_cost 2.8200000000000003
    :plan.plan_rows 82
    :plan.plan_width 68
    :plan.parallel_aware false
    :plan.parallel_safe false

```

```

:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 2.8200000000000003
    :scan.plan.plan_rows 82
    :scan.plan.plan_width 68
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 4
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 2
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 2
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno 2
            :varattno 3
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 3
            :location -1
          }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 2
  }
:plan.righttree <>

```

```

:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno -1
        :varattno 2
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
      }
    )
    :location -1
  }
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 1.05
:plan.total_cost 1.05
:plan.plan_rows 1
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location -1
    }
  }
:resno 1
:resname <>

```

```
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
 :scan.plan.disabled_nodes 0
 :scan.plan.startup_cost 0
 :scan.plan.total_cost 1.05
 :scan.plan.plan_rows 1
 :scan.plan.plan_width 4
 :scan.plan.parallel_aware false
 :scan.plan.parallel_safe false
 :scan.plan.async_capable false
 :scan.plan.plan_node_id 6
 :scan.plan.targetlist (
 {TARGETENTRY
 :expr
 {VAR
 :varno 5
 :varattno 1
 :vartype 26
 :vartypmod -1
 :varcollid 0
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 5
 :varattnosyn 1
 :location -1
 }
 :reso 1
 :resname <>
 :ressortgroupref 0
 :resorigtbl 0
 :resorigcol 0
 :resjunk false
 }
 )
 :scan.plan.qual (
 {OPEXPR
 :opno 93
 :opfuncid 62
 :opresulttype 16
 :opretset false
 :opcoid 0
 :inputcollid 950
 :args (
 {VAR
 :varno 5
 :varattno 2
 :vartype 19
 :vartypmod -1
 :varcollid 950
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 5
 :varattnosyn 2
 :location -1
 }
 {CONST
 :consttype 19
 :consttypmod -1
 :constcollid 950
 :constlen 64
 :constbyval false
 :constisnull false
 :location 65
 :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 ]
 }
 )
 :location 63
 }
 )
 :scan.plan.lefttree <>
 :scan.plan.righttree <>
 :scan.plan.initPlan <>
 :scan.plan.extParam (b)
 :scan.plan.allParam (b)
 :scan.scanrelid 5
 }
 :plan.righttree <>
 :plan.initPlan <>
 :plan.extParam (b)
 :plan.allParam (b)
 :hashkeys (
 {VAR
 :varno -2
 :varattno 1
 :vartype 26
 :vartypmod -1
 :varcollid 0
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 5
 :varattnosyn 1
 :location -1
 }
 )
 :skewTable 1259
 :skewColumn 3
 :skewInherit false
 :rows_total 0
 }
 :join.plan.initPlan <>
 :join.plan.extParam (b)
 :join.plan.allParam (b)
 :join.jointype 0
```



```

:join.inner_unique true
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
    )
  }
  :location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
  }
)
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree
    {FROMEXPR
      :fromlist <>
      :quals <>
    }
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList (
    {TARGETENTRY
      :expr
        {FUNCEXPR
          :funcid 3539
          :funcresulttype 25
          :funcresultset false
          :funcvariadic false
          :funcformat 0
          :funccollid 950
          :inputcollid 950
          :args (
            {CONST
              :consttype 25
              :consttypmod -1
              :constcollid 100
              :constlen -1
              :constbyval false
              :constisnull false
              :location 7
              :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
                70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
            }
            {PARAM
              :paramkind 0
              :paramid 3
            }
          )
        }
      }
    )
  }
}

```

```

        :paramtype 19
        :paramtypmod -1
        :paramcollid 950
        :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
}
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
}
)
}

```

```

    }
  )
  :location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcrestulttype 25
:funcretset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

```

WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("supplier" "supplier_rls_policy"))
}
}

```

```

:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 29.138 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
}

```

```

:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.169 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

```
Time: 1.065 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}
```

```
WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}
```

```
Time: 0.290 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
```

```

        {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 12
        }
      :cmds (
        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :stmt_location 0
  :stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.327 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p

```



```

        :alias <>
        :location 12
    }
    :cmds (
        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
    )
    :objtype 41
    :missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.272 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55

```

```

      :name <>
      :num 0
      :newowner <>
      :def <>
      :behavior 0
      :missing_ok false
      :recurse false
    }
  )
  :objtype 41
  :missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.255 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
      }
    )
  }
}

```

```

        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
  :stmt_location 0
  :stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.243 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
}

```

```

:stmt_location 0
:stmt_len 45
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

Time: 0.260 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY

```

```

:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.266 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 44
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation

```

```

{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 44
}

```

Time: 0.259 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name orders_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 35
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 78
}
:location 78
}
)
:fromClause (

```

```

{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 85
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:location 109
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_nationkey")
:location 122
}
:rexpr
{COLUMNREF
:fields ("n1" "n_nationkey")
:location 138
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 136
}
:alias <>
:rtindex 0
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname r
:colnames <>
}
:location 166
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n1" "n_regionkey")
:location 178
}
:rexpr
{COLUMNREF
:fields ("r" "r_regionkey")
:location 195
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 193
}
:alias <>
:rtindex 0
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 223
}
:rexpr
{COLUMNREF
:fields ("orders" "o_custkey")
:location 237
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 235
}
{A_EXPR

```

```

        :name ("=")
        :lexpr
        {COLUMNREF
         :fields ("r" "r_name")
         :location 266
        }
        :rexpr
        {A_CONST
         :val "ASIA"
         :location 277
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 275
    }
}
:location 262
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 54
}
:with_check <>
}
:stmt_location 0
:stmt_len 291
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name orders_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 35
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 78
}
:location 78
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 85
}
}
:rarg
{RANGEVAR

```



```

        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistance p
        :alias
        {ALIAS
         :aliasname n1
         :colnames <>
        }
        :location 109
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {A_EXPR
     :name ("=")
     :lexpr
     {COLUMNREF
      :fields ("c" "c_nationkey")
      :location 122
     }
     :rexpr
     {COLUMNREF
      :fields ("n1" "n_nationkey")
      :location 138
     }
     :rexpr_list_start 0
     :rexpr_list_end 0
     :location 136
    }
    :alias <>
    :rtindex 0
}
:rarg
{RANGEVAR
 :catalogname <>
 :schemaname <>
 :relname region
 :inh true
 :relpersistance p
 :alias
 {ALIAS
  :aliasname r
  :colnames <>
 }
 :location 166
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
 :name ("=")
 :lexpr
 {COLUMNREF
  :fields ("n1" "n_regionkey")
  :location 178
 }
 :rexpr
 {COLUMNREF
  :fields ("r" "r_regionkey")
  :location 195
 }
 :rexpr_list_start 0
 :rexpr_list_end 0
 :location 193
}
:alias <>
:rtindex 0
}
)
:whereClause
{BOOLEXP
 :boolop and
 :args (
 {A_EXPR
  :name ("=")
  :lexpr
  {COLUMNREF
   :fields ("c" "c_custkey")
   :location 223
  }
 :rexpr
  {COLUMNREF
   :fields ("orders" "o_custkey")
   :location 237
  }
 :rexpr_list_start 0
 :rexpr_list_end 0
 :location 235
 }
 {A_EXPR
  :name ("=")
  :lexpr
  {COLUMNREF
   :fields ("r" "r_name")
   :location 266
  }
 :rexpr
  {A_CONST
   :val "ASIA"
   :location 277
  }
 :rexpr_list_start 0
 :rexpr_list_end 0
 :location 275
 }
 )
 :location 262
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>

```

```

        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :location 54
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 291
}

```

Time: 2.265 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targetype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname orders
        :inh true
        :relpersistance p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targetype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname orders
        :inh true
        :relpersistance p
      }
    )
  }
}

```

```

        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.475 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname customer
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (

```

```

    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname customer
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.210 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
  :stmt
    {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname lineitem
      :inh true
      :relpersistence p
      :alias <>
      :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
      :priv_name select
      :cols <>
      }
    )
    :grantees (
      {ROLESPEC
      :roletype 0
      :rolename alice
      :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
  :stmt_location 0
  :stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
}

```

```

:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.240 ms

WARNING: ===== RAW PARSE TREE =====:

DETAIL: {RAWSTMT

```

:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}
```

Time: 0.193 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
```

```

:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 29
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.236 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT

```

:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC

```

```

        :roletype 0
        :rolename alice
        :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.193 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV

```



```

        :priv_name select
        :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname region
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.201 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
    {A_CONST
    :val "alice"
    :location 9
    }
)
:jumble_args false
:is_local false

```

```

        :location 9
      }
    :stmt_location 0
    :stmt_len 14
  }

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.128 ms
 WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o_year")
:location 47
}
:location 47
}
{RESTARTGET
:name mkt_share
:indirection <>
:val
{A_EXPR
:name ("/")
:lexpr
{FUNCCALL
:funcname ("sum")
:args (
{CASEEXPR
:casetype 0
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("nation")
:location 81
}
:rexpr
{A_CONST
:val "INDIA"

```

```

        :location 90
      }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 88
    }
  }
  :result
  {COLUMNREF
   :fields ("volume")
   :location 103
  }
  :location 76
}
)
:defresult
{A_CONST
 :val 0
 :location 123
}
:location 63
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 59
}
:rexpr
{FUNCCALL
 :funcname ("sum")
 :args (
  {COLUMNREF
   :fields ("volume")
   :location 140
  }
 )
 :agg_order <>
 :agg_filter <>
 :over <>
 :agg_within_group false
 :agg_star false
 :agg_distinct false
 :func_variadic false
 :funcformat 0
 :location 136
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 134
}
:location 59
}
)
:fromClause (
 {RANGESUBSELECT
  :lateral false
  :subquery
  {SELECTTMT
   :distinctClause <>
   :intoClause <>
   :targetList (
    {RESTARTARGET
     :name o_year
     :indirection <>
     :val
     {FUNCCALL
      :funcname ("pg_catalog" "extract")
      :args (
       {A_CONST
        :val "year"
        :location 207
       }
       {COLUMNREF
        :fields ("o_orderdate")
        :location 217
       }
      )
     }
     :agg_order <>
     :agg_filter <>
     :over <>
     :agg_within_group false
     :agg_star false
     :agg_distinct false
     :func_variadic false
     :funcformat 3
     :location 199
    }
   )
   :location 199
  }
  {RESTARTARGET
   :name volume
   :indirection <>
   :val
   {A_EXPR
    :name ("*")
    :lexpr
    {COLUMNREF
     :fields ("l_extendedprice")
     :location 253
    }
   }
   :rexpr
   {A_EXPR
    :name ("-")
    :lexpr
    {A_CONST
     :val 1
     :location 272
    }
   }
   :rexpr
   {COLUMNREF

```

```

        :fields ("l_discount")
        :location 276
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 274
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 269
    }
:location 253
}
{RESTARTGET
:name nation
:indirection <>
:val
    {COLUMNREF
    :fields ("n2" "n_name")
    :location 311
    }
:location 311
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 356
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 374
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 396
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 418
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 438
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
    {ALIAS
    :aliasname n1
    :colnames <>
    }
:location 460
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
    {ALIAS
    :aliasname n2
    :colnames <>
    }
:location 483
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 506
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("p_partkey")

```

```

        :location 539
    }
:rexpr
{COLUMNREF
:fields ("l_partkey")
:location 551
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 549
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_suppkey")
:location 577
}
}
:rexpr
{COLUMNREF
:fields ("l_suppkey")
:location 589
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 587
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_orderkey")
:location 615
}
}
:rexpr
{COLUMNREF
:fields ("o_orderkey")
:location 628
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 626
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("o_custkey")
:location 655
}
}
:rexpr
{COLUMNREF
:fields ("c_custkey")
:location 667
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 665
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c_nationkey")
:location 693
}
}
:rexpr
{COLUMNREF
:fields ("n1" "n_nationkey")
:location 707
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 705
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n1" "n_regionkey")
:location 738
}
}
:rexpr
{COLUMNREF
:fields ("r_regionkey")
:location 755
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 753
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r_name")
:location 783
}
}
:rexpr
{A_CONST
:val "ASIA"
:location 792
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 790
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_nationkey")
:location 815
}
}
:rexpr

```

```

        {COLUMNREF
        :fields ("n2" "n_nationkey")
        :location 829
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 827
    }
    {A_EXPR BETWEEN
    :name ("BETWEEN")
    :lexpr
    {COLUMNREF
    :fields ("o_orderdate")
    :location 860
    }
    :rexpr (
    {TYPECAST
    :arg
    {A_CONST
    :val "\1995-01-01"
    :location 885
    }
    :typeName
    {TYPENAME
    :names ("date")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods <>
    :typemod -1
    :arrayBounds <>
    :location 880
    }
    :location -1
    }
    {TYPECAST
    :arg
    {A_CONST
    :val "\1996-12-31"
    :location 907
    }
    :typeName
    {TYPENAME
    :names ("date")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods <>
    :typemod -1
    :arrayBounds <>
    :location 902
    }
    :location -1
    }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 872
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("p_type")
    :location 936
    }
    :rexpr
    {A_CONST
    :val "ECONOMY\ ANODIZED\ STEEL"
    :location 945
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 943
    }
    )
    :location 573
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :alias
    {ALIAS
    :aliasname all_nations
    :colnames <>
    }
    }
    )
    :whereClause <>
    :groupClause (
    {COLUMNREF
    :fields ("o_year")
    :location 1004
    }
    )
    )
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause (
    {SORTBY
    :node

```

```

        {COLUMNREF
        :fields ("o_year")
        :location 1024
        }
        :sortby_dir 0
        :sortby_nulls 0
        :useOp <>
        :location -1
        }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 1030
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname all_nations
:colnames <>
}
:eref
{ALIAS
:aliasname all_nations
:colnames ("o_year" "volume" "nation")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfg" "p_brand" "p_typ
e" "p_size" "p_container" "p_retailprice" "p_comment")
}
}
}
}
}

```

```

:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey"
"s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
ippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
"c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY

```



```

:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
{RANGETBLREF
:rtindex 7
}
{RANGETBLREF
:rtindex 8
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 539
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 551
}
)
:location 549
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 577
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 589
}
)
:location 587
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR

```

```

:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 615
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 628
}
)
:location 626
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 655
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 667
}
}
)
:location 665
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location 693
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 707
}
}
)
:location 705
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location 738
}
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 755
}
)
:location 753
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 783
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 792
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
)
:location 790
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 815
}
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 829
}
)
:location 827
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 4
        :varattnosyn 5
        :location 860
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 885
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 872
    }
    {OPEXPR
    :opno 1096
    :opfuncid 1088
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 5
    :location 860
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 907
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 872
    }
    )
    :location 872
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 936
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 945
    :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32
    65 78 79 68 73 90 69 68 32 83 84 69 69 76 ]
    }
    )
    :location 943
    }
    )
    :location 573
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false

```

```

        :location 207
        :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
    }
    {VAR
    :varno 4
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 5
    :location 217
    }
    )
    :location 199
    }
:resno 1
:resname o_year
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 253
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 272
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 276
}
)
:location 274
}
)
:location 269
}
:resno 2
:resname volume
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 2
        :location 311
    }
    :resno 3
    :resname nation
    :ressortgroupref 0
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname o_year
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 593
:opfuncid 217
:opresulttype 701

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
        {CASEEXPR
          :casetype 701
          :casecollid 0
          :arg <>
          :args (
            {CASEWHEN
              :expr
              {OEXPR
                :opno 98
                :opfuncid 67
                :opresulttype 16
                :opretset false
                :opcollid 0
                :inputcollid 100
                :args (
                  {VAR
                    :varno 1
                    :varattno 3
                    :vartype 25
                    :vartypmod -1
                    :varcollid 100
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 3
                    :location 81
                  }
                  {CONST
                    :consttype 25
                    :consttypmod -1
                    :constcollid 100
                    :constlen -1
                    :constbyval false
                    :constisnull false
                    :location 90
                    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
                  }
                )
              :location 88
            }
          :result
          {VAR
            :varno 1
            :varattno 2
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 103
          }
        :location 76
      }
    )
  :defresult
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 123
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  :location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0

```



```

:aggno -1
:aggtransno -1
:location 59
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 140
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 136
}
)
:location 134
}
:resno 2
:resname mkt_share
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
}

```

```

{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1030
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname all_nations
:colnames <>
}
}
:eref
{ALIAS
:aliasname all_nations
:colnames ("o_year" "volume" "nation")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true

```

```

:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumbr"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
}

```

```

:eref
  {ALIAS
  :aliasname n2
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
  }
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
  :aliasname region
  :colnames ("r_regionkey" "r_name" "r_comment")
  }
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
)
}

```

```

{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
{RANGETBLREF
:rtindex 7
}
{RANGETBLREF
:rtindex 8
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 539
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 551
}
)
:location 549
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 577
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 589
}
)
:location 587
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 615
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 628
}
)
:location 626
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 655
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 667
}
}
:location 665
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location 693
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 707
}
}
:location 705
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3

```

```

:location 738
}
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 755
}
)
:location 753
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 783
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 792
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
)
:location 790
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 815
}
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 829
}
)
:location 827
}
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 860
}
{CONST
:consttype 1082

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 885
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 ]
    }
}
:location 872
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 860
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 907
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 ]
}
)
:location 872
}
)
:location 872
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 936
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 945
:constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78
79 68 73 90 69 68 32 83 84 69 69 76 ]
}
)
:location 943
}
)
:location 573
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 4
:varattno 5

```



```

        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 5
        :location 217
    }
)
:location 199
}
:resno 1
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 253
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 272
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 276
}
)
:location 274
}
)
:location 269
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 311
}
}
:resno 3

```

```

        :resname nation
        :resortgroupref 0
        :resorigtbl 16536
        :resorigcol 2
        :resjunk false
    }
)
:override 0
:onConflict <>
:ReturningOldAlias <>
:ReturningNewAlias <>
:ReturningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname o_year
:resortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111

```

```

:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
  :expr
  {CASEEXPR
  :casetype 701
  :casecollid 0
  :arg <>
  :args (
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
      :varno 1
      :varattno 3
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location 81
      }
      {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location 90
      :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
      }
    )
    :location 88
    }
  :result
  {VAR
  :varno 1
  :varattno 2
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 103
  }
  :location 76
  }
)
:defaultresult
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location 123
  :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 59
}
{AGGREF
:aggfnoid 2111

```

```

:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 140
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 136
}
)
:location 134
}
:resno 2
:resname mkt_share
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16561
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
    }
  }
)

```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname c
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname c
      :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone"
        "c_acctbal" "c_mktsegment" "c_comment")
    }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname n1
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname n1
      :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname unnamed_join
      :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone"
        "c_acctbal" "c_mktsegment" "c_comment" "n_nationkey" "n_name" "n_
        _regionkey" "n_comment")
    }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1

```

```

:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}

```

```

{RANGETBLENTY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone"
" "c_acctbal" "c_mktsegment" "c_comment" "n_nationkey" "n_name" "n
_regionkey" "n_comment" "r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1

```

```

:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}

```



```

)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR

```

```

:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (

```

```

{TARGETENTRY
:expr
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname all_nations
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname all_nations
        :colnames ("o_year" "volume" "nation")
      }
  }
:rtekind 1
:subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity true
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname part
            :colnames ("p_partkey" "p_name" "p_mfggr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
          }
        :rtekind 0
        :relid 16551
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
      }
    )
  }
}
)

```

```

:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n1
:colnames <>
}

```

```

    }
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment" "
n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment" "
n_nationkey" "n_name" "n_regionkey" "n_comment" "r_reg
ionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0

```

```

:joinaliasvars (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
  }
  {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location -1
  }
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
  }
  {VAR
    :varno 1
    :varattno 8
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location -1
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
  }

```

```

:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
}
)

```



```

        :insertedCols (b)
        :updatedCols (b)
    }
)
:jointree
{FROMEXPR
{fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals
{BOOLEXPR

```

```

:boolop and
:args (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 4
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
      }
    )
    :location -1
  }
  {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 4
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
      }
    )
    :location -1
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>

```

```

        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:ртеperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566

```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
{RANGETBLREF
:rtindex 7
}
{RANGETBLREF
:rtindex 8
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 539
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 3
        :varattnosyn 2
        :location 551
    }
)
:location 549
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 577
    }
    {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 589
    }
)
:location 587
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 615
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 628
    }
)
:location 626
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 4
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 655
    }
    {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 667
    }
)

```

```

)
:location 665
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location 693
}
  {VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 707
}
)
:location 705
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location 738
}
  {VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 755
}
)
:location 753
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 783
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 792
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
)
:location 790
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 815
  }
  {VAR
    :varno 7
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location 829
  }
)
:location 827
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 4
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 5
        :location 860
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 885
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
    )
  }
  :location 872
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 5
    :location 860
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 907
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
  }
)
:location 872
}
)
:location 872
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```

```

        {VAR
        :varno 1
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 936
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 945
        :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78
        79 68 73 90 69 68 32 83 84 69 69 76 ]
        }
    )
    :location 943
}
)
:location 573
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {FUNCEXP
    :funcid 6199
    :funcresulttype 1700
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 0
    :inputcollid 100
    :args (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 207
        :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
        }
        {VAR
        :varno 4
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 5
        :location 217
        }
    )
    :location 199
    }
:resno 1
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXP
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 3
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location 253
    }
    {OPEXP
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
        {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false

```



```

:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 272
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 276
}
)
:location 274
}
)
:location 269
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 7
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 2
    :location 311
  }
}
:resno 3
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname *GROUP*
    :colnames ("o_year")
  }
}
:rtekind 9
:groupexprs (
  {VAR
    :varno 1
    :varattno 1
    :vartype 1700
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
  }
)

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_year
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 701
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 90
:constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
}
)
:location 88
}
:result
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 103
    }
    :location 76
}
)
:defresult
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 123
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:location 63
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 59
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 140
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 136
}
)
:location 134
}
:resno 2
:resname mkt_share
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>

```

```

:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname all_nations
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname all_nations
        :colnames ("o_year" "volume" "nation")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity true
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname part
                :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
              }
            :rtekind 0
            :relid 16551
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias <>
            :eref
              {ALIAS

```

```

        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
    }
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
    {ALIAS
    :aliasname lineitem
    :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumbe
r" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
    }
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
    {ALIAS
    :aliasname orders
    :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
    }
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals (
    {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSublinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
        {RANGETBENTRY
        :alias
        {ALIAS
        :aliasname c
        :colnames <>
        }
        :eref
        {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
        }
        :rtekind 0
        :relid 16546
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesampl <>
        :lateral false
        :inFromCl true
        :securityQuals <>
        }
        {RANGETBENTRY
        :alias
        {ALIAS
        :aliasname n1
        :colnames <>
        }
        :eref
        {ALIAS
        :aliasname n1
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
        }
    }
}

```

```

:rtekind 0
:releid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment" "
n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}

```

```

{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment" "
n_nationkey" "n_name" "n_regionkey" "n_comment" "r_reg
ionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25

```



```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (

```

```

{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 4
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
  }
)
:location -1
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
  }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1

```

```

        }
        :location -1
    }
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
{RANGETBLREF
:rtindex 7
}
{RANGETBLREF
:rtindex 8
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 539
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 551
}
)
}
:location 549
}

```

```

{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 577
}
  {VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 589
}
)
:location 587
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 615
}
  {VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 628
}
)
:location 626
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 655
}
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 667
}
)
:location 665
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 5
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 4
    :location 693
  }
  {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 707
  }
)
:location 705
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 6
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 3
    :location 738
  }
  {VAR
    :varno 8
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location 755
  }
)
:location 753
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 8
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 2
    :location 783
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 792
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
  }
)
:location 790
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 815
}
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 829
}
)
:location 827
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 860
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 885
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
)
:location 872
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 860
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 907
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
}
)
)
:location 872
}
)
:location 872
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```



```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 936
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 945
    :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78
79 68 73 90 69 68 32 83 84 69 69 76 ]
    }
    )
    :location 943
    }
    )
    :location 573
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 217
}
)
:location 199
}
:resno 1
:resname o_year
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 253
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1

```

```

        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 272
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 276
}
}
:location 274
}
)
:location 269
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 311
}
:resno 3
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reldid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
)
:lateral false

```

```

:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_year
:resortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 701
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 90
:constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
}
)
:location 88
}
:result
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 103
}
}
}

```

```

    }
    :location 76
  }
)
:defaultresult
{FUNCEXPR
:funcid 316
:funcresultttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 123
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 59
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 140
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 136
}
)
:location 134
}
:resno 2
:resname mkt_share
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 1752

```

```

:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 1752
   :sortop 1754
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL:      {AGG
:plan.disabled_nodes 0
:plan.startup_cost 8449188064.837152
:plan.total_cost 8449188152.437152
:plan.plan_rows 2336
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 1
    :vartype 1700
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
   }
   :resno 1
   :resname o_year
   :ressortgroupref 1
   :resorigtbl 0
   :resorigcol 0
   :resjunk false
  }
  {TARGETENTRY
   :expr
   {OPEXPR
    :opno 593
    :opfuncid 217
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
     {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 701
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
       {TARGETENTRY
        :expr
        {CASEEXPR
         :casetype 701
         :casecollid 0
         :arg <>
         :args (
          {CASEWHEN
           :expr
           {OPEXPR
            :opno 98
            :opfuncid 67
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 100
            :args (
             {VAR
              :varno -2
              :varattno 2
              :vartype 25
              :vartypmod -1
              :varcollid 100
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 9
              :varattnosyn 2
              :location 311
             }
            }
          }
        }
       }
      }
     }
    }
   }
  }
)

```

```

        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 90
        :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
        }
    )
    :location 88
}
:result
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno -2
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 6
    :location 253
    }
    {OEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 0 -16 63 ]
        }
        {VAR
        :varno -2
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 7
        :location 276
        }
    )
    :location 274
}
)
:location 269
}
:location 76
}
)
:defresult
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 0 0 ]
}
:location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 59
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701

```

```

:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {OEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno -2
            :varattno 3
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 6
            :location 253
          }
          {OEXPR
            :opno 592
            :opfuncid 219
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 701
                :consttypmod -1
                :constcollid 0
                :constlen 8
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
              }
              {VAR
                :varno -2
                :varattno 4
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 5
                :varattnosyn 7
                :location 276
              }
            )
          }
        )
        :location 274
      }
    )
    :location 269
  }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno 1
:aggtransno 1
:location 136
}
)
:location 134
}
:resno 2
:resname mkt_share
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
  {SORT
    :plan.disabled_nodes 0
    :plan.startup_cost 8449188064.837152
    :plan.total_cost 8449188070.677152
    :plan.plan_rows 2336
    :plan.plan_width 80
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 1
    :plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno -2
            :varattno 1
            :vartype 1700
            :vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
    }
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno -2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 2
        :location -1
    }
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno -2
        :varattno 3
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 6
        :location -1
    }
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno -2
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 7
        :location -1
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 5984.151666666667
:join.plan.total_cost 8449187934.14
:join.plan.plan_rows 2336
:join.plan.plan_width 80
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
    {TARGETENTRY
    :expr
        {FUNCEXP
            :funcid 6199
            :funcresulttype 1700
            :funcresultset false
            :funcvariadic false
            :funcformat 3
            :funccollid 0
            :inputcollid 100
            :args (
                {CONST
                    :consttype 25
                    :consttypmod -1
                    :constcollid 100
                    :constlen -1
                    :constbyval false
                    :constisnull false
                    :location 207
                    :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
                }
            )
        }
    }
}

```



```

    }
    {VAR
    :varno -2
    :varattno 4
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 5
    :location 217
    }
  )
  :location 199
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location 311
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 5955.926666666666
:join.plan.total_cost 8449187816.841249
:join.plan.plan_rows 577
:join.plan.plan_width 24
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 5
        :varattnosyn 6
        :location 253
    }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 815
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location 217
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 318
:scan.plan.plan_rows 10000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 7
        :location -1
    }
    :resno 7
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 4
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 5955.926666666666
:plan.total_cost 8449100950.28375
:plan.plan_rows 577
:plan.plan_width 24
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5

```

```

        :location -1
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 5955.926666666666
:join.plan.total_cost 8449100947.398749
:join.plan.plan_rows 577
:join.plan.plan_width 24
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 6
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location 589
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location 217
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{GATHER

```

```

:plan.disabled_nodes 0
:plan.startup_cost 5913.754166666667
:plan.total_cost 149754.61375000005
:plan.plan_rows 46597
:plan.plan_width 24
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 7
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 6
      :location 253
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 7
      :location 276
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 3
      :location 589
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location 615
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
  :join.plan.disabled_nodes 0
  :join.plan.startup_cost 4913.754166666667
  :join.plan.total_cost 144094.91375000004
  :join.plan.plan_rows 19415
  :join.plan.plan_width 24
  :join.plan.parallel_aware true
  :join.plan.parallel_safe true
  :join.plan.async_capable false
  :join.plan.plan_node_id 8
  :join.plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR

```

```

:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location 589
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 615
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 129723.83333333334
:scan.plan.plan_rows 2500383
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 9
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1

```

```

:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```



```

}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5

```

```

        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 12
        :location -1
    }
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 5
}

```

```

:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4905.666666666667
:plan.total_cost 4905.666666666667
:plan.plan_rows 647
:plan.plan_width 4
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 10
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4905.666666666667
:scan.plan.plan_rows 647
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 11
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 539
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 936
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 945
:constvalue 26 [ 104 0 0 0 69 67 79 78 79
77 89 32 65 78 79 68 73 90 69 68 32 83 84
69 69 76 ]
}
:location 943
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanreldid 3

```

```

    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b 2)
    :plan.allParam (b 2)
    :hashkeys (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 539
      }
    )
    :skewTable 16566
    :skewColumn 2
    :skewInherit false
    :rows_total 1552.8
  }
  :join.plan.initPlan <>
  :join.plan.extParam (b 2)
  :join.plan.allParam (b 2)
  :join.jointype 0
  :join.inner_unique false
  :join.joinqual <>
  :hashclauses (
    {OPEXPR
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno -2
          :varattno 2
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 5
          :varattnosyn 2
          :location 551
        }
        {VAR
          :varno -1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 3
          :varattnosyn 1
          :location 539
        }
      )
    }
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 551
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 2
:single_copy false
:invisible false
:initParam (b)
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 42.1725
:plan.total_cost 8435975139.622499
:plan.plan_rows 18565
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 12
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
    }
  }
)
}

```

```

        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 5
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 42.1725
:join.plan.total_cost 8435975046.7975
:join.plan.plan_rows 18565
:join.plan.plan_width 8
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 13
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location 217
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 628
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 8394198508
:scan.plan.plan_rows 229193
:scan.plan.plan_width 12
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 14
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 6
        :location -1
    }
    :resno 6
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 6
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 7
    :location -1
    }
    :resno 7
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 6
    :varattno 8
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 8
    :location -1
    }
    :resno 8
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 6
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 9
    :location -1
    }
    :resno 9
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual (
    {OPEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 6
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 5
    :location 860
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 885
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 872
    }

```

```

{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 6
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location 860
}
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 907
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
}
)
:location 872
}
{SUBPLAN
:subLinkType 2
:testexpr
  {OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 6
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
  {PARAM
:paramkind 1
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
:paramIds (i 1)
:plan_id 2
:plan_name SubPlan\ 2
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 6114.5475
:per_call_cost 0.0025
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 6
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 42.1725
:plan.total_cost 6144.9225
:plan.plan_rows 12150
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 15
:plan.targetlist (
  {TARGETENTRY
:expr
  {VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

        :varnosyn 7
        :varattnosyn 1
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 42.1725
:join.plan.total_cost 6084.1725
:join.plan.plan_rows 12150
:join.plan.plan_width 4
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 16
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 667
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 5172
:scan.plan.plan_rows 150000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 17
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 7
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 8
:location -1
}
}

```

```

        :resno 8
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 7
}
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 41.9725
:plan.total_cost 41.9725
:plan.plan_rows 16
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 18
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.675
:join.plan.total_cost 41.9725
:join.plan.plan_rows 16
:join.plan.plan_width 4
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 19
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 707
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 20
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
}
}
}

```

```

:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 8
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.625
:plan.total_cost 20.625
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 21
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

    }
  )
  :plan.qual <>
  :plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 20.625
    :scan.plan.plan_rows 4
    :scan.plan.plan_width 4
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 22
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
        {VAR
          :varno 10
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 10
          :varattnosyn 1
          :location 755
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :scan.plan.qual (
      {OPEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
          {VAR
            :varno 10
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 10
            :varattnosyn 2
            :location 783
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 792
            :constvalue 8 [ 32 0 0 0 65 83
              73 65 ]
          }
        )
        :location 790
      }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 10
  }
  :plan.righttree <>
  :plan.initPlan <>
  :plan.extParam (b)
  :plan.allParam (b)
  :hashkeys (
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 10
      :varattnosyn 1
      :location 755
    }
  )
  :skewTable 16536
  :skewColumn 3
  :skewInherit false
  :rows_total 0
  }
  :join.plan.initPlan <>
  :join.plan.extParam (b)
  :join.plan.allParam (b)
  :join.jointype 0
  :join.inner_unique false
  :join.joinqual <>
  :hashclauses (
    {OPEXPR
      :opno 96

```

```

:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 3
    :location 738
  }
  {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 10
    :varattnosyn 1
    :location 755
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 3
    :location 738
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location 707
  }
)
}
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 4
        :location 693
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
      }
    )
  }
)

```

```

        :varnosyn 8
        :varattnosyn 1
        :location 707
    }
}
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 4
        :location 693
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
    {OEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 6
                :varattnosyn 2
                :location 655
            }
            {VAR
                :varno -1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 7
                :varattnosyn 1
                :location 667
            }
        )
    }
:location -1
}
)
:nestParams <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
    {OEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 4
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 5
                :varattnosyn 1
                :location 615
            }
            {VAR
                :varno -1
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
            }
        )
    }

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 628
    }
}
:location -1
}
)
:nestParams <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 577
        }
        {VAR
        :varno -1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location 589
        }
    )
    :location -1
}
)
:nestParams <>
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 18.1
:plan.total_cost 18.1
:plan.plan_rows 810
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 23
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 9
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 9
    :varattnosyn 1
    :location -1
    }
    :resno 2
    :resname <>

```



```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 24
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location 311
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location 829
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 9
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location 829
}
)
:skewTable 16541
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 815
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location 829
}
}
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 815
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 1754)
:collations ( 0)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 1752)
:grpCollations ( 0)
:numGroups 2336
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
GroupAggregate (cost=8449188064.84..8449188152.44 rows=2336 width=40) (actual time=745304.865..745305.762 rows=2.00 loops=1)
  Output: (EXTRACT(year FROM orders.o_orderdate)), (sum(CASE WHEN (n2.n_name = 'INDIA'::text) THEN (lineitem.l_extendedprice * ('1'::double precision - line
item.l_discount)) ELSE '0'::double precision END) / sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount))))
  Group Key: (EXTRACT(year FROM orders.o_orderdate))
  Buffers: shared hit=18909 read=123250, temp read=8825784 written=202
  -> Sort (cost=8449188064.84..8449188070.68 rows=2336 width=80) (actual time=745303.572..745304.212 rows=2711.00 loops=1)
    Output: (EXTRACT(year FROM orders.o_orderdate)), n2.n_name, lineitem.l_extendedprice, lineitem.l_discount
    Sort Key: (EXTRACT(year FROM orders.o_orderdate))
    Sort Method: quicksort Memory: 226kB
    Buffers: shared hit=18909 read=123250, temp read=8825784 written=202
    -> Hash Join (cost=5984.15..8449187934.14 rows=2336 width=80) (actual time=742666.994..745300.702 rows=2711.00 loops=1)
      Output: EXTRACT(year FROM orders.o_orderdate), n2.n_name, lineitem.l_extendedprice, lineitem.l_discount
      Hash Cond: (supplier.s_nationkey = n2.n_nationkey)
      Buffers: shared hit=18909 read=123250, temp read=8825784 written=202
      -> Nested Loop (cost=5955.93..8449187816.84 rows=577 width=24) (actual time=742664.113..745296.733 rows=2711.00 loops=1)
        Output: lineitem.l_extendedprice, lineitem.l_discount, supplier.s_nationkey, orders.o_orderdate
        Join Filter: (supplier.s_suppkey = lineitem.l_suppkey)
        Rows Removed by Join Filter: 27107289
        Buffers: shared hit=18908 read=123250, temp read=8825784 written=202
        -> Seq Scan on public.supplier (cost=0.00..318.00 rows=10000 width=8) (actual time=0.007..4.889 rows=10000.00 loops=1)
          Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_nationkey, supplier.s_phone, supplier.s_acctbal, suppl
ier.s_comment
        Buffers: shared hit=218
      -> Materialize (cost=5955.93..8449100950.28 rows=577 width=24) (actual time=24.666..74.361 rows=2711.00 loops=10000)
        Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_suppkey, orders.o_orderdate
        Storage: Memory Maximum Storage: 202kB
        Buffers: shared hit=18690 read=123250, temp read=8825784 written=202
        -> Nested Loop (cost=5955.93..8449100947.40 rows=577 width=24) (actual time=246655.096..742657.943 rows=2711.00 loops=1)
          Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_suppkey, orders.o_orderdate
          Join Filter: (lineitem.l_orderkey = orders.o_orderkey)
          Rows Removed by Join Filter: 4006951240
          Buffers: shared hit=18690 read=123250, temp read=8825784 written=202
          -> Gather (cost=5913.75..149754.61 rows=46597 width=24) (actual time=39.854..60.086 rows=43693.00 loops=1)
            Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_suppkey, lineitem.l_orderkey
            Workers Planned: 2
            Workers Launched: 2
            Buffers: shared hit=8094 read=100490
            -> Parallel Hash Join (cost=4913.75..144094.91 rows=19415 width=24) (actual time=32.718..363.919 rows=14564.33 loops

```

```

=3)
Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_suppkey, lineitem.l_orderkey
Hash Cond: (lineitem.l_partkey = part.p_partkey)
Buffers: shared hit=8094 read=100490
Worker 0: actual time=29.480..972.778 rows=42249.00 loops=1
  Buffers: shared hit=5167 read=97098
Worker 1: actual time=29.019..75.564 rows=1421.00 loops=1
  Buffers: shared hit=879 read=3328
-> Parallel Seq Scan on public.lineitem (cost=0.00..129723.83 rows=2500383 width=28) (actual time=0.472..147.3
01 rows=2000405.00 loops=3)
Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_qua
ntity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdat
e, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
Buffers: shared hit=4230 read=100490
Worker 0: actual time=0.511..416.004 rows=5806768.00 loops=1
  Buffers: shared hit=4230 read=97098
Worker 1: actual time=0.444..22.389 rows=190775.00 loops=1
  Buffers: shared read=3328
-> Parallel Hash (cost=4905.67..4905.67 rows=647 width=4) (actual time=32.000..32.001 rows=483.67 loops=3)
Output: part.p_partkey
Buckets: 2048 Batches: 1 Memory Usage: 112kB
Buffers: shared hit=3864
Worker 0: actual time=28.541..28.542 rows=365.00 loops=1
  Buffers: shared hit=937
Worker 1: actual time=28.544..28.544 rows=337.00 loops=1
  Buffers: shared hit=879
-> Parallel Seq Scan on public.part (cost=0.00..4905.67 rows=647 width=4) (actual time=0.027..31.870 row
s=483.67 loops=3)
Output: part.p_partkey
Filter: (part.p_type = 'ECONOMY ANODIZED STEEL'::text)
Rows Removed by Filter: 66183
Buffers: shared hit=3864
Worker 0: actual time=0.029..28.425 rows=365.00 loops=1
  Buffers: shared hit=937
Worker 1: actual time=0.021..28.423 rows=337.00 loops=1
  Buffers: shared hit=879
-> Materialize (cost=42.17..8435975139.62 rows=18565 width=8) (actual time=0.004..11.519 rows=91707.00 loops=43693)
Output: orders.o_orderdate, orders.o_orderkey
Storage: Disk Maximum Storage: 4096kB
Buffers: shared hit=10596 read=22760, temp read=8825784 written=202
-> Nested Loop (cost=42.17..8435975046.80 rows=18565 width=8) (actual time=85.226..246533.837 rows=91707.00 loops=1)
Output: orders.o_orderdate, orders.o_orderkey
Join Filter: (orders.o_custkey = customer.c_custkey)
Rows Removed by Join Filter: 2767900674
Buffers: shared hit=10596 read=22760
-> Seq Scan on public.orders (cost=0.00..8394198508.00 rows=229193 width=12) (actual time=55.348..1258.854 row
s=91707.00 loops=1)
Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate
, orders.o_orderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
Filter: ((orders.o_orderdate >= '1995-01-01'::date) AND (orders.o_orderdate <= '1996-12-31'::date) AND (AN
Y (orders.o_custkey = (hashed SubPlan 2).col1)))
Rows Removed by Filter: 1408293
Buffers: shared hit=6922 read=22760
SubPlan 2
-> Hash Join (cost=42.17..6084.17 rows=12150 width=4) (actual time=0.053..46.713 rows=30183.00 loops=1)
Output: c.c_custkey
Hash Cond: (c.c_nationkey = n1_1.n_nationkey)
Buffers: shared hit=3674
-> Seq Scan on public.customer c (cost=0.00..5172.00 rows=150000 width=8) (actual time=0.010..25
.804 rows=150000.00 loops=1)
Output: c.c_custkey, c.c_name, c.c_address, c.c_nationkey, c.c_phone, c.c_acctbal, c.c_mktse
gment, c.c_comment
Buffers: shared hit=3672
-> Hash (cost=41.97..41.97 rows=16 width=4) (actual time=0.023..0.041 rows=5.00 loops=1)
Output: n1_1.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=2
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.019..0.035 rows=5.00 loops
=1)
Output: n1_1.n_nationkey
Hash Cond: (n1_1.n_regionkey = r.r_regionkey)
Buffers: shared hit=2
-> Seq Scan on public.nation n1_1 (cost=0.00..18.10 rows=810 width=8) (actual time=0
.005..0.007 rows=25.00 loops=1)
Output: n1_1.n_nationkey, n1_1.n_name, n1_1.n_regionkey, n1_1.n_comment
Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.010..0.021 rows=1.00 loops
=1)
Output: r.r_regionkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=1
-> Seq Scan on public.region r (cost=0.00..20.62 rows=4 width=4) (actual time=
0.008..0.008 rows=1.00 loops=1)
Output: r.r_regionkey
Filter: (r.r_name = 'ASIA'::text)
Rows Removed by Filter: 4
Buffers: shared hit=1
-> Materialize (cost=42.17..6144.92 rows=12150 width=4) (actual time=0.000..1.062 rows=30183.00 loops=91707)
Output: customer.c_custkey
Storage: Memory Maximum Storage: 1436kB
Buffers: shared hit=3674
-> Hash Join (cost=42.17..6084.17 rows=12150 width=4) (actual time=0.062..27.030 rows=30183.00 loops=1)
Output: customer.c_custkey
Hash Cond: (customer.c_nationkey = n1.n_nationkey)
Buffers: shared hit=3674
-> Seq Scan on public.customer (cost=0.00..5172.00 rows=150000 width=8) (actual time=0.015..8.474
rows=150000.00 loops=1)
Output: customer.c_custkey, customer.c_name, customer.c_address, customer.c_nationkey, custome
r.c_phone, customer.c_acctbal, customer.c_mktsegment, customer.c_comment
Buffers: shared hit=3672
-> Hash (cost=41.97..41.97 rows=16 width=4) (actual time=0.038..0.039 rows=5.00 loops=1)
Output: n1.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=2
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.034..0.037 rows=5.00 loops=1)
Output: n1.n_nationkey
Hash Cond: (n1.n_regionkey = region.r_regionkey)
Buffers: shared hit=2
-> Seq Scan on public.nation n1 (cost=0.00..18.10 rows=810 width=8) (actual time=0.006
..0.008 rows=25.00 loops=1)
Output: n1.n_nationkey, n1.n_name, n1.n_regionkey, n1.n_comment
Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.010..0.010 rows=1.00 loops=1

```

```

)

Output: region.r_regionkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=1
-> Seq Scan on public.region (cost=0.00..20.62 rows=4 width=4) (actual time=0.00

6..0.006 rows=1.00 loops=1)

Output: region.r_regionkey
Filter: (region.r_name = 'ASIA'::text)
Rows Removed by Filter: 4
Buffers: shared hit=1
-> Hash (cost=18.10..18.10 rows=810 width=36) (actual time=0.023..0.023 rows=25.00 loops=1)
Output: n2.n_name, n2.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 10kB
Buffers: shared hit=1
-> Seq Scan on public.nation n2 (cost=0.00..18.10 rows=810 width=36) (actual time=0.015..0.017 rows=25.00 loops=1)
Output: n2.n_name, n2.n_nationkey
Buffers: shared hit=1

Planning:
Buffers: shared hit=31
Planning Time: 5.746 ms
Execution Time: 745310.007 ms
(151 rows)

Time: 745331.368 ms (12:25.331)
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS orders_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW orders_secure AS
SELECT o.*
FROM orders o
WHERE EXISTS (
SELECT 1 FROM customer c
JOIN nation n1 ON c.c_nationkey = n1.n_nationkey
JOIN region r ON n1.n_regionkey = r.r_regionkey
WHERE c.c_custkey = o.o_custkey
AND r.r_name = 'ASIA'
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON orders_secure TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON supplier TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON nation TO alice;
GRANT SELECT ON region TO alice;
SET ROLE alice;

-- Step 5: Run Q8
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  o_year,
  sum(case
    when nation = 'INDIA' then volume
    else 0
  end) / sum(volume) as mkt_share
from
  (
    select
      extract(year from o_orderdate) as o_year,
      l_extendedprice * (1 - l_discount) as volume,
      n2.n_name as nation
    from
      part,
      supplier,
      lineitem,
      orders_secure o,
      customer,
      nation n1,
      nation n2,
      region
    where
      p_partkey = l_partkey
      and s_suppkey = l_suppkey
      and l_orderkey = o.o_orderkey
      and o.o_custkey = c_custkey
      and c_nationkey = n1.n_nationkey
      and n1.n_regionkey = r_regionkey
      and r_name = 'ASIA'
      and s_nationkey = n2.n_nationkey
      and o.o_orderdate between date '1995-01-01' and date '1996-12-31'
      and p_type = 'ECONOMY ANODIZED STEEL'
  ) as all_nations
group by
  o_year
order by
  o_year;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT

```

```

:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 10.236 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}

```

```

    }
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree <>
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList <>
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 45
}

```

Time: 5.221 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {DROPSTMT
:objects (("orders_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DROPSTMT
:objects (("orders_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 3.653 ms

WARNING: ===== RAW PARSE TREE =====

DETAIL: {RAWSTMT

```
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o"
{A_STAR
}
}
)
:location 36
}
:location 36
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname o
:colnames <>
}
:location 45
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 80
}
}
:location 80
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
}
:location 87
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n1
:colnames <>
}
}
:location 107
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
```

```

        :fields ("c" "c_nationkey")
        :location 120
    }
    :rexpr
    {COLUMNREF
        :fields ("n1" "n_nationkey")
        :location 136
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 134
}
:alias <>
:rtindex 0
}
:rarg
{RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname region
    :inh true
    :relpersistence p
    :alias
    {ALIAS
        :aliasname r
        :colnames <>
    }
    :location 160
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
        :fields ("n1" "n_regionkey")
        :location 172
    }
    :rexpr
    {COLUMNREF
        :fields ("r" "r_regionkey")
        :location 189
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 187
}
:alias <>
:rtindex 0
}
)
:whereClause
{BOOLEXP
    :boolop and
    :args (
        {A_EXPR
            :name ("=")
            :lexpr
            {COLUMNREF
                :fields ("c" "c_custkey")
                :location 213
            }
            :rexpr
            {COLUMNREF
                :fields ("o" "o_custkey")
                :location 227
            }
            :rexpr_list_start 0
            :rexpr_list_end 0
            :location 225
        }
        {A_EXPR
            :name ("=")
            :lexpr
            {COLUMNREF
                :fields ("r" "r_name")
                :location 247
            }
            :rexpr
            {A_CONST
                :val "ASIA"
                :location 258
            }
            :rexpr_list_start 0
            :rexpr_list_end 0
            :location 256
        }
    )
    :location 243
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 60
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>

```



```

:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 266
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o"
{A_STAR
}
}
)
:location 36
}
:location 36
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname o
:colnames <>
}
:location 45
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 80
}
:location 80
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 87
}
}
:rarg

```

```

        {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias
        {ALIAS
        :aliasname n1
        :colnames <>
        }
        :location 107
        }
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_nationkey")
:location 120
}
}
:rexpr
{COLUMNREF
:fields ("n1" "n_nationkey")
:location 136
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 134
}
:alias <>
:rtindex 0
}
):rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname r
:colnames <>
}
:location 160
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n1" "n_regionkey")
:location 172
}
}
:rexpr
{COLUMNREF
:fields ("r" "r_regionkey")
:location 189
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 187
}
:alias <>
:rtindex 0
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 213
}
}
:rexpr
{COLUMNREF
:fields ("o" "o_custkey")
:location 227
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 225
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r" "r_name")
:location 247
}
}
:rexpr
{A_CONST
:val "ASIA"
:location 258
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 256
}
}
:location 243
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>

```

```

        :valuesLists <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :location 60
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 266
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:rteperminfoindex 1
}

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c
_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
}
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c
_phone" "c_acctbal" "c_mktsegment" "c_comment" "n_nationkey"
"n_name" "n_regionkey" "n_comment")
}
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
}
)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:reldid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
}
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c
_phone" "c_acctbal" "c_mktsegment" "c_comment" "n_nationkey"
"n_name" "n_regionkey" "n_comment" "r_regionkey" "r_name" "
r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3

```

```

:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
}
:rarg
{RANGETBLREF
:rtindex 2
}
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1

```



```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 120
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 136
    }
    )
    :location 134
    }
    :alias <>
    :rtindex 3
    }
    :rarg
    {RANGETBLREF
    :rtindex 4
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location 172
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 189
    }
    )
    :location 187
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals
    {BOOLEXP
    :boolop and
    :args (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 213
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 227
    }
    )
    )
    :location 225

```

```

    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 247
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 258
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
    }
    )
    :location 256
  }
}
:location 243
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 80
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 60
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 36
}
:resno 1
:resname o_orderkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 36
}
:resno 2
:resname o_custkey
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 36
}
:resno 3
:resname o_orderstatus
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 36
}
:resno 4
:resname o_totalprice
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 36
}
:resno 5
:resname o_orderdate
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 36
}
:resno 6
:resname o_orderpriority
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 36
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 36
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 36
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 266
}

```

Time: 9.054 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 33
}
)
}

```

```

    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
  :stmt_location 0
  :stmt_len 38
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 33
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 38
}

```

```

Time: 1.150 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
}
)

```

```

:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname customer
   :inh true
   :relpersistence p
   :alias <>
   :location 16
  }
)
:privileges (
  {ACCESSPRIV
   :priv_name select
   :cols <>
  }
)
:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.260 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname lineitem
   :inh true
   :relpersistence p
   :alias <>
   :location 16
  }
)
}
}

```

```

:privileges (
  {ACCESSPRIV
   :priv_name select
   :cols <>
  }
)
:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
   :is_grant true
   :targtype 0
   :objtype 41
   :objects (
     {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname lineitem
      :inh true
      :relpersistence p
      :alias <>
      :location 16
     }
   )
   :privileges (
     {ACCESSPRIV
      :priv_name select
      :cols <>
     }
   )
   :grantees (
     {ROLESPEC
      :roletype 0
      :rolename alice
      :location 28
     }
   )
   :grant_option false
   :grantor <>
   :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

Time: 0.212 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
   :is_grant true
   :targtype 0
   :objtype 41
   :objects (
     {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname supplier

```

```

        :inh true
        :relpersistence p
        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname supplier
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.260 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0

```



```

:objtype 41
:objects (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname part
    :inh true
    :relpersistence p
    :alias <>
    :location 16
  }
)
:privileges (
  {ACCESSPRIV
    :priv_name select
    :cols <>
  }
)
:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 24
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.237 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
}
```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

Time: 0.215 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
}

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.234 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.162 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {EXPLAINSTMT
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("o_year")
:location 47
}
:location 47
}
)
:RESTARTGET

```

```

:name mkt_share
:indirection <>
:val
{A_EXPR
:name ("/")
:lexpr
{FUNCCALL
:funcname ("sum")
:args (
{CASEEXPR
:casetype 0
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("nation")
:location 81
}
}
:rexpr
{A_CONST
:val "INDIA"
:location 90
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 88
}
}
:result
{COLUMNREF
:fields ("volume")
:location 103
}
}
:location 76
}
)
:defresult
{A_CONST
:val 0
:location 123
}
}
:location 63
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 59
}
:rexpr
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("volume")
:location 140
}
)
}
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 136
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 134
}
}
:location 59
}
)
:fromClause (
{RANGESUBSELECT
:lateral false
:subquery
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RETARGET
:name o_year
:indirection <>
:val
{FUNCCALL
:funcname ("pg_catalog" "extract")
:args (
{A_CONST
:val "year"
:location 207
}
}
{COLUMNREF
:fields ("o_orderdate")
:location 217
}
)
}
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false

```

```

        :funcformat 3
        :location 199
    }
}
:location 199
}
{RESTARTGET
:name volume
:indirection <>
:val
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 253
}
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 272
}
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 276
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 274
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 269
}
}
:location 253
}
}
{RESTARTGET
:name nation
:indirection <>
:val
{COLUMNREF
:fields ("n2" "n_name")
:location 311
}
}
:location 311
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 356
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 374
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 396
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname o
:colnames <>
}
}
:location 418
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 447
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n1
:colnames <>
}
}
:location 469
}
{RANGEVAR
:catalogname <>

```

```

:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
  {ALIAS
   :aliasname n2
   :colnames <>
  }
:location 492
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 515
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
  {A_EXPR
   :name ("=")
   :lexpr
   {COLUMNREF
    :fields ("p_partkey")
    :location 548
   }
  :rexpr
  {COLUMNREF
   :fields ("l_partkey")
   :location 560
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 558
 }
  {A_EXPR
   :name ("=")
   :lexpr
   {COLUMNREF
    :fields ("s_suppkey")
    :location 586
   }
  :rexpr
  {COLUMNREF
   :fields ("l_suppkey")
   :location 598
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 596
 }
  {A_EXPR
   :name ("=")
   :lexpr
   {COLUMNREF
    :fields ("l_orderkey")
    :location 624
   }
  :rexpr
  {COLUMNREF
   :fields ("o" "o_orderkey")
   :location 637
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 635
 }
  {A_EXPR
   :name ("=")
   :lexpr
   {COLUMNREF
    :fields ("o" "o_custkey")
    :location 666
   }
  :rexpr
  {COLUMNREF
   :fields ("c_custkey")
   :location 680
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 678
 }
  {A_EXPR
   :name ("=")
   :lexpr
   {COLUMNREF
    :fields ("c_nationkey")
    :location 706
   }
  :rexpr
  {COLUMNREF
   :fields ("n1" "n_nationkey")
   :location 720
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 718
 }
  {A_EXPR
   :name ("=")
   :lexpr
   {COLUMNREF
    :fields ("n1" "n_regionkey")
    :location 751
   }
  :rexpr
  {COLUMNREF
   :fields ("r_regionkey")

```

```

        :location 768
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 766
}
{A_EXPR
: name ("=")
:lexpr
{COLUMNREF
: fields ("r_name")
: location 796
}
:rexpr
{A_CONST
: val "ASIA"
: location 805
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 803
}
{A_EXPR
: name ("=")
:lexpr
{COLUMNREF
: fields ("s_nationkey")
: location 828
}
:rexpr
{COLUMNREF
: fields ("n2" "n_nationkey")
: location 842
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 840
}
{A_EXPR BETWEEN
: name ("BETWEEN")
:lexpr
{COLUMNREF
: fields ("o" "o_orderdate")
: location 873
}
:rexpr (
{TYPECAST
: arg
{A_CONST
: val "\1995-01-01"
: location 900
}
: typeName
{TYPENAME
: names ("date")
: typeOid 0
: setof false
: pct_type false
: typmods <>
: typemod -1
: arrayBounds <>
: location 895
}
: location -1
}
{TYPECAST
: arg
{A_CONST
: val "\1996-12-31"
: location 922
}
: typeName
{TYPENAME
: names ("date")
: typeOid 0
: setof false
: pct_type false
: typmods <>
: typemod -1
: arrayBounds <>
: location 917
}
: location -1
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 887
}
{A_EXPR
: name ("=")
:lexpr
{COLUMNREF
: fields ("p_type")
: location 951
}
:rexpr
{A_CONST
: val "ECONOMY\ ANODIZED\ STEEL"
: location 960
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 958
}
)
:location 582
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>

```



```

        :limitCount <>
        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :alias
    {ALIAS
     :aliasname all_nations
     :colnames <>
    }
}
)
:whereClause <>
:groupClause (
{COLUMNREF
 :fields ("o_year")
 :location 1019
}
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
 :node
 {COLUMNREF
  :fields ("o_year")
  :location 1039
 }
 :sortby_dir 0
 :sortby_nulls 0
 :useOp <>
 :location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
 :defnamespace <>
 :defname analyze
 :arg <>
 :defaction 0
 :location 9
}
{DEFELEM
 :defnamespace <>
 :defname verbose
 :arg <>
 :defaction 0
 :location 18
}
{DEFELEM
 :defnamespace <>
 :defname buffers
 :arg <>
 :defaction 0
 :location 27
}
)
}
:stmt_location 0
:stmt_len 1045
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
 :commandType 1
 :querySource 0
 :canSetTag true
 :utilityStmt <>
 :resultRelation 0
 :hasAggs true
 :hasWindowFuncs false
 :hasTargetSRFs false
 :hasSubLinks false
 :hasDistinctOn false
 :hasRecursive false
 :hasModifyingCTE false
 :hasForUpdate false
 :hasRowSecurity false
 :hasGroupRTE true
 :isReturn false
 :cteList <>
 :rtable (
 {RANGETBLENTRY
  :alias
  {ALIAS
   :aliasname all_nations
   :colnames <>
  }
 }
 :eref
 {ALIAS
  :aliasname all_nations
  :colnames ("o_year" "volume" "nation")
 }
 }
 }
}

```

```

    }
:rtkind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_typ
e" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtkind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey"
"s_phone" "s_acctbal" "s_comment")
}
:rtkind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtkind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
ippriority" "o_comment")
}
:rtkind 0
:relid 16659
:inh true
:relkind v
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
"c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtkind 0

```

```

:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16659
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true

```

```

:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
:rtindex 1
}
  {RANGETBLREF
:rtindex 2
}
  {RANGETBLREF
:rtindex 3
}
  {RANGETBLREF
:rtindex 4
}
  {RANGETBLREF
:rtindex 5
}
  {RANGETBLREF
:rtindex 6
}
  {RANGETBLREF
:rtindex 7
}
  {RANGETBLREF
:rtindex 8
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 548
}
    {VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 560
}
  )
:location 558
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 1
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 586
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 598
}
)
:location 596
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 624
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 637
}
)
:location 635
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 666
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 680
}
)
:location 678
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location 706
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 720
}
)
:location 718
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location 751
}
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 768
}
}
)
:location 766
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 796
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 805
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
)
:location 803
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 828
}
{VAR
:varno 7

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 842
}
)
:location 840
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 873
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 900
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 887
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 873
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 922
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
}
)
:location 887
}
)
:location 887
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 951
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

        :constisnull false
        :location 960
        :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32
        65 78 79 68 73 90 69 68 32 83 84 69 69 76 ]
    }
}
:location 958
}
}
:location 582
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 217
}
)
:location 199
}
:resno 1
:resname o_year
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXP
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 253
}
{OPEXP
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 272
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3

```



```

        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location 276
    }
)
:location 274
}
)
:location 269
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 311
}
:resno 3
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reld 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)

```

```

:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_year
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 701
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 90
:constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
}
)
:location 88
}
:result
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 103
}
:location 76
}
)
)
:defresult
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0

```

```

        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 123
                :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    :location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 59
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 2
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 140
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 136
}
)
:location 134
}
:resno 2
:resname mkt_share
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 1752
        :sortop 1754
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (

```

```

        {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 1752
        :sortop 1754
        :reverse_sort false
        :nulls_first false
        :hashable true
        }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
:options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1045
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL:  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
    {RANGETBLENTY
    :alias
    {ALIAS
    :aliasname all_nations
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname all_nations
    }
    }
)

```

```

:colnames ("o_year" "volume" "nation")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16659
:inh true
:relkind v
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0

```

```

:reloid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:reloid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:reloid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:reloid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reloid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reloid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reloid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reloid 16659
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reloid 16546
:inh true
:requiredPerms 2
:checkAsUser 0

```

```

:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
{RANGETBLREF
:rtindex 7
}
{RANGETBLREF
:rtindex 8
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 548
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 560
}
)
:location 558
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 586
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 598
}
)
:location 596
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 624
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 637
}
}
)
:location 635
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 666
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 680
}
}
)
:location 678
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5

```



```

:varattnosyn 4
:location 706
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 720
}
)
:location 718
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location 751
}
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 768
}
}
)
:location 766
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 796
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 805
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
}
)
:location 803
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 828
}
{VAR
:varno 7
:varattno 1
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 842
}
)
:location 840
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 873
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 900
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 887
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 873
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 922
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
}
)
:location 887
}
)
:location 887
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 951
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 960
}
)

```

```

        :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78
        79 68 73 90 69 68 32 83 84 69 69 76 ]
    }
)
:location 958
}
)
:location 582
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 4
:varattno 5
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 217
}
)
:location 199
}
:resno 1
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXP
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 253
}
{OPEXP
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 272
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:varatype 701

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location 276
    }
)
:location 274
}
)
:location 269
}
:resno 2
:resname volume
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 311
}
:resno 3
:resname nation
:resortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals <>
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 1
        :vartype 1700
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname o_year
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {OPEXPR
        :opno 593
        :opfuncid 217
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {AGGREF
            :aggfnoid 2111
            :aggtype 701
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 0
            :aggargtypes (o 701)
            :aggdirectargs <>
            :args (
              {TARGETENTRY
                :expr
                  {CASEEXPR
                    :casetype 701
                    :casecollid 0
                    :arg <>
                    :args (
                      {CASEWHEN
                        :expr
                          {OPEXPR
                            :opno 98
                            :opfuncid 67
                            :opresulttype 16
                            :opretset false
                            :opcollid 0
                            :inputcollid 100
                            :args (
                              {VAR
                                :varno 1
                                :varattno 3
                                :vartype 25
                                :vartypmod -1
                                :varcollid 100
                                :varnullingrels (b)
                                :varlevelsup 0
                                :varreturningtype 0
                                :varnosyn 1
                                :varattnosyn 3
                                :location 81
                              }
                              {CONST
                                :consttype 25
                                :consttypmod -1
                                :constcollid 100
                                :constlen -1
                                :constbyval false
                                :constisnull false
                                :location 90
                                :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
                              }
                            )
                          :location 88
                        }
                      :result
                        {VAR
                          :varno 1
                          :varattno 2
                          :vartype 701
                          :vartypmod -1
                          :varcollid 0
                          :varnullingrels (b)
                          :varlevelsup 0
                          :varreturningtype 0
                          :varnosyn 1
                          :varattnosyn 2
                          :location 103
                        }
                      :location 76
                    }
                  )
                :defresult
                  {FUNCEXPR
                    :funcid 316
                    :funcresulttype 701
                    :funcresultset false
                    :funcvariadic false
                    :funcformat 2
                    :funccollid 0
                    :inputcollid 0
                    :args (

```

```

        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 123
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
        }
    }
    :location -1
}
:location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 59
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 140
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 136
}
}
:location 134
}
:resno 2
:resname mkt_share
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tlesortGroupRef 1
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tlesortGroupRef 1

```

```

:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname all_nations
:colnames <>
}
:eref
{ALIAS
:aliasname all_nations
:colnames ("o_year" "volume" "nation")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"

```

```

        "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
        ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
        "l_shipinstruct" "l_shipmode" "l_comment")
    }
:rtkind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtkind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
ippriority" "o_comment")
}
:rtkind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false

```



```

:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_n
          ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
            c_comment")
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname n1
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname n1
        :colnames ("n_nationkey" "n_name" "n_regionkey"
          "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("c_custkey" "c_name" "c_address" "c_n
          ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
            c_comment" "n_nationkey" "n_name" "n_regionkey"
              "n_comment")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
      }
    )
  }
)

```

```

}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias

```

```

        {ALIAS
        :aliasname r
        :colnames <>
        }
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
c_comment" "n_nationkey" "n_name" "n_regionkey"
"n_comment" "r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7

```

```

:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
)

```

```

:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2

```

```

        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    )
    :location -1
    }
    {OPEXP
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY

```

```

        :expr
        {CONST
         :consttype 23
         :consttypmod -1
         :constcollid 0
         :constlen 4
         :constbyval true
         :constisnull false
         :location -1
         :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname o_orderkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname o_custkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    :resno 3
    :resname o_orderstatus
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25

```



```

        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 9
        :location -1
    }
    :resno 9
    :resname o_comment
    :ressortgrouppref 0
    :resorigtbl 16561
    :resorigcol 9
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:reldid 16659
:inh false
:relkind v
:rellockmode 1
:perminfoindex 4
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:reldid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:reldid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:reldid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref

```

```

        {ALIAS
        :aliasname region
        :colnames ("r_regionkey" "r_name" "r_comment")
        }
:rtkind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16659
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
{RANGETBLREF
:rtindex 7
}
{RANGETBLREF

```

```

:rtindex 8
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 548
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 560
}
)
:location 558
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 586
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 598
}
)
:location 596
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 624
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 637
}
}

```

```

)
:location 635
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 666
}
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 680
}
)
:location 678
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location 706
}
  {VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 720
}
)
:location 718
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location 751
}
  {VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 768
}
)
:location 766
}
{OPEXPR

```

```

:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 8
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 2
    :location 796
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 805
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
  }
)
:location 803
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 828
  }
  {VAR
    :varno 7
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location 842
  }
)
:location 840
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 4
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 5
        :location 873
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 900
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
    )
  }
  :location 887
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

        {VAR
        :varno 4
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 5
        :location 873
        }
        {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 922
        :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 ]
        }
    )
    :location 887
}
)
:location 887
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 951
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 960
    :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78
79 68 73 90 69 68 32 83 84 69 69 76 ]
    }
)
:location 958
}
)
:location 582
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {FUNCEXPR
    :funcid 6199
    :funcresulttype 1700
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 0
    :inputcollid 100
    :args (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 207
        :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
        }
        {VAR
        :varno 4
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 5
        :location 217
        }
    )
    :location 199
}
)
:resno 1
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

}
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 253
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 272
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 276
}
)
:location 274
}
)
:location 269
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 311
}
:resno 3
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reldid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname o_year
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 701
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OEXPR
:opno 98
:opfuncid 67

```



```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 81
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 90
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
  }
)
:location 88
}
:result
{VAR
  :varno 1
  :varattno 2
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 103
}
:location 76
}
)
:defresult
{FUNCEXP
  :funcid 316
  :funcresulttype 701
  :funcset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 123
      :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
:location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 59
}
{AGGREF
  :aggfnoid 2111
  :aggtype 701
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes (o 701)
  :aggdirectargs <>
  :args (
    {TARGETENTRY
      :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1

```



```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromC1 true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromC1 true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromC1 true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname o
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname o
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 1
  }
:subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias
          {ALIAS
            :aliasname o
            :colnames <>
          }
        :eref
          {ALIAS

```

```

        :aliasname o
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
ipriority" "o_comment")
    }
:rtkind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
c_comment")
}
:rtkind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtkind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "

```

```

        c_comment" "n_nationkey" "n_name" "n_regionkey"
        "n_comment")
    }
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
c_comment" "n_nationkey" "n_name" "n_regionkey"
"n_comment" "r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
}
}
}

```



```

:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR

```

```

        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 4
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
    }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderkey
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname o_custkey
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname o_orderstatus
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname o_totalprice
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname o_orderdate
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}

```

```

    }
:resno 6
:resname o_orderpriority
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname o_clerk
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname o_shippriority
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname o_comment
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16659
:inh false
:relkind v
:rellockmode 1
:perminfoindex 4
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}

```

```

:rtkind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtkind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtkind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtkind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16659
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2

```

```

:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
{RANGETBLREF
:rtindex 7
}
{RANGETBLREF
:rtindex 8
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 548
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 560
}
)
:location 558
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 586
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 598
}
)
:location 596
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 624
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 637
}
}
)
:location 635
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 666
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 680
}
}
)
:location 678
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 5
:varattnosyn 4
:location 706
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 720
}
)
:location 718
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location 751
}
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 768
}
}
)
:location 766
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 796
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 805
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
}
)
:location 803
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 828
}
{VAR
:varno 7
:varattno 1

```



```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 842
}
)
:location 840
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 873
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 900
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 ]
}
)
:location 887
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 873
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 922
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 ]
}
)
:location 887
}
)
:location 887
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 951
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false

```

```

        :location 960
        :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78
79 68 73 90 69 68 32 83 84 69 69 76 ]
    }
)
:location 958
}
)
:location 582
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 217
}
)
:location 199
}
:resno 1
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 253
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 272
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7

```

```

        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location 276
    }
)
:location 274
}
)
:location 269
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 311
}
:resno 3
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals <>

```

```

}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 1700
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname o_year
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {OPEXPR
      :opno 593
      :opfuncid 217
      :opresulttype 701
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {AGGREF
          :aggfnoid 2111
          :aggtype 701
          :aggcollid 0
          :inputcollid 0
          :aggtranstype 0
          :aggargtypes (o 701)
          :aggdirectargs <>
          :args (
            {TARGETENTRY
              :expr
              {CASEEXPR
                :casetype 701
                :casecollid 0
                :arg <>
                :args (
                  {CASEWHEN
                    :expr
                    {OPEXPR
                      :opno 98
                      :opfuncid 67
                      :opresulttype 16
                      :opretset false
                      :opcollid 0
                      :inputcollid 100
                      :args (
                        {VAR
                          :varno 1
                          :varattno 3
                          :vartype 25
                          :vartypmod -1
                          :varcollid 100
                          :varnullingrels (b)
                          :varlevelsup 0
                          :varreturningtype 0
                          :varnosyn 1
                          :varattnosyn 3
                          :location 81
                        }
                        {CONST
                          :consttype 25
                          :consttypmod -1
                          :constcollid 100
                          :constlen -1
                          :constbyval false
                          :constisnull false
                          :location 90
                          :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
                        }
                      )
                    :location 88
                  }
                :result
                {VAR
                  :varno 1
                  :varattno 2
                  :vartype 701
                  :vartypmod -1
                  :varcollid 0
                  :varnullingrels (b)
                  :varlevelsup 0
                  :varreturningtype 0
                  :varnosyn 1
                  :varattnosyn 2
                  :location 103
                }
                :location 76
              }
            )
          :defresult
          {FUNCEXPR
            :funcid 316
            :funcresulttype 701
            :funcsetset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
            :inputcollid 0
          }
        }
      )
    }
  )
)

```

```

        :args (
            {CONST
             :consttype 23
             :consttypmod -1
             :constcollid 0
             :constlen 4
             :constbyval true
             :constisnull false
             :location 123
             :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    :location 63
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 59
}
{AGGREG
 :aggfnoid 2111
 :aggtype 701
 :aggcollid 0
 :inputcollid 0
 :aggtranstype 0
 :aggargtypes (o 701)
 :aggdirectargs <>
 :args (
     {TARGETENTRY
      :expr
      {VAR
       :varno 1
       :varattno 2
       :vartype 701
       :vartypmod -1
       :varcollid 0
       :varnullingrels (b)
       :varlevelsup 0
       :varreturningtype 0
       :varnosyn 1
       :varattnosyn 2
       :location 140
      }
      :resno 1
      :resname <>
      :ressortgrouppref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
     }
 )
 :aggorder <>
 :aggdistinct <>
 :aggfilter <>
 :aggstar false
 :aggvariadic false
 :aggkind n
 :aggpresorted false
 :agglevelsup 0
 :aggsplit 0
 :aggno -1
 :aggtransno -1
 :location 136
 }
 )
 :location 134
 }
 :resno 2
 :resname mkt_share
 :ressortgrouppref 0
 :resorigtbl 0
 :resorigcol 0
 :resjunk false
 }
 )
 :override 0
 :onConflict <>
 :returningOldAlias <>
 :returningNewAlias <>
 :returningList <>
 :groupClause (
     {SORTGROUPCLAUSE
      :tleSortGroupRef 1
      :eqop 1752
      :sortop 1754
      :reverse_sort false
      :nulls_first false
      :hashable true
     }
 )
 :groupDistinct false
 :groupingSets <>
 :havingQual <>
 :windowClause <>
 :distinctClause <>
 :sortClause (
     {SORTGROUPCLAUSE

```

```

:tleSortGroupRef 1
:eqop 1752
:sortop 1754
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====:
DETAIL: {AGG

```

```

:plan.disabled_nodes 0
:plan.startup_cost 191230.7468881818
:plan.total_cost 191244.92188818182
:plan.plan_rows 378
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 1700
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 0
      :varattnosyn 0
      :location -1
    }
    :resno 1
    :resname o_year
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {OPEXPR
      :opno 593
      :opfuncid 217
      :opresulttype 701
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {AGGREF
          :aggfnoid 2111
          :aggtype 701
          :aggcollid 0
          :inputcollid 0
          :aggtranstype 701
          :aggargtypes (o 701)
          :aggdirectargs <>
          :args (
            {TARGETENTRY
              :expr
              {CASEEXPR
                :casetype 701
                :casecollid 0
                :arg <>
                :args (
                  {CASEWHEN
                    :expr
                    {OPEXPR
                      :opno 98
                      :opfuncid 67
                      :opresulttype 16
                      :opretset false
                      :opcollid 0
                      :inputcollid 100
                      :args (
                        {VAR
                          :varno -2
                          :varattno 2
                          :vartype 25
                          :vartypmod -1
                          :varcollid 100
                          :varnullingrels (b)
                          :varlevelsup 0
                          :varreturningtype 0
                          :varnosyn 9
                          :varattnosyn 2
                          :location 311
                        }
                        {CONST
                          :consttype 25
                          :consttypmod -1
                          :constcollid 100
                          :constlen -1
                          :constbyval false
                          :constisnull false
                          :location 90
                          :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
                        }
                      )
                    }
                  :location 88
                }
              }
            }
          )
        }
      )
    }
  }
)

```

```

:result
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}
)
:location 274
}
)
:location 269
}
:location 76
}
)
:defresult
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 0 0 ]
}
:location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 59
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

        {VAR
        :varno -2
        :varattno 3
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 6
        :location 253
        }
        {OEXPR
        :opno 592
        :opfuncid 219
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
        {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
        }
        {VAR
        :varno -2
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 7
        :location 276
        }
        )
        :location 274
        }
    )
    :location 269
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 1
:aggtransno 1
:location 136
}
)
:location 134
}
:resno 2
:resname mkt_share
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 191230.7468881818
:plan.total_cost 191231.6918881818
:plan.plan_rows 378
:plan.plan_width 80
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0

```



```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 52050.24591666667
:join.plan.total_cost 191214.56425000002
:join.plan.plan_rows 378
:join.plan.plan_width 80
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno -2
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
}
}
}

```

```

    }
  )
  :location 199
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location 311
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 52022.02091666667
:plan.total_cost 191171.9755
:plan.plan_rows 93
:plan.plan_width 24
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 828
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 51022.02091666667
:join.plan.total_cost 190162.6755
:join.plan.plan_rows 39
:join.plan.plan_width 24
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}

```

```

:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 828
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 50579.02091666667
:join.plan.total_cost 189719.13925
:join.plan.plan_rows 39
:join.plan.plan_width 24
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 5
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location 598
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno -2
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 5
        :location -1
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
    {HASHJOIN
        :join.plan.disabled_nodes 0
        :join.plan.startup_cost 45665.26675
        :join.plan.total_cost 184786.42633333337
        :join.plan.plan_rows 5013
        :join.plan.plan_width 28
        :join.plan.parallel_aware true
        :join.plan.parallel_safe true
        :join.plan.async_capable false
        :join.plan.plan_node_id 6
        :join.plan.targetlist (
            {TARGETENTRY
                :expr
                    {VAR
                        :varno -2
                        :varattno 6
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 5
                        :varattnosyn 6
                        :location 253
                    }
                :resno 1
                :resname <>
                :ressortgrouppref 0
                :resorigtbl 0
                :resorigcol 0
                :resjunk false
            }
            {TARGETENTRY
                :expr
                    {VAR
                        :varno -2
                        :varattno 7
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 5
                        :varattnosyn 7
                        :location 276
                    }
                :resno 2
                :resname <>
                :ressortgrouppref 0
                :resorigtbl 0
                :resorigcol 0
                :resjunk false
            }
            {TARGETENTRY
                :expr
                    {VAR
                        :varno -2
                        :varattno 2
                        :vartype 23
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 5
                        :varattnosyn 2
                        :location 560
                    }
                :resno 3
                :resname <>
                :ressortgrouppref 0
                :resorigtbl 0
            }
        )
    }
}

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location 598
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 129723.83333333334
:scan.plan.plan_rows 2500383
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 7
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location -1
    }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 8
:location -1
}
}

```

```

:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```



```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 5
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 45649.604250000004
:plan.total_cost 45649.604250000004
:plan.plan_rows 1253
:plan.plan_width 8
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 8
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2

```

```

:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 9529.894999999999
:join.plan.total_cost 45649.604250000004
:join.plan.plan_rows 1253
:join.plan.plan_width 8
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 9
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 1
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4764.947499999999
:join.plan.total_cost 40821.424250000004
:join.plan.plan_rows 15470
:join.plan.plan_width 16
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 10
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 1
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 35383
:scan.plan.plan_rows 190995
:scan.plan.plan_width 12
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 11
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 2
:location -1
}
:resno 2

```

```

:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 11
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 900
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -
1 ]
}
)
:location 887
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 11
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 922
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -
1 ]
}
)
)

```

```

        :location 887
    }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 11
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4701.6725
:plan.total_cost 4701.6725
:plan.plan_rows 5062
:plan.plan_width 4
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 12
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 42.1725
:join.plan.total_cost 4701.6725
:join.plan.plan_rows 5062
:join.plan.plan_width 4
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 13
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4297
:scan.plan.plan_rows 62500
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 14
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 12

```

```

        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 12
        :varattnosyn 7
        :location -1
    }
    :resno 7
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 12
    :varattno 8
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 12
    :varattnosyn 8
    :location -1
    }
    :resno 8
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b 0)
    :scan.plan.allParam (b 0)
    :scan.scanrelid 12
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 41.9725
    :plan.total_cost 41.9725
    :plan.plan_rows 16
    :plan.plan_width 4
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 15
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 13
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree
    {HASHJOIN
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 20.675
    :join.plan.total_cost 41.9725
    :join.plan.plan_rows 16
    :join.plan.plan_width 4
    :join.plan.parallel_aware false
    :join.plan.parallel_safe true
    :join.plan.async_capable false
    :join.plan.plan_node_id 16
    :join.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 13
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0

```



```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 17
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 13
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 13
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 13
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 13
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 13
}

```

```

:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.625
:plan.total_cost 20.625
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 18
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 15
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.625
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false

:scan.plan.plan_node_id 19
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 15
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 15
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 15
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 15
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 8 [ 32 0 0 0
65 83 73 65 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)

```

```

        :scan.scanrelid 15
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
        {VAR
            :varno -2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 15
            :varattnosyn 1
            :location -1
        }
    )
    :skewTable 16536
    :skewColumn 3
    :skewInherit false
    :rows_total 0
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b)
    :join.plan.allParam (b)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual <>
    :hashclauses (
        {OPEXPR
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {VAR
                    :varno -2
                    :varattno 3
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 13
                    :varattnosyn 3
                    :location -1
                }
                {VAR
                    :varno -1
                    :varattno 1
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 15
                    :varattnosyn 1
                    :location -1
                }
            )
            :location -1
        }
    )
    :hashoperators (o 96)
    :hashcollations (o 0)
    :hashkeys (
        {VAR
            :varno -2
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 13
            :varattnosyn 3
            :location -1
        }
    )
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
        {VAR
            :varno -2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 13
            :varattnosyn 1
            :location -1
        }
    )
    :skewTable 16546
    :skewColumn 4
    :skewInherit false
    :rows_total 0
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b 0)

```

```

:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
   :opno 96
   :opfuncid 65
   :opresulttype 16
   :opretset false
   :opcollid 0
   :inputcollid 0
   :args (
     {VAR
      :varno -2
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 12
      :varattnosyn 4
      :location -1
     }
     {VAR
      :varno -1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 13
      :varattnosyn 1
      :location -1
     }
   )
   :location -1
 }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
   :varno -2
   :varattno 4
   :vartype 23
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 12
   :varattnosyn 4
   :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
   :varno -2
   :varattno 1
   :vartype 23
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 12
   :varattnosyn 1
   :location -1
  }
)
}
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 12148.8
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
   :opno 96
   :opfuncid 65
   :opresulttype 16
   :opretset false
   :opcollid 0
   :inputcollid 0
   :args (
     {VAR
      :varno -2
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 11
      :varattnosyn 2
      :location -1
     }
     {VAR
      :varno -1

```

```

        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 12
        :varattnosyn 1
        :location -1
    }
}
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 2
        :location -1
    }
)
}
:join.plan.righttree
{HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 4701.6725
    :plan.total_cost 4701.6725
    :plan.plan_rows 5062
    :plan.plan_width 4
    :plan.parallel_aware true
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 20
    :plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 7
                :varattnosyn 1
                :location -1
            }
            :resno 1
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
    )
    :plan.qual <>
    :plan.lefttree
    {HASHJOIN
        :join.plan.disabled_nodes 0
        :join.plan.startup_cost 42.1725
        :join.plan.total_cost 4701.6725
        :join.plan.plan_rows 5062
        :join.plan.plan_width 4
        :join.plan.parallel_aware false
        :join.plan.parallel_safe true
        :join.plan.async_capable false
        :join.plan.plan_node_id 21
        :join.plan.targetlist (
            {TARGETENTRY
                :expr
                {VAR
                    :varno -2
                    :varattno 1
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 7
                    :varattnosyn 1
                    :location 680
                }
                :resno 1
                :resname <>
                :ressortgroupref 0
                :resorigtbl 0
                :resorigcol 0
                :resjunk false
            }
        )
    }
    :join.plan.qual <>
    :join.plan.lefttree
    {SEQSCAN
        :scan.plan.disabled_nodes 0
        :scan.plan.startup_cost 0
        :scan.plan.total_cost 4297
        :scan.plan.plan_rows 62500
        :scan.plan.plan_width 8
        :scan.plan.parallel_aware true
        :scan.plan.parallel_safe true
        :scan.plan.async_capable false
    }
}

```

```

:scan.plan.plan_node_id 22
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 7
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 7
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 7
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 7
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 4
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 7
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 5
        :location -1
      }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR

```

```

        :varno 7
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 6
        :location -1
    }
    :resno 6
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 7
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 41.9725
:plan.total_cost 41.9725
:plan.plan_rows 16
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 23
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.675
:join.plan.total_cost 41.9725
:join.plan.plan_rows 16
:join.plan.plan_width 4

```

```

:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 24
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 1
      :location 720
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 25
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 8
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 8
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 8
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 8
      :varattno 4
      :vartype 25
      :vartypmod -1
      :varcollid 100

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 4
        :location -1
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 8
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.625
:plan.total_cost 20.625
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 26
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.625
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 27
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 10
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location 768
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 10
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 2
:location 796

```

```

        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 8 [ 32 0 0 0 65
        83 73 65 ]
        }
    )
    :location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 10
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location 768
}
)
:skewTable 16536
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 3
:location 751
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location 768
}
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 3
:location 751
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (

```

```

        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location 720
        }
    )
    :skewTable 16546
    :skewColumn 4
    :skewinherit false
    :rows_total 0
    }
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 4
        :location 706
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location 720
        }
    )
    :location -1
    }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 4
    :location 706
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location 680
    }
)
:skewTable 16546
:skewColumn 1
:skewinherit false
:rows_total 12148.8
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OEXPR
    :opno 96

```

```

:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 12
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location 680
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 12
    :varattnosyn 1
    :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 11
    :varattnosyn 1
    :location -1
  }
)
}
:skewTable 16566
:skewColumn 1
:skewInherit false
:rows_total 3007.2
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 624
      }
      {VAR
        :varno -1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0

```

```

        :varnosyn 11
        :varattnosyn 1
        :location -1
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 624
    }
)
}
:join.plan.righttree
{HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 4905.666666666667
    :plan.total_cost 4905.666666666667
    :plan.plan_rows 647
    :plan.plan_width 4
    :plan.parallel_aware true
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 28
    :plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 1
                :location -1
            }
            :resno 1
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
    )
    :plan.qual <>
    :plan.lefttree
    {SEQSCAN
        :scan.plan.disabled_nodes 0
        :scan.plan.startup_cost 0
        :scan.plan.total_cost 4905.666666666667
        :scan.plan.plan_rows 647
        :scan.plan.plan_width 4
        :scan.plan.parallel_aware true
        :scan.plan.parallel_safe true
        :scan.plan.async_capable false
        :scan.plan.plan_node_id 29
        :scan.plan.targetlist (
            {TARGETENTRY
                :expr
                {VAR
                    :varno 3
                    :varattno 1
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 3
                    :varattnosyn 1
                    :location 548
                }
                :resno 1
                :resname <>
                :ressortgroupref 0
                :resorigtbl 0
                :resorigcol 0
                :resjunk false
            }
        )
    }
    :scan.plan.qual (
        {OPEXPR
            :opno 98
            :opfuncid 67
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 100
            :args (
                {VAR
                    :varno 3
                    :varattno 5
                    :vartype 25
                    :vartypmod -1
                    :varcollid 100
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                }
            )
        }
    )
}

```

```

        :varnosyn 3
        :varattnosyn 5
        :location 951
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 960
    :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89
32 65 78 79 68 73 90 69 68 32 83 84 69 69 76 ]
    }
    )
    :location 958
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b 0)
    :scan.plan.allParam (b 0)
    :scan.scanrelid 3
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b 0)
    :plan.allParam (b 0)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 548
    }
    )
    :skewTable 16566
    :skewColumn 2
    :skewInherit false
    :rows_total 1552.8
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b 0)
    :join.plan.allParam (b 0)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual <>
    :hashclauses (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 560
    }
    {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 548
    }
    )
    :location -1
    }
    )
    :hashoperators (o 96)
    :hashcollations (o 0)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 560
    }
    )
    }
    :join.plan.righttree
    {HASH

```

```

:plan.disabled_nodes 0
:plan.startup_cost 318
:plan.total_cost 318
:plan.plan_rows 10000
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 30
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 318
    :scan.plan.plan_rows 10000
    :scan.plan.plan_width 8
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 31
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 4
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 1
            :location 586
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno 4
            :varattno 4
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 4
            :location 828
          }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
:scan.plan.qual <>
:scan.plan.lefttree <>

```

```

:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 4
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 586
  }
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location 598
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 586
      }
    )
  }
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location 598
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:single_copy false
:invisible false
:initParam (b)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 18.1
:plan.total_cost 18.1
:plan.plan_rows 810
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 32
:plan.targetlist (

```



```

{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 33
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location 311
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location 842
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 9
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)

```

```

:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 9
    :varattnosyn 1
    :location 842
  }
)
:skewTable 16541
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location 828
      }
      {VAR
        :varno -1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 1
        :location 842
      }
    )
  }
  :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 828
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 1754)
:collations ( 0)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 1752)
:grpCollations ( 0)
:numGroups 378
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
GroupAggregate (cost=191230.75..191244.92 rows=378 width=40) (actual time=824.569..825.435 rows=2.00 loops=1)
  Output: (EXTRACT(year FROM o.o_orderdate)), (sum(CASE WHEN (n2.n_name = 'INDIA'::text) THEN (lineitem.l_extendedprice * ('1'::double precision - lineitem.
l_discount)) ELSE '0'::double precision END) / sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount))))
  Group Key: (EXTRACT(year FROM o.o_orderdate))
  Buffers: shared hit=19398 read=123205
  -> Sort (cost=191230.75..191231.69 rows=378 width=80) (actual time=824.179..824.788 rows=2711.00 loops=1)
    Output: (EXTRACT(year FROM o.o_orderdate)), n2.n_name, lineitem.l_extendedprice, lineitem.l_discount
    Sort Key: (EXTRACT(year FROM o.o_orderdate))
    Sort Method: quicksort Memory: 226kB
    Buffers: shared hit=19398 read=123205
    -> Hash Join (cost=52050.25..191214.56 rows=378 width=80) (actual time=206.834..822.810 rows=2711.00 loops=1)
      Output: EXTRACT(year FROM o.o_orderdate), n2.n_name, lineitem.l_extendedprice, lineitem.l_discount
      Hash Cond: (supplier.s_nationkey = n2.n_nationkey)
      Buffers: shared hit=19398 read=123205
      -> Gather (cost=52022.02..191171.98 rows=93 width=24) (actual time=205.914..820.332 rows=2711.00 loops=1)
        Output: lineitem.l_extendedprice, lineitem.l_discount, supplier.s_nationkey, o.o_orderdate
        Workers Planned: 2
        Workers Launched: 2
        Buffers: shared hit=19397 read=123205
        -> Hash Join (cost=51022.02..190162.68 rows=39 width=24) (actual time=199.219..812.885 rows=903.67 loops=3)
          Output: lineitem.l_extendedprice, lineitem.l_discount, supplier.s_nationkey, o.o_orderdate
          Hash Cond: (lineitem.l_suppkey = supplier.s_suppkey)
          Buffers: shared hit=19397 read=123205
          Worker 0: actual time=195.462..809.895 rows=871.00 loops=1
            Buffers: shared hit=5987 read=41722
          Worker 1: actual time=196.838..809.881 rows=912.00 loops=1
            Buffers: shared hit=5909 read=40858
          -> Parallel Hash Join (cost=50579.02..189719.14 rows=39 width=24) (actual time=194.645..807.571 rows=903.67 loops=3)
            Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_suppkey, o.o_orderdate
            Hash Cond: (lineitem.l_partkey = part.p_partkey)
            Buffers: shared hit=18743 read=123205
            Worker 0: actual time=189.940..803.594 rows=871.00 loops=1
              Buffers: shared hit=5769 read=41722
            Worker 1: actual time=191.319..803.622 rows=912.00 loops=1
              Buffers: shared hit=5691 read=40858
            -> Parallel Hash Join (cost=45665.27..184786.43 rows=5013 width=28) (actual time=180.934..780.417 rows=122382.00 loops=3)
              Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_partkey, lineitem.l_suppkey, o.o_orderdate
              Hash Cond: (lineitem.l_orderkey = o.o_orderkey)
              Buffers: shared hit=14879 read=123205
              Worker 0: actual time=181.048..781.181 rows=121740.00 loops=1
                Buffers: shared hit=4972 read=41722
              Worker 1: actual time=181.089..781.464 rows=122882.00 loops=1
                Buffers: shared hit=4897 read=40858
              -> Parallel Seq Scan on public.lineitem (cost=0.00..129723.83 rows=2500383 width=28) (actual time=0.269..320.537 row
s=2000405.00 loops=3)
                Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity,
lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lin
eitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
                Buffers: shared hit=4184 read=100536
                Worker 0: actual time=0.375..320.410 rows=2005470.00 loops=1
                  Buffers: shared hit=1344 read=33654
                Worker 1: actual time=0.421..321.554 rows=2002083.00 loops=1
                  Buffers: shared hit=1431 read=33505
                -> Parallel Hash (cost=45649.60..45649.60 rows=1253 width=8) (actual time=180.625..180.632 rows=30569.00 loops=3)
                  Output: o.o_orderdate, o.o_orderkey
                  Buckets: 131072 (originally 4096) Batches: 1 (originally 1) Memory Usage: 5632kB
                  Buffers: shared hit=10695 read=22669
                  Worker 0: actual time=180.629..180.636 rows=32422.00 loops=1
                    Buffers: shared hit=3628 read=8068
                  Worker 1: actual time=180.621..180.629 rows=30036.00 loops=1
                    Buffers: shared hit=3466 read=7353
                  -> Parallel Hash Join (cost=9529.89..45649.60 rows=1253 width=8) (actual time=32.725..166.133 rows=30569.00 lo
ops=3)
                    Output: o.o_orderdate, o.o_orderkey
                    Hash Cond: (c.c_custkey = customer.c_custkey)
                    Buffers: shared hit=10695 read=22669
                    Worker 0: actual time=32.736..171.314 rows=32422.00 loops=1
                      Buffers: shared hit=3628 read=8068
                    Worker 1: actual time=32.718..164.240 rows=30036.00 loops=1
                      Buffers: shared hit=3466 read=7353
                    -> Parallel Hash Semi Join (cost=4764.95..40821.42 rows=15470 width=16) (actual time=11.250..132.884 row
s=30569.00 loops=3)
                      Output: o.o_orderdate, o.o_custkey, o.o_orderkey, c.c_custkey
                      Hash Cond: (o.o_custkey = c.c_custkey)
                      Buffers: shared hit=7017 read=22669
                      Worker 0: actual time=11.259..137.222 rows=32422.00 loops=1
                        Buffers: shared hit=2376 read=8068
                      Worker 1: actual time=11.238..131.259 rows=30036.00 loops=1
                        Buffers: shared hit=2282 read=7353
                      -> Parallel Seq Scan on public.orders o (cost=0.00..35383.00 rows=190995 width=12) (actual time=0.
686..94.621 rows=152421.00 loops=3)
                        Output: o.o_orderkey, o.o_custkey, o.o_orderstatus, o.o_totalprice, o.o_orderdate, o.o_orderpri
ority, o.o_clerk, o.o_shippriority, o.o_comment
                        Filter: ((o.o_orderdate >= '1995-01-01'::date) AND (o.o_orderdate <= '1996-12-31'::date))
                        Rows Removed by Filter: 347579
                        Buffers: shared hit=3339 read=22669
                        Worker 0: actual time=0.693..97.267 rows=161412.00 loops=1
                          Buffers: shared hit=1124 read=8068
                        Worker 1: actual time=0.675..93.633 rows=148739.00 loops=1
                          Buffers: shared hit=1111 read=7353
                        -> Parallel Hash (cost=4701.67..4701.67 rows=5062 width=4) (actual time=10.518..10.520 rows=10061.
00 loops=3)
                          Output: c.c_custkey
                          Buckets: 32768 (originally 16384) Batches: 1 (originally 1) Memory Usage: 1600kB
                          Buffers: shared hit=3678
                          Worker 0: actual time=10.498..10.502 rows=10299.00 loops=1
                            Buffers: shared hit=1252
                          Worker 1: actual time=10.533..10.537 rows=9594.00 loops=1
                            Buffers: shared hit=1171
                          -> Hash Join (cost=42.17..4701.67 rows=5062 width=4) (actual time=0.053..8.791 rows=10061.00
loops=3)
                            Output: c.c_custkey
                            Hash Cond: (c.c_nationkey = n1.1.n_nationkey)
                            Buffers: shared hit=3678
                            Worker 0: actual time=0.051..8.949 rows=10299.00 loops=1
                              Buffers: shared hit=1252
                            Worker 1: actual time=0.049..8.400 rows=9594.00 loops=1
                              Buffers: shared hit=1171
                            -> Parallel Seq Scan on public.customer c (cost=0.00..4297.00 rows=62500 width=8) (act
ual time=0.003..3.002 rows=50000.00 loops=3)
                              Output: c.c_custkey, c.c_name, c.c_address, c.c_nationkey, c.c_phone, c.c_acctbal,
c.c_mktsegment, c.c_comment
                              Buffers: shared hit=3672
                              Worker 0: actual time=0.004..3.047 rows=50928.00 loops=1

```

```

        Buffers: shared hit=1250
        Worker 1: actual time=0.002..2.866 rows=47835.00 loops=1
        Buffers: shared hit=1169
-> Hash (cost=41.97..41.97 rows=16 width=4) (actual time=0.039..0.040 rows=5.00 loops=

3)

        Output: n1_1.n_nationkey
        Buckets: 1024 Batches: 1 Memory Usage: 9kB
        Buffers: shared hit=6
        Worker 0: actual time=0.039..0.040 rows=5.00 loops=1
        Buffers: shared hit=2
        Worker 1: actual time=0.039..0.040 rows=5.00 loops=1
        Buffers: shared hit=2
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.031..0.034 rows=

5.00 loops=3)

        Output: n1_1.n_nationkey
        Hash Cond: (n1_1.n_regionkey = r.r_regionkey)
        Buffers: shared hit=6
        Worker 0: actual time=0.031..0.035 rows=5.00 loops=1
        Buffers: shared hit=2
        Worker 1: actual time=0.032..0.035 rows=5.00 loops=1
        Buffers: shared hit=2
-> Seq Scan on public.nation n1_1 (cost=0.00..18.10 rows=810 width=8) (act

        Output: n1_1.n_nationkey, n1_1.n_name, n1_1.n_regionkey, n1_1.n_commen

        Buffers: shared hit=3
        Worker 0: actual time=0.009..0.011 rows=25.00 loops=1
        Buffers: shared hit=1
        Worker 1: actual time=0.011..0.012 rows=25.00 loops=1
        Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.015..0.015 rows=

1.00 loops=3)

        Output: r.r_regionkey
        Buckets: 1024 Batches: 1 Memory Usage: 9kB
        Buffers: shared hit=3
        Worker 0: actual time=0.015..0.016 rows=1.00 loops=1
        Buffers: shared hit=1
        Worker 1: actual time=0.015..0.016 rows=1.00 loops=1
        Buffers: shared hit=1
-> Seq Scan on public.region r (cost=0.00..20.62 rows=4 width=4) (ac

        Output: r.r_regionkey
        Filter: (r.r_name = 'ASIA'::text)
        Rows Removed by Filter: 4
        Buffers: shared hit=3
        Worker 0: actual time=0.010..0.010 rows=1.00 loops=1
        Buffers: shared hit=1
        Worker 1: actual time=0.008..0.009 rows=1.00 loops=1
        Buffers: shared hit=1
-> Parallel Hash (cost=4701.67..4701.67 rows=5062 width=4) (actual time=21.448..21.450 rows=10061.00 loo

ps=3)

        Output: customer.c_custkey
        Buckets: 32768 (originally 16384) Batches: 1 (originally 1) Memory Usage: 1600kB
        Buffers: shared hit=3678
        Worker 0: actual time=21.453..21.456 rows=10306.00 loops=1
        Buffers: shared hit=1252
        Worker 1: actual time=21.440..21.444 rows=9545.00 loops=1
        Buffers: shared hit=1184
-> Hash Join (cost=42.17..4701.67 rows=5062 width=4) (actual time=0.148..19.496 rows=10061.00 loop

s=3)

        Output: customer.c_custkey
        Hash Cond: (customer.c_nationkey = n1.n_nationkey)
        Buffers: shared hit=3678
        Worker 0: actual time=0.163..19.390 rows=10306.00 loops=1
        Buffers: shared hit=1252
        Worker 1: actual time=0.171..19.289 rows=9545.00 loops=1
        Buffers: shared hit=1184
-> Parallel Seq Scan on public.customer (cost=0.00..4297.00 rows=62500 width=8) (actual time

=0.022..14.005 rows=50000.00 loops=3)

        Output: customer.c_custkey, customer.c_name, customer.c_address, customer.c_nationkey, c
ustomer.c_phone, customer.c_acctbal, customer.c_mktsegment, customer.c_comment
        Buffers: shared hit=3672
        Worker 0: actual time=0.020..13.719 rows=51227.00 loops=1
        Buffers: shared hit=1250
        Worker 1: actual time=0.012..14.020 rows=48003.00 loops=1
        Buffers: shared hit=1182
-> Hash (cost=41.97..41.97 rows=16 width=4) (actual time=0.114..0.115 rows=5.00 loops=3)

        Output: n1.n_nationkey
        Buckets: 1024 Batches: 1 Memory Usage: 9kB
        Buffers: shared hit=6
        Worker 0: actual time=0.134..0.135 rows=5.00 loops=1
        Buffers: shared hit=2
        Worker 1: actual time=0.151..0.152 rows=5.00 loops=1
        Buffers: shared hit=2
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.106..0.110 rows=5.00 l

oops=3)

        Output: n1.n_nationkey
        Hash Cond: (n1.n_regionkey = region.r_regionkey)
        Buffers: shared hit=6
        Worker 0: actual time=0.126..0.130 rows=5.00 loops=1
        Buffers: shared hit=2
        Worker 1: actual time=0.143..0.147 rows=5.00 loops=1
        Buffers: shared hit=2
-> Seq Scan on public.nation n1 (cost=0.00..18.10 rows=810 width=8) (actual time

=0.048..0.050 rows=25.00 loops=3)

        Output: n1.n_nationkey, n1.n_name, n1.n_regionkey, n1.n_comment
        Buffers: shared hit=3
        Worker 0: actual time=0.060..0.061 rows=25.00 loops=1
        Buffers: shared hit=1
        Worker 1: actual time=0.078..0.080 rows=25.00 loops=1
        Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.045..0.045 rows=1.00 l

oops=3)

        Output: region.r_regionkey
        Buckets: 1024 Batches: 1 Memory Usage: 9kB
        Buffers: shared hit=3
        Worker 0: actual time=0.055..0.055 rows=1.00 loops=1
        Buffers: shared hit=1
        Worker 1: actual time=0.054..0.054 rows=1.00 loops=1
        Buffers: shared hit=1
-> Seq Scan on public.region (cost=0.00..20.62 rows=4 width=4) (actual tim

e=0.036..0.037 rows=1.00 loops=3)

        Output: region.r_regionkey
        Filter: (region.r_name = 'ASIA'::text)
        Rows Removed by Filter: 4

```

```

Buffers: shared hit=3
Worker 0: actual time=0.049..0.050 rows=1.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.048..0.049 rows=1.00 loops=1
Buffers: shared hit=1
-> Parallel Hash (cost=4905.67..4905.67 rows=647 width=4) (actual time=12.050..12.052 rows=483.67 loops=3)
Output: part.p_partkey
Buckets: 2048 Batches: 1 Memory Usage: 144kB
Buffers: shared hit=3864
Worker 0: actual time=7.197..7.199 rows=291.00 loops=1
Buffers: shared hit=797
Worker 1: actual time=7.200..7.204 rows=317.00 loops=1
Buffers: shared hit=794
-> Parallel Seq Scan on public.part (cost=0.00..4905.67 rows=647 width=4) (actual time=0.040..11.925 rows=483.67 loops=1)

ps=3)
Output: part.p_partkey
Filter: (part.p_type = 'ECONOMY ANODIZED STEEL'::text)
Rows Removed by Filter: 66183
Buffers: shared hit=3864
Worker 0: actual time=0.030..7.097 rows=291.00 loops=1
Buffers: shared hit=797
Worker 1: actual time=0.058..7.098 rows=317.00 loops=1
Buffers: shared hit=794
-> Hash (cost=318.00..318.00 rows=10000 width=8) (actual time=4.554..4.554 rows=10000.00 loops=3)
Output: supplier.s_suppkey, supplier.s_nationkey
Buckets: 16384 Batches: 1 Memory Usage: 519kB
Buffers: shared hit=654
Worker 0: actual time=5.494..5.494 rows=10000.00 loops=1
Buffers: shared hit=218
Worker 1: actual time=5.494..5.495 rows=10000.00 loops=1
Buffers: shared hit=218
-> Seq Scan on public.supplier (cost=0.00..318.00 rows=10000 width=8) (actual time=0.055..3.423 rows=10000.00 loops=3)
Output: supplier.s_suppkey, supplier.s_nationkey
Buffers: shared hit=654
Worker 0: actual time=0.077..4.350 rows=10000.00 loops=1
Buffers: shared hit=218
Worker 1: actual time=0.077..4.355 rows=10000.00 loops=1
Buffers: shared hit=218
-> Hash (cost=18.10..18.10 rows=810 width=36) (actual time=0.298..0.299 rows=25.00 loops=1)
Output: n2.n_name, n2.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 10kB
Buffers: shared hit=1
-> Seq Scan on public.nation n2 (cost=0.00..18.10 rows=810 width=36) (actual time=0.021..0.023 rows=25.00 loops=1)
Output: n2.n_name, n2.n_nationkey
Buffers: shared hit=1

Planning:
Buffers: shared hit=31
Planning Time: 11.779 ms
Execution Time: 825.928 ms
(251 rows)

Time: 847.593 ms
tpch=> RESET ROLE;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>

```

```

:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 2.401 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
    END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on orders
ALTER TABLE orders ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show orders from customers in ASIA region
CREATE POLICY orders_rls_policy ON orders
USING (
    EXISTS (
        SELECT 1 FROM customer c
        JOIN nation n1 ON c.c_nationkey = n1.n_nationkey
        JOIN region r ON n1.n_regionkey = r.r_regionkey
        WHERE c.c_custkey = orders.o_custkey
        AND r.r_name = 'ASIA'
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON orders TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON supplier TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON nation TO alice;
GRANT SELECT ON region TO alice;
SET ROLE alice;

-- Step 6: Run Q8
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    o_year,
    sum(case
        when nation = 'INDIA' then volume
        else 0
    end) / sum(volume) as mkt_share
from
    (
        select
            extract(year from o_orderdate) as o_year,
            l_extendedprice * (1 - l_discount) as volume,
            n2.n_name as nation
        from
            part,
            supplier,
            lineitem,
            orders,
            customer,
            nation n1,
            nation n2,
            region
        where
            p_partkey = l_partkey
            and s_suppkey = l_suppkey
            and l_orderkey = o_orderkey
            and o_custkey = c_custkey
            and c_nationkey = n1.n_nationkey
            and n1.n_regionkey = r_regionkey
            and r_name = 'ASIA'
            and s_nationkey = n2.n_nationkey
            and o_orderdate between date '1995-01-01' and date '1996-12-31'
            and p_type = 'ECONOMY ANODIZED STEEL'
    ) as all_nations
group by
    o_year
order by
    o_year;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {DOSTMT
:args (
  {DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\

```

```

\ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.policyname,\ r.tablename\)
;\
\ \ \ \ END\ LOOP;\
END;\
"
    :defaction 0
    :location 3
  }
}
:stmt_location 0
:stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ policyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.policyname,\ r.tablename\)
;\
\ \ \ \ END\ LOOP;\
END;\
"
    :defaction 0
    :location 3
  }
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")

```



```

:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relrepident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re

```

```

        lacl" "reloptions" "relpartbound")
    }
:rtkind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "relotype" "relowner" "relam" "relfilenode" "rel
tablesampl" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistenc
e" "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtkind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1

```

```

:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR

```

```

:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 34
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24

```

```

:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR

```

```

:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reldid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reldid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

    }
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0

```

```

:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b 5)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname schemaname
    :ressortgroupref 0
    :resorigtbl 2615
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 1259
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 3
    :resname policyname
    :ressortgroupref 0
    :resorigtbl 3256
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {CASEEXPR
      :casetype 25
      :casecollid 100
      :arg <>
      :args (
        {CASEWHEN
          :expr
          {VAR
            :varno 1
            :varattno 5
            :vartype 16
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location -1
          }
          :result
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
          }
          :location -1
        }
      )
    }
    :defresult
    {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location -1
      :constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
    }
  }
)

```

```

        :location -1
    }
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)

```

```

:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrles" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:reloid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rtepermissions (
{RTEPERMISSIONINFO
:reloid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19

```



```

        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false

```

```

        :location -1
        :constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
    }
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}

```

```

:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}

```

```

:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (

```



```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
          "cmd" "qual" "with_check")
      }
  }
:rtkind 1
:subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias
          {ALIAS
            :aliasname pol
            :colnames <>
          }
        :eref
          {ALIAS
            :aliasname pol
            :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
              "polroles" "polqual" "polwithcheck")
          }
      }
    :rtkind 0
    :relid 3256
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
          "relowner" "relam" "relfilenode" "reltablespace" "relpages" "reltuples"
          "relallvisible" "relallfrozen" "reltoastrelid" "relhasindex" "relisshared"
          "relpersistenc" "relkind" "relnatts" "relchecks" "relhasrules"
          "relhastiggers" "relhassubclass" "relrowsecurity" "relforcerowsecurity"
          "relispopulated" "relreplident" "relispartition" "relrewrite"
          "relfrozensid" "relminmxid" "relacl" "reloptions" "relpartbound")
      }
    :rtkind 0
    :relid 1259
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespace"
          "reltype" "reloftype" "relowner" "relam" "relfilenode" "reltablespace"
          "relpages" "reltuples" "relallvisible" "relallfrozen" "reltoastrelid"
          "relhasindex" "relisshared" "relpersistenc" "relkind" "relnatts"
          "relchecks" "relhasrules" "relhastiggers" "relhassubclass"
          "relrowsecurity" "relforcerowsecurity" "relispopulated" "relreplident"
          "relispartition" "relrewrite" "relfrozensid" "relminmxid" "relacl"
          "reloptions" "relpartbound")
      }
    :rtkind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
      }
    )
  }

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700

```



```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2

```

```

:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}

```

```

{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")}
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"

```

```

"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespace" "reltype" "reloftype" "relowner" "relam" "relfilenode" "reltablespace" "relpages" "reltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relhasindex" "relisshared" "relpersistency" "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "relispopulated" "relreplident" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid" "nspname" "nspowner" "nspacl")
}
:rtkind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4

```



```

:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    }
    :location -1
    }
    :alias <>
    :rtindex 3
    }
    :rarg
    {RANGETBLREF
    :rtindex 4
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals <>
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    }
    :resno 1
    :resname schemaname
    :ressortgrouppref 0
    :resorigtbl 2615
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    }
    :resno 2

```

```

:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
{CONST

```

```

        :consttype 1028
        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrles" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
}
:rtekind 0
:relid 1260
:inh true
:relkind r

```

```

:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>

```

```

        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}

```

```

    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
  }
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname polycynname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6.83
:join.plan.total_cost 28.396625
:join.plan.plan_rows 31
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname polycynname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
}

```

```

:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 1.0625
:join.plan.total_cost 21.902875
:join.plan.plan_rows 111
:join.plan.plan_width 68
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.44
:scan.plan.plan_rows 444
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 18
        :location -1
    }
:resno 18
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```



```

{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34

```

```

        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 34
        :location -1
    }
    :resno 34
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 1.05
:plan.total_cost 1.05
:plan.plan_rows 1
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.05
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 5
        :varattnosyn 2
        :location -1
    }
    {CONST
    :consttype 19
    :consttypmod -1
    :constcollid 950
    :constlen 64
    :constbyval false
    :constisnull false
    :location 65
    :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0
    0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
    0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
    }
    )
    :location 63
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 5
    }
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
)
:skewTable 1259
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
    {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
        }
    )
    :location -1
    }
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
    }
)
}
:join.plan.righttree

```

```

{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4.23
:plan.total_cost 4.23
:plan.plan_rows 123
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 4.23
    :scan.plan.plan_rows 123
    :scan.plan.plan_width 68
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 6
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 2
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 2
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno 2
            :varattno 3
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 3
            :location -1
          }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
:scan.plan.qual <>

```

```

:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{VAR
:varno -1
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
}

```

```

:rteperminfos <>
:jointree
  {FROMEXPR
    :fromlist <>
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 7
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
              70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
          }
          {PARAM
            :paramkind 0
            :paramid 3
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 41
          }
          {PARAM
            :paramkind 0
            :paramid 4
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 55
          }
        )
      }
    :location 0
  }
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
  }
:jointree
  {FROMEXPR
    :fromlist <>
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr

```

```

{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
  {PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
  {PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
  {CONST
:consttype 25
:consttypmod -1

```

```

:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0

```



```

        :resorigcol 0
        :resjunk false
    }
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

WARNING: ===== RAW PARSE TREE =====
DETAIL:    {RAWSTMT
:stmt
  {DROPSTMT
    :objects (("orders" "orders_rls_policy"))
    :removeType 28
    :behavior 0
    :missing_ok true
    :concurrent false
  }
:stmt_location 0
:stmt_len 0
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL:    {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DROPSTMT
    :objects (("orders" "orders_rls_policy"))
    :removeType 28
    :behavior 0
    :missing_ok true
    :concurrent false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

```

Time: 26.914 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:    {RAWSTMT
:stmt
  {VARIABLESETSTMT
    :kind 4
    :name role
    :args <>
    :jumble_args false
    :is_local false
    :location -1
  }
:stmt_location 0
:stmt_len 10
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL:    {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 4
    :name role
    :args <>
    :jumble_args false
    :is_local false
    :location -1
  }
:resultRelation 0
:hasAggs false

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.177 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.406 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>

```

```

:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.370 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.314 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rtepermInfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.331 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
}

```

```
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}
```

Time: 0.242 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

Time: 0.274 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.263 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 45
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}
```

Time: 0.273 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
```

```

:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 44
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 44
}
}

```

Time: 0.487 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name orders_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
}
}
}

```

```

:alias <>
:location 35
}
:cmd_name all
:permissive true
:roles (
  {ROLESPEC
    :roletype 4
    :rolename <>
    :location -1
  }
)
:qual
{SUBLINK
  :subLinkType 0
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
    {SELECTSTMT
      :distinctClause <>
      :intoClause <>
      :targetList (
        {RESTARTGET
          :name <>
          :indirection <>
          :val
            {A_CONST
              :val 1
              :location 78
            }
          :location 78
        }
      )
    }
  :fromClause (
    {JOINEXPR
      :jointype 0
      :isNatural false
      :larg
        {JOINEXPR
          :jointype 0
          :isNatural false
          :larg
            {RANGEVAR
              :catalogname <>
              :schemaname <>
              :relname customer
              :inh true
              :relpersistence p
              :alias
                {ALIAS
                  :aliasname c
                  :colnames <>
                }
              :location 85
            }
          :rarg
            {RANGEVAR
              :catalogname <>
              :schemaname <>
              :relname nation
              :inh true
              :relpersistence p
              :alias
                {ALIAS
                  :aliasname n1
                  :colnames <>
                }
              :location 109
            }
          :usingClause <>
          :join_using_alias <>
          :quals
            {A_EXPR
              :name ("=")
              :lexpr
                {COLUMNREF
                  :fields ("c" "c_nationkey")
                  :location 122
                }
              :rexpr
                {COLUMNREF
                  :fields ("n1" "n_nationkey")
                  :location 138
                }
              :rexpr_list_start 0
              :rexpr_list_end 0
              :location 136
            }
          :alias <>
          :rtindex 0
        }
      )
    }
  :rarg
    {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname region
      :inh true
      :relpersistence p
      :alias
        {ALIAS
          :aliasname r
          :colnames <>
        }
      :location 166
    }
  :usingClause <>
  :join_using_alias <>
  :quals
    {A_EXPR
      :name ("=")
      :lexpr
        {COLUMNREF
          :fields ("n1" "n_regionkey")
          :location 178
        }
    }
  }
}

```

```

        }
        :rexpr
        {COLUMNREF
        :fields ("r" "r_regionkey")
        :location 195
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 193
        }
        :alias <>
        :rtindex 0
        }
    )
    :whereClause
    {BOOLEXP
    :boolop and
    :args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("c" "c_custkey")
    :location 223
    }
    :rexpr
    {COLUMNREF
    :fields ("orders" "o_custkey")
    :location 237
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 235
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("r" "r_name")
    :location 266
    }
    :rexpr
    {A_CONST
    :val "ASIA"
    :location 277
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 275
    }
    )
    :location 262
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 54
    }
    :with_check <>
    }
    :stmt_location 0
    :stmt_len 291
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name orders_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 35
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (

```

```

{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 78
}
:location 78
}
)
:fromClause (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 85
}
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:location 109
}
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_nationkey")
:location 122
}
:rexpr
{COLUMNREF
:fields ("n1" "n_nationkey")
:location 138
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 136
}
:alias <>
:rtindex 0
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname r
:colnames <>
}
:location 166
}
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n1" "n_regionkey")
:location 178
}
:rexpr
{COLUMNREF
:fields ("r" "r_regionkey")
:location 195
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 193
}
:alias <>
:rtindex 0
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")

```

```

        :location 223
      }
    :rexpr
    {COLUMNREF
     :fields ("orders" "o_custkey")
     :location 237
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 235
  }
  {A_EXPR
   :name ("=")
   :lexpr
   {COLUMNREF
    :fields ("r" "r_name")
    :location 266
   }
   :rexpr
   {A_CONST
    :val "ASIA"
    :location 277
   }
   :rexpr_list_start 0
   :rexpr_list_end 0
   :location 275
  }
}
)
:location 262
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 54
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 291
}

```

Time: 1.191 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
   :is_grant true
   :targtype 0
   :objtype 41
   :objects (
    {RANGEVAR
     :catalogname <>
     :schemaname <>
     :relname orders
     :inh true
     :relpersistence p
     :alias <>
     :location 16
    }
   )
  :privileges (
   {ACCESSPRIV
    :priv_name select

```

```

        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
  :stmt_location 0
  :stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {GRANTSTMT
      :is_grant true
      :targettype 0
      :objtype 41
      :objects (
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname orders
          :inh true
          :relpersistence p
          :alias <>
          :location 16
        }
      )
      :privileges (
        {ACCESSPRIV
          :priv_name select
          :cols <>
        }
      )
      :grantees (
        {ROLESPEC
          :roletype 0
          :rolename alice
          :location 26
        }
      )
      :grant_option false
      :grantor <>
      :behavior 0
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 31
}

```

Time: 0.268 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
  :stmt
    {GRANTSTMT
      :is_grant true
      :targettype 0
      :objtype 41
      :objects (
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname customer
          :inh true
          :relpersistence p
          :alias <>
        }
      )
    }
  }
}

```

```

        :location 16
    }
)
:privileges (
    {ACCESSPRIV
        :priv_name select
        :cols <>
    }
)
:grantees (
    {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
    {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
        :priv_name select
        :cols <>
    }
)
:grantees (
    {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.254 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
    {RANGEVAR

```



```

        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
    }
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}
}

```

Time: 0.213 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt

```

```

{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

```

}

Time: 0.225 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 29
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
}

```

```

:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.233 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
}

```

```

>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.196 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
}

```

```

:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.215 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.129 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {EXPLAINSTMT
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARGET
:name <>

```

```

:indirection <>
:val
{COLUMNREF
:fields ("o_year")
:location 47
}
:location 47
}
{RESTARTARGET
:name mkt_share
:indirection <>
:val
{A_EXPR
:name ("/")
:lexpr
{FUNCCALL
:funcname ("sum")
:args (
{CASEEXPR
:casetype 0
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("nation")
:location 81
}
:rexpr
{A_CONST
:val "INDIA"
:location 90
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 88
}
:result
{COLUMNREF
:fields ("volume")
:location 103
}
:location 76
}
)
:defresult
{A_CONST
:val 0
:location 123
}
:location 63
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 59
}
:rexpr
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("volume")
:location 140
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 136
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 134
}
:location 59
}
)
:fromClause (
{RANGESUBSELECT
:lateral false
:subquery
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTARGET
:name o_year
:indirection <>
:val
{FUNCCALL
:funcname ("pg_catalog" "extract")
:args (
{A_CONST
:val "year"
:location 207
}
{COLUMNREF
:fields ("o_orderdate")
:location 217
}
}
)
}
)
}
)

```

```

    }
  )
  :agg_order <>
  :agg_filter <>
  :over <>
  :agg_within_group false
  :agg_star false
  :agg_distinct false
  :func_variadic false
  :funcformat 3
  :location 199
}
:location 199
}
{RESTARTARGET
: name volume
:indirection <>
:val
  {A_EXPR
  :name ("*")
  :lexpr
    {COLUMNREF
    :fields ("l_extendedprice")
    :location 253
    }
  :rexpr
    {A_EXPR
    :name ("-")
    :lexpr
      {A_CONST
      :val 1
      :location 272
      }
    :rexpr
      {COLUMNREF
      :fields ("l_discount")
      :location 276
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 274
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 269
    }
  :location 253
}
{RESTARTARGET
: name nation
:indirection <>
:val
  {COLUMNREF
  :fields ("n2" "n_name")
  :location 311
  }
:location 311
}
)
:fromClause (
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname part
  :inh true
  :relpersistence p
  :alias <>
  :location 356
  }
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname supplier
  :inh true
  :relpersistence p
  :alias <>
  :location 374
  }
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname lineitem
  :inh true
  :relpersistence p
  :alias <>
  :location 396
  }
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname orders
  :inh true
  :relpersistence p
  :alias <>
  :location 418
  }
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname customer
  :inh true
  :relpersistence p
  :alias <>
  :location 438
  }
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname nation
  :inh true
  :relpersistence p
  :alias
  {ALIAS
  :aliasname n1
  :colnames <>

```



```

    }
:location 460
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:location 483
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 506
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_partkey")
:location 539
}
:rexpr
{COLUMNREF
:fields ("l_partkey")
:location 551
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 549
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_suppkey")
:location 577
}
:rexpr
{COLUMNREF
:fields ("l_suppkey")
:location 589
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 587
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_orderkey")
:location 615
}
:rexpr
{COLUMNREF
:fields ("o_orderkey")
:location 628
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 626
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("o_custkey")
:location 655
}
:rexpr
{COLUMNREF
:fields ("c_custkey")
:location 667
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 665
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c_nationkey")
:location 693
}
:rexpr
{COLUMNREF
:fields ("n1" "n_nationkey")
:location 707
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 705
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n1" "n_regionkey")

```

```

        :location 738
    }
    :rexpr
    {
        COLUMNREF
        :fields ("r_regionkey")
        :location 755
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 753
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {
        COLUMNREF
        :fields ("r_name")
        :location 783
    }
    :rexpr
    {
        A_CONST
        :val "ASIA"
        :location 792
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 790
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {
        COLUMNREF
        :fields ("s_nationkey")
        :location 815
    }
    :rexpr
    {
        COLUMNREF
        :fields ("n2" "n_nationkey")
        :location 829
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 827
    }
    {A_EXPR BETWEEN
    :name ("BETWEEN")
    :lexpr
    {
        COLUMNREF
        :fields ("o_orderdate")
        :location 860
    }
    :rexpr (
    {TYPECAST
    :arg
    {
        A_CONST
        :val "\1995-01-01"
        :location 885
    }
    :typeName
    {
        TYPENAME
        :names ("date")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods <>
        :typemod -1
        :arrayBounds <>
        :location 880
    }
    :location -1
    }
    {TYPECAST
    :arg
    {
        A_CONST
        :val "\1996-12-31"
        :location 907
    }
    :typeName
    {
        TYPENAME
        :names ("date")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods <>
        :typemod -1
        :arrayBounds <>
        :location 902
    }
    :location -1
    }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 872
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {
        COLUMNREF
        :fields ("p_type")
        :location 936
    }
    :rexpr
    {
        A_CONST
        :val "ECONOMY\ ANODIZED\ STEEL"
        :location 945
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 943
    }
    )
    :location 573
    }
    :groupClause <>
    :groupDistinct false

```

```

        :havingClause <>
        :windowClause <>
        :valuesLists <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :alias
    {ALIAS
     :aliasname all_nations
     :colnames <>
    }
}
)
:whereClause <>
:groupClause (
{COLUMNREF
 :fields ("o_year")
 :location 1004
}
)
:groupDistinct false
:havingClause <>
:windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
 :node
 {COLUMNREF
  :fields ("o_year")
  :location 1024
}
 :sortby_dir 0
 :sortby_nulls 0
 :useOp <>
 :location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
 :defnamespace <>
 :defname analyze
 :arg <>
 :defaction 0
 :location 9
}
{DEFELEM
 :defnamespace <>
 :defname verbose
 :arg <>
 :defaction 0
 :location 18
}
{DEFELEM
 :defnamespace <>
 :defname buffers
 :arg <>
 :defaction 0
 :location 27
}
)
}
:stmt_location 0
:stmt_len 1030
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname all_nations
:colnames <>

```

```

    }
:eref
{ALIAS
:aliasname all_nations
:colnames ("o_year" "volume" "nation")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
}

```

```

:rtkind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
:rtkind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
:rtkind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtkind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546

```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
:rtindex 1
}
  {RANGETBLREF
:rtindex 2
}
  {RANGETBLREF
:rtindex 3
}
  {RANGETBLREF
:rtindex 4
}
  {RANGETBLREF
:rtindex 5
}
  {RANGETBLREF
:rtindex 6
}
  {RANGETBLREF
:rtindex 7
}
  {RANGETBLREF
:rtindex 8
}
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 539
}
    {VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 551
}
)
:location 549
}
  {OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
:varno 2
:varattno 1

```

```

:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 577
}
{VAR
:varno 3
:varattno 3
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 589
}
)
:location 587
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 615
}
{VAR
:varno 4
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 628
}
}
)
:location 626
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 655
}
{VAR
:varno 5
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 667
}
}
)
:location 665
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 4
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location 693
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 707
}
)
:location 705
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location 738
}
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 755
}
}
)
:location 753
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 783
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 792
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
}
)
:location 790
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 815
}
{VAR

```



```

:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 829
}
)
:location 827
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 860
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 885
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 872
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 860
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 907
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
}
)
:location 872
}
)
:location 872
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 936
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1

```

```

        :constbyval false
        :constisnull false
        :location 945
        :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32
65 78 79 68 73 90 69 68 32 83 84 69 69 76 ]
    }
    )
    :location 943
    }
    )
    :location 573
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 217
}
)
:location 199
}
:resno 1
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXP
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 253
}
{OPEXP
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 272
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR

```

```

        :varno 3
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location 276
    }
)
:location 274
}
)
:location 269
}
:resno 2
:resname volume
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 311
}
:resno 3
:resname nation
:ressortgrouppref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reldid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}

```

```

)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_year
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 701
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 90
:constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
}
)
:location 88
}
:result
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 103
}
:location 76
}
)
:defresult
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2

```

```

        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 123
                :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    :location 63
}

:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

)

:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 59
}

{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 2
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 140
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)

:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 136
}

)
:location 134
}

:resno 2
:resname mkt_share
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

)

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 1752
        :sortop 1754
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>

```

```

:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 1752
   :sortop 1754
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
   :defnamespace <>
   :defname analyze
   :arg <>
   :defaction 0
   :location 9
  }
  {DEFELEM
   :defnamespace <>
   :defname verbose
   :arg <>
   :defaction 0
   :location 18
  }
  {DEFELEM
   :defnamespace <>
   :defname buffers
   :arg <>
   :defaction 0
   :location 27
  }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1030
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
   :alias
   {ALIAS
    :aliasname all_nations
    :colnames <>
   }
}
:eref
{ALIAS

```

```

:aliasname all_nations
:colnames ("o_year" "volume" "nation")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r

```

```

:rellockmode 1
:perminfoindex 5
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}

```



```

    }
    {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16531
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
  )
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
  {RANGETBLREF
  :rtindex 2
  }
  {RANGETBLREF
  :rtindex 3
  }
  {RANGETBLREF
  :rtindex 4
  }
  {RANGETBLREF
  :rtindex 5
  }
  {RANGETBLREF
  :rtindex 6
  }
  {RANGETBLREF
  :rtindex 7
  }
  {RANGETBLREF
  :rtindex 8
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 539
    }
    {VAR
    :varno 3
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 551
    }
  )
  :location 549
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 2
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 1
:location 577
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 589
}
)
:location 587
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 615
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 628
}
}
)
:location 626
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 655
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 667
}
}
)
:location 665
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location 693
}
}

```

```

        {VAR
        :varno 6
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 707
        }
    )
:location 705
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 6
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 3
    :location 738
    }
    {VAR
    :varno 8
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location 755
    }
)
:location 753
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 8
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 2
    :location 783
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 792
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
    }
)
:location 790
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 815
    }
    {VAR
    :varno 7
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 829
}
)
:location 827
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 860
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 885
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 ]
}
)
:location 872
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 860
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 907
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 ]
}
)
:location 872
}
)
:location 872
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 936
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 945
:constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78
79 68 73 90 69 68 32 83 84 69 69 76 ]
}
)

```

```

        )
        :location 943
    }
)
:location 573
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {FUNCEXP
    :funcid 6199
    :funcresulttype 1700
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 0
    :inputcollid 100
    :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 207
    :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
    }
    {VAR
    :varno 4
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 5
    :location 217
    }
    )
    :location 199
    }
:resno 1
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 253
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 272
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location 276
    }
    )
    :location 274
}
)
:location 269
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 311
}
:resno 3
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reldid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>

```

```

:targetList (
  {TARGETENTRY
  :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 1700
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
  :resno 1
  :resname o_year
  :ressortgroupref 1
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
  :expr
    {OPEXPR
    :opno 593
    :opfuncid 217
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
        :expr
          {CASEEXPR
          :casetype 701
          :casecollid 0
          :arg <>
          :args (
            {CASEWHEN
            :expr
              {OPEXPR
              :opno 98
              :opfuncid 67
              :opresulttype 16
              :opretset false
              :opcollid 0
              :inputcollid 100
              :args (
                {VAR
                :varno 1
                :varattno 3
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 3
                :location 81
                }
                {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 90
                :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
                }
              )
            :location 88
            }
          :result
          {VAR
          :varno 1
          :varattno 2
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 2
          :location 103
          }
          :location 76
          }
        )
      :defresult
      {FUNCEXPR
      :funcid 316
      :funcresulttype 701
      :funcset false
      :funcvariadic false
      :funcformat 2
      :funccollid 0
      :inputcollid 0
      :args (
        {CONST
        :consttype 23
        :consttypmod -1

```

```

        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 123
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 59
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 140
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 136
}
)
:location 134
}
:resno 2
:resname mkt_share
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false

```



```

:nullable_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16561
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname c
                :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone"
                  "c_acctbal" "c_mktsegment" "c_comment")
              }
            :rtekind 0
            :relid 16546
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname n1
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname n1
                :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
              }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 2
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname unnamed_join
                :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone"
                  "c_acctbal" "c_mktsegment" "c_comment" "n_nationkey" "n_name" "n_
                    _regionkey" "n_comment")
              }
            :rtekind 2
            :jointype 0
            :joinmergedcols 0
            :joinaliasvars (
              {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location -1
              }
            )
          }
        )
      }
    }
  )
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR

```

```

:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}

```

```

    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location -1
    }
  )
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
  {ALIAS
  :aliasname r
  :colnames <>
  }
:eref
  {ALIAS
  :aliasname r
  :colnames ("r_regionkey" "r_name" "r_comment")
  }
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
  :aliasname unnamed_join
  :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone"
    "c_acctbal" "c_mktsegment" "c_comment" "n_nationkey" "n_name" "n_
    _regionkey" "n_comment" "r_regionkey" "r_name" "r_comment")
  }
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location -1
  }
  {VAR
  :varno 1
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  {VAR
  :varno 1
  :varattno 3
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 3
  :location -1
  }
  {VAR
  :varno 1
  :varattno 4
  :vartype 23
  :vartypmod -1
  :varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
}
}
}

```

```

        {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
        }
    )
    :location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100

```

```

        :args (
          {VAR
           :varno 4
           :varattno 2
           :vartype 25
           :vartypmod -1
           :varcollid 100
           :varnullingrels (b)
           :varlevelsup 0
           :varreturningtype 0
           :varnosyn 4
           :varattnosyn 2
           :location -1
          }
          {CONST
           :consttype 25
           :consttypmod -1
           :constcollid 100
           :constlen -1
           :constbyval false
           :constisnull false
           :location -1
           :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
          }
        )
      :location -1
    }
  )
  :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
   :expr
   {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
   }
   :resno 1
   :resname ?column?
   :ressortgroupref 0
   :resorigtbl 0
   :resorigcol 0
   :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
   :commandType 1
   :querySource 0
   :canSetTag true
   :utilityStmt <>
   :resultRelation 0
   :hasAggs true
   :hasWindowFuncs false
   :hasTargetSRFs false
   :hasSubLinks false
   :hasDistinctOn false
   :hasRecursive false
   :hasModifyingCTE false
   :hasForUpdate false
   :hasRowSecurity true
   :hasGroupRTE true
   :isReturn false
   :cteList <>
   :rtable (
     {RANGETBENTRY
      :alias
      {ALIAS
       :aliasname all_nations
       :colnames <>
      }
      :eref
      {ALIAS
       :aliasname all_nations
       :colnames ("o_year" "volume" "nation")
      }
      :rtekind 1
      :subquery
    }
  )
}
)

```

```

{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname part
  :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
  }
  :rtekind 0
  :relid 16551
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname supplier
  :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
  }
  :rtekind 0
  :relid 16541
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 2
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname lineitem
  :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
  }
  :rtekind 0
  :relid 16566
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 3
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname orders
  :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
  }
  :rtekind 0
  :relid 16561
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 4
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals (
    {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false

```



```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname c
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname c
      :colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
    }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname n1
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname n1
      :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname unnamed_join
      :colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment" "
n_nationkey" "n_name" "n_regionkey" "n_comment")
    }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1

```

```

:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}

```

```

{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment" "
n_nationkey" "n_name" "n_regionkey" "n_comment" "r_reg
ionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
{VAR

```

```

:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}

```

```

    }
  )
  :joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12)
  :joinrightcols (i 1 2 3)
  :join_using_alias <>
  :lateral false
  :inFromCl true
  :securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16531
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {JOINEXPR
      :jointype 0
      :isNatural false
      :larg
      {JOINEXPR
        :jointype 0
        :isNatural false
        :larg
        {RANGETBLREF
          :rtindex 1
        }
        :rarg
        {RANGETBLREF
          :rtindex 2
        }
      }
      :usingClause <>
      :join_using_alias <>
      :quals
      {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 4
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location -1
          }
          {VAR
            :varno 2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 1
            :location -1
          }
        )
      }
      :location -1
    }
    :alias <>
    :rtindex 3
  }
  :rarg
  {RANGETBLREF
    :rtindex 4
  }
  :usingClause <>
  :join_using_alias <>
  :quals
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (

```

```

        {VAR
        :varno 2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
        }
        {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
        }
    )
    :location -1
}
:alias <>
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>

```

```

:targetList (
  {TARGETENTRY
    :expr
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
      :resno 1
      :resname ?column?
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  )
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location -1
  :stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname customer
    :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
  }
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
  {ALIAS
    :aliasname n1
    :colnames <>
  }
:eref
  {ALIAS
    :aliasname n1
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
  }
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
  {ALIAS
    :aliasname n2
    :colnames <>
  }
:eref
  {ALIAS
    :aliasname n2
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
  }
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname region

```

```

        :colnames ("r_regionkey" "r_name" "r_comment")
    }
    :rtekind 0
    :relid 16531
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 8
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 12)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 12)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16531
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
    {RANGETBLREF
      :rtindex 2
    }
    {RANGETBLREF
      :rtindex 3
    }
    {RANGETBLREF
      :rtindex 4
    }
    {RANGETBLREF
      :rtindex 5
    }
    {RANGETBLREF
      :rtindex 6
    }
    {RANGETBLREF
      :rtindex 7
    }
    {RANGETBLREF
      :rtindex 8
    }
  )
}

```



```

)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 539
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 551
}
)
:location 549
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 577
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 589
}
)
:location 587
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 615
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 628
}
)
:location 626

```

```

}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 655
}
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 667
}
)
:location 665
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location 693
}
  {VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 707
}
)
:location 705
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location 738
}
  {VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 755
}
)
:location 753
}
{OPEXPR
:opno 98
:opfuncid 67

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 8
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 2
    :location 783
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 792
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
  }
)
:location 790
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 815
  }
  {VAR
    :varno 7
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location 829
  }
)
:location 827
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 4
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 5
        :location 860
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 885
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
    )
  }
:location 872
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4

```

```

        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 5
        :location 860
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 907
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 872
    }
    )
    :location 872
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 936
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 945
    :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78
    79 68 73 90 69 68 32 83 84 69 69 76 ]
    }
    )
    :location 943
    }
    )
    :location 573
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {FUNCEXPR
    :funcid 6199
    :funcresulttype 1700
    :funcset false
    :funcvariadic false
    :funcformat 3
    :funccollid 0
    :inputcollid 100
    :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 207
    :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
    }
    {VAR
    :varno 4
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 5
    :location 217
    }
    )
    :location 199
    }
    :resno 1
    :resname o_year
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY

```

```

:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 253
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 272
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 276
}
)
:location 274
}
)
:location 269
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 311
}
:resno 3
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>

```

```

:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_year")
}
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname o_year
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 701
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 81
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 90
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
  }
)
:location 88
}
:result
{VAR
  :varno 1
  :varattno 2
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 103
}
:location 76
}
)
:defresult
{FUNCEXP
  :funcid 316
  :funcresulttype 701
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 123
      :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
:location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 59
}
{AGGREF
  :aggfnoid 2111
  :aggtype 701
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes (o 701)
  :aggdirectargs <>
  :args (
    {TARGETENTRY
      :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 140
      }
    }
  )
}

```

```

        }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 136
    }
    )
    :location 134
    }
    :resno 2
    :resname mkt_share
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause (
        {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 1752
        :sortop 1754
        :reverse_sort false
        :nulls_first false
        :hashable true
        }
    )
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (
        {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 1752
        :sortop 1754
        :reverse_sort false
        :nulls_first false
        :hashable true
        }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    )

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname all_nations
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname all_nations
    :colnames ("o_year" "volume" "nation")
    }
    :rtekind 1
    :subquery
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    }
    }
    }

```



```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
          }
        :rtable (

```

```

{RANGETBLENTY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment" "
n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref

```

```

        {ALIAS
        :aliasname r
        :colnames ("r_regionkey" "r_name" "r_comment")
        }
:rtkind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment" "
n_nationkey" "n_name" "n_regionkey" "n_comment" "r_reg
ionkey" "r_name" "r_comment")
}
:rtkind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true

```

```

        :securityQuals <>
    }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16531
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {JOINEXPR
      :jointype 0
      :isNatural false
      :larg
        {JOINEXPR
          :jointype 0
          :isNatural false
          :larg
            {RANGETBLREF
              :rtindex 1
            }
          :rarg
            {RANGETBLREF
              :rtindex 2
            }
        }
      :usingClause <>
      :join_using_alias <>
      :quals
        {OPEXPR
          :opno 96
          :opfuncid 65
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 4
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 4
              :location -1
            }
            {VAR
              :varno 2
              :varattno 1
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 2
              :varattnosyn 1
              :location -1
            }
          )
        }
      :location -1
    }
  }
  :alias <>
  :rtindex 3
}
:rarg
{RANGETBLREF
  :rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 2
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
    }
  )
}

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0

```

```

        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1

```



```

:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
{RANGETBLREF
:rtindex 7
}
{RANGETBLREF
:rtindex 8
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96

```

```

:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 539
  }
  {VAR
    :varno 3
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 551
  }
)
:location 549
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 577
  }
  {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 589
  }
)
:location 587
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 615
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 628
  }
)
:location 626
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 655
  }
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 667
  }
)
:location 665
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 5
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 4
    :location 693
  }
  {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 707
  }
)
:location 705
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 6
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 3
    :location 738
  }
  {VAR
    :varno 8
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location 755
  }
)
:location 753
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 8

```

```

:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 783
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 792
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
)
:location 790
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 815
}
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 829
}
)
:location 827
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 860
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 885
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 872
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 4
        :varattnosyn 5
        :location 860
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 907
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 872
    }
    )
    :location 872
    }
    {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 936
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 945
    :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78
    79 68 73 90 69 68 32 83 84 69 69 76 ]
    }
    )
    :location 943
    }
    )
    :location 573
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 217
}
)
:location 199
}
:resno 1
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location 253
  }
  {OEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 272
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
      {VAR
        :varno 3
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location 276
      }
    )
    :location 274
  }
)
:location 269
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 7
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 2
    :location 311
  }
:resno 3
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0

```

```

    }
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_year
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 701
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 3
:vartype 25

```

```

        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 81
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 90
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
    )
    :location 88
    }
    :result
    {VAR
    :varno 1
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 103
    }
    :location 76
    }
    )
    :defresult
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 123
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :location 63
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 59
    }
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 140
    }
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false

```



```

        }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 136
    }
}
:location 134
}
:resno 2
:resname mkt_share
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL:      {AGG
:plan.disabled_nodes 0
:plan.startup_cost 8449188064.837152
:plan.total_cost 8449188152.437152
:plan.plan_rows 2336
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 1700
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
    }
    :resno 1
    :resname o_year
    :ressortgrouppref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {OEXPR
    :opno 593
    :opfuncid 217
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0

```

```

:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {CASEEXPR
        :casetype 701
        :casecollid 0
        :arg <>
        :args (
          {CASEWHEN
            :expr
              {OEXPR
                :opno 98
                :opfuncid 67
                :opresulttype 16
                :opretset false
                :opcollid 0
                :inputcollid 100
                :args (
                  {VAR
                    :varno -2
                    :varattno 2
                    :vartype 25
                    :vartypmod -1
                    :varcollid 100
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 9
                    :varattnosyn 2
                    :location 311
                  }
                  {CONST
                    :consttype 25
                    :consttypmod -1
                    :constcollid 100
                    :constlen -1
                    :constbyval false
                    :constisnull false
                    :location 90
                    :constvalue 9 [ 36 0 0 0 0 73 78 68 73 65 ]
                  }
                )
                :location 88
              }
            :result
              {OEXPR
                :opno 594
                :opfuncid 216
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                  {VAR
                    :varno -2
                    :varattno 3
                    :vartype 701
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 5
                    :varattnosyn 6
                    :location 253
                  }
                  {OEXPR
                    :opno 592
                    :opfuncid 219
                    :opresulttype 701
                    :opretset false
                    :opcollid 0
                    :inputcollid 0
                    :args (
                      {CONST
                        :consttype 701
                        :consttypmod -1
                        :constcollid 0
                        :constlen 8
                        :constbyval true
                        :constisnull false
                        :location -1
                        :constvalue 8 [ 0 0 0 0 0 0 0 -16 63 ]
                      }
                      {VAR
                        :varno -2
                        :varattno 4
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 5
                        :varattnosyn 7
                        :location 276
                      }
                    )
                    :location 274
                  }
                )
                :location 269
              }
            :location 76
          }
        )
      :defresult
        {CONST
          :consttype 701
          :consttypmod -1
          :constcollid 0

```

```

        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 0 0 ]
    }
    :location 63
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 59
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
    {TARGETENTRY
    :expr
    {OEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 3
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 6
        :location 253
        }
    {OEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
        }
        {VAR
        :varno -2
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 7
        :location 276
        }
    )
    :location 274
    }
)
:location 269
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0

```

```

        :aggno 1
        :aggtransno 1
        :location 136
    }
}
:location 134
}
:resno 2
:resname mkt_share
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 8449188064.837152
:plan.total_cost 8449188070.677152
:plan.plan_rows 2336
:plan.plan_width 80
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

    }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 5984.151666666667
:join.plan.total_cost 8449187934.14
:join.plan.plan_rows 2336
:join.plan.plan_width 80
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno -2
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location 217
}
)
:location 199
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location 311
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5

```

```

        :varattnosyn 7
        :location 276
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 5955.926666666666
:join.plan.total_cost 8449187816.841249
:join.plan.plan_rows 577
:join.plan.plan_width 24
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -1
    :varattno 1
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 6
    :location 253
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -1
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 7
    :location 276
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 815
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -1
    :varattno 4
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 5
    :location 217
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    }
)
:join.plan.qual <>
:join.plan.lefttree

```

```

{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 318
:scan.plan.plan_rows 10000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 4
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 4
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 4
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 4
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 5
        :location -1
      }
    :resno 5

```

```

:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 4
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 5955.926666666666
:plan.total_cost 8449100950.28375
:plan.plan_rows 577
:plan.plan_width 24
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```



```

{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location -1
  }
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 4
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 5
    :location -1
  }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 5955.926666666666
:join.plan.total_cost 8449100947.398749
:join.plan.plan_rows 577
:join.plan.plan_width 24
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 6
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 6
        :location 253
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 7
        :location 276
      }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3

```

```

        :location 589
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -1
    :varattno 1
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 5
    :location 217
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :join.plan.qual <>
    :join.plan.lefttree
    {GATHER
    :plan.disabled_nodes 0
    :plan.startup_cost 5913.754166666667
    :plan.total_cost 149754.61375000005
    :plan.plan_rows 46597
    :plan.plan_width 24
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 7
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 6
    :location 253
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 7
    :location 276
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location 589
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2

```

```

:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 615
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4913.754166666667
:join.plan.total_cost 144094.91375000004
:join.plan.plan_rows 19415
:join.plan.plan_width 24
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 8
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location 589
}
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 615
}
}
:resno 4
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 129723.83333333334
:scan.plan.plan_rows 2500383
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 9
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 5
        :location -1
    }
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 5
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 6
        :location -1
    }
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 5
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 7
        :location -1
    }
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 5
        :varattno 8
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 8
        :location -1
    }
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 5
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 9
        :location -1
    }
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 5
        :varattno 10
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 10
    }

```

```

        :location -1
    }
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 5
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4905.666666666667
:plan.total_cost 4905.666666666667
:plan.plan_rows 647
:plan.plan_width 4
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 10
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4905.666666666667
:scan.plan.plan_rows 647
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 11
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 539
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```

```

        {VAR
        :varno 3
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location 936
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 945
        :constvalue 26 [ 104 0 0 0 69 67 79 78 79
77 89 32 65 78 79 68 73 90 69 68 32 83 84
69 69 76 ]
        }
    )
    :location 943
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 2)
:plan.allParam (b 2)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 539
    }
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 1552.8
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 551
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 539
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```



```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 551
    }
}
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 2
:single_copy false
:invisible false
:initParam (b)
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 42.1725
:plan.total_cost 8435975139.622499
:plan.plan_rows 18565
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 12
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 42.1725
:join.plan.total_cost 8435975046.7975
:join.plan.plan_rows 18565
:join.plan.plan_width 8
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 13
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location 217
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 628
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 8394198508
:scan.plan.plan_rows 229193
:scan.plan.plan_width 12
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 14
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)

```

```

:scan.plan.qual (
  {OPEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 6
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 5
        :location 860
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 885
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
    )
    :location 872
  }
  {OPEXPR
    :opno 1096
    :opfuncid 1088
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 6
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 5
        :location 860
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 907
        :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
      }
    )
    :location 872
  }
  {SUBPLAN
    :subLinkType 2
    :testexpr
    {OPEXPR
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 6
          :varattno 2
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 6
          :varattnosyn 2
          :location -1
        }
        {PARAM
          :paramkind 1
          :paramid 1
          :paramtype 23
          :paramtypmod -1
          :paramcollid 0
          :location -1
        }
      )
      :location -1
    }
  }
  :paramIds (i 1)
  :plan_id 2
  :plan_name SubPlan\ 2
  :firstColType 23
  :firstColTypmod -1
  :firstColCollation 0
  :useHashTable true
  :unknownEqFalse true
  :parallel_safe true
  :setParam <>
  :parParam <>

```

```

        :args <>
        :startup_cost 6114.5475
        :per_call_cost 0.0025
    }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam <>
:scan.plan.allParam (b)
:scan.scanreliid 6
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 42.1725
:plan.total_cost 6144.9225
:plan.plan_rows 12150
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 15
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 42.1725
:join.plan.total_cost 6084.1725
:join.plan.plan_rows 12150
:join.plan.plan_width 4
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 16
:join.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location 667
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 5172
:scan.plan.plan_rows 150000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 17
:scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 7
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 7
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 7
        :location -1
        }
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 7
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 41.9725
:plan.total_cost 41.9725
:plan.plan_rows 16
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 18
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.675
:join.plan.total_cost 41.9725
:join.plan.plan_rows 16
:join.plan.plan_width 4
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 19
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 707
}
:resno 1

```

```

:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 20
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)

```



```

:scan.scanrelid 8
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.625
:plan.total_cost 20.625
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 21
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.625
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 22
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 10
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location 755
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 10
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 2
:location 783
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 792
:constvalue 8 [ 32 0 0 0 65 83
73 65 ]
}
)
:location 790
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)

```

```

        :scan.scanrelid 10
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
        {VAR
            :varno -2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 10
            :varattnosyn 1
            :location 755
        }
    )
    :skewTable 16536
    :skewColumn 3
    :skewInherit false
    :rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 3
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 8
                :varattnosyn 3
                :location 738
            }
            {VAR
                :varno -1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 10
                :varattnosyn 1
                :location 755
            }
        )
    }
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 3
        :location 738
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location 707
    }
)
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)

```

```

:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
   :opno 96
   :opfuncid 65
   :opresulttype 16
   :opretset false
   :opcollid 0
   :inputcollid 0
   :args (
     {VAR
      :varno -2
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 4
      :location 693
     }
     {VAR
      :varno -1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 1
      :location 707
     }
   )
   :location -1
 }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
   :varno -2
   :varattno 4
   :vartype 23
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 7
   :varattnosyn 4
   :location 693
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
  {OPEXPR
   :opno 96
   :opfuncid 65
   :opresulttype 16
   :opretset false
   :opcollid 0
   :inputcollid 0
   :args (
     {VAR
      :varno -2
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 2
      :location 655
     }
     {VAR
      :varno -1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 1
      :location 667
     }
   )
   :location -1
 }
)
:nestParams <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)

```

```

        :plan.allParam (b)
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b)
    :join.plan.allParam (b)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual (
        {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno -2
            :varattno 4
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 1
            :location 615
            }
            {VAR
            :varno -1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 6
            :varattnosyn 1
            :location 628
            }
        )
        :location -1
    }
    )
    :nestParams <>
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b)
    :join.plan.allParam (b)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual (
        {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno -2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 1
            :location 577
            }
            {VAR
            :varno -1
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 3
            :location 589
            }
        )
        :location -1
    }
    )
    :nestParams <>
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 18.1
    :plan.total_cost 18.1
    :plan.plan_rows 810
    :plan.plan_width 36
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 23
    :plan.targetlist (
        {TARGETENTRY
        :expr
        {VAR
        :varno -2

```

```

:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 24
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location 311
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location 829
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 9
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 1
        :location 829
    }
}
:skewTable 16541
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 815
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location 829
}
}
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 815
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 1754)
:collations ( 0)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 1752)
:grpCollations ( 0)
:numGroups 2336
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

GroupAggregate (cost=8449188064.84..8449188152.44 rows=2336 width=40) (actual time=740035.642..740036.671 rows=2.00 loops=1)
  Output: (EXTRACT(year FROM orders.o_orderdate)), (sum(CASE WHEN (n2.n_name = 'INDIA'::text) THEN (lineitem.l_extendedprice * ('1'::double precision - line
item.l_discount)) ELSE '0'::double precision END) / sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount))))

```

```

Group Key: (EXTRACT(year FROM orders.o_orderdate))
Buffers: shared hit=19261 read=122898, temp read=8825784 written=202
-> Sort (cost=8449188064.84..8449188070.68 rows=2336 width=80) (actual time=740034.497..740035.292 rows=2711.00 loops=1)
    Output: (EXTRACT(year FROM orders.o_orderdate)), n2.n_name, lineitem.l_extendedprice, lineitem.l_discount
    Sort Key: (EXTRACT(year FROM orders.o_orderdate))
    Sort Method: quicksort Memory: 226kB
    Buffers: shared hit=19261 read=122898, temp read=8825784 written=202
-> Hash Join (cost=5984.15..8449187934.14 rows=2336 width=80) (actual time=737395.071..740032.012 rows=2711.00 loops=1)
    Output: EXTRACT(year FROM orders.o_orderdate), n2.n_name, lineitem.l_extendedprice, lineitem.l_discount
    Hash Cond: (supplier.s_nationkey = n2.n_nationkey)
    Buffers: shared hit=19261 read=122898, temp read=8825784 written=202
-> Nested Loop (cost=5955.93..8449187816.84 rows=577 width=24) (actual time=737393.957..740029.835 rows=2711.00 loops=1)
    Output: lineitem.l_extendedprice, lineitem.l_discount, supplier.s_nationkey, orders.o_orderdate
    Join Filter: (supplier.s_suppkey = lineitem.l_suppkey)
    Rows Removed by Join Filter: 27107289
    Buffers: shared hit=19260 read=122898, temp read=8825784 written=202
-> Seq Scan on public.supplier (cost=0.00..318.00 rows=10000 width=8) (actual time=0.021..4.031 rows=10000.00 loops=1)
    Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_nationkey, supplier.s_phone, supplier.s_acctbal, suppl
ier.s_comment

    Buffers: shared hit=218
-> Materialize (cost=5955.93..8449100950.28 rows=577 width=24) (actual time=24.088..73.834 rows=2711.00 loops=10000)
    Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_suppkey, orders.o_orderdate
    Storage: Memory Maximum Storage: 202kB
    Buffers: shared hit=19042 read=122898, temp read=8825784 written=202
-> Nested Loop (cost=5955.93..8449100947.40 rows=577 width=24) (actual time=240880.885..737388.093 rows=2711.00 loops=1)
    Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_suppkey, orders.o_orderdate
    Join Filter: (lineitem.l_orderkey = orders.o_orderkey)
    Rows Removed by Join Filter: 4006951240
    Buffers: shared hit=19042 read=122898, temp read=8825784 written=202
-> Gather (cost=5913.75..149754.61 rows=46597 width=24) (actual time=18.693..49.258 rows=43693.00 loops=1)
    Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_suppkey, lineitem.l_orderkey
    Workers Planned: 2
    Workers Launched: 2
    Buffers: shared hit=8252 read=100332
-> Parallel Hash Join (cost=4913.75..144094.91 rows=19415 width=24) (actual time=13.164..344.124 rows=14564.33 loops
=3)

    Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_suppkey, lineitem.l_orderkey
    Hash Cond: (lineitem.l_partkey = part.p_partkey)
    Buffers: shared hit=8252 read=100332
    Worker 0: actual time=10.827..958.375 rows=42247.00 loops=1
      Buffers: shared hit=5304 read=97020
    Worker 1: actual time=10.201..52.480 rows=1427.00 loops=1
      Buffers: shared hit=1070 read=3248
-> Parallel Seq Scan on public.lineitem (cost=0.00..129723.83 rows=2500383 width=28) (actual time=0.433..145.8
17 rows=2000405.00 loops=3)

    Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_qua
ntity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdat
e, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
    Buffers: shared hit=4388 read=100332
    Worker 0: actual time=0.677..413.261 rows=5806779.00 loops=1
      Buffers: shared hit=4308 read=97020
    Worker 1: actual time=0.015..20.182 rows=190760.00 loops=1
      Buffers: shared hit=80 read=3248
-> Parallel Hash (cost=4905.67..4905.67 rows=647 width=4) (actual time=12.390..12.390 rows=483.67 loops=3)
    Output: part.p_partkey
    Buckets: 2048 Batches: 1 Memory Usage: 112kB
    Buffers: shared hit=3864
    Worker 0: actual time=10.126..10.127 rows=372.00 loops=1
      Buffers: shared hit=996
    Worker 1: actual time=10.135..10.135 rows=373.00 loops=1
      Buffers: shared hit=990
-> Parallel Seq Scan on public.part (cost=0.00..4905.67 rows=647 width=4) (actual time=0.052..12.274 row
s=483.67 loops=3)

    Output: part.p_partkey
    Filter: (part.p_type = 'ECONOMY ANODIZED STEEL')::text
    Rows Removed by Filter: 66183
    Buffers: shared hit=3864
    Worker 0: actual time=0.083..10.025 rows=372.00 loops=1
      Buffers: shared hit=996
    Worker 1: actual time=0.031..10.029 rows=373.00 loops=1
      Buffers: shared hit=990
-> Materialize (cost=42.17..8435975139.62 rows=18565 width=8) (actual time=0.003..11.391 rows=91707.00 loops=43693)
    Output: orders.o_orderdate, orders.o_orderkey
    Storage: Disk Maximum Storage: 4096kB
    Buffers: shared hit=10790 read=22566, temp read=8825784 written=202
-> Nested Loop (cost=42.17..8435975046.80 rows=18565 width=8) (actual time=77.658..240486.452 rows=91707.00 loops=1)
    Output: orders.o_orderdate, orders.o_orderkey
    Join Filter: (orders.o_custkey = customer.c_custkey)
    Rows Removed by Join Filter: 2767900674
    Buffers: shared hit=10790 read=22566
-> Seq Scan on public.orders (cost=0.00..8394198508.00 rows=229193 width=12) (actual time=50.905..1242.868 row
s=91707.00 loops=1)

    Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate
, orders.o_orderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
    Filter: ((orders.o_orderdate >= '1995-01-01'::date) AND (orders.o_orderdate <= '1996-12-31'::date) AND (AN
Y (orders.o_custkey = (hashed SubPlan 2).col1)))

    Rows Removed by Filter: 1408293
    Buffers: shared hit=7116 read=22566
    SubPlan 2
-> Hash Join (cost=42.17..6084.17 rows=12150 width=4) (actual time=0.052..43.068 rows=30183.00 loops=1)

    Output: c.c_custkey
    Hash Cond: (c.c_nationkey = n1_1.n_nationkey)
    Buffers: shared hit=3674
-> Seq Scan on public.customer c (cost=0.00..5172.00 rows=150000 width=8) (actual time=0.010..23
.741 rows=150000.00 loops=1)

    Output: c.c_custkey, c.c_name, c.c_address, c.c_nationkey, c.c_phone, c.c_acctbal, c.c_mktse
gment, c.c_comment

    Buffers: shared hit=3672
-> Hash (cost=41.97..41.97 rows=16 width=4) (actual time=0.028..0.044 rows=5.00 loops=1)
    Output: n1_1.n_nationkey
    Buckets: 1024 Batches: 1 Memory Usage: 9kB
    Buffers: shared hit=2
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.023..0.039 rows=5.00 loops
=1)

    Output: n1_1.n_nationkey
    Hash Cond: (n1_1.n_regionkey = r.r_regionkey)
    Buffers: shared hit=2
-> Seq Scan on public.nation n1_1 (cost=0.00..18.10 rows=810 width=8) (actual time=0
.004..0.006 rows=25.00 loops=1)

    Output: n1_1.n_nationkey, n1_1.n_name, n1_1.n_regionkey, n1_1.n_comment
    Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.011..0.022 rows=1.00 loops
=1)

    Output: r.r_regionkey

```

```

                                Buckets: 1024 Batches: 1 Memory Usage: 9kB
                                Buffers: shared hit=1
                                -> Seq Scan on public.region r (cost=0.00..20.62 rows=4 width=4) (actual time=
0.009..0.009 rows=1.00 loops=1)

                                Output: r.r_regionkey
                                Filter: (r.r_name = 'ASIA'::text)
                                Rows Removed by Filter: 4
                                Buffers: shared hit=1
-> Materialize (cost=42.17..6144.92 rows=12150 width=4) (actual time=0.000..1.036 rows=30183.00 loops=91707)
    Output: customer.c_custkey
    Storage: Memory Maximum Storage: 1436kB
    Buffers: shared hit=3674
-> Hash Join (cost=42.17..6084.17 rows=12150 width=4) (actual time=0.066..24.381 rows=30183.00 loops=1)
    Output: customer.c_custkey
    Hash Cond: (customer.c_nationkey = n1.n_nationkey)
    Buffers: shared hit=3674
-> Seq Scan on public.customer (cost=0.00..5172.00 rows=150000 width=8) (actual time=0.013..7.748
rows=150000.00 loops=1)

                                Output: customer.c_custkey, customer.c_name, customer.c_address, customer.c_nationkey, custome
r.c_phone, customer.c_acctbal, customer.c_mktsegment, customer.c_comment
                                Buffers: shared hit=3672
-> Hash (cost=41.97..41.97 rows=16 width=4) (actual time=0.031..0.032 rows=5.00 loops=1)
    Output: n1.n_nationkey
    Buckets: 1024 Batches: 1 Memory Usage: 9kB
    Buffers: shared hit=2
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.026..0.030 rows=5.00 loops=1)

                                Output: n1.n_nationkey
                                Hash Cond: (n1.n_regionkey = region.r_regionkey)
                                Buffers: shared hit=2
-> Seq Scan on public.nation n1 (cost=0.00..18.10 rows=810 width=8) (actual time=0.006
..0.007 rows=25.00 loops=1)

                                Output: n1.n_nationkey, n1.n_name, n1.n_regionkey, n1.n_comment
                                Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.012..0.012 rows=1.00 loops=1)

                                Output: region.r_regionkey
                                Buckets: 1024 Batches: 1 Memory Usage: 9kB
                                Buffers: shared hit=1
                                -> Seq Scan on public.region (cost=0.00..20.62 rows=4 width=4) (actual time=0.00
9..0.009 rows=1.00 loops=1)

                                Output: region.r_regionkey
                                Filter: (region.r_name = 'ASIA'::text)
                                Rows Removed by Filter: 4
                                Buffers: shared hit=1
-> Hash (cost=18.10..18.10 rows=810 width=36) (actual time=0.060..0.060 rows=25.00 loops=1)
    Output: n2.n_name, n2.n_nationkey
    Buckets: 1024 Batches: 1 Memory Usage: 10kB
    Buffers: shared hit=1
-> Seq Scan on public.nation n2 (cost=0.00..18.10 rows=810 width=36) (actual time=0.049..0.052 rows=25.00 loops=1)
    Output: n2.n_name, n2.n_nationkey
    Buffers: shared hit=1

Planning:
    Buffers: shared hit=28
    Planning Time: 5.131 ms
    Execution Time: 740042.020 ms
(151 rows)

Time: 740061.732 ms (12:20.062)
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS orders_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW orders_secure AS
SELECT o.*
FROM orders o
WHERE EXISTS (
    SELECT 1 FROM customer c
    JOIN nation n1 ON c.c_nationkey = n1.n_nationkey
    JOIN region r ON n1.n_regionkey = r.r_regionkey
    WHERE c.c_custkey = o.o_custkey
    AND r.r_name = 'ASIA'
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON orders_secure TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON supplier TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON nation TO alice;
GRANT SELECT ON region TO alice;
SET ROLE alice;

-- Step 5: Run Q8
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    o_year,
    sum(case
        when nation = 'INDIA' then volume
        else 0
    end) / sum(volume) as mkt_share
from
    (
        select
            extract(year from o_orderdate) as o_year,
            l_extendedprice * (1 - l_discount) as volume,
            n2.n_name as nation
        from
            part,
            supplier,
            lineitem,
            orders_secure o,
            customer,
            nation n1,
            nation n2,
            region
        where
            p_partkey = l_partkey
            and s_suppkey = l_suppkey

```



```

        and l_orderkey = o.o_orderkey
        and o.o_custkey = c_custkey
        and c_nationkey = n1.n_nationkey
        and n1.n_regionkey = r_regionkey
        and r_name = 'ASIA'
        and s_nationkey = n2.n_nationkey
        and o.o_orderdate between date '1995-01-01' and date '1996-12-31'
        and p_type = 'ECONOMY ANODIZED STEEL'
    ) as all_nations
group by
    o_year
order by
    o_year;

```

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 9.165 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}

```

```
:stmt_location 0
:stmt_len 45
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}
```

Time: 4.855 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("orders_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 33
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("orders_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 4.628 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {VIEWSTMT
:view
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("o"
  {A_STAR
}
}
):location 36
}
:location 36
}
)
:fromClause (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias
  {ALIAS
:aliasname o
:colnames <>
}
:location 45
}
)
:whereClause
  {SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {A_CONST
:val 1
:location 80
}
:location 80
}
)
:fromClause (
  {JOINEXPR
:jointype 0
:isNatural false
:larg
  {JOINEXPR
:jointype 0
:isNatural false

```

```

:larg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistance p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 87
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistance p
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:location 107
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_nationkey")
:location 120
}
:rexpr
{COLUMNREF
:fields ("n1" "n_nationkey")
:location 136
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 134
}
:alias <>
:rtindex 0
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistance p
:alias
{ALIAS
:aliasname r
:colnames <>
}
:location 160
}
:usingClause <>
:join_using_alias <>
:quals
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n1" "n_regionkey")
:location 172
}
:rexpr
{COLUMNREF
:fields ("r" "r_regionkey")
:location 189
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 187
}
:alias <>
:rtindex 0
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 213
}
:rexpr
{COLUMNREF
:fields ("o" "o_custkey")
:location 227
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 225
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r" "r_name")
:location 247
}
:rexpr

```

```

        {A_CONST
        :val "ASIA"
        :location 258
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 256
    }
    )
    :location 243
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 60
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
    :stmt_location 0
    :stmt_len 266
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o"
{A_STAR
}
}
)
:location 36
}
:location 36
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname o
:colnames <>
}
:location 45
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>

```

```

:targetList (
  {RESTARGET
  :name <>
  :indirection <>
  :val
    {A_CONST
    :val 1
    :location 80
    }
  :location 80
  }
)
:fromClause (
  {JOINEXPR
  :jointype 0
  :isNatural false
  :larg
    {JOINEXPR
    :jointype 0
    :isNatural false
    :larg
      {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname customer
      :inh true
      :relpersistence p
      :alias
        {ALIAS
        :aliasname c
        :colnames <>
        }
      :location 87
      }
    :rarg
      {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname nation
      :inh true
      :relpersistence p
      :alias
        {ALIAS
        :aliasname n1
        :colnames <>
        }
      :location 107
      }
    :usingClause <>
    :join_using_alias <>
    :quals
      {A_EXPR
      :name ("=")
      :lexpr
        {COLUMNREF
        :fields ("c" "c_nationkey")
        :location 120
        }
      :rexpr
        {COLUMNREF
        :fields ("n1" "n_nationkey")
        :location 136
        }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 134
      }
    :alias <>
    :rtindex 0
    }
  :rarg
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname region
    :inh true
    :relpersistence p
    :alias
      {ALIAS
      :aliasname r
      :colnames <>
      }
    :location 160
    }
  :usingClause <>
  :join_using_alias <>
  :quals
    {A_EXPR
    :name ("=")
    :lexpr
      {COLUMNREF
      :fields ("n1" "n_regionkey")
      :location 172
      }
    :rexpr
      {COLUMNREF
      :fields ("r" "r_regionkey")
      :location 189
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 187
    }
  :alias <>
  :rtindex 0
  }
)
:whereClause
  {BOOLEXP
  :boolop and
  :args (
    {A_EXPR
    :name ("=")
    :lexpr
      {COLUMNREF

```

```

        :fields ("c" "c_custkey")
        :location 213
      }
    :rexpr
      {COLUMNREF
        :fields ("o" "o_custkey")
        :location 227
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 225
  }
  {A_EXPR
    :name ("=")
    :lexpr
      {COLUMNREF
        :fields ("r" "r_name")
        :location 247
      }
    :rexpr
      {A_CONST
        :val "ASIA"
        :location 258
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 256
  }
}
:location 243
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 60
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 266
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL:   {QUERY
:commandType 1

```

```

:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname o
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname o
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname c
                :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
              }
            :rtekind 0
            :relid 16546
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname n1
                :colnames <>
              }
            :eref

```



```

{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_
_phone" "c_acctbal" "c_mktsegment" "c_comment" "n_nationkey"
"n_name" "n_regionkey" "n_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:varattno 8
:varattno 25
:varattmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:varattno 23
:varattmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:varattno 25
:varattmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:varattno 23
:varattmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:varattno 25
:varattmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_
_phone" "c_acctbal" "c_mktsegment" "c_comment" "n_nationkey"
"n_name" "n_regionkey" "n_comment" "r_regionkey" "r_name" "
r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}

```

```

{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reldid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reldid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 120
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 136
}
)
:location 134
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 172
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 189
}
)
:location 187
}
:alias <>
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXPR

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 213
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 227
  }
)
:location 225
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 247
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 258
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
  }
)
:location 256
}
}
:location 243
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 80
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>

```

```

        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 60
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 36
}
:resno 1
:resname o_orderkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 36
}
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 36
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 36
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 36
}

```

```

:resno 5
:resname o_orderdate
:resortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 36
}
:resno 6
:resname o_orderpriority
:resortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 36
}
:resno 7
:resname o_clerk
:resortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 36
}
:resno 8
:resname o_shippriority
:resortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 36
}
:resno 9
:resname o_comment
:resortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>

```



```
:stmt_location 0
:stmt_len 266
}
```

Time: 9.409 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 33
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 38
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 33
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
```

```

:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 38
}

```

Time: 0.949 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false

```

```

:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 2.837 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
}

```

```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.223 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
}

```

```

:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.191 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false

```

```

:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.205 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.194 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname region
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname region
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
  )
  :grant_option false
}

```

```

:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.230 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
}

```



```

>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.123 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o_year")
:location 47
}
:location 47
}
{RESTARGET
:name mkt_share
:indirection <>
:val
{A_EXPR
:name ("/")
:lexpr
{FUNCCALL
:funcname ("sum")
:args (
{CASEEXPR
:casetype 0
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("nation")
:location 81
}
:rexpr
{A_CONST
:val "INDIA"
:location 90
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 88
}
:result
{COLUMNREF
:fields ("volume")
:location 103
}
:location 76
}
)
:defresult
{A_CONST
:val 0
:location 123
}
:location 63
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 59
}
:rexpr
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("volume")
:location 140
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 136
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 134
}
}
}

```

```

    }
    :location 59
  }
)
:fromClause (
  {RANGESUBSELECT
  :lateral false
  :subquery
  {SELECTTMT
  :distinctClause <>
  :intoClause <>
  :targetList (
    {RESTARTGET
    :name o_year
    :indirection <>
    :val
    {FUNCCALL
    :funcname ("pg_catalog" "extract")
    :args (
      {A_CONST
      :val "year"
      :location 207
      }
      {COLUMNREF
      :fields ("o_orderdate")
      :location 217
      }
    )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 3
    :location 199
    }
  :location 199
  }
  {RESTARTGET
  :name volume
  :indirection <>
  :val
  {A_EXPR
  :name ("*")
  :lexpr
  {COLUMNREF
  :fields ("l_extendedprice")
  :location 253
  }
  :rexpr
  {A_EXPR
  :name ("-")
  :lexpr
  {A_CONST
  :val 1
  :location 272
  }
  :rexpr
  {COLUMNREF
  :fields ("l_discount")
  :location 276
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 274
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 269
  }
  :location 253
  }
  {RESTARTGET
  :name nation
  :indirection <>
  :val
  {COLUMNREF
  :fields ("n2" "n_name")
  :location 311
  }
  :location 311
  }
)
:fromClause (
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname part
  :inh true
  :relpersistence p
  :alias <>
  :location 356
  }
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname supplier
  :inh true
  :relpersistence p
  :alias <>
  :location 374
  }
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname lineitem
  :inh true
  :relpersistence p
  :alias <>
  :location 396
  }
  {RANGEVAR
  :catalogname <>

```

```

:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname o
:colnames <>
}
:location 418
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 447
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:location 469
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:location 492
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 515
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_partkey")
:location 548
}
:rexpr
{COLUMNREF
:fields ("l_partkey")
:location 560
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 558
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_suppkey")
:location 586
}
:rexpr
{COLUMNREF
:fields ("l_suppkey")
:location 598
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 596
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_orderkey")
:location 624
}
:rexpr
{COLUMNREF
:fields ("o" "o_orderkey")
:location 637
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 635
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("o" "o_custkey")
:location 666
}
}
}

```

```

:rexpr
{COLUMNREF
:fields ("c_custkey")
:location 680
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 678
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c_nationkey")
:location 706
}
:rexpr
{COLUMNREF
:fields ("n1" "n_nationkey")
:location 720
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 718
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n1" "n_regionkey")
:location 751
}
:rexpr
{COLUMNREF
:fields ("r_regionkey")
:location 768
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 766
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("r_name")
:location 796
}
:rexpr
{A_CONST
:val "ASIA"
:location 805
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 803
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_nationkey")
:location 828
}
:rexpr
{COLUMNREF
:fields ("n2" "n_nationkey")
:location 842
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 840
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("o" "o_orderdate")
:location 873
}
:rexpr (
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 900
}
:typeName
{TYPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 895
}
:location -1
}
{TYPECAST
:arg
{A_CONST
:val "\1996-12-31"
:location 922
}
:typeName
{TYPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>

```

```

        :location 917
      }
    :location -1
  }
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 887
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_type")
:location 951
}
:rexpr
{A_CONST
:val "ECONOMY\ ANODIZED\ STEEL"
:location 960
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 958
}
)
:location 582
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:alias
{ALIAS
:aliasname all_nations
:colnames <>
}
}
)
:whereClause <>
:groupClause (
{COLUMNREF
:fields ("o_year")
:location 1019
}
)
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("o_year")
:location 1039
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 1045
}

```

WARNING: ===== ANALYZED QUERY =====
 DETAIL: {QUERY

```

:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname all_nations
:colnames <>
}
:eref
{ALIAS
:aliasname all_nations
:colnames ("o_year" "volume" "nation")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_ttyp"
"p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey"
"s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate"
"l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true

```

```

:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
ippriority" "o_comment")
}
:rtekind 0
:relid 16665
:inh true
:relkind v
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
"c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2

```

```

:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16665
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
:rtindex 1
}
  {RANGETBLREF
:rtindex 2
}
  {RANGETBLREF
:rtindex 3
}
  {RANGETBLREF
:rtindex 4
}
  {RANGETBLREF
:rtindex 5
}
  {RANGETBLREF
:rtindex 6
}
  {RANGETBLREF
:rtindex 7
}
  {RANGETBLREF
:rtindex 8
}
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 548
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 560
}
)
:location 558
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 586
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 598
}
}
)
:location 596
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 624
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 637
}
}
)
:location 635
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4

```

```

:varattnosyn 2
:location 666
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 680
}
)
:location 678
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location 706
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 720
}
}
)
:location 718
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location 751
}
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 768
}
}
)
:location 766
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 796
}
}
{CONST

```

```

:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 805
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
)
:location 803
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 828
}
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 842
}
)
:location 840
}
{BOOLEXPR
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 873
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 900
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 887
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 873
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 922
}
)

```

```

        :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 887
}
)
:location 887
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 951
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 960
:constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32
65 78 79 68 73 90 69 68 32 83 84 69 69 76 ]
}
)
:location 958
}
)
:location 582
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 217
}
)
:location 199
}
:resno 1
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

:varattnosyn 6
:location 253
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 272
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 276
}
)
:location 274
}
)
:location 269
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 311
}
:resno 3
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY

```

```

:alias <>
:eref
  {ALIAS
   :aliasname *GROUP*
   :colnames ("o_year")
  }
:rtekind 9
:groupexprs (
  {VAR
   :varno 1
   :varattno 1
   :vartype 1700
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 1
   :varattnosyn 1
   :location 47
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
  {FROMEXPR
   :fromlist (
    {RANGETBLREF
     :rtindex 1
    }
  )
  :quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
   :expr
   {VAR
    :varno 2
    :varattno 1
    :vartype 1700
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
   }
  :resno 1
  :resname o_year
  :ressortgroupref 1
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 701
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
{CONST
:consttype 25
:consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 90
        :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
}
:location 88
}
:result
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 103
}
:location 76
}
)
:defresult
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 123
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 59
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 140
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1

```

```

        :aggtransno -1
        :location 136
    }
)
:location 134
}
:resno 2
:resname mkt_share
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 1752
        :sortop 1754
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 1752
        :sortop 1754
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
    }
    {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
    }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>

```



```

:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1045
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias
  {ALIAS
:aliasname all_nations
:colnames <>
}
:eref
  {ALIAS
:aliasname all_nations
:colnames ("o_year" "volume" "nation")
}
:rtekind 1
:subquery
  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
  {RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
  {RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true

```

```

:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16665
:inh true
:relkind v
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)

```

```

:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16665
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
}
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
:rtindex 1
}
  {RANGETBLREF
:rtindex 2
}
  {RANGETBLREF
:rtindex 3
}
  {RANGETBLREF
:rtindex 4
}
  {RANGETBLREF
:rtindex 5
}
  {RANGETBLREF
:rtindex 6
}
  {RANGETBLREF
:rtindex 7
}
  {RANGETBLREF
:rtindex 8
}
)
:quals
{BOOLEXP
:boolop and
:args (
  {OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 548
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 560
}
)
:location 558
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 586
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 598
}
)
:location 596
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 624
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 637
}
)
:location 635
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 666
}
)

```

```

    }
    {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 680
    }
  )
:location 678
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 5
  :varattno 4
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 5
  :varattnosyn 4
  :location 706
  }
  {VAR
  :varno 6
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 6
  :varattnosyn 1
  :location 720
  }
)
:location 718
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 6
  :varattno 3
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 6
  :varattnosyn 3
  :location 751
  }
  {VAR
  :varno 8
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 8
  :varattnosyn 1
  :location 768
  }
)
:location 766
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 8
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 8
  :varattnosyn 2
  :location 796
  }
  {CONST
  :consttype 25
  :consttypmod -1

```

```

:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 805
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
)
:location 803
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 828
}
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 842
}
)
:location 840
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 873
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 900
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 887
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 873
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 922
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
}
)

```

```

        )
        :location 887
    }
}
:location 887
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 951
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 960
    :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78
    79 68 73 90 69 68 32 83 84 69 69 76 ]
    }
)
:location 958
}
)
:location 582
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {FUNCEXPR
    :funcid 6199
    :funcresulttype 1700
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 0
    :inputcollid 100
    :args (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 207
        :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
        }
        {VAR
        :varno 4
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 5
        :location 217
        }
    )
    :location 199
    }
}
:resno 1
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 3
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location 253

```

```

    }
    {OPEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 272
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    )
    {VAR
    :varno 3
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location 276
    }
    )
    :location 274
}
)
:location 269
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 311
}
:resno 3
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reld 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref

```



```

        :constbyval false
        :constisnull false
        :location 90
        :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
}
:location 88
}
:result
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 103
}
:location 76
}
)
:defaultresult
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 123
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:location 63
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 59
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 140
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 136

```

```

    }
  )
  :location 134
}
:resno 2
:resname mkt_share
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE true
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias
        {ALIAS
          :aliasname all_nations
          :colnames <>
        }
      }
    :eref
    {ALIAS
      :aliasname all_nations
      :colnames ("o_year" "volume" "nation")
    }
    :rtekind 1
    :subquery
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
          :alias <>
        }
      :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    }
    :rtekind 0
  }
)

```

```

:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumbr"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_o
talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
ippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 10

```

```

:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
c_comment" "n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2

```

```

:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR

```

```

:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
}
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
c_comment" "n_nationkey" "n_name" "n_regionkey"
"n_comment" "r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1

```



```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12)
:joinrightcols (i 1 2 3)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR

```

```

        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
}
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
}
:location -1
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```

```

        {VAR
        :varno 4
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
        }
    )
    :location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname o_orderkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    }

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}

```

```

:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16665
:inh false
:relkind v
:rellockmode 1
:perminfoindex 4
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0

```

```

:reloid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:reloid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:reloid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reloid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reloid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reloid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reloid 16665
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reloid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reloid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reloid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

{RTEPERMISSIONINFO
:releid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
  {RANGETBLREF
  :rtindex 2
  }
  {RANGETBLREF
  :rtindex 3
  }
  {RANGETBLREF
  :rtindex 4
  }
  {RANGETBLREF
  :rtindex 5
  }
  {RANGETBLREF
  :rtindex 6
  }
  {RANGETBLREF
  :rtindex 7
  }
  {RANGETBLREF
  :rtindex 8
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 548
    }
    {VAR
    :varno 3
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 560
    }
  )
  :location 558
  }
  {OEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 586
    }
    {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 598
    }
  )
  :location 596

```

```

}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 624
}
  {VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 637
}
)
:location 635
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 666
}
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 680
}
)
:location 678
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location 706
}
  {VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 720
}
)
:location 718
}
{OPEXPR
:opno 96
:opfuncid 65

```



```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 6
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 3
    :location 751
  }
  {VAR
    :varno 8
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location 768
  }
)
:location 766
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 8
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 2
    :location 796
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 805
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
  }
)
:location 803
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 828
  }
  {VAR
    :varno 7
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location 842
  }
)
:location 840
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0

```

```

:args (
  {VAR
    :varno 4
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 5
    :location 873
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 900
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
  }
)
:location 887
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 5
    :location 873
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 922
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
  }
)
:location 887
}
)
:location 887
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 951
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 960
    :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78
79 68 73 90 69 68 32 83 84 69 69 76 ]
  }
)
:location 958
}
)
:location 582
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {FUNCEXPR
      :funcid 6199
      :funcresulttype 1700
      :funcsetset false
      :funcvariadic false
      :funcformat 3
    }
  }
)

```

```

:funccollid 0
:inputcollid 100
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 207
    :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
  }
  {VAR
    :varno 4
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 5
    :location 217
  }
)
:location 199
}
:resno 1
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {OEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location 253
      }
      {OEXPR
        :opno 592
        :opfuncid 219
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {FUNCEXP
            :funcid 316
            :funcresulttype 701
            :funcset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 272
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
              }
            )
            :location -1
          }
          {VAR
            :varno 3
            :varattno 7
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 7
            :location 276
          }
        )
      }
    )
    :location 274
  }
}
:location 269
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 311
}
:resno 3
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname o_year
:ressortgroupref 1

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 701
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 81
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 90
:constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
}
)
:location 88
}
:result
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 103
}
:location 76
}
)
:defresult
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 123
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 59
  }
  {AGGREF
  :aggfnoid 2111
  :aggtype 701
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes (o 701)
  :aggdirectargs <>
  :args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 140
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
  )
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar false
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggssplit 0
  :aggno -1
  :aggtransno -1
  :location 136
  }
  )
  :location 134
  }
  :resno 2
  :resname mkt_share
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 1752
  :sortop 1754
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 1752
  :sortop 1754
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====
 DETAIL: {QUERY
 :commandType 1

```

:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname all_nations
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname all_nations
      :colnames ("o_year" "volume" "nation")
    }
  }
  :rtekind 1
  :subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
          :aliasname part
          :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
        }
        :rtekind 0
        :relid 16551
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
      {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
          :aliasname supplier
          :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
        }
        :rtekind 0
        :relid 16541
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 2
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
      {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
          :aliasname lineitem
          :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
        }
        :rtekind 0
        :relid 16566
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 3
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
      {RANGETBENTRY
        :alias
        {ALIAS
          :aliasname o
          :colnames <>
        }
        :eref

```

```

{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
ippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1

```



```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
c_comment" "n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname r
:colnames <>
}
:eref
{ALIAS
:aliasname r
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:relid 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
}

```

```

:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
c_comment" "n_nationkey" "n_name" "n_regionkey"
"n_comment" "r_regionkey" "r_name" "r_comment")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}

```

```

    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location -1
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    {VAR
    :varno 4
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location -1
    }
  )
  :joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12)
  :joinrightcols (i 1 2 3)
  :join_using_alias <>
  :lateral false
  :inFromCl true
  :securityQuals <>
}

)

:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2

```

```

:checkAsUser 10
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 0
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1

```

```

        :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals
    {BOOLEXPR
    :boolop and
    :args (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    )
    :location -1
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 8 [ 32 0 0 0 65 83 73 65 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>

```

```

        :returningNewAlias <>
        :returningList <>
        :groupClause <>
        :groupDistinct false
        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```



```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:reld 16665
:inh false
:relkind v
:rellockmode 1
:perminfoindex 4
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:reld 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n1
:colnames <>
}
:eref
{ALIAS
:aliasname n1
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:reld 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n2
:colnames <>
}
:eref
{ALIAS
:aliasname n2
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:reld 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 7
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname region
:colnames ("r_regionkey" "r_name" "r_comment")
}
:rtekind 0
:reld 16531
:inh true
:relkind r
:rellockmode 1
:perminfoindex 8
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reld 16551
:inh true
:requiredPerms 2
:checkAsUser 0

```

```

:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16665
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16531
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
{RANGETBLREF
:rtindex 7
}
{RANGETBLREF
:rtindex 8
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 548
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 560
}
)
:location 558
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 586
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 598
}
}
:location 596
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 624
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 637
}
}
:location 635
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2

```

```

:location 666
}
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 680
}
)
:location 678
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location 706
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 720
}
}
)
:location 718
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location 751
}
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 768
}
}
)
:location 766
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 8
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location 796
}
{CONST
:consttype 25

```

```

:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 805
:constvalue 8 [ 32 0 0 0 65 83 73 65 ]
}
)
:location 803
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 828
}
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location 842
}
)
:location 840
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 873
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 900
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
)
:location 887
}
{OPEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location 873
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 922
:constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -1 ]
}
)
}

```

```

    }
    )
    :location 887
    }
  )
  :location 887
  }
  {OPEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 951
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 960
    :constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89 32 65 78
79 68 73 90 69 68 32 83 84 69 69 76 ]
    }
  )
  :location 958
  }
)
:location 582
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {FUNCEXPR
  :funcid 6199
  :funcresulttype 1700
  :funcresultset false
  :funcvariadic false
  :funcformat 3
  :funccollid 0
  :inputcollid 100
  :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 207
    :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
    }
    {VAR
    :varno 4
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 5
    :location 217
    }
  )
  :location 199
  }
)
:resno 1
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 3
  :varattno 6
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 6

```

```

:location 253
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 272
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 276
}
)
:location 274
}
)
:location 269
}
:resno 2
:resname volume
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location 311
}
:resno 3
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>

```

```

:eref
{
  ALIAS
  :aliasname *GROUP*
  :colnames ("o_year")
}
:rtekind 9
:groupexprs (
  {VAR
    :varno 1
    :varattno 1
    :vartype 1700
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 47
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 1700
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
  }
  :resno 1
  :resname o_year
  :ressortgroupref 1
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
{TARGETENTRY
  :expr
  {OPEXPR
    :opno 593
    :opfuncid 217
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
          {TARGETENTRY
            :expr
            {CASEEXPR
              :casetype 701
              :casecollid 0
              :arg <>
            }
            :args (
              {CASEWHEN
                :expr
                {OPEXPR
                  :opno 98
                  :opfuncid 67
                  :opresulttype 16
                  :opretset false
                  :opcollid 0
                  :inputcollid 100
                }
                :args (
                  {VAR
                    :varno 1
                    :varattno 3
                    :vartype 25
                    :vartypmod -1
                    :varcollid 100
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 3
                    :location 81
                  }
                  {CONST
                    :consttype 25
                    :consttypmod -1
                    :constcollid 100
                  }
                }
              }
            )
          }
        )
      }
    )
  }
}

```



```

        :constlen -1
        :constbyval false
        :constisnull false
        :location 90
        :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
)
:location 88
}
:result
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 103
}
:location 76
}
)
:defresult
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 123
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 59
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 140
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1

```

```

        :location 136
    }
)
:location 134
}
:resno 2
:resname mkt_share
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 1752
    :sortop 1754
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL:      {AGG
:plan.disabled_nodes 0
:plan.startup_cost 191230.7468881818
:plan.total_cost 191244.92188818182
:plan.plan_rows 378
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 1700
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
    }
    :resno 1
    :resname o_year
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {OPEXPR
    :opno 593
    :opfuncid 217
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 701
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {CASEEXPR
    :casetype 701
    :casecollid 0
    :arg <>
    :args (
    {CASEWHEN

```

```

:expr
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location 311
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 90
:constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
}
)
:location 88
}
:result
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 0 -16 63 ]
}
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}
)
:location 274
}
)
:location 269
}
:location 76
}
)
:defresult
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 0 0 ]
}
:location 63
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```

```

        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 59
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}
)
:location 274
}
)
:location 269
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 1
:aggtransno 1
:location 136
}
)
:location 134
}
:resno 2
:resname mkt_share
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

    }
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 191230.7468881818
:plan.total_cost 191231.6918881818
:plan.plan_rows 378
:plan.plan_width 80
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 52050.2459166667
:join.plan.total_cost 191214.56425000002
:join.plan.plan_rows 378
:join.plan.plan_width 80
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false

```

```

:join.plan.plan_node_id 2
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 6199
        :funcresulttype 1700
        :funcresultset false
        :funcvariadic false
        :funcformat 3
        :funccollid 0
        :inputcollid 100
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 207
            :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
          }
          {VAR
            :varno -2
            :varattno 4
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 11
            :varattnosyn 5
            :location -1
          }
        )
      :location 199
    }
  :resno 1
  :resname <>
  :ressortgroupref 1
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 2
        :location 311
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 6
        :location 253
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 7
        :location 276
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
  )
:join.plan.qual <>
:join.plan.lefttree

```

```

{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 52022.02091666667
:plan.total_cost 191171.9755
:plan.plan_rows 93
:plan.plan_width 24
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 6
      :location 253
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 7
      :location 276
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 4
      :location 828
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 4
      :vartype 1082
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 11
      :varattnosyn 5
      :location -1
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 51022.02091666667
:join.plan.total_cost 190162.6755
:join.plan.plan_rows 39
:join.plan.plan_width 24
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
  {TARGETENTRY
    :expr

```

```

        {VAR
        :varno -2
        :varattno 1
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 6
        :location 253
        }
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 828
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 50579.02091666667
:join.plan.total_cost 189719.13925
:join.plan.plan_rows 39
:join.plan.plan_width 24
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 5
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
}

```



```

:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 276
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location 598
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 45665.26675
:join.plan.total_cost 184786.42633333337
:join.plan.plan_rows 5013
:join.plan.plan_width 28
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 6
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 253
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 7
        :location 276
    }
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 560
}
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location 598
}
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 129723.83333333334
:scan.plan.plan_rows 2500383
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 7
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 5
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 12
:vartype 1082
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 12
        :location -1
    }
    :resno 12
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 13
    :location -1
  }
  :resno 13
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 14
    :location -1
  }
  :resno 14
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 15
    :location -1
  }
  :resno 15
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 16
    :location -1
  }
  :resno 16
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 5
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0

```

```

:plan.startup_cost 45649.604250000004
:plan.total_cost 45649.604250000004
:plan.plan_rows 1253
:plan.plan_width 8
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 8
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 5
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 1
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {HASHJOIN
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 9529.894999999999
    :join.plan.total_cost 45649.604250000004
    :join.plan.plan_rows 1253
    :join.plan.plan_width 8
    :join.plan.parallel_aware true
    :join.plan.parallel_safe true
    :join.plan.async_capable false
    :join.plan.plan_node_id 9
    :join.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno -2
            :varattno 1
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 11
            :varattnosyn 5
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno -2
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 11
            :varattnosyn 1
            :location -1
          }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :join.plan.qual <>
    :join.plan.lefttree
      {HASHJOIN

```

```

:join.plan.disabled_nodes 0
:join.plan.startup_cost 4764.947499999999
:join.plan.total_cost 40821.424250000004
:join.plan.plan_rows 15470
:join.plan.plan_width 16
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 10
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 5
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 1
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 12
        :varattnosyn 1
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 35383
    :scan.plan.plan_rows 190995
    :scan.plan.plan_width 12
    :scan.plan.parallel_aware true
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 11
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR

```

```

:varno 11
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 6
        :location -1
    }
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 11
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 11
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 5
:location -1
}
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 900
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -
1 ]
}
}
)

```

```

:location 887
}
{OEXPR
:opno 1096
:opfuncid 1088
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 11
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 11
    :varattnosyn 5
    :location -1
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 922
    :constvalue 4 [ -72 -5 -1 -1 -1 -1 -1 -
1 ]
  }
)
:location 887
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanreldid 11
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4701.6725
:plan.total_cost 4701.6725
:plan.plan_rows 5062
:plan.plan_width 4
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 12
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 12
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 42.1725
:join.plan.total_cost 4701.6725
:join.plan.plan_rows 5062
:join.plan.plan_width 4
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 13
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 12
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)

```

```

)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4297
:scan.plan.plan_rows 62500
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 14
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 5

```

```

        :location -1
    }
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 12
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 12
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 41.9725
:plan.total_cost 41.9725
:plan.plan_rows 16
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 15
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.675
:join.plan.total_cost 41.9725
:join.plan.plan_rows 16
:join.plan.plan_width 4
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 16
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 17
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 13
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 13
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 13
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 13
:varattno 4
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 13
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.625
:plan.total_cost 20.625
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 18
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 15
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.625
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 19
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 15
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 15
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 100
:args (
  {VAR
    :varno 15
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 15
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttype 25
    :constypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 8 [ 32 0 0 0
      65 83 73 65 ]
  }
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 15
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 15
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16536
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 13
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 15
        :varattnosyn 1
        :location -1
      }
    )
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
  }
)

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 13
        :varattnosyn 3
        :location -1
    }
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 1
:location -1
}
)
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 4
:location -1
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 13
:varattnosyn 1
:location -1
}
}
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 4
:location -1
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 1
:location -1
}
)
)

```



```

:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 12148.8
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 2
:location -1
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 12
:varattnosyn 1
:location -1
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 11
:varattnosyn 2
:location -1
}
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4701.6725
:plan.total_cost 4701.6725
:plan.plan_rows 5062
:plan.plan_width 4
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 20
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 42.1725
:join.plan.total_cost 4701.6725
:join.plan.plan_rows 5062
:join.plan.plan_width 4
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 21

```

```

:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 1
      :location 680
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
  :scan.plan.disabled_nodes 0
  :scan.plan.startup_cost 0
  :scan.plan.total_cost 4297
  :scan.plan.plan_rows 62500
  :scan.plan.plan_width 8
  :scan.plan.parallel_aware true
  :scan.plan.parallel_safe true
  :scan.plan.async_capable false
  :scan.plan.plan_node_id 22
  :scan.plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno 7
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
      }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
      :expr
      {VAR
        :varno 7
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 2
        :location -1
      }
      :resno 2
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
      :expr
      {VAR
        :varno 7
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 3
        :location -1
      }
      :resno 3
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
      :expr
      {VAR
        :varno 7
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7

```

```

        :varattnosyn 4
        :location -1
    }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 7
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 41.9725
:plan.total_cost 41.9725
:plan.plan_rows 16
:plan.plan_width 4
:plan.parallel_aware false

```

```

:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 23
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
  :join.plan.disabled_nodes 0
  :join.plan.startup_cost 20.675
  :join.plan.total_cost 41.9725
  :join.plan.plan_rows 16
  :join.plan.plan_width 4
  :join.plan.parallel_aware false
  :join.plan.parallel_safe true
  :join.plan.async_capable false
  :join.plan.plan_node_id 24
  :join.plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location 720
      }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  )
  :join.plan.qual <>
  :join.plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 18.1
    :scan.plan.plan_rows 810
    :scan.plan.plan_width 8
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 25
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
        {VAR
          :varno 8
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 8
          :varattnosyn 1
          :location -1
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
        {VAR
          :varno 8
          :varattno 2
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 8
          :varattnosyn 2
          :location -1
        }
        :resno 2
        :resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 8
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.625
:plan.total_cost 20.625
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 26
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.625
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 27
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 10
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 1
        :location 768
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 10
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 2
:location 796
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 8 [ 32 0 0 0 65
83 73 65 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 10
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location 768
}
)
:skewTable 16536
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 3
:location 751
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 1
        :location 768
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 3
        :location 751
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location 720
    }
)
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 4
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 7
                :varattnosyn 4
                :location 706
            }
            {VAR
                :varno -1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 8
                :varattnosyn 1
                :location 720
            }
        )
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 4
        :location 706
    }
)

```

```

    )
  }
  :plan.righttree <>
  :plan.initPlan <>
  :plan.extParam (b 0)
  :plan.allParam (b 0)
  :hashkeys (
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 1
      :location 680
    }
  )
  :skewTable 16546
  :skewColumn 1
  :skewInherit false
  :rows_total 12148.8
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 12
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location 680
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 12
    :varattnosyn 1
    :location -1
  }
)
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 11
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16566
:skewColumn 1
:skewInherit false
:rows_total 3007.2
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)

```



```

:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 624
      }
      {VAR
        :varno -1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 11
        :varattnosyn 1
        :location -1
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 624
  }
)
}
:join.plan.righttree
{HASH
  :plan.disabled_nodes 0
  :plan.startup_cost 4905.666666666667
  :plan.total_cost 4905.666666666667
  :plan.plan_rows 647
  :plan.plan_width 4
  :plan.parallel_aware true
  :plan.parallel_safe true
  :plan.async_capable false
  :plan.plan_node_id 28
  :plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  )
  :plan.qual <>
:plan.lefttree
{SEQSCAN
  :scan.plan.disabled_nodes 0
  :scan.plan.startup_cost 0
  :scan.plan.total_cost 4905.666666666667
  :scan.plan.plan_rows 647
  :scan.plan.plan_width 4
  :scan.plan.parallel_aware true
  :scan.plan.parallel_safe true
  :scan.plan.async_capable false
  :scan.plan.plan_node_id 29
  :scan.plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno 3
        :varattno 1
        :vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 548
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 951
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 960
:constvalue 26 [ 104 0 0 0 69 67 79 78 79 77 89
32 65 78 79 68 73 90 69 68 32 83 84 69 69 76 ]
}
)
:location 958
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 548
}
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 1552.8
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 560
}
{VAR
:varno -1

```

```

        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 548
    }
}
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 560
    }
)
}
:join.plan.righttree
{HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 318
    :plan.total_cost 318
    :plan.plan_rows 10000
    :plan.plan_width 8
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 30
    :plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 4
                :varattnosyn 1
                :location -1
            }
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno -2
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 4
            :location -1
        }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 318
    :scan.plan.plan_rows 10000
    :scan.plan.plan_width 8
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 31
    :scan.plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno 4
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 4
            }
        }
    )
}

```

```

        :varattnosyn 1
        :location 586
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 828
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanreldid 4
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 586
    }
    )
    :skewTable 16566
    :skewColumn 3
    :skewInherit false
    :rows_total 0
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b 0)
    :join.plan.allParam (b 0)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual <>
    :hashclauses (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location 598
    }
    {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 586
    }
    )
    :location -1
    }
    )
    :hashoperators (o 96)
    :hashcollations (o 0)
    :hashkeys (
    {VAR
    :varno -2

```

```

        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location 598
    }
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:single_copy false
:invisible false
:initParam (b)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 18.1
:plan.total_cost 18.1
:plan.plan_rows 810
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 32
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 33
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 2
:location 311
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location 842
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 9
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location 842
}
)
:skewTable 16541
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 828
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location 842
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 828
}
)

```



```

752.93.368 rows=152421.00 loops=3)
iority, o.o_clerk, o.o_shippriority, o.o_comment

-> Parallel Seq Scan on public.orders o (cost=0.00..35383.00 rows=190995 width=12) (actual time=0.
Output: o.o_orderkey, o.o_custkey, o.o_orderstatus, o.o_totalprice, o.o_orderdate, o.o_orderpr
Filter: ((o.o_orderdate >= '1995-01-01'::date) AND (o.o_orderdate <= '1996-12-31'::date))
Rows Removed by Filter: 347579
Buffers: shared hit=3332 read=22676
Worker 0: actual time=0.939..95.407 rows=158176.00 loops=1
Buffers: shared hit=1108 read=7870
Worker 1: actual time=0.689..92.099 rows=149210.00 loops=1
Buffers: shared hit=1127 read=7364
-> Parallel Hash (cost=4701.67..4701.67 rows=5062 width=4) (actual time=10.506..10.508 rows=10061.
00 loops=3)
Output: c.c_custkey
Buckets: 32768 (originally 16384) Batches: 1 (originally 1) Memory Usage: 1600kB
Buffers: shared hit=3678
Worker 0: actual time=10.508..10.511 rows=9491.00 loops=1
Buffers: shared hit=1162
Worker 1: actual time=10.512..10.515 rows=10371.00 loops=1
Buffers: shared hit=1253
-> Hash Join (cost=42.17..4701.67 rows=5062 width=4) (actual time=0.053..8.833 rows=10061.00
loops=3)
Output: c.c_custkey
Hash Cond: (c.c_nationkey = n1_1.n_nationkey)
Buffers: shared hit=3678
Worker 0: actual time=0.050..8.371 rows=9491.00 loops=1
Buffers: shared hit=1162
Worker 1: actual time=0.047..9.079 rows=10371.00 loops=1
Buffers: shared hit=1253
-> Parallel Seq Scan on public.customer c (cost=0.00..4297.00 rows=62500 width=8) (act
ual time=0.004..3.027 rows=50000.00 loops=3)
c.c_mktsegment, c.c_comment
Output: c.c_custkey, c.c_name, c.c_address, c.c_nationkey, c.c_phone, c.c_acctbal,
Buffers: shared hit=3672
Worker 0: actual time=0.003..2.853 rows=47370.00 loops=1
Buffers: shared hit=1160
Worker 1: actual time=0.002..3.153 rows=51087.00 loops=1
Buffers: shared hit=1251
-> Hash (cost=41.97..41.97 rows=16 width=4) (actual time=0.038..0.039 rows=5.00 loops=
3)
Output: n1_1.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=6
Worker 0: actual time=0.038..0.039 rows=5.00 loops=1
Buffers: shared hit=2
Worker 1: actual time=0.036..0.037 rows=5.00 loops=1
Buffers: shared hit=2
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.031..0.034 rows=
5.00 loops=3)
Output: n1_1.n_nationkey
Hash Cond: (n1_1.n_regionkey = r.r_regionkey)
Buffers: shared hit=6
Worker 0: actual time=0.031..0.034 rows=5.00 loops=1
Buffers: shared hit=2
Worker 1: actual time=0.029..0.032 rows=5.00 loops=1
Buffers: shared hit=2
-> Seq Scan on public.nation n1_1 (cost=0.00..18.10 rows=810 width=8) (act
ual time=0.008..0.009 rows=25.00 loops=3)
t
Output: n1_1.n_nationkey, n1_1.n_name, n1_1.n_regionkey, n1_1.n_commen
Buffers: shared hit=3
Worker 0: actual time=0.008..0.009 rows=25.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.007..0.008 rows=25.00 loops=1
Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.015..0.016 rows=
1.00 loops=3)
Output: r.r_regionkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=3
Worker 0: actual time=0.015..0.016 rows=1.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.016..0.016 rows=1.00 loops=1
Buffers: shared hit=1
-> Seq Scan on public.region r (cost=0.00..20.62 rows=4 width=4) (ac
tual time=0.007..0.008 rows=1.00 loops=3)
Output: r.r_regionkey
Filter: (r.r_name = 'ASIA'::text)
Rows Removed by Filter: 4
Buffers: shared hit=3
Worker 0: actual time=0.008..0.008 rows=1.00 loops=1
Buffers: shared hit=1
Worker 1: actual time=0.009..0.010 rows=1.00 loops=1
Buffers: shared hit=1
-> Parallel Hash (cost=4701.67..4701.67 rows=5062 width=4) (actual time=14.555..14.558 rows=10061.00 loo
ps=3)
Output: customer.c_custkey
Buckets: 32768 (originally 16384) Batches: 1 (originally 1) Memory Usage: 1600kB
Buffers: shared hit=3678
Worker 0: actual time=14.539..14.542 rows=10566.00 loops=1
Buffers: shared hit=1287
Worker 1: actual time=14.566..14.569 rows=9428.00 loops=1
Buffers: shared hit=1150
-> Hash Join (cost=42.17..4701.67 rows=5062 width=4) (actual time=0.125..12.626 rows=10061.00 loop
s=3)
Output: customer.c_custkey
Hash Cond: (customer.c_nationkey = n1.n_nationkey)
Buffers: shared hit=3678
Worker 0: actual time=0.152..13.043 rows=10566.00 loops=1
Buffers: shared hit=1287
Worker 1: actual time=0.152..11.947 rows=9428.00 loops=1
Buffers: shared hit=1150
-> Parallel Seq Scan on public.customer (cost=0.00..4297.00 rows=62500 width=8) (actual time
=0.011..7.168 rows=50000.00 loops=3)
ustomer.c_phone, customer.c_acctbal, customer.c_mktsegment, customer.c_comment
Output: customer.c_custkey, customer.c_name, customer.c_address, customer.c_nationkey, c
Buffers: shared hit=3672
Worker 0: actual time=0.007..7.278 rows=52523.00 loops=1
Buffers: shared hit=1285
Worker 1: actual time=0.017..6.803 rows=46786.00 loops=1
Buffers: shared hit=1148
-> Hash (cost=41.97..41.97 rows=16 width=4) (actual time=0.101..0.102 rows=5.00 loops=3)
Output: n1.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=6

```



```

Worker 0: actual time=0.138..0.138 rows=5.00 loops=1
  Buffers: shared hit=2
Worker 1: actual time=0.128..0.129 rows=5.00 loops=1
  Buffers: shared hit=2
-> Hash Join (cost=20.68..41.97 rows=16 width=4) (actual time=0.093..0.097 rows=5.00 1
oops=3)

Output: n1.n_nationkey
Hash Cond: (n1.n_regionkey = region.r_regionkey)
Buffers: shared hit=6
Worker 0: actual time=0.129..0.133 rows=5.00 loops=1
  Buffers: shared hit=2
Worker 1: actual time=0.120..0.124 rows=5.00 loops=1
  Buffers: shared hit=2
-> Seq Scan on public.nation n1 (cost=0.00..18.10 rows=810 width=8) (actual time
=0.047..0.048 rows=25.00 loops=3)

Output: n1.n_nationkey, n1.n_name, n1.n_regionkey, n1.n_comment
Buffers: shared hit=3
Worker 0: actual time=0.072..0.074 rows=25.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.062..0.064 rows=25.00 loops=1
  Buffers: shared hit=1
-> Hash (cost=20.62..20.62 rows=4 width=4) (actual time=0.038..0.038 rows=1.00 1
oops=3)

Output: region.r_regionkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=3
Worker 0: actual time=0.047..0.048 rows=1.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.048..0.049 rows=1.00 loops=1
  Buffers: shared hit=1
-> Seq Scan on public.region (cost=0.00..20.62 rows=4 width=4) (actual tim
e=0.031..0.031 rows=1.00 loops=3)

Output: region.r_regionkey
Filter: (region.r_name = 'ASIA'::text)
Rows Removed by Filter: 4
Buffers: shared hit=3
Worker 0: actual time=0.041..0.042 rows=1.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.042..0.043 rows=1.00 loops=1
  Buffers: shared hit=1
-> Parallel Hash (cost=4905.67..4905.67 rows=647 width=4) (actual time=10.548..10.550 rows=483.67 loops=3)
Output: part.p_partkey
Buckets: 2048 Batches: 1 Memory Usage: 144kB
Buffers: shared hit=3864
Worker 0: actual time=6.541..6.545 rows=298.00 loops=1
  Buffers: shared hit=791
Worker 1: actual time=6.542..6.544 rows=296.00 loops=1
  Buffers: shared hit=783
-> Parallel Seq Scan on public.part (cost=0.00..4905.67 rows=647 width=4) (actual time=0.067..10.456 rows=483.67 loo
ps=3)

Output: part.p_partkey
Filter: (part.p_type = 'ECONOMY ANODIZED STEEL'::text)
Rows Removed by Filter: 66183
Buffers: shared hit=3864
Worker 0: actual time=0.093..6.476 rows=298.00 loops=1
  Buffers: shared hit=791
Worker 1: actual time=0.081..6.473 rows=296.00 loops=1
  Buffers: shared hit=783
-> Hash (cost=318.00..318.00 rows=10000 width=8) (actual time=2.504..2.504 rows=10000.00 loops=3)
Output: supplier.s_suppkey, supplier.s_nationkey
Buckets: 16384 Batches: 1 Memory Usage: 519kB
Buffers: shared hit=654
Worker 0: actual time=2.438..2.438 rows=10000.00 loops=1
  Buffers: shared hit=218
Worker 1: actual time=2.439..2.440 rows=10000.00 loops=1
  Buffers: shared hit=218
-> Seq Scan on public.supplier (cost=0.00..318.00 rows=10000 width=8) (actual time=0.038..1.410 rows=10000.00 loops=3)
Output: supplier.s_suppkey, supplier.s_nationkey
Buffers: shared hit=654
Worker 0: actual time=0.051..1.337 rows=10000.00 loops=1
  Buffers: shared hit=218
Worker 1: actual time=0.052..1.355 rows=10000.00 loops=1
  Buffers: shared hit=218
-> Hash (cost=18.10..18.10 rows=810 width=36) (actual time=0.300..0.300 rows=25.00 loops=1)
Output: n2.n_name, n2.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 10kB
Buffers: shared hit=1
-> Seq Scan on public.nation n2 (cost=0.00..18.10 rows=810 width=36) (actual time=0.021..0.024 rows=25.00 loops=1)
Output: n2.n_name, n2.n_nationkey
Buffers: shared hit=1

Planning:
  Buffers: shared hit=31
Planning Time: 9.828 ms
Execution Time: 801.388 ms
(251 rows)

Time: 821.770 ms
tpch=> RESET ROLE;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false

```

```

        :location -1
    }
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree <>
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList <>
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 10
}

Time: 8.581 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT polname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polname, r.tablename);
    END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on supplier
ALTER TABLE supplier ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show suppliers with acctbal > 500
CREATE POLICY supplier_rls_policy ON supplier
USING (
    EXISTS (
        SELECT 1 FROM nation n
        WHERE n.n_nationkey = supplier.s_nationkey
        AND supplier.s_acctbal > 500
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON supplier TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON partsupp TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

-- Step 6: Run Q9
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    nation,
    o_year,
    sum(amount) as sum_profit
from
(
    select
        n_name as nation,
        p_name,
        extract(year from o_orderdate) as o_year,
        l_extendedprice * (1 - l_discount) - ps_supplycost * l_quantity as amount
    from
        part,
        supplier,
        lineitem,
        partsupp,
        orders,
        nation
    where
        s_suppkey = l_suppkey
        and ps_suppkey = l_suppkey

```

```

        and ps_partkey = l_partkey
        and p_partkey = l_partkey
        and o_orderkey = l_orderkey
        and s_nationkey = n_nationkey
        and p_name like 'co%'
    ) as profit
group by
    nation,
    o_year
order by
    nation,
    o_year desc;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {DOSTMT
    :args (
      {DEFELEM
        :defnamespace <>
        :defname as
        :arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
      :defaction 0
      :location 3
    }
  )
}
:stmt_location 0
:stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DOSTMT
    :args (
      {DEFELEM
        :defnamespace <>
        :defname as
        :arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
      :defaction 0
      :location 3
    }
  )
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:rekind v
:rellockmode 1
:permindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rtepermissions (
{RTPERMISSIONINFO
:relid 12018
:inh true
|requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updateCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
quals
{OPEXPR
:opno 93
:opfncid 62
:oprresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
){CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
}
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
```

```

    }
    :resno 1
    :resname policyname
    :resortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 19
  }
  :resno 2
  :resname tablename
  :resortgroupref 0
  :resorigtbl 12018
  :resorigcol 2
  :resjunk false
  }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
}
}

```

```

    }
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "rel
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "rela
cl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5

```

```

:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR

```

```

:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}

```



```

}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "relotype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR

```

```

:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}

```

```

    }
    {VAR
    :varno 2
    :varattno 31
    :vartype 28
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 31
    :location -1
    }
    {VAR
    :varno 2
    :varattno 32
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 32
    :location -1
    }
    {VAR
    :varno 2
    :varattno 33
    :vartype 1009
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 33
    :location -1
    }
    {VAR
    :varno 2
    :varattno 34
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 34
    :location -1
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    {VAR
    :varno 4
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location -1
    }
    {VAR
    :varno 4
    :varattno 4
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location -1
    }
  )
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}

```



```

)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 3256
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 9 10 11 12 13 14 15)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 1259
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 2615
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {JOINEXPR
      :jointype 1
      :isNatural false
      :larg
        {JOINEXPR
          :jointype 0
          :isNatural false
          :larg
            {RANGETBLREF
              :rtindex 1
            }
          :rarg
            {RANGETBLREF
              :rtindex 2
            }
        }
      :usingClause <>
      :join_using_alias <>
      :quals
        {OPEXPR
          :opno 607
          :opfuncid 184
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 2
              :varattno 1
              :vartype 26
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 2
              :varattnosyn 1
              :location -1
            }
            {VAR
              :varno 1
              :varattno 3
              :vartype 26
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 3
              :location -1
            }
          )
        }
      :location -1
    }
  )
  :alias <>
  :rtindex 3
}
:rarg
{RANGETBLREF
  :rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
  :opno 607
  :opfuncid 184
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 4
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
    }
  )
}

```

```

        :varnosyn 4
        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    }
    :location -1
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals <>
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

        :varattnosyn 5
        :location -1
    }
    :result
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
    }
    :location -1
}
)
:dfresult
{CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
    :casetype 1003
    :casecollid 950
    :arg <>
    :args (
        {CASEWHEN
            :expr
            {OEXPR
                :opno 1070
                :opfuncid 744
                :opresulttype 16
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                    {VAR
                        :varno 1
                        :varattno 6
                        :vartype 1028
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 1
                        :varattnosyn 6
                        :location -1
                    }
                    {CONST
                        :consttype 1028
                        :consttypmod -1
                        :constcollid 0
                        :constlen -1
                        :constbyval false
                        :constisnull false
                        :location -1
                        :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
                    }
                )
            }
            :location -1
        }
    )
    :result
    {ARRAYCOERCEEXPR
        :arg
        {FUNCEXP
            :funcid 394
            :funcresulttype 1009
            :funcresultset false
            :funcvariadic false
            :funcformat 0
            :funccollid 100
            :inputcollid 100
            :args (
                {CONST
                    :consttype 25
                    :consttypmod -1
                    :constcollid 100
                    :constlen -1
                    :constbyval false
                    :constisnull false
                    :location -1
                    :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
                }
                {CONST
                    :consttype 25
                    :consttypmod -1
                    :constcollid 100
                    :constlen -1
                    :constbyval false
                    :constisnull false
                    :location -1
                    :constvalue 4 [ 16 0 0 0 ]
                }
            )
        }
        :location -1
    }
}

```



```

        }
        {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
        }
    }
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}

```

```

{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
  }
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
  }
:location -1
}
)
:defresult
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
  }
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {VAR

```

```

:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
)
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}

```



```

:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relh
asindex" "relisshared" "relpersistenc" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhasstriggers" "relhassubclass" "relr
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
}
}
}

```

```

}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2

```

```

:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}

```

```

{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26

```

```

:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}

```

```

{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesamples <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "relotype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```



```

:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2

```

```

:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}

```

```

{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false

```

```

:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
    }
:resno 1
:resname schemaname
:ressortgrouppref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgrouppref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR

```

```

:casetype 1003
:casecollid 950
:arg <>
:args (
  {CASEWHEN
    :expr
    {OPEXPR
      :opno 1070
      :opfuncid 744
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 6
          :vartype 1028
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 6
          :location -1
        }
        {CONST
          :consttype 1028
          :consttypmod -1
          :constcollid 0
          :constlen -1
          :constbyval false
          :constisnull false
          :location -1
          :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
            0 0 0 1 0 0 0 0 0 0 0 ]
        }
      )
    }
    :location -1
  }
:result
  {ARRAYCOERCEEXPR
    :arg
    {FUNCEXPR
      :funcid 394
      :funcresulttype 1009
      :funcresultset false
      :funcvariadic false
      :funcformat 0
      :funccollid 100
      :inputcollid 100
      :args (
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location -1
          :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location -1
          :constvalue 4 [ 16 0 0 0 ]
        }
      )
    }
    :location -1
  }
:elemexpr
  {FUNCEXPR
    :funcid 407
    :funcresulttype 19
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 950
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeId 25
        :typeMod -1
        :collation 0
      }
    )
    :location -1
  }
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
)
:defresult
  {SUBLINK
    :subLinkType 6
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
    }
  }

```



```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_authid
        :colnames ("oid" "rolname" "rolsuper" "rolinherit"
          "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
            lication" "rolbypassrsls" "rolconlimit" "rolpasswor
              d" "rolvaliduntil")
        }
      :rtekind 0
      :relid 1260
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  )
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {SCALARARRAYOPEXPR
        :opno 607
        :opfuncid 184
        :hashfuncid 0
        :negfuncid 0
        :useOr true
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 1
            :varattno 6
            :vartype 1028
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location -1
          }
        )
        :location -1
      }
    )
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname rolname
    :ressortgroupref 1
  }
)

```

```

        :resorigtbl 1260
        :resorigcol 2
        :resjunk false
    }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 93
        :sortop 660
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
  :opno 92
  :opfuncid 61
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 18
      :typemod -1
      :collation 0
    }
    {CONST
      :consttype 18
      :consttypmod -1
      :constcollid 0
      :constlen 1
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
  :opno 92
  :opfuncid 61
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 18
      :typemod -1
      :collation 0
    }
    {CONST
      :consttype 18
      :consttypmod -1
      :constcollid 0
      :constlen 1
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1

```

```

}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:varstype 194
:varstypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:varstype 26
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25

```

```

:funcset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
  {VAR
    :varno 1
    :varattno 8
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 12018
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
  }
)
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
)
:quals
{OPEXPR
  :opno 93
  :opfuncid 62
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 950
  :args (
    {VAR
      :varno 1
      :varattno 1
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 52
    }
  )
}

```

```

    }
    {CONST
    :consttype 19
    :consttypmod -1
    :constcollid 950
    :constlen 64
    :constbyval false
    :constisnull false
    :location 65
    :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0
    0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
    0 0 0 0 0 0 0 0 0 0 ]
    }
  )
  :location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 3
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 3
  :location 7
  }
  :resno 1
  :resname policyname
  :ressortgrouppref 0
  :resorigtbl 12018
  :resorigcol 3
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 19
  }
  :resno 2
  :resname tablename
  :ressortgrouppref 0
  :resorigtbl 12018
  :resorigcol 2
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:      {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6.83
:join.plan.total_cost 28.396625
:join.plan.plan_rows 31
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR
  :varno -1
  :varattno 1
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname tablename
  :ressortgrouppref 0
  :resorigtbl 12018
  :resorigcol 2
  :resjunk false
  }
)

```

```

    }
:resno 1
:resname polycyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 1.0625
:join.plan.total_cost 21.902875
:join.plan.plan_rows 111
:join.plan.plan_width 68
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.44
:scan.plan.plan_rows 444
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1

```

```

        :location -1
    }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0

```



```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27

```

```

:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 33
    :vartype 1009
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 33
    :location -1
    }
    :resno 33
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 34
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 34
    :location -1
    }
    :resno 34
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 3
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 1.05
    :plan.total_cost 1.05
    :plan.plan_rows 1
    :plan.plan_width 4
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 3
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree
    {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 1.05
    :scan.plan.plan_rows 1
    :scan.plan.plan_width 4
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 4
    :scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1

```

```

        :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
    {OEXPR
    :opno 93
    :opfuncid 62
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 950
    :args (
        {VAR
        :varno 5
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location -1
        }
        {CONST
        :consttype 19
        :consttypmod -1
        :constcollid 950
        :constlen 64
        :constbyval false
        :constisnull false
        :location 65
        :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0
        0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
        0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
        }
    )
    :location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
)
:skewTable 1259
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
    {OEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
    }
}
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
    }
)
}
:join.plan.righttree
{HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 4.23
    :plan.total_cost 4.23
    :plan.plan_rows 123
    :plan.plan_width 68
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 5
    :plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 1
                :vartype 19
                :vartypmod -1
                :varcollid 950
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 2
                :location -1
            }
            :resno 1
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 2
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 3
                :location -1
            }
            :resno 2
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
    )
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 4.23
    :scan.plan.plan_rows 123
    :scan.plan.plan_width 68
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 6
    :scan.plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno 2
                :varattno 2
                :vartype 19
                :vartypmod -1
                :varcollid 950
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 2
                :location -1
            }
            :resno 1
            :resname <>
            :ressortgroupref 0

```



```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{VAR
:varno -1
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== REWRITE OUTPUT =====
DETAIL: (
{QUERY
:commandType 1
:querySource 0

```

```

:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
   :fromlist <>
   :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
   :expr
   {FUNCEXPR
    :funcid 3539
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {CONST
       :consttype 25
       :consttypmod -1
       :constcollid 100
       :constlen -1
       :constbyval false
       :constisnull false
       :location 7
       :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
        70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
      }
      {PARAM
       :paramkind 0
       :paramid 3
       :paramtype 19
       :paramtypmod -1
       :paramcollid 950
       :location 41
      }
      {PARAM
       :paramkind 0
       :paramid 4
       :paramtype 19
       :paramtypmod -1
       :paramcollid 950
       :location 55
      }
    )
    :location 0
  }
  :resno 1
  :resname format
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL:  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false

```

```

:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("orders" "orders_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("orders" "orders_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 28.031 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt

```

```

        {VARIABLESETSTMT
        :kind 4
        :name role
        :args <>
        :jumble_args false
        :is_local false
        :location -1
        }
        :stmt_location 0
        :stmt_len 10
    }
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}
}

```

```

Time: 0.190 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem

```

```

      :inh true
      :relpersistence p
      :alias <>
      :location 12
    }
  :cmds (
    {ALERTABLECMD
      :subtype 55
      :name <>
      :num 0
      :newowner <>
      :def <>
      :behavior 0
      :missing_ok false
      :recurse false
    }
  )
  :objtype 41
  :missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.857 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
  :stmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname orders
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :stmt_location 0
  :stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname orders
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (

```

```

{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.288 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>

```



```

        :behavior 0
        :missing_ok false
        :recurse false
    }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.272 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41

```

```

:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.289 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false

```

```

:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.266 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false

```

```

:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.611 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.244 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
}

```

```

:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.273 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 54
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 54
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>

```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

Time: 0.265 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("supplier" "s_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("supplier" "s_acctbal")
:location 161
}
:rexpr
{A_CONST
:val 500
:location 182
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 180
}
)
:location 157
}
}

```

```

    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
  }
  :location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 193
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("supplier" "s_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("supplier" "s_acctbal")
:location 161
}
}
}
}
}

```



```

        }
        :rexpr
        {A_CONST
         :val 500
         :location 182
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 180
    }
    )
    :location 157
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 193
}

```

Time: 1.050 ms

WARNING: ===== RAW PARSE TREE =====:

DETAIL: {RAWSTMT

```

:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}
```

Time: 0.303 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
```

```

:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY

```

```

:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

```

Time: 0.241 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT

```

```

:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC

```

```

        :roletype 0
        :rolename alice
        :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.213 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV

```

```

        :priv_name select
        :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 24
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname part
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 24
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.203 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp
    :inh true
    :relpersistence p

```

```

        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
        :priv_name select
        :cols <>
    }
)
:grantees (
    {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
    {GRANTSTMT
        :is_grant true
        :targtype 0
        :objtype 41
        :objects (
            {RANGEVAR
                :catalogname <>
                :schemaname <>
                :relname partsupp
                :inh true
                :relpersistence p
                :alias <>
                :location 16
            }
        )
        :privileges (
            {ACCESSPRIV
                :priv_name select
                :cols <>
            }
        )
        :grantees (
            {ROLESPEC
                :roletype 0
                :rolename alice
                :location 28
            }
        )
        :grant_option false
        :grantor <>
        :behavior 0
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.214 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
    {GRANTSTMT
        :is_grant true
        :targtype 0
        :objtype 41
        :objects (

```

```

    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname nation
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.227 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT

```

```

:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
  :val "alice"
  :location 9
  }
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
  :val "alice"
  :location 9
  }
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

```

Time: 0.260 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARGET
  :name <>
  :indirection <>
  :val
  {COLUMNREF
  :fields ("nation")
  :location 47
  }
  :location 47
  }
  {RESTARGET
  :name <>
  :indirection <>
  :val
  {COLUMNREF
  :fields ("o_year")
  :location 59
  }
  :location 59
  }
  {RESTARGET
  :name sum_profit
  :indirection <>
  :val
  {FUNCCALL

```



```

:funcname ("sum")
:args (
  {COLUMNREF
    :fields ("amount")
    :location 75
  }
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 71
}
:location 71
}
)
:fromClause (
  {RANGESUBSELECT
    :lateral false
    :subquery
      {SELECTSTMT
        :distinctClause <>
        :intoClause <>
        :targetList (
          {RESTARTGET
            :name nation
            :indirection <>
            :val
              {COLUMNREF
                :fields ("n_name")
                :location 135
              }
            :location 135
          }
          {RESTARTGET
            :name <>
            :indirection <>
            :val
              {COLUMNREF
                :fields ("p_name")
                :location 165
              }
            :location 165
          }
          {RESTARTGET
            :name o_year
            :indirection <>
            :val
              {FUNCCALL
                :funcname ("pg_catalog" "extract")
                :args (
                  {A_CONST
                    :val "year"
                    :location 193
                  }
                  {COLUMNREF
                    :fields ("o_orderdate")
                    :location 203
                  }
                )
                :agg_order <>
                :agg_filter <>
                :over <>
                :agg_within_group false
                :agg_star false
                :agg_distinct false
                :func_variadic false
                :funcformat 3
                :location 185
              }
            :location 185
          }
          {RESTARTGET
            :name amount
            :indirection <>
            :val
              {A_EXPR
                :name ("-")
                :lexpr
                  {A_EXPR
                    :name ("*")
                    :lexpr
                      {COLUMNREF
                        :fields ("l_extendedprice")
                        :location 239
                      }
                    :rexpr
                      {A_EXPR
                        :name ("-")
                        :lexpr
                          {A_CONST
                            :val 1
                            :location 258
                          }
                        :rexpr
                          {COLUMNREF
                            :fields ("l_discount")
                            :location 262
                          }
                        :rexpr_list_start 0
                        :rexpr_list_end 0
                        :location 260
                      }
                      :rexpr_list_start 0
                      :rexpr_list_end 0
                      :location 255
                    }
                  :rexpr
                    {A_EXPR
                      :name ("*")
                      :lexpr

```

```

        {COLUMNREF
        :fields ("ps_supplycost")
        :location 276
        }
    :rexpr
    {COLUMNREF
    :fields ("l_quantity")
    :location 292
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 290
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 274
    }
    :location 239
    }
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 338
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 356
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 378
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 400
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 422
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 442
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_suppkey")
:location 475
}
}
:rexpr
{COLUMNREF
:fields ("l_suppkey")
:location 487
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 485
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("ps_suppkey")
:location 513
}
}
:rexpr
{COLUMNREF
:fields ("l_suppkey")
:location 526
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 524
}
{A_EXPR
:name ("=")
:lexpr

```

```

        {COLUMNREF
        :fields ("ps_partkey")
        :location 552
        }
    :rexpr
    {COLUMNREF
    :fields ("l_partkey")
    :location 565
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 563
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("p_partkey")
    :location 591
    }
    :rexpr
    {COLUMNREF
    :fields ("l_partkey")
    :location 603
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 601
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("o_orderkey")
    :location 629
    }
    :rexpr
    {COLUMNREF
    :fields ("l_orderkey")
    :location 642
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 640
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("s_nationkey")
    :location 669
    }
    :rexpr
    {COLUMNREF
    :fields ("n_nationkey")
    :location 683
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 681
    }
    {A_EXPR LIKE
    :name ("~~")
    :lexpr
    {COLUMNREF
    :fields ("p_name")
    :location 711
    }
    :rexpr
    {A_CONST
    :val "co%"
    :location 723
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 718
    }
    )
    :location 509
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :alias
    {ALIAS
    :aliasname profit
    :colnames <>
    }
    }
    )
    :whereClause <>
    :groupClause (
    {COLUMNREF
    :fields ("nation")
    :location 758
    }
    {COLUMNREF
    :fields ("o_year")
    :location 770
    }
    )
    :groupDistinct false

```

```

:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
  {SORTBY
    :node
    {COLUMNREF
      :fields ("nation")
      :location 790
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
  {SORTBY
    :node
    {COLUMNREF
      :fields ("o_year")
      :location 802
    }
    :sortby_dir 2
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)
}
:stmt_location 0
:stmt_len 813
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname profit
      :colnames <>
    }
  }
  :eref
  {ALIAS
    :aliasname profit
    :colnames ("nation" "p_name" "o_year" "amount")
  }
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
}
}
}

```

```
hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable (
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type"
          "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey"
          "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
          "l_quantity" "l_extendedprice" "l_discount" "l_tax"
          "l_returnflag" "l_linenstatus" "l_shipdate" "l_commitdate"
          "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comments")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost"
          "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice"
          "o_orderdate" "o_orderpriority" "o_clerk" "o_shippingpriority"
          "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comments")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
}
```

```

    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 6
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 12 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 12)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
    {RANGETBLREF
      :rtindex 2
    }
    {RANGETBLREF
      :rtindex 3
    }
    {RANGETBLREF
      :rtindex 4
    }
    {RANGETBLREF
      :rtindex 5
    }
    {RANGETBLREF
      :rtindex 6
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 2
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 1
          :location 475
        }
      )
    }
  )
}

```

```

    }
    {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 487
    }
  )
:location 485
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 4
  :varattno 2
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 2
  :location 513
  }
  {VAR
  :varno 3
  :varattno 3
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 3
  :location 526
  }
)
:location 524
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 4
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 1
  :location 552
  }
  {VAR
  :varno 3
  :varattno 2
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 2
  :location 565
  }
)
:location 563
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location 591
  }
  {VAR
  :varno 3
  :varattno 2

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location 603
    }
)
:location 601
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 629
    }
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 642
    }
)
:location 640
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 669
    }
    {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 683
    }
)
:location 681
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 711
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false

```



```

        :location 723
        :constvalue 7 [ 28 0 0 0 99 111 37 ]
    }
)
:location 718
}
)
:location 509
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 135
}
:resno 1
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 165
}
:resno 2
:resname p_name
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 193
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 5
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 203
}
)
:location 185
}
:resno 3
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 594
:opfuncid 216

```

```

:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location 239
  }
  {OPEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 258
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
      {VAR
        :varno 3
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location 262
      }
    )
    :location 260
  }
)
:location 255
}
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location 276
  }
  {VAR
    :varno 3
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 5
    :location 292
  }
)
:location 290
}
)
:location 274
}
:resno 4
:resname amount
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reld 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("nation" "o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 1700

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
    }
:resno 2
:resname o_year
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 75
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 71
}
:resno 3
:resname sum_profit
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1752
:sortop 1756
:reverse_sort true
:nulls_first true
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1752
:sortop 1756
:reverse_sort true
:nulls_first true
:hashable true
}
)

```

```

    }
  )
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 0
}
:options (
  {DEFELEM
  :defnamespace <>
  :defname analyze
  :arg <>
  :defaction 0
  :location 9
  }
  {DEFELEM
  :defnamespace <>
  :defname verbose
  :arg <>
  :defaction 0
  :location 18
  }
  {DEFELEM
  :defnamespace <>
  :defname buffers
  :arg <>
  :defaction 0
  :location 27
  }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 813
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
  :alias
  {ALIAS
  :aliasname profit
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname profit
  :colnames ("nation" "p_name" "o_year" "amount")
  }
  :rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0

```

```

:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 5
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY

```

```

:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
}
)
}
)
}

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 475
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 487
}
)
:location 485
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 513
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 526
}
}
)
:location 524
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 552
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 565
}
}
)
:location 563
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1

```



```

:location 591
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 603
}
)
:location 601
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 629
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 642
}
}
)
:location 640
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 669
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 683
}
}
)
:location 681
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 711
}
{CONST
:consttype 25

```

```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 723
        :constvalue 7 [ 28 0 0 0 99 111 37 ]
    }
}
:location 718
}
)
:location 509
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 135
}
:resno 1
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 165
}
:resno 2
:resname p_name
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 193
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 5
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 203
}
)
:location 185
}
:resno 3
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXP
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {OPEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location 239
      }
      {OPEXPR
        :opno 592
        :opfuncid 219
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {FUNCEXPR
            :funcid 316
            :funcresulttype 701
            :funcset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 258
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
              }
            )
            :location -1
          }
          {VAR
            :varno 3
            :varattno 7
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 7
            :location 262
          }
        )
        :location 260
      }
    )
    :location 255
  }
  {OPEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 4
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location 276
      }
      {VAR
        :varno 3
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location 292
      }
    )
    :location 290
  }
)
:location 274
}
:resno 4
:resname amount
:ressortgroupref 0

```

```

        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("nation" "o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 2
:varattno 2
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname o_year
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 75
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 71
}
:resno 3
:resname sum_profit
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 1752
:sortop 1756
:reverse_sort true
:nulls_first true
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 2

```

```

:eqop 1752
:sortop 1756
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: Table OID=16541
WARNING: ===== RLS POLICY ADDED =====
DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 4

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
    }
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -12 1 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====
DETAIL: (

```

{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname profit
  :colnames <>
  }
  }
  :eref
  {ALIAS
  :aliasname profit
  :colnames ("nation" "p_name" "o_year" "amount")
  }
  :rtekind 1
  :subquery
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks true
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity true
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname part
    :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
    }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname supplier
    :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {SUBLINK
      :sublinkType 0
      :sublinkId 0
      :testexpr <>
      :operName <>
      :subselect
      {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
        :alias

```



```

        {ALIAS
        :aliasname n
        :colnames <>
        }
    :eref
    {ALIAS
    :aliasname n
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0

```

```

        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ -12 1 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :location -1
    }
    )
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname lineitem
    :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenummer"
    "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
    ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
    "l_shipinstruct" "l_shipmode" "l_comment")
    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname partsupp
    :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
    st" "ps_comment")
    }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname orders
    :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
    ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
    "o_comment")
    }

```

```

:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rtperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 475
  }
  {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 487
  }
)
:location 485
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 513
  }
  {VAR
    :varno 3
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 526
  }
)
:location 524
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 552
  }
  {VAR
    :varno 3
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 565
  }
)
:location 563
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0

```

```

:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 591
  }
  {VAR
    :varno 3
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 603
  }
)
:location 601
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 629
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 642
  }
)
:location 640
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 669
  }
  {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 683
  }
)
:location 681
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 2

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 711
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 723
    :constvalue 7 [ 28 0 0 0 99 111 37 ]
    }
    )
    :location 718
}
)
:location 509
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 135
}
:resno 1
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 165
}
:resno 2
:resname p_name
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 193
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 5
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 203
}
}
:location 185
}
}
:resno 3
:resname o_year
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 239
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 258
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 262
}
)
:location 260
}
)
:location 255
}
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 276
}
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 5
        :location 292
    }
)
:location 290
}
:location 274
}
:resno 4
:resname amount
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("nation" "o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname o_year
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 75
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 71
}
:resno 3
:resname sum_profit
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1752
:sortop 1756
:reverse_sort true
:nulls_first true
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>

```

```

:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1752
    :sortop 1756
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname profit
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname profit
        :colnames ("nation" "p_name" "o_year" "amount")
      }
  }
:rtekind 1
:subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity true
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname part
            :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
          }
        :rtekind 0
        :relid 16551
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname supplier
            :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
          }
        :rtekind 0
        :relid 16541
        :inh true
        :relkind r
        :rellockmode 1
      }
    )
  }
}

```

```

:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
  }
  :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBLENTRY
          :alias
            {ALIAS
              :aliasname n
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname n
              :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
            }
          :rtekind 0
          :relid 16536
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  )
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 2
            :varattno 4
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 4
            :location -1
          }
        )
      }
    )
  }
  :location -1
}
{OPEXP
:opno 674

```

```

:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ -12 1 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>

```

```

:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
st" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
}

```

```

        :updatedCols (b)
    }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
    {RANGETBLREF
      :rtindex 2
    }
    {RANGETBLREF
      :rtindex 3
    }
    {RANGETBLREF
      :rtindex 4
    }
    {RANGETBLREF
      :rtindex 5
    }
    {RANGETBLREF
      :rtindex 6
    }
  )
)
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 2
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 1
          :location 475
        }
        {VAR
          :varno 3
          :varattno 3
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 3
          :varattnosyn 3
          :location 487
        }
      )
    }
    :location 485
  }
  {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 4
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 513
      }
      {VAR
        :varno 3
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location 526
      }
    )
  }
  :location 524
}
{OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 4
      :varattno 1
      :vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 552
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 565
}
)
:location 563
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 591
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 603
}
}
)
:location 601
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 629
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 642
}
}
)
:location 640
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 669
    }
    {VAR
        :varno 6
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 683
    }
)
:location 681
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 711
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 723
        :constvalue 7 [ 28 0 0 0 99 111 37 ]
    }
)
:location 718
}
)
:location 509
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 6
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 6
            :varattnosyn 2
            :location 135
        }
    }
    :resno 1
    :resname nation
    :ressortgroupref 0
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
}
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 165
        }
    }
    :resno 2
    :resname p_name
    :ressortgroupref 0
    :resorigtbl 16551
    :resorigcol 2
    :resjunk false
}
    {TARGETENTRY
        :expr
        {FUNCEXPR
            :funcid 6199
            :funcresulttype 1700
            :funcset false
            :funcvariadic false
            :funcformat 3

```



```

:funccollid 0
:inputcollid 100
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 193
    :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
  }
  {VAR
    :varno 5
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 5
    :location 203
  }
)
:location 185
}
:resno 3
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {OEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {OEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 3
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 6
            :location 239
          }
          {OEXPR
            :opno 592
            :opfuncid 219
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {FUNCEXP
                :funcid 316
                :funcresulttype 701
                :funcset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                  {CONST
                    :consttype 23
                    :consttypmod -1
                    :constcollid 0
                    :constlen 4
                    :constbyval true
                    :constisnull false
                    :location 258
                    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                  }
                )
              :location -1
            }
            {VAR
              :varno 3
              :varattno 7
              :vartype 701
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 3
              :varattnosyn 7
              :location 262
            }
          )
        :location 260
      }
    )
  }
:location 255

```

```

    }
    {OPEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 4
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location 276
        }
        {VAR
        :varno 3
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location 292
        }
    )
    :location 290
    }
    )
    :location 274
    }
    :resno 4
    :resname amount
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :security_barrier false
    :relid 0
    :inh false
    :relkind <>
    :rellockmode 0
    :perminfoindex 0
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBLENTY
    :alias <>
    :eref
    {ALIAS
    :aliasname *GROUP*
    :colnames ("nation" "o_year")
    }
    :rtekind 9
    :groupexprs (
    {VAR
    :varno 1
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 47
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 1700
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 59
    }
    )
    }

```

```

    }
  )
  :lateral false
  :inFromCl false
  :securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname nation
    :ressortgrouppref 1
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 1700
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname o_year
    :ressortgrouppref 2
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 4
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location 75
          }
          :resno 1
          :resname <>
          :ressortgrouppref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar false
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggssplit 0
      :aggno -1
      :aggtransno -1
      :location 71
    }
    :resno 3
    :resname sum_profit
    :ressortgrouppref 0
  }
)

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 1752
   :sortop 1756
   :reverse_sort true
   :nulls_first true
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 1752
   :sortop 1756
   :reverse_sort true
   :nulls_first true
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 255655.34065526133
:plan.total_cost 255660.08565526133
:plan.plan_rows 146
:plan.plan_width 72
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
   }
  :resno 1
  :resname nation
  :ressortgroupref 1
  :resorigtbl 16536
  :resorigcol 2
  :resjunk false
 }
 {TARGETENTRY
  :expr
  {VAR
   :varno -2
   :varattno 2
   :vartype 1700
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 0
   :varattnosyn 0
   :location -1
  }
  :resno 2
  :resname o_year
  :ressortgroupref 2
  :resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 239
}
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 262
}
}
:location 260
}
)
:location 255
}
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 276
}
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 292
}
}
}
}

```

```

        }
      )
      :location 290
    }
  )
  :location 274
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno 0
:aggtransno 0
:location 71
}
:resno 3
:resname sum_profit
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 255655.34065526133
:plan.total_cost 255655.70565526132
:plan.plan_rows 146
:plan.plan_width 96
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 204969.92208333337
:join.plan.total_cost 255650.09208333335
:join.plan.plan_rows 146
:join.plan.plan_width 96
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25

```

```

:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 193
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno -2
:varattno 6
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location 203
}
)
:location 185
}
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 239
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 262
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 276
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 292
}
}
:resno 6
:resname <>
:ressortgroupref 0

```



```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 204941.69708333336
:join.plan.total_cost 255616.30708333335
:join.plan.plan_rows 36
:join.plan.plan_width 40
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 239
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 262
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 292
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 669
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 276
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 7
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location 203
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 50655.499999999999
:scan.plan.plan_rows 5000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location -1
  }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 5
    :location -1
  }
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 6
    :location -1
  }
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 7
    :location -1
  }
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
  {SUBPLAN
    :subLinkType 0
    :testexpr <>
    :paramIds <>
    :plan_id 1
    :plan_name SubPlan\ 1
    :firstColType 2278
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable false
    :unknownEqFalse true
    :parallel_safe false
    :setParam <>
    :parParam (i 0 1)
    :args (
      {VAR
        :varno 4
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4

```

```

        :varattnosyn 4
        :location -1
    }
    {VAR
    :varno 4
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 6
    :location -1
    }
    )
    :startup_cost 0
    :per_call_cost 5.0337499999999995
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 4
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 204940.78458333336
    :plan.total_cost 204940.78458333336
    :plan.plan_rows 73
    :plan.plan_width 44
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 5
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 6
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 7
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 5
    :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location -1
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 170331.61458333334
:plan.total_cost 204940.78458333336
:plan.plan_rows 73
:plan.plan_width 44
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 239
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 262
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 292
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location 487
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 276
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 513
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7

```

```

        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 5
        :location 203
    }
    :resno 7
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 169331.61458333334
:join.plan.total_cost 203933.48458333334
:join.plan.plan_rows 30
:join.plan.plan_width 44
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 7
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 239
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 262
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 292
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location 487
}
:resno 4
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 276
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 513
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location 203
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 32258
:scan.plan.plan_rows 625000
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 8
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```



```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 2
        :location -1
    }
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 5
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 7
:location -1
}

```

```

    }
    :resno 7
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 7
  :varattno 8
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 7
  :varattnosyn 8
  :location -1
  }
  :resno 8
  :resname <>
  :ressortgrouppref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 7
  :varattno 9
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 7
  :varattnosyn 9
  :location -1
  }
  :resno 9
  :resname <>
  :ressortgrouppref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  )
  :scan.plan.qual <>
  :scan.plan.lefttree <>
  :scan.plan.righttree <>
  :scan.plan.initPlan <>
  :scan.plan.extParam (b 2)
  :scan.plan.allParam (b 2)
  :scan.scanrelid 7
  }
  :join.plan.righttree
  {HASH
  :plan.disabled_nodes 0
  :plan.startup_cost 169331.23958333334
  :plan.total_cost 169331.23958333334
  :plan.plan_rows 30
  :plan.plan_width 44
  :plan.parallel_aware true
  :plan.parallel_safe true
  :plan.async_capable false
  :plan.plan_node_id 9
  :plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR
  :varno -2
  :varattno 1
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 5
  :varattnosyn 6
  :location -1
  }
  :resno 1
  :resname <>
  :ressortgrouppref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno -2
  :varattno 2
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 5
  :varattnosyn 7
  :location -1
  }
  :resno 2
  :resname <>
  :ressortgrouppref 0
  :resorigtbl 0
  :resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree

```

```

{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 145489.77875
:join.plan.total_cost 169331.23958333334
:join.plan.plan_rows 30
:join.plan.plan_width 44
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 10
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 2
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 6
        :location 239
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 3
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 7
        :location 262
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 5
        :location 292
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 5
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location 487
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 7
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 642
      }
    :resno 5

```

```

:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 276
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 513
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 21341.333333333332
:scan.plan.plan_rows 333333
:scan.plan.plan_width 16
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 11
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 3
        :location -1
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 6
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 144353.16875
:plan.total_cost 144353.16875
:plan.plan_rows 75774
:plan.plan_width 40
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 12
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6

```

```

        :location -1
    }
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4937.229166666667
:join.plan.total_cost 144353.16875
:join.plan.plan_rows 75774
:join.plan.plan_width 40
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 13
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 591
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 239
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 262
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 292
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```



```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location 487
    }
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 565
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 642
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 129723.83333333334
:scan.plan.plan_rows 2500383
:scan.plan.plan_width 36
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 14
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 8

```

```

:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 13
        :location -1
    }
    :resno 13
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 5
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4905.666666666667
:plan.total_cost 4905.666666666667
:plan.plan_rows 2525
:plan.plan_width 4
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 15
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1

```

```

:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4905.666666666667

:scan.plan.plan_rows 2525
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 16
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 591
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 711
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 723
:constvalue 7 [ 28 0 0 0 99 111 3
7 ]
}
)
:location 718
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 2)
:plan.allParam (b 2)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 591
}
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 6060
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)

```

```

:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 565
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 591
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 565
  }
)
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 2)
:plan.allParam (b 2)
:hashkeys (
  {VAR
    :varno -2
    :varattno 5
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location 487
  }
  {VAR
    :varno -2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 565
  }
)
:skewTable 0
:skewColumn 0
:skewInherit false
:rows_total 181857.6
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 2

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 2
        :location 513
    }
    {VAR
    :varno -1
    :varattno 5
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location 487
    }
    )
    :location -1
    }
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 552
    }
    {VAR
    :varno -1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location 565
    }
    )
    :location -1
    }
    )
    :hashoperators (o 96 96)
    :hashcollations (o 0 0)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location 513
    }
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 552
    }
    )
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b 2)
    :plan.allParam (b 2)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 5
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 642
    }
    )
    )
    :skewTable 16561

```

```

        :skewColumn 1
        :skewInherit false
        :rows_total 72
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b 2)
    :join.plan.allParam (b 2)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual <>
    :hashclauses (
        {OEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno -2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 7
            :varattnosyn 1
            :location 629
            }
            {VAR
            :varno -1
            :varattno 5
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 1
            :location 642
            }
        )
        :location -1
    }
    )
    :hashoperators (o 96)
    :hashcollations (o 0)
    :hashkeys (
        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location 629
        }
    )
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :num_workers 2
    :rescan_param 2
    :single_copy false
    :invisible false
    :initParam (b)
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
        {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location 487
        }
    )
    :skewTable 16541
    :skewColumn 1
    :skewInherit false
    :rows_total 0
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b)
    :join.plan.allParam (b)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual <>
    :hashclauses (
        {OEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0

```



```

:args (
  {VAR
   :varno -2
   :varattno 1
   :vartype 23
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 4
   :varattnosyn 1
   :location 475
  }
  {VAR
   :varno -1
   :varattno 4
   :vartype 23
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 5
   :varattnosyn 3
   :location 487
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
   :varno -2
   :varattno 1
   :vartype 23
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 4
   :varattnosyn 1
   :location 475
  }
)
}
:join.plan.righttree
{HASH
 :plan.disabled_nodes 0
 :plan.startup_cost 18.1
 :plan.total_cost 18.1
 :plan.plan_rows 810
 :plan.plan_width 36
 :plan.parallel_aware false
 :plan.parallel_safe true
 :plan.async_capable false
 :plan.plan_node_id 17
 :plan.targetlist (
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 2
    :location -1
   }
   :resno 1
   :resname <>
   :ressortgroupref 0
   :resorigtbl 0
   :resorigcol 0
   :resjunk false
  }
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location -1
   }
   :resno 2
   :resname <>
   :ressortgroupref 0
   :resorigtbl 0
   :resorigcol 0
   :resjunk false
  }
 )
 :plan.qual <>
 :plan.lefttree
 {SEQSCAN
  :scan.plan.disabled_nodes 0
  :scan.plan.startup_cost 0
  :scan.plan.total_cost 18.1
  :scan.plan.plan_rows 810
  :scan.plan.plan_width 36
  :scan.plan.parallel_aware false

```

```

:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 18
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 8
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 8
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location 683
      }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 8
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location 683
  }
)
:skewTable 16541
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
  }
  :args (
    {VAR
      :varno -2
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 4
      :location 669
    }
    {VAR
      :varno -1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
    }
  )
)

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location 683
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 4
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 669
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 2
:sortColIdx ( 1 2)
:sortOperators ( 664 1756)
:collations ( 100 0)
:nullsFirst ( false true)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 0
:numCols 2
:grpColIdx ( 1 2)
:grpOperators ( 98 1752)
:grpCollations ( 100 0)
:numGroups 146
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
GroupAggregate (cost=255655.34..255660.09 rows=146 width=72) (actual time=1320.197..1424.174 rows=175.00 loops=1)
  Output: nation.n_name, (EXTRACT(year FROM orders.o_orderdate)), sum(((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)) - (partsup
p.ps_supplycost * lineitem.l_quantity)))
  Group Key: nation.n_name, (EXTRACT(year FROM orders.o_orderdate))
  Buffers: shared hit=20176 read=141285, temp read=2897 written=2900
  -> Sort (cost=255655.34..255655.71 rows=146 width=96) (actual time=1319.762..1383.425 rows=164493.00 loops=1)
    Output: nation.n_name, (EXTRACT(year FROM orders.o_orderdate)), lineitem.l_extendedprice, lineitem.l_discount, partsupp.ps_supplycost, lineitem.l_qu
antity
    Sort Key: nation.n_name, (EXTRACT(year FROM orders.o_orderdate)) DESC
    Sort Method: external merge  Disk: 9504kB
    Buffers: shared hit=20176 read=141285, temp read=2897 written=2900
    -> Hash Join (cost=204969.92..255650.09 rows=146 width=96) (actual time=995.932..1122.822 rows=164493.00 loops=1)
      Output: nation.n_name, EXTRACT(year FROM orders.o_orderdate), lineitem.l_extendedprice, lineitem.l_discount, partsupp.ps_supplycost, lineitem.
l_quantity
      Hash Cond: (supplier.s_nationkey = nation.n_nationkey)
      Buffers: shared hit=20176 read=141285, temp read=1709 written=1709
      -> Hash Join (cost=204941.70..255616.31 rows=36 width=40) (actual time=995.211..1081.574 rows=164493.00 loops=1)
        Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, supplier.s_nationkey, partsupp.ps_supplycost, orders.o_order
date
        Hash Cond: (supplier.s_suppkey = lineitem.l_suppkey)
        Buffers: shared hit=20175 read=141285, temp read=1709 written=1709
        -> Seq Scan on public.supplier (cost=0.00..50655.50 rows=5000 width=8) (actual time=0.014..21.458 rows=8642.00 loops=1)
          Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_nationkey, supplier.s_phone, supplier.s_acctbal, suppl
ier.s_comment
          Filter: EXISTS(SubPlan 1)
          Rows Removed by Filter: 1358
          Buffers: shared hit=8860
          SubPlan 1
            -> Result (cost=0.00..20.13 rows=4 width=0) (actual time=0.002..0.002 rows=0.86 loops=10000)
              One-Time Filter: (supplier.s_acctbal > '500'::double precision)
              Buffers: shared hit=8642
              -> Seq Scan on public.nation n (cost=0.00..20.13 rows=4 width=0) (actual time=0.001..0.001 rows=1.00 loops=8642)
                Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment
                Filter: (n.n_nationkey = supplier.s_nationkey)
                Rows Removed by Filter: 12
                Buffers: shared hit=8642
            -> Hash (cost=204940.78..204940.78 rows=73 width=44) (actual time=994.842..995.203 rows=191066.00 loops=1)
              Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, lineitem.l_suppkey, partsupp.ps_supplycost, partsupp.p
s_suppkey, orders.o_orderdate
              Buckets: 131072 (originally 1024) Batches: 4 (originally 1) Memory Usage: 7169kB
              Buffers: shared hit=11315 read=141285, temp written=1188
              -> Gather (cost=170331.61..204940.78 rows=73 width=44) (actual time=774.528..943.567 rows=191066.00 loops=1)
                Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, lineitem.l_suppkey, partsupp.ps_supplycost, part
supp.ps_suppkey, orders.o_orderdate
                Workers Planned: 2
                Workers Launched: 2
                Buffers: shared hit=11315 read=141285
                -> Parallel Hash Join (cost=169331.61..203933.48 rows=30 width=44) (actual time=767.641..948.196 rows=63688.67 loops=3)
                  Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, lineitem.l_suppkey, partsupp.ps_supplycost
, partsupp.ps_suppkey, orders.o_orderdate
                  Hash Cond: (orders.o_orderkey = lineitem.l_orderkey)
                  Buffers: shared hit=11315 read=141285
                  Worker 0:  actual time=764.431..958.608 rows=68538.00 loops=1

```

```

        Buffers: shared hit=3417 read=47667
Worker 1: actual time=764.406..957.716 rows=68379.00 loops=1
        Buffers: shared hit=3427 read=47780
-> Parallel Seq Scan on public.orders (cost=0.00..32258.00 rows=625000 width=8) (actual time=0.724..45.291 rows=5000
00.00 loops=3)
        Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orde
rs.o_orderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
        Buffers: shared hit=2921 read=23087
Worker 0: actual time=0.925..49.310 rows=536328.00 loops=1
        Buffers: shared hit=1060 read=8228
Worker 1: actual time=0.908..48.596 rows=536914.00 loops=1
        Buffers: shared hit=1105 read=8211
-> Parallel Hash (cost=169331.24..169331.24 rows=30 width=44) (actual time=766.818..766.823 rows=63688.67 loops=3)
key, partsupp.ps_supplycost, partsupp.ps_suppkey
        Buckets: 262144 (originally 1024) Batches: 1 (originally 1) Memory Usage: 19064kB
        Buffers: shared hit=8394 read=118198
Worker 0: actual time=763.473..763.478 rows=64928.00 loops=1
        Buffers: shared hit=2357 read=39439
Worker 1: actual time=763.477..763.482 rows=63774.00 loops=1
        Buffers: shared hit=2322 read=39569
-> Parallel Hash Join (cost=145489.78..169331.24 rows=30 width=44) (actual time=628.438..739.596 rows=63688.67
loops=3)
        Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, lineitem.l_suppkey, lineitem.l
_orderkey, partsupp.ps_supplycost, partsupp.ps_suppkey
        Hash Cond: ((partsupp.ps_suppkey = lineitem.l_suppkey) AND (partsupp.ps_partkey = lineitem.l_partkey))
        Buffers: shared hit=8394 read=118198
Worker 0: actual time=625.253..736.229 rows=64928.00 loops=1
        Buffers: shared hit=2357 read=39439
Worker 1: actual time=624.869..736.382 rows=63774.00 loops=1
        Buffers: shared hit=2322 read=39569
-> Parallel Seq Scan on public.partsupp (cost=0.00..21341.33 rows=333333 width=16) (actual time=0.568..2
8.230 rows=266666.67 loops=3)
        Output: partsupp.ps_partkey, partsupp.ps_suppkey, partsupp.ps_availqty, partsupp.ps_supplycost, part
supp.ps_comment
        Buffers: shared read=18008
Worker 0: actual time=0.464..27.481 rows=268877.00 loops=1
        Buffers: shared read=6052
Worker 1: actual time=0.470..28.344 rows=267468.00 loops=1
        Buffers: shared read=6015
-> Parallel Hash (cost=144353.17..144353.17 rows=75774 width=40) (actual time=627.502..627.506 rows=6368
8.67 loops=3)
        Output: part.p_partkey, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, lineitem
.l_suppkey, lineitem.l_partkey, lineitem.l_orderkey
        Buckets: 262144 Batches: 1 Memory Usage: 17056kB
        Buffers: shared hit=8394 read=100190
Worker 0: actual time=624.318..624.322 rows=63531.00 loops=1
        Buffers: shared hit=2357 read=33387
Worker 1: actual time=624.324..624.328 rows=63924.00 loops=1
        Buffers: shared hit=2322 read=33554
-> Parallel Hash Join (cost=4937.23..144353.17 rows=75774 width=40) (actual time=9.778..601.036 ro
ws=63688.67 loops=3)
        Output: part.p_partkey, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, li
neitem.l_suppkey, lineitem.l_partkey, lineitem.l_orderkey
        Hash Cond: (lineitem.l_partkey = part.p_partkey)
        Buffers: shared hit=8394 read=100190
Worker 0: actual time=6.159..597.831 rows=63531.00 loops=1
        Buffers: shared hit=2357 read=33387
Worker 1: actual time=6.903..597.900 rows=63924.00 loops=1
        Buffers: shared hit=2322 read=33554
-> Parallel Seq Scan on public.lineitem (cost=0.00..129723.83 rows=2500383 width=36) (actual
time=0.464..335.994 rows=2000405.00 loops=3)
        Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenumb
er, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, li
neitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
        Buffers: shared hit=4530 read=100190
Worker 0: actual time=0.023..335.700 rows=2001565.00 loops=1
        Buffers: shared hit=1537 read=33387
Worker 1: actual time=0.782..335.156 rows=2009266.00 loops=1
        Buffers: shared hit=1506 read=33554
-> Parallel Hash (cost=4905.67..4905.67 rows=2525 width=4) (actual time=9.276..9.277 rows=21
20.67 loops=3)
        Output: part.p_partkey
        Buckets: 8192 Batches: 1 Memory Usage: 352kB
        Buffers: shared hit=3864
Worker 0: actual time=6.099..6.100 rows=1368.00 loops=1
        Buffers: shared hit=820
Worker 1: actual time=6.096..6.096 rows=1338.00 loops=1
        Buffers: shared hit=816
-> Parallel Seq Scan on public.part (cost=0.00..4905.67 rows=2525 width=4) (actual tim
e=0.016..8.937 rows=2120.67 loops=3)
        Output: part.p_partkey
        Filter: (part.p_name ~ 'co%':text)
        Rows Removed by Filter: 64546
        Buffers: shared hit=3864
Worker 0: actual time=0.018..5.872 rows=1368.00 loops=1
        Buffers: shared hit=820
Worker 1: actual time=0.017..5.878 rows=1338.00 loops=1
        Buffers: shared hit=816
-> Hash (cost=18.10..18.10 rows=810 width=36) (actual time=0.030..0.030 rows=25.00 loops=1)
        Output: nation.n_name, nation.n_nationkey
        Buckets: 1024 Batches: 1 Memory Usage: 10kB
        Buffers: shared hit=1
-> Seq Scan on public.nation (cost=0.00..18.10 rows=810 width=36) (actual time=0.020..0.023 rows=25.00 loops=1)
        Output: nation.n_name, nation.n_nationkey
        Buffers: shared hit=1

Planning:
        Buffers: shared hit=31
Planning Time: 4.967 ms
Execution Time: 1425.861 ms
(129 rows)

Time: 1440.217 ms (00:01.440)
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS supplier_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW supplier_secure AS
SELECT s.*
FROM supplier s

```

```

WHERE EXISTS (
    SELECT 1 FROM nation n
    WHERE n.n_nationkey = s.s_nationkey
    AND s.s_acctbal > 500
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON supplier_secure TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON partsupp TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

-- Step 5: Run Q9
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    nation,
    o_year,
    sum(amount) as sum_profit
from
(
    select
        n_name as nation,
        p_name,
        extract(year from o_orderdate) as o_year,
        l_extendedprice * (1 - l_discount) - ps_supplycost * l_quantity as amount
    from
        part,
        supplier_secure s,
        lineitem,
        partsupp,
        orders,
        nation
    where
        s.s_suppkey = l_suppkey
        and ps_suppkey = l_suppkey
        and ps_partkey = l_partkey
        and p_partkey = l_partkey
        and o_orderkey = l_orderkey
        and s.s_nationkey = n_nationkey
        and p_name like 'co%'
    ) as profit
group by
    nation,
    o_year
order by
    nation,
    o_year desc;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>

```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 8.246 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

```
Time: 3.257 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("supplier_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}
```

```
WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("supplier_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}
```

```
Time: 2.713 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
```

```

        {ALIAS
        :aliasname s
        :colnames <>
        }
        :location 47
    }
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 110
}
:rexpr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 148
}
:rexpr
{A_CONST
:val 500
:location 162
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 160
}
)
:location 144
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>

```



```

        :rarg <>
      }
      :replace false
      :options <>
      :withCheckOption 0
    }
    :stmt_location 0
    :stmt_len 167
  }
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 110
}
:rexpr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 126
}
)
}
}
}
}

```

```

        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 124
    }
    {A_EXPR
    :name (">")
    :lexpr
        {COLUMNREF
        :fields ("s" "s_acctbal")
        :location 148
        }
    :rexpr
        {A_CONST
        :val 500
        :location 162
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 160
    }
    )
    :location 144
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 64
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 167
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true

```

```

:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname s
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname s
  :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
  }
  :rtekind 0
  :relid 16541
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16541
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 10 11 12 13 14)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname n
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname n
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
  }
  :rtekind 0
  :relid 16536
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF

```

```

:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 110
}
{VAR
:varno 1
:varattno 4
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 126
}
)
:location 124
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 148
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 162
:constvalue 4 [ -12 1 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 160
}
)
:location 144
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 84
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```

```

        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 38
}
:resno 1
:resname s_suppkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 38
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname s_nationkey

```

```

:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 167
}

```

Time: 4.720 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (

```

```

        {ACCESSPRIV
        :priv_name select
        :cols <>
        }
    )
    :grantees (
        {ROLESPEC
        :roletype 0
        :rolename alice
        :location 35
        }
    )
    :grant_option false
    :grantor <>
    :behavior 0
    }
    :stmt_location 0
    :stmt_len 40
    }

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

```

Time: 0.645 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true

```

```

        :relpersistence p
        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}
}

```

Time: 0.268 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41

```



```

:objects (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname orders
   :inh true
   :relpersistence p
   :alias <>
   :location 16
  }
)
:privileges (
  {ACCESSPRIV
   :priv_name select
   :cols <>
  }
)
:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 26
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
   :is_grant true
   :targetype 0
   :objtype 41
   :objects (
     {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname orders
      :inh true
      :relpersistence p
      :alias <>
      :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
     :priv_name select
     :cols <>
    }
  )
  :grantees (
    {ROLESPEC
     :roletype 0
     :rolename alice
     :location 26
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

Time: 0.259 ms
WARNING: ===== RAW PARSE TREE =====

```

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
}

```

```
:stmt_location 0
:stmt_len 29
}
```

Time: 0.257 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
```

```

:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.310 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false

```

```

:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.236 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.196 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
  {EXPLAINSTMT
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("nation")
}
}
)
}
}

```

```

        :location 47
    }
    :location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o_year")
:location 59
}
:location 59
}
{RESTARTGET
:name sum_profit
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("amount")
:location 75
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 71
}
:location 71
}
)
:fromClause (
{RANGESUBSELECT
:lateral false
:subquery
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name nation
:indirection <>
:val
{COLUMNREF
:fields ("n_name")
:location 135
}
:location 135
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_name")
:location 165
}
:location 165
}
{RESTARTGET
:name o_year
:indirection <>
:val
{FUNCCALL
:funcname ("pg_catalog" "extract")
:args (
{A_CONST
:val "year"
:location 193
}
{COLUMNREF
:fields ("o_orderdate")
:location 203
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 3
:location 185
}
:location 185
}
{RESTARTGET
:name amount
:indirection <>
:val
{A_EXPR
:name ("-")
:lexpr
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 239
}
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1

```

```

        :location 258
    }
    :rexpr
    {COLUMNREF
    :fields ("l_discount")
    :location 262
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 260
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 255
    }
    :rexpr
    {A_EXPR
    :name ("*")
    :lexpr
    {COLUMNREF
    :fields ("ps_supplycost")
    :location 276
    }
    :rexpr
    {COLUMNREF
    :fields ("l_quantity")
    :location 292
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 290
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 274
    }
    :location 239
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 338
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 356
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 387
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 409
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 431
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 451
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 484
}
:rexpr
{COLUMNREF
:fields ("l_suppkey")
:location 498
}
}
)
}

```

```

:repr_list_start 0
:repr_list_end 0
:location 496
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("ps_supkey")
:location 524
}
:repr
{COLUMNREF
:fields ("l_supkey")
:location 537
}
:repr_list_start 0
:repr_list_end 0
:location 535
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("ps_partkey")
:location 563
}
:repr
{COLUMNREF
:fields ("l_partkey")
:location 576
}
:repr_list_start 0
:repr_list_end 0
:location 574
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_partkey")
:location 602
}
:repr
{COLUMNREF
:fields ("l_partkey")
:location 614
}
:repr_list_start 0
:repr_list_end 0
:location 612
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("o_orderkey")
:location 640
}
:repr
{COLUMNREF
:fields ("l_orderkey")
:location 653
}
:repr_list_start 0
:repr_list_end 0
:location 651
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 680
}
:repr
{COLUMNREF
:fields ("n_nationkey")
:location 696
}
:repr_list_start 0
:repr_list_end 0
:location 694
}
{A_EXPR LIKE
:name ("~~")
:lexpr
{COLUMNREF
:fields ("p_name")
:location 724
}
:repr
{A_CONST
:val "co%"
:location 736
}
:repr_list_start 0
:repr_list_end 0
:location 731
}
}
:location 520
}
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0

```



```

        :all false
        :larg <>
        :rarg <>
    }
    :alias
    {ALIAS
     :aliasname profit
     :colnames <>
    }
}
)
:whereClause <>
:groupClause (
  {COLUMNREF
   :fields ("nation")
   :location 771
  }
  {COLUMNREF
   :fields ("o_year")
   :location 783
  }
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
  {SORTBY
   :node
   {COLUMNREF
    :fields ("nation")
    :location 803
   }
   :sortby_dir 0
   :sortby_nulls 0
   :useOp <>
   :location -1
  }
  {SORTBY
   :node
   {COLUMNREF
    :fields ("o_year")
    :location 815
   }
   :sortby_dir 2
   :sortby_nulls 0
   :useOp <>
   :location -1
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
  {DEFELEM
   :defnamespace <>
   :defname analyze
   :arg <>
   :defaction 0
   :location 9
  }
  {DEFELEM
   :defnamespace <>
   :defname verbose
   :arg <>
   :defaction 0
   :location 18
  }
  {DEFELEM
   :defnamespace <>
   :defname buffers
   :arg <>
   :defaction 0
   :location 27
  }
)
}
:stmt_location 0
:stmt_len 826
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (

```

```

{RANGETBLENTRY
:alias
{ALIAS
:aliasname profit
:colnames <>
}
:eref
{ALIAS
:aliasname profit
:colnames ("nation" "p_name" "o_year" "amount")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_typ
e" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey"
"s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16671
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_su
pplycost" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}

```

```

{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
ippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16671
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF

```

```

:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 484
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 498
}
)
:location 496
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 524
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 537
}
)
:location 535
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 563
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 576
}
}

```

```

)
:location 574
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 602
}
  {VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 614
}
)
:location 612
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 640
}
  {VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 653
}
)
:location 651
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 680
}
  {VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 696
}
)
:location 694
}
{OPEXPR

```

```

:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 724
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 736
    :constvalue 7 [ 28 0 0 0 99 111 37 ]
  }
)
:location 731
}
)
:location 520
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 6
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 2
      :location 135
    }
  }
  :resno 1
  :resname nation
  :ressortgroupref 0
  :resorigtbl 16536
  :resorigcol 2
  :resjunk false
}
{TARGETENTRY
  :expr
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 165
  }
}
:resno 2
:resname p_name
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 2
:resjunk false
}
{TARGETENTRY
  :expr
  {FUNCEXP
    :funcid 6199
    :funcresulttype 1700
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 0
    :inputcollid 100
    :args (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 193
        :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
      }
      {VAR
        :varno 5
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
      }
    )
  }
}

```

```

        :varnosyn 5
        :varattnosyn 5
        :location 203
    }
)
:location 185
}
:resno 3
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 239
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 258
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 262
}
)
:location 260
}
)
:location 255
}
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 276
}

```

```

        {VAR
        :varno 3
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location 292
        }
    )
    :location 290
  }
)
:location 274
}
:resno 4
:resname amount
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("nation" "o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY

```



```

:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname o_year
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 75
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 71
}
:resno 3
:resname sum_profit
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1752

```

```

        :sortop 1756
        :reverse_sort true
        :nulls_first true
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 1752
        :sortop 1756
        :reverse_sort true
        :nulls_first true
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
    }
    {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
    }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 826
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname profit
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname profit
  :colnames ("nation" "p_name" "o_year" "amount")
  }
  :rtekind 1
  :subquery
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname part
    :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
    }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname s
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname s
    :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16671
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname lineitem
    :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname partsupp
    :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "ps_comment")
    }
    :rtekind 0

```

```

:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16671
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rindex 1
}
{RANGETBLREF
:rindex 2
}
{RANGETBLREF

```

```

:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 484
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 498
}
)
:location 496
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 524
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 537
}
)
:location 535
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 563
}
{VAR
:varno 3
:varattno 2
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 576
}
)
:location 574
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 602
}
  {VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 614
}
)
:location 612
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 640
}
  {VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 653
}
)
:location 651
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 680
}
  {VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 696
    }
)
:location 694
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 724
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 736
        :constvalue 7 [ 28 0 0 0 99 111 37 ]
    }
)
:location 731
}
)
:location 520
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 6
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 6
            :varattnosyn 2
            :location 135
        }
    }
    :resno 1
    :resname nation
    :ressortgroupref 0
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
}
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 165
        }
    }
    :resno 2
    :resname p_name
    :ressortgroupref 0
    :resorigtbl 16551
    :resorigcol 2
    :resjunk false
}
    {TARGETENTRY
        :expr
        {FUNCEXPR
            :funcid 6199
            :funcresulttype 1700
            :funcset false
            :funcvariadic false
            :funcformat 3
            :funccollid 0
            :inputcollid 100
            :args (
                {CONST
                    :consttype 25
                    :consttypmod -1
                    :constcollid 100
                    :constlen -1
                    :constbyval false
                    :constisnull false
                    :location 193
                    :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
                }
            )
        }
    }
}

```

```

        {VAR
        :varno 5
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 5
        :location 203
        }
    )
    :location 185
}
:resno 3
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 239
}
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 258
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 262
}
)
:location 260
}
)
:location 255
}
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 701

```



```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location 276
    }
    {VAR
    :varno 3
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 5
    :location 292
    }
    )
    :location 290
}
)
:location 274
}
:resno 4
:resname amount
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reldid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("nation" "o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1

```

```

    }
  }
  :quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname nation
    :ressortgroupref 1
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 1700
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname o_year
    :ressortgroupref 2
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 4
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location 75
          }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar false
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggssplit 0
      :aggno -1
      :aggtransno -1
      :location 71
    }
    :resno 3
    :resname sum_profit
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
  }
)

```

```

:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1752
:sortop 1756
:reverse_sort true
:nulls_first true
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1752
:sortop 1756
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname profit
:colnames <>
}
:eref
{ALIAS
:aliasname profit
:colnames ("nation" "p_name" "o_year" "amount")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgpr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1

```

```

:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey"
"s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS

```

```

        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_regionkey"
            "n_comment")
    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8)
    :insertedCols (b)
    :updatedCols (b)
    }
)
:jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF
    :rtindex 1
    }
)
:quals
{BOOLEXP
:boolop and
:args (
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
        }
        {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
        }
    )
    :location -1
    }
    {OPEXP
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
        }
        {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ -12 1 0 0 0 0 0 0 ]
            }
        )
    )
}

```

```

        )
        :location -1
    }
    )
    :location -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname s_suppkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16671
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
st" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16671
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
}
)

```



```

:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 484
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 498
}
)
:location 496
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 524
}
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 537
}
)
:location 535
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 563
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 576
}
}
)
:location 574
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 602
}
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 614
}
}
)
:location 612
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 640
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 653
}
)
:location 651
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 680
}
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 696
}
)
:location 694
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 724
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 736
:constvalue 7 [ 28 0 0 0 99 111 37 ]
}
)
:location 731
}
}
:location 520
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 135
}
}

```

```

:resno 1
:resname nation
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 165
}
:resno 2
:resname p_name
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 193
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno 5
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 203
}
)
:location 185
}
:resno 3
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 239
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701

```

```

:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 258
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
{VAR
  :varno 3
  :varattno 7
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 7
  :location 262
}
)
:location 260
}
)
:location 255
}
{OPEXPR
  :opno 594
  :opfuncid 216
  :opresulttype 701
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 4
      :varattno 4
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 4
      :location 276
    }
    {VAR
      :varno 3
      :varattno 5
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 5
      :location 292
    }
  )
  :location 290
}
)
:location 274
}
:resno 4
:resname amount
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reldid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false

```

```

:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("nation" "o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname nation
:ressortgroupref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname o_year
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 1
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 75
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 71
}
:resno 3
:resname sum_profit
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1752
    :sortop 1756
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1752
    :sortop 1756
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false

```

```

:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
  :alias
  {ALIAS
    :aliasname profit
    :colnames <>
  }
  :eref
  {ALIAS
    :aliasname profit
    :colnames ("nation" "p_name" "o_year" "amount")
  }
  :rtekind 1
  :subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSublinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBLENTY
      :alias <>
      :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
      :rtekind 0
      :relid 16551
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
    {RANGETBLENTY
    :alias
    {ALIAS
      :aliasname s
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname s
      :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 1
    :subquery
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSublinks true
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBLENTY
        :alias
        {ALIAS
          :aliasname s
          :colnames <>
        }
        :eref
        {ALIAS
          :aliasname s
          :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
        }
        :rtekind 0
        :relid 16541
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    }
  )
  :rteperminfos (
    {RTEPERMISSIONINFO

```



```

:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:varatype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
}
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ -12 1 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr

```

```

{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname s_suppkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    :resno 6
    :resname s_acctbal
    :ressortgrouppref 0
    :resorigtbl 16541
    :resorigcol 6
    :resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    :resno 7
    :resname s_comment
    :ressortgrouppref 0
    :resorigtbl 16541
    :resorigcol 7
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:reliid 16671
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
    {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
            "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
            ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
            "l_shipinstruct" "l_shipmode" "l_comment")
        }
    :rtekind 0
    :reliid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
    {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
            st" "ps_comment")
        }
    :rtekind 0
    :reliid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 4
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
    {ALIAS
        :aliasname orders

```

```

        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
    }
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 5
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 6
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rtperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16671
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
{RANGETBLREF
:rtindex 5
}
{RANGETBLREF
:rtindex 6
}
)
:quals
{BOOLEXP
:boolop and

```

```

:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 484
      }
      {VAR
        :varno 3
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location 498
      }
    )
    :location 496
  }
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 4
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 524
      }
      {VAR
        :varno 3
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location 537
      }
    )
    :location 535
  }
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 563
      }
      {VAR
        :varno 3
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location 576
      }
    )
    :location 574
  }
  {OPEXPR
    :opno 96
    :opfuncid 65

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 602
  }
  {VAR
    :varno 3
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 614
  }
)
:location 612
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location 640
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 653
  }
)
:location 651
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 680
  }
  {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location 696
  }
)
:location 694
}
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100

```

```

:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 724
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 736
    :constvalue 7 [ 28 0 0 0 99 111 37 ]
  }
)
:location 731
}
)
:location 520
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 6
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 2
        :location 135
      }
    :resno 1
    :resname nation
    :ressortgroupref 0
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 165
      }
    :resno 2
    :resname p_name
    :ressortgroupref 0
    :resorigtbl 16551
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 6199
        :funcresulttype 1700
        :funcresultset false
        :funcvariadic false
        :funcformat 3
        :funccollid 0
        :inputcollid 100
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 193
            :constvalue 8 [ 32 0 0 0 121 101 97 114 ]
          }
          {VAR
            :varno 5
            :varattno 5
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 5
            :location 203
          }
        )
      }
    :location 185
  }
)

```



```

    }
:resno 3
:resname o_year
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 239
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 258
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 262
}
)
:location 260
}
)
:location 255
}
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location 276
}
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location 292
    }
}
:location 290
}
)
:location 274
}
:resno 4
:resname amount
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("nation" "o_year")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 59
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname nation
:ressortgrouppref 1
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname o_year
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 75
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 71
}
:resno 3
:resname sum_profit
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1752
:sortop 1756
:reverse_sort true
:nulls_first true
:hashable true
}
)
)

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 1752
   :sortop 1756
   :reverse_sort true
   :nulls_first true
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:      {AGG
:plan.disabled_nodes 0
:plan.startup_cost 205453.6553946852
:plan.total_cost 205457.75039468522
:plan.plan_rows 126
:plan.plan_width 72
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
   }
   :resno 1
   :resname nation
   :ressortgroupref 1
   :resorigtbl 16536
   :resorigcol 2
   :resjunk false
  }
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 2
    :vartype 1700
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
   }
   :resno 2
   :resname o_year
   :ressortgroupref 2
   :resorigtbl 0
   :resorigcol 0
   :resjunk false
  }
  {TARGETENTRY
   :expr
   {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 701
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
     {TARGETENTRY
      :expr
      {OPEXPR
       :opno 592
       :opfuncid 219
       :opresulttype 701
       :opretset false
       :opcollid 0
       :inputcollid 0
       :args (
        {OPEXPR
         :opno 594
         :opfuncid 216
         :opresulttype 701

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 6
    :location 239
  }
  {OPEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
      }
      {VAR
        :varno -2
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 7
        :location 262
      }
    )
    :location 260
  }
)
:location 255
}
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 4
    :location 276
  }
  {VAR
    :varno -2
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 5
    :location 292
  }
)
:location 290
}
)
:location 274
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 71
}

```

```

:resno 3
:resname sum_profit
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 205453.6553946852
:plan.total_cost 205453.9703946852
:plan.plan_rows 126
:plan.plan_width 96
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 1700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 170835.78708333336
:join.plan.total_cost 205449.25970833338
:join.plan.plan_rows 126
:join.plan.plan_width 96
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 6199
:funcresulttype 1700
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 0
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 193
:constvalue 8 [ 32 0 0 0 121 101 97 114 ]
}
{VAR
:varno -2
:varattno 7
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location 203
}
)
:location 185
}
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 239
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 262
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 276
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 292
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 170807.56208333335
:join.plan.total_cost 205416.24345833337
:join.plan.plan_rows 31
:join.plan.plan_width 44
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```



```

:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 239
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 262
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 292
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 276
}
}

```

```

:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location 203
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 170782.93708333335
:plan.total_cost 205391.09708333336
:plan.plan_rows 63
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 239
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 262
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 292
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 4
        :location -1
    }
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 276
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location 203
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 169782.93708333335
:join.plan.total_cost 204384.79708333337
:join.plan.plan_rows 26
:join.plan.plan_width 40
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 5
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 239
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 262
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 292
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 276
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location 203
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 32258
:scan.plan.plan_rows 625000
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 6
:location -1
}

```

```

:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 7
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 169782.61208333334
:plan.total_cost 169782.61208333334
:plan.plan_rows 26
:plan.plan_width 40
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 7
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 4
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN

```

```

:join.plan.disabled_nodes 0
:join.plan.startup_cost 145940.77875
:join.plan.total_cost 169782.61208333334
:join.plan.plan_rows 26
:join.plan.plan_width 40
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 8
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 6
      :location 239
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 7
      :location 262
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 3
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 5
      :location 292
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 5
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location 653
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 9
      :varattnosyn 4
      :location -1
    }
    :resno 5
    :resname <>

```



```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 276
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 145489.77875
:join.plan.total_cost 169331.23958333334
:join.plan.plan_rows 30
:join.plan.plan_width 44
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 9
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 239
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 262
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 292
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location 498
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 653
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location 276
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 524
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 21341.333333333332
:scan.plan.plan_rows 33333
:scan.plan.plan_width 16
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 6
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 6
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 3
    :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 6
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 4
    :location -1
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 6
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 5
    :location -1
    }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b 0)
    :scan.plan.allParam (b 0)
    :scan.scanrelid 6
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 144353.16875
    :plan.total_cost 144353.16875
    :plan.plan_rows 75774
    :plan.plan_width 40
    :plan.parallel_aware true
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 11
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location -1
    }
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 4937.229166666667
:join.plan.total_cost 144353.16875
:join.plan.plan_rows 75774
:join.plan.plan_width 40
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 12
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 602
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location 239
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location 262
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location 292
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location 498
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 576
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location 653
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 129723.83333333334
:scan.plan.plan_rows 2500383
:scan.plan.plan_width 36
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 13
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1

```

```

    }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```



```

        {VAR
        :varno 5
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 12
        :location -1
        }
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)

```

```

:scan.scanrelid 5
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4905.666666666667
:plan.total_cost 4905.666666666667
:plan.plan_rows 2525
:plan.plan_width 4
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 14
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4905.666666666667

:scan.plan.plan_rows 2525
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 15
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 602
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 724
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 736
:constvalue 7 [ 28 0 0 0 99 111 3
7 ]
}
)
:location 731
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)

```

```

:scan.plan.allParam (b 0)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 602
}
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 6060
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 576
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 602
}
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location 576
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
{VAR
:varno -2
:varattno 5
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location 498
}
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location 576
    }
}
:skewTable 0
:skewColumn 0
:skewInherit false
:rows_total 181857.6
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 6
                :varattnosyn 2
                :location 524
            }
            {VAR
                :varno -1
                :varattno 5
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 5
                :varattnosyn 3
                :location 498
            }
        )
    }
    :location -1
}
{OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
            :varno -2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 6
            :varattnosyn 1
            :location 563
        }
        {VAR
            :varno -1
            :varattno 6
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 2
            :location 576
        }
    )
    :location -1
}
)
:hashoperators (o 96 96)
:hashcollations (o 0 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 2
        :location 524
    }
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
    }
}

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 563
}
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 8640
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 16
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8640
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 17
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 9
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1

```

```

        :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 9
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:constypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 127 64 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 9
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9
:varattnosyn 1
:location -1
}
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location 498
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 9

```

```

        :varattnosyn 1
        :location -1
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location 498
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location 653
    }
)
}
:skewTable 16561
:skewColumn 1
:skewInherit false
:rows_total 62.4
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 7
                :varattnosyn 1
                :location 640
            }
            {VAR
                :varno -1
                :varattno 4
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 5
                :varattnosyn 1
                :location 653
            }
        )
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location 640
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)

```

```

:plan.allParam (b)
:num_workers 2
:rescan_param 0
:single_copy false
:invisible false
:initParam (b)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 22.125
:plan.total_cost 22.125
:plan.plan_rows 200
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 18
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 20.125
:plan.total_cost 22.125
:plan.plan_rows 200
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 19
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 20
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 10
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 10
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>

```



```

        :scan.plan.lefttree <>
        :scan.plan.righttree <>
        :scan.plan.initPlan <>
        :scan.plan.extParam (b)
        :scan.plan.allParam (b)
        :scan.scanreldid 10
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :aggstrategy 2
    :aggssplit 0
    :numCols 1
    :grpColIdx ( 1)
    :grpOperators ( 96)
    :grpCollations ( 0)
    :numGroups 200
    :transitionSpace 0
    :aggParams (b)
    :groupingSets <>
    :chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 10
    :varattnosyn 1
    :location -1
    }
)
:skewTable 16541
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 9
        :varattnosyn 4
        :location -1
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 1
        :location -1
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 9
    :varattnosyn 4
    :location -1
    }
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 18.1
:plan.total_cost 18.1
}

```

```

:plan.plan_rows 810
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 21
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 1
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 22
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 8
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 8
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 1
      :location 696
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)

```

```

        :scan.plan.allParam (b)
        :scan.scanrelid 8
    }
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location 696
    }
)
:skewTable 16536
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 5
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 10
                :varattnosyn 1
                :location -1
            }
            {VAR
                :varno -1
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 8
                :varattnosyn 1
                :location 696
            }
        )
        :location -1
    }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 5
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 10
        :varattnosyn 1
        :location -1
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 2
:sortColIdx ( 1 2)
:sortOperators ( 664 1756)
:collations ( 100 0)
:nullsFirst ( false true)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggsplit 0
:numCols 2
:grpColIdx ( 1 2)
:grpOperators ( 98 1752)
:grpCollations ( 100 0)
:numGroups 126
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>

```

```

GroupAggregate (cost=205453.66..205457.75 rows=126 width=72) (actual time=1205.348..1309.258 rows=175.00 loops=1)
  Output: nation.n_name, (EXTRACT(year FROM orders.o_orderdate)), sum(((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)) - (partsup
p.ps_supplycost * lineitem.l_quantity)))
  Group Key: nation.n_name, (EXTRACT(year FROM orders.o_orderdate))
  Buffers: shared hit=12001 read=141255, temp read=1188 written=1191
  -> Sort (cost=205453.66..205453.97 rows=126 width=96) (actual time=1204.931..1268.445 rows=164493.00 loops=1)
    Output: nation.n_name, (EXTRACT(year FROM orders.o_orderdate)), lineitem.l_extendedprice, lineitem.l_discount, partsupp.ps_supplycost, lineitem.l_qua
ntity
    Sort Key: nation.n_name, (EXTRACT(year FROM orders.o_orderdate)) DESC
    Sort Method: external merge  Disk: 9504kB
    Buffers: shared hit=12001 read=141255, temp read=1188 written=1191
    -> Hash Join (cost=170807.59..205449.26 rows=126 width=96) (actual time=790.475..959.266 rows=164493.00 loops=1)
      Output: nation.n_name, EXTRACT(year FROM orders.o_orderdate), lineitem.l_extendedprice, lineitem.l_discount, partsupp.ps_supplycost, lineitem.
l_quantity
      Hash Cond: (n.n_nationkey = nation.n_nationkey)
      Buffers: shared hit=12001 read=141255
      -> Hash Join (cost=170807.56..205416.24 rows=31 width=44) (actual time=789.017..913.065 rows=164493.00 loops=1)
        Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, s.s_nationkey, n.n_nationkey, partsupp.ps_supplycost, orders
.o_orderdate
        Inner Unique: true
        Hash Cond: (s.s_nationkey = n.n_nationkey)
        Buffers: shared hit=12000 read=141255
        -> Gather (cost=170782.94..205391.10 rows=63 width=40) (actual time=788.990..878.858 rows=164493.00 loops=1)
          Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, s.s_nationkey, partsupp.ps_supplycost, orders.o_orderd
ate
          Workers Planned: 2
          Workers Launched: 2
          Buffers: shared hit=11999 read=141255
          -> Parallel Hash Join (cost=169782.94..204384.80 rows=26 width=40) (actual time=781.652..937.926 rows=54831.00 loops=3)
            Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, s.s_nationkey, partsupp.ps_supplycost, orders.o_o
rderdate
            Hash Cond: (orders.o_orderkey = lineitem.l_orderkey)
            Buffers: shared hit=11999 read=141255
            Worker 0:  actual time=778.363..973.544 rows=69160.00 loops=1
              Buffers: shared hit=3777 read=49120
            Worker 1:  actual time=778.112..973.100 rows=69452.00 loops=1
              Buffers: shared hit=3704 read=49113
            -> Parallel Seq Scan on public.orders  (cost=0.00..32258.00 rows=625000 width=8) (actual time=0.401..43.882 rows=500000.00
loops=3)
              Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orders.o_o
rderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
              Buffers: shared hit=2642 read=23366
              Worker 0:  actual time=0.643..54.429 rows=628361.00 loops=1
                Buffers: shared hit=1072 read=9825
              Worker 1:  actual time=0.366..53.406 rows=633043.00 loops=1
                Buffers: shared hit=1123 read=9844
            -> Parallel Hash  (cost=169782.61..169782.61 rows=26 width=40) (actual time=781.203..781.231 rows=54831.00 loops=3)
              Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, lineitem.l_orderkey, s.s_nationkey, partsup
pp.ps_supplycost
              Buckets: 262144 (originally 1024) Batches: 1 (originally 1) Memory Usage: 15704kB
              Buffers: shared hit=9357 read=117889
              Worker 0:  actual time=777.690..777.694 rows=55321.00 loops=1
                Buffers: shared hit=2705 read=39295
              Worker 1:  actual time=777.694..777.699 rows=54457.00 loops=1
                Buffers: shared hit=2581 read=39269
            -> Hash Join (cost=145940.78..169782.61 rows=26 width=40) (actual time=626.549..756.936 rows=54831.00 loops=3)
              Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, lineitem.l_orderkey, s.s_nationkey, partsupp.ps_supplycost
              Hash Cond: (lineitem.l_suppkey = s.s_suppkey)
              Buffers: shared hit=9357 read=117889
              Worker 0:  actual time=623.520..754.678 rows=55321.00 loops=1
                Buffers: shared hit=2705 read=39295
              Worker 1:  actual time=622.886..752.089 rows=54457.00 loops=1
                Buffers: shared hit=2581 read=39269
            -> Parallel Hash Join (cost=145489.78..169331.24 rows=30 width=44) (actual time=623.542..739.244 rows=63688.67
loops=3)
              Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, lineitem.l_suppkey, lineitem.l_orderkey, partsupp.ps_supplycost, partsupp.ps_suppkey
              Hash Cond: ((partsupp.ps_suppkey = lineitem.l_suppkey) AND (partsupp.ps_partkey = lineitem.l_partkey))
              Buffers: shared hit=8703 read=117889
              Worker 0:  actual time=620.634..736.943 rows=64278.00 loops=1
                Buffers: shared hit=2487 read=39295
              Worker 1:  actual time=619.991..734.413 rows=63682.00 loops=1
                Buffers: shared hit=2363 read=39269
            -> Parallel Seq Scan on public.partsupp  (cost=0.00..21341.33 rows=333333 width=16) (actual time=0.536..2
6.506 rows=266666.67 loops=3)
              Output: partsupp.ps_partkey, partsupp.ps_suppkey, partsupp.ps_availqty, partsupp.ps_supplycost, partsupp.ps_comment
              Buffers: shared hit=282 read=17726
              Worker 0:  actual time=0.853..26.671 rows=270094.00 loops=1
                Buffers: shared hit=92 read=5981
              Worker 1:  actual time=0.498..26.472 rows=262107.00 loops=1
                Buffers: shared hit=94 read=5808
            -> Parallel Hash  (cost=144353.17..144353.17 rows=75774 width=40) (actual time=622.682..622.708 rows=6368
8.67 loops=3)
              Output: part.p_partkey, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, lineitem.l_suppkey, lineitem.l_partkey, lineitem.l_orderkey
              Buckets: 262144 Batches: 1 Memory Usage: 17024kB
              Buffers: shared hit=8421 read=100163
              Worker 0:  actual time=619.433..619.437 rows=63647.00 loops=1
                Buffers: shared hit=2395 read=33314
              Worker 1:  actual time=619.442..619.445 rows=63390.00 loops=1
                Buffers: shared hit=2269 read=33461
            -> Parallel Hash Join (cost=4937.23..144353.17 rows=75774 width=40) (actual time=10.336..594.271 r
ows=63688.67 loops=3)
              Output: part.p_partkey, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_quantity, lineitem.l_suppkey, lineitem.l_partkey, lineitem.l_orderkey
              Hash Cond: (lineitem.l_partkey = part.p_partkey)
              Buffers: shared hit=8421 read=100163
              Worker 0:  actual time=6.799..591.117 rows=63647.00 loops=1
                Buffers: shared hit=2395 read=33314
              Worker 1:  actual time=7.305..590.971 rows=63390.00 loops=1
                Buffers: shared hit=2269 read=33461
            -> Parallel Seq Scan on public.lineitem  (cost=0.00..129723.83 rows=2500383 width=36) (actual
time=0.315..312.163 rows=2000405.00 loops=3)
              Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenumbe
r, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, li

```

```

neitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
Buffers: shared hit=4557 read=100163
Worker 0: actual time=0.026..311.641 rows=1998622.00 loops=1
  Buffers: shared hit=1560 read=33314
Worker 1: actual time=0.536..312.903 rows=1999336.00 loops=1
  Buffers: shared hit=1429 read=33461
-> Parallel Hash (cost=4905.67..4905.67 rows=2525 width=4) (actual time=9.979..9.980 rows=21
20.67 loops=3)
  Output: part.p_partkey
  Buckets: 8192 Batches: 1 Memory Usage: 352kB
  Buffers: shared hit=3864
Worker 0: actual time=6.740..6.741 rows=1347.00 loops=1
  Buffers: shared hit=835
Worker 1: actual time=6.741..6.742 rows=1361.00 loops=1
  Buffers: shared hit=840
-> Parallel Seq Scan on public.part (cost=0.00..4905.67 rows=2525 width=4) (actual tim
e=0.015..9.636 rows=2120.67 loops=3)
  Output: part.p_partkey
  Filter: (part.p_name ~~ 'co%':text)
  Rows Removed by Filter: 64546
  Buffers: shared hit=3864
Worker 0: actual time=0.015..6.531 rows=1347.00 loops=1
  Buffers: shared hit=835
Worker 1: actual time=0.015..6.532 rows=1361.00 loops=1
  Buffers: shared hit=840
-> Hash (cost=343.00..343.00 rows=8640 width=8) (actual time=2.977..2.977 rows=8642.00 loops=3)
  Output: s.s_nationkey, s.s_suppkey
  Buckets: 16384 Batches: 1 Memory Usage: 466kB
  Buffers: shared hit=654
Worker 0: actual time=2.851..2.851 rows=8642.00 loops=1
  Buffers: shared hit=218
Worker 1: actual time=2.854..2.855 rows=8642.00 loops=1
  Buffers: shared hit=218
-> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8640 width=8) (actual time=0.038..1.958 rows=86
42.00 loops=3)
  Output: s.s_nationkey, s.s_suppkey
  Filter: (s.s_acctbal > '500':double precision)
  Rows Removed by Filter: 1358
  Buffers: shared hit=654
Worker 0: actual time=0.048..1.890 rows=8642.00 loops=1
  Buffers: shared hit=218
Worker 1: actual time=0.052..1.889 rows=8642.00 loops=1
  Buffers: shared hit=218
-> Hash (cost=22.12..22.12 rows=200 width=4) (actual time=0.020..0.021 rows=25.00 loops=1)
  Output: n.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=1
-> HashAggregate (cost=20.12..22.12 rows=200 width=4) (actual time=0.013..0.017 rows=25.00 loops=1)
  Output: n.n_nationkey
  Group Key: n.n_nationkey
  Batches: 1 Memory Usage: 32kB
  Buffers: shared hit=1
-> Seq Scan on public.nation n (cost=0.00..18.10 rows=810 width=4) (actual time=0.004..0.006 rows=25.00 loops=1)
  Output: n.n_nationkey
  Buffers: shared hit=1
-> Hash (cost=18.10..18.10 rows=810 width=36) (actual time=0.205..0.205 rows=25.00 loops=1)
  Output: nation.n_name, nation.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 10kB
  Buffers: shared hit=1
-> Seq Scan on public.nation (cost=0.00..18.10 rows=810 width=36) (actual time=0.025..0.028 rows=25.00 loops=1)
  Output: nation.n_name, nation.n_nationkey
  Buffers: shared hit=1

Planning:
  Buffers: shared hit=27
Planning Time: 9.300 ms
Execution Time: 1310.294 ms
(149 rows)

Time: 1330.015 ms (00:01.330)
tpch=> RESET ROLE;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
  :stmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
    :stmt_location 0
    :stmt_len 10
  }
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 8.950 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT policyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.policyname, r.tablename);
    END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on customer
ALTER TABLE customer ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show customers with acctbal > 0
CREATE POLICY customer_rls_policy ON customer
USING (
    EXISTS (
        SELECT 1 FROM nation n
        WHERE n.n_nationkey = customer.c_nationkey
        AND customer.c_acctbal > 0
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON customer TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

-- Step 6: Run Q10
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    c_custkey,
    c_name,
    sum(l_extendedprice * (1 - l_discount)) as revenue,
    c_acctbal,
    n_name,
    c_address,
    c_phone,
    c_comment
from
    customer,
    orders,
    lineitem,
    nation
where
    c_custkey = o_custkey
    and l_orderkey = o_orderkey
    and o_orderdate >= date '1995-01-01'
    and o_orderdate < date '1995-01-01' + interval '3' month
    and l_returnflag = 'R'
    and c_nationkey = n_nationkey
group by
    c_custkey,
    c_name,
    c_acctbal,
    c_phone,
    n_name,
    c_address,
    c_comment
order by
    revenue desc;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\

```

```

\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
    T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
    public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
    \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
    );\
\ \ \ \ END\ LOOP;\
END;\
"
    :defaction 0
    :location 3
    }
    )
    }
    :stmt_location 0
    :stmt_len 236
    }

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
    T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
    public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
    \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
    );\
\ \ \ \ END\ LOOP;\
END;\
"
    :defaction 0
    :location 3
    }
    )
    }
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree <>
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList <>
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 236
    }

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY

```

```
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polyciname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:rekind v
:rellockmode 1
:perminfoindex 1
:tablesampl e <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rtepermissions (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:update dCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
quals
{OPEXPR
:opno 93
:opfncund 62
:opresultt ype 16
:opretset false
:opc ollid 0
:inputcoll id 950
:args (
{VAR
:varno 1
:varatt no 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturning t ype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:const t ype 19
:const t ypmod -1
:const collid 950
:const len 64
:constbyval false
:constis null false
:location 65
:const value 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varatt no 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturning t ype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname polyciname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varatt no 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturning t ype 0
:varnosyn 1
:varattnosyn 2
:location 19
```



```

    }
    :resno 2
    :resname tablename
    :resortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
  }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname pg_policies
  :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
    "cmd" "qual" "with_check")
  }
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname pol
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname pol
  :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
    "polroles" "polqual" "polwithcheck")
  }
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"

```

```

        "relowner" "relam" "relfilenode" "reltablespace" "relpages" "reltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relhasindex" "relisshared" "relpersistence" "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "relispopulated" "relreplident" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
    }
:rtkind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive" "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespace" "reltype" "relotype" "relowner" "relam" "relfilenode" "reltablespace" "relpages" "reltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relhasindex" "relisshared" "relpersistence" "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "relispopulated" "relreplident" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtkind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}

```

```

}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5

```

```

:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR

```



```

:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615

```

```

:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5

```

```

    }
  }
  :quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 4
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b 5)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname schemaname
  :ressortgroupref 0
  :resorigtbl 2615
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 2
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 2
  :location -1
  }
  :resno 2
  :resname tablename
  :ressortgroupref 0
  :resorigtbl 1259
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 3
  :resname policynome
  :ressortgroupref 0
  :resorigtbl 3256
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {CASEEXPR
  :casetype 25
  :casecollid 100
  :arg <>
  :args (
    {CASEWHEN
    :expr
    {VAR
    :varno 1
    :varattno 5
    :vartype 16
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
    }
    :location -1
  }
  )
  :defresult
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100

```

```

:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950

```

```

        :coerceformat 2
        :location -1
    }
    :location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:varatype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (

```



```

{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
  :resno 1
  :resname rolname
  :ressortgroupref 1
  :resorigtbl 1260
  :resorigcol 2
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {CASEEXPR
    :casetype 25
    :casecollid 100
    :arg
      {VAR
        :varno 1
        :varattno 4
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
      }
    :args (
      {CASEWHEN
        :expr
          {OPEXPR
            :opno 92
            :opfuncid 61
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {CASETESTEXPR
                :typeid 18
                :typemod -1
                :collation 0
              }
              {CONST
                :consttype 18
                :consttypmod -1
                :constcollid 0
                :constlen 1
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
              }
            )
          }
        :location -1
      }
    )
  :result
    {CONST

```

```

:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false

```

```

        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:varatype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{OPEXPR
:opno 93

```



```

:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
          "cmd" "qual" "with_check")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname pol
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname pol
                :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
                  "polroles" "polqual" "polwithcheck")
              }
            :rtekind 0
            :relid 3256
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname c
                :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
                  "relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
                    eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
                      sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
                        lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
                          wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
                            " "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
                              lacl" "reloptions" "relpartbound")
              }
            :rtekind 0
            :relid 1259
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 2
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname unnamed_join
                :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
                  "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
                    ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
                      tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
                        n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
                          "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
                            " "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
                              spopulated" "relreplident" "relispartition" "relrewrite" "relfr
                                ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
              }
            :rtekind 2
            :jointype 0
            :joinmergedcols 0
            :joinaliasvars (
              {VAR
                :varno 1

```

```

:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}

```

```

{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10

```



```

:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reld 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}

```

```

{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreleid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastreleid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2

```

```

:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}

```

```

{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26

```

```

:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0

```



```

:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1

```

```

        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
    )
    :location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 4
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b 5)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 2
            :location -1
        }
    }
    :resno 1
    :resname schemaname
    :ressortgroupref 0
    :resorigtbl 2615
    :resorigcol 2
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {CONST
    :consttype 1028
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
    0 0 0 1 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {ARRAYCOERCEEXPR
    :arg
    {FUNCEXP
    :funcid 394
    :funcresulttype 1009
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 100
    :inputcollid 100
    :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 4 [ 16 0 0 0 ]
    }
    )
    :location -1
    }
    :elemexpr
    {FUNCEXP
    :funcid 407
    :funcresulttype 19
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 950
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeId 25
    :typeMod -1
    :collation 0
    }
    )
    :location -1
    }
    :resulttype 1003
    :resulttypmod -1
    :resultcollid 950
    :coerceformat 2
    :location -1
    }
    :location -1
    }
    )
    :defresult
    {SUBLINK
    :sublinkType 6
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname pg_authid
    :colnames ("oid" "rolname" "rolsuper" "rolinherit"
    "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
    lication" "rolbypassrls" "rolconlimit" "rolpasswor

```

```

        d" "rolvaliduntil")
    }
    :rtekind 0
    :relid 1260
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tlesortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
}
)

```

```

        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result

```

```

{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true

```

```

        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:varatype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:varatype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3

```



```

        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupByClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
)rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:reldid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 12018
:inh true
|requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updateCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varto 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
}
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
{TARGETENTRY
```

```

:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname polycyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL:      {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6.83
:join.plan.total_cost 28.396625
:join.plan.plan_rows 31
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname polycyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1

```

```

    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 1.0625
:join.plan.total_cost 21.902875
:join.plan.plan_rows 111
:join.plan.plan_width 68
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 1
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.44
:scan.plan.plan_rows 444
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 2
    }
  }
)

```

```

        :location -1
    }
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28

```



```

:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 34
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 34
    :location -1
    }
    :resno 34
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 3
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 1.05
    :plan.total_cost 1.05
    :plan.plan_rows 1
    :plan.plan_width 4
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 3
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree
    {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 1.05
    :scan.plan.plan_rows 1
    :scan.plan.plan_width 4
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 4
    :scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual (
    {OEXPR
    :opno 93
    :opfuncid 62
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 950
    :args (
    {VAR
    :varno 5
    :varattno 2

```

```

        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location -1
    }
    {CONST
    :consttype 19
    :consttypmod -1
    :constcollid 950
    :constlen 64
    :constbyval false
    :constisnull false
    :location 65
    :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0
    0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
    0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
    }
    )
    :location 63
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanreldid 5
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    )
    :skewTable 1259
    :skewColumn 3
    :skewInherit false
    :rows_total 0
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b)
    :join.plan.allParam (b)
    :join.jointype 0
    :join.inner_unique true
    :join.joinqual <>
    :hashclauses (
    {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno -2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
    }
    {VAR
    :varno -1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    )
    :location -1
    }
    )
    :hashoperators (o 607)
    :hashcollations (o 0)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    }

```

```

        :varattnosyn 3
        :location -1
    }
}
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4.23
:plan.total_cost 4.23
:plan.plan_rows 123
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4.23
:scan.plan.plan_rows 123
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0

```

```

        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{VAR
:varno -1
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL:  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
    :fromlist <>
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 7
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
              70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
          }
          {PARAM
            :paramkind 0
            :paramid 3
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 41
          }
          {PARAM
            :paramkind 0
            :paramid 4
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 55
          }
        )
      }
    :location 0
  }
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree
      {FROMEXPR
        :fromlist <>
        :quals <>
      }
    }
  )

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 7
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
              70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
          }
          {PARAM
            :paramkind 0
            :paramid 3
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 41
          }
          {PARAM
            :paramkind 0
            :paramid 4
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 55
          }
        )
      }
    :location 0
  }
  :resno 1
  :resname format
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree
    {FROMEXPR
      :fromlist <>
      :quals <>
    }
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList (
    {TARGETENTRY
      :expr
        {FUNCEXP
          :funcid 3539
          :funcresulttype 25
          :funcresultset false
          :funcvariadic false
          :funcformat 0

```

```

:funccollid 950
:inputcollid 950
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 7
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
      70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
  }
  {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
  }
  {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
  }
)
:location 0
}
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
    {FUNCEXP
      :funcid 3539
      :funcresulttype 25
      :funcresultset false
      :funcvariadic false
      :funcformat 0
      :funccollid 950
      :inputcollid 950
      :args (
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 7
          :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
            70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
        }
        {PARAM
          :paramkind 0
          :paramid 3
          :paramtype 19
          :paramtypmod -1
          :paramcollid 950
          :location 41
        }
        {PARAM
          :paramkind 0
          :paramid 4
          :paramtype 19
          :paramtypmod -1
          :paramcollid 950
          :location 55
        }
      )
    }
  )
}
)

```



```

        :location 0
    }
    :resno 1
    :resname format
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPSMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 26.691 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>

```

```

:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.179 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 1.066 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.388 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>

```

```

:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.398 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.292 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.265 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
}

```

```
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

Time: 0.238 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
```



```

:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

Time: 0.264 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.274 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 54
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 46
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 54
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}
```

Time: 0.264 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {CREATEPOLICYSTMT
    :policy_name customer_rls_policy
    :table
```

```

{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
}
:location 82
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("customer" "c_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("customer" "c_acctbal")
:location 161
}
:rexpr
{A_CONST
:val 0
:location 182
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 180
}
)
:location 157
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:stmt_location 0

```

```

:stmt_len 191
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name customer_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("customer" "c_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("customer" "c_acctbal")
:location 161
}
:rexpr
{A_CONST
:val 0
:location 182
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 180
}
}
:location 157
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0

```

```

        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 191
}

```

Time: 1.037 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
  }
}

```

```

:privileges (
  {ACCESSPRIV
  :priv_name select
  :cols <>
  }
)
:grantees (
  {ROLESPEC
  :roletype 0
  :rolename alice
  :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.495 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname orders
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname orders
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

```

        :inh true
        :relpersistence p
        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.208 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0

```

```

:objtype 41
:objects (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 16
  }
)
:privileges (
  {ACCESSPRIV
    :priv_name select
    :cols <>
  }
)
:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.238 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6

```



```

:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.219 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
  :stmt
    {VARIABLESETSTMT
      :kind 0
      :name role
      :args (
        {A_CONST
          :val "alice"
          :location 9
        }
      )
      :jumble_args false
      :is_local false
      :location 9
    }
    :stmt_location 0
    :stmt_len 14
  }
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {VARIABLESETSTMT
      :kind 0
      :name role
      :args (
        {A_CONST
          :val "alice"
          :location 9
        }
      )
    }
  :jumble_args false
}

```

```

:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.159 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c_custkey")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c_name")
:location 62
}
:location 62
}
{RESTARTGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 78
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 97
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 101
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 99
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 94
}
)
:agg_order <>
:agg_filter <>
:over <>

```

```

        :agg_within_group false
        :agg_star false
        :agg_distinct false
        :func_variadic false
        :funcformat 0
        :location 74
    }
}
:location 74
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c_acctbal")
:location 130
}
}
:location 130
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("n_name")
:location 145
}
}
:location 145
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c_address")
:location 157
}
}
:location 157
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c_phone")
:location 172
}
}
:location 172
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c_comment")
:location 185
}
}
:location 185
}
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistance p
:alias <>
:location 204
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistance p
:alias <>
:location 218
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistance p
:alias <>
:location 230
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistance p
:alias <>
:location 244
}
)
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c_custkey")
:location 261
}
}
:rexpr
{COLUMNREF
:fields ("o_custkey")
:location 273
}
}
:rexpr_list_start 0

```

```

:rexpr_list_end 0
:location 271
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_orderkey")
:location 291
}
:rexpr
{COLUMNREF
:fields ("o_orderkey")
:location 304
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 302
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 323
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 343
}
:typeName
{TYPPNAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 338
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 335
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 364
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 383
}
:typeName
{TYPPNAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 378
}
:location -1
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\3"
:location 407
}
:typeName
{TYPPNAME
:names ("pg_catalog" "interval")
:typeOid 0
:setof false
:pct_type false
:typmods (
{A_CONST
:val 2
:location 411
}
)
:typemod -1
:arrayBounds <>
:location 398
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 396
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 376
}
{A_EXPR
:name ("=")

```

```

        :lexpr
        {COLUMNREF
         :fields ("l_returnflag")
         :location 425
        }
        :rexpr
        {A_CONST
         :val "R"
         :location 440
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 438
        }
        {A_EXPR
         :name ("=")
        :lexpr
        {COLUMNREF
         :fields ("c_nationkey")
         :location 452
        }
        :rexpr
        {COLUMNREF
         :fields ("n_nationkey")
         :location 466
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 464
        }
    )
    :location 287
    }
    :groupClause (
    {COLUMNREF
     :fields ("c_custkey")
     :location 491
    }
    {COLUMNREF
     :fields ("c_name")
     :location 506
    }
    {COLUMNREF
     :fields ("c_acctbal")
     :location 518
    }
    {COLUMNREF
     :fields ("c_phone")
     :location 533
    }
    {COLUMNREF
     :fields ("n_name")
     :location 546
    }
    {COLUMNREF
     :fields ("c_address")
     :location 558
    }
    {COLUMNREF
     :fields ("c_comment")
     :location 573
    }
    )
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause (
    {SORTBY
     :node
     {COLUMNREF
      :fields ("revenue")
      :location 596
     }
     :sortby_dir 2
     :sortby_nulls 0
     :useOp <>
     :location -1
    }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :options (
    {DEFELEM
     :defnamespace <>
     :defname analyze
     :arg <>
     :defaction 0
     :location 9
    }
    {DEFELEM
     :defnamespace <>
     :defname verbose
     :arg <>
     :defaction 0
     :location 18
    }
    {DEFELEM
     :defnamespace <>
     :defname buffers
     :arg <>
     :defaction 0
     :location 27
    }
    )
    }
    :stmt_location 0

```

```
:stmt_len 608
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumbr"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "c_name" "c_acctbal" "c_phone" "n_name"
"c_address" "c_comment")
}
```

```

    }
    :rtekind 9
    :groupeexprs (
        {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 47
        }
        {VAR
            :varno 1
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 62
        }
        {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 130
        }
        {VAR
            :varno 1
            :varattno 5
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location 172
        }
        {VAR
            :varno 4
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 2
            :location 145
        }
        {VAR
            :varno 1
            :varattno 3
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location 157
        }
        {VAR
            :varno 1
            :varattno 8
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 8
            :location 185
        }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
}
)
:rteperminfos (
    {RTEPERMISSIONINFO
        :relid 16546
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 9 10 11 12 13 15)
        :insertedCols (b)
        :updatedCols (b)
    }
    {RTEPERMISSIONINFO
        :relid 16561
        :inh true
        :requiredPerms 2
        :checkAsUser 0
    }
)

```

```

:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13 14 16)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 261
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 273
}
)
:location 271
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 291
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 304
}
)
)

```



```

:location 302
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 323
}
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 343
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 335
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 364
}
  {OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 383
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
  {CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 407
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 396
}
)
:location 376
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location 425
}
  {CONST
:consttype 25
:consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 440
        :constvalue 5 [ 20 0 0 0 82 ]
    }
)
:location 438
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 452
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 466
    }
)
:location 464
}
)
:location 287
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 2
    :resorigtbl 16546
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname c_name
    :ressortgroupref 3
    :resorigtbl 16546
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {OPEXPR
        :opno 594
        :opfuncid 216

```

```

:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location 78
  }
  {OPEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 97
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
      {VAR
        :varno 3
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location 101
      }
    )
    :location 99
  }
)
:location 94
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 74
}
:resno 3
:resname revenue
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location -1
  }
}
:resno 4
:resname c_acctbal
:ressortgrouppref 4
:resorigtbl 16546
:resorigcol 6

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname n_name
:ressortgroupref 6
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname c_address
:ressortgroupref 7
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 7
:resname c_phone
:ressortgroupref 5
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 8
:resname c_comment
:ressortgroupref 8
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 4

```

```

:eqop 670
:sortop 672
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 5
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 6
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 7
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 8
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:define analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:define verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:define buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false

```

```

:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 608
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelatn 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o
_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_qua
ntity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines
tatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "
l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>

```

```

:eref
{
  ALIAS
  :aliasname *GROUP*
  :colnames ("c_custkey" "c_name" "c_acctbal" "c_phone" "n_name" "c_add
ress" "c_comment")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 62
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 130
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 172
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 145
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 157
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 185
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 15)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13 14 16)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 261
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 273
}
)
:location 271
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 291
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
}
)
}

```



```

:varnosyn 2
:varattnosyn 1
:location 304
}
)
:location 302
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 323
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 343
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 335
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 364
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 383
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 407
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 396
}
)
:location 376
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9

```

```

        :location 425
    }
    {CONST
    :conststype 25
    :conststypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 440
    :constvalue 5 [ 20 0 0 0 82 ]
    }
)
:location 438
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 452
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 466
}
)
:location 464
}
)
:location 287
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname c_custkey
:ressortgroupref 2
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname c_name
:ressortgroupref 3
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (

```

```

{TARGETENTRY
:expr
  {OPEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location 78
      }
      {OPEXPR
        :opno 592
        :opfuncid 219
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {FUNCEXPR
            :funcid 316
            :funcresulttype 701
            :funcset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 97
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
              }
            )
            :location -1
          }
          {VAR
            :varno 3
            :varattno 7
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 7
            :location 101
          }
        )
        :location 99
      }
    )
    :location 94
  }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 74
}
:resno 3
:resname revenue
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location -1
  }
}

```

```

:resno 4
:resname c_acctbal
:resortgroupref 4
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname n_name
:resortgroupref 6
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname c_address
:resortgroupref 7
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 7
:resname c_phone
:resortgroupref 5
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 8
:resname c_comment
:resortgroupref 8
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
}

```

```

:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 4
:eqop 670
:sortop 672
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 5
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 6
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 7
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 8
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
}
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16546
WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
}
}
)

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity true
    :hasGroupRTE true
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname customer
            :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
              c_acctbal" "c_mktsegment" "c_comment")
          }
        :rtekind 0
        :relid 16546
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals (
          {SUBLINK
            :subLinkType 0
            :subLinkId 0
            :testexpr <>
            :operName <>
            :subselect
              {QUERY
                :commandType 1
                :querySource 0
                :canSetTag true
                :utilityStmt <>
                :resultRelation 0
                :hasAggs false
                :hasWindowFuncs false
                :hasTargetSRFs false
                :hasSubLinks false
                :hasDistinctOn false
                :hasRecursive false
                :hasModifyingCTE false
                :hasForUpdate false
                :hasRowSecurity false
                :hasGroupRTE false
                :isReturn false
                :cteList <>
                :rtable (
                  {RANGETBENTRY

```

```

:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
}
)
}
}
)
}

```



```

        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536

```

```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "c_name" "c_acctbal" "c_phone" "n_name" "c_add
ress" "c_comment")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 62
}
{VAR
:varno 1
:varattno 6
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 130
}
{VAR
:varno 1
:varattno 5
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 172
}
{VAR
:varno 4
:varattno 2
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 145
}
{VAR
:varno 1
:varattno 3
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 157
}
{VAR
:varno 1
:varattno 8
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 185
}
}
:lateral false
:inFromCl false
:securityQuals <>
}

```

```

)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16546
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 10 11 12 13 15)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16561
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 12)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16566
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 13 14 16)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
  {RANGETBLREF
  :rtindex 2
  }
  {RANGETBLREF
  :rtindex 3
  }
  {RANGETBLREF
  :rtindex 4
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 261
    }
    {VAR
    :varno 2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 273
    }
  )
  :location 271
  }
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1

```

```

:location 291
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 304
}
)
:location 302
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 323
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 343
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 335
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 364
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 383
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 407
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 396
}
)
:location 376
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```

```

        {VAR
        :varno 3
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 9
        :location 425
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 440
        :constvalue 5 [ 20 0 0 0 82 ]
        }
    )
    :location 438
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 452
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 466
    }
)
:location 464
}
)
:location 287
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 2
    :resorigtbl 16546
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname c_name
    :ressortgroupref 3
    :resorigtbl 16546
    :resorigcol 2
    :resjunk false
    }
}

```

```

{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 78
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 97
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 101
}
)
:location 99
}
)
:location 94
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 74
}
:resno 3
:resname revenue
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5

```

```

:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 4
:resname c_acctbal
:resortgroupref 4
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname n_name
:resortgroupref 6
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname c_address
:resortgroupref 7
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 7
:resname c_phone
:resortgroupref 5
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 8
:resname c_comment
:resortgroupref 8
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 2

```

```

:equip 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:equip 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 4
:equip 670
:sortop 672
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 5
:equip 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 6
:equip 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 7
:equip 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 8
:equip 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
}
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:equip 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1

```



```

:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTY
            :alias
              {ALIAS
                :aliasname n
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname n
                :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
              }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16536
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  )
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 1
            :varattno 4
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location -1
          }
        )
      }
    )
  }
  {OPEXP
    :opno 674
    :opfuncid 297
  }

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location -1
}
:location -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname orders
    :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
  }
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>

```

```

}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "c_name" "c_acctbal" "c_phone" "n_name" "c_address" "c_comment")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 62
}
{VAR
:varno 1
:varattno 6
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 130
}
{VAR
:varno 1
:varattno 5
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 172
}
{VAR
:varno 4
:varattno 2
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 145
}
}

```

```

{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 157
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 185
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13 14 16)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 261
}
{VAR
:varno 2
:varattno 2
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 273
}
)
:location 271
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 291
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 304
}
}
)
:location 302
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 323
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 343
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
}
)
:location 335
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 364
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1

```

```

        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 383
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
    {CONST
    :consttype 1186
    :consttypmod 196607
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 407
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
    }
    )
    :location 396
    }
    )
    :location 376
    }
    {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 3
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 9
    :location 425
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 440
    :constvalue 5 [ 20 0 0 0 82 ]
    }
    )
    :location 438
    }
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 452
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 466
    }
    )
    :location 464
    }
    )
    :location 287
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1

```

```

        :location -1
    }
:resno 1
:resname c_custkey
:ressortgroupref 2
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname c_name
:ressortgroupref 3
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 78
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 97
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 101
}
)
:location 99
}
)
:location 94
}
:resno 1

```

```

        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
}
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 74
}
:resno 3
:resname revenue
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 4
:resname c_acctbal
:ressortgrouppref 4
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname n_name
:ressortgrouppref 6
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname c_address
:ressortgrouppref 7
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 7
:resname c_phone
:ressortgrouppref 5
:resorigtbl 16546
:resorigcol 5
:resjunk false
}

```



```

{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 7
    :location -1
  }
:resno 8
:resname c_comment
:ressortgroupref 8
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 670
    :sortop 672
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 5
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 6
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 7
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 8
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

```

WARNING: ===== FINAL PLAN =====
DETAIL:   {SORT
:plan.disabled_nodes 0

```

```

:plan.startup_cost 991128.8423754745
:plan.total_cost 991406.2773754746
:plan.plan_rows 110974
:plan.plan_width 186
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
:resno 1
:resname c_custkey
:ressortgroupref 2
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
:resno 2
:resname c_name
:ressortgroupref 3
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
  }
:resno 3
:resname revenue
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
:resno 4
:resname c_acctbal
:ressortgroupref 4
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
  }
:resno 5
:resname n_name
:ressortgroupref 6

```

```

:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 6
:resname c_address
:ressortgroupref 7
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 7
:resname c_phone
:ressortgroupref 5
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname c_comment
:ressortgroupref 8
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 967423.2726460705
:plan.total_cost 971584.7976460706
:plan.plan_rows 110974
:plan.plan_width 186
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname c_custkey
:ressortgroupref 2
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname c_name
:ressortgrouppref 3
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 78
}
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
}
{VAR
:varno -2
:varattno 9
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 101
}
)
:location 99
}
)
:location 94
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno 0
:aggtransno 0
:location 74
}
:resno 3
:resname revenue
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 4
:resname c_acctbal
:ressortgroupref 4
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 5
:resname n_name
:ressortgroupref 6
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 6
:resname c_address
:ressortgroupref 7
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 7
:resname c_phone
:ressortgroupref 5
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 8
:resname c_comment
:ressortgroupref 8
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 967423.2726460705
:plan.total_cost 967700.7076460705
:plan.plan_rows 110974

```

```

:plan.plan_width 194
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgroupref 6
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 5
:resname <>
:ressortgroupref 7
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 5
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 8
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 9
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 181258.8741666667
:join.plan.total_cost 947501.2279166665
:join.plan.plan_rows 110974
:join.plan.plan_width 194
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

        :varattnosyn 1
        :location -1
    }
:resno 1
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 6
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 7
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 6
:resname <>

```



```

:ressortgroupref 5
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 7
:resname <>
:ressortgroupref 8
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 78
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 9
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 101
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 181230.6491666667
:join.plan.total_cost 943520.4091666666
:join.plan.plan_rows 27401
:join.plan.plan_width 166
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4

```

```

        :location 452
    }
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 78
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 101
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 760234.4999999999
:scan.plan.plan_rows 75000
:scan.plan.plan_width 150
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    :resno 8
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
    {SUBPLAN
    :subLinkType 0
    :testexpr <>
    :paramIds <>
    :plan_id 1
    :plan_name SubPlan\ 1
    :firstColType 2278
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable false
    :unknownEqFalse true
    :parallel_safe false
    :setParam <>
    :parParam (i 0 1)
    :args (
        {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
        }
        {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
        }
    )
    :startup_cost 0
    :per_call_cost 5.0337499999999995
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 180545.6241666667
:plan.total_cost 180545.6241666667
:plan.plan_rows 54802
:plan.plan_width 20
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    }
    }
    }

```

```

        :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location -1
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree
    {GATHER
    :plan.disabled_nodes 0
    :plan.startup_cost 36670.7625
    :plan.total_cost 180545.6241666667
    :plan.plan_rows 54002
    :plan.plan_width 20
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 7
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 273
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location 78
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location 101
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree
    {HASHJOIN

```

```

:join.plan.disabled_nodes 0
:join.plan.startup_cost 35670.7625
:join.plan.total_cost 174065.4241666667
:join.plan.plan_rows 22834
:join.plan.plan_width 20
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 8
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location 273
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 6
      :location 78
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 7
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 7
      :location 101
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 135974.79166666666
:scan.plan.plan_rows 619928
:scan.plan.plan_width 20
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 9
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR

```

```

:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location -1
    }
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 8
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 8
        :location -1
    }
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 9
        :location -1
    }
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 10
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 10
        :location -1
    }
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 11
        :location -1
    }
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 12
    }

```

```

        :location -1
    }
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 9
        :location 425
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 440
    :constvalue 5 [ 20 0 0 0 82 ]
    }
    )
    :location 438
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b 2)
    :scan.plan.allParam (b 2)
    :scan.scanrelid 3
    }
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 35383
:plan.total_cost 35383
:plan.plan_rows 23021
:plan.plan_width 8
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 10
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 35383
:scan.plan.plan_rows 23021
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 11
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 273
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 304
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 323
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 343
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 335
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 364
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 125 -93 -107 119 -1 -1
]
}
)
:location 376
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanreldid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 2)
:plan.allParam (b 2)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 304
    }
)
:skewTable 16566
:skewColumn 1
:skewInherit false
:rows_total 55250.4
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 291
        }
        {VAR
        :varno -1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 304
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 291
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 2
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 273
    }
)
:skewTable 16546
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false

```

```

:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 261
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 273
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 261
  }
)
}
:join.plan.righttree
{HASH
  :plan.disabled_nodes 0
  :plan.startup_cost 18.1
  :plan.total_cost 18.1
  :plan.plan_rows 810
  :plan.plan_width 36
  :plan.parallel_aware false
  :plan.parallel_safe true
  :plan.async_capable false
  :plan.plan_node_id 12
  :plan.targetlist (
    {TARGETENTRY
      :expr
        {VAR
          :varno -2
          :varattno 1
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 4
          :varattnosyn 2
          :location -1
        }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
      :expr
        {VAR
          :varno -2
          :varattno 2
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 4
          :varattnosyn 1
          :location -1
        }
      :resno 2
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  )
}
)

```

```

:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 13
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 466
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 4
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 466
}
)
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 4
:location 452
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 466
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 452
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 7
:sortColIdx ( 1 2 3 6 4 5 7)
:sortOperators ( 97 664 672 664 664 664 664)
:collations ( 0 100 0 100 100 100 100)
:nullsFirst ( false false false false false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggsplit 0
:numCols 7
:grpColIdx ( 1 2 3 6 4 5 7)
:grpOperators ( 96 98 670 98 98 98 98)
:grpCollations ( 0 100 0 100 100 100 100)
:numGroups 110974
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 3)
:sortOperators ( 674)
:collations ( 0)
:nullsFirst ( true)
}

```

QUERY PLAN

```

-----
Sort (cost=991128.84..991406.28 rows=110974 width=186) (actual time=1352.313..1356.884 rows=32337.00 loops=1)
  Output: customer.c_custkey, customer.c_name, (sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount))))), customer.c_acctbal, nation.n_name, customer.c_address, customer.c_phone, customer.c_comment
  Sort Key: (sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))) DESC
  Sort Method: external merge  Disk: 5496kB
  Buffers: shared hit=147229 read=123480, temp read=2636 written=2641
-> GroupAggregate (cost=967423.27..971584.80 rows=110974 width=186) (actual time=1281.370..1328.276 rows=32337.00 loops=1)
  Output: customer.c_custkey, customer.c_name, sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount))), customer.c_acctbal, nation.n_name, customer.c_address, customer.c_phone, customer.c_comment
  Group Key: customer.c_custkey, customer.c_name, customer.c_acctbal, customer.c_phone, nation.n_name, customer.c_address, customer.c_comment
  Buffers: shared hit=147229 read=123480, temp read=1949 written=1953
-> Sort (cost=967423.27..967700.71 rows=110974 width=194) (actual time=1281.360..1290.595 rows=86142.00 loops=1)
  Output: customer.c_custkey, customer.c_name, customer.c_acctbal, nation.n_name, customer.c_address, customer.c_phone, customer.c_comment, lineitem.l_extendedprice, lineitem.l_discount
  Sort Key: customer.c_custkey, customer.c_name, customer.c_acctbal, customer.c_phone, nation.n_name, customer.c_address, customer.c_comment
  Sort Method: external merge  Disk: 15592kB
  Buffers: shared hit=147229 read=123480, temp read=1949 written=1953
-> Hash Join (cost=181258.87..947501.23 rows=110974 width=194) (actual time=774.242..1136.969 rows=86142.00 loops=1)
  Output: customer.c_custkey, customer.c_name, customer.c_acctbal, nation.n_name, customer.c_address, customer.c_phone, customer.c_comment, lineitem.l_extendedprice, lineitem.l_discount
  Hash Cond: (customer.c_nationkey = nation.n_nationkey)
  Buffers: shared hit=147229 read=123480
-> Hash Join (cost=181230.65..943520.41 rows=27401 width=166) (actual time=774.201..1121.427 rows=86142.00 loops=1)
  Output: customer.c_custkey, customer.c_name, customer.c_acctbal, customer.c_address, customer.c_phone, customer.c_comment, customer.c_nationkey, lineitem.l_extendedprice, lineitem.l_discount
  Hash Cond: (customer.c_custkey = orders.o_custkey)
  Buffers: shared hit=147228 read=123480
-> Seq Scan on public.customer (cost=0.00..760234.50 rows=75000 width=150) (actual time=0.014..300.552 rows=136308.00 loops=1)
  Output: customer.c_custkey, customer.c_name, customer.c_address, customer.c_nationkey, customer.c_phone, customer.c_acctbal, customer.c_mktsegment, customer.c_comment
  Filter: EXISTS(SubPlan 1)
  Rows Removed by Filter: 13692
  Buffers: shared hit=139980
  SubPlan 1

```



```

-> Result (cost=0.00..20.13 rows=4 width=0) (actual time=0.002..0.002 rows=0.91 loops=150000)
    One-Time Filter: (customer.c_acctbal > '0':double precision)
    Buffers: shared hit=136308
-> Seq Scan on public.nation n (cost=0.00..20.13 rows=4 width=0) (actual time=0.001..0.001 rows=1.00 loops=136308)
    Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment
    Filter: (n.n_nationkey = customer.c_nationkey)
    Rows Removed by Filter: 12
    Buffers: shared hit=136308
-> Hash (cost=180545.62..180545.62 rows=54802 width=20) (actual time=774.111..774.209 rows=94907.00 loops=1)
    Output: orders.o_custkey, lineitem.l_extendedprice, lineitem.l_discount
    Buckets: 131072 (originally 65536) Batches: 1 (originally 1) Memory Usage: 6215kB
    Buffers: shared hit=7248 read=123480
-> Gather (cost=36670.76..180545.62 rows=54802 width=20) (actual time=148.329..757.694 rows=94907.00 loops=1)
    Output: orders.o_custkey, lineitem.l_extendedprice, lineitem.l_discount
    Workers Planned: 2
    Workers Launched: 2
    Buffers: shared hit=7248 read=123480
-> Parallel Hash Join (cost=35670.76..174065.42 rows=22834 width=20) (actual time=140.526..753.516 rows=31635.67 loops=3)
    Output: orders.o_custkey, lineitem.l_extendedprice, lineitem.l_discount
    Hash Cond: (lineitem.l_orderkey = orders.o_orderkey)
    Buffers: shared hit=7248 read=123480
    Worker 0: actual time=136.917..755.071 rows=31983.00 loops=1
      Buffers: shared hit=2479 read=40899
    Worker 1: actual time=136.698..755.364 rows=31425.00 loops=1
      Buffers: shared hit=2443 read=40852
-> Parallel Seq Scan on public.lineitem (cost=0.00..135974.79 rows=619928 width=20) (actual time=0.652..539.19
7 rows=492956.67 loops=3)
    Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
    Filter: (lineitem.l_returnflag = 'R':text)
    Rows Removed by Filter: 1507448
    Buffers: shared hit=4324 read=100396
    Worker 0: actual time=0.814..543.864 rows=496078.00 loops=1
      Buffers: shared hit=1472 read=33582
    Worker 1: actual time=0.760..544.594 rows=494571.00 loops=1
      Buffers: shared hit=1503 read=33551
-> Parallel Hash (cost=35383.00..35383.00 rows=23021 width=8) (actual time=139.687..139.688 rows=18835.33 loops=3)
    Output: orders.o_custkey, orders.o_orderkey
    Buckets: 65536 Batches: 1 Memory Usage: 2784kB
    Buffers: shared hit=2924 read=23084
    Worker 0: actual time=135.921..135.921 rows=18060.00 loops=1
      Buffers: shared hit=1007 read=7317
    Worker 1: actual time=135.920..135.920 rows=17892.00 loops=1
      Buffers: shared hit=940 read=7301
-> Parallel Seq Scan on public.orders (cost=0.00..35383.00 rows=23021 width=8) (actual time=1.014..135.5
97 rows=18835.33 loops=3)
    Output: orders.o_custkey, orders.o_orderkey
    Filter: ((orders.o_orderdate >= '1995-01-01':date) AND (orders.o_orderdate < '1995-04-01 00:00:00':
:timestamp without time zone))
    Rows Removed by Filter: 481165
    Buffers: shared hit=2924 read=23084
    Worker 0: actual time=1.336..132.082 rows=18060.00 loops=1
      Buffers: shared hit=1007 read=7317
    Worker 1: actual time=1.296..131.966 rows=17892.00 loops=1
      Buffers: shared hit=940 read=7301
-> Hash (cost=18.10..18.10 rows=810 width=36) (actual time=0.027..0.028 rows=25.00 loops=1)
    Output: nation.n_name, nation.n_nationkey
    Buckets: 1024 Batches: 1 Memory Usage: 10kB
    Buffers: shared hit=1
-> Seq Scan on public.nation (cost=0.00..18.10 rows=810 width=36) (actual time=0.018..0.021 rows=25.00 loops=1)
    Output: nation.n_name, nation.n_nationkey
    Buffers: shared hit=1

Planning:
    Buffers: shared hit=28 read=5
Planning Time: 5.049 ms
Execution Time: 1368.782 ms
(90 rows)

Time: 1382.019 ms (00:01.382)
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS customer_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW customer_secure AS
SELECT c.*
FROM customer c
WHERE EXISTS (
    SELECT 1 FROM nation n
    WHERE n.n_nationkey = c.c_nationkey
    AND c.c_acctbal > 0
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON customer_secure TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

-- Step 5: Run Q10
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    c_custkey,
    c_name,
    sum(l_extendedprice * (1 - l_discount)) as revenue,
    c_acctbal,
    n_name,
    c_address,
    c_phone,
    c_comment
from
    customer_secure c,
    orders,
    lineitem,
    nation
where
    c.c_custkey = o_custkey

```

```

    and l_orderkey = o_orderkey
    and o_orderdate >= date '1995-01-01'
    and o_orderdate < date '1995-01-01' + interval '3' month
    and l_returnflag = 'R'
    and c.c_nationkey = n_nationkey
group by
    c.c_custkey,
    c.c_name,
    c.c_acctbal,
    c.c_phone,
    n_name,
    c.c_address,
    c.c_comment
order by
    revenue desc;

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 1.728 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41

```

```
        :missing_ok false
      }
      :stmt_location 0
      :stmt_len 47
    }
  }
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

Time: 2.649 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("customer_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("customer_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
}
```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

Time: 3.836 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RETARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RETARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true

```

```

:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 110
}
}
:rexpr
{COLUMNREF
:fields ("c" "c_nationkey")
:location 126
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("c" "c_acctbal")
:location 148
}
}
:rexpr
{A_CONST
:val 0
:location 162
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 160
}
}
:location 144
}
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 165
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>

```

```

:indirection <>
:val
{COLUMNREF
:fields ("c"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetlist (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 110
}
:rexpr
{COLUMNREF
:fields ("c" "c_nationkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("c" "c_acctbal")
:location 148
}
:rexpr
{A_CONST
:val 0
:location 162
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 160
}
)
:location 144
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0

```

```

        :all false
        :larg <>
        :rarg <>
    }
    :location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 165
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
          c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO

```

```

:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCI true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 110
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```



```

        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 126
    }
}
:location 124
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 148
    }
    {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 162
                :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
)
:location 160
}
)
:location 144
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 84
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR

```

```

:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 38
}
:resno 1
:resname c_custkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 38
}
}
:resno 2
:resname c_name
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
}
:resno 3
:resname c_address
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
}
:resno 4
:resname c_nationkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
}
:resno 5
:resname c_phone
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname c_acctbal
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname c_mktsegment
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 38
}
:resno 8
:resname c_comment
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 165
}

```

Time: 3.681 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false

```

```

:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 40
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.681 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC

```

```

        :roletype 0
        :rolename alice
        :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.318 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV

```

```

        :priv_name select
        :cols <>
    }
)
:grantees (
    {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
    :is_grant true
    :targetype 0
    :objtype 41
    :objects (
        {RANGEVAR
            :catalogname <>
            :schemaname <>
            :relname lineitem
            :inh true
            :relpersistence p
            :alias <>
            :location 16
        }
    )
    :privileges (
        {ACCESSPRIV
            :priv_name select
            :cols <>
        }
    )
    :grantees (
        {ROLESPEC
            :roletype 0
            :rolename alice
            :location 28
        }
    )
    :grant_option false
    :grantor <>
    :behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.287 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
    :is_grant true
    :targetype 0
    :objtype 41
    :objects (
        {RANGEVAR
            :catalogname <>
            :schemaname <>
            :relname nation
            :inh true
            :relpersistence p

```

```

        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
        :priv_name select
        :cols <>
    }
)
:grantees (
    {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relnname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.278 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST

```

```

        :val "alice"
        :location 9
    }
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.201 ms
WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c_custkey")
:location 47
}
:location 47
}
{RESTARTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c_name")
:location 62
}
:location 62
}
{RESTARTARGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF

```



```

        :fields ("l_extendedprice")
        :location 78
    }
    :rexpr
    {A_EXPR
    :name ("-")
    :lexpr
    {A_CONST
    :val 1
    :location 97
    }
    :rexpr
    {COLUMNREF
    :fields ("l_discount")
    :location 101
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 99
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 94
    }
    }
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 0
    :location 74
    }
    :location 74
    }
    {RESTARTGET
    :name <>
    :indirection <>
    :val
    {COLUMNREF
    :fields ("c_acctbal")
    :location 130
    }
    :location 130
    }
    {RESTARTGET
    :name <>
    :indirection <>
    :val
    {COLUMNREF
    :fields ("n_name")
    :location 145
    }
    :location 145
    }
    {RESTARTGET
    :name <>
    :indirection <>
    :val
    {COLUMNREF
    :fields ("c_address")
    :location 157
    }
    :location 157
    }
    {RESTARTGET
    :name <>
    :indirection <>
    :val
    {COLUMNREF
    :fields ("c_phone")
    :location 172
    }
    :location 172
    }
    {RESTARTGET
    :name <>
    :indirection <>
    :val
    {COLUMNREF
    :fields ("c_comment")
    :location 185
    }
    :location 185
    }
    )
    :fromClause (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname customer_secure
    :inh true
    :relpersistence p
    :alias
    {ALIAS
    :aliasname c
    :colnames <>
    }
    :location 204
    }
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname orders
    :inh true
    :relpersistence p
    :alias <>
    :location 227
    }
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem

```

```

:inh true
:relpersistance p
:alias <>
:location 239
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistance p
:alias <>
:location 253
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 270
}
}
:rexpr
{COLUMNREF
:fields ("o_custkey")
:location 284
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 282
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_orderkey")
:location 302
}
}
:rexpr
{COLUMNREF
:fields ("o_orderkey")
:location 315
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 313
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 334
}
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 354
}
}
:typeName
{TYPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 349
}
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 346
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("o_orderdate")
:location 375
}
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 394
}
}
:typeName
{TYPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 389
}
}
:location -1
}
:rexpr
{TYPECAST
:arg

```

```

        {A_CONST
        :val "\3"
        :location 418
        }
        :typeName
        {TYPENAME
        :names ("pg_catalog" "interval")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods (
        {A_CONST
        :val 2
        :location 422
        }
        )
        :typemod -1
        :arrayBounds <>
        :location 409
        }
        :location -1
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 407
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 387
        }
        {A_EXPR
        :name ("=")
        :lexpr
        {COLUMNREF
        :fields ("l_returnflag")
        :location 436
        }
        :rexpr
        {A_CONST
        :val "R"
        :location 451
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 449
        }
        {A_EXPR
        :name ("=")
        :lexpr
        {COLUMNREF
        :fields ("c" "c_nationkey")
        :location 463
        }
        :rexpr
        {COLUMNREF
        :fields ("n_nationkey")
        :location 479
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 477
        }
        }
        :location 298
        }
    :groupClause (
    {COLUMNREF
    :fields ("c" "c_custkey")
    :location 504
    }
    {COLUMNREF
    :fields ("c" "c_name")
    :location 521
    }
    {COLUMNREF
    :fields ("c" "c_acctbal")
    :location 535
    }
    {COLUMNREF
    :fields ("c" "c_phone")
    :location 552
    }
    {COLUMNREF
    :fields ("n_name")
    :location 567
    }
    {COLUMNREF
    :fields ("c" "c_address")
    :location 579
    }
    {COLUMNREF
    :fields ("c" "c_comment")
    :location 596
    }
    )
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause (
    {SORTBY
    :node
    {COLUMNREF
    :fields ("revenue")
    :location 621
    }
    :sortby_dir 2
    :sortby_nulls 0
    :useOp <>
    :location -1
    }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0

```

```

:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 633
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16676
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
}
}
}

```

```

:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "c_name" "c_acctbal" "c_phone" "n_name"
"c_address" "c_comment")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 62
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 130
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 172
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 145
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
}

```

```

        :location 157
    }
    {VAR
    :varno 1
    :varattno 8
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location 185
    }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16676
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 15)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 12)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 13 14 16)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    {RANGETBLREF
    :rtindex 2
    }
    {RANGETBLREF
    :rtindex 3
    }
    {RANGETBLREF
    :rtindex 4
    }
    )
    :quals
    {BOOLEXP
    :boolop and
    :args (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 270
    }
    {VAR
    :varno 2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 284
    }
    )
    )
    :location 282

```

```

}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 302
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 315
  }
)
:location 313
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 334
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 354
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
  }
)
:location 346
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 375
  }
  {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 394
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
      {CONST
        :consttype 1186
        :consttypmod 196607
        :constcollid 0

```

```

        :constlen 16
        :constbyval false
        :constisnull false
        :location 418
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
    }
}
:location 407
}
)
:location 387
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 3
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 9
    :location 436
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 451
    :constvalue 5 [ 20 0 0 0 82 ]
    }
)
:location 449
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 463
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 479
    }
)
:location 477
}
}
:location 298
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 2
    :resorigtbl 16676
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr

```



```

:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 74
}
:resno 3
:resname revenue
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 4
:resname c_acctbal
:ressortgroupref 4
:resorigtbl 16676
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname n_name
:ressortgroupref 6
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname c_address
:ressortgroupref 7
:resorigtbl 16676
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 7
:resname c_phone
:ressortgroupref 5
:resorigtbl 16676
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 5
        :varattnosyn 7
        :location -1
    }
    :resno 8
    :resname c_comment
    :resortgroupref 8
    :resorigtbl 16676
    :resorigcol 8
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 4
        :eqop 670
        :sortop 672
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 5
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 6
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 7
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 8
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 670
        :sortop 674
        :reverse_sort true
        :nulls_first true
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
    }
)

```

```

{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 633
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
          c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16676
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o
          orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
}
{RANGETBENTRY

```

```

:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "c_name" "c_acctbal" "c_phone" "n_name" "c_address" "c_comment")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:varatype 23
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:varatype 25
:varitypmode -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 62
}
{VAR
:varno 1
:varattno 6
:varatype 701
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 130
}
{VAR
:varno 1
:varattno 5
:varatype 25
:varitypmode -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 172
}
{VAR
:varno 4
:varattno 2
:varatype 25
:varitypmode -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 145
}
{VAR
:varno 1

```

```

:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 157
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 185
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16676
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13 14 16)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 270
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 284
    }
)
:location 282
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 302
    }
    {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 315
    }
)
:location 313
}
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location 334
    }
    {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 354
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 346
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location 375
    }
    {OEXPR
        :opno 1076
        :opfuncid 2071
        :opresulttype 1114
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 1082
                :consttypmod -1
                :constcollid 0
                :constlen 4
            }
        )
    }
)
}

```

```

        :constbyval true
        :constisnull false
        :location 394
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
    {CONST
    :consttype 1186
    :consttypmod 196607
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 418
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
    }
    )
    :location 407
    }
    )
    :location 387
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 3
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 9
    :location 436
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 451
    :constvalue 5 [ 20 0 0 0 82 ]
    }
    )
    :location 449
    }
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 463
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 479
    }
    )
    :location 477
    }
    )
    :location 298
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    }
    )

```



```

:resno 1
:resname c_custkey
:ressortgroupref 2
:resorigtbl 16676
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location -1
  }
:resno 2
:resname c_name
:ressortgroupref 3
:resorigtbl 16676
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 3
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 6
                :location 78
              }
              {OPEXPR
                :opno 592
                :opfuncid 219
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                  {FUNCEXPR
                    :funcid 316
                    :funcresulttype 701
                    :funcresultset false
                    :funcvariadic false
                    :funcformat 2
                    :funccollid 0
                    :inputcollid 0
                    :args (
                      {CONST
                        :consttype 23
                        :consttypmod -1
                        :constcollid 0
                        :constlen 4
                        :constbyval true
                        :constisnull false
                        :location 97
                        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                      }
                    )
                  :location -1
                }
              {VAR
                :varno 3
                :varattno 7
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 7
                :location 101
              }
            )
          :location 99
        }
      )
    :location 94
  }
:resno 1
:resname <>
:ressortarouppref 0

```

```

        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 74
}
:resno 3
:resname revenue
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 4
:resname c_acctbal
:ressortgroupref 4
:resorigtbl 16676
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname n_name
:ressortgroupref 6
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname c_address
:ressortgroupref 7
:resorigtbl 16676
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 7
:resname c_phone
:ressortgroupref 5
:resorigtbl 16676
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr

```

```

    {VAR
      :varno 5
      :varattno 7
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 7
      :location -1
    }
    :resno 8
    :resname c_comment
    :ressortgroupref 8
    :resorigtbl 16676
    :resorigcol 8
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 670
    :sortop 672
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 5
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 6
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 7
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 8
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
  }
)

```

```

:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
          c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname c
                :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
                  one" "c_acctbal" "c_mktsegment" "c_comment")
              }
            :rtekind 0
            :relid 16546
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
        :rteperminfos (
          {RTEPERMISSIONINFO
            :relid 16546
            :inh true
            :requiredPerms 2
            :checkAsUser 10
            :selectedCols (b 8 9 10 11 12 13 14 15)
            :insertedCols (b)
            :updatedCols (b)
          }
        )
      }
    :jointree
      {FROMEXPR
        :fromlist (
          {RANGETBLREF
            :rtindex 1
          }
        )
      }
    :quals
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
          }
        }
      }
    }
  )

```

```

:cteList <>
:rtable (
  {RANGETBLENTY
  :alias
  {ALIAS
    :aliasname n
    :colnames <>
  }
  :eref
  {ALIAS
    :aliasname n
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
  }
  :rtekind 0
  :relid 16536
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesampl <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {BOOLEXP
  :boolop and
  :args (
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
      }
      {VAR
      :varno 1
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 1
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 4
      :location -1
      }
    )
    :location -1
  }
  {OPEXP
  :opno 674
  :opfuncid 297
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (

```

```

        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname c_name
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 2

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname c_address
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname c_nationkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname c_phone
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname c_mktsegment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

        :varno 1
        :varattno 8
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    :resno 8
    :resname c_comment
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 8
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16676
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*

```



```

:colnames ("c_custkey" "c_name" "c_acctbal" "c_phone" "n_name" "c_add
ress" "c_comment")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 62
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 130
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 172
}
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 145
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 157
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 185
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16676
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true

```

```

:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13 14 16)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 270
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 284
}
)
:location 282
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 302
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 315
}
)
}

```

```

    }
  )
  :location 313
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 334
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 354
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
  }
)
:location 346
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 375
  }
  {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 394
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
      {CONST
        :consttype 1186
        :consttypmod 196607
        :constcollid 0
        :constlen 16
        :constbyval false
        :constisnull false
        :location 418
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
      }
    )
  }
  :location 407
}
)
:location 387
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 3
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 9
    :location 436
  }
  {CONST

```

```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 451
        :constvalue 5 [ 20 0 0 0 82 ]
    }
}
:location 449
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 463
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 479
    }
    )
:location 477
}
)
:location 298
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 2
    :resorigtbl 16676
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname c_name
    :ressortgroupref 3
    :resorigtbl 16676
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {OEXPR

```

```

:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location 78
  }
  {OPEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 97
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
      {VAR
        :varno 3
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location 101
      }
    )
    :location 99
  }
)
:location 94
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 74
}
:resno 3
:resname revenue
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location -1
  }
}
:resno 4
:resname c_acctbal
:ressortgroupref 4

```

```

:resorigtbl 16676
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname n_name
:ressortgroupref 6
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname c_address
:ressortgroupref 7
:resorigtbl 16676
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 7
:resname c_phone
:ressortgroupref 5
:resorigtbl 16676
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 8
:resname c_comment
:ressortgroupref 8
:resorigtbl 16676
:resorigcol 8
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)

```

```

{SORTGROUPCLAUSE
:tleSortGroupRef 4
:eqop 670
:sortop 672
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 5
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 6
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 7
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 8
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
}
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
}
}
}

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBENTRY
                :alias
                  {ALIAS
                    :aliasname n
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname n
                    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
                  }
                :rtekind 0
                :relid 16536
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
            )
          }
        :rteperminfos (
          {RTEPERMISSIONINFO
            :relid 16536
            :inh true
            :requiredPerms 2
            :checkAsUser 10
            :selectedCols (b 8)
            :insertedCols (b)
            :updatedCols (b)
          }
        )
      }
    )
  }
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }

```



```

)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcsetset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

        )
        :override 0
        :onConflict <>
        :returningOldAlias <>
        :returningNewAlias <>
        :returningList <>
        :groupClause <>
        :groupDistinct false
        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname c_custkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname c_name
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname c_address
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname c_nationkey
:ressortgroupref 0
:resorigtbl 16546

```

```

:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname c_phone
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname c_mktsegment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname c_comment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false

```

```

:reloid 16676
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:reloid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:reloid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:reloid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "c_name" "c_acctbal" "c_phone" "n_name" "c_address" "c_comment")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 1
:varattno 2
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 62
}
{VAR
:varno 1
:varattno 6
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 130
}
}

```

```

    }
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 172
    }
    {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 145
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 157
    }
    {VAR
    :varno 1
    :varattno 8
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location 185
    }
  )
  :lateral false
  :inFromCl false
  :securityQuals <>
}

:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16676
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 10 11 12 13 15)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16561
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 12)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16566
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 13 14 16)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
  {RANGETBLREF
  :rtindex 2
  }
  {RANGETBLREF
  :rtindex 3
  }
  {RANGETBLREF
  :rtindex 4
  }
)
:quals
{BOOLEXP

```

```

:boolop and
:args (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 270
      }
      {VAR
        :varno 2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 284
      }
    )
    :location 282
  }
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 302
      }
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 315
      }
    )
    :location 313
  }
  {OEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location 334
      }
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 354
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
    )
    :location 346
  }
  {OEXPR
    :opno 2345
    :opfuncid 2338
    :opresulttype 16
    :opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 375
  }
  {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 394
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
      {CONST
        :consttype 1186
        :consttypmod 196607
        :constcollid 0
        :constlen 16
        :constbyval false
        :constisnull false
        :location 418
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
      }
    )
    :location 407
  }
)
:location 387
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 3
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 9
    :location 436
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 451
    :constvalue 5 [ 20 0 0 0 82 ]
  }
)
:location 449
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 463
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
  }
)
}

```

```

        :varattnosyn 1
        :location 479
    }
)
:location 477
}
)
:location 298
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname c_custkey
:ressortgroupref 2
:resorigtbl 16676
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname c_name
:ressortgroupref 3
:resorigtbl 16676
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 78
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true

```



```

        :constisnull false
        :location 97
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 101
}
)
:location 99
}
)
:location 94
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 74
}
:resno 3
:resname revenue
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
}
:resno 4
:resname c_acctbal
:ressortgroupref 4
:resorigtbl 16676
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
}
:resno 5
:resname n_name
:ressortgroupref 6
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
}
:resno 6
:resname c_address

```

```

:ressortgroupref 7
:resorigtbl 16676
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 7
:resname c_phone
:ressortgroupref 5
:resorigtbl 16676
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 7
:location -1
}
:resno 8
:resname c_comment
:ressortgroupref 8
:resorigtbl 16676
:resorigcol 8
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tltSortGroupRef 2
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 4
:eqop 670
:sortop 672
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 5
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 6
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 7
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 8
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
}
)
:groupDistinct false
:groupingSets <>

```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:      {SORT
:plan.disabled_nodes 0
:plan.startup_cost 221871.81457006707
:plan.total_cost 222123.59207006707
:plan.plan_rows 100711
:plan.plan_width 186
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 2
    :resorigtbl 16676
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname c_name
    :ressortgroupref 3
    :resorigtbl 16676
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 3
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 0
      :varattnosyn 0
      :location -1
    }
    :resno 3
    :resname revenue
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 4
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 6
    }
  }
}

```

```

        :location -1
    }
:resno 4
:resname c_acctbal
:ressortgroupref 4
:resorigtbl 16676
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 5
:resname n_name
:ressortgroupref 6
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 6
:resname c_address
:ressortgroupref 7
:resorigtbl 16676
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 7
:resname c_phone
:ressortgroupref 5
:resorigtbl 16676
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 8
:resname c_comment
:ressortgroupref 8
:resorigtbl 16676
:resorigcol 8
:resjunk false
}
}
:plan.qual <
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 188952.45929828388
:plan.total_cost 204206.8000903345
:plan.plan_rows 100711
:plan.plan_width 186
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname c_custkey
:ressortgrouppref 2
:resorigtbl 16676
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname c_name
:ressortgrouppref 3
:resorigtbl 16676
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 78
}
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
{VAR
:varno -2
:varattno 9
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 101
}
}
)
:location 99
}
)
:location 94
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0

```

```

        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 74
}
:resno 3
:resname revenue
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 4
:resname c_acctbal
:ressortgrouppref 4
:resorigtbl 16676
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 5
:resname n_name
:ressortgrouppref 6
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 6
:resname c_address
:ressortgrouppref 7
:resorigtbl 16676
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 7
:resname c_phone
:ressortgrouppref 5
:resorigtbl 16676
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 8
:resname c_comment
:ressortgroupref 8
:resorigtbl 16676
:resorigcol 8
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHERMERGE
:plan.disabled_nodes 0
:plan.startup_cost 188952.45929828388
:plan.total_cost 200681.9150903345
:plan.plan_rows 100711
:plan.plan_width 194
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname <>
:ressortgroupref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 4

```

```

:resname <>
:ressortgroupref 6
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 7
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 5
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 8
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 78
}
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 9
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 101
}
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```



```

)
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 187952.43552384636
:plan.total_cost 188057.34302384636
:plan.plan_rows 41963
:plan.plan_width 194
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgroupref 6
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6

```

```

        :varattnosyn 3
        :location -1
    }
:resno 5
:resname <>
:ressortgrouppref 7
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 5
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 8
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 9
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{MERGEJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 180031.10719508523
:join.plan.total_cost 180712.34219508522
:join.plan.plan_rows 41963
:join.plan.plan_width 194
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR

```

```

:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgroupref 6
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 5
:resname <>
:ressortgroupref 7
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 5
        :location -1
    }
:resno 6
:resname <>
:ressortgrouppref 5
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 8
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 9
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 78
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 10
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 101
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 179973.87699378925
:plan.total_cost 179999.77949378925
:plan.plan_rows 10361
:plan.plan_width 170
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2

```

```

:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 9
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 10
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 40940.164874999995
:join.plan.total_cost 179282.85654166667
:join.plan.plan_rows 10361
:join.plan.plan_width 170
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 6
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 78
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location 101
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 135974.79166666666
:scan.plan.plan_rows 619928
:scan.plan.plan_width 20
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 7
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1

```



```

        :location -1
    }
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 3
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 9
    :location 436
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 451
    :constvalue 5 [ 20 0 0 0 82 ]
  }
)
:location 449
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 40809.589875
:plan.total_cost 40809.589875
:plan.plan_rows 10446
:plan.plan_width 158
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 8
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 3
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 6
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2

```

```

:varattno 9
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 5296.741125
:join.plan.total_cost 40809.589875
:join.plan.plan_rows 10446
:join.plan.plan_width 158
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 9
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
}
:resno 4
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 315
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 35383
:scan.plan.plan_rows 23021
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5

```



```

        :location -1
    }
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 334
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 354
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 346
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 375
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 125 -93 -107 119 -1 -1
]
}
)
:location 387
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 2
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4942.253624999999
:plan.total_cost 4942.253624999999
:plan.plan_rows 28359
:plan.plan_width 154
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 11
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
}

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno -2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 24.625
:join.plan.total_cost 4942.253624999999
:join.plan.plan_rows 28359
:join.plan.plan_width 154
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 12
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 4

```

```

:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4453.25
:scan.plan.plan_rows 56718
:scan.plan.plan_width 150
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 13
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6

```

```

        :varattnosyn 6
        :location -1
    }
    :resno 6
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 6
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 6
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 22.125
:plan.total_cost 22.125
:plan.plan_rows 200
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 14
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 20.125
:plan.total_cost 22.125
:plan.plan_rows 200
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 15
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 16
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 7
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 2
:aggssplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 96)
:grpCollations ( 0)
:numGroups 200
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>

```



```

:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 4
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
      }
    )
  }
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 4
    :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 68061.599999999999
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false

```

```

:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 284
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location -1
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 284
  }
)
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 9
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 315
  }
)
:skewTable 16566
:skewColumn 1
:skewInherit false
:rows_total 25070.399999999998
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 302
      }
      {VAR
        :varno -1
        :varattno 9
        :vartype 23
        :vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 315
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 302
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:numCols 1
:sortColIdx ( 7)
:sortOperators ( 97)
:collations ( 0)
:nullsFirst ( false)
}
:join.plan.righttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 57.23020129597656
:plan.total_cost 59.25520129597656
:plan.plan_rows 810
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 17
:plan.targetlist (
    {TARGETENTRY
        :expr
        {VAR
            :varno -2
            :varattno 1
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 2
            :location -1
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno -2
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 1
            :location -1
        }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.1
:scan.plan.plan_rows 810
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 18
:scan.plan.targetlist (
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 2

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 479
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 4
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :numCols 1
    :sortColIdx ( 2)
    :sortOperators ( 97)
    :collations ( 0)
    :nullsFirst ( false)
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b 0)
    :join.plan.allParam (b 0)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual <>
    :skip_mark_restore false
    :mergeclauses (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno -2
    :varattno 8
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno -1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 479
    }
    )
    :location -1
    }
    )
    :mergeFamilies ( 1976)
    :mergeCollations ( 0)
    :mergeReversals ( false)
    :mergeNullsFirst ( false)
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b 0)
    :plan.allParam (b 0)
    :numCols 7
    :sortColIdx ( 1 2 3 6 4 5 7)

```

```

:sortOperators ( 97 664 672 664 664 664 664)
:collations ( 0 100 0 100 100 100 100)
:nullsFirst ( false false false false false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:numCols 7
:sortColIdx ( 1 2 3 6 4 5 7)
:sortOperators ( 97 664 672 664 664 664 664)
:collations ( 0 100 0 100 100 100 100)
:nullsFirst ( false false false false false false false)
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggsplit 0
:numCols 7
:grpColIdx ( 1 2 3 6 4 5 7)
:grpOperators ( 96 98 670 98 98 98 98)
:grpCollations ( 0 100 0 100 100 100 100)
:numGroups 100711
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 3)
:sortOperators ( 674)
:collations ( 0)
:nullsFirst ( true)
}

```

QUERY PLAN

```

-----
Sort (cost=221871.81..222123.59 rows=100711 width=186) (actual time=1142.268..1152.824 rows=32337.00 loops=1)
  Output: c.c_custkey, c.c_name, (sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount))))), c.c_acctbal, nation.n_name, c.c_address,
  c.c_phone, c.c_comment
  Sort Key: (sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))) DESC
  Sort Method: external merge  Disk: 5496kB
  Buffers: shared hit=11478 read=122968, temp read=8081 written=8166
  -> GroupAggregate (cost=188952.46..204206.80 rows=100711 width=186) (actual time=1048.043..1115.660 rows=32337.00 loops=1)
    Output: c.c_custkey, c.c_name, sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount))), c.c_acctbal, nation.n_name, c.c_addr
    ess, c.c_phone, c.c_comment
    Group Key: c.c_custkey, c.c_name, c.c_acctbal, c.c_phone, nation.n_name, c.c_address, c.c_comment
    Buffers: shared hit=11478 read=122968, temp read=7394 written=7478
    -> Gather Merge (cost=188952.46..200681.92 rows=100711 width=194) (actual time=1048.031..1076.077 rows=86142.00 loops=1)
      Output: c.c_custkey, c.c_name, c.c_acctbal, nation.n_name, c.c_address, c.c_phone, c.c_comment, lineitem.l_extendedprice, lineitem.l_discount
      Workers Planned: 2
      Workers Launched: 2
      Buffers: shared hit=11478 read=122968, temp read=7394 written=7478
      -> Sort (cost=187952.44..188057.34 rows=41963 width=194) (actual time=1040.930..1044.426 rows=28714.00 loops=3)
        Output: c.c_custkey, c.c_name, c.c_acctbal, nation.n_name, c.c_address, c.c_phone, c.c_comment, lineitem.l_extendedprice, lineitem.l_dis
count
        Sort Key: c.c_custkey, c.c_name, c.c_acctbal, c.c_phone, nation.n_name, c.c_address, c.c_comment
        Sort Method: external merge  Disk: 5192kB
        Buffers: shared hit=11478 read=122968, temp read=7394 written=7478
        Worker 0:  actual time=1038.392..1041.875 rows=28844.00 loops=1
          Sort Method: external merge  Disk: 5224kB
          Buffers: shared hit=3690 read=40863, temp read=1998 written=2492
        Worker 1:  actual time=1036.947..1040.412 rows=28682.00 loops=1
          Sort Method: external merge  Disk: 5184kB
          Buffers: shared hit=3774 read=41005, temp read=2919 written=2502
        -> Merge Join (cost=180031.11..180712.34 rows=41963 width=194) (actual time=965.892..984.166 rows=28714.00 loops=3)
          Output: c.c_custkey, c.c_name, c.c_acctbal, nation.n_name, c.c_address, c.c_phone, c.c_comment, lineitem.l_extendedprice, lineitem
.l_discount
          Merge Cond: (n.n_nationkey = nation.n_nationkey)
          Buffers: shared hit=11441 read=122965, temp read=5444 written=5525
          Worker 0:  actual time=962.791..981.110 rows=28844.00 loops=1
            Buffers: shared hit=3673 read=40860, temp read=1345 written=1838
          Worker 1:  actual time=961.867..980.242 rows=28682.00 loops=1
            Buffers: shared hit=3754 read=41005, temp read=2271 written=1853
          -> Sort (cost=179973.88..179999.78 rows=10361 width=170) (actual time=965.851..972.567 rows=28714.00 loops=3)
            Output: c.c_custkey, c.c_name, c.c_acctbal, c.c_address, c.c_phone, c.c_comment, c.c_nationkey, n.n_nationkey, lineitem.l_ex
tendedprice, lineitem.l_discount
            Sort Key: c.c_nationkey
            Sort Method: external merge  Disk: 5192kB
            Buffers: shared hit=11438 read=122965, temp read=5444 written=5525
            Worker 0:  actual time=962.748..969.476 rows=28844.00 loops=1
              Sort Method: external merge  Disk: 5224kB
              Buffers: shared hit=3672 read=40860, temp read=1345 written=1838
            Worker 1:  actual time=961.805..968.588 rows=28682.00 loops=1
              Sort Method: external merge  Disk: 5184kB
              Buffers: shared hit=3753 read=41005, temp read=2271 written=1853
            -> Parallel Hash Join (cost=40940.16..179282.86 rows=10361 width=170) (actual time=297.890..926.220 rows=28714.00 loops=3)
              Output: c.c_custkey, c.c_name, c.c_acctbal, c.c_address, c.c_phone, c.c_comment, c.c_nationkey, n.n_nationkey, lineite
m.l_extendedprice, lineitem.l_discount
              Hash Cond: (lineitem.l_orderkey = orders.o_orderkey)
              Buffers: shared hit=11438 read=122965, temp read=3494 written=3572
              Worker 0:  actual time=294.819..922.227 rows=28844.00 loops=1
                Buffers: shared hit=3672 read=40860, temp read=692 written=1184
              Worker 1:  actual time=294.581..923.124 rows=28682.00 loops=1
                Buffers: shared hit=3753 read=41005, temp read=1623 written=1204
              -> Parallel Seq Scan on public.lineitem (cost=0.00..135974.79 rows=619928 width=20) (actual time=0.370..528.042 rows
=492956.67 loops=3)
                Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity,
                lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lin
eitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
                Filter: (lineitem.l_returnflag = 'R'::text)
                Rows Removed by Filter: 1507448

```

```

Buffers: shared hit=4557 read=100163
Worker 0: actual time=0.467..527.576 rows=493096.00 loops=1
  Buffers: shared hit=1455 read=33372
Worker 1: actual time=0.403..528.565 rows=491925.00 loops=1
  Buffers: shared hit=1564 read=33316
-> Parallel Hash (cost=40809.59..40809.59 rows=10446 width=158) (actual time=297.393..297.397 rows=17101.33 loops=3)
   Output: c.c_custkey, c.c_name, c.c_acctbal, c.c_address, c.c_phone, c.c_comment, c.c_nationkey, n.n_nationkey, o
rders.o_orderkey

Buckets: 65536 (originally 32768) Batches: 1 (originally 1) Memory Usage: 10624kB
Buffers: shared hit=6881 read=22802, temp read=3494 written=3572
Worker 0: actual time=294.161..294.163 rows=14754.00 loops=1
  Buffers: shared hit=2217 read=7488, temp read=692 written=1184
Worker 1: actual time=294.150..294.153 rows=21927.00 loops=1
  Buffers: shared hit=2189 read=7689, temp read=1623 written=1204
-> Parallel Hash Join (cost=5296.74..40809.59 rows=10446 width=158) (actual time=249.796..286.937 rows=17101.3
3 loops=3)
   Output: c.c_custkey, c.c_name, c.c_acctbal, c.c_address, c.c_phone, c.c_comment, c.c_nationkey, n.n_nation
key, orders.o_orderkey

Hash Cond: (orders.o_custkey = c.c_custkey)
Buffers: shared hit=6881 read=22802, temp read=3494 written=3572
Worker 0: actual time=241.600..288.086 rows=14754.00 loops=1
  Buffers: shared hit=2217 read=7488, temp read=692 written=1184
Worker 1: actual time=249.448..280.071 rows=21927.00 loops=1
  Buffers: shared hit=2189 read=7689, temp read=1623 written=1204
-> Parallel Seq Scan on public.orders (cost=0.00..35383.00 rows=23021 width=8) (actual time=0.602..161.5
54 rows=18835.33 loops=3)
   Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_ord
erdate, orders.o_orderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
   Filter: ((orders.o_orderdate >= '1995-01-01'::date) AND (orders.o_orderdate < '1995-04-01 00:00:00'
:timestamp without time zone))

Rows Removed by Filter: 481165
Buffers: shared hit=3206 read=22802
Worker 0: actual time=0.738..161.680 rows=18590.00 loops=1
  Buffers: shared hit=1076 read=7488
Worker 1: actual time=0.563..161.330 rows=19064.00 loops=1
  Buffers: shared hit=1053 read=7689
-> Parallel Hash (cost=4942.25..4942.25 rows=28359 width=154) (actual time=72.076..72.077 rows=45436.00
loops=3)
   Output: c.c_custkey, c.c_name, c.c_acctbal, c.c_address, c.c_phone, c.c_comment, c.c_nationkey, n.n_
nationkey

Buckets: 32768 (originally 131072) Batches: 8 (originally 1) Memory Usage: 3552kB
Buffers: shared hit=3675, temp written=2620
Worker 0: actual time=68.955..68.956 rows=42104.00 loops=1
  Buffers: shared hit=1141, temp written=868
Worker 1: actual time=68.930..68.932 rows=42252.00 loops=1
  Buffers: shared hit=1136, temp written=888
-> Hash Join (cost=24.62..4942.25 rows=28359 width=154) (actual time=0.093..24.821 rows=45436.00 l
oops=3)
   Output: c.c_custkey, c.c_name, c.c_acctbal, c.c_address, c.c_phone, c.c_comment, c.c_nationkey

Inner Unique: true
Hash Cond: (c.c_nationkey = n.n_nationkey)
Buffers: shared hit=3675
Worker 0: actual time=0.098..23.226 rows=42104.00 loops=1
  Buffers: shared hit=1141
Worker 1: actual time=0.106..23.291 rows=42252.00 loops=1
  Buffers: shared hit=1136
-> Parallel Seq Scan on public.customer c (cost=0.00..4453.25 rows=56718 width=150) (actual
time=0.013..16.841 rows=45436.00 loops=3)
   Output: c.c_custkey, c.c_name, c.c_address, c.c_nationkey, c.c_phone, c.c_acctbal, c.c_m
ktsegment, c.c_comment

Filter: (c.c_acctbal > '0'::double precision)
Rows Removed by Filter: 4564
Buffers: shared hit=3672
Worker 0: actual time=0.012..16.001 rows=42104.00 loops=1
  Buffers: shared hit=1140
Worker 1: actual time=0.011..16.018 rows=42252.00 loops=1
  Buffers: shared hit=1135
-> Hash (cost=22.12..22.12 rows=200 width=4) (actual time=0.071..0.071 rows=25.00 loops=3)
   Output: n.n_nationkey
   Buckets: 1024 Batches: 1 Memory Usage: 9kB
   Buffers: shared hit=3
   Worker 0: actual time=0.078..0.079 rows=25.00 loops=1
     Buffers: shared hit=1
   Worker 1: actual time=0.087..0.087 rows=25.00 loops=1
     Buffers: shared hit=1
-> HashAggregate (cost=20.12..22.12 rows=200 width=4) (actual time=0.058..0.062 rows=2
5.00 loops=3)
   Output: n.n_nationkey
   Group Key: n.n_nationkey
   Batches: 1 Memory Usage: 32kB
   Buffers: shared hit=3
   Worker 0: actual time=0.065..0.069 rows=25.00 loops=1
     Batches: 1 Memory Usage: 40kB
     Buffers: shared hit=1
   Worker 1: actual time=0.073..0.077 rows=25.00 loops=1
     Batches: 1 Memory Usage: 40kB
     Buffers: shared hit=1
-> Seq Scan on public.nation n (cost=0.00..18.10 rows=810 width=4) (actual time=
0.044..0.047 rows=25.00 loops=3)
   Output: n.n_nationkey
   Buffers: shared hit=3
   Worker 0: actual time=0.052..0.055 rows=25.00 loops=1
     Buffers: shared hit=1
   Worker 1: actual time=0.062..0.064 rows=25.00 loops=1
     Buffers: shared hit=1
-> Sort (cost=57.23..59.26 rows=810 width=36) (actual time=0.036..1.420 rows=27574.00 loops=3)
   Output: nation.n_name, nation.n_nationkey
   Sort Key: nation.n_nationkey
   Sort Method: quicksort Memory: 25kB
   Buffers: shared hit=3
   Worker 0: actual time=0.037..1.433 rows=27715.00 loops=1
     Sort Method: quicksort Memory: 25kB
     Buffers: shared hit=1
   Worker 1: actual time=0.053..1.454 rows=27554.00 loops=1
     Sort Method: quicksort Memory: 25kB
     Buffers: shared hit=1
-> Seq Scan on public.nation (cost=0.00..18.10 rows=810 width=36) (actual time=0.014..0.017 rows=25.00 loops=3)
   Output: nation.n_name, nation.n_nationkey
   Buffers: shared hit=3
   Worker 0: actual time=0.012..0.015 rows=25.00 loops=1
     Buffers: shared hit=1
   Worker 1: actual time=0.025..0.028 rows=25.00 loops=1
     Buffers: shared hit=1
Planning:

```

Buffers: shared hit=19
Planning Time: 6.525 ms
Execution Time: 1165.332 ms
(160 rows)

Time: 1181.018 ms (00:01.181)
tpch=> RESET ROLE;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 2.446 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO \$\$
DECLARE
r RECORD;
BEGIN
FOR r IN SELECT policyname, tablename FROM pg_policies WHERE schemaname = 'public'
LOOP
EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.policyname, r.tablename);
END LOOP;
END;
\$\$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on supplier
ALTER TABLE supplier ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show suppliers from INDIA
CREATE POLICY supplier_rls_policy ON supplier
USING (
EXISTS (
SELECT 1 FROM nation n
WHERE n.n_nationkey = supplier.s_nationkey
AND n.n_name = 'INDIA'
)
)

```

);

-- Step 5: Grant permissions and set role
GRANT SELECT ON supplier TO alice;
GRANT SELECT ON partsupp TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

-- Step 6: Run Q11
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
SELECT
    ps_partkey, n_name,
    SUM(ps_supplycost * ps_availqty) AS total_value
FROM
    partsupp, supplier, nation
WHERE
    ps_suppkey = s_suppkey
    and s_nationkey = n_nationkey
    and n_name = 'INDIA'
GROUP BY
    ps_partkey, n_name
HAVING
    SUM(ps_supplycost * ps_availqty) > (
        SELECT SUM(ps_supplycost * ps_availqty) * 0.00001
        FROM partsupp, supplier, nation
        WHERE
            ps_suppkey = s_suppkey
            and s_nationkey = n_nationkey
            and n_name = 'INDIA'
    )
ORDER BY
    total_value DESC;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {DOSTMT
:args (
  {DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
  :defaction 0
  :location 3
  }
  )
  }
  :stmt_location 0
  :stmt_len 236
  }

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DOSTMT
:args (
  {DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
  :defaction 0
  :location 3
  }
  )
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>

```



```

:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63

```

```

    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 3
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location 7
    }
    :resno 1
    :resname polycynname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 19
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBLENTY
        :alias <>
        :eref
        {ALIAS
          :aliasname pg_policies
          :colnames ("schemaname" "tablename" "polycynname" "permissive" "roles"
            "cmd" "qual" "with_check")
        }
      }
    )
    :rtekind 1
    :subquery
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks true
    }
  }
)

```

```

:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname pol
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname pol
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck")
      }
    :rtekind 0
    :relid 3256
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
          "relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
            eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relh
              aindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
                lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
                  wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
                    " "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
                      lacl" "reloptions" "relpartbound")
      }
    :rtekind 0
    :relid 1259
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
            ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
              tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
                n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
                  "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
                    " "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
                      spopulated" "relreplident" "relispartition" "relrewrite" "relfr
                        ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22

```

```

:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR

```

```

:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reliid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreliid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastreliid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid"
"nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}

```



```

{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2

```

```

:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4

```

```

        :vartype 1034
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b 5)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location -1
    }
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
}

```

```

:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false

```

```

}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25

```



```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 4 [ 16 0 0 0 ]
    }
    )
    :location -1
    }
    :elemexpr
    {FUNCEXP
    :funcid 407
    :funcresulttype 19
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 950
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeId 25
    :typeMod -1
    :collation 0
    }
    )
    :location -1
    }
    :resulttype 1003
    :resulttypmod -1
    :resultcollid 950
    :coerceformat 2
    :location -1
    }
    :location -1
    }
    )
    :defresult
    {SUBLINK
    :sublinkType 6
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :ctelist <>
    :rtable (
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname pg_authid
    :colnames ("oid" "rolname" "rolsuper" "rolinherit"
    "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
    lication" "rolbypassrls" "rolconlimit" "rolpasswor
    d" "rolvaliduntil")
    }
    :rtekind 0
    :relid 1260
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    )
    :quals

```

```

{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
  {VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
:tltSortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1

```

```

:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:args (
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
):result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
):result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true

```

```

        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
}
:location -1

```

```

    }
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:varatype 194
:varatypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 26
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:varatype 194
:varatypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 26
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>

```



```

        :varattnosyn 2
        :location 19
    }
    :resno 2
    :resname tablename
    :ressortgrouppref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
          "cmd" "qual" "with_check")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname pol
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname pol
                :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
                  "polroles" "polqual" "polwithcheck")
              }
            :rtekind 0
            :relid 3256
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
              }
            :eref
              {ALIAS

```

```

:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilename" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lcl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilename" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relf
rozenxid" "relminmxid" "relcl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```



```

:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2

```

```

:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
{VAR

```

```

:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```



```

:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
}

```

```

        :alias <>
        :rtindex 5
    }
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname schemaname
    :ressortgroupref 0
    :resorigtbl 2615
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 1259
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 3
    :resname policynome
    :ressortgroupref 0
    :resorigtbl 3256
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {CASEEXPR
    :casetype 25
    :casecollid 100
    :arg <>
    :args (
        {CASEWHEN
        :expr
        {VAR
        :varno 1
        :varattno 5
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location -1
        }
        :result
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
        }
        :location -1
        }
    )
    :defresult
    {CONST
    :consttype 25

```

```

:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003

```

```

        :resulttypmod -1
        :resultcollid 950
        :coerceformat 2
        :location -1
    }
    :location -1
}
)
:dfresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrles" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0

```

```

:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
}
:location -1
}
}

```

```

:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1

```



```

        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:varatype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:varatype 194
:varatypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 26
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals

```

```

      {OPEXPR
      :opno 93
      :opfncid 62
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 950
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 19
          :vartypmod -1
          :varcollid 950
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location 52
        }
        {CONST
          :consttype 19
          :consttypmod -1
          :constcollid 950
          :constlen 64
          :constbyval false
          :constisnull false
          :location 65
          :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
        }
      )
    }
    :location 63
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 7
      }
    :resno 1
    :resname policyname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 19
      }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL:   {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6.83
:join.plan.total_cost 28.396625
:join.plan.plan rows 31
```

```

:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -1
      :varattno 1
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname polycyname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 1.0625
:join.plan.total_cost 21.902875
:join.plan.plan_rows 111
:join.plan.plan_width 68
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 1
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.44

```

```

:scan.plan.plan_rows 444
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 3
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 4
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 4
      :location -1
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 5
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 5
      :location -1
    }
    :resno 5
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
  }
)

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 16
        :location -1
    }
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 17
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 17
        :location -1
    }
:resno 17
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 18
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 18
        :location -1
    }
:resno 18
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 19
        :vartype 21
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 19
        :location -1
    }
:resno 19
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 20
        :vartype 21
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 20
        :location -1
    }
:resno 20
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 21
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 21
    }

```



```

        :location -1
    }
:resno 21
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgrouppref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 1.05
:plan.total_cost 1.05
:plan.plan_rows 1
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.05

```

```

:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 5
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual (
  {OEXPR
    :opno 93
    :opfuncid 62
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 950
    :args (
      {VAR
        :varno 5
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location -1
      }
      {CONST
        :consttype 19
        :consttypmod -1
        :constcollid 950
        :constlen 64
        :constbyval false
        :constisnull false
        :location 65
        :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0
          0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
          0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
      }
    )
    :location 63
  }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
  }
)
:skewTable 1259
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR

```

```

        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
    }
    {VAR
        :varno -1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
    }
}
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
    }
)
}
:join.plan.righttree
{HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 4.23
    :plan.total_cost 4.23
    :plan.plan_rows 123
    :plan.plan_width 68
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 5
    :plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 1
                :vartype 19
                :vartypmod -1
                :varcollid 950
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 2
                :location -1
            }
            :resno 1
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 2
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 3
                :location -1
            }
            :resno 2
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
    )
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 4.23
    :scan.plan.plan_rows 123
    :scan.plan.plan_width 68
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false

```

```

:scan.plan.plan_node_id 6
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 3
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 3
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
  }
  :args (
    {VAR
      :varno -2
      :varattno 2
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 1
      :location -1
    }
    {VAR
      :varno -1
      :varattno 2
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
    }
  )
)

```

```

        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
    }
)
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
    {FROMEXPR
        :fromlist <>
        :quals <>
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {FUNCEXP
            :funcid 3539
            :funcresulttype 25
            :funcresultset false
            :funcvariadic false
            :funcformat 0
            :funccollid 950
            :inputcollid 950
            :args (
                {CONST
                    :consttype 25
                    :consttypmod -1
                    :constcollid 100
                    :constlen -1
                    :constbyval false
                    :constisnull false
                    :location 7
                    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
                        70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
                    }
                {PARAM
                    :paramkind 0
                    :paramid 3
                    :paramtype 19
                    :paramtypmod -1
                    :paramcollid 950
                    :location 41
                }
                {PARAM
                    :paramkind 0
                    :paramid 4
                    :paramtype 19
                    :paramtypmod -1
                    :paramcollid 950
                    :location 55
                }
            )
        }
        :location 0
    }
)
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>

```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0

```



```
:stmt_len 0
}
)
```

WARNING: ===== PLANNER INPUT =====:

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
```

WARNING: ===== FINAL PLAN =====:

```
DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
```

```

:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 7
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
              70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
            }
          {PARAM
            :paramkind 0
            :paramid 3
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 41
            }
          {PARAM
            :paramkind 0
            :paramid 4
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 55
            }
          }
        :location 0
      }
    :resno 1
    :resname format
    :resortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
  :stmt
    {DROPSTMT
      :objects (("customer" "customer_rls_policy"))
      :removeType 28
      :behavior 0
      :missing_ok true
      :concurrent false
    }
    :stmt_location 0
    :stmt_len 0
  }
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {DROPSTMT
      :objects (("customer" "customer_rls_policy"))
      :removeType 28
      :behavior 0
      :missing_ok true
      :concurrent false
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
}

```

```

:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 29.073 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.208 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
}

```

```

    )
    :objtype 41
    :missing_ok false
  }
  :stmt_location 0
  :stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.416 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45

```

```

}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.366 ms
WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0

```

:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.386 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
  :stmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname supplier
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :stmt_location 0
  :stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>

```

```

:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.350 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
}
}

```

```

    }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 43
}

```

Time: 0.310 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
  :stmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname partsupp
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
    :stmt_location 0
    :stmt_len 47
  }
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname partsupp
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0

```



```

:owner <>
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.304 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
}

```

```

    )
    :objtype 41
    :missing_ok false
  }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :ctelist <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 45
}

```

Time: 0.283 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
  :stmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname region
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :stmt_location 0
  :stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname region
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :resultRelation 0
  :hasAggs false
}

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.303 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

Time: 0.280 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
  {ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
  {SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
  {ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
  {BOOLEXP
:boolop and
:args (
    {A_EXPR
:name "="
:lexpr
  {COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
:rexpr
  {COLUMNREF
:fields ("supplier" "s_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0

```

```

        :location 126
      }
      {A_EXPR
      :name ("=")
      :lexpr
        {COLUMNREF
        :fields ("n" "n_name")
        :location 161
        }
      :rexpr
        {A_CONST
        :val "INDIA"
        :location 172
        }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 170
    }
  )
  :location 157
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 187
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {CREATEPOLICYSTMT
  :policy_name supplier_rls_policy
  :table
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname supplier
    :inh true
    :relpersistence p
    :alias <>
    :location 37
    }
  :cmd_name all
  :permissive true
  :roles (
    {ROLESPEC
    :roletype 4
    :rolename <>
    :location -1
    }
  )
  :qual
    {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {SELECTSTMT
      :distinctClause <>
      :intoClause <>
      :targetList (
        {RESTARTGET
        :name <>
        :indirection <>
        :val
          {A_CONST
          :val 1
          :location 82
          }
        :location 82
      )
      }
    )
    :fromClause (
      {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname nation
      :inh true
      :relpersistence p
      :alias
        {ALIAS
        :aliasname n
        :colnames <>
        }
      :location 89
    )
  )
  :whereClause
    {BOOLEXP
    :boolop and
    :args (
      {A_EXPR
      :name ("=")
    }
  )
}

```

```

:lexpr
  {COLUMNREF
   :fields ("n" "n_nationkey")
   :location 112
  }
:rexpr
  {COLUMNREF
   :fields ("supplier" "s_nationkey")
   :location 128
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
 :name ("=")
:lexpr
  {COLUMNREF
   :fields ("n" "n_name")
   :location 161
  }
:rexpr
  {A_CONST
   :val "INDIA"
   :location 172
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 170
}
)
:location 157
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 187
}

```

Time: 1.431 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
   :is_grant true
   :targtype 0
   :objtype 41
   :objects (
     {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname supplier
      :inh true
      :relpersistence p
      :alias <>
      :location 16
     }
   )
  }
}

```

```

:privileges (
  {ACCESSPRIV
   :priv_name select
   :cols <>
  }
)
:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
   :is_grant true
   :targtype 0
   :objtype 41
   :objects (
     {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname supplier
      :inh true
      :relpersistence p
      :alias <>
      :location 16
     }
   )
   :privileges (
     {ACCESSPRIV
      :priv_name select
      :cols <>
     }
   )
   :grantees (
     {ROLESPEC
      :roletype 0
      :rolename alice
      :location 28
     }
   )
   :grant_option false
   :grantor <>
   :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

Time: 0.228 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
   :is_grant true
   :targtype 0
   :objtype 41
   :objects (
     {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname partsupp

```

```

        :inh true
        :relpersistence p
        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.229 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0

```



```

:objtype 41
:objects (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname nation
    :inh true
    :relpersistence p
    :alias <>
    :location 16
  }
)
:privileges (
  {ACCESSPRIV
    :priv_name select
    :cols <>
  }
)
:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 26
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.190 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}
```

Time: 0.218 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("ps_partkey")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("n_name")
:location 59
}
:location 59
}
{RESTARTGET
:name total_value
:indirection <>
}
```

```

:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("ps_supplycost")
:location 75
}
:rexpr
{COLUMNREF
:fields ("ps_availqty")
:location 91
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 89
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 71
}
:location 71
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistance p
:alias <>
:location 128
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistance p
:alias <>
:location 138
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistance p
:alias <>
:location 148
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("ps_suppkey")
:location 165
}
:rexpr
{COLUMNREF
:fields ("s_suppkey")
:location 178
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 176
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_nationkey")
:location 196
}
:rexpr
{COLUMNREF
:fields ("n_nationkey")
:location 210
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 208
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n_name")
:location 230
}
:rexpr
{A_CONST
:val "INDIA"
:location 239
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 237
}
}

```

```

    )
    :location 192
  }
}
:groupClause (
  {COLUMNREF
    :fields ("ps_partkey")
    :location 260
  }
  {COLUMNREF
    :fields ("n_name")
    :location 272
  }
)
:groupDistinct false
:havingClause
  {A_EXPR
    :name (">")
    :lexpr
      {FUNCCALL
        :funcname ("sum")
        :args (
          {A_EXPR
            :name ("*")
            :lexpr
              {COLUMNREF
                :fields ("ps_supplycost")
                :location 294
              }
            :rexpr
              {COLUMNREF
                :fields ("ps_availqty")
                :location 310
              }
            :rexpr_list_start 0
            :rexpr_list_end 0
            :location 308
          }
        )
      }
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 0
    :location 290
  }
)
:rexpr
  {SUBLINK
    :subLinkType 4
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {SELECTSTMT
        :distinctClause <>
        :intoClause <>
        :targetList (
          {RESTARTGET
            :name <>
            :indirection <>
            :val
              {A_EXPR
                :name ("*")
                :lexpr
                  {FUNCCALL
                    :funcname ("sum")
                    :args (
                      {A_EXPR
                        :name ("*")
                        :lexpr
                          {COLUMNREF
                            :fields ("ps_supplycost")
                            :location 346
                          }
                        :rexpr
                          {COLUMNREF
                            :fields ("ps_availqty")
                            :location 362
                          }
                        :rexpr_list_start 0
                        :rexpr_list_end 0
                        :location 360
                      }
                    )
                  }
                :agg_order <>
                :agg_filter <>
                :over <>
                :agg_within_group false
                :agg_star false
                :agg_distinct false
                :func_variadic false
                :funcformat 0
                :location 342
              }
            :rexpr
              {A_CONST
                :val 0.00001
                :location 377
              }
            :rexpr_list_start 0
            :rexpr_list_end 0
            :location 375
          }
        )
      }
    :location 342
  }
)
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp
    :inh true
    :relpersistance p
  }
)

```

```

        :alias <>
        :location 398
    }
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname supplier
    :inh true
    :relpersistence p
    :alias <>
    :location 408
    }
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname nation
    :inh true
    :relpersistence p
    :alias <>
    :location 418
    }
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("ps_suppkey")
:location 451
}
:rexpr
{COLUMNREF
:fields ("s_suppkey")
:location 464
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 462
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_nationkey")
:location 490
}
:rexpr
{COLUMNREF
:fields ("n_nationkey")
:location 504
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 502
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n_name")
:location 532
}
:rexpr
{A_CONST
:val "INDIA"
:location 541
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 539
}
)
:location 486
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 325
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 323
}
:windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("total_value")
:location 568
}
:sortby_dir 2
:sortby_nulls 0
:useOp <>
:location -1
}
)
:limitOffset <>

```

```

:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:define analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:define verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:define buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 584
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
st" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("ps_partkey" "n_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 59
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 165
}
{VAR
:varno 2

```

```

        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 178
    }
)
:location 176
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 196
    }
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 210
    }
)
:location 208
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 3
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 230
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 239
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
)
:location 237
}
}
:location 192
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
}
:resno 1
:resname ps_partkey
:ressortgroupref 2
:resorigtbl 16556
:resorigcol 1
:resjunk false
}

```



```

{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
  }
:resno 2
:resname n_name
:ressortgroupref 3
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 4
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 4
                :location 75
              }
              {FUNCEXPR
                :funcid 316
                :funcresulttype 701
                :funcresultset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                  {VAR
                    :varno 1
                    :varattno 3
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 3
                    :location 91
                  }
                )
              )
            :location -1
          )
        :location 89
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 71
}
:resno 3
:resname total_value
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>

```

```

:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual
  {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
          {TARGETENTRY
            :expr
            {OPEXPR
              :opno 594
              :opfuncid 216
              :opresulttype 701
              :opretset false
              :opcollid 0
              :inputcollid 0
              :args (
                {VAR
                  :varno 1
                  :varattno 4
                  :vartype 701
                  :vartypmod -1
                  :varcollid 0
                  :varnullingrels (b)
                  :varlevelsup 0
                  :varreturningtype 0
                  :varnosyn 1
                  :varattnosyn 4
                  :location 294
                }
                {FUNCEXPR
                  :funcid 316
                  :funcresulttype 701
                  :funcretset false
                  :funcvariadic false
                  :funcformat 2
                  :funccollid 0
                  :inputcollid 0
                  :args (
                    {VAR
                      :varno 1
                      :varattno 3
                      :vartype 23
                      :vartypmod -1
                      :varcollid 0
                      :varnullingrels (b)
                      :varlevelsup 0
                      :varreturningtype 0
                      :varnosyn 1
                      :varattnosyn 3
                      :location 310
                    }
                  )
                }
              :location -1
            }
          )
        :location 308
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 290
}
{SUBLINK
:subLinkType 4

```

```

:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "ps_comment")
}
:rtekind 0
:reldid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:reldid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:reldid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reldid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reldid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1

```

```

    }
    {RANGETBLREF
     :rtindex 2
    }
    {RANGETBLREF
     :rtindex 3
    }
  )
  :quals
  {BOOLEXP
   :boolop and
   :args (
     {OEXPR
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
         :varno 1
         :varattno 2
         :vartype 23
         :vartypmod -1
         :varcollid 0
         :varnullingrels (b)
         :varlevelsup 0
         :varreturningtype 0
         :varsyn 1
         :varattsyn 2
         :location 451
        }
        {VAR
         :varno 2
         :varattno 1
         :vartype 23
         :vartypmod -1
         :varcollid 0
         :varnullingrels (b)
         :varlevelsup 0
         :varreturningtype 0
         :varsyn 2
         :varattsyn 1
         :location 464
        }
      )
      :location 462
    }
    {OEXPR
     :opno 96
     :opfuncid 65
     :opresulttype 16
     :opretset false
     :opcollid 0
     :inputcollid 0
     :args (
       {VAR
        :varno 2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varsyn 2
        :varattsyn 4
        :location 490
       }
       {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varsyn 3
        :varattsyn 1
        :location 504
       }
     )
     :location 502
    }
    {OEXPR
     :opno 98
     :opfuncid 67
     :opresulttype 16
     :opretset false
     :opcollid 0
     :inputcollid 100
     :args (
       {VAR
        :varno 3
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varsyn 3
        :varattsyn 2
        :location 532
       }
       {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 541
       }
     )

```

```

        :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
)
:location 539
}
)
:location 486
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {OPEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
            {TARGETENTRY
            :expr
            {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {VAR
                :varno 1
                :varattno 4
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 4
                :location 346
                }
                {FUNCEXPR
                :funcid 316
                :funcresulttype 701
                :funcset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                    {VAR
                    :varno 1
                    :varattno 3
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 3
                    :location 362
                    }
                )
                :location -1
            }
        )
        :location 360
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 342
}
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
    {CONST
    :consttype 1700

```

```

        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location 377
        :constvalue 8 [ 32 0 0 0 -2 -126 -24 3 ]
    }
    )
    :location -1
    }
    )
    :location 375
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :location 325
    }
    )
    :location 323
    }
    :windowClause <>
    :distinctClause <>
    :sortClause (
        {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 670
        :sortop 674
        :reverse_sort true
        :nulls_first true
        :hashable true
        }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :options (
        {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
        }
        {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
        }
        {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
        }
    )
    )
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree <>
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList <>

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 584
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
          s_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname *GROUP*
        :colnames ("ps_partkey" "n_name")
      }
    :rtekind 9
    :groupexprs (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 59
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 165
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 178
}
)
:location 176
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0

```



```

:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 196
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 210
  }
)
:location 208
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 3
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 230
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 239
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
  }
)
:location 237
}
)
:location 192
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location -1
    }
  }
  :resno 1
  :resname ps_partkey
  :ressortgroupref 2
  :resorigtbl 16556
  :resorigcol 1
  :resjunk false
}
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 2
      :location -1
    }
  }
  :resno 2
  :resname n_name
  :ressortgroupref 3
  :resorigtbl 16536
  :resorigcol 2
  :resjunk false
}

```

```

}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 75
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 91
}
)
:location -1
}
)
:location 89
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 71
}
:resno 3
:resname total_value
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
)

```

```

:groupDistinct false
:groupingSets <>
:havingQual
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 294
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 310
}
)
:location -1
}
)
:location 308
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 290
}
{SUBLINK
:sublinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false

```

```

:ctelList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_suppl
          ycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s
          _phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 10 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
      {RANGETBLREF
        :rtindex 2
      }
      {RANGETBLREF
        :rtindex 3
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1

```

```

        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 451
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 464
    }
    )
    :location 462
    }
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 490
    }
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 504
    }
    )
    :location 502
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 3
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 532
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 541
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
    )
    :location 539
    }
    )
    :location 486
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {OPEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0

```

```

:args (
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
        {OPEXPR
          :opno 594
          :opfuncid 216
          :opresulttype 701
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 4
              :vartype 701
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 4
              :location 346
            }
            {FUNCEXPR
              :funcid 316
              :funcresulttype 701
              :funcset false
              :funcvariadic false
              :funcformat 2
              :funccollid 0
              :inputcollid 0
              :args (
                {VAR
                  :varno 1
                  :varattno 3
                  :vartype 23
                  :vartypmod -1
                  :varcollid 0
                  :varnullingrels (b)
                  :varlevelsup 0
                  :varreturningtype 0
                  :varnosyn 1
                  :varattnosyn 3
                  :location 362
                }
              )
            }
          :location -1
        }
      )
      :location 360
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 342
}
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 377
    :constvalue 8 [ 32 0 0 0 -2 -126 -24 3 ]
  }
)
:location -1
}
)
:location 375
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 325
}
)
:location 323
}
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16541
WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (

```

```

    {RANGETBLREF
    :rtindex 1
    }
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
)
:location -1
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>

```



```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: Table OID=16541
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 4

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
    }
)
:location -1
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
          s_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBENTRY
                :alias
                  {ALIAS
                    :aliasname n
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname n
                    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
                  }
                :rtekind 0
                :relid 16536
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
            )
          }
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16536
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 9)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  )
  :jointree
    {FROMEXPR
      :fromlist (
        {RANGETBLREF
          :rtindex 1
        }
      )
    }
  :quals
    {BOOLEXP
      :boolop and
      :args (
        {OPEXP

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location -1
  }
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
  }
)
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>

```

```

        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("ps_partkey" "n_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 59
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 165
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 178
  }
)
:location 176
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 196
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 210
  }
)
:location 208
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 3
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 230
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 239
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
  }
)
:location 237
}
)
:location 192
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (

```

```

{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
  }
:resno 1
:resname ps_partkey
:ressortgroupref 2
:resorigtbl 16556
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
  }
:resno 2
:resname n_name
:ressortgroupref 3
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {OEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 4
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 4
                :location 75
              }
            {FUNCEXP
              :funcid 316
              :funcresulttype 701
              :funcresultset false
              :funcvariadic false
              :funcformat 2
              :funccollid 0
              :inputcollid 0
              :args (
                {VAR
                  :varno 1
                  :varattno 3
                  :vartype 23
                  :vartypmod -1
                  :varcollid 0
                  :varnullingrels (b)
                  :varlevelsup 0
                  :varreturningtype 0
                  :varnosyn 1
                  :varattnosyn 3
                  :location 91
                }
              )
            }
          :location -1
        }
      )
    :location 89
  }
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>

```

```

:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 71
}
:resno 3
:resname total_value
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
  {SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual
  {OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
:expr
  {OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 294
}
  {FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 310
}
)
:location -1
}
)
:location 308
}
:resno 1

```



```

:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 290
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_suppl
ycost" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s
_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS

```

```

        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_
comment")
    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0

```

```

:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname nation
    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
  }
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 10 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
      {RANGETBLREF
        :rtindex 2
      }
      {RANGETBLREF
        :rtindex 3
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96

```

```

:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 451
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 464
  }
)
:location 462
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 490
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 504
  }
)
:location 502
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 3
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 532
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 541
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
  }
)
:location 539
}
:location 486
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY

```

```

:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
:expr
  {OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 346
}
  {FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 362
}
)
:location -1
}
)
:location 360
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 342
}
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 377
:constvalue 8 [ 32 0 0 0 -2 -126 -24 3 ]
}
)
:location -1
}
)
:location 375
}

```

```

        :resno 1
        :resname ?column?
        :resortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 325
}
)
:location 323
}
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname partsupp
    :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
    s_comment")
    }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname supplier
    :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
    s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    }
    }
}

```

```

:securityQuals (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGEABLEENTRY
            :alias
              {ALIAS
                :aliasname n
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname n
                :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
              }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16536
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 9)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  )
:jointree
  {FROMEXPR
    :fromlist (
      {RANGEABLEREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 2
            :varattno 4
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 4
            :location -1
          }
        )
      }
    :location -1
  }
  {OPEXP
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
  }

```

```

        :args (
            {VAR
            :varno 1
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
            }
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
            }
        )
        :location -1
    }
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("ps_partkey" "n_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 59
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 165
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 178
}
)
:location 176
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0

```

```

:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 196
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 210
  }
)
:location 208
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 3
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 230
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 239
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
  }
)
:location 237
}
)
:location 192
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location -1
    }
  }
  :resno 1
  :resname ps_partkey
  :ressortgroupref 2
  :resorigtbl 16556
  :resorigcol 1
  :resjunk false
}
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 2
      :location -1
    }
  }
  :resno 2
  :resname n_name
  :ressortgroupref 3
  :resorigtbl 16536
  :resorigcol 2
  :resjunk false
}

```

```

}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 75
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 91
}
)
:location -1
}
)
:location 89
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 71
}
:resno 3
:resname total_value
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
)

```

```

:groupDistinct false
:groupingSets <>
:havingQual
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 294
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 310
}
)
:location -1
}
)
:location 308
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 290
}
{SUBLINK
:sublinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false

```

```

:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_suppl
          ycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s
          _phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
          }
          :rtable (
            {RANGETBENTRY
              :alias
                {ALIAS
                  :aliasname n
                  :colnames <>
                }
              :eref
                {ALIAS
                  :aliasname n
                  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_
                    comment")
                }
              :rtekind 0
              :relid 16536
              :inh true
              :relkind r
              :rellockmode 1
              :perminfoindex 1
              :tablesample <>
              :lateral false
              :inFromCl true
              :securityQuals <>
            }
          )
        :rteperminfos (
          {RTEPERMISSIONINFO
            :relid 16536
            :inh true
            :requiredPerms 2
            :checkAsUser 0
            :selectedCols (b 8 9)
            :insertedCols (b)
            :updatedCols (b)
          }
        )
      }
    :jointree
      {FROMEXPR
        :fromlist (
          {RANGETBLREF
            :rtindex 1
          }
        )
      }
    :quals
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location -1
  }
)
:location -1
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
  }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1

```

```

    }
    :location -1
  }
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 451
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 464
}
)
}
:location 462
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

        {VAR
        :varno 2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 490
        }
        {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 504
        }
    )
    :location 502
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 3
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 532
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 541
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
)
:location 539
}
)
:location 486
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {OPEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
            {TARGETENTRY
            :expr
            {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {VAR
                :varno 1
                :varattno 4
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 4
                :location 346
                }
            {FUNCEXPR
            :funcid 316

```



```

        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno 1
                :varattno 3
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 3
                :location 362
            }
        )
        :location -1
    }
)
:location 360
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 342
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
    {CONST
        :consttype 1700
        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location 377
        :constvalue 8 [ 32 0 0 0 -2 -126 -24 3 ]
    }
)
:location -1
}
)
:location 375
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 325
}
)
:location 323
}
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 670
        :sortop 674
        :reverse_sort true
    }
)

```

```

:nullable true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {SORT
:plan.disabled_nodes 0
:plan.startup_cost 503380.8026194322
:plan.total_cost 503387.4451194322
:plan.plan_rows 2657
:plan.plan_width 44
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname ps_partkey
:ressortgroupref 2
:resorigtbl 16556
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname n_name
:ressortgroupref 3
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname total_value
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 251743.5555057538
:plan.total_cost 251942.80550575376
:plan.plan_rows 2657
:plan.plan_width 44
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname ps_partkey
:ressortgroupref 2
:resorigtbl 16556
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname n_name
:ressortgroupref 3
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 75
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 91
}
)
:location -1
}
)
:location 89
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0

```

```

        :aggno 0
        :aggtransno 0
        :location 71
    }
    :resno 3
    :resname total_value
    :ressortgrouppref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 294
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 310
}
)
:location -1
}
)
:location 308
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 290
}
{PARAM
:paramkind 1
:paramid 2
:paramtype 701
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 323
}
)
:plan.lefttree

```

```

{SORT
:plan.disabled_nodes 0
:plan.startup_cost 251743.5555057538
:plan.total_cost 251763.48050575377
:plan.plan_rows 7970
:plan.plan_width 48
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 2
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 3
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {HASHJOIN
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 222139.38499999998
    :join.plan.total_cost 251227.085
    :join.plan.plan_rows 7970
    :join.plan.plan_width 48
    :join.plan.parallel_aware false
    :join.plan.parallel_safe false
    :join.plan.async_capable false
    :join.plan.plan_node_id 3
    :join.plan.targetlist (
      {TARGETENTRY
        :expr

```

```

        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
        }
:resno 1
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 75
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 91
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 26008
:scan.plan.plan_rows 800000
:scan.plan.plan_width 20
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}

```

```

:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 222138.13499999998
:plan.total_cost 222138.13499999998
:plan.plan_rows 100
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5

```

```

:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{NESTLOOP
  :join.plan.disabled_nodes 0
  :join.plan.startup_cost 0
  :join.plan.total_cost 222138.13499999998
  :join.plan.plan_rows 100
  :join.plan.plan_width 36
  :join.plan.parallel_aware false
  :join.plan.parallel_safe false
  :join.plan.async_capable false
  :join.plan.plan_node_id 6
  :join.plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 178
      }
      :resno 1
      :resname <>
      :ressortgrouppref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
      :expr
      {VAR
        :varno -1
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
      :resno 2
      :resname <>
      :ressortgrouppref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  )
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
  :scan.plan.disabled_nodes 0
  :scan.plan.startup_cost 0
  :scan.plan.total_cost 221818
  :scan.plan.plan_rows 5000
  :scan.plan.plan_width 8
  :scan.plan.parallel_aware false
  :scan.plan.parallel_safe false
  :scan.plan.async_capable false

```



```

:scan.plan.plan_node_id 7
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location -1
      }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR

```

```

        :varno 2
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
    }
    :resno 6
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{SUBPLAN
:subLinkType 2
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{PARAM
:paramkind 1
:paramid 4
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
:paramIds (i 4)
:plan_id 5
:plan_name SubPlan\ 5
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 20.135
:per_call_cost 0.0025
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 20.145
:plan.plan_rows 4
:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 8
:plan.targetlist (
{TARGETENTRY
:expr

```

```

        {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
        }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.125
:scan.plan.plan_rows 4
:scan.plan.plan_width 36
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 9
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 210
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location 230
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 239
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
    )
    :location 237
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 3
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b)
    :join.plan.allParam (b)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 196
    }
    {VAR
    :varno -1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 210
    }
    )
    :location -1
    }
    )
    :nestParams <>
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 178
    }
    )
    :skewTable 16556
    :skewColumn 2
    :skewInherit false
    :rows_total 0
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b)
    :join.plan.allParam (b)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual <>
    :hashclauses (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 165
  }
  {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 178
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 165
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 97)
:collations ( 0)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 2)
:plan.allParam (b 2)
:aggstrategy 1
:aggssplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 96)
:grpCollations ( 0)
:numGroups 7970
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan (
  {SUBPLAN
    :subLinkType 4
    :testexpr <>
    :paramIds <>
    :plan_id 3
    :plan_name InitPlan\ 3
    :firstColType 701
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable false
    :unknownEqFalse false
    :parallel_safe false
    :setParam (i 2)
    :parParam <>
    :args <>
    :startup_cost 0
    :per_call_cost 251286.8725
  }
)
:plan.extParam (b)
:plan.allParam (b 2)
:numCols 1
:sortColIdx ( 3)
:sortOperators ( 674)
:collations ( 0)
:nullsFirst ( true)
}

```

QUERY PLAN

```

Sort  (cost=503380.80..503387.45 rows=2657 width=44) (actual time=364.267..365.200 rows=22669.00 loops=1)
Output: partsupp.ps_partkey, nation.n_name, (sum((partsupp.ps_supplycost * (partsupp.ps_availqty)::double precision)))
Sort Key: (sum((partsupp.ps_supplycost * (partsupp.ps_availqty)::double precision))) DESC

```

```

Sort Method: quicksort Memory: 1654kB
Buffers: shared hit=534 read=35922
InitPlan 3
-> Aggregate (cost=251286.86..251286.87 rows=1 width=8) (actual time=161.956..161.957 rows=1.00 loops=1)
  Output: (sum((partsupp_1.ps_supplycost * (partsupp_1.ps_availqty)::double precision)) * '1e-05'::double precision)
  Buffers: shared hit=314 read=17914
-> Hash Join (cost=222139.38..251227.08 rows=7970 width=12) (actual time=1.528..160.210 rows=33200.00 loops=1)
  Output: partsupp_1.ps_supplycost, partsupp_1.ps_availqty
  Hash Cond: (partsupp_1.ps_suppkey = supplier_1.s_suppkey)
  Buffers: shared hit=314 read=17914
-> Seq Scan on public.partsupp partsupp_1 (cost=0.00..26008.00 rows=800000 width=16) (actual time=0.089..94.778 rows=800000.00 loops=1)
  Output: partsupp_1.ps_partkey, partsupp_1.ps_suppkey, partsupp_1.ps_availqty, partsupp_1.ps_supplycost, partsupp_1.ps_comment
  Buffers: shared hit=94 read=17914
-> Hash (cost=222138.13..222138.13 rows=100 width=4) (actual time=1.423..1.424 rows=415.00 loops=1)
  Output: supplier_1.s_suppkey
  Buckets: 1024 Batches: 1 Memory Usage: 23kB
  Buffers: shared hit=220
-> Nested Loop (cost=0.00..222138.13 rows=100 width=4) (actual time=0.036..1.384 rows=415.00 loops=1)
  Output: supplier_1.s_suppkey
  Join Filter: (supplier_1.s_nationkey = nation_1.n_nationkey)
  Buffers: shared hit=220
-> Seq Scan on public.supplier supplier_1 (cost=0.00..221818.00 rows=5000 width=8) (actual time=0.029..1.275 rows=415.00 loops=1)
  Output: supplier_1.s_suppkey, supplier_1.s_name, supplier_1.s_address, supplier_1.s_nationkey, supplier_1.s_phone, supplier_1.s_acctbal, supplier_1.s_comment
  Filter: (ANY (supplier_1.s_nationkey = (hashed SubPlan 2).col1))
  Rows Removed by Filter: 9585
  Buffers: shared hit=219
  SubPlan 2
  -> Seq Scan on public.nation n (cost=0.00..20.12 rows=4 width=4) (actual time=0.007..0.008 rows=1.00 loops=1)
  Output: n.n_nationkey
  Filter: (n.n_name = 'INDIA'::text)
  Rows Removed by Filter: 24
  Buffers: shared hit=1
-> Materialize (cost=0.00..20.14 rows=4 width=4) (actual time=0.000..0.000 rows=1.00 loops=415)
  Output: nation_1.n_nationkey
  Storage: Memory Maximum Storage: 17kB
  Buffers: shared hit=1
-> Seq Scan on public.nation nation_1 (cost=0.00..20.12 rows=4 width=4) (actual time=0.002..0.004 rows=1.00 loops=1)
  Output: nation_1.n_nationkey
  Filter: (nation_1.n_name = 'INDIA'::text)
  Rows Removed by Filter: 24
  Buffers: shared hit=1
-> GroupAggregate (cost=251743.56..251942.81 rows=2657 width=44) (actual time=344.245..356.782 rows=22669.00 loops=1)
  Output: partsupp.ps_partkey, nation.n_name, sum((partsupp.ps_supplycost * (partsupp.ps_availqty)::double precision))
  Group Key: partsupp.ps_partkey
  Filter: (sum((partsupp.ps_supplycost * (partsupp.ps_availqty)::double precision)) > (InitPlan 3).col1)
  Rows Removed by Filter: 8413
  Buffers: shared hit=534 read=35922
-> Sort (cost=251743.56..251763.48 rows=7970 width=48) (actual time=182.073..183.256 rows=33200.00 loops=1)
  Output: partsupp.ps_partkey, nation.n_name, partsupp.ps_supplycost, partsupp.ps_availqty
  Sort Key: partsupp.ps_partkey
  Sort Method: quicksort Memory: 2922kB
  Buffers: shared hit=220 read=18008
-> Hash Join (cost=222139.38..251227.08 rows=7970 width=48) (actual time=2.524..173.944 rows=33200.00 loops=1)
  Output: partsupp.ps_partkey, nation.n_name, partsupp.ps_supplycost, partsupp.ps_availqty
  Hash Cond: (partsupp.ps_suppkey = supplier.s_suppkey)
  Buffers: shared hit=220 read=18008
-> Seq Scan on public.partsupp (cost=0.00..26008.00 rows=800000 width=20) (actual time=0.354..105.718 rows=800000.00 loops=1)
  Output: partsupp.ps_partkey, partsupp.ps_suppkey, partsupp.ps_availqty, partsupp.ps_supplycost, partsupp.ps_comment
  Buffers: shared read=18008
-> Hash (cost=222138.13..222138.13 rows=100 width=36) (actual time=2.153..2.154 rows=415.00 loops=1)
  Output: supplier.s_suppkey, nation.n_name
  Buckets: 1024 Batches: 1 Memory Usage: 26kB
  Buffers: shared hit=220
-> Nested Loop (cost=0.00..222138.13 rows=100 width=36) (actual time=0.075..2.093 rows=415.00 loops=1)
  Output: supplier.s_suppkey, nation.n_name
  Join Filter: (supplier.s_nationkey = nation.n_nationkey)
  Buffers: shared hit=220
-> Seq Scan on public.supplier (cost=0.00..221818.00 rows=5000 width=8) (actual time=0.063..1.956 rows=415.00 loops=1)
  Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_nationkey, supplier.s_phone, supplier.s_acctbal, supplier.s_comment
  Filter: (ANY (supplier.s_nationkey = (hashed SubPlan 5).col1))
  Rows Removed by Filter: 9585
  Buffers: shared hit=219
  SubPlan 5
  -> Seq Scan on public.nation n_1 (cost=0.00..20.12 rows=4 width=4) (actual time=0.026..0.027 rows=1.00 loops=1)
  Output: n_1.n_nationkey
  Filter: (n_1.n_name = 'INDIA'::text)
  Rows Removed by Filter: 24
  Buffers: shared hit=1
-> Materialize (cost=0.00..20.14 rows=4 width=36) (actual time=0.000..0.000 rows=1.00 loops=415)
  Output: nation.n_name, nation.n_nationkey
  Storage: Memory Maximum Storage: 17kB
  Buffers: shared hit=1
-> Seq Scan on public.nation (cost=0.00..20.12 rows=4 width=36) (actual time=0.004..0.005 rows=1.00 loops=1)
  Output: nation.n_name, nation.n_nationkey
  Filter: (nation.n_name = 'INDIA'::text)
  Rows Removed by Filter: 24
  Buffers: shared hit=1

Planning:
  Buffers: shared hit=14 read=1
Planning Time: 2.293 ms
Execution Time: 367.297 ms
(94 rows)

Time: 377.926 ms
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS supplier_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW supplier_secure AS
SELECT s.*
FROM supplier s
WHERE EXISTS (
  SELECT 1 FROM nation n
  WHERE n.n_nationkey = s.s_nationkey
  AND n.n_name = 'INDIA'
);

```

```

-- Step 4: Grant permissions and set role
GRANT SELECT ON supplier_secure TO alice;
GRANT SELECT ON partsupp TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

-- Step 5: Run Q11
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
SELECT
    ps_partkey, n_name,
    SUM(ps_supplycost * ps_availqty) AS total_value
FROM
    partsupp,
    supplier_secure s,
    nation
WHERE
    ps_suppkey = s.s_suppkey
    and s.s_nationkey = n_nationkey
    and n_name = 'INDIA'
GROUP BY
    ps_partkey, n_name
HAVING
    SUM(ps_supplycost * ps_availqty) > (
        SELECT SUM(ps_supplycost * ps_availqty) * 0.00001
        FROM partsupp, supplier_secure s2, nation
        WHERE
            ps_suppkey = s2.s_suppkey
            and s2.s_nationkey = n_nationkey
            and n_name = 'INDIA'
    )
ORDER BY
    total_value DESC;
WARNING:  ===== RAW PARSE TREE =====
DETAIL:   {RAWSTMT
:stmt
  {VARIABLESETSTMT
  :kind 4
  :name role
  :args <>
  :jumble_args false
  :is_local false
  :location -1
  }
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:   {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
  :kind 4
  :name role
  :args <>
  :jumble_args false
  :is_local false
  :location -1
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 1.672 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:   {RAWSTMT
:stmt
  {ALERTTABLESTMT
  :relation
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname supplier
    :inh true
    }
  }
}

```

```

        :relpersistence p
        :alias <>
        :location 12
    }
    :cmds (
        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
    )
    :objtype 41
    :missing_ok false
}
:stmt_location 0
:stmt_len 47
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

Time: 3.974 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("supplier_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY

```



```

:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DROPSTMT
    :objects (("supplier_secure"))
    :removeType 51
    :behavior 0
    :missing_ok true
    :concurrent false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

Time: 1.625 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {VIEWSTMT
    :view
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier_secure
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :aliases <>
    :query
      {SELECTSTMT
        :distinctClause <>
        :intoClause <>
        :targetList (
          {RESTARGET
            :name <>
            :indirection <>
            :val
              {COLUMNREF
                :fields ("s"
                  {A_STAR
                  }
                )
              :location 38
            }
          :location 38
        )
      }
    )
    :fromClause (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias
          {ALIAS
            :aliasname s
            :colnames <>
          }
        :location 47
      }
    )
    :whereClause
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {SELECTSTMT
            :distinctClause <>
            :intoClause <>
            :targetList (

```

```

{RESTARTGET
:name <>
:indirection <>
:val
  {A_CONST
   :val 1
   :location 84
  }
:location 84
}
)
:fromClause (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname nation
   :inh true
   :relpersistence p
   :alias
     {ALIAS
      :aliasname n
      :colnames <>
     }
   :location 91
  }
)
:whereClause
  {BOOLEXP
   :boolop and
   :args (
     {A_EXPR
      :name ("=")
      :lexpr
        {COLUMNREF
         :fields ("n" "n_nationkey")
         :location 110
        }
      :rexpr
        {COLUMNREF
         :fields ("s" "s_nationkey")
         :location 126
        }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 124
      }
     {A_EXPR
      :name ("=")
      :lexpr
        {COLUMNREF
         :fields ("n" "n_name")
         :location 148
        }
      :rexpr
        {A_CONST
         :val "INDIA"
         :location 159
        }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 157
      }
     )
   :location 144
  }
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 168
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VIEWSTMT
   :view

```

```

{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s"
{A_STAR
}
}
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 110
}
:rexpr
{COLUMNREF
:fields ("s" "s_nationkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_name")
:location 148
}
:rexpr
{A_CONST
:val "INDIA"
:location 159
}
:rexpr_list_start 0
:rexpr_list_end 0
}

```

```

        :location 157
    }
)
:location 144
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 168
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s

```

```

        :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 110
    }
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 126
    }
    )
    :location 124
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 148
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 159
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
    )
    :location 157
    }
    )
    :location 144
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 84
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :location 64
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0

```

```

:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 38
      }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 38
      }
    :resno 2
    :resname s_name
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 38
      }
    :resno 3
    :resname s_address
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 38
      }
    :resno 4
    :resname s_nationkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 4
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 38
      }
    :resno 5
    :resname s_phone
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 5
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR

```

```

:varno 1
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 168
}

```

Time: 4.074 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 40
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41

```



```

:objects (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname supplier_secure
   :inh true
   :relpersistence p
   :alias <>
   :location 16
  }
)
:privileges (
  {ACCESSPRIV
   :priv_name select
   :cols <>
  }
)
:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 35
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.465 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
   :is_grant true
   :targtype 0
   :objtype 41
   :objects (
     {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname partsupp
      :inh true
      :relpersistence p
      :alias <>
      :location 16
     }
   )
   :privileges (
     {ACCESSPRIV
      :priv_name select
      :cols <>
     }
   )
   :grantees (
     {ROLESPEC
      :roletype 0
      :rolename alice
      :location 28
     }
   )
   :grant_option false
   :grantor <>
   :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
}

```

```

:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.390 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

```

}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.349 ms
WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST

```

```

        :val "alice"
        :location 9
    }
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.239 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {EXPLAINSTMT
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("ps_partkey")
:location 47
}
:location 47
}
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("n_name")
:location 59
}
:location 59
}
  {RESTARTGET
:name total_value
:indirection <>
:val
  {FUNCCALL
:funcname ("sum")
:args (
  {A_EXPR
:name ("*")
:lexpr
  {COLUMNREF
:fields ("ps_supplycost")
:location 75
}
:rexpr
  {COLUMNREF
:fields ("ps_availqty")
:location 91
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 89
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 71
}
}
}

```

```

        :location 71
    }
)
:fromClause (
    {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistance p
        :alias <>
        :location 128
    }
    {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier_secure
        :inh true
        :relpersistance p
        :alias
        {ALIAS
            :aliasname s
            :colnames <>
        }
        :location 142
    }
    {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistance p
        :alias <>
        :location 165
    }
)
:whereClause
{BOOLEXP
:boolop and
:args (
    {A_EXPR
        :name ("=")
        :lexpr
        {COLUMNREF
            :fields ("ps_suppkey")
            :location 182
        }
        :rexpr
        {COLUMNREF
            :fields ("s" "s_suppkey")
            :location 195
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 193
    }
    {A_EXPR
        :name ("=")
        :lexpr
        {COLUMNREF
            :fields ("s" "s_nationkey")
            :location 215
        }
        :rexpr
        {COLUMNREF
            :fields ("n_nationkey")
            :location 231
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 229
    }
    {A_EXPR
        :name ("=")
        :lexpr
        {COLUMNREF
            :fields ("n_name")
            :location 251
        }
        :rexpr
        {A_CONST
            :val "INDIA"
            :location 260
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 258
    }
)
:location 211
}
:groupClause (
    {COLUMNREF
        :fields ("ps_partkey")
        :location 281
    }
    {COLUMNREF
        :fields ("n_name")
        :location 293
    }
)
:groupDistinct false
:havingClause
{A_EXPR
:name (">")
:lexpr
{FUNCCALL
:funcname ("sum")
:args (
    {A_EXPR
        :name ("*")
        :lexpr
        {COLUMNREF
            :fields ("ps_supplycost")
            :location 315
        }
    }
)
}

```

```

    }
    :rexpr
    {COLUMNREF
     :fields ("ps_availqty")
     :location 331
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 329
  }
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 311
}
:rexpr
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_EXPR
:name ("*")
:lexpr
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("ps_supplycost")
:location 367
}
}
:rexpr
{COLUMNREF
:fields ("ps_availqty")
:location 383
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 381
}
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 363
}
:rexpr
{A_CONST
:val 0.00001
:location 398
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 396
}
:location 363
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistance p
:alias <>
:location 419
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier_secure
:inh true
:relpersistance p
:alias
{ALIAS
:aliasname s2
:colnames <>
}
:location 429
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistance p
:alias <>
:location 449
}
}
)
:whereClause

```

```

{BOOLEXP
:boolop and
:args (
  {A_EXPR
  :name ("=")
  :lexpr
    {COLUMNREF
    :fields ("ps_suppkey")
    :location 482
    }
  :rexpr
    {COLUMNREF
    :fields ("s2" "s_suppkey")
    :location 495
    }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 493
  }
  {A_EXPR
  :name ("=")
  :lexpr
    {COLUMNREF
    :fields ("s2" "s_nationkey")
    :location 524
    }
  :rexpr
    {COLUMNREF
    :fields ("n_nationkey")
    :location 541
    }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 539
  }
  {A_EXPR
  :name ("=")
  :lexpr
    {COLUMNREF
    :fields ("n_name")
    :location 569
    }
  :rexpr
    {A_CONST
    :val "INDIA"
    :location 578
    }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 576
  }
)
:location 520
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 346
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 344
}
>windowClause <>
:valuesLists <>
:sortClause (
  {SORTBY
  :node
    {COLUMNREF
    :fields ("total_value")
    :location 605
    }
  :sortby_dir 2
  :sortby_nulls 0
  :useOp <>
  :location -1
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
  {DEFELEM
  :defnamespace <>
  :defname analyze
  :arg <>
  :defaction 0
  :location 9
  }
  {DEFELEM
  :defnamespace <>
  :defname verbose
  :arg <>
  :defaction 0
  :location 18
  }
)

```

```

    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
  }
}
:stmt_location 0
:stmt_len 621
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
st" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16681
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("ps_partkey" "n_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1

```



```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 59
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16681
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 182
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 195
}
)
:location 193
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 215
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 231
  }
)
:location 229
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 3
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 251
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 260
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
  }
)
:location 258
}
)
:location 211
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location -1
    }
  }
  :resno 1
  :resname ps_partkey
  :ressortgrouppref 2
  :resorigtbl 16556
  :resorigcol 1
  :resjunk false
}
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 2
      :location -1
    }
  }
  :resno 2
  :resname n_name
  :ressortgrouppref 3
  :resorigtbl 16536

```

```

:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 75
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 91
}
)
:location -1
}
)
:location 89
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 71
}
:resno 3
:resname total_value
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)

```

```

    }
)
:groupDistinct false
:groupingSets <>
:havingQual
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 701
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 315
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 331
}
)
:location -1
}
)
:location 329
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 311
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false

```

```

:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname s2
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s2
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16681
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 3
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 10 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16681
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
    {RANGETBLREF
      :rtindex 2
    }
    {RANGETBLREF
      :rtindex 3
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
    }
  )
}

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 482
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 495
  }
)
:location 493
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 524
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 541
  }
)
:location 539
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 3
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 569
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 578
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
  }
)
:location 576
}
}
:location 520
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr

```

```

{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
:expr
  {OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 367
})
  {FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 383
})
)
:location -1
}
)
:location 381
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 363
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 398
:constvalue 8 [ 32 0 0 0 -2 -126 -24 3 ]
})
)
:location -1
}
)
:location 396
}
:resno 1

```

```

        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 346
}
)
:location 344
}
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0

```



```

:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 621
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16681
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("ps_partkey" "n_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 59
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16681
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 182
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 195
}
)
:location 193
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

        :varattnosyn 4
        :location 215
    }
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 231
    }
    )
    :location 229
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 3
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 251
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 260
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
    )
    :location 258
    }
    )
    :location 211
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname ps_partkey
:ressortgroupref 2
:resorigtbl 16556
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname n_name
:ressortgroupref 3
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>

```

```

:args (
  {TARGETENTRY
  :expr
  {OEXPR
  :opno 594
  :opfuncid 216
  :opresulttype 701
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 75
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 1
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location 91
      }
    )
    :location -1
  }
  )
  :location 89
  }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 71
}
:resno 3
:resname total_value
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 2
  :eqop 96
  :sortop 97
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
  {SORTGROUPCLAUSE
  :tleSortGroupRef 3
  :eqop 98
  :sortop 664
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
  :expr
  {OPEXPR
  :opno 594
  :opfuncid 216
  :opresulttype 701
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 315
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 1
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location 331
      }
    )
    :location -1
  }
  )
  :location 329
  }
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 311
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs true
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname partsupp
    :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_suppl
ycost" "ps_comment")
    }
  )
  :rtekind 0

```

```

:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname s2
:colnames <>
}
:eref
{ALIAS
:aliasname s2
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_
_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16681
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16681
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 2
:location 482
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 495
}
)
:location 493
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 524
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 541
}
}
:location 539
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 569
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 578
:constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
}
)
:location 576
}
)
:location 520
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0

```

```

:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {OPEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 4
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location 367
          }
          {FUNCEXPR
            :funcid 316
            :funcresulttype 701
            :funcset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 3
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 3
                :location 383
              }
            )
            :location -1
          }
        )
        :location 381
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  )
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 363
}
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 398
    :constvalue 8 [ 32 0 0 0 -2 -126 -24 3 ]
  }
)
:location -1
}
)
:location 396
}
:resno 1
:resname ?column?
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false

```



```

        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 346
}
)
:location 344
}
:windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname partsupp
    :colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_supplycost" "p
    s_comment")
    }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname s
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname s
    :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
    s_acctbal" "s_comment")
    }
    :rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
}
}

```

```

:rtable (
  {RANGETBENTRY
  :alias
    {ALIAS
      :aliasname s
      :colnames <>
    }
  :eref
    {ALIAS
      :aliasname s
      :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
    }
  :rtekind 0
  :relid 16541
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesampl <>
  :lateral false
  :inFromCl true
  :securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16541
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 9 10 11 12 13 14)
  :insertedCols (b)
  :updatedCols (b)
}
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
    {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSublinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
        :alias
          {ALIAS
            :aliasname n
            :colnames <>
          }
        :eref
          {ALIAS
            :aliasname n
            :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
          }
        :rtekind 0
        :relid 16536
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesampl <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
    :rteperminfos (
      {RTEPERMISSIONINFO
      :relid 16536
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
  :jointree
    {FROMEXPR
    :fromlist (
      {RANGETBLREF
      :rtindex 1
      }
    )
    :quals
      {BOOLEXP
      :boolop and
      :args (

```

```

{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
  {VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>

```

```

        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname s_name
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    :resno 3
    :resname s_address
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
    }
    :resno 4
    :resname s_nationkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 4
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location -1
    }

```

```

    }
    :resno 5
    :resname s_phone
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 5
    :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 6
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 6
  :location -1
  }
  :resno 6
  :resname s_acctbal
  :ressortgroupref 0
  :resorigtbl 16541
  :resorigcol 6
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 7
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 7
  :location -1
  }
  :resno 7
  :resname s_comment
  :ressortgroupref 0
  :resorigtbl 16541
  :resorigcol 7
  :resjunk false
  }
  )
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location -1
  :stmt_len -1
  }
  :security_barrier false
  :relid 16681
  :inh false
  :relkind v
  :rellockmode 1
  :perminfoindex 2
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname nation
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
  }
  :rtekind 0
  :relid 16536
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 3
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname *GROUP*
  :colnames ("ps_partkey" "n_name")
  }
  :rtekind 9
  :groupexprs (
  {VAR
  :varno 1
  :varattno 1

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 47
    }
    {VAR
    :varno 3
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 59
    }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16681
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 182
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 195
}
)
:location 193
}
{OPEXP
:opno 96
:opfuncid 65

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 215
  }
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 231
  }
)
:location 229
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 3
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 251
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 260
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
  }
)
:location 258
}
)
:location 211
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location -1
    }
  }
  :resno 1
  :resname ps_partkey
  :ressortgroupref 2
  :resorigtbl 16556
  :resorigcol 1
  :resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
  }
}
:resno 2
:resname n_name

```

```

:ressortgroupref 3
:resorigtbl 16536
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 75
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 91
}
)
:location -1
}
)
:location 89
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 71
}
:resno 3
:resname total_value
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
}
)

```



```

:nullable_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 315
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 331
}
)
:location -1
}
)
:location 329
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 311
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_suppl
          ycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname s2
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s2
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s
          _phone" "s_acctbal" "s_comment")
      }
    :rtekind 1
  }
  :subquery
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks true
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
          :alias
            {ALIAS
              :aliasname s
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname s
              :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
                ey" "s_phone" "s_acctbal" "s_comment")
            }
          :rtekind 0
          :relid 16541
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 16541
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9 10 11 12 13 14)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
  :jointree
    {FROMEXPR
      :fromlist (
        {RANGETBLREF
          :rtindex 1
        }
      )
    }
  :quals
    {SUBLINK
      :subLinkType 0
      :subLinkId 0
      :testexpr <>
      :operName <>
      :subselect
        {QUERY
          :commandType 1
          :querySource 0
          :canSetTag true
          :utilityStmt <>
          :resultRelation 0
          :hasAggs false
          :hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname n
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_regionke
          y" "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {BOOLEXP
        :boolop and
        :args (
          {OEXPR
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location -1
              }
              {VAR
                :varno 1
                :varattno 4
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 1
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 4
                :location -1
              }
            )
          }
        :location -1
      }
      {OEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
          {VAR
            :varno 1
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
          }
        )
      }
    )
  }

```

```

        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 9 [ 36 0 0 0 73 78 68 73 65
        ]
        }
    )
    :location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname s_name
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
    }
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:resortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:resortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:resortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:resortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:resortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>

```

```

:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16681
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16681
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 482
}
)
{VAR

```

```

        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 495
    }
)
:location 493
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 524
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 541
}
)
:location 539
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 569
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 578
:constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
}
)
:location 576
}
)
:location 520
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr

```

```

{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 367
}
  {FUNCEXPR
:funcid 316
:funcresulttype 701
:funcsetset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 383
}
)
:location -1
}
)
:location 381
}
:resno 1
:resname <>
:resortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 363
}
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcsetset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 398
:constvalue 8 [ 32 0 0 0 -2 -126 -24 3 ]
}
)
:location -1
}
)
:location 396
}
:resno 1
:resname ?column?
:resortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>

```



```

        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 346
}
)
:location 344
}
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname partsupp
    :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
    s_comment")
    }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname s
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname s
    :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
    s_acctbal" "s_comment")
    }
    :rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname s

```

```

        :colnames <>
    }
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
ment")
}
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
}
)
}
}

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
  }
)
:location -1
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
  }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1

```

```

        }
        :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname s_suppkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541

```

```

:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16681
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("ps_partkey" "n_name")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 47
}
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location 59
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16681
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 182
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 195
}
)
:location 193
}
{OPEXP
:opno 96
:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

        {VAR
        :varno 2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 215
        }
        {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 231
        }
    )
    :location 229
  }
  {OPEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 3
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location 251
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 260
    :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
  )
  :location 258
}
:location 211
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 4
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname ps_partkey
  :ressortgroupref 2
  :resorigtbl 16556
  :resorigcol 1
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 4
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 2
  :location -1
  }
  :resno 2
  :resname n_name
  :ressortgroupref 3
  :resorigtbl 16536
  :resorigcol 2
  :resjunk false
  }
}

```

```

{TARGETENTRY
:expr
  {AGGREF
  :aggfnoid 2111
  :aggtype 701
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes (o 701)
  :aggdirectargs <>
  :args (
    {TARGETENTRY
    :expr
      {OPEXPR
      :opno 594
      :opfuncid 216
      :opresulttype 701
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
        :varno 1
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 75
        }
        {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {VAR
          :varno 1
          :varattno 3
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 3
          :location 91
          }
        )
        :location -1
      )
      :location 89
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  )
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar false
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggsplit 0
  :aggno -1
  :aggtransno -1
  :location 71
}
:resno 3
:resname total_value
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 2
  :eqop 96
  :sortop 97
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
  {SORTGROUPCLAUSE
  :tleSortGroupRef 3
  :eqop 98
  :sortop 664
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:groupDistinct false

```



```

:groupingSets <>
:havingQual
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 315
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 331
}
)
:location -1
}
)
:location 329
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 311
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>

```

```

:rtable (
  {RANGETBLENTY
  :alias <>
  :eref
    {ALIAS
      :aliasname partsupp
      :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_suppl
        ycost" "ps_comment")
    }
  :rtekind 0
  :relid 16556
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBLENTY
  :alias
    {ALIAS
      :aliasname s2
      :colnames <>
    }
  :eref
    {ALIAS
      :aliasname s2
      :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s
        _phone" "s_acctbal" "s_comment")
    }
  :rtekind 1
  :subquery
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks true
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBLENTY
        :alias
          {ALIAS
            :aliasname s
            :colnames <>
          }
        :eref
          {ALIAS
            :aliasname s
            :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
              ey" "s_phone" "s_acctbal" "s_comment")
          }
        :rtekind 0
        :relid 16541
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 16541
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9 10 11 12 13 14)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
  :jointree
    {FROMEXPR
      :fromlist (
        {RANGETBLREF
          :rtindex 1
        }
      )
    }
  :quals
    {SUBLINK
      :subLinkType 0
      :subLinkId 0
      :testexpr <>
      :operName <>
      :subselect
        {QUERY
          :commandType 1
          :querySource 0
          :canSetTag true
          :utilityStmt <>
          :resultRelation 0
          :hasAggs false
          :hasWindowFuncs false
          :hasTargetSRFs false
          :hasSubLinks false
          :hasDistinctOn false
          :hasRecursive false
          :hasModifyingCTE false
        }
      }
    }
  }

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname n
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_regionke
          y" "n_comment")
      }
    :rtekind 0
    :reld 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :reld 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location -1
              }
              {VAR
                :varno 1
                :varattno 4
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 1
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 4
                :location -1
              }
            )
          }
        :location -1
      }
      {OPEXP
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
          {VAR
            :varno 1
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
          }
        )
      }
    )
  }

```

```

        :constbyval false
        :constisnull false
        :location -1
        :constvalue 9 [ 36 0 0 0 73 78 68 73 65
        ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname s_supplykey
    :ressortgrouppref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname s_name
    :ressortgrouppref 0
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname s_nationkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname s_acctbal
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname s_comment
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 7
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>

```

```

:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16681
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16681
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 482
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 495
    }
)
:location 493
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 524
    }
    {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 541
    }
)
:location 539
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 3
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location 569
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 578
        :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
)
:location 576
}
}
:location 520
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {AGGREF
                    :aggfnoid 2111
                    :aggtype 701
                    :aggcollid 0
                    :inputcollid 0
                    :aggtranstype 0
                    :aggargtypes (o 701)
                    :aggdirectargs <>
                    :args (
                        {TARGETENTRY
                            :expr
                            {OPEXPR
                                :opno 594
                                :opfuncid 216
                                :opresulttype 701
                                :opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 367
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 383
      }
    )
    :location -1
  }
)
:location 381
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 363
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 398
    :constvalue 8 [ 32 0 0 0 -2 -126 -24 3 ]
  }
)
:location -1
}
)
:location 396
}
:resno 1
:resname ?column?
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>

```



```

        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 346
}
)
:location 344
}
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {SORT
:plan.disabled_nodes 0
:plan.startup_cost 48014.491016953354
:plan.total_cost 48014.75601695335
:plan.plan_rows 106
:plan.plan_width 44
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname ps_partkey
    :ressortgroupref 2
    :resorigtbl 16556
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname n_name
    :ressortgroupref 3
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
    }
    :resno 3
    :resname total_value
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    }
)
:plan.qual <>
:plan.lefttree
{AGG

```

```

:plan.disabled_nodes 0
:plan.startup_cost 23985.042620590455
:plan.total_cost 24029.373135779108
:plan.plan_rows 106
:plan.plan_width 44
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 0
      :varattnosyn 0
      :location -1
    }
    :resno 1
    :resname ps_partkey
    :ressortgroupref 2
    :resorigtbl 16556
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname n_name
    :ressortgroupref 3
    :resorigtbl 16536
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 701
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno -2
                :varattno 3
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 4
                :location 75
              }
              {FUNCEXPR
                :funcid 316
                :funcresulttype 701
                :funcset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                  {VAR
                    :varno -2
                    :varattno 4
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 3
                    :location 91
                  }
                )
              :location -1
            }
          )
        }
      :location 89
    )
  }
)

```

```

        }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 71
}
:resno 3
:resname total_value
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual (
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 315
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 331
}
}
)
:location -1
}
)
:location 329
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0

```

```

:aggssplit 0
:aggno 0
:aggtransno 0
:location 311
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 701
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 344
}
)
:plan.lefttree
{GATHERMERGE
:plan.disabled_nodes 0
:plan.startup_cost 23985.042620590455
:plan.total_cost 24022.195635779106
:plan.plan_rows 319
:plan.plan_width 48
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 75
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 91
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
}
}

```

```

:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 22985.018846152943
:plan.total_cost 22985.351346152944
:plan.plan_rows 133
:plan.plan_width 48
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 387.665
:join.plan.total_cost 22980.327083333334
:join.plan.plan_rows 133
:join.plan.plan_width 48
:join.plan.parallel_aware false
:join.plan.parallel_safe true

```

```

:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 2
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 75
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 91
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 21341.333333333332
:scan.plan.plan_rows 33333
:scan.plan.plan_width 20
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
      }
  }
)

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
:resno 1
:resname <>
:resortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:resortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:resortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:resortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:resortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanreliid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 387.615
:plan.total_cost 387.615
:plan.plan_rows 4

```

```

:plan.plan_width 36
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 40.349999999999994
:join.plan.total_cost 387.615
:join.plan.plan_rows 4
:join.plan.plan_width 36
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 7
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -1
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 20.175
:join.plan.total_cost 366.65000000000003

```



```

:join.plan.plan_rows 200
:join.plan.plan_width 12
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 8
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 4
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 6
      :varattnosyn 1
      :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
  :scan.plan.disabled_nodes 0
  :scan.plan.startup_cost 0
  :scan.plan.total_cost 318
  :scan.plan.plan_rows 10000
  :scan.plan.plan_width 8
  :scan.plan.parallel_aware false
  :scan.plan.parallel_safe true
  :scan.plan.async_capable false
  :scan.plan.plan_node_id 9
  :scan.plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno 5
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
      :expr
      {VAR
        :varno 5
        :varattno 2
        :vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 5
        :varattnosyn 7
        :location -1
    }
    :resno 7
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 5
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.125
:plan.total_cost 20.125
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 10
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.125
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 11
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
{CONST
:consttype 25

```

```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
    }
    )
    :location -1
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanreliid 6
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location -1
        }
    )
    :skewTable 16541
    :skewColumn 4
    :skewInherit false
    :rows_total 0
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b)
    :join.plan.allParam (b)
    :join.jointype 4
    :join.inner_unique false
    :join.joinqual <>
    :hashclauses (
        {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno -2
            :varattno 4
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 4
            :location -1
            }
            {VAR
            :varno -1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 6
            :varattnosyn 1
            :location -1
            }
        )
    )
    :location -1
    }
    )
    :hashoperators (o 96)
    :hashcollations (o 0)
    :hashkeys (
        {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 4
        :location -1
        }
    )
    )
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 20.125
    :plan.total_cost 20.125
    :plan.plan_rows 4
    :plan.plan_width 36
    :plan.parallel_aware false
    :plan.parallel_safe true

```

```

:plan.async_capable false
:plan.plan_node_id 12
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 20.125
    :scan.plan.plan_rows 4
    :scan.plan.plan_width 36
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 13
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 3
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 2
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno 3
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 1
            :location 231
          }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
:scan.plan.qual (
  {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (

```

```

        {VAR
        :varno 3
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location 251
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 9 [ 36 0 0 0 73 78 68 73 65 ]
        }
    )
    :location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 231
}
)
:skewTable 16536
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 231
}
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 6
        :varattnosyn 1
        :location -1
    }
}
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
    }
)
:skewTable 16556
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 2
                :location 182
            }
            {VAR
                :varno -1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 5
                :varattnosyn 1
                :location -1
            }
        )
    }
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 182
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 2)
:plan.allParam (b 2)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 97)
:collations ( 0)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 2
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 97)
:collations ( 0)
:nullsFirst ( false)
:initParam (b)

```

```

    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b 1)
    :plan.allParam (b 1)
    :aggstrategy 1
    :aggsplit 0
    :numCols 1
    :grpColIdx ( 1)
    :grpOperators ( 96)
    :grpCollations ( 0)
    :numGroups 319
    :transitionSpace 0
    :aggParams (b)
    :groupingSets <>
    :chain <>
  }
  :plan.righttree <>
  :plan.initPlan (
    {SUBPLAN
      :subLinkType 4
      :testexpr <>
      :paramIds <>
      :plan_id 1
      :plan_name InitPlan\ 1
      :firstColType 701
      :firstColTypmod -1
      :firstColCollation 0
      :useHashTable false
      :unknownEqFalse false
      :parallel_safe false
      :setParam (i 1)
      :parParam <>
      :args <>
      :startup_cost 0
      :per_call_cost 23981.552083333332
    }
  )
  :plan.extParam (b)
  :plan.allParam (b 1)
  :numCols 1
  :sortColIdx ( 3)
  :sortOperators ( 674)
  :collations ( 0)
  :nullsFirst ( true)
}

```

QUERY PLAN

```

-----
Sort (cost=48014.49..48014.76 rows=106 width=44) (actual time=222.344..223.227 rows=22669.00 loops=1)
  Output: partsupp.ps_partkey, nation.n_name, (sum((partsupp.ps_supplycost * (partsupp.ps_availqty)::double precision)))
  Sort Key: (sum((partsupp.ps_supplycost * (partsupp.ps_availqty)::double precision))) DESC
  Sort Method: quicksort  Memory: 1654kB
  Buffers: shared hit=1992 read=35358
InitPlan 1
  -> Finalize Aggregate (cost=23981.54..23981.55 rows=1 width=8) (actual time=49.547..49.577 rows=1.00 loops=1)
    Output: (sum((partsupp_1.ps_supplycost * (partsupp_1.ps_availqty)::double precision)) * '1e-05'::double precision)
    Buffers: shared hit=1130 read=17538
    -> Gather (cost=23981.32..23981.53 rows=2 width=8) (actual time=49.388..49.572 rows=3.00 loops=1)
      Output: (PARTIAL sum((partsupp_1.ps_supplycost * (partsupp_1.ps_availqty)::double precision)))
      Workers Planned: 2
      Workers Launched: 2
      Buffers: shared hit=1130 read=17538
      -> Partial Aggregate (cost=22981.32..22981.33 rows=1 width=8) (actual time=45.338..45.342 rows=1.00 loops=3)
        Output: PARTIAL sum((partsupp_1.ps_supplycost * (partsupp_1.ps_availqty)::double precision))
        Buffers: shared hit=1130 read=17538
        Worker 0: actual time=43.426..43.428 rows=1.00 loops=1
          Buffers: shared hit=382 read=5514
        Worker 1: actual time=43.391..43.393 rows=1.00 loops=1
          Buffers: shared hit=373 read=5522
        -> Hash Join (cost=387.67..22980.33 rows=133 width=12) (actual time=1.815..44.720 rows=11066.67 loops=3)
          Output: partsupp_1.ps_supplycost, partsupp_1.ps_availqty
          Hash Cond: (partsupp_1.ps_suppkey = s_1.s_suppkey)
          Buffers: shared hit=1130 read=17538
          Worker 0: actual time=1.932..42.839 rows=10386.00 loops=1
            Buffers: shared hit=382 read=5514
          Worker 1: actual time=1.918..42.810 rows=10500.00 loops=1
            Buffers: shared hit=373 read=5522
          -> Parallel Seq Scan on public.partsupp partsupp_1 (cost=0.00..21341.33 rows=333333 width=16) (actual time=0.070..20.342 rows=
266666.67 loops=3)
            Output: partsupp_1.ps_partkey, partsupp_1.ps_suppkey, partsupp_1.ps_availqty, partsupp_1.ps_supplycost, partsupp_1.ps_comm
            ent
            Buffers: shared hit=470 read=17538
            Worker 0: actual time=0.070..19.532 rows=252017.00 loops=1
              Buffers: shared hit=162 read=5514
            Worker 1: actual time=0.115..19.580 rows=252103.00 loops=1
              Buffers: shared hit=153 read=5522
            -> Hash (cost=387.62..387.62 rows=4 width=4) (actual time=1.729..1.730 rows=415.00 loops=3)
              Output: s_1.s_suppkey
              Buckets: 1024  Batches: 1  Memory Usage: 23kB
              Buffers: shared hit=660
              Worker 0: actual time=1.852..1.854 rows=415.00 loops=1
                Buffers: shared hit=220
              Worker 1: actual time=1.788..1.789 rows=415.00 loops=1
                Buffers: shared hit=220
              -> Hash Join (cost=40.35..387.62 rows=4 width=4) (actual time=0.089..1.686 rows=415.00 loops=3)
                Output: s_1.s_suppkey
                Hash Cond: (n_1.n_nationkey = nation_1.n_nationkey)
                Buffers: shared hit=660
                Worker 0: actual time=0.119..1.809 rows=415.00 loops=1
                  Buffers: shared hit=220
                Worker 1: actual time=0.113..1.744 rows=415.00 loops=1
                  Buffers: shared hit=220
                -> Hash Semi Join (cost=20.18..366.65 rows=200 width=12) (actual time=0.043..1.586 rows=415.00 loops=3)
                  Output: s_1.s_nationkey, s_1.s_suppkey, n_1.n_nationkey
                  Hash Cond: (s_1.s_nationkey = n_1.n_nationkey)
                  Buffers: shared hit=657
                  Worker 0: actual time=0.056..1.692 rows=415.00 loops=1
                    Buffers: shared hit=219
                  Worker 1: actual time=0.055..1.630 rows=415.00 loops=1
                    Buffers: shared hit=219
                  -> Seq Scan on public.supplier s_1 (cost=0.00..318.00 rows=10000 width=8) (actual time=0.024..0.649 rows=100
00.00 loops=3)

```



```

Output: s_1.s_suppkey, s_1.s_name, s_1.s_address, s_1.s_nationkey, s_1.s_phone, s_1.s_acctbal, s_1.s_com
ment

Buffers: shared hit=654
Worker 0: actual time=0.036..0.744 rows=10000.00 loops=1
  Buffers: shared hit=218
Worker 1: actual time=0.032..0.698 rows=10000.00 loops=1
  Buffers: shared hit=218
-> Hash (cost=20.12..20.12 rows=4 width=4) (actual time=0.010..0.010 rows=1.00 loops=3)
  Output: n_1.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=3
  Worker 0: actual time=0.010..0.011 rows=1.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.014..0.015 rows=1.00 loops=1
    Buffers: shared hit=1
-> Seq Scan on public.nation n_1 (cost=0.00..20.12 rows=4 width=4) (actual time=0.006..0.007 rows=1.00
loops=3)

  Output: n_1.n_nationkey
  Filter: (n_1.n_name = 'INDIA'::text)
  Rows Removed by Filter: 24
  Buffers: shared hit=3
  Worker 0: actual time=0.005..0.007 rows=1.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.009..0.011 rows=1.00 loops=1
    Buffers: shared hit=1
-> Hash (cost=20.12..20.12 rows=4 width=4) (actual time=0.041..0.041 rows=1.00 loops=3)
  Output: nation_1.n_nationkey
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=3
  Worker 0: actual time=0.058..0.059 rows=1.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.053..0.054 rows=1.00 loops=1
    Buffers: shared hit=1
-> Seq Scan on public.nation nation_1 (cost=0.00..20.12 rows=4 width=4) (actual time=0.033..0.034 rows=1.00
loops=3)

  Output: nation_1.n_nationkey
  Filter: (nation_1.n_name = 'INDIA'::text)
  Rows Removed by Filter: 24
  Buffers: shared hit=3
  Worker 0: actual time=0.047..0.048 rows=1.00 loops=1
    Buffers: shared hit=1
  Worker 1: actual time=0.046..0.047 rows=1.00 loops=1
    Buffers: shared hit=1
-> GroupAggregate (cost=23985.04..24029.37 rows=106 width=44) (actual time=199.852..213.971 rows=22669.00 loops=1)
  Output: partsupp.ps_partkey, nation.n_name, sum((partsupp.ps_supplycost * (partsupp.ps_availqty)::double precision))
  Group Key: partsupp.ps_partkey
  Filter: (sum((partsupp.ps_supplycost * (partsupp.ps_availqty)::double precision)) > (InitPlan 1).col11)
  Rows Removed by Filter: 8413
  Buffers: shared hit=1992 read=35358
-> Gather Merge (cost=23985.04..24022.20 rows=319 width=48) (actual time=150.293..154.822 rows=33200.00 loops=1)
  Output: partsupp.ps_partkey, nation.n_name, partsupp.ps_supplycost, partsupp.ps_availqty
  Workers Planned: 2
  Workers Launched: 2
  Buffers: shared hit=862 read=17820
-> Sort (cost=22985.02..22985.35 rows=133 width=48) (actual time=134.205..134.682 rows=11066.67 loops=3)
  Output: partsupp.ps_partkey, nation.n_name, partsupp.ps_supplycost, partsupp.ps_availqty
  Sort Key: partsupp.ps_partkey
  Sort Method: quicksort Memory: 971kB
  Buffers: shared hit=862 read=17820
  Worker 0: actual time=126.183..126.627 rows=10293.00 loops=1
    Sort Method: quicksort Memory: 867kB
    Buffers: shared hit=271 read=5540
  Worker 1: actual time=126.555..126.994 rows=10386.00 loops=1
    Sort Method: quicksort Memory: 871kB
    Buffers: shared hit=306 read=5532
-> Hash Join (cost=387.67..22980.33 rows=133 width=48) (actual time=6.983..131.543 rows=11066.67 loops=3)
  Output: partsupp.ps_partkey, nation.n_name, partsupp.ps_supplycost, partsupp.ps_availqty
  Hash Cond: (partsupp.ps_suppkey = s.s_suppkey)
  Buffers: shared hit=848 read=17820
  Worker 0: actual time=4.010..124.067 rows=10293.00 loops=1
    Buffers: shared hit=264 read=5540
  Worker 1: actual time=3.608..124.305 rows=10386.00 loops=1
    Buffers: shared hit=299 read=5532
-> Parallel Seq Scan on public.partsupp (cost=0.00..21341.33 rows=33333 width=20) (actual time=0.655..101.151 rows=26666.67 lo
ops=3)

  Output: partsupp.ps_partkey, partsupp.ps_suppkey, partsupp.ps_availqty, partsupp.ps_supplycost, partsupp.ps_comment
  Buffers: shared hit=188 read=17820
  Worker 0: actual time=0.774..98.807 rows=247563.00 loops=1
    Buffers: shared hit=44 read=5540
  Worker 1: actual time=0.798..98.998 rows=249372.00 loops=1
    Buffers: shared hit=79 read=5532
-> Hash (cost=387.62..387.62 rows=4 width=36) (actual time=6.313..6.316 rows=415.00 loops=3)
  Output: s.s_suppkey, nation.n_name
  Buckets: 1024 Batches: 1 Memory Usage: 26kB
  Buffers: shared hit=660
  Worker 0: actual time=3.224..3.228 rows=415.00 loops=1
    Buffers: shared hit=220
  Worker 1: actual time=2.799..2.801 rows=415.00 loops=1
    Buffers: shared hit=220
-> Hash Join (cost=40.35..387.62 rows=4 width=36) (actual time=0.150..0.153 rows=415.00 loops=3)
  Output: s.s_suppkey, nation.n_name
  Hash Cond: (n.n_nationkey = nation.n_nationkey)
  Buffers: shared hit=660
  Worker 0: actual time=0.121..3.130 rows=415.00 loops=1
    Buffers: shared hit=220
  Worker 1: actual time=0.229..2.728 rows=415.00 loops=1
    Buffers: shared hit=220
-> Hash Semi Join (cost=20.18..366.65 rows=200 width=12) (actual time=0.069..0.594 rows=415.00 loops=3)
  Output: s.s_nationkey, s.s_suppkey, n.n_nationkey
  Hash Cond: (s.s_nationkey = n.n_nationkey)
  Buffers: shared hit=657
  Worker 0: actual time=0.055..2.931 rows=415.00 loops=1
    Buffers: shared hit=219
  Worker 1: actual time=0.101..2.513 rows=415.00 loops=1
    Buffers: shared hit=219
-> Seq Scan on public.supplier s (cost=0.00..318.00 rows=10000 width=8) (actual time=0.028..0.009 rows=10000.0
0 loops=3)

  Output: s.s_suppkey, s.s_name, s.s_address, s.s_nationkey, s.s_phone, s.s_acctbal, s.s_comment
  Buffers: shared hit=654
  Worker 0: actual time=0.038..1.347 rows=10000.00 loops=1
    Buffers: shared hit=218
  Worker 1: actual time=0.036..0.976 rows=10000.00 loops=1
    Buffers: shared hit=218
-> Hash (cost=20.12..20.12 rows=4 width=4) (actual time=0.027..0.027 rows=1.00 loops=3)
  Output: n.n_nationkey

```

```

Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=3
Worker 0: actual time=0.009..0.009 rows=1.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.057..0.057 rows=1.00 loops=1
  Buffers: shared hit=1
-> Seq Scan on public.nation n (cost=0.00..20.12 rows=4 width=4) (actual time=0.004..0.005 rows=1.00 loops=1)

ps=3)

Output: n.n_nationkey
Filter: (n.n_name = 'INDIA'::text)
Rows Removed by Filter: 24
Buffers: shared hit=3
Worker 0: actual time=0.003..0.005 rows=1.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.003..0.005 rows=1.00 loops=1
  Buffers: shared hit=1
-> Hash (cost=20.12..20.12 rows=4 width=36) (actual time=0.074..0.075 rows=1.00 loops=3)
Output: nation.n_name, nation.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=3
Worker 0: actual time=0.060..0.061 rows=1.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.122..0.122 rows=1.00 loops=1
  Buffers: shared hit=1
-> Seq Scan on public.nation (cost=0.00..20.12 rows=4 width=36) (actual time=0.065..0.067 rows=1.00 loops=3)
Output: nation.n_name, nation.n_nationkey
Filter: (nation.n_name = 'INDIA'::text)
Rows Removed by Filter: 24
Buffers: shared hit=3
Worker 0: actual time=0.051..0.054 rows=1.00 loops=1
  Buffers: shared hit=1
Worker 1: actual time=0.113..0.115 rows=1.00 loops=1
  Buffers: shared hit=1

Planning:
  Buffers: shared hit=15
Planning Time: 8.179 ms
Execution Time: 224.639 ms
(207 rows)

Time: 239.335 ms
tpch=> RESET ROLE;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
  :stmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
    :stmt_location 0
    :stmt_len 10
  }

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 10
}

Time: 6.129 ms
tpch=#

```

```

tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
    END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on lineitem
ALTER TABLE lineitem ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show lineitems from suppliers with acctbal > 1000
CREATE POLICY lineitem_rls_policy ON lineitem
USING (
    EXISTS (
        SELECT 1 FROM supplier s
        WHERE s.s_suppkey = lineitem.l_suppkey
        AND s.s_acctbal > 1000
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 6: Run Q12
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    l_shipmode,
    sum(case
        when o_orderpriority = '1-URGENT'
        or o_orderpriority = '2-HIGH'
        then 1
        else 0
    end) as high_line_count,
    sum(case
        when o_orderpriority <> '1-URGENT'
        and o_orderpriority <> '2-HIGH'
        then 1
        else 0
    end) as low_line_count
from
    orders,
    lineitem
where
    o_orderkey = l_orderkey
    and l_shipmode = 'SHIP'
    and l_commitdate < l_receiptdate
    and l_shipdate < l_commitdate
    and l_receiptdate >= date '1995-01-01'
    and l_receiptdate < date '1995-01-01' + interval '1' year
group by
    l_shipmode
order by
    l_shipmode;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
    :stmt
    {DOSTMT
    :args (
    {DEFELEM
    :defnamespace <>
    :defname as
    :arg ""\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELE
    T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
    public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
    \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
    );\
\ \ \ \ END\ LOOP;\
END;\
"
    :defaction 0
    :location 3
    }
    )
    }
    :stmt_location 0
    :stmt_len 236
    }

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
    :commandType 6
    :querySource 0
    :canSetTag true
    :utilityStmt
    {DOSTMT
    :args (
    {DEFELEM
    :defnamespace <>
    :defname as
    :arg ""\

```

```

DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
\ \ \ \ \ T\ polycyname\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
\ \ \ \ \ public\
\ \ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ \ \ \ \ \ \ \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
\ \ \ \ \ \ \ \ );\
\ \ \ \ \ END\ LOOP;\
END;\
"

```

```

: defaction 0
: location 3
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (

```



```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "relis
populated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
}
}
)

```

```

    }
:rtkind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
  {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
  {VAR
    :varno 1
    :varattno 4
    :vartype 18
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
  }
  {VAR
    :varno 1
    :varattno 5
    :vartype 16
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location -1
  }
  {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {VAR
    :varno 1
    :varattno 7
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
  }
  {VAR
    :varno 1
    :varattno 8
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location -1
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23

```



```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2

```

```

:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}

```

```

{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")}
}
:rtekind 0
:relid 2615
:inh true
:relkind r

```

```

:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4

```



```

:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
  }
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {VAR

```

```

:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR

```

```

:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typemod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:sublinktype 6
:sublinkid 0
:testexpr <>
:opername <>
:subselect
{QUERY
:commandtype 1
:querysource 0
:cansettag true
:utilitystmt <>
:resultrelation 0
:hasaggs false
:haswindowfuncs false
:hastargetSRFs false
:hassublinks false
:hasdistincton false
:hasrecursive false
:hasmodifyingCTE false
:hasforupdate false
:hasrowsecurity false
:hasgroupRTE false
:isreturn false
:ctelist <>
:rtable (
{RANGETBENTRY

```

```

:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorrole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>

```

```

        :distinctClause <>
        :sortClause (
            {SORTGROUPCLAUSE
            :tleSortGroupRef 1
            :eqop 93
            :sortop 660
            :reverse_sort false
            :nulls_first false
            :hashable true
            }
        )
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false

```

```

        :location -1
        :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}

```

```

        }
        {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
        }
    }
    :location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
}
:resno 7
:resname qual
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```


[illegible]

```

    }
  }
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList (
    {TARGETENTRY
      :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 7
      }
      :resno 1
      :resname polycynname
      :ressortgroupref 0
      :resorigtbl 12018
      :resorigcol 3
      :resjunk false
    }
    {TARGETENTRY
      :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 19
      }
      :resno 2
      :resname tablename
      :ressortgroupref 0
      :resorigtbl 12018
      :resorigcol 2
      :resjunk false
    }
  )
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
      :alias <>
      :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "polycynname" "permissive" "roles"
          "cmd" "qual" "with_check")
      }
    }
  )
  :rtekind 1
  :subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
  }
}

```

```

:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname pol
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname pol
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck")
      }
    :rtekind 0
    :relid 3256
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
          "relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
            eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relh
              aindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
                lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
                  wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
                    " "relispartition" "relrewrite" "relfrozenxid" "relminxid" "re
                      lacl" "reloptions" "relpartbound")
      }
    :rtekind 0
    :relid 1259
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
            ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
              tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
                n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
                  "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
                    " "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
                      spopulated" "relreplident" "relispartition" "relrewrite" "relfr
                        ozenxid" "relminxid" "relacl" "reloptions" "relpartbound")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22

```

```

:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR

```

```

:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reliid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreliid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastreliid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}

```



```

{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
}

```

```

:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4

```

```

        :vartype 1034
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b 5)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location -1
    }
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
}

```

```

:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false

```

```

}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25

```



```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 4 [ 16 0 0 0 ]
    }
    )
    :location -1
    }
    :elemexpr
    {FUNCEXP
    :funcid 407
    :funcresulttype 19
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 950
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeId 25
    :typeMod -1
    :collation 0
    }
    )
    :location -1
    }
    :resulttype 1003
    :resulttypmod -1
    :resultcollid 950
    :coerceformat 2
    :location -1
    }
    :location -1
    }
    )
    :defresult
    {SUBLINK
    :sublinkType 6
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname pg_authid
    :colnames ("oid" "rolname" "rolsuper" "rolinherit"
    "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
    lication" "rolbypassrls" "rolconlimit" "rolpasswor
    d" "rolvaliduntil")
    }
    :rtekind 0
    :relid 1260
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    )
    :quals

```

```

{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
  {VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
:tltSortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1

```

```

:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:args (
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true

```

```

        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
}
:location -1

```

```

    }
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:varatype 194
:varitypmmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 26
:varitypmmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:varatype 194
:varitypmmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:varatype 26
:varitypmmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>

```



```

        :varattnosyn 2
        :location 19
    }
    :resno 2
    :resname tablename
    :ressortgrouppref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL:      {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6.83
:join.plan.total_cost 28.396625
:join.plan.plan_rows 31
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -1
      :varattno 1
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
  }
  :resno 1
  :resname policynname
  :ressortgrouppref 0
  :resorigtbl 12018
  :resorigcol 3
  :resjunk false
}
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 2
      :location -1
    }
  }
  :resno 2
  :resname tablename
  :ressortgrouppref 0
  :resorigtbl 12018
  :resorigcol 2
  :resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
  {HASHJOIN
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 1.0625
    :join.plan.total_cost 21.902875
    :join.plan.plan_rows 111
    :join.plan.plan_width 68
    :join.plan.parallel_aware false
    :join.plan.parallel_safe false
    :join.plan.async_capable false
    :join.plan.plan_node_id 1
    :join.plan.targetlist (
      {TARGETENTRY
        :expr
        {VAR
          :varno -2
          :varattno 2
          :vartype 19
          :vartypmod -1
          :varcollid 950
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0

```

```

        :varnosyn 3
        :varattnosyn 2
        :location -1
    }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.44
:scan.plan.plan_rows 444
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```



```

{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 14
        :location -1
    }
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30

```

```

        :vartype 28
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 30
        :location -1
    }
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree

```

```
HASH
:plan.disabled_nodes 0
:plan.startup_cost 1.05
:plan.total_cost 1.05
:plan.plan_rows 1
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.05
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 5
}
```

```

:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
  }
)
:skewTable 1259
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
    )
    :location -1
  }
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
  }
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4.23
:plan.total_cost 4.23
:plan.plan_rows 123
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
  }
:resno 1

```



```

:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4.23
:scan.plan.plan_rows 123
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:skewTable 1259

```

```

:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno -2
:varattno 2
:varatype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
  {VAR
:varno -1
:varattno 2
:varatype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
:varno -2
:varattno 2
:varatype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
}

```

WARNING: ===== REWRITE INPUT =====
 DETAIL: {QUERY

```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
}
}
}
)

```

```

    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
  )
  :location 0
}
:resno 1
:resname format
:resortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
  :fromlist <>
  :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {FUNCEXP
  :funcid 3539
  :funcresulttype 25
  :funcresultset false
  :funcvariadic false
  :funcformat 0
  :funccollid 950
  :inputcollid 950
  :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 7
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
    70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
    }
    {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
  )
  :location 0
}
}

```

```

:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DROPTMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
```

Time: 25.098 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
```

```

:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.182 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
}

```

```

:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.463 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam orders
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam orders
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```



```

}

Time: 0.393 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

```

Time: 1.312 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt

```

```

{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

Time: 0.280 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part

```

```

      :inh true
      :relpersistence p
      :alias <>
      :location 12
    }
  :cmds (
    {ALERTTABLECMD
      :subtype 55
      :name <>
      :num 0
      :newowner <>
      :def <>
      :behavior 0
      :missing_ok false
      :recurse false
    }
  )
  :objtype 41
  :missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.276 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (

```

```

      {ALERTABLECMD
      :subtype 55
      :name <>
      :num 0
      :newowner <>
      :def <>
      :behavior 0
      :missing_ok false
      :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
  :relation
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname partsupp
  :inh true
  :relpersistence p
  :alias <>
  :location 12
  }
  :cmds (
  {ALERTABLECMD
  :subtype 55
  :name <>
  :num 0
  :newowner <>
  :def <>
  :behavior 0
  :missing_ok false
  :recurse false
  }
  )
  :objtype 41
  :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.243 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {ALERTABLESTMT
  :relation
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname nation
  :inh true
  :relpersistence p
  :alias <>
  :location 12
  }
  :cmds (
  {ALERTABLECMD
  :subtype 55
  :name <>
  :num 0
  :newowner <>
  :def <>
  }
  )
  }
  }

```

```

        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

Time: 0.274 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {ALERTTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
  }
}

```

```

        :missing_ok false
    }
    :stmt_location 0
    :stmt_len 45
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

Time: 0.332 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}
```

Time: 1.623 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name lineitem_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
```

```

        {A_CONST
        :val 1
        :location 82
        }
    :location 82
    }
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_supkey")
:location 114
}
:rexpr
{COLUMNREF
:fields ("lineitem" "l_supkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 159
}
:rexpr
{A_CONST
:val 1000
:location 173
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 171
}
)
:location 155
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 185
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name lineitem_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0

```



```

:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_supkey")
:location 114
}
:rexpr
{COLUMNREF
:fields ("lineitem" "l_supkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (>")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 159
}
:rexpr
{A_CONST
:val 1000
:location 173
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 171
}
)
:location 155
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>

```

```

:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 185
}

```

Time: 0.628 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.244 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relnname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relnname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false

```

```

:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.219 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false

```

```

:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.194 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
}

```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

Time: 0.199 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l_shipmode")
:location 47
}
:location 47
}
{RESTARTGET
:name high_line_count
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{CASEEXPR
:casetype 0
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop or
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("o_orderpriority")
:location 85
}
:rexpr
{A_CONST
:val "\1-URGENT"
:location 103
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 101
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("o_orderpriority")
:location 129
}
:rexpr
{A_CONST
:val "\2-HIGH"
:location 147
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 145
}
}
:location 126
}
:result
{A_CONST
:val 1
:location 173
}
:location 80
}
)
:defresult
{A_CONST
:val 0
:location 188
}
:location 67
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 63
}
:location 63
}
{RESTARTGET
:name low_line_count
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{CASEEXPR

```

```

:casetype 0
:casecollid 0
:arg <>
:args (
  {CASEWHEN
    :expr
    {BOOLEXPR
      :boolop and
      :args (
        {A_EXPR
          :name ("<>")
          :lexpr
            {COLUMNREF
              :fields ("o_orderpriority")
              :location 245
            }
          :rexpr
            {A_CONST
              :val "\1-URGENT"
              :location 264
            }
          :rexpr_list_start 0
          :rexpr_list_end 0
          :location 261
        }
        {A_EXPR
          :name ("<>")
          :lexpr
            {COLUMNREF
              :fields ("o_orderpriority")
              :location 291
            }
          :rexpr
            {A_CONST
              :val "\2-HIGH"
              :location 310
            }
          :rexpr_list_start 0
          :rexpr_list_end 0
          :location 307
        }
      )
      :location 287
    }
    :result
    {A_CONST
      :val 1
      :location 336
    }
    :location 240
  )
  :defresult
  {A_CONST
    :val 0
    :location 351
  }
  :location 227
)
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 223
}
:location 223
}
)
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname orders
    :inh true
    :relpersistance p
    :alias <>
    :location 389
  }
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistance p
    :alias <>
    :location 401
  }
)
:whereClause
{BOOLEXPR
  :boolop and
  :args (
    {A_EXPR
      :name ("=")
      :lexpr
        {COLUMNREF
          :fields ("o_orderkey")
          :location 420
        }
      :rexpr
        {COLUMNREF
          :fields ("l_orderkey")
          :location 433
        }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 431
    }
    {A_EXPR
      :name ("=")

```

```

:lexpr
  {COLUMNREF
   :fields ("l_shipmode")
   :location 452
  }
:rexpr
  {A_CONST
   :val "SHIP"
   :location 465
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 463
}
{A_EXPR
:lexpr
  {COLUMNREF
   :fields ("l_commitdate")
   :location 480
  }
:rexpr
  {COLUMNREF
   :fields ("l_receiptdate")
   :location 495
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 493
}
{A_EXPR
:lexpr
  {COLUMNREF
   :fields ("l_shipdate")
   :location 517
  }
:rexpr
  {COLUMNREF
   :fields ("l_commitdate")
   :location 530
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 528
}
{A_EXPR
:lexpr
  {COLUMNREF
   :fields ("l_receiptdate")
   :location 551
  }
:rexpr
  {TYPECAST
   :arg
     {A_CONST
      :val "\1995-01-01"
      :location 573
     }
   :typeName
     {TYPENAME
      :names ("date")
      :typeOid 0
      :setof false
      :pct_type false
      :typmods <>
      :typemod -1
      :arrayBounds <>
      :location 568
     }
   :location -1
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 565
}
{A_EXPR
:lexpr
  {COLUMNREF
   :fields ("l_receiptdate")
   :location 594
  }
:rexpr
  {A_EXPR
   :name ("+" )
   :lexpr
     {TYPECAST
      :arg
        {A_CONST
         :val "\1995-01-01"
         :location 615
        }
      :typeName
        {TYPENAME
         :names ("date")
         :typeOid 0
         :setof false
         :pct_type false
         :typmods <>
         :typemod -1
         :arrayBounds <>
         :location 610
        }
      :location -1
     }
   :rexpr
     {TYPECAST
      :arg
        {A_CONST
         :val "\1"
         :location 639
        }
      :typeName

```



```

        {TYPENAME
        :names ("pg_catalog" "interval")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods (
            {A_CONST
            :val 4
            :location 643
            }
        )
        :typemod -1
        :arrayBounds <>
        :location 630
        }
        :location -1
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 628
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 608
    }
    }
    :location 448
    }
    :groupClause (
        {COLUMNREF
        :fields ("l_shipmode")
        :location 661
        }
    )
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause (
        {SORTBY
        :node
        {COLUMNREF
        :fields ("l_shipmode")
        :location 685
        }
        :sortby_dir 0
        :sortby_nulls 0
        :useOp <>
        :location -1
        }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :options (
        {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
        }
        {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
        }
        {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
        }
    )
    }
    :stmt_location 0
    :stmt_len 695
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>

```

```

:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname orders
  :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
  }
  :rtekind 0
  :relid 16561
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname lineitem
  :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
  }
  :rtekind 0
  :relid 16566
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 2
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname *GROUP*
  :colnames ("l_shipmode")
  }
  :rtekind 9
  :groupexprs (
  {VAR
  :varno 2
  :varattno 15
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 15
  :location 47
  }
  )
  :lateral false
  :inFromCl false
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16561
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 13)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16566
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 18 19 20 22)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    {RANGETBLREF
    :rtindex 2
    }
  )
  :quals
  {BOOLEXP
  :boolop and
  :args (
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 1
      :varattno 1

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 420
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 433
}
)
:location 431
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location 452
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 465
:constvalue 8 [ 32 0 0 0 83 72 73 80 ]
}
)
:location 463
}
{OEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 480
}
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 495
}
)
:location 493
}
{OEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 11
:location 517
}
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 530
}
)
:location 528
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 551
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 573
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 565
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 594
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 615
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 639
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
}
)
:location 628
}
)
:location 608
}
)
:location 448
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>

```

```

:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname l_shipmode
    :ressortgroupref 1
    :resorigtbl 16566
    :resorigcol 15
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {AGGREF
        :aggfnoid 2108
        :aggtype 20
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes (o 23)
        :aggdirectargs <>
        :args (
          {TARGETENTRY
            :expr
              {CASEEXPR
                :casetype 23
                :casecollid 0
                :arg <>
                :args (
                  {CASEWHEN
                    :expr
                      {BOOLEXP
                        :boolop or
                        :args (
                          {OPEXP
                            :opno 98
                            :opfuncid 67
                            :opresulttype 16
                            :opretset false
                            :opcollid 0
                            :inputcollid 100
                            :args (
                              {VAR
                                :varno 1
                                :varattno 6
                                :vartype 25
                                :vartypmod -1
                                :varcollid 100
                                :varnullingrels (b)
                                :varlevelsup 0
                                :varreturningtype 0
                                :varnosyn 1
                                :varattnosyn 6
                                :location 85
                              }
                              {CONST
                                :consttype 25
                                :consttypmod -1
                                :constcollid 100
                                :constlen -1
                                :constbyval false
                                :constisnull false
                                :location 103
                                :constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 7
                                  8 84 ]
                              }
                            )
                          :location 101
                        }
                      {OPEXP
                        :opno 98
                        :opfuncid 67
                        :opresulttype 16
                        :opretset false
                        :opcollid 0
                        :inputcollid 100
                        :args (
                          {VAR
                            :varno 1
                            :varattno 6
                            :vartype 25
                            :vartypmod -1
                            :varcollid 100
                            :varnullingrels (b)
                            :varlevelsup 0
                            :varreturningtype 0
                            :varnosyn 1
                            :varattnosyn 6
                            :location 129
                          }
                          {CONST
                            :consttype 25
                            :consttypmod -1
                            :constcollid 100
                            :constlen -1
                            :constbyval false
                            :constisnull false
                            :location 147
                            :constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
                          }
                        )
                      :location 145
                    }
                  )
                }
              }
            }
          )
        )
      }
    }
  )

```

```

        )
        :location 126
    }
    :result
    {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 173
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :location 80
}
)
:defresult
{CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 188
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
:location 67
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 63
}
:resno 2
:resname high_line_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
    :aggfnoid 2108
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 23)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
            :expr
            {CASEEXPR
                :casetype 23
                :casecollid 0
                :arg <>
                :args (
                    {CASEWHEN
                        :expr
                        {BOOLEXP
                            :boolop and
                            :args (
                                {OPEXP
                                    :opno 531
                                    :opfuncid 157
                                    :opresulttype 16
                                    :opretset false
                                    :opcollid 0
                                    :inputcollid 100
                                    :args (
                                        {VAR
                                            :varno 1
                                            :varattno 6
                                            :vartype 25
                                            :vartypmod -1
                                            :varcollid 100
                                            :varnullingrels (b)
                                            :varlevelsup 0
                                            :varreturningtype 0
                                            :varnosyn 1
                                            :varattnosyn 6
                                            :location 245
                                        }
                                        {CONST
                                            :consttype 25
                                            :consttypmod -1
                                            :constcollid 100
                                            :constlen -1
                                            :constbyval false
                                            :constisnull false
                                            :location 264
                                            :constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 7
                                                8 84 ]
                                        }
                                    )
                                }
                            }
                        }
                    }
                )
            }
        }
    )
}
:location 261

```

```

    }
    {OPEXPR
    :opno 531
    :opfuncid 157
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 291
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 310
    :constvalue 10 [ 40 0 0 0 0 50 45 72 73 71 72 ]
    }
    )
    :location 307
    }
    )
    :location 287
    }
    :result
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 336
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :location 240
    }
    )
    :defresult
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 351
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    :location 227
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 223
    }
    :resno 3
    :resname low_line_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (

```

```

        {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
        }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
:options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 695
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL:  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname orders
    :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
    }
    }
    :rtekind 0

```



```

:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_shipmode")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 18 19 20 22)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 420
}
}
{VAR

```

```

:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 433
}
)
:location 431
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location 452
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 465
:constvalue 8 [ 32 0 0 0 83 72 73 80 ]
}
)
:location 463
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 480
}
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 495
}
)
:location 493
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 517
}
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 12
        :location 530
    }
}
:location 528
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 13
        :location 551
    }
    {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 573
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 565
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 13
        :location 594
    }
    {OPEXPR
        :opno 1076
        :opfuncid 2071
        :opresulttype 1114
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 1082
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 615
                :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
            }
            {CONST
                :consttype 1186
                :consttypmod 327679
                :constcollid 0
                :constlen 16
                :constbyval false
                :constisnull false
                :location 639
                :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
            }
        )
    }
)
:location 628
}
:location 608
}
)
:location 448
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 3
            :varattno 1
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname l_shipmode
:ressortgroupref 1
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop or
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 85
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 103
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
}
)
:location 101
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 129
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 147
:constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
}
)
:location 145
}
:location 126
}
:result
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 173

```

```

        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :location 80
}
)
:defresult
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 188
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
:location 67
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 63
}
:resno 2
:resname high_line_count
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 245
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 264
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
}
)
:location 261
}
}
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25

```

```

        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 291
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 310
    :constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
    }
    )
    :location 307
    }
    )
    :location 287
    }
    :result
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 336
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :location 240
    }
    )
    :defresult
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 351
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    :location 227
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 223
    }
    :resno 3
    :resname low_line_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>

```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16566
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone"
"s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
}
}
}

```

```

    )
    :location -1
  }
  {OPEXPR
  :opno 674
  :opfuncid 297
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  )
  :location -1
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  :resno 1
  :resname ?column?
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs true
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks true
  }
)

```



```

:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {SUBLINK
        :sublinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBENTRY
                :alias
                  {ALIAS
                    :aliasname s
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname s
                    :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
                  }
                :rtekind 0
                :relid 16541
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
            )
          }
      )
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16541
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 13)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  )
  :jointree
    {FROMEXPR
      :fromlist (
        {RANGETBLREF
          :rtindex 1
        }
      )
    }
  )

```

```

:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
)

```

```

        :override 0
        :onConflict <>
        :returningOldAlias <>
        :returningNewAlias <>
        :returningList <>
        :groupClause <>
        :groupDistinct false
        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_shipmode")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 18 19 20 22)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 420
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 433
    }
}
:location 431
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 15
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 15
        :location 452
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 465
        :constvalue 8 [ 32 0 0 0 83 72 73 80 ]
    }
)
:location 463
}
{OEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 12
        :location 480
    }
    {VAR
        :varno 2
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 13
        :location 495
    }
)
:location 493
}
{OEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 517
    }
    {VAR
        :varno 2
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 12
        :location 530
    }
)

```

```

)
:location 528
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 551
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 573
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 565
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 594
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 615
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 639
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
}
)
:location 628
}
)
:location 608
}
)
:location 448
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
}

```

```

:resno 1
:resname l_shipmode
:resortgroupref 1
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop or
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 85
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 103
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
}
)
:location 101
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 129
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 147
:constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
}
)
:location 145
}
)
:location 126
}
:result
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 173
:constvalue 4 [ 1 0 0 0 0 0 0 ]
}
:location 80
}
)

```

```

        :defresult
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 188
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
        }
        :location 67
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 63
}
:resno 2
:resname high_line_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 245
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 264
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
}
)
:location 261
}
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 1
        :varattnosyn 6
        :location 291
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 310
    :constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
    }
    )
    :location 307
    }
    )
    :location 287
    }
    :result
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 336
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :location 240
    }
    )
    :defresult
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 351
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    :location 227
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 223
    }
    :resno 3
    :resname low_line_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0

```



```
}  
)
```

WARNING: ===== PLANNER INPUT =====:

```
DETAIL: {QUERY  
:commandType 1  
:querySource 0  
:canSetTag true  
:utilityStmt <>  
:resultRelation 0  
:hasAggs true  
:hasWindowFuncs false  
:hasTargetSRFs false  
:hasSubLinks true  
:hasDistinctOn false  
:hasRecursive false  
:hasModifyingCTE false  
:hasForUpdate false  
:hasRowSecurity true  
:hasGroupRTE true  
:isReturn false  
:cteList <>  
:rtable (  
  {RANGETBLENTY  
    :alias <>  
    :eref  
      {ALIAS  
        :aliasname orders  
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")  
      }  
    :rtekind 0  
    :relid 16561  
    :inh true  
    :relkind r  
    :rellockmode 1  
    :perminfoindex 1  
    :tablesample <>  
    :lateral false  
    :inFromCl true  
    :securityQuals <>  
  }  
  {RANGETBLENTY  
    :alias <>  
    :eref  
      {ALIAS  
        :aliasname lineitem  
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")  
      }  
    :rtekind 0  
    :relid 16566  
    :inh true  
    :relkind r  
    :rellockmode 1  
    :perminfoindex 2  
    :tablesample <>  
    :lateral false  
    :inFromCl true  
    :securityQuals (  
      {SUBLINK  
        :subLinkType 0  
        :subLinkId 0  
        :testexpr <>  
        :operName <>  
        :subselect  
          {QUERY  
            :commandType 1  
            :querySource 0  
            :canSetTag true  
            :utilityStmt <>  
            :resultRelation 0  
            :hasAggs false  
            :hasWindowFuncs false  
            :hasTargetSRFs false  
            :hasSubLinks false  
            :hasDistinctOn false  
            :hasRecursive false  
            :hasModifyingCTE false  
            :hasForUpdate false  
            :hasRowSecurity false  
            :hasGroupRTE false  
            :isReturn false  
            :cteList <>  
            :rtable (  
              {RANGETBLENTY  
                :alias  
                  {ALIAS  
                    :aliasname s  
                    :colnames <>  
                  }  
                :eref  
                  {ALIAS  
                    :aliasname s  
                    :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")  
                  }  
                :rtekind 0  
                :relid 16541  
                :inh true  
                :relkind r  
                :rellockmode 1  
                :perminfoindex 1  
                :tablesample <>  
                :lateral false  
                :inFromCl true  
                :securityQuals <>  
              }  
            )  
          }  
        :rteperminfos (  
          {RTEPERMISSIONINFO  
            :relid 16541  
            :inh true  
          }  
        )  
      )  
    )  
  )  
)
```

```

:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0

```

```

        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("i_shipmode")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 18 19 20 22)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 420
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 433
}
)
:location 431
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location 452
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 465
:constvalue 8 [ 32 0 0 0 83 72 73 80 ]
}
)
:location 463
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 480
}
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 495
}
)
:location 493
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 517
}
)

```

```

    }
    {VAR
    :varno 2
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 12
    :location 530
    }
  )
  :location 528
  }
  {OPEXPR
  :opno 1098
  :opfuncid 1090
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
  {VAR
  :varno 2
  :varattno 13
  :vartype 1082
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 13
  :location 551
  }
  {CONST
  :consttype 1082
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location 573
  :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
  }
  )
  :location 565
  }
  {OPEXPR
  :opno 2345
  :opfuncid 2338
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
  {VAR
  :varno 2
  :varattno 13
  :vartype 1082
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 13
  :location 594
  }
  {OPEXPR
  :opno 1076
  :opfuncid 2071
  :opresulttype 1114
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
  {CONST
  :consttype 1082
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location 615
  :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
  }
  {CONST
  :consttype 1186
  :consttypmod 327679
  :constcollid 0
  :constlen 16
  :constbyval false
  :constisnull false
  :location 639
  :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
  }
  )
  :location 628
  }
  )
  :location 608
  }
  )
  :location 448
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 1
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname l_shipmode
:ressortgroupref 1
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop or
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 85
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 103
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
}
)
:location 101
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 129
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 147
:constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
}
)
:location 145
}
)
:location 126
}

```

```

        :result
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 173
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :location 80
    }
)
:defresult
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 188
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
:location 67
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 63
}
:resno 2
:resname high_line_count
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 245
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 264
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
}
)
:location 261
}
{OPEXP
:opno 531
:opfuncid 157

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 291
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 310
    :constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
  }
)
:location 307
}
:location 287
}
:result
{CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location 336
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:location 240
}
)
:defresult
{CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location 351
  :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
:location 227
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 223
}
:resno 3
:resname low_line_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664

```



```

:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 67083
:plan.total_cost 2208652859.21
:plan.plan_rows 1
:plan.plan_width 21
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
:resno 1
:resname l_shipmode
:ressortgroupref 1
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop or
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 85
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 103
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
}
)
:location 101
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```

```

        {VAR
        :varno -2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 129
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 147
        :constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
        }
    )
    :location 145
}
)
:location -1
}
:result
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 173
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:location 80
}
)
:defresult
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 188
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
:location 67
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 63
}
:resno 2
:resname high_line_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```

```

        {VAR
        :varno -2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 245
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 264
        :constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
        }
    )
    :location 261
}
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 291
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 310
:constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
}
)
:location 307
}
)
:location -1
}
:result
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 336
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:location 240
}
)
:defresult
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 351
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
:location 227
}
)
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 1
:aggtransno 1
:location 223
}
:resno 3
:resname low_line_count
:ressortgrouppref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 67083
:join.plan.total_cost 2208652802.95
:join.plan.plan_rows 3750
:join.plan.plan_width 14
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 85
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 2208578300.7
:scan.plan.plan_rows 3750
:scan.plan.plan_width 9
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 433
}
:resno 2
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 480
}
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 495
}
)
:location 493
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 517
}
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 530
}
)
:location 528
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 551
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 573
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 565
}
{OPEXPR

```

```

:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 15
    :location 452
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 465
    :constvalue 8 [ 32 0 0 0 83 72 73 80 ]
  }
)
:location 463
}
{SUBPLAN
:subLinkType 2
:testexpr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
  {PARAM
    :paramkind 1
    :paramid 1
    :paramtype 23
    :paramtypmod -1
    :paramcollid 0
    :location -1
  }
)
:location -1
}
:paramIds (i 1)
:plan_id 2
:plan_name SubPlan\ 2
:firstCollType 23
:firstCollTypeMod -1
:firstCollCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 363.49
:per_call_cost 0.0025
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 13
    :location 594
  }
  {CONST
    :consttype 1114
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 32 -39 -79 49 -115 -1 -1 ]
  }
)
}

```

```

        :location 608
    }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 2
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 41008
:plan.total_cost 41008
:plan.plan_rows 1500000
:plan.plan_width 13
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 41008
:scan.plan.plan_rows 1500000
:scan.plan.plan_width 13
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 85
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1

```

```

        :location 420
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 1
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 420
}
)
:skewTable 16566
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 433
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 420
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 433
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 0
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()

```



```

:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
GroupAggregate (cost=67083.00..2208652859.21 rows=1 width=21) (actual time=1928.833..1928.841 rows=1.00 loops=1)
  Output: lineitem.l_shipmode, sum(CASE WHEN ((orders.o_orderpriority = '1-URGENT'::text) OR (orders.o_orderpriority = '2-HIGH'::text)) THEN 1 ELSE 0 END),
  sum(CASE WHEN ((orders.o_orderpriority <> '1-URGENT'::text) AND (orders.o_orderpriority <> '2-HIGH'::text)) THEN 1 ELSE 0 END)
  Buffers: shared hit=7520 read=123426, temp read=6105 written=6105
  -> Hash Join (cost=67083.00..2208652802.95 rows=3750 width=14) (actual time=530.569..1926.949 rows=12725.00 loops=1)
    Output: lineitem.l_shipmode, orders.o_orderpriority
    Hash Cond: (lineitem.l_orderkey = orders.o_orderkey)
    Buffers: shared hit=7520 read=123426, temp read=6105 written=6105
    -> Seq Scan on public.lineitem (cost=0.00..2208578300.70 rows=3750 width=9) (actual time=4.120..1263.305 rows=12725.00 loops=1)
      Output: lineitem.l_shipmode, lineitem.l_orderkey
      Filter: ((lineitem.l_commitdate < lineitem.l_receiptdate) AND (lineitem.l_shipdate < lineitem.l_commitdate) AND (lineitem.l_receiptdate >= '19
      95-01-01'::date) AND (lineitem.l_shipmode = 'SHIP'::text) AND (ANY (lineitem.l_suppkey = (hashed SubPlan 2).col1)) AND (lineitem.l_receiptdate < '1996-01-01
      00:00:00'::timestamp without time zone))
      Rows Removed by Filter: 5988490
      Buffers: shared hit=4470 read=100468
      SubPlan 2
        -> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8196 width=4) (actual time=0.022..1.996 rows=8197.00 loops=1)
          Output: s.s_suppkey
          Filter: (s.s_acctbal > '1000'::double precision)
          Rows Removed by Filter: 1803
          Buffers: shared hit=218
    -> Hash (cost=41008.00..41008.00 rows=1500000 width=13) (actual time=522.267..522.267 rows=1500000.00 loops=1)
      Output: orders.o_orderpriority, orders.o_orderkey
      Buckets: 262144 Batches: 16 Memory Usage: 6388kB
      Buffers: shared hit=3050 read=22958, temp written=6033
      -> Seq Scan on public.orders (cost=0.00..41008.00 rows=1500000 width=13) (actual time=0.270..221.261 rows=1500000.00 loops=1)
        Output: orders.o_orderpriority, orders.o_orderkey
        Buffers: shared hit=3050 read=22958

Planning:
  Buffers: shared hit=49 read=1
Planning Time: 2.202 ms
Execution Time: 1929.250 ms
(29 rows)

Time: 1938.638 ms (00:01.939)
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS lineitem_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW lineitem_secure AS
SELECT l.*
FROM lineitem l
WHERE EXISTS (
  SELECT 1 FROM supplier s
  WHERE s.s_suppkey = l.l_suppkey
  AND s.s_acctbal > 1000
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON lineitem_secure TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 5: Run Q12
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  l_shipmode,
  sum(case
    when o_orderpriority = '1-URGENT'
    or o_orderpriority = '2-HIGH'
    then 1
    else 0
  end) as high_line_count,
  sum(case
    when o_orderpriority <> '1-URGENT'
    and o_orderpriority <> '2-HIGH'
    then 1
    else 0
  end) as low_line_count
from
  orders,
  lineitem_secure l
where
  o_orderkey = l.l_orderkey
  and l.l_shipmode = 'SHIP'
  and l.l_commitdate < l.l_receiptdate
  and l.l_shipdate < l.l_commitdate
  and l.l_receiptdate >= date '1995-01-01'
  and l.l_receiptdate < date '1995-01-01' + interval '1' year
group by
  l.l_shipmode
order by
  l.l_shipmode;
WARNING: ===== RAW PARSE TREE =====
DETAIL:  {RAWSTMT
  :stmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
  :stmt_location 0
  :stmt_len 10

```

```
}  
WARNING: ===== ANALYZED QUERY =====  
DETAIL: {QUERY
```

```
:commandType 6  
:querySource 0  
:canSetTag true  
:utilityStmt  
  {VARIABLESETSTMT  
    :kind 4  
    :name role  
    :args <>  
    :jumble_args false  
    :is_local false  
    :location -1  
  }  
:resultRelation 0  
:hasAggs false  
:hasWindowFuncs false  
:hasTargetSRFs false  
:hasSubLinks false  
:hasDistinctOn false  
:hasRecursive false  
:hasModifyingCTE false  
:hasForUpdate false  
:hasRowSecurity false  
:hasGroupRTE false  
:isReturn false  
:cteList <>  
:rtable <>  
:rteperminfos <>  
:jointree <>  
:mergeActionList <>  
:mergeTargetRelation 0  
:mergeJoinCondition <>  
:targetList <>  
:override 0  
:onConflict <>  
:returningOldAlias <>  
:returningNewAlias <>  
:returningList <>  
:groupClause <>  
:groupDistinct false  
:groupingSets <>  
:havingQual <>  
:windowClause <>  
:distinctClause <>  
:sortClause <>  
:limitOffset <>  
:limitCount <>  
:limitOption 0  
:rowMarks <>  
:setOperations <>  
:constraintDeps <>  
:withCheckOptions <>  
:stmt_location 0  
:stmt_len 10  
}
```

```
Time: 1.454 ms  
WARNING: ===== RAW PARSE TREE =====
```

```
DETAIL: {RAWSTMT  
  :stmt  
    {ALERTABLESTMT  
      :relation  
        {RANGEVAR  
          :catalogname <>  
          :schemaname <>  
          :relname lineitem  
          :inh true  
          :relpersistence p  
          :alias <>  
          :location 12  
        }  
      :cmds (  
        {ALERTABLECMD  
          :subtype 55  
          :name <>  
          :num 0  
          :newowner <>  
          :def <>  
          :behavior 0  
          :missing_ok false  
          :recurse false  
        }  
      )  
      :objtype 41  
      :missing_ok false  
    }  
  :stmt_location 0  
  :stmt_len 47  
}
```

```
WARNING: ===== ANALYZED QUERY =====
```

```
DETAIL: {QUERY  
:commandType 6  
:querySource 0  
:canSetTag true  
:utilityStmt  
  {ALERTABLESTMT  
    :relation  
      {RANGEVAR  
        :catalogname <>  
        :schemaname <>  
        :relname lineitem  
        :inh true  
        :relpersistence p  
        :alias <>  
        :location 12  
      }  
    :cmds (  
      {ALERTABLECMD  
        :subtype 55  
        :name <>  
        :num 0
```

```

:owner <>
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 2.835 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{DROPSTMT
:objects (("lineitem_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("lineitem_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
}

```

```

:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

Time: 6.656 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname l
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("l" "l_suppkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
)
}
}
}

```

```

    }
    {A_EXPR
    :name (">")
    :lexpr
    {COLUMNREF
    :fields ("s" "s_acctbal")
    :location 146
    }
    :rexpr
    {A_CONST
    :val 1000
    :location 160
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 158
    }
  )
  :location 142
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 166
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l"
{A_STAR
}
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname l
:colnames <>
}
:location 47
}
)
:whereClause

```

```

{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{REXTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("l" "l_suppkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 146
}
:rexpr
{A_CONST
:val 1000
:location 160
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 158
}
)
:location 142
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenummer" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtable 1
}
)
}
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
}
}
}

```

```

:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 112
          }
          {VAR
            :varno 1
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location 126
          }
        )
      }
      :location 124
    )
  }
  {OPEXP
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
      }
    )
  }

```



```

:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 146
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 160
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 158
}
)
:location 142
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 84
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 38
}
}
:resno 1
:resname l_orderkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 38
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
:resno 3
:resname l_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname l_discount
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 38
}
:resno 8
:resname l_tax
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 38
}
:resno 9
:resname l_returnflag
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 38
}
:resno 10
:resname l_linestatus
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 38
}
:resno 11
:resname l_shipdate
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 38
}
:resno 12

```

```

:resname l_commitdate
:resortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 38
}
:resno 13
:resname l_receiptdate
:resortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 38
}
:resno 14
:resname l_shipinstruct
:resortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 38
}
:resno 15
:resname l_shipmode
:resortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 38
}
:resno 16
:resname l_comment
:resortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0

```

```

:stmt_len 166
}

Time: 3.749 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 40
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
}

```

```
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}
```

Time: 0.368 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
}
```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.228 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
}

```

```

:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.252 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
  :stmt
    {VARIABLESETSTMT
      :kind 0
      :name role
      :args (
        {A_CONST
          :val "alice"
          :location 9
        }
      )
      :jumble_args false
      :is_local false
      :location 9
    }
    :stmt_location 0
    :stmt_len 14
  }
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {VARIABLESETSTMT
      :kind 0
      :name role
      :args (
        {A_CONST
          :val "alice"
          :location 9
        }
      )
      :jumble_args false
      :is_local false
      :location 9
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 14
}

```

Time: 0.153 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
  :stmt
    {EXPLAINSTMT
      :query
        {SELECTSTMT
          :distinctClause <>
          :intoClause <>
          :targetList (
            {RESTARGET

```



```

:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l_shipmode")
:location 47
}
:location 47
}
{RESTARTGET
:name high_line_count
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{CASEEXPR
:casetype 0
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop or
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("o_orderpriority")
:location 85
}
}
:rexpr
{A_CONST
:val "\1-URGENT"
:location 103
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 101
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("o_orderpriority")
:location 129
}
}
:rexpr
{A_CONST
:val "\2-HIGH"
:location 147
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 145
}
)
:location 126
}
:result
{A_CONST
:val 1
:location 173
}
:location 80
}
)
:defaultresult
{A_CONST
:val 0
:location 188
}
:location 67
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 63
}
:location 63
}
{RESTARTGET
:name low_line_count
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{CASEEXPR
:casetype 0
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("<>")
:lexpr
{COLUMNREF
:fields ("o_orderpriority")
:location 245
}
}
:rexpr
{A_CONST

```

```

        :val "\1-URGENT"
        :location 264
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 261
}
{A_EXPR
: name ("<>")
: lexpr
    {COLUMNREF
    : fields ("o_orderpriority")
    : location 291
    }
: rexpr
    {A_CONST
    : val "\2-HIGH"
    : location 310
    }
: rexpr_list_start 0
: rexpr_list_end 0
: location 307
}
)
:location 287
}
: result
{A_CONST
: val 1
: location 336
}
:location 240
}
)
: defresult
{A_CONST
: val 0
: location 351
}
:location 227
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 223
}
:location 223
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistance p
:alias <>
:location 389
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistance p
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:location 401
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
: name ("=")
: lexpr
    {COLUMNREF
    : fields ("o_orderkey")
    : location 429
    }
: rexpr
    {COLUMNREF
    : fields ("l" "l_orderkey")
    : location 442
    }
: rexpr_list_start 0
: rexpr_list_end 0
: location 440
}
{A_EXPR
: name ("=")
: lexpr
    {COLUMNREF
    : fields ("l" "l_shipmode")
    : location 463
    }
: rexpr
    {A_CONST
    : val "SHIP"
    : location 478
    }
: rexpr_list_start 0
: rexpr_list_end 0
: location 476
}
)

```

```

{A_EXPR
:name ("<")
:lexpr
  {COLUMNREF
  :fields ("1" "l_commitdate")
  :location 493
  }
:rexpr
  {COLUMNREF
  :fields ("1" "l_receiptdate")
  :location 510
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 508
}
{A_EXPR
:name ("<")
:lexpr
  {COLUMNREF
  :fields ("1" "l_shipdate")
  :location 534
  }
:rexpr
  {COLUMNREF
  :fields ("1" "l_commitdate")
  :location 549
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 547
}
{A_EXPR
:name (">=")
:lexpr
  {COLUMNREF
  :fields ("1" "l_receiptdate")
  :location 572
  }
:rexpr
  {TYPECAST
  :arg
    {A_CONST
    :val "\1995-01-01"
    :location 596
    }
  :typeName
    {TYPENAME
    :names ("date")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods <>
    :typemod -1
    :arrayBounds <>
    :location 591
    }
  :location -1
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 588
}
{A_EXPR
:name ("<")
:lexpr
  {COLUMNREF
  :fields ("1" "l_receiptdate")
  :location 617
  }
:rexpr
  {A_EXPR
  :name ("+")
  :lexpr
    {TYPECAST
    :arg
      {A_CONST
      :val "\1995-01-01"
      :location 640
      }
    :typeName
      {TYPENAME
      :names ("date")
      :typeOid 0
      :setof false
      :pct_type false
      :typmods <>
      :typemod -1
      :arrayBounds <>
      :location 635
      }
    :location -1
    }
  :rexpr
    {TYPECAST
    :arg
      {A_CONST
      :val "\1"
      :location 664
      }
    :typeName
      {TYPENAME
      :names ("pg_catalog" "interval")
      :typeOid 0
      :setof false
      :pct_type false
      :typmods (
        {A_CONST
        :val 4
        :location 668
        }
      )
      :typemod -1
      :arrayBounds <>
      :location 655
    }
  }
}

```

```

        }
        :location -1
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 653
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 633
}
)
:location 459
}
:groupClause (
{COLUMNREF
:fields ("1" "1_shipmode")
:location 686
}
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("1" "1_shipmode")
:location 712
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 724
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r

```

```

:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16686
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_shipmode")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16686
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 18 19 20 22)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 429
}
)
}
)
}

```

```

    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 442
    }
)
:location 440
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 15
    :location 463
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 478
    :constvalue 8 [ 32 0 0 0 83 72 73 80 ]
    }
)
:location 476
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 12
    :location 493
    }
    {VAR
    :varno 2
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 13
    :location 510
    }
)
:location 508
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 11
    :location 534
    }
    {VAR
    :varno 2
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 12
        :location 549
    }
}
:location 547
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 13
        :location 572
    }
    {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 596
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 588
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 13
        :location 617
    }
    {OPEXPR
        :opno 1076
        :opfuncid 2071
        :opresulttype 1114
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 1082
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 640
                :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
            }
            {CONST
                :consttype 1186
                :consttypmod 327679
                :constcollid 0
                :constlen 16
                :constbyval false
                :constisnull false
                :location 664
                :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
            }
        )
    }
    :location 653
}
)
:location 633
}
)
:location 459
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 3
            :varattno 1
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname l_shipmode
:ressortgroupref 1
:resorigtbl 16686
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop or
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 85
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 103
:constvalue 12 [ 48 0 0 0 0 49 45 85 82 71 69 7
8 84 ]
}
)
:location 101
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 129
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 147
:constvalue 10 [ 40 0 0 0 0 50 45 72 73 71 72 ]
}
)
:location 145
}
)
:location 126
}
:result
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true

```



```

        :constisnull false
        :location 173
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :location 80
}
)
:defresult
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 188
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
:location 67
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 63
}
:resno 2
:resname high_line_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 245
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 264
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 7
8 84 ]
}
)
:location 261
}
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR

```

```

        :varno 1
        :varattno 6
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 291
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 310
    :constvalue 10 [ 40 0 0 0 0 50 45 72 73 71 72 ]
    }
    )
    :location 307
    }
    )
    :location 287
    }
    :result
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 336
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :location 240
    }
    )
    :defresult
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 351
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    :location 227
    }
    )
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 223
    }
    :resno 3
    :resname low_line_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    )
    :limitOffset <>

```

```

:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:define analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:define verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:define buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 724
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}

```

```

{RANGETBENTRY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_supkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16686
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_shipmode")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16686
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 18 19 20 22)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 429
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 442
    }
)
:location 440
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 15
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 15
        :location 463
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 478
        :constvalue 8 [ 32 0 0 0 83 72 73 80 ]
    }
)
:location 476
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 12
        :location 493
    }
    {VAR
        :varno 2
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 13
        :location 510
    }
)
:location 508
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 11
        :location 534
    }
    {VAR
        :varno 2
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 12
        :location 549
    }
)
)

```

```

:location 547
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 572
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 596
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 588
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 617
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 640
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 664
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
}
)
:location 653
}
)
:location 633
}
)
:location 459
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
}
:resno 1

```

```

:resname l_shipmode
:ressortgroupref 1
:resorigtbl 16686
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop or
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 85
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 103
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
}
)
:location 101
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 129
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 147
:constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
}
)
:location 145
}
)
:location 126
}
:result
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 173
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:location 80
}
)
:defresult

```

```

        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 188
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
        }
        :location 67
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 63
}
:resno 2
:resname high_line_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 245
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 264
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
}
)
:location 261
}
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```



```

        :varattnosyn 6
        :location 291
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 310
    :constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
    }
    )
    :location 307
    }
    )
    :location 287
    }
    :result
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 336
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :location 240
    }
    )
    :defresult
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 351
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    :location 227
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 223
    }
    :resno 3
    :resname low_line_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }

```

WARNING: ===== REWRITE OUTPUT =====:

```
DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname l
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname l
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenummer" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 1
  }
  :subquery
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks true
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
          :alias
            {ALIAS
              :aliasname l
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname l
              :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenummer" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
            }
          :rtekind 0
          :relid 16566
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 16566
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
}
:jointree
  {FROMEXPR
```

```

:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias
    {ALIAS
      :aliasname s
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname s
      :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    )
  }
:location -1
}
{OEXPR

```

```

:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1

```

```

        :location -1
    }
:resno 1
:resname 1_orderkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname 1_partkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname 1_suppkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname 1_linenummer
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname 1_quantity
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname 1_extendedprice
:ressortgrouppref 0

```

```

:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16686
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_shipmode")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location 47
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16686
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 18 19 20 22)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 429
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1

```



```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 442
}
)
:location 440
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location 463
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 478
:constvalue 8 [ 32 0 0 0 83 72 73 80 ]
}
)
:location 476
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 493
}
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 510
}
)
:location 508
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 534
}
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 549
}
}

```

```

    }
  )
  :location 547
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 572
}
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 596
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 588
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 617
}
  {OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 640
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
  {CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 664
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
}
)
:location 653
}
)
:location 633
}
)
:location 459
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1

```

```

    }
:resno 1
:resname l_shipmode
:ressortgroupref 1
:resorigtbl 16686
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop or
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 85
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 103
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
}
)
:location 101
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 129
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 147
:constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
}
)
:location 145
}
:location 126
}
:result
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 173
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:location 80
}

```

```

    )
    :defresult
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 188
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    :location 67
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 63
}
:resno 2
:resname high_line_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 245
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 264
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
}
)
:location 261
}
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 291
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 310
    :constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
    }
    )
    :location 307
    }
    )
    :location 287
    }
    :result
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 336
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :location 240
    }
    )
    :defresult
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 351
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    :location 227
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 223
    }
    :resno 3
    :resname low_line_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause (
        {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
        }
    )
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (
        {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
        }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0

```

```
:stmt_len 0
}
)
```

WARNING: ===== PLANNER INPUT =====

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname orders
  :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
  }
  :rtekind 0
  :relid 16561
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname l
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname l
  :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
  }
  :rtekind 1
  :subquery
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks true
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname l
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname l
    :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
  )
  :rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16566
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
  :insertedCols (b)
  :updatedCols (b)
  }
  )
)
```

```

:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
}
:location -1
}

```

```

    }
    {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0

```



```

:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6

```

```

:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>

```

```

: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location -1
: stmt_len -1
}
: security_barrier false
: relid 16686
: inh false
: relkind v
: rellockmode 1
: perminfoindex 2
: lateral false
: inFromCl true
: securityQuals <>
}
{RANGETBENTRY
: alias <>
: eref
{ALIAS
: aliasname *GROUP*
: colnames ("l_shipmode")
}
}
: rtekind 9
: groupepr (
{VAR
: varno 2
: varattno 15
: vartype 25
: vartypmod -1
: varcollid 100
: varnullingrels (b)
: varlevelsup 0
: varreturningtype 0
: varnosyn 2
: varattnosyn 15
: location 47
}
)
: lateral false
: inFromCl false
: securityQuals <>
}
)
: rteperminfos (
{RTEPERMISSIONINFO
: relid 16561
: inh true
: requiredPerms 2
: checkAsUser 0
: selectedCols (b 8 13)
: insertedCols (b)
: updatedCols (b)
}
{RTEPERMISSIONINFO
: relid 16686
: inh true
: requiredPerms 2
: checkAsUser 0
: selectedCols (b 8 18 19 20 22)
: insertedCols (b)
: updatedCols (b)
}
)
: jointree
{FROMEXPR
: fromlist (
{RANGETBLREF
: rtindex 1
}
{RANGETBLREF
: rtindex 2
}
)
)
: quals
{BOOLEXP
: boolop and
: args (
{OPEXP
: opno 96
: opfuncid 65
: opresulttype 16
: opretset false
: opcollid 0
: inputcollid 0
: args (
{VAR
: varno 1
: varattno 1
: vartype 23
: vartypmod -1
: varcollid 0
: varnullingrels (b)
: varlevelsup 0
: varreturningtype 0
: varnosyn 1
: varattnosyn 1
: location 429
}
{VAR
: varno 2
: varattno 1

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 442
}
)
:location 440
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location 463
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 478
:constvalue 8 [ 32 0 0 0 83 72 73 80 ]
}
)
:location 476
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 493
}
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 510
}
)
:location 508
}
{OPEXPR
:opno 1095
:opfuncid 1087
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location 534
}
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

        :varattnosyn 12
        :location 549
    }
)
:location 547
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 572
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 596
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 588
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 617
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 640
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 664
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 12 0 0 0 ]
}
)
:location 653
}
)
:location 633
}
)
:location 459
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

:varattnosyn 1
:location -1
}
:resno 1
:resname 1_shipmode
:ressortgroupref 1
:resorigtbl 16686
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 23
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{BOOLEXP
:boolop or
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 85
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 103
:constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
}
)
:location 101
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 129
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 147
:constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
}
)
:location 145
}
)
:location 126
}
:result
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 173
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}

```

```

        :location 80
    }
)
:dfresult
{CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 188
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
:location 67
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 63
}
:resno 2
:resname high_line_count
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
    :aggfnoid 2108
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 23)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {CASEEXPR
            :casetype 23
            :casecollid 0
            :arg <>
            :args (
                {CASEWHEN
                :expr
                {BOOLEXP
                    :boolop and
                    :args (
                        {OPEXP
                            :opno 531
                            :opfuncid 157
                            :opresulttype 16
                            :opretset false
                            :opcollid 0
                            :inputcollid 100
                            :args (
                                {VAR
                                    :varno 1
                                    :varattno 6
                                    :vartype 25
                                    :vartypmod -1
                                    :varcollid 100
                                    :varnullingrels (b)
                                    :varlevelsup 0
                                    :varreturningtype 0
                                    :varnosyn 1
                                    :varattnosyn 6
                                    :location 245
                                }
                                {CONST
                                    :consttype 25
                                    :consttypmod -1
                                    :constcollid 100
                                    :constlen -1
                                    :constbyval false
                                    :constisnull false
                                    :location 264
                                    :constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 78 84 ]
                                }
                            )
                        }
                    :location 261
                }
                {OPEXP
                    :opno 531
                    :opfuncid 157
                    :opresulttype 16
                    :opretset false
                    :opcollid 0
                    :inputcollid 100
                    :args (
                        {VAR
                            :varno 1
                            :varattno 6
                            :vartype 25
                            :vartypmod -1
                            :varcollid 100

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 291
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 310
    :constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
    }
    )
    :location 307
    }
    )
    :location 287
    }
    :result
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 336
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :location 240
    }
    )
    :defresult
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 351
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    :location 227
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 223
    }
    :resno 3
    :resname low_line_count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>

```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 162561.63487500002
:plan.total_cost 200386.90487500007
:plan.plan_rows 1
:plan.plan_width 21
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 15
:location -1
}
:resno 1
:resname l_shipmode
:ressortgroupref 1
:resorigtbl 16686
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:varatype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 9
:aggno 0
:aggtransno 0
:location 63
}
:resno 2
:resname high_line_count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2108
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:varatype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 0
        :varattnosyn 0
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 1
:aggtransno 1
:location 223
}
:resno 3
:resname low_line_count
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 162561.63487500002
:plan.total_cost 200386.88487500005
:plan.plan_rows 2
:plan.plan_width 21
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 15
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree

```

```

{AGG
:plan.disabled_nodes 0
:plan.startup_cost 161561.63487500002
:plan.total_cost 199386.68487500004
:plan.plan_rows 1
:plan.plan_width 21
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 15
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {AGGREF
        :aggfnoid 2108
        :aggtype 20
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 20
        :aggargtypes (o 23)
        :aggdirectargs <>
        :args (
          {TARGETENTRY
            :expr
              {CASEEXPR
                :casetype 23
                :casecollid 0
                :arg <>
                :args (
                  {CASEWHEN
                    :expr
                      {BOOLEXP
                        :boolop or
                        :args (
                          {OPEXP
                            :opno 98
                            :opfuncid 67
                            :opresulttype 16
                            :opretset false
                            :opcollid 0
                            :inputcollid 100
                            :args (
                              {VAR
                                :varno -2
                                :varattno 2
                                :vartype 25
                                :vartypmod -1
                                :varcollid 100
                                :varnullingrels (b)
                                :varlevelsup 0
                                :varreturningtype 0
                                :varnosyn 1
                                :varattnosyn 6
                                :location 85
                              }
                              {CONST
                                :consttype 25
                                :consttypmod -1
                                :constcollid 100
                                :constlen -1
                                :constbyval false
                                :constisnull false
                                :location 103
                                :constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 7
                                  8 84 ]
                              }
                            )
                          :location 101
                        }
                      {OPEXP
                        :opno 98
                        :opfuncid 67
                        :opresulttype 16
                        :opretset false
                        :opcollid 0
                        :inputcollid 100
                        :args (
                          {VAR
                            :varno -2
                            :varattno 2
                            :vartype 25
                            :vartypmod -1
                            :varcollid 100
                            :varnullingrels (b)
                            :varlevelsup 0
                            :varreturningtype 0
                            :varnosyn 1
                            :varattnosyn 6
                            :location 129
                          }
                          {CONST
                            :consttype 25
                            :consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 147
        :constvalue 10 [ 40 0 0 0 0 50 45 72 73 71 72 ]
    }
    )
    :location 145
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 173
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :location 80
    }
    )
    :defresult
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 188
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    :location 67
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 6
    :aggno 0
    :aggtransno 0
    :location 63
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2108
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 20
    :aggargtypes (o 23)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {CASEEXPR
    :casetype 23
    :casecollid 0
    :arg <>
    :args (
    {CASEWHEN
    :expr
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 531
    :opfuncid 157
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno -2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 245
    }
    {CONST
    :consttype 25
    :consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 264
        :constvalue 12 [ 48 0 0 0 49 45 85 82 71 69 7
        8 84 ]
    }
)
:location 261
}
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno -2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 291
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 310
    :constvalue 10 [ 40 0 0 0 50 45 72 73 71 72 ]
    }
)
:location 307
}
)
:location -1
}
:result
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 336
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:location 240
}
)
:defresult
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 351
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
:location 227
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 6
:aggno 1
:aggtransno 1
:location 223
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 161561.63487500002
:join.plan.total_cost 199309.754875
:join.plan.plan_rows 5128
:join.plan.plan_width 14
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false

```

```

:join.plan.plan_node_id 3
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 15
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 6
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 85
      }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 32258
    :scan.plan.plan_rows 625000
    :scan.plan.plan_width 13
    :scan.plan.parallel_aware true
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 4
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
          }
        :resno 2
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno 1
            :varattno 3
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
          }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }

```

```

:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8

```



```

:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 161497.534875
:plan.total_cost 161497.534875
:plan.plan_rows 5128
:plan.plan_width 9
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 15
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 445.45
:join.plan.total_cost 161497.534875
:join.plan.plan_rows 5128
:join.plan.plan_width 9
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 6
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 15
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 160978.625
:scan.plan.plan_rows 6256
:scan.plan.plan_width 13
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 7
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY
:expr
{VAR
:varno 4

```

```

:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 14
        :location -1
    }
    :resno 14
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 15
    :location -1
  }
  :resno 15
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 16
    :location -1
  }
  :resno 16
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
}
:scan.plan.qual (
  {OEXPR
    :opno 1095
    :opfuncid 1087
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 4
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 12
        :location -1
      }
      {VAR
        :varno 4
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 13
        :location -1
      }
    )
  }
  :location 508
}
{OEXPR
  :opno 1095
  :opfuncid 1087
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 4
      :varattno 11
      :vartype 1082
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 11
    }
  )
}

```

```

:location -1
}
{VAR
:varno 4
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 12
:location -1
}
)
:location 547
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 13
:location -1
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 596
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 ]
}
)
:location 588
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 13
:location -1
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 32 -39 -79 49 -115 -1 -1 ]
}
)
:location 633
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 15
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 478
}
)
}

```

```

        :constvalue 8 [ 32 0 0 0 83 72 73 80 ]
    }
)
:location 476
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 8196
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 8
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 9
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]

```

```

        }
    )
    :location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1

```



```

        :location -1
    }
)
:skewTable 16561
:skewColumn 1
:skewInherit false
:rows_total 12307.199999999999
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 429
        }
        {VAR
        :varno -1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 429
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 1
:aggssplit 6
:numCols 0
:grpColIdx ( )
:grpOperators ( )
:grpCollations ( )
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 9
:numCols 0
:grpColIdx ( )
:grpOperators ( )
:grpCollations ( )
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

```

-----
Finalize GroupAggregate (cost=162561.63..200386.90 rows=1 width=21) (actual time=814.877..816.161 rows=1.00 loops=1)
  Output: l1_shipmode, sum(CASE WHEN ((orders.o_orderpriority = '1-URGENT'::text) OR (orders.o_orderpriority = '2-HIGH'::text)) THEN 1 ELSE 0 END), sum(CASE WHEN ((orders.o_orderpriority <> '1-URGENT'::text) AND (orders.o_orderpriority <> '2-HIGH'::text)) THEN 1 ELSE 0 END)
  Buffers: shared hit=8144 read=123238
  -> Gather (cost=162561.63..200386.88 rows=2 width=21) (actual time=814.613..816.154 rows=3.00 loops=1)
    Output: l1_shipmode, (PARTIAL sum(CASE WHEN ((orders.o_orderpriority = '1-URGENT'::text) OR (orders.o_orderpriority = '2-HIGH'::text)) THEN 1 ELSE 0 END)), (PARTIAL sum(CASE WHEN ((orders.o_orderpriority <> '1-URGENT'::text) AND (orders.o_orderpriority <> '2-HIGH'::text)) THEN 1 ELSE 0 END))
    Workers Planned: 2
    Workers Launched: 2
    Buffers: shared hit=8144 read=123238
  -> Partial GroupAggregate (cost=161561.63..199386.68 rows=1 width=21) (actual time=801.225..801.226 rows=1.00 loops=3)
    Output: l1_shipmode, PARTIAL sum(CASE WHEN ((orders.o_orderpriority = '1-URGENT'::text) OR (orders.o_orderpriority = '2-HIGH'::text)) THEN 1 ELSE 0 END), PARTIAL sum(CASE WHEN ((orders.o_orderpriority <> '1-URGENT'::text) AND (orders.o_orderpriority <> '2-HIGH'::text)) THEN 1 ELSE 0 END)
    Buffers: shared hit=8144 read=123238
    Worker 0: actual time=794.581..794.583 rows=1.00 loops=1
    Buffers: shared hit=2713 read=40869
    Worker 1: actual time=794.672..794.673 rows=1.00 loops=1
    Buffers: shared hit=2725 read=40804
  -> Parallel Hash Join (cost=161561.63..199309.75 rows=5128 width=14) (actual time=656.683..800.352 rows=4241.67 loops=3)
    Output: l1_shipmode, orders.o_orderpriority
    Hash Cond: (orders.o_orderkey = l1_orderkey)
    Buffers: shared hit=8144 read=123238
    Worker 0: actual time=650.224..793.657 rows=4134.00 loops=1
    Buffers: shared hit=2713 read=40869
    Worker 1: actual time=650.313..793.847 rows=4218.00 loops=1
    Buffers: shared hit=2725 read=40804
  -> Parallel Seq Scan on public.orders (cost=0.00..32258.00 rows=625000 width=13) (actual time=0.462..91.462 rows=500000.00 loops=3)
    Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orders.o_orderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
    Buffers: shared hit=3144 read=22864
    Worker 0: actual time=0.528..90.876 rows=500262.00 loops=1
    Buffers: shared hit=1053 read=7619
    Worker 1: actual time=0.523..91.378 rows=499278.00 loops=1
    Buffers: shared hit=1085 read=7572
  -> Parallel Hash (cost=161497.53..161497.53 rows=5128 width=9) (actual time=655.639..655.640 rows=4241.67 loops=3)
    Output: l1_shipmode, l1_orderkey
    Buckets: 16384 Batches: 1 Memory Usage: 800kB
    Buffers: shared hit=5000 read=100374
    Worker 0: actual time=649.093..649.094 rows=4189.00 loops=1
    Buffers: shared hit=1660 read=33250
    Worker 1: actual time=649.135..649.136 rows=4227.00 loops=1
    Buffers: shared hit=1640 read=33232
  -> Hash Semi Join (cost=445.45..161497.53 rows=5128 width=9) (actual time=6.555..653.714 rows=4241.67 loops=3)
    Output: l1_shipmode, l1_orderkey
    Hash Cond: (l1_suppkey = s.s_suppkey)
    Buffers: shared hit=5000 read=100374
    Worker 0: actual time=3.429..647.262 rows=4189.00 loops=1
    Buffers: shared hit=1660 read=33250
    Worker 1: actual time=4.058..647.141 rows=4227.00 loops=1
    Buffers: shared hit=1640 read=33232
  -> Parallel Seq Scan on public.lineitem l (cost=0.00..160978.62 rows=6256 width=13) (actual time=1.802..645.810 rows=5172.33 loops=3)
    Output: l1_orderkey, l1_partkey, l1_suppkey, l1_linenum, l1_quantity, l1_extendedprice, l1_discount, l1_tax, l1_returnflag, l1_linestatus, l1_shipdate, l1_commitdate, l1_receiptdate, l1_shipinstruct, l1_shipmode, l1_comment
    Filter: ((l1_commitdate < l1_receiptdate) AND (l1_shipdate < l1_commitdate) AND (l1_receiptdate >= '1995-01-01'::date) AND (l1_receiptdate < '1996-01-01 00:00:00'::timestamp without time zone) AND (l1_shipmode = 'SHIP'::text))
    Rows Removed by Filter: 1995233
    Buffers: shared hit=4346 read=100374
    Worker 0: actual time=0.552..641.229 rows=5125.00 loops=1
    Buffers: shared hit=1442 read=33250
    Worker 1: actual time=0.589..640.684 rows=5120.00 loops=1
    Buffers: shared hit=1422 read=33232
  -> Hash (cost=343.00..343.00 rows=8196 width=4) (actual time=4.544..4.545 rows=8197.00 loops=3)
    Output: s.s_suppkey
    Buckets: 16384 Batches: 1 Memory Usage: 417kB
    Buffers: shared hit=654
    Worker 0: actual time=2.848..2.848 rows=8197.00 loops=1
    Buffers: shared hit=218
    Worker 1: actual time=3.438..3.438 rows=8197.00 loops=1
    Buffers: shared hit=218
  -> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8196 width=4) (actual time=0.052..3.189 rows=8197.00 loops=3)
    Output: s.s_suppkey
    Filter: (s.s_acctbal > '1000'::double precision)
    Rows Removed by Filter: 1803
    Buffers: shared hit=654
    Worker 0: actual time=0.054..1.839 rows=8197.00 loops=1
    Buffers: shared hit=218
    Worker 1: actual time=0.067..2.102 rows=8197.00 loops=1
    Buffers: shared hit=218

Planning:
  Buffers: shared hit=15
  Planning Time: 3.766 ms
  Execution Time: 816.557 ms
(76 rows)

Time: 824.796 ms
tpch=> reset role;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWTMT
  :stmt
    {VARIABLESETMTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
    :stmt_location 0
    :stmt_len 10
  }
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {VARIABLESETMTMT
      :kind 4
      :name role
    }
  }
}

```

```

:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 2.230 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
    END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on customer
ALTER TABLE customer ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show customers with acctbal > 0
CREATE POLICY customer_rls_policy ON customer
USING (
    EXISTS (
        SELECT 1 FROM nation n
        WHERE n.n_nationkey = customer.c_nationkey
        AND customer.c_acctbal > 0
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON customer TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

-- Step 6: Run Q13
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    c_count, c_orderdate,
    count(*) as custdist
from
    (
        select
            c_custkey, o_orderdate,
            count(o_orderkey)
        from
            customer left outer join orders on
                c_custkey = o_custkey
                and o_comment not like '%special%requests%'
        group by
            c_custkey, o_orderdate
    ) as c_orders (c_custkey, c_count, c_orderdate)
group by
    c_count, c_orderdate
order by
    custdist desc,
    c_count desc;
WARNING: ===== RAW PARSE TREE =====

```

```

DETAIL:      {RAWSTMT
:stmt
  {DOSTMT
:args (
  {DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
  :defaction 0
  :location 3
  }
  )
}
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DOSTMT
:args (
  {DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
  :defaction 0
  :location 3
  }
  )
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```

```
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:reلكind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rtepermissions (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatecols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfucnd 62
:opresulttpe 16
:opretset false
:opcoid 0
:inputcoid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttpe 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname polycyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
```

```

:varstype 19
:varystmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== REWRITE OUTPUT =====
DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY

```

```

:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lcl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6

```

```

:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR

```



```

:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reliid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreliid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablesapce" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastreliid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastiggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
}
{VAR

```

```

:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}

```



```

    }
    {VAR
    :varno 2
    :varattno 32
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 32
    :location -1
    }
    {VAR
    :varno 2
    :varattno 33
    :vartype 1009
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 33
    :location -1
    }
    {VAR
    :varno 2
    :varattno 34
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 34
    :location -1
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    {VAR
    :varno 4
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location -1
    }
    {VAR
    :varno 4
    :varattno 4
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location -1
    }
    }
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259

```

```

:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgrouppref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgrouppref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]

```

```

    }
    :location -1
  }
)
:defaultresult
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
  :casetype 1003
  :casecollid 950
  :arg <>
  :args (
    {CASEWHEN
      :expr
      {OPEXPR
        :opno 1070
        :opfuncid 744
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 1028
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location -1
          }
          {CONST
            :consttype 1028
            :consttypmod -1
            :constcollid 0
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
              0 0 0 1 0 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
    }
  :result
  {ARRAYCOERCEEXPR
    :arg
    {FUNCEXPR
      :funcid 394
      :funcresulttype 1009
      :funcresultset false
      :funcvariadic false
      :funcformat 0
      :funccollid 100
      :inputcollid 100
      :args (
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location -1
          :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location -1
          :constvalue 4 [ 16 0 0 0 ]
        }
      )
      :location -1
    }
  }
  :elemexpr
  {FUNCEXPR
    :funcid 407
    :funcresulttype 19
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 950
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 25

```

```

        :typeMod -1
        :collation 0
    }
}
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:sublinkType 6
:sublinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrsls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
}
}

```

```

    }
    )
    :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname rolname
  :ressortgroupref 1
  :resorigtbl 1260
  :resorigcol 2
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 93
  :sortop 660
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true

```

```

        :constisnull false
        :location -1
        :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1

```

```

        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
    :location -1
    }
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
    }
    )
    :defresult
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
    }
    :location -1
    }
    :resno 6
    :resname cmd
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
    {VAR
    :varno 1
    :varattno 7
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
    }
    {VAR

```



```

        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree

```

```
{FROMEXPR
:fromlist (
{RANGETBLREF
:rindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
})
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname polyciname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupByClause <>
:groupByDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
```

)

WARNING: ===== PLANNER INPUT =====:

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias
  {ALIAS
:aliasname pol
:colnames <>
}
}
:eref
  {ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
  {ALIAS
:aliasname c
:colnames <>
}
}
:eref
  {ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lactl" "relotions" "relpartbound")
}
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
```

```

        populated" "relreplident" "relispartition" "relrewrite" "relfr
        ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
    }
:rtkind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
    {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
    {VAR
        :varno 1
        :varattno 4
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
    {VAR
        :varno 1
        :varattno 5
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location -1
    }
    {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    {VAR
        :varno 1
        :varattno 8
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    {VAR
        :varno 2
        :varattno 1
        :vartype 26

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2

```

```

:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}

```

```

{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27

```

```

:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615

```



```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtkind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2

```

```

:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}

```

```

{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607

```

```

:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
  }
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0

```



```

:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 1028
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
  {FUNCEXP
    :funcid 394
    :funcresulttype 1009
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 100
    :inputcollid 100
    :args (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 4 [ 16 0 0 0 ]
      }
    )
    :location -1
  }
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 25
    :typeMod -1
    :collation 0
  }
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
  }
}

```

```

:rtable (
  {RANGETBLENTY
  :alias <>
  :eref
  {ALIAS
    :aliasname pg_authid
    :colnames ("oid" "rolname" "rolsuper" "rolinherit"
      "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
        lication" "rolbypassrls" "rolconlimit" "rolpasswor
          d" "rolvaliduntil")
    }
  :rtekind 0
  :relid 1260
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 1260
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {SCALARARRAYOPEXPR
  :opno 607
  :opfuncid 184
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
  )
  :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname rolname
  :ressortgroupref 1
  :resorigtbl 1260
  :resorigcol 2
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>

```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1

```

```

        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18

```

```

        :typeMod -1
        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
    }
    )
    :defresult
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
    }
    :location -1
    }
    }
    :resno 6
    :resname cmd
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {FUNCEXP
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
    {VAR
    :varno 1
    :varattno 7
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    }
    :resno 7
    :resname qual
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {FUNCEXP
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
    {VAR
    :varno 1
    :varattno 8
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)

```



```

    )
    :location 63
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 3
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 3
  :location 7
  }
  :resno 1
  :resname polycynname
  :ressortgroupref 0
  :resorigtbl 12018
  :resorigcol 3
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 19
  }
  :resno 2
  :resname tablename
  :ressortgroupref 0
  :resorigtbl 12018
  :resorigcol 2
  :resjunk false
  }
  )
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:      {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6.83
:join.plan.total_cost 28.396625
:join.plan.plan_rows 31
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR
  :varno -1
  :varattno 1
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname polycynname
  :ressortgroupref 0
  :resorigtbl 12018
  :resorigcol 3
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno -2
  :varattno 1

```

```

:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 1.0625
:join.plan.total_cost 21.902875
:join.plan.plan_rows 111
:join.plan.plan_width 68
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.44
:scan.plan.plan_rows 444
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3

```



```

:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}

```

```

    }
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
  }
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
  }
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
  }
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
  }
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
  }
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
}
}

```

```

        :varattnosyn 33
        :location -1
    }
    :resno 33
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 1.05
:plan.total_cost 1.05
:plan.plan_rows 1
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.05
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual (
{OPEXPR
:opno 93

```

```
:opfuncid 62
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
    {VAR
        :varno 5
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningttype 0
        :varnosyn 5
        :varattnosyn 2
        :location -1
    }
    {CONST
        :constttype 19
        :consttypmod -1
        :constcollid 950
        :constlen 64
        :constbyval false
        :constisnull false
        :location 65
        :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
    }
)
:location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreloid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningttype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
    }
)
:skewTable 1259
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 607
        :opfuncid 184
        :opresultttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 3
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningttype 0
                :varnosyn 3
                :varattnosyn 3
                :location -1
            }
            {VAR
                :varno -1
                :varattno 1
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningttype 0
                :varnosyn 5
                :varattnosyn 1
                :location -1
            }
        )
        :location -1
    }
)
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
    {VAR
```



```

:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4.23
:plan.total_cost 4.23
:plan.plan_rows 123
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4.23
:scan.plan.plan_rows 123
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{VAR
:varno -1
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
}

```

```

WARNING: ===== REWRITE INPUT =====
DETAIL:  {QUERY
:commandType 1
:querySource 0
:canSetTag true

```

```

:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
}
)

```

```

:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
)
:override 0
:onConflict <>
:ReturningOldAlias <>
:ReturningNewAlias <>
:ReturningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>

```

```

:targetList (
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 7
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
              70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
          }
          {PARAM
            :paramkind 0
            :paramid 3
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 41
          }
          {PARAM
            :paramkind 0
            :paramid 4
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 55
          }
        )
      }
    :location 0
  }
  :resno 1
  :resname format
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {RESULT
  :plan.disabled_nodes 0
  :plan.startup_cost 0
  :plan.total_cost 0.0125
  :plan.plan_rows 1
  :plan.plan_width 32
  :plan.parallel_aware false
  :plan.parallel_safe false
  :plan.async_capable false
  :plan.plan_node_id 0
  :plan.targetlist (
    {TARGETENTRY
      :expr
        {FUNCEXP
          :funcid 3539
          :funcresulttype 25
          :funcresultset false
          :funcvariadic false
          :funcformat 0
          :funccollid 950
          :inputcollid 950
          :args (
            {CONST
              :consttype 25
              :consttypmod -1
              :constcollid 100
              :constlen -1
              :constbyval false
              :constisnull false
              :location 7
              :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
                70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
            }
            {PARAM
              :paramkind 0
              :paramid 3
              :paramtype 19
              :paramtypmod -1
              :paramcollid 950
              :location 41
            }
          )
        }
      }
    }
  )
}

```

```

        {PARAM
        :paramkind 0
        :paramid 4
        :paramtype 19
        :paramtypmod -1
        :paramcollid 950
        :location 55
        }
    )
    :location 0
}
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPSMT
:objects (("lineitem" "lineitem_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSMT
:objects (("lineitem" "lineitem_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 24.952 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.186 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
}
)
}

```

```

        :missing_ok false
        :recurse false
    }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.434 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}

```



```

    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.358 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false

```

```

:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.388 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false

```

```

:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.305 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
}

```

```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.288 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>

```

```

:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.292 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
}

```

```

:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.308 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
}

```

```

:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.286 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

```
}
```

Time: 0.281 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name customer_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("customer" "c_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("customer" "c_acctbal")
:location 161
}
:rexpr
{A_CONST
:val 0
:location 182
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 180
}
)
:location 157
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
```



```

        :all false
        :larg <>
        :rarg <>
    }
    :location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 191
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name customer_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("customer" "c_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("customer" "c_acctbal")
:location 161
}
:rexpr
{A_CONST
:val 0
:location 182
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 180
}
)
:location 157
}

```

```

        :groupClause <>
        :groupDistinct false
        :havingClause <>
        :windowClause <>
        :valuesLists <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 191
}

```

Time: 0.633 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR

```

```

        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.283 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt

```

```

{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.305 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}
```

Time: 0.269 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
```

```

    }
  }
  :jumble_args false
  :is_local false
  :location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.160 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {EXPLAINSTMT
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("c_count")
:location 47
}
:location 47
}
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("c_orderdate")
:location 56
}
:location 56
}
  {RESTARTGET
:name custdist
:indirection <>
:val
  {FUNCCALL
:funcname ("count")
:args <>
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star true
:agg_distinct false
:func_variadic false
:funcformat 0
:location 73
}
:location 73
}
)
:fromClause (
  {RANGESUBSELECT
:lateral false
:subquery
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("c_custkey")
:location 132
}

```

```

:location 132
}
{RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
   :fields ("o_orderdate")
   :location 143
  }
:location 143
}
{RESTARTGET
:name <>
:indirection <>
:val
  {FUNCCALL
   :funcname ("count")
   :args (
     {COLUMNREF
      :fields ("o_orderkey")
      :location 174
     }
   )
   :agg_order <>
   :agg_filter <>
   :over <>
   :agg_within_group false
   :agg_star false
   :agg_distinct false
   :func_variadic false
   :funcformat 0
   :location 168
  }
:location 168
}
)
:fromClause (
  {JOINEXPR
   :jointype 1
   :isNatural false
   :larg
     {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname customer
      :inh true
      :relpersistance p
      :alias <>
      :location 211
     }
   :rarg
     {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname orders
      :inh true
      :relpersistance p
      :alias <>
      :location 236
     }
   :usingClause <>
   :join_using_alias <>
   :quals
     {BOOLEXP
      :boolop and
      :args (
        {A_EXPR
         :name ("=")
         :lexpr
           {COLUMNREF
            :fields ("c_custkey")
            :location 262
           }
        :rexpr
          {COLUMNREF
           :fields ("o_custkey")
           :location 274
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 272
      }
     {A_EXPR LIKE
      :name ("!~")
      :lexpr
        {COLUMNREF
         :fields ("o_comment")
         :location 304
        }
      :rexpr
        {A_CONST
         :val "%special%requests%"
         :location 323
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 314
      }
     )
     :location 300
   }
:alias <>
:rtindex 0
}
)
:whereClause <>
:groupClause (
  {COLUMNREF
   :fields ("c_custkey")
   :location 373
  }
  {COLUMNREF
   :fields ("o_orderdate")
   :location 384
  }

```

```

    }
  )
  :groupDistinct false
  :havingClause <>
  :windowClause <>
  :valuesLists <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :lockingClause <>
  :withClause <>
  :op 0
  :all false
  :larg <>
  :rarg <>
}
:alias
{ALIAS
:aliasname c_orders
:colnames ("c_custkey" "c_count" "c_orderdate")}
}
)
:whereClause <>
:groupClause (
{COLUMNREF
:fields ("c_count")
:location 461
}
{COLUMNREF
:fields ("c_orderdate")
:location 470
}
)
:groupDistinct false
:havingClause <>
:windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("custdist")
:location 495
}
:sortby_dir 2
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("c_count")
:location 514
}
:sortby_dir 2
:sortby_nulls 0
:useOp <>
:location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
)
:stmt_location 0
:stmt_len 526
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
}
}
}

```



```

:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname c_orders
      :colnames ("c_custkey" "c_count" "c_orderdate")
    }
    :eref
    {ALIAS
      :aliasname c_orders
      :colnames ("c_custkey" "c_count" "c_orderdate")
    }
  }
  :rtekind 1
  :subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE true
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
          :aliasname customer
          :colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
            "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
        }
      }
      :rtekind 0
      :relid 16546
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
    {RANGETBENTRY
      :alias <>
      :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
          talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
            ippriority" "o_comment")
      }
    }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname unnamed_join
      :colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
        "c_phone" "c_acctbal" "c_mktsegment" "c_comment" "o_orde
          rkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_order
            date" "o_orderpriority" "o_clerk" "o_shippriority" "o_com
              ment")
    }
  }
  :rtekind 2
  :jointype 1
  :joinmergedcols 0
  :joinaliasvars (
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    {VAR
      :varno 1
      :varattno 2

```

```

:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR

```

```

:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "o_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 132
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 143
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 262
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 274
}
)
:location 272
}
{OPEXP
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 9
        :location 304
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 323
    :constvalue 22 [ 88 0 0 0 37 115 112 101 99 105
    97 108 37 114 101 113 117 101 115 116 115 37 ]
    }
    )
    :location 314
    }
    )
    :location 300
    }
    :alias <>
    :rtindex 3
    }
    )
    :quals <>
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 1
    :resorigtbl 16546
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname o_orderdate
    :ressortgroupref 2
    :resorigtbl 16561
    :resorigcol 5
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2147
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 23)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b 3)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 174
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
        }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>

```

```

        :aggstar false
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 168
    }
    :resno 3
    :resname count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 1093
        :sortop 1095
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
    {ALIAS
        :aliasname *GROUP*
        :colnames ("c_count" "c_orderdate")
    }
:rtekind 9
:groupexprs (
    {VAR
        :varno 1
        :varattno 2
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 47
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 20
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 56
    }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
    {FROMEXPR
        :fromlist (
            {RANGETBLREF
                :rtindex 1
            }
        )
    }
}

```

```

    )
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 1082
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname c_count
    :ressortgroupref 2
    :resorigtbl 16561
    :resorigcol 5
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 20
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname c_orderdate
    :ressortgroupref 3
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2803
      :aggtype 20
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes <>
      :aggdirectargs <>
      :args <>
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar true
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggssplit 0
      :aggno -1
      :aggtransno -1
      :location 73
    }
    :resno 3
    :resname custdist
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1097
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 410
    :sortop 412
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410

```

```

:sortop 413
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1093
:sortop 1097
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 526
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c_orders

```



```

:colnames ("c_custkey" "c_count" "c_orderdate")
}
:eref
{ALIAS
:aliasname c_orders
:colnames ("c_custkey" "c_count" "c_orderdate")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment" "o_orderkey" "o_cus
tkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderprio
rity" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "o_orderdate")
}
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 132
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 143
}
}

```

```

    )
    :lateral false
    :inFromCl false
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16546
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16561
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 12 16)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {JOINEXPR
    :jointype 1
    :isNatural false
    :larg
    {RANGETBLREF
    :rtindex 1
    }
    :rarg
    {RANGETBLREF
    :rtindex 2
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {BOOLEXP
    :boolop and
    :args (
      {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 262
        }
        {VAR
        :varno 2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 274
        }
      )
    }
    :location 272
  )
  {OPEXP
  :opno 1210
  :opfuncid 851
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 2
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 9
    :location 304
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 323
    :constvalue 22 [ 88 0 0 0 37 115 112 101 99 105 97 108
    37 114 101 113 117 101 115 116 115 37 ]
    }
  )
}

```

```

        )
        :location 314
    }
    )
    :location 300
    }
    :alias <>
    :rtindex 3
    }
    )
    :quals <>
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname c_custkey
:ressortgroupref 1
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 174
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 168
}
:resno 3
:resname count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
)

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1095
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reldid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname *GROUP*
    :colnames ("c_count" "c_orderdate")
  }
:rtekind 9
:groupexprs (
  {VAR
    :varno 1
    :varattno 2
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 47
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 20
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 56
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 1
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname c_count
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname c_orderdate
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 73
}
:resno 3
:resname custdist
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 1093
:sortop 1097
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 410
:sortop 412
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 410
:sortop 413
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 1093
:sortop 1097
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>

```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16546
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
)
)
)

```



```

:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname c_orders
      :colnames ("c_custkey" "c_count" "c_orderdate")
    }
  }
:eref
  {ALIAS
    :aliasname c_orders
    :colnames ("c_custkey" "c_count" "c_orderdate")
  }
:rtekind 1
:subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity true
    :hasGroupRTE true
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname customer
            :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
          }
        :rtekind 0
        :relid 16546
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals (
          {SUBLINK
            :subLinkType 0
            :subLinkId 0
            :testexpr <>
            :operName <>
          }
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBENTRY
                :alias
                {ALIAS
                  :aliasname n
                  :colnames <>
                }
              }
            :eref
              {ALIAS
                :aliasname n
                :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
              }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    )
  }
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8)
    :insertedCols (b)
  }
)

```

```

        :updatedCols (b)
    }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 1
            :varattno 4
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location -1
          }
        )
      }
    :location -1
  }
  {OPEXP
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
      }
      {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
          }
        )
      }
    :location -1
  }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
    }
  }
)

```

```

        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment" "o_orderkey" "o_cus
tkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderprio
rity" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 1082

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "o_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 132
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 143
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2

```

```

:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 262
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 274
}
)
:location 272
}
{OPEXP
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location 304
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 323
:constvalue 22 [ 88 0 0 0 37 115 112 101 99 105 97 108
37 114 101 113 117 101 115 116 115 37 ]
}
)
:location 314
}
)
:location 300
}
:alias <>
:rtindex 3
}
)
:quals <>

```

```

    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 1
    :resorigtbl 16546
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 2
      :vartype 1082
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname o_orderdate
    :ressortgroupref 2
    :resorigtbl 16561
    :resorigcol 5
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2147
      :aggtype 20
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 23)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b 3)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 1
            :location 174
          }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar false
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggssplit 0
      :aggno -1
      :aggtransno -1
      :location 168
    }
    :resno 3
    :resname count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tileSortGroupRef 1
    :eqop 96
    :sortop 97
    :reverse_sort false
  }
)

```



```

:nullable_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1093
:sortop 1095
:reverse_sort false
:nullable_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_count" "c_orderdate")
}
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 56
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname c_count
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}

```

```

{TARGETENTRY
:expr
  {VAR
    :varno 2
    :varattno 2
    :vartype 20
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
  }
:resno 2
:resname c_orderdate
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 73
  }
:resno 3
:resname custdist
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1097
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 410
    :sortop 412
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1097
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====
DETAIL: {QUERY
:commandType 1

```

:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c_orders
        :colnames ("c_custkey" "c_count" "c_orderdate")}
      }
    :eref
      {ALIAS
        :aliasname c_orders
        :colnames ("c_custkey" "c_count" "c_orderdate")}
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs true
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity true
        :hasGroupRTE true
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname customer
                :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
                  one" "c_acctbal" "c_mktsegment" "c_comment")}
              }
            :rtekind 0
            :relid 16546
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals (
              {SUBLINK
                :subLinkType 0
                :subLinkId 0
                :testexpr <>
                :operName <>
                :subselect
                  {QUERY
                    :commandType 1
                    :querySource 0
                    :canSetTag true
                    :utilityStmt <>
                    :resultRelation 0
                    :hasAggs false
                    :hasWindowFuncs false
                    :hasTargetSRFs false
                    :hasSubLinks false
                    :hasDistinctOn false
                    :hasRecursive false
                    :hasModifyingCTE false
                    :hasForUpdate false
                    :hasRowSecurity false
                    :hasGroupRTE false
                    :isReturn false
                    :cteList <>
                    :rtable (
                      {RANGETBENTRY
                        :alias
                          {ALIAS
                            :aliasname n
                            :colnames <>}
                          }
                        :eref
                          {ALIAS
                            :aliasname n
                            :colnames ("n_nationkey" "n_name" "n_regionkey" "n_com
                              ment")}
                          }
                        :rtekind 0
                        :relid 16536
                        :inh true
                        :relkind r
                        :rellockmode 1
                        :perminfoindex 1
                        :tablesample <>
                        :lateral false
                        :inFromCl true
                        :securityQuals <>
                      }
                    }
                  }
                }
              )
            }
          }
        }
      }
    }
  )

```

```

)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
    }
  )
  :location -1
  }
  {OPEXP
  :opno 674
  :opfuncid 297
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  )
  :location -1
  }
  :location -1
  }
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList (
    {TARGETENTRY

```

```

:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment" "o_orderkey" "o_cus
tkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderprio
rity" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "o_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 132
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 143
}
}
:lateral false

```

```

        :inFromCl false
        :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 12 16)
    :insertedCols (b)
    :updatedCols (b)
    }
)
:jointree
{FROMEXPR
:fromlist (
    {JOINEXPR
    :jointype 1
    :isNatural false
    :larg
    {RANGETBLREF
    :rtindex 1
    }
    :rarg
    {RANGETBLREF
    :rtindex 2
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 262
    }
    {VAR
    :varno 2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 274
    }
    )
    :location 272
    }
    {OPEXP
    :opno 1210
    :opfuncid 851
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 2
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 9
    :location 304
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 323
    :constvalue 22 [ 88 0 0 0 37 115 112 101 99 105 97 108
    37 114 101 113 117 101 115 116 115 37 ]
    }
    )
    :location 314
}

```



```

        }
    )
    :location 300
}
:alias <>
:rtindex 3
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname c_custkey
:ressortgroupref 1
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 174
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 168
}
:resno 3
:resname count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>

```

```

: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause (
  {SORTGROUPCLAUSE
    : tleSortGroupRef 1
    : eqop 96
    : sortop 97
    : reverse_sort false
    : nulls_first false
    : hashable true
  }
  {SORTGROUPCLAUSE
    : tleSortGroupRef 2
    : eqop 1093
    : sortop 1095
    : reverse_sort false
    : nulls_first false
    : hashable true
  }
)
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 0
}
: security_barrier false
: relid 0
: inh false
: relkind <>
: rellockmode 0
: perminfoindex 0
: lateral false
: inFromCl true
: securityQuals <>
}
{RANGETBENTRY
: alias <>
: eref
  {ALIAS
    : aliasname *GROUP*
    : colnames ("c_count" "c_orderdate")
  }
: rtekind 9
: groupexprs (
  {VAR
    : varno 1
    : varattno 2
    : vartype 1082
    : vartypmod -1
    : varcollid 0
    : varnullingrels (b)
    : varlevelsup 0
    : varreturningtype 0
    : varnosyn 1
    : varattnosyn 2
    : location 47
  }
  {VAR
    : varno 1
    : varattno 3
    : vartype 20
    : vartypmod -1
    : varcollid 0
    : varnullingrels (b)
    : varlevelsup 0
    : varreturningtype 0
    : varnosyn 1
    : varattnosyn 3
    : location 56
  }
)
: lateral false
: inFromCl false
: securityQuals <>
}
)
: rteperminfos <>
: jointree
  {FROMEXPR
    : fromlist (
      {RANGETBLREF
        : rtindex 1
      }
    )
    : quals <>
  }
}
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList (
  {TARGETENTRY
    : expr
      {VAR
        : varno 2
        : varattno 1
        : vartype 1082
        : vartypmod -1
        : varcollid 0
        : varnullingrels (b)
        : varlevelsup 0
        : varreturningtype 0
        : varnosyn 2
        : varattnosyn 1

```

```

        :location -1
    }
    :resno 1
    :resname c_count
    :ressortgroupref 2
    :resorigtbl 16561
    :resorigcol 5
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname c_orderdate
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 73
}
:resno 3
:resname custdist
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1093
:sortop 1097
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 410
:sortop 412
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 410
:sortop 413
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1093
:sortop 1097
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>

```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {SORT
:plan.disabled_nodes 0
:plan.startup_cost 898545.2862259097
:plan.total_cost 898645.2862259097
:plan.plan_rows 40000
:plan.plan_width 20
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname c_count
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 2
:resname c_orderdate
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname custdist
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 895087.7437499998
:plan.total_cost 895487.7437499998
:plan.plan_rows 40000
:plan.plan_width 20
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname c_count
:ressortgroupref 2

```

```

:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 3
    :vartype 20
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
  }
:resno 2
:resname c_orderdate
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 20
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno 0
    :aggtransno 0
    :location 73
  }
:resno 3
:resname custdist
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 867703.1737499998
:plan.total_cost 882227.9037499998
:plan.plan_rows 734848
:plan.plan_width 16
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgrouppref 2
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
}
}

```

```

{TARGETENTRY
:expr
  {AGGREF
  :aggfnoid 2147
  :aggtype 20
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 20
  :aggargtypes (o 23)
  :aggdirectargs <>
  :args (
    {TARGETENTRY
    :expr
      {VAR
      :varno -2
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b 3)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location 174
      }
      :resno 1
      :resname <>
      :ressortgrouppref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
      }
    )
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar false
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggssplit 0
  :aggno 0
  :aggtransno 0
  :location 168
  }
:resno 3
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 761171.9999999999
:join.plan.total_cost 818789.8537499999
:join.plan.plan_rows 734848
:join.plan.plan_width 12
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.async_node_id 4
:join.plan.targetlist (
  {TARGETENTRY
  :expr
    {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
  {TARGETENTRY
  :expr
    {VAR
    :varno -2
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 3)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 5
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 2
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
  {TARGETENTRY
  :expr
    {VAR

```

```

:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 174
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 44758
:scan.plan.plan_rows 1469697
:scan.plan.plan_width 12
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:resno 4

```

```

:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```



```

    }
)
:scan.plan.qual (
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location 304
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 323
:constvalue 22 [ 88 0 0 0 37 115 112 101 99 105 97 108 37
114 101 113 117 101 115 116 115 37 ]
}
)
:location 314
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 760234.4999999999
:plan.total_cost 760234.4999999999
:plan.plan_rows 75000
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 760234.4999999999
:scan.plan.plan_rows 75000
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 7
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)

```

```

    }
)
:scan.plan.qual (
{SUBPLAN
:subLinkType 0
:testexpr <>
:paramIds <>
:plan_id 1
:plan_name SubPlan\ 1
:firstColType 2278
:firstColTypmod -1
:firstColCollation 0
:useHashTable false
:unknownEqFalse true
:parallel_safe false
:setParam <>
:parParam (i 0 1)
:args (
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
)
:startup_cost 0
:per_call_cost 5.0337499999999995
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 262
}
)
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 3
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 274
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 262
}
)
:location 272
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:varatype 23
:varattpmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 274
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 2
:aggssplit 0
:numCols 2
:grpColIdx ( 1 2)
:grpOperators ( 96 1093)
:grpCollations ( 0 0)
:numGroups 734848
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 2
:aggssplit 0
:numCols 2
:grpColIdx ( 2 3)
:grpOperators ( 1093 410)
:grpCollations ( 0 0)
:numGroups 40000
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 2
:sortColIdx ( 3 1)
:sortOperators ( 413 1097)
:collations ( 0 0)
:nullsFirst ( true true)
}

```

QUERY PLAN

```

-----
Sort (cost=898545.29..898645.29 rows=40000 width=20) (actual time=2313.122..2313.286 rows=4433.00 loops=1)
  Output: orders.o_orderdate, (count(orders.o_orderkey)), (count(*))
  Sort Key: (count(*)) DESC, orders.o_orderdate DESC
  Sort Method: quicksort  Memory: 366kB
  Buffers: shared hit=143412 read=22582, temp read=5048 written=10632
-> HashAggregate (cost=895087.74..895487.74 rows=40000 width=20) (actual time=2310.644..2311.262 rows=4433.00 loops=1)
  Output: orders.o_orderdate, (count(orders.o_orderkey)), count(*)
  Group Key: orders.o_orderdate, count(orders.o_orderkey)
  Batches: 1  Memory Usage: 1561kB
  Buffers: shared hit=143406 read=22582, temp read=5048 written=10632
-> HashAggregate (cost=867703.17..882227.90 rows=734848 width=16) (actual time=1644.095..2115.823 rows=1388990.00 loops=1)
  Output: customer.c_custkey, orders.o_orderdate, count(orders.o_orderkey)
  Group Key: customer.c_custkey, orders.o_orderdate
  Planned Partitions: 16  Batches: 17  Memory Usage: 8345kB  Disk Usage: 47632kB
  Buffers: shared hit=143406 read=22582, temp read=5048 written=10632
-> Hash Right Join (cost=761172.00..818789.85 rows=734848 width=12) (actual time=307.368..1217.173 rows=1393375.00 loops=1)
  Output: customer.c_custkey, orders.o_orderdate, orders.o_orderkey
  Hash Cond: (orders.o_custkey = customer.c_custkey)
  Buffers: shared hit=143406 read=22582
-> Seq Scan on public.orders (cost=0.00..44758.00 rows=1469697 width=12) (actual time=1.301..478.393 rows=1483918.00 loops=1)
  Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orders.o_orderpriority
, orders.o_clerk, orders.o_shippriority, orders.o_comment
  Filter: (orders.o_comment !~~ '%special%requests%':text)
  Rows Removed by Filter: 16082
  Buffers: shared hit=3426 read=22582
-> Hash (cost=760234.50..760234.50 rows=75000 width=4) (actual time=305.885..305.886 rows=136308.00 loops=1)
  Output: customer.c_custkey
  Buckets: 262144 (originally 131072)  Batches: 1 (originally 1)  Memory Usage: 6841kB
  Buffers: shared hit=139980
-> Seq Scan on public.customer (cost=0.00..760234.50 rows=75000 width=4) (actual time=0.057..286.805 rows=136308.00 loops=1)
  Output: customer.c_custkey
  Filter: EXISTS(SubPlan 1)
  Rows Removed by Filter: 13692
  Buffers: shared hit=139980
  SubPlan 1
    -> Result (cost=0.00..20.13 rows=4 width=0) (actual time=0.002..0.002 rows=0.91 loops=150000)
      One-Time Filter: (customer.c_acctbal > '0':double precision)
      Buffers: shared hit=136308
    -> Seq Scan on public.nation n (cost=0.00..20.13 rows=4 width=0) (actual time=0.001..0.001 rows=1.00 loops=136308)
      Output: n.n_nationkey, n.n_name, n.n_regionkey, n.n_comment

```

Filter: (n.n_nationkey = customer.c_nationkey)
Rows Removed by Filter: 12
Buffers: shared hit=136308

Planning:
Buffers: shared hit=42 read=4
Planning Time: 3.728 ms
Execution Time: 2346.670 ms
(46 rows)

Time: 2356.211 ms (00:02.356)

tpch> -- Step 1: Reset role and disable RLS

RESET ROLE;

ALTER TABLE customer DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any

DROP VIEW IF EXISTS customer_secure;

-- Step 3: Create view with same filter logic as RLS policy

CREATE VIEW customer_secure AS

SELECT c.*

FROM customer c

WHERE EXISTS (

SELECT 1 FROM nation n

WHERE n.n_nationkey = c.c_nationkey

AND c.c_acctbal > 0

);

-- Step 4: Grant permissions and set role

GRANT SELECT ON customer_secure TO alice;

GRANT SELECT ON orders TO alice;

GRANT SELECT ON nation TO alice;

SET ROLE alice;

-- Step 5: Run Q13

EXPLAIN (ANALYZE, VERBOSE, BUFFERS)

select

c_count, c_orderdate,

count(*) as custdist

from

(

select

c.c_custkey, o_orderdate,

count(o_orderkey)

from

customer_secure c left outer join orders on

c.c_custkey = o_custkey

and o_comment not like '%special%requests%'

group by

c.c_custkey, o_orderdate

) as c_orders (c_custkey, c_count, c_orderdate)

group by

c_count, c_orderdate

order by

custdist desc,

c_count desc;

WARNING: ===== RAW PARSE TREE =====:

DETAIL: {RAWSTMT

:stmt

{VARIABLESETSTMT

:kind 4

:name role

:args <>

:jumble_args false

:is_local false

:location -1

}

:stmt_location 0

:stmt_len 10

}

WARNING: ===== ANALYZED QUERY =====:

DETAIL: {QUERY

:commandType 6

:querySource 0

:canSetTag true

:utilityStmt

{VARIABLESETSTMT

:kind 4

:name role

:args <>

:jumble_args false

:is_local false

:location -1

}

:resultRelation 0

:hasAggs false

:hasWindowFuncs false

:hasTargetSRFs false

:hasSubLinks false

:hasDistinctOn false

:hasRecursive false

:hasModifyingCTE false

:hasForUpdate false

:hasRowSecurity false

:hasGroupRTE false

:isReturn false

:cteList <>

:rtable <>

:rteperminfos <>

:jointree <>

:mergeActionList <>

:mergeTargetRelation 0

:mergeJoinCondition <>

:targetList <>

:override 0

:onConflict <>

:returningOldAlias <>

:returningNewAlias <>

:returningList <>

:groupClause <>

:groupDistinct false

:groupingSets <>

:havingQual <>

:windowClause <>

:distinctClause <>

```

:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 1.767 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>

```

```
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

Time: 2.466 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("customer_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("customer_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}
```

Time: 3.716 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RETARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c"
{A_STAR
}
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
```

```

:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 110
}
:rexpr
{COLUMNREF
:fields ("c" "c_nationkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("c" "c_acctbal")
:location 148
}
:rexpr
{A_CONST
:val 0
:location 162
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 160
}
)
:location 144
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0

```

```

:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 165
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 110
}
}
)
}
}
}

```



```

        :rexpr
        {COLUMNREF
        :fields ("c" "c_nationkey")
        :location 126
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 124
        }
        {A_EXPR
        :name (">")
        :lexpr
        {COLUMNREF
        :fields ("c" "c_acctbal")
        :location 148
        }
        :rexpr
        {A_CONST
        :val 0
        :location 162
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 160
        }
    )
    :location 144
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 64
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 165
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
          c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname n
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname n
                :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
              }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16536
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  }

```

```

)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location 110
        }
        {VAR
          :varno 1
          :varattno 4
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 1
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 4
          :location 126
        }
      )
    }
    :location 124
  )
  {OPEXP
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 148
      }
      {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 162
            :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
          }
        )
      }
    )
    :location -1
  )
  :location 160
)
:location 144
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 84
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
  }
)

```

```

        :resno 1
        :resname ?column?
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 38
    }
    :resno 1
    :resname c_custkey
    :ressortgrouppref 0
    :resorigtbl 16546
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 38
    }
    :resno 2
    :resname c_name
    :ressortgrouppref 0
    :resorigtbl 16546
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 38
    }
    :resno 3
    :resname c_address
    :ressortgrouppref 0
    :resorigtbl 16546
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1

```

```

        :varattnosyn 4
        :location 38
    }
:resno 4
:resname c_nationkey
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname c_phone
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname c_acctbal
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname c_mktsegment
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 38
}
:resno 8
:resname c_comment
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>

```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 165
}

Time: 3.803 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname customer_secure
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 35
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 40
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname customer_secure
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 35
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>

```

```

:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.487 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
  :stmt_location 0
  :stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
}

```

```

:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.369 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
}

```



```

:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.306 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.203 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT

```

```

:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
    :name <>
    :indirection <>
    :val
      {COLUMNREF
        :fields ("c_count")
        :location 47
      }
    :location 47
  }
  {RESTARTGET
    :name <>
    :indirection <>
    :val
      {COLUMNREF
        :fields ("c_orderdate")
        :location 56
      }
    :location 56
  }
  {RESTARTGET
    :name custdist
    :indirection <>
    :val
      {FUNCCALL
        :funcname ("count")
        :args <>
        :agg_order <>
        :agg_filter <>
        :over <>
        :agg_within_group false
        :agg_star true
        :agg_distinct false
        :func_variadic false
        :funcformat 0
        :location 73
      }
    :location 73
  }
)
:fromClause (
  {RANGESUBSELECT
    :lateral false
    :subquery
      {SELECTTMT
        :distinctClause <>
        :intoClause <>
        :targetList (
          {RESTARTGET
            :name <>
            :indirection <>
            :val
              {COLUMNREF
                :fields ("c" "c_custkey")
                :location 132
              }
            :location 132
          }
          {RESTARTGET
            :name <>
            :indirection <>
            :val
              {COLUMNREF
                :fields ("o_orderdate")
                :location 145
              }
            :location 145
          }
          {RESTARTGET
            :name <>
            :indirection <>
            :val
              {FUNCCALL
                :funcname ("count")
                :args (
                  {COLUMNREF
                    :fields ("o_orderkey")
                    :location 176
                  }
                )
                :agg_order <>
                :agg_filter <>
                :over <>
                :agg_within_group false
                :agg_star false
                :agg_distinct false
                :func_variadic false
                :funcformat 0
                :location 170
              }
            :location 170
          }
        )
      }
  )
  :fromClause (
    {JOINEXPR
      :jointype 1
      :isNatural false
      :larg
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname customer_secure
          :inh true
          :relpersistence p
          :alias
            {ALIAS
              :aliasname c
              :colnames <>
            }
          :location 213
        }
      :rarg

```

```

        {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 247
        }
:usingClause <>
:join_using_alias <>
:quals
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 273
}
:rexpr
{COLUMNREF
:fields ("o_custkey")
:location 287
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 285
}
{A_EXPR LIKE
:name ("!~")
:lexpr
{COLUMNREF
:fields ("o_comment")
:location 317
}
:rexpr
{A_CONST
:val "%special%requests%"
:location 336
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 327
}
)
:location 313
}
:alias <>
:rtindex 0
}
)
:whereClause <>
:groupClause (
{COLUMNREF
:fields ("c" "c_custkey")
:location 386
}
{COLUMNREF
:fields ("o_orderdate")
:location 399
}
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:alias
{ALIAS
:aliasname c_orders
:colnames ("c_custkey" "c_count" "c_orderdate")
}
}
)
:whereClause <>
:groupClause (
{COLUMNREF
:fields ("c_count")
:location 476
}
{COLUMNREF
:fields ("c_orderdate")
:location 485
}
)
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("custdist")
:location 510
}
:sortby_dir 2
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY

```

```

:node
  {COLUMNREF
  :fields ("c_count")
  :location 529
  }
:sortby_dir 2
:sortby_nulls 0
:useOp <>
:location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
  {DEFELEM
  :defnamespace <>
  :defname analyze
  :arg <>
  :defaction 0
  :location 9
  }
  {DEFELEM
  :defnamespace <>
  :defname verbose
  :arg <>
  :defaction 0
  :location 18
  }
  {DEFELEM
  :defnamespace <>
  :defname buffers
  :arg <>
  :defaction 0
  :location 27
  }
)
}
:stmt_location 0
:stmt_len 541
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {EXPLAINSTMT
:query
  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname c_orders
  :colnames ("c_custkey" "c_count" "c_orderdate")
  }
:eref
  {ALIAS
  :aliasname c_orders
  :colnames ("c_custkey" "c_count" "c_orderdate")
  }
:rtekind 1
:subquery
  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname c
  :colnames <>
  }
:eref

```

```

        {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
        "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
        }
:rtkind 0
:relid 16692
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
ippriority" "o_comment")
}
:rtkind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
"c_phone" "c_acctbal" "c_mktsegment" "c_comment" "o_orde
rkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_order
date" "o_orderpriority" "o_clerk" "o_shippriority" "o_com
ment")
}
:rtkind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}

```

```

}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "o_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 132
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 145
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16692
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR

```

```

:jointype 1
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{BOOLEXPR
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 273
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 287
}
)
:location 285
}
{OEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location 317
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 336
:constvalue 22 [ 88 0 0 0 37 115 112 101 99 105
97 108 37 114 101 113 117 101 115 116 115 37 ]
}
)
:location 327
}
)
:location 313
}
:alias <>
:rtindex 3
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1

```



```

    }
:resno 1
:resname c_custkey
:ressortgroupref 1
:resorigtbl 16692
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 4
    :varattno 2
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
  }
:resno 2
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2147
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 23)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {VAR
            :varno 2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b 3)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 1
            :location 176
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 170
  }
:resno 3
:resname count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1095
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>

```

```

:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:reld 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_count" "c_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 56
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname c_count
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname c_orderdate
:ressortgroupref 3
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 73
}
:resno 3
:resname custdist
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1093
:sortop 1097
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 410
:sortop 412
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 410
:sortop 413
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1093
:sortop 1097
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 541
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c_orders
:colnames ("c_custkey" "c_count" "c_orderdate")
}
:eref
{ALIAS
:aliasname c_orders
:colnames ("c_custkey" "c_count" "c_orderdate")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16692
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false

```

```

:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment" "o_orderkey" "o_cus
tkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderprio
rity" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}

```

```

{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7

```

```

:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "o_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 132
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 145
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16692
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{BOOLEXP

```

```

:boolop and
:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 273
      }
      {VAR
        :varno 2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 287
      }
    )
    :location 285
  }
  {OPEXPR
    :opno 1210
    :opfuncid 851
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 2
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 9
        :location 317
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 336
        :constvalue 22 [ 88 0 0 0 37 115 112 101 99 105 97 108
          37 114 101 113 117 101 115 116 115 37 ]
      }
    )
    :location 327
  }
)
:location 313
}
:alias <>
:rtindex 3
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location -1
    }
  }
  :resno 1
  :resname c_custkey
  :ressortgroupref 1
  :resorigtbl 16692
  :resorigcol 1
  :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 1082

```



```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 176
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 170
}
:resno 3
:resname count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1093
:sortop 1095
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0

```

```

:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_count" "c_orderdate")
}
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 56
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname c_count
:ressortgrouppref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname c_orderdate
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
}
}
}

```

```

:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 73
}
:resno 3
:resname custdist
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1097
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 410
    :sortop 412
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1097
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname c_orders
        :colnames ("c_custkey" "c_count" "c_orderdate")}
      }
    :eref
      {ALIAS
        :aliasname c_orders
        :colnames ("c_custkey" "c_count" "c_orderdate")}
      }
  }
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0

```

```

:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
      }
  }
:rtekind 1
:subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias
          {ALIAS
            :aliasname c
            :colnames <>
          }
        :eref
          {ALIAS
            :aliasname c
            :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
          }
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
      }
    }
  }

```

```

:ctelist <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname n
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_regionkey"
          "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals
    {BOOLEXP
      :boolop and
      :args (
        {OPEXP
          :opno 96
          :opfuncid 65
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 1
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 1
              :location -1
            }
            {VAR
              :varno 1
              :varattno 4
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 1
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 4
              :location -1
            }
          )
        }
      :location -1
    }
    {OPEXP
      :opno 674
      :opfuncid 297
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 6
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 1
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 6
          :location -1
        }
        {FUNCEXP
          :funcid 316
          :funcresulttype 701
          :funcset false
          :funcvariadic false
          :funcformat 2
          :funccollid 0
          :inputcollid 0
          :args (

```

```

        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname c_name
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 2

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname c_address
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname c_nationkey
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname c_phone
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname c_acctbal
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname c_mktsegment
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname c_comment
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:reldid 16692
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colNames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:reldid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colNames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment" "o_orderkey" "o_cus
tkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderprio
rity" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3

```



```

:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
{VAR

```

```

:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "o_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 132
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location 145
    }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16692
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 273
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 287
}
)
}
:location 285
}
{OPEXP
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location 317
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

        :constisnull false
        :location 336
        :constvalue 22 [ 88 0 0 0 37 115 112 101 99 105 97 108
        37 114 101 113 117 101 115 116 115 37 ]
    }
}
    )
    :location 327
}
    )
    :location 313
}
:alias <>
:rtindex 3
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname c_custkey
:ressortgroupref 1
:resorigtbl 16692
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 176
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 170
}
:resno 3
:resname count
:ressortgroupref 0

```

```

        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 1093
        :sortop 1095
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_count" "c_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 56
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1082

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname c_count
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname c_orderdate
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 73
}
:resno 3
:resname custdist
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 1093
:sortop 1097
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 410
:sortop 412
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 410
:sortop 413
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 1093
:sortop 1097
:reverse_sort true
:nulls_first true
:hashable true
}
)

```

```

)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname c_orders
        :colnames ("c_custkey" "c_count" "c_orderdate")}
      }
    :eref
      {ALIAS
        :aliasname c_orders
        :colnames ("c_custkey" "c_count" "c_orderdate")}
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs true
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE true
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>}
              }
            :eref
              {ALIAS
                :aliasname c
                :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")}
              }
            :rtekind 1
            :subquery
              {QUERY
                :commandType 1
                :querySource 0
                :canSetTag true
                :utilityStmt <>
                :resultRelation 0
                :hasAggs false
                :hasWindowFuncs false
                :hasTargetSRFs false
                :hasSubLinks true
                :hasDistinctOn false
                :hasRecursive false
                :hasModifyingCTE false
                :hasForUpdate false
                :hasRowSecurity false
                :hasGroupRTE false
                :isReturn false
                :cteList <>
                :rtable (
                  {RANGETBLENTY
                    :alias
                      {ALIAS
                        :aliasname c
                        :colnames <>}
                      }
                    :eref
                      {ALIAS
                        :aliasname c
                        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")}
                      }
                    :rtekind 0
                    :relid 16546
                    :inh true
                    :relkind r
                    :rellockmode 1

```

```

:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```



```

        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
    }
    )
    :location -1
    }
    {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }

```

```

        :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname c_custkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname c_name
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname c_address
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname c_nationkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname c_phone
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 5

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname c_mktsegment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname c_comment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16692
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1

```

```

:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment" "o_orderkey" "o_cus
tkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderprio
rity" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2

```

```

        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b 3)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 9
        :location -1
    }
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "o_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 132
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 145
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16692
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 273
    }
    {VAR
        :varno 2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 287
    }
)
:location 285
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 9
        :location 317
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 336
        :constvalue 22 [ 88 0 0 0 37 115 112 101 99 105 97 108
            37 114 101 113 117 101 115 116 115 37 ]
    }
)
:location 327
}
)
:location 313
}
:alias <>
:rtindex 3
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 1
            :location -1
        }
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 1
    :resorigtbl 16692
    :resorigcol 1
    :resjunk false
}
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 2
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 2
            :location -1
        }
    }
    :resno 2
    :resname o_orderdate
    :ressortgroupref 2
    :resorigtbl 16561
    :resorigcol 5
    :resjunk false
}
)
{TARGETENTRY

```

```

:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 176
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 170
}
:resno 3
:resname count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1093
:sortop 1095
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_count" "c_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2

```



```

:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 56
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname c_count
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname c_orderdate
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 73
}
}
:resno 3
:resname custdist
:ressortgroupref 1
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
   :tSortGroupRef 2
   :eqop 1093
   :sortop 1097
   :reverse_sort true
   :nulls_first true
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tSortGroupRef 3
   :eqop 410
   :sortop 412
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tSortGroupRef 1
   :eqop 410
   :sortop 413
   :reverse_sort true
   :nulls_first true
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tSortGroupRef 2
   :eqop 1093
   :sortop 1097
   :reverse_sort true
   :nulls_first true
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {SORT
:plan.disabled_nodes 0
:plan.startup_cost 137172.3831946599
:plan.total_cost 137272.3831946599
:plan.plan_rows 40000
:plan.plan_width 20
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 1
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
   }
  :resno 1
  :resname c_count
  :ressortgroupref 2
  :resorigtbl 16561
  :resorigcol 5
  :resjunk false
 }
 {TARGETENTRY
  :expr
  {VAR
   :varno -2
   :varattno 2
   :vartype 20
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 1
   :varattnosyn 3
   :location -1
  }
  :resno 2
  :resname c_orderdate
  :ressortgroupref 3
  :resorigtbl 0
  :resorigcol 0
 }
)
}

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname custdist
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 133714.84071875
:plan.total_cost 134114.84071875
:plan.plan_rows 40000
:plan.plan_width 20
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname c_count
:ressortgrouppref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname c_orderdate
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREG
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 73
}
:resno 3
:resname custdist
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>

```

```

:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 108863.513375
:plan.total_cost 122044.61571874999
:plan.plan_rows 666870
:plan.plan_width 16
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 176
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 170
}
:resno 3
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0

```

```

:join.plan.startup_cost 7536.91525
:join.plan.total_cost 64474.979
:join.plan.plan_rows 666870
:join.plan.plan_width 12
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgrouppref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b 3)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 5
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgrouppref 2
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b 3)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 176
      }
    :resno 3
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 44758
    :scan.plan.plan_rows 1469697
    :scan.plan.plan_width 12
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 5
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 4
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 1
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 4

```

```

:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 7
        :location -1
    }
    :resno 7
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location 317
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 336
:constvalue 22 [ 88 0 0 0 37 115 112 101 99 105 97 108 37
114 101 113 117 101 115 116 115 37 ]
}
)
:location 327
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 6686.14025
:plan.total_cost 6686.14025
:plan.plan_rows 68062
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
{TARGETENTRY

```

```

:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 24.625
:join.plan.total_cost 6686.14025
:join.plan.plan_rows 68062
:join.plan.plan_width 4
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 7
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 5547
:scan.plan.plan_rows 136124
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 8
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```



```

{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 8

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 8
        :location -1
    }
    :resno 8
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 7
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 22.125
:plan.total_cost 22.125
:plan.plan_rows 200
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 9
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 20.125
:plan.total_cost 22.125
:plan.plan_rows 200
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 10
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 18.1
    :scan.plan.plan_rows 810
    :scan.plan.plan_width 4
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 11
    :scan.plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno 8
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 8
                :varattnosyn 1
                :location -1
            }
        }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    )
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 8
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 2
:aggssplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 96)
:grpCollations ( 0)
:numGroups 200
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location -1
    }
)
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
    }
)

```

```

        :args (
            {VAR
            :varno -2
            :varattno 4
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 7
            :varattnosyn 4
            :location -1
            }
            {VAR
            :varno -1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 8
            :varattnosyn 1
            :location -1
            }
        )
        :location -1
    }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 4
    :location -1
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location -1
    }
)
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 3
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 287
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
        }
    )
    }
)

```

```

        :location 285
    }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 287
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 2
:aggssplit 0
:numCols 2
:grpColIdx ( 1 2)
:grpOperators ( 96 1093)
:grpCollations ( 0 0)
:numGroups 666870
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 2
:aggssplit 0
:numCols 2
:grpColIdx ( 2 3)
:grpOperators ( 1093 410)
:grpCollations ( 0 0)
:numGroups 40000
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 2
:sortColIdx ( 3 1)
:sortOperators ( 413 1097)
:collations ( 0 0)
:nullsFirst ( true true)
}

```

QUERY PLAN

```

Sort (cost=137172.38..137272.38 rows=40000 width=20) (actual time=2192.612..2192.779 rows=4433.00 loops=1)
  Output: orders.o_orderdate, (count(orders.o_orderkey)), (count(*))
  Sort Key: (count(*)) DESC, orders.o_orderdate DESC
  Sort Method: quicksort  Memory: 366kB
  Buffers: shared hit=7193 read=22488, temp read=7133 written=11517
-> HashAggregate (cost=133714.84..134114.84 rows=40000 width=20) (actual time=2190.264..2190.867 rows=4433.00 loops=1)
  Output: orders.o_orderdate, (count(orders.o_orderkey)), count(*)
  Group Key: orders.o_orderdate, count(orders.o_orderkey)
  Batches: 1  Memory Usage: 1561kB
  Buffers: shared hit=7193 read=22488, temp read=7133 written=11517
-> HashAggregate (cost=108863.51..122044.62 rows=666870 width=16) (actual time=1411.744..1994.676 rows=1388990.00 loops=1)
  Output: c.c_custkey, orders.o_orderdate, count(orders.o_orderkey)
  Group Key: c.c_custkey, orders.o_orderdate
  Planned Partitions: 8  Batches: 41  Memory Usage: 8281kB  Disk Usage: 40424kB
  Buffers: shared hit=7193 read=22488, temp read=7133 written=11517
-> Hash Right Join (cost=7536.92..64474.98 rows=666870 width=12) (actual time=67.179..1007.731 rows=1393375.00 loops=1)
  Output: c.c_custkey, orders.o_orderdate, orders.o_orderkey
  Hash Cond: (orders.o_custkey = c.c_custkey)
  Buffers: shared hit=7193 read=22488
-> Seq Scan on public.orders (cost=0.00..44758.00 rows=1469697 width=12) (actual time=0.955..481.732 rows=1483918.00 loops=1)
  Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orders.o_orderpriority
, orders.o_clerk, orders.o_shippriority, orders.o_comment
  Filter: (orders.o_comment !~~ '%special%requests%':text)
  Rows Removed by Filter: 16082
  Buffers: shared hit=3520 read=22488
-> Hash (cost=6686.14..6686.14 rows=68062 width=4) (actual time=66.020..66.021 rows=136308.00 loops=1)
  Output: c.c_custkey
  Buckets: 262144 (originally 131072)  Batches: 1 (originally 1)  Memory Usage: 6841kB
  Buffers: shared hit=3673
-> Hash Join (cost=24.62..6686.14 rows=68062 width=4) (actual time=0.088..45.243 rows=136308.00 loops=1)
  Output: c.c_custkey
  Inner Unique: true
  Hash Cond: (c.c_nationkey = n.n_nationkey)
  Buffers: shared hit=3673
-> Seq Scan on public.customer c (cost=0.00..5547.00 rows=136124 width=8) (actual time=0.018..27.601 rows=136308.00 loops=1)
  Output: c.c_custkey, c.c_name, c.c_address, c.c_nationkey, c.c_phone, c.c_acctbal, c.c_mktsegment, c.c_comment
  Filter: (c.c_acctbal > '0'::double precision)
  Rows Removed by Filter: 13692
  Buffers: shared hit=3672
-> Hash (cost=22.12..22.12 rows=200 width=4) (actual time=0.056..0.056 rows=25.00 loops=1)
  Output: n.n_nationkey
  Buckets: 1024  Batches: 1  Memory Usage: 9kB
  Buffers: shared hit=1
-> HashAggregate (cost=20.12..22.12 rows=200 width=4) (actual time=0.040..0.044 rows=25.00 loops=1)
  Output: n.n_nationkey
  Group Key: n.n_nationkey

```

```

Batches: 1 Memory Usage: 32kB
Buffers: shared hit=1
-> Seq Scan on public.nation n (cost=0.00..18.10 rows=810 width=4) (actual time=0.024..0.027 rows=25.00 loops=
1)
Output: n.n_nationkey
Buffers: shared hit=1

Planning:
Buffers: shared hit=15
Planning Time: 5.737 ms
Execution Time: 2203.812 ms
(54 rows)

Time: 2215.333 ms (00:02.215)
tpch=> reset role;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 2.383 ms
tpch=# 2203.812
tpch=# -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS customer_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW customer_secure AS
SELECT c.*
FROM customer c
WHERE EXISTS (
SELECT 1 FROM nation n
WHERE n.n_nationkey = c.c_nationkey
AND c.c_acctbal > 0
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON customer_secure TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

-- Step 5: Run Q13
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
c_count, c_orderdate,

```

```

count(*) as custdist
from
(
select
c.c_custkey, o_orderdate,
count(o_orderkey)
from
customer_secure c left outer join orders on
c.c_custkey = o_custkey
and o_comment not like '%special%requests%'
group by
c.c_custkey, o_orderdate
) as c_orders (c_custkey, c_count, c_orderdate)
group by
c_count, c_orderdate
order by
custdist desc,
c_count desc;
ERROR: syntax error at or near "2203.812"
LINE 1: 2203.812
^

```

Time: 2.309 ms
WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>

```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 2.352 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {DROPSTMT
:objects (("customer_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DROPSTMT
:objects (("customer_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

Time: 1.599 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {VIEWSTMT
:view
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("c"
  {A_STAR
}
}
}
}
}

```



```

    )
    :location 38
  }
}
:location 38
}
)
:fromClause (
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname customer
  :inh true
  :relpersistence p
  :alias
  {ALIAS
  :aliasname c
  :colnames <>
  }
  :location 47
  }
)
:whereClause
  {SUBLINK
  :subLinkType 0
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
  {SELECTTMT
  :distinctClause <>
  :intoClause <>
  :targetList (
    {RESTARGET
    :name <>
    :indirection <>
    :val
    {A_CONST
    :val 1
    :location 84
    }
    :location 84
    }
  )
  :fromClause (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname nation
    :inh true
    :relpersistence p
    :alias
    {ALIAS
    :aliasname n
    :colnames <>
    }
    :location 91
    }
  )
  :whereClause
  {BOOLEXP
  :boolop and
  :args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("n" "n_nationkey")
    :location 110
    }
    :rexpr
    {COLUMNREF
    :fields ("c" "c_nationkey")
    :location 126
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 124
    }
    {A_EXPR
    :name (">")
    :lexpr
    {COLUMNREF
    :fields ("c" "c_acctbal")
    :location 148
    }
    :rexpr
    {A_CONST
    :val 0
    :location 162
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 160
    }
  )
  :location 144
  }
  :groupClause <>
  :groupDistinct false
  :havingClause <>
  :windowClause <>
  :valuesLists <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :lockingClause <>
  :withClause <>
  :op 0
  :all false
  :larg <>
  :rarg <>
  }
}
:location 64
}

```

```

:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 165
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP

```

```

:boolop and
:args (
  {A_EXPR
    :name ("=")
    :lexpr
      {COLUMNREF
        :fields ("n" "n_nationkey")
        :location 110
      }
    :rexpr
      {COLUMNREF
        :fields ("c" "c_nationkey")
        :location 126
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 124
  }
  {A_EXPR
    :name (">")
    :lexpr
      {COLUMNREF
        :fields ("c" "c_acctbal")
        :location 148
      }
    :rexpr
      {A_CONST
        :val 0
        :location 162
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 160
  }
)
:location 144
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0

```

```

:stmt_len 165
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
          c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname n
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname n
                :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
              }
            :rtekind 0
            :relid 16536
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    :rteperminfos (

```

```

{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 110
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 126
}
)
:location 124
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 148
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 162
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 160
}
)
:location 144
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST

```

```

        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 84
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 38
}
:resno 1
:resname c_custkey
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 38
}
:resno 2
:resname c_name
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
:resno 3
:resname c_address
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname c_nationkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
}
:resno 5
:resname c_phone
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
}
:resno 6
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
}
:resno 7
:resname c_mktsegment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 38
}
}
:resno 8
:resname c_comment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false

```

```

:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 165
}

```

Time: 2.718 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targettype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname customer_secure
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 35
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 40
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targettype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname customer_secure
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 35
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
}

```



```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.869 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>

```

```

:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.358 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false

```

```

:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.353 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

```
}
```

Time: 0.240 ms

WARNING: ===== RAW PARSE TREE =====:

DETAIL: {RAWSTMT

:stmt

{EXPLAINSTMT

:query

{SELECTSTMT

:distinctClause <>

:intoClause <>

:targetList (

{RESTARTGET

:name <>

:indirection <>

:val

{COLUMNREF

:fields ("c_count")

:location 47

}

:location 47

}

{RESTARTGET

:name <>

:indirection <>

:val

{COLUMNREF

:fields ("c_orderdate")

:location 56

}

:location 56

}

{RESTARTGET

:name custdist

:indirection <>

:val

{FUNCCALL

:funcname ("count")

:args <>

:agg_order <>

:agg_filter <>

:over <>

:agg_within_group false

:agg_star true

:agg_distinct false

:func_variadic false

:funcformat 0

:location 73

}

:location 73

}

)

:fromClause (

{RANGESUBSELECT

:lateral false

:subquery

{SELECTSTMT

:distinctClause <>

:intoClause <>

:targetList (

{RESTARTGET

:name <>

:indirection <>

:val

{COLUMNREF

:fields ("c" "c_custkey")

:location 132

}

:location 132

}

{RESTARTGET

:name <>

:indirection <>

:val

{COLUMNREF

:fields ("o_orderdate")

:location 145

}

:location 145

}

{RESTARTGET

:name <>

:indirection <>

:val

{FUNCCALL

:funcname ("count")

:args (

{COLUMNREF

:fields ("o_orderkey")

:location 176

}

)

:agg_order <>

:agg_filter <>

:over <>

:agg_within_group false

:agg_star false

:agg_distinct false

:func_variadic false

:funcformat 0

:location 170

}

:location 170

}

)

:fromClause (

{JOINEXPR

:jointype 1

:isNatural false

:larg

{RANGEVAR

:catalogname <>

:schemaname <>

:relname customer_secure

:inh true

```

:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 213
}
:rarg
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 247
}
:usingClause <>
:join_using_alias <>
:quals
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 273
}
}
:rexpr
{COLUMNREF
:fields ("o_custkey")
:location 287
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 285
}
{A_EXPR LIKE
:name ("!~")
:lexpr
{COLUMNREF
:fields ("o_comment")
:location 317
}
}
:rexpr
{A_CONST
:val "%special%requests%"
:location 336
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 327
}
)
:location 313
}
:alias <>
:rtindex 0
}
)
:whereClause <>
:groupClause (
{COLUMNREF
:fields ("c" "c_custkey")
:location 386
}
{COLUMNREF
:fields ("o_orderdate")
:location 399
}
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:alias
{ALIAS
:aliasname c_orders
:colnames ("c_custkey" "c_count" "c_orderdate")
}
}
)
:whereClause <>
:groupClause (
{COLUMNREF
:fields ("c_count")
:location 476
}
{COLUMNREF
:fields ("c_orderdate")
:location 485
}
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF

```

```

        :fields ("custdist")
        :location 510
    }
    :sortby_dir 2
    :sortby_nulls 0
    :useOp <>
    :location -1
    }
    {SORTBY
    :node
    {COLUMNREF
    :fields ("c_count")
    :location 529
    }
    :sortby_dir 2
    :sortby_nulls 0
    :useOp <>
    :location -1
    }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 541
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c_orders
:colnames ("c_custkey" "c_count" "c_orderdate")
}
:eref
{ALIAS
:aliasname c_orders
:colnames ("c_custkey" "c_count" "c_orderdate")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false

```

```

:ctelList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
          "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16696
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_to
          talprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_sh
          ippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
          "c_phone" "c_acctbal" "c_mktsegment" "c_comment" "o_orde
          rkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_order
          date" "o_orderpriority" "o_clerk" "o_shippriority" "o_com
          ment")
      }
    :rtekind 2
    :jointype 1
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
      }
      {VAR
        :varno 1
        :varattno 5

```

```

:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR

```



```

:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "o_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 132
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 145
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16696
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
}
)

```

```

:selectedCols (b 8 9 12 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 273
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 287
}
)
:location 285
}
{OPEXP
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location 317
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 336
:constvalue 22 [ 88 0 0 0 37 115 112 101 99 105
97 108 37 114 101 113 117 101 115 116 115 37 ]
}
)
:location 327
}
)
:location 313
}
:alias <>
:rtindex 3
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname c_custkey
:ressortgroupref 1
:resorigtbl 16696
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 176
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 170
}
:resno 3
:resname count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tltSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 2
:eqop 1093
:sortop 1095
:reverse_sort false
:nulls_first false
:hashable true
}
)

```

```

    }
  )
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_count" "c_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 56
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname c_count
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
}
}

```

```

        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
    }
    :resno 2
    :resname c_orderdate
    :ressortgroupref 3
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 73
}
:resno 3
:resname custdist
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1093
:sortop 1097
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 410
:sortop 412
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 410
:sortop 413
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1093
:sortop 1097
:reverse_sort true
:nulls_first true
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:define analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:define verbose
:arg <>
:defaction 0
:location 18
}
)

```

```

{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 541
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c_orders
:colnames ("c_custkey" "c_count" "c_orderdate")}
}
:eref
{ALIAS
:aliasname c_orders
:colnames ("c_custkey" "c_count" "c_orderdate")}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>}
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")}
}
}
}

```

```

    }
:rtkind 0
:relid 16696
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtkind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment" "o_orderkey" "o_cus
tkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderprio
rity" "o_clerk" "o_shippriority" "o_comment")
}
:rtkind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2

```



```

:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "o_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 132
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 145
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16696
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{RANGETBLREF
:rtindex 1

```

```

    }
:rag
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 273
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 287
}
)
:location 285
}
{OEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location 317
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 336
:constvalue 22 [ 88 0 0 0 37 115 112 101 99 105 97 108
37 114 101 113 117 101 115 116 115 37 ]
}
)
:location 327
}
)
:location 313
}
:alias <>
:rtindex 3
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
}
:resno 1
:resname c_custkey
:ressortgroupref 1
:resorigtbl 16696

```

```

:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 176
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 170
}
:resno 3
:resname count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1093
:sortop 1095
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>

```

```

        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :security_barrier false
    :reld 0
    :inh false
    :relkind <>
    :rellockmode 0
    :perminfoindex 0
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname *GROUP*
    :colnames ("c_count" "c_orderdate")
    }
    :rtekind 9
    :groupexprs (
    {VAR
    :varno 1
    :varattno 2
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 47
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 20
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 56
    }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
    }
    )
    :rteperminfos <>
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    :quals <>
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname c_count
    :ressortgroupref 2
    :resorigtbl 16561
    :resorigcol 5
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 20
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname c_orderdate
    :ressortgroupref 3
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr

```

```

    {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 73
    }
:resno 3
:resname custdist
:resortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 2
  :eqop 1093
  :sortop 1097
  :reverse_sort true
  :nulls_first true
  :hashable true
  }
  {SORTGROUPCLAUSE
  :tleSortGroupRef 3
  :eqop 410
  :sortop 412
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 410
  :sortop 413
  :reverse_sort true
  :nulls_first true
  :hashable true
  }
  {SORTGROUPCLAUSE
  :tleSortGroupRef 2
  :eqop 1093
  :sortop 1097
  :reverse_sort true
  :nulls_first true
  :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
  :alias
  {ALIAS
  :aliasname c_orders
  :colnames ("c_custkey" "c_count" "c_orderdate")}
  }
)
:eref

```

```

{ALIAS
:aliasname c_orders
:colnames ("c_custkey" "c_count" "c_orderdate")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname n
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_regionkey"
          "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {BOOLEXP
        :boolop and
        :args (
          {OEXPR
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location -1
              }
              {VAR
                :varno 1
                :varattno 4
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 1
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 4
                :location -1
              }
            )
          }
        :location -1
      }
      {OEXPR
        :opno 674
        :opfuncid 297
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location -1
          }
        )
      }
    )
  }

```

```

        {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    :location -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    }
    }
    }

```



```

:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname c_name
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname c_address
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname c_nationkey
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname c_phone
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname c_acctbal
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7

```

```

:resname c_mktsegment
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname c_comment
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16696
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment" "o_orderkey" "o_cus
tkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderprio
rity" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "o_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 132

```

```

    }
    {VAR
    :varno 2
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 3)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 145
    }
  )
  :lateral false
  :inFromCl false
  :securityQuals <>
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16696
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 273
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 287
}
)
:location 285
}
{OPEXP
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

        :varattnosyn 9
        :location 317
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 336
    :constvalue 22 [ 88 0 0 0 37 115 112 101 99 105 97 108
    37 114 101 113 117 101 115 116 115 37 ]
    }
    )
    :location 327
}
)
:location 313
}
:alias <>
:rtindex 3
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname c_custkey
:ressortgroupref 1
:resorigtbl 16696
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 176
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false

```

```

        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 170
    }
    :resno 3
    :resname count
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1095
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_count" "c_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 3
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 56
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>

```

```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 1082
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname c_count
    :ressortgrouppref 2
    :resorigtbl 16561
    :resorigcol 5
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 20
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname c_orderdate
    :ressortgrouppref 3
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2803
      :aggtype 20
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes <>
      :aggdirectargs <>
      :args <>
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar true
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggssplit 0
      :aggno -1
      :aggtransno -1
      :location 73
    }
    :resno 3
    :resname custdist
    :ressortgrouppref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1097
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 410
    :sortop 412
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
)

```



```

    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1097
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
  )
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname c_orders
  :colnames ("c_custkey" "c_count" "c_orderdate")
  }
  :eref
  {ALIAS
  :aliasname c_orders
  :colnames ("c_custkey" "c_count" "c_orderdate")
  }
  :rtekind 1
  :subquery
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs true
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE true
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname c
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname c
    :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
    }
    :rtekind 1
    :subquery
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
      :alias
      {ALIAS
      :aliasname c
      :colnames <>
      }
      :eref
      {ALIAS

```

```

        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
        "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
    }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey"
"n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR

```

```

        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
}
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
}
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>

```

```

        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname c_custkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname c_name
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname c_address
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname c_nationkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 1
        :varattnosyn 5
        :location -1
    }
:resno 5
:resname c_phone
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname c_acctbal
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname c_mktsegment
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname c_comment
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16696
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders

```

```

:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment" "o_orderkey" "o_cus
tkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderprio
rity" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_custkey" "o_orderdate")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 132
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 145
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16696
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 12 16)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
}
)
}
}
}

```



```

:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 273
  }
  {VAR
    :varno 2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 287
  }
)
:location 285
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 9
    :location 317
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 336
    :constvalue 22 [ 88 0 0 0 37 115 112 101 99 105 97 108
      37 114 101 113 117 101 115 116 115 37 ]
  }
)
:location 327
}
)
:location 313
}
:alias <>
:rtindex 3
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname c_custkey
    :ressortgroupref 1
    :resorigtbl 16696
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 4
        :varattno 2
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
      }

```

```

    }
:resno 2
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 176
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 170
}
:resno 3
:resname count
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1093
:sortop 1095
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref

```

```

        {ALIAS
        :aliasname *GROUP*
        :colnames ("c_count" "c_orderdate")
        }
:rtekind 9
:groupexprs (
  {VAR
  :varno 1
  :varattno 2
  :vartype 1082
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 47
  }
  {VAR
  :varno 1
  :varattno 3
  :vartype 20
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 3
  :location 56
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 2
  :varattno 1
  :vartype 1082
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname c_count
  :ressortgroupref 2
  :resorigtbl 16561
  :resorigcol 5
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 2
  :varattno 2
  :vartype 20
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 2
  :location -1
  }
  :resno 2
  :resname c_orderdate
  :ressortgroupref 3
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {AGGREF
  :aggfnoid 2803
  :aggtype 20
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes <>
  :aggdirectargs <>
  :args <>
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar true
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0

```

```

:aggssplit 0
:aggno -1
:aggtransno -1
:location 73
}
:resno 3
:resname custdist
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1097
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 410
    :sortop 412
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1097
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {SORT
:plan.disabled_nodes 0
:plan.startup_cost 137172.3831946599
:plan.total_cost 137272.3831946599
:plan.plan_rows 40000
:plan.plan_width 20
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 1082
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
  }
:resno 1
:resname c_count
:ressortgrouppref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 2
    :vartype 20
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
  }
}

```

```

:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 2
:resname c_orderdate
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname custdist
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 133714.84071875
:plan.total_cost 134114.84071875
:plan.plan_rows 40000
:plan.plan_width 20
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname c_count
:ressortgrouppref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname c_orderdate
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 73
}
}

```

```

:resno 3
:resname custdist
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 108863.513375
:plan.total_cost 122044.61571874999
:plan.plan_rows 666870
:plan.plan_width 16
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 176
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 170
}
:resno 3
:resname <>
:ressortgrouppref 3

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 7536.91525
:join.plan.total_cost 64474.979
:join.plan.plan_rows 666870
:join.plan.plan_width 12
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 2
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b 3)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 176
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 44758
:scan.plan.plan_rows 1469697
:scan.plan.plan_width 12
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```



```

{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 4
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location 317
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 336
:constvalue 22 [ 88 0 0 0 37 115 112 101 99 105 97 108 37
114 101 113 117 101 115 116 115 37 ]
}
)
:location 327
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 6686.14025

```

```

:plan.total_cost 6686.14025
:plan.plan_rows 68062
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 7
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
  :join.plan.disabled_nodes 0
  :join.plan.startup_cost 24.625
  :join.plan.total_cost 6686.14025
  :join.plan.plan_rows 68062
  :join.plan.plan_width 4
  :join.plan.parallel_aware false
  :join.plan.parallel_safe true
  :join.plan.async_capable false
  :join.plan.plan_node_id 7
  :join.plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
      }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  )
  :join.plan.qual <>
  :join.plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 5547
    :scan.plan.plan_rows 136124
    :scan.plan.plan_width 8
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 8
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
        {VAR
          :varno 7
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 7
          :varattnosyn 1
          :location -1
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    {TARGETENTRY
      :expr
      {VAR
        :varno 7
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 2
      }
    }
  }
}

```

```

        :location -1
    }
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 8
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 7
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 22.125
:plan.total_cost 22.125
:plan.plan_rows 200
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 9
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 20.125
:plan.total_cost 22.125
:plan.plan_rows 200
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true

```

```

:plan.async_capable false
:plan.plan_node_id 10
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 8
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 18.1
    :scan.plan.plan_rows 810
    :scan.plan.plan_width 4
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 11
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
        {VAR
          :varno 8
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 8
          :varattnosyn 1
          :location -1
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 8
  }
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 2
:aggsplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 96)
:grpCollations ( 0)
:numGroups 200
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16546
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true

```

```

:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 4
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 8
        :varattnosyn 1
        :location -1
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 4
    :location -1
  }
)
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 3
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 287
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
)
:location 285
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 287
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 2
:aggssplit 0
:numCols 2
:grpColIdx ( 1 2)
:grpOperators ( 96 1093)
:grpCollations ( 0 0)
:numGroups 666870
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 2
:aggssplit 0
:numCols 2
:grpColIdx ( 2 3)
:grpOperators ( 1093 410)
:grpCollations ( 0 0)
:numGroups 40000
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 2
:sortColIdx ( 3 1)
:sortOperators ( 413 1097)
:collations ( 0 0)
:nullsFirst ( true true)
}

```

QUERY PLAN

```

-----
Sort (cost=137172.38..137272.38 rows=40000 width=20) (actual time=2172.740..2172.896 rows=4433.00 loops=1)
  Output: orders.o_orderdate, (count(orders.o_orderkey)), (count(*))
  Sort Key: (count(*)) DESC, orders.o_orderdate DESC
  Sort Method: quicksort  Memory: 366kB
  Buffers: shared hit=7287 read=22394, temp read=7133 written=11517
  -> HashAggregate (cost=133714.84..134114.84 rows=40000 width=20) (actual time=2169.569..2170.160 rows=4433.00 loops=1)
    Output: orders.o_orderdate, (count(orders.o_orderkey)), count(*)
    Group Key: orders.o_orderdate, count(orders.o_orderkey)
    Batches: 1  Memory Usage: 1561kB
    Buffers: shared hit=7287 read=22394, temp read=7133 written=11517
    -> HashAggregate (cost=108863.51..122044.62 rows=666870 width=16) (actual time=1373.234..1971.590 rows=1388990.00 loops=1)
      Output: c.c_custkey, orders.o_orderdate, count(orders.o_orderkey)
      Group Key: c.c_custkey, orders.o_orderdate
      Planned Partitions: 8  Batches: 41  Memory Usage: 8281kB  Disk Usage: 40424kB
      Buffers: shared hit=7287 read=22394, temp read=7133 written=11517
      -> Hash Right Join (cost=7536.92..64474.98 rows=666870 width=12) (actual time=67.751..962.727 rows=1393375.00 loops=1)
        Output: c.c_custkey, orders.o_orderdate, orders.o_orderkey
        Hash Cond: (orders.o_custkey = c.c_custkey)
        Buffers: shared hit=7287 read=22394
        -> Seq Scan on public.orders (cost=0.00..44758.00 rows=1469697 width=12) (actual time=0.414..474.464 rows=1483918.00 loops=1)
          Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orders.o_orderpriority
        , orders.o_clerk, orders.o_shippriority, orders.o_comment
          Filter: (orders.o_comment !~ '%special%requests%':text)
          Rows Removed by Filter: 16082
          Buffers: shared hit=3614 read=22394
        -> Hash (cost=6686.14..6686.14 rows=68062 width=4) (actual time=67.085..67.086 rows=136308.00 loops=1)
          Output: c.c_custkey
          Buckets: 262144 (originally 131072)  Batches: 1 (originally 1)  Memory Usage: 6841kB
          Buffers: shared hit=3673
          -> Hash Join (cost=24.62..6686.14 rows=68062 width=4) (actual time=0.093..50.325 rows=136308.00 loops=1)
            Output: c.c_custkey
            Inner Unique: true
            Hash Cond: (c.c_nationkey = n.n_nationkey)
            Buffers: shared hit=3673
            -> Seq Scan on public.customer c (cost=0.00..5547.00 rows=136124 width=8) (actual time=0.023..33.036 rows=136308.00 loops=1)
              Output: c.c_custkey, c.c_name, c.c_address, c.c_nationkey, c.c_phone, c.c_acctbal, c.c_mktsegment, c.c_comment
              Filter: (c.c_acctbal > '0'::double precision)

```

```

Rows Removed by Filter: 13692
Buffers: shared hit=3672
-> Hash (cost=22.12..22.12 rows=200 width=4) (actual time=0.063..0.064 rows=25.00 loops=1)
Output: n.n_nationkey
Buckets: 1024 Batches: 1 Memory Usage: 9kB
Buffers: shared hit=1
-> HashAggregate (cost=20.12..22.12 rows=200 width=4) (actual time=0.045..0.049 rows=25.00 loops=1)
Output: n.n_nationkey
Group Key: n.n_nationkey
Batches: 1 Memory Usage: 32kB
Buffers: shared hit=1
-> Seq Scan on public.nation n (cost=0.00..18.10 rows=810 width=4) (actual time=0.028..0.031 rows=25.00 loops=1)

1)
Output: n.n_nationkey
Buffers: shared hit=1

Planning:
Buffers: shared hit=15
Planning Time: 10.044 ms
Execution Time: 2183.278 ms
(54 rows)

Time: 2197.061 ms (00:02.197)
tpch=> reset role
tpch-> ;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 11
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 11
}

Time: 2.931 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
r RECORD;
BEGIN
FOR r IN SELECT polname, tablename FROM pg_policies WHERE schemaname = 'public'
LOOP
EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polname, r.tablename);
END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;

```



```

ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on lineitem
ALTER TABLE lineitem ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show lineitems from suppliers with acctbal > 1000
CREATE POLICY lineitem_rls_policy ON lineitem
USING (
    EXISTS (
        SELECT 1 FROM supplier s
        WHERE s.s_suppkey = lineitem.l_suppkey
        AND s.s_acctbal > 1000
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 6: Run Q14
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    100.00 * sum(case
        when p_type like 'PROMO%'
            then l_extendedprice * (1 - l_discount)
        else 0
    end) / sum(l_extendedprice * (1 - l_discount)) as promo_revenue
from
    lineitem,
    part
where
    l_partkey = p_partkey
    and l_shipdate >= date '1995-01-01'
    and l_shipdate < date '1995-01-01' + interval '1' month;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg ""
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ policymname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.policymname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
:deffaction 0
:location 3
}
)
}
:stmt_location 0
:stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg ""
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ policymname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.policymname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
:deffaction 0
:location 3
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>

```

```

:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false

```



```

:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")}
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")}
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2

```

```

:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR

```

```

:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relicid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relicid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relicid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
}
:rarg
{RANGETBLREF
:rtindex 2
}
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
}
:location -1

```

```

    }
    :alias <>
    :rtindex 3
  }
  :rarg
  {RANGETBLREF
  :rtindex 4
  }
  :usingClause <>
  :join_using_alias <>
  :quals
  {OPEXPR
  :opno 607
  :opfuncid 184
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
  {VAR
  :varno 4
  :varattno 1
  :vartype 26
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 1
  :location -1
  }
  {VAR
  :varno 2
  :varattno 3
  :vartype 26
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 3
  :location -1
  }
  )
  :location -1
  }
  :alias <>
  :rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2

```



```

        :location -1
    }
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009

```

```

:funcset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 4 [ 16 0 0 0 ]
  }
)
:location -1
}
:elemexpr
{FUNCEXP
  :funcid 407
  :funcresulttype 19
  :funcset false
  :funcvariadic false
  :funcformat 2
  :funccollid 950
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 25
      :typmod -1
      :collation 0
    }
  )
  :location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
  :sublinkType 6
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
          :alias <>
          :eref
            {ALIAS
              :aliasname pg_authid
              :colnames ("oid" "rolname" "rolsuper" "rolinherit"
                "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
                lication" "rolbypassrls" "rolconlimit" "rolpasswor
                d" "rolvaliduntil")
            }
          :rtekind 0
          :relid 1260
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 1260
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
}
)

```

```

:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tlesortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:varatype 18
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1

```

```

        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
    }
    :location -1
    }
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
    :location -1
    }
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
    }
    )
    :defresult
    {CONST
    :consttype 25
    :consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull true
        :location -1
        :constvalue <>
    }
    :location -1
}
:resno 6
:resname cmd
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>

```

```
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:rekind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
})
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
})
)
quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
})
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
})
:resno 1
:resname policyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
```

```

:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:resortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}

```



```

{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lACL" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relACL" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1

```

```

:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}

```

```

{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15

```

```

:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2

```



```

:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}

```

```

{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31

```

```

:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO

```

```

:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
}
}
}
}

```

```

        :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
    }
    :location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR

```

```

        :typeId 25
        :typeMod -1
        :collation 0
    }
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:sublinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varstype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:varstype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6

```

```

        :location -1
    }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1

```



```

        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18

```

```

        :typeMod -1
        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
:result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
:location -1
}
{CASEWHEN
:expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {CASETESTEXPR
        :typeid 18
        :typeMod -1
        :collation 0
        }
        {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
:result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
:location -1
}
)
:defresult
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
    }
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
        {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
        }
    )
}

```

```

        {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
        }
    )
    :location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
)

```

```
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
}
:resno 1
:resname policymame
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
```

```

}

WARNING: ===== FINAL PLAN =====
DETAIL: {HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6.83
:join.plan.total_cost 28.396625
:join.plan.plan_rows 31
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 1.0625
:join.plan.total_cost 21.902875
:join.plan.plan_rows 111
:join.plan.plan_width 68
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

    }
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 18.44
:scan.plan.plan_rows 444
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 5
        :location -1
    }
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```



```

{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21

```

```

:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 26
        :location -1
    }
:resno 26
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
}

```

```

:resno 31
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 1.05
:plan.total_cost 1.05
:plan.plan_rows 1
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

    }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 1.05
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:skewTable 1259
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
{OPEXPR

```

```

:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
  }
  {VAR
    :varno -1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
  }
)
:location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
  }
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 4.23
:plan.total_cost 4.23
:plan.plan_rows 123
:plan.plan_width 68
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 3
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN

```

```

:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4.23
:scan.plan.plan_rows 123
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 3
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 3
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
  }
)
:skewTable 1259
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 2
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    )
  }
)

```

```

        {VAR
        :varno -1
        :varattno 2
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
        }
    )
    :location -1
}
)
:hashoperators (o 607)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)

```



```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL:      {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
:expr
  {FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
  {PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
  {PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {DROPSTMT
:objects (("customer" "customer_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DROPSTMT
:objects (("customer" "customer_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
}

```

```

:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 34.157 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.176 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds {
{ALTERTABLECMD
:subtype 55
}
}
}

```

```

      :name <>
      :num 0
      :newowner <>
      :def <>
      :behavior 0
      :missing_ok false
      :recurse false
    }
  )
  :objtype 41
  :missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.920 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
      }
    )
  }
}

```

```

        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
  :stmt_location 0
  :stmt_len 45
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

Time: 0.301 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}

```

```

:stmt_location 0
:stmt_len 47
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

Time: 0.311 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY

```

```

:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.313 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation

```



```

{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.273 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
}
}
}

```

```

        :alias <>
        :location 12
    }
    :cmds (
        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
    )
    :objtype 41
    :missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.248 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55

```

```

        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.262 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
  }
)
}

```

```

        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.239 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

Time: 0.256 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {CREATEPOLICYSTMT
:policy_name lineitem_rls_policy
:table
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
  {ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
  {SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARGET
:name <>
:indirection <>
:val
  {A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
  {ALIAS
:aliasname s
:colnames <>
}
:location 89
}
)
:whereClause
  {BOOLEXP
:boolop and
:args (
  {A_EXPR
:name ("=")
:lexpr
  {COLUMNREF
:fields ("s" "s_suppkey")
:location 114

```

```

    }
    :rexpr
    {COLUMNREF
    :fields ("lineitem" "l_suppkey")
    :location 128
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 126
    }
    {A_EXPR
    :name (">")
    :lexpr
    {COLUMNREF
    :fields ("s" "s_acctbal")
    :location 159
    }
    :rexpr
    {A_CONST
    :val 1000
    :location 173
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 171
    }
    )
    :location 155
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 58
    }
    :with_check <>
    }
    :stmt_location 0
    :stmt_len 185
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name lineitem_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
}
:location 89

```

```

    }
  )
  :whereClause
  {BOOLEXPR
  :boolop and
  :args (
  {A_EXPR
  :name ("=")
  :lexpr
  {COLUMNREF
  :fields ("s" "s_supkey")
  :location 114
  }
  }
  :rexpr
  {COLUMNREF
  :fields ("lineitem" "l_supkey")
  :location 128
  }
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 126
  }
  {A_EXPR
  :name (">")
  :lexpr
  {COLUMNREF
  :fields ("s" "s_acctbal")
  :location 159
  }
  }
  :rexpr
  {A_CONST
  :val 1000
  :location 173
  }
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 171
  }
  }
  :location 155
  }
  :groupClause <>
  :groupDistinct false
  :havingClause <>
  :windowClause <>
  :valuesLists <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :lockingClause <>
  :withClause <>
  :op 0
  :all false
  :larg <>
  :rarg <>
  }
  :location 58
  }
  :with_check <>
  }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 185
  }
}

```

Time: 0.858 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>

```

```

        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
    }
}
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
    {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
        {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
        }
    )
    :privileges (
        {ACCESSPRIV
        :priv_name select
        :cols <>
        }
    )
    :grantees (
        {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
        }
    )
    :grant_option false
    :grantor <>
    :behavior 0
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.454 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
    {GRANTSTMT

```



```

:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname part
    :inh true
    :relpersistence p
    :alias <>
    :location 16
  }
)
:privileges (
  {ACCESSPRIV
    :priv_name select
    :cols <>
  }
)
:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 24
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.219 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
}
```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.198 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.140 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {EXPLAINSTMT
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARGET
:name promo_revenue
:indirection <>
:val
  {A_EXPR
:name ("/")
:lexpr
  {A_EXPR
:name ("*")
:lexpr
  {A_CONST
:val 100.00
:location 47
}
}
:rexpr

```

```

{FUNCCALL
:funcname ("sum")
:args (
  {CASEEXPR
    :casetype 0
    :casecollid 0
    :arg <>
    :args (
      {CASEWHEN
        :expr
          {A_EXPR LIKE
            :name ("~~")
            :lexpr
              {COLUMNREF
                :fields ("p_type")
                :location 78
              }
            :rexpr
              {A_CONST
                :val "PROMO%"
                :location 90
              }
            :rexpr_list_start 0
            :rexpr_list_end 0
            :location 85
          }
        :result
          {A_EXPR
            :name ("*")
            :lexpr
              {COLUMNREF
                :fields ("l_extendedprice")
                :location 116
              }
            :rexpr
              {A_EXPR
                :name ("-")
                :lexpr
                  {A_CONST
                    :val 1
                    :location 135
                  }
                :rexpr
                  {COLUMNREF
                    :fields ("l_discount")
                    :location 139
                  }
                :rexpr_list_start 0
                :rexpr_list_end 0
                :location 137
              }
                :rexpr_list_start 0
                :rexpr_list_end 0
                :location 132
              }
            :location 73
          }
        )
      :defresult
        {A_CONST
          :val 0
          :location 164
        }
      :location 60
    )
  )
  :agg_order <>
  :agg_filter <>
  :over <>
  :agg_within_group false
  :agg_star false
  :agg_distinct false
  :func_variadic false
  :funcformat 0
  :location 56
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 54
}
:rexpr
{FUNCCALL
:funcname ("sum")
:args (
  {A_EXPR
    :name ("*")
    :lexpr
      {COLUMNREF
        :fields ("l_extendedprice")
        :location 181
      }
    :rexpr
      {A_EXPR
        :name ("-")
        :lexpr
          {A_CONST
            :val 1
            :location 200
          }
        :rexpr
          {COLUMNREF
            :fields ("l_discount")
            :location 204
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 202
      }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 197
    }
  )
  :agg_order <>
  :agg_filter <>

```

```

        :over <>
        :agg_within_group false
        :agg_star false
        :agg_distinct false
        :func_variadic false
        :funcformat 0
        :location 177
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 175
}
:location 47
}
)
:fromClause (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 243
    }
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname part
    :inh true
    :relpersistence p
    :alias <>
    :location 257
    }
)
:whereClause
{BOOLEXP
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("l_partkey")
    :location 272
    }
    :rexpr
    {COLUMNREF
    :fields ("p_partkey")
    :location 284
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 282
    }
    {A_EXPR
    :name (">=")
    :lexpr
    {COLUMNREF
    :fields ("l_shipdate")
    :location 302
    }
    :rexpr
    {TYPECAST
    :arg
    {A_CONST
    :val "\1995-01-01"
    :location 321
    }
    :typeName
    {TYPENAME
    :names ("date")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods <>
    :typemod -1
    :arrayBounds <>
    :location 316
    }
    :location -1
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 313
    }
    {A_EXPR
    :name ("<")
    :lexpr
    {COLUMNREF
    :fields ("l_shipdate")
    :location 342
    }
    :rexpr
    {A_EXPR
    :name ("+")
    :lexpr
    {TYPECAST
    :arg
    {A_CONST
    :val "\1995-01-01"
    :location 360
    }
    :typeName
    {TYPENAME
    :names ("date")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods <>
    :typemod -1
    :arrayBounds <>
    :location 355
    }
    :location -1
    }

```

```

    }
    :rexpr
    {TYPECAST
    :arg
    {A_CONST
    :val "\1"
    :location 384
    }
    :typeName
    {TYPENAME
    :names ("pg_catalog" "interval")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods (
    {A_CONST
    :val 2
    :location 388
    }
    )
    :typemod -1
    :arrayBounds <>
    :location 375
    }
    :location -1
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 373
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 353
    }
    }
    :location 298
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
    )
    }
    :stmt_location 0
    :stmt_len 393
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl

```

```

        ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
        "l_shipinstruct" "l_shipmode" "l_comment")
    }
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 272
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 284
}
)
}
:location 282
}
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1

```

```

:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 302
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 321
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 ]
}
)
:location 313
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 342
}
{OEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 360
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 384
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 ]
}
)
}
:location 373
}
)
:location 353
}
)
:location 298
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST

```



```

:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 47
:constvalue 8 [ 32 0 0 0 0 -127 100 0 ]
}
)
:location -1
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 701
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 78
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 90
:constvalue 10 [ 40 0 0 0 0 80 82 79 77 79 3
7 ]
}
)
:location 85
}
:result
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 116
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 135
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
)
)
)

```

```

        :location -1
    }
    {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 139
    }
    )
    :location 137
    }
    )
    :location 132
    }
    :location 73
    }
    )
    :defresult
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 164
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :location 60
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 56
    }
    )
    :location 54
    }
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {OPEXP
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 181
    }
    {OPEXP
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
    {FUNCEXP
    :funcid 316

```

```

        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 200
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 204
    }
)
:location 202
}
)
:location 197
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 177
}
)
:location 175
}
:resno 1
:resname promo_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
    }
    {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
    }
)

```

```

    }
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 393
}

WARNING: ===== REWRITE INPUT =====
DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
  }
)

```

```

}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 272
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 284
}
)
:location 282
}
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 302
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 321
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 313
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11

```

```

:location 342
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 360
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 384
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 ]
}
)
:location 373
}
)
:location 353
}
)
:location 298
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OPEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 47
:constvalue 8 [ 32 0 0 0 0 -127 100 0 ]
}
)
:location -1
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 701
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 78
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 90
:constvalue 10 [ 40 0 0 0 80 82 79 77 79 37 ]
}
)
:location 85
}
:result
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 116
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 135
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 139
}
)
:location 137
}
)
:location 132
}
:location 73
}
)
:defresult
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 164
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)

```

```

        )
        :location -1
    }
    :location 60
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 56
}
)
:location 54
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 181
}
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 200
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
}
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 204
}
)
:location 202
}
)
:location 197
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```



```

        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 177
}
)
:location 175
}
:resno 1
:resname promo_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:ReturningOldAlias <>
:ReturningNewAlias <>
:ReturningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16566
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname s
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname s
                :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone"
                  "s_acctbal" "s_comment")
              }
            :rtekind 0
            :relid 16541
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16541
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 13)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  }
  :jointree
    {FROMEXPR

```

```

:fromlist (
  {RANGETBLREF
   :rtindex 1
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
   :opno 96
   :opfuncid 65
   :opresulttype 16
   :opretset false
   :opcollid 0
   :inputcollid 0
   :args (
     {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
     }
     {VAR
      :varno 1
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 1
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location -1
     }
   )
   :location -1
 }
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
   :varno 1
   :varattno 6
   :vartype 701
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 1
   :varattnosyn 6
   :location -1
  }
  {FUNCEXP
   :funcid 316
   :funcresulttype 701
   :funcresultset false
   :funcvariadic false
   :funcformat 2
   :funccollid 0
   :inputcollid 0
   :args (
     {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
     }
   )
   :location -1
 }
)
:location -1
}
)
:location -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
   :expr
   {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
   }
   :resno 1
   :resname ?column?
   :ressortgroupref 0
  }
)

```

```

        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname part
    :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
      "p_container" "p_retailprice" "p_comment")
  }
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 12)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
      {RANGETBLREF
        :rtindex 2
      }
    )
  }
)
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 2
          }
        )
      }
    )
  }
)

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 272
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 284
}
)
:location 282
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 302
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 321
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 313
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 342
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 360
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 384
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 ]
}
)
:location 373
}
)
:location 353
}

```

```

    )
    :location 298
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {OPEXPR
      :opno 593
      :opfuncid 217
      :opresulttype 701
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {OPEXPR
          :opno 594
          :opfuncid 216
          :opresulttype 701
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {FUNCEXPR
              :funcid 1746
              :funcresulttype 701
              :funcresultset false
              :funcvariadic false
              :funcformat 2
              :funccollid 0
              :inputcollid 0
              :args (
                {CONST
                  :consttype 1700
                  :consttypmod -1
                  :constcollid 0
                  :constlen -1
                  :constbyval false
                  :constisnull false
                  :location 47
                  :constvalue 8 [ 32 0 0 0 0 -127 100 0 ]
                }
              )
            }
          :location -1
        }
      {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
          {TARGETENTRY
            :expr
            {CASEEXPR
              :casetype 701
              :casecollid 0
              :arg <>
              :args (
                {CASEWHEN
                  :expr
                  {OPEXPR
                    :opno 1209
                    :opfuncid 850
                    :opresulttype 16
                    :opretset false
                    :opcollid 0
                    :inputcollid 100
                    :args (
                      {VAR
                        :varno 2
                        :varattno 5
                        :vartype 25
                        :vartypmod -1
                        :varcollid 100
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 2
                        :varattnosyn 5
                        :location 78
                      }
                    {CONST
                      :consttype 25
                      :consttypmod -1
                      :constcollid 100
                      :constlen -1
                      :constbyval false
                      :constisnull false
                      :location 90
                      :constvalue 10 [ 40 0 0 0 80 82 79 77 79 37 ]
                    }
                  )
                }
              :location 85
            }
          }
        :result
        {OPEXPR
          :opno 594
          :opfuncid 216
          :opresulttype 701
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 6
              :vartype 701
              :vartypmod -1
              :varcollid 0
            }
          )
        }
      )
    }
  )
}

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 116
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 135
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 139
}
)
:location 137
}
)
:location 132
}
:location 73
}
)
:defresult
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 164
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:location 60
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 56
}
)
:location 54
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)

```



```

:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {OEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 181
          }
          {OEXPR
            :opno 592
            :opfuncid 219
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {FUNCEXPR
                :funcid 316
                :funcresulttype 701
                :funcset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                  {CONST
                    :consttype 23
                    :consttypmod -1
                    :constcollid 0
                    :constlen 4
                    :constbyval true
                    :constisnull false
                    :location 200
                    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                  }
                )
                :location -1
              }
              {VAR
                :varno 1
                :varattno 7
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 7
                :location 204
              }
            )
            :location 202
          }
        )
        :location 197
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  )
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar false
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggssplit 0
  :aggno -1
  :aggtransno -1
  :location 177
)
:location 175
}
:resno 1
:resname promo_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>

```

```

:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

WARNING: ===== PLANNER INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
)

```

```

:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
:resno 1

```

```

        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 272
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 284
    }
}
:location 282
}
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 11
        :location 302
    }
    {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 321
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 313
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 11
        :location 342
    }
    {OEXPR
        :opno 1076
        :opfuncid 2071
        :opresulttype 1114
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 1082
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 360
                :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
            }
            {CONST
                :consttype 1186
                :consttypmod 196607
                :constcollid 0
                :constlen 16
                :constbyval false
                :constisnull false
                :location 384
                :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 ]
            }
        )
    }
)
:location 373
}
)
:location 353
}
)
:location 298
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {OEXPR
            :opno 593
            :opfuncid 217
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0

```

```

:args (
  {OPEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {FUNCEXPR
        :funcid 1746
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 1700
            :consttypmod -1
            :constcollid 0
            :constlen -1
            :constbyval false
            :constisnull false
            :location 47
            :constvalue 8 [ 32 0 0 0 0 -127 100 0 ]
          }
        )
      }
    :location -1
  )
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {CASEEXPR
            :casetype 701
            :casecollid 0
            :arg <>
            :args (
              {CASEWHEN
                :expr
                  {OPEXPR
                    :opno 1209
                    :opfuncid 850
                    :opresulttype 16
                    :opretset false
                    :opcollid 0
                    :inputcollid 100
                    :args (
                      {VAR
                        :varno 2
                        :varattno 5
                        :vartype 25
                        :vartypmod -1
                        :varcollid 100
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 2
                        :varattnosyn 5
                        :location 78
                      }
                      {CONST
                        :consttype 25
                        :consttypmod -1
                        :constcollid 100
                        :constlen -1
                        :constbyval false
                        :constisnull false
                        :location 90
                        :constvalue 10 [ 40 0 0 0 80 82 79 77 79 37 ]
                      }
                    )
                  }
                :location 85
              }
            )
          }
        :result
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location 116
              }
              {OPEXPR
                :opno 592
                :opfuncid 219
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                  {FUNCEXPR
                    :funcid 316

```

```

        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 135
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 139
    }
}
:location 137
}
)
:location 132
}
:location 73
}
)
:defresult
{FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 164
            :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
:location 60
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 56
}
)
:location 54
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
    {TARGETENTRY
        :expr
        {OPEXP
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {VAR
                    :varno 1
                    :varattno 6
                    :vartype 701
                    :vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 181
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 200
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 204
}
)
:location 202
}
)
:location 197
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 177
}
)
:location 175
}
:resno 1
:resname promo_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

```

WARNING: ===== FINAL PLAN =====
DETAIL:   {AGG
:plan.disabled_nodes 0

```



```

:plan.startup_cost 2208553463.8624997
:plan.total_cost 2208553463.8775
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
:expr
  {OPEXPR
    :opno 593
    :opfuncid 217
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {OPEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 701
            :consttypmod -1
            :constcollid 0
            :constlen 8
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 8 [ 0 0 0 0 0 0 89 64 ]
          }
          {AGGREF
            :aggfnoid 2111
            :aggtype 701
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 701
            :aggargtypes (o 701)
            :aggdirectargs <>
            :args (
              {TARGETENTRY
                :expr
                {CASEEXPR
                  :casetype 701
                  :casecollid 0
                  :arg <>
                  :args (
                    {CASEWHEN
                      :expr
                      {OPEXPR
                        :opno 1209
                        :opfuncid 850
                        :opresulttype 16
                        :opretset false
                        :opcollid 0
                        :inputcollid 100
                        :args (
                          {VAR
                            :varno -2
                            :varattno 1
                            :vartype 25
                            :vartypmod -1
                            :varcollid 100
                            :varnullingrels (b)
                            :varlevelsup 0
                            :varreturningtype 0
                            :varnosyn 2
                            :varattnosyn 5
                            :location 78
                          }
                          {CONST
                            :consttype 25
                            :consttypmod -1
                            :constcollid 100
                            :constlen -1
                            :constbyval false
                            :constisnull false
                            :location 90
                            :constvalue 10 [ 40 0 0 0 80 82 79 77 79 37 ]
                          }
                        )
                      }
                    }
                  :location 85
                }
              )
            :result
            {OPEXPR
              :opno 594
              :opfuncid 216
              :opresulttype 701
              :opretset false
              :opcollid 0
              :inputcollid 0
              :args (
                {VAR
                  :varno -2
                  :varattno 2
                  :vartype 701
                  :vartypmod -1
                  :varcollid 0
                  :varnullingrels (b)
                  :varlevelsup 0
                  :varreturningtype 0
                  :varnosyn 1
                  :varattnosyn 6
                  :location 116
                }
                {OPEXPR
                  :opno 592
                  :opfuncid 219
                  :opresulttype 701

```

```

        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 701
                :consttypmod -1
                :constcollid 0
                :constlen 8
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
            }
            {VAR
                :varno -2
                :varattno 3
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 7
                :location 139
            }
        )
        :location 137
    }
    :location 132
}
:location 73
}
)
:dfresult
{CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 0 0 ]
}
:location 60
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 56
}
)
:location 54
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
    {TARGETENTRY
        :expr
        {OEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
        }
        :args (
            {VAR
                :varno -2
                :varattno 2
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location 181
            }
        }
        {OEXPR
            :opno 592
            :opfuncid 219
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
        }
        :args (
            {CONST
                :consttype 701

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
    }
    {VAR
    :varno -2
    :varattno 3
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 204
    }
    )
    :location 202
    }
    )
    :location 197
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno 1
    :aggtransno 1
    :location 177
    }
    )
    :location 175
    }
    :resno 1
    :resname promo_revenue
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree
    {HASHJOIN
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 9732
    :join.plan.total_cost 2208549770.0674996
    :join.plan.plan_rows 211074
    :join.plan.plan_width 37
    :join.plan.parallel_aware false
    :join.plan.parallel_safe false
    :join.plan.async_capable false
    :join.plan.plan_node_id 1
    :join.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -1
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 78
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 116
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false

```

```

}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 139
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 2208533293.7999997
:scan.plan.plan_rows 211074
:scan.plan.plan_width 20
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 116
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 139
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 272
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1

```

```

:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 302
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 321
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 313
}
{SUBPLAN
:subLinkType 2
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
:paramIds (i 1)
:plan_id 2
:plan_name SubPlan\ 2
:firstCollType 23
:firstCollTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 363.49
:per_call_cost 0.0025
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 342
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 -32 -39 -62 -14 114 -1 -1 ]
}
)
:location 353
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 1

```

```

}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 5864
:plan.total_cost 5864
:plan.plan_rows 200000
:plan.plan_width 25
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 5864
:scan.plan.plan_rows 200000
:scan.plan.plan_width 25
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 78
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 284
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 2
  }
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 284
  }
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.joinctype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
  }
  :args (
    {VAR
      :varno -2
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 272
    }
    {VAR
      :varno -1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location 284
    }
  )
  :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 272
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggssplit 0
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

```

-----
Aggregate (cost=2208553463.86..2208553463.88 rows=1 width=8) (actual time=1832.209..1832.231 rows=1.00 loops=1)
  Output: (('100'::double precision * sum(CASE WHEN (part.p_type ~ 'PROMO%')::text) THEN (lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)) ELSE '0'::double precision END)) / sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
  Buffers: shared hit=4505 read=104297, temp read=731 written=731
  -> Hash Join (cost=9732.00..2208549770.07 rows=211074 width=37) (actual time=86.871..1814.269 rows=63484.00 loops=1)
    Output: part.p_type, lineitem.l_extendedprice, lineitem.l_discount
    Hash Cond: (lineitem.l_partkey = part.p_partkey)
    Buffers: shared hit=4505 read=104297, temp read=731 written=731
    -> Seq Scan on public.lineitem (cost=0.00..2208533293.80 rows=211074 width=20) (actual time=3.448..1616.395 rows=63484.00 loops=1)
      Output: lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_partkey
      Filter: ((lineitem.l_shipdate >= '1995-01-01'::date) AND (ANY (lineitem.l_supkey = (hashed SubPlan 2).col1)) AND (lineitem.l_shipdate < '1995-02-01 00:00:00'::timestamp without time zone))
      Rows Removed by Filter: 5937731
      Buffers: shared hit=4505 read=100433
      SubPlan 2
      -> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8196 width=4) (actual time=0.020..1.893 rows=8197.00 loops=1)
        Output: s.s_suppkey
        Filter: (s.s_acctbal > '1000'::double precision)
        Rows Removed by Filter: 1803
        Buffers: shared hit=218
    -> Hash (cost=5864.00..5864.00 rows=200000 width=25) (actual time=83.108..83.109 rows=200000.00 loops=1)
      Output: part.p_type, part.p_partkey
      Buckets: 131072 Batches: 2 Memory Usage: 6805kB
      Buffers: shared read=3864, temp written=574
      -> Seq Scan on public.part (cost=0.00..5864.00 rows=200000 width=25) (actual time=0.226..41.252 rows=200000.00 loops=1)
        Output: part.p_type, part.p_partkey
        Buffers: shared read=3864

Planning:
  Buffers: shared hit=10
  Planning Time: 2.750 ms
  Execution Time: 1834.522 ms
(29 rows)

```

Time: 1853.764 ms (00:01.854)

```

tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;

```

```

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS lineitem_secure;

```

```

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW lineitem_secure AS
SELECT l.*
FROM lineitem l
WHERE EXISTS (
  SELECT 1 FROM supplier s
  WHERE s.s_suppkey = l.l_supkey
  AND s.s_acctbal > 1000
);

```

```

-- Step 4: Grant permissions and set role
GRANT SELECT ON lineitem_secure TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

```

```

-- Step 5: Run Q14
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  100.00 * sum(case
    when p_type like 'PROMO%'
      then l_extendedprice * (1 - l_discount)
    else 0
  end) / sum(l_extendedprice * (1 - l_discount)) as promo_revenue
from
  lineitem_secure l,
  part
where
  l.l_partkey = p_partkey
  and l.l_shipdate >= date '1995-01-01'
  and l.l_shipdate < date '1995-01-01' + interval '1' month;
tpch=> -- Step 1: Drop all existing policies
DO $$
DECLARE
  r RECORD;
BEGIN
  FOR r IN SELECT policyname, tablename FROM pg_policies WHERE schemaname = 'public'
  LOOP
    EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.policyname, r.tablename);
  END LOOP;
END;
$$;
reset role
;

```

```

tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;

```

```

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS lineitem_secure;

```

```

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW lineitem_secure AS
SELECT l.*
FROM lineitem l
WHERE EXISTS (
  SELECT 1 FROM supplier s
  WHERE s.s_suppkey = l.l_supkey
  AND s.s_acctbal > 1000
);

```

```

-- Step 4: Grant permissions and set role
GRANT SELECT ON lineitem_secure TO alice;
GRANT SELECT ON part TO alice;

```



```

GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 5: Run Q14
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  100.00 * sum(case
    when p_type like 'PROMO%'
      then l_extendedprice * (1 - l_discount)
    else 0
  end) / sum(l_extendedprice * (1 - l_discount)) as promo_revenue
from
  lineitem_secure l,
  part
where
  l.l_partkey = p_partkey
  and l.l_shipdate >= date '1995-01-01'
  and l.l_shipdate < date '1995-01-01' + interval '1' month;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 2.300 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
}

```

```

    }
  )
  :objtype 41
  :missing_ok false
}
:stmt_location 0
:stmt_len 47
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds {
{ALERTTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
}
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

```

Time: 2.890 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("lineitem_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("lineitem_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

Time: 2.673 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("1"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>

```

```

:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 112
}
}
:rexpr
{COLUMNREF
:fields ("l" "l_suppkey")
:location 126
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 146
}
}
:rexpr
{A_CONST
:val 1000
:location 160
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 158
}
}
:location 142
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 166
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
}
}

```

```

:targetList (
  {RESTARGET
   :name <>
   :indirection <>
   :val
     {COLUMNREF
      :fields ("l"
        {A_STAR
         }
      )
     }
   :location 38
  }
  :location 38
)
)
:fromClause (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname lineitem
   :inh true
   :relpersistence p
   :alias
     {ALIAS
      :aliasname l
      :colnames <>
     }
   :location 47
  }
)
)
:whereClause
  {SUBLINK
   :subLinkType 0
   :subLinkId 0
   :testexpr <>
   :operName <>
   :subselect
     {SELECTSTMT
      :distinctClause <>
      :intoClause <>
      :targetList (
        {RESTARGET
         :name <>
         :indirection <>
         :val
           {A_CONST
            :val 1
            :location 84
           }
         :location 84
        }
      )
      :fromClause (
        {RANGEVAR
         :catalogname <>
         :schemaname <>
         :relname supplier
         :inh true
         :relpersistence p
         :alias
           {ALIAS
            :aliasname s
            :colnames <>
           }
         :location 91
        }
      )
    }
  )
  :whereClause
    {BOOLEXP
     :boolop and
     :args (
       {A_EXPR
        :name ("=")
        :lexpr
          {COLUMNREF
           :fields ("s" "s_suppkey")
           :location 112
          }
        :rexpr
          {COLUMNREF
           :fields ("l" "l_suppkey")
           :location 126
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 124
       }
       {A_EXPR
        :name (">")
        :lexpr
          {COLUMNREF
           :fields ("s" "s_acctbal")
           :location 146
          }
        :rexpr
          {A_CONST
           :val 1000
           :location 160
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 158
       }
     )
    :location 142
  }
)
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0

```

```

        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true

```

```

:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_
_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 112
}
)
{VAR

```

```

        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 126
    }
)
:location 124
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 146
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 160
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 158
}
)
:location 142
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 84
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>

```



```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 38
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 38
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
:resno 3
:resname l_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 38
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 38
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 38
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 38
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 38
}
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 38
}
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 38
}
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 38
}
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 16
:location 38
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

Time: 5.879 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem_secure
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 35
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 40
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem_secure
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 35
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
}

```

```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.457 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
  }
}

```

```

:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.497 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC

```

```

:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.302 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>

```

```

:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.263 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name promo_revenue
:indirection <>
:val
{A_EXPR
:name ("/")
:lexpr
{A_EXPR
:name ("*")
:lexpr
{A_CONST
:val 100.00
:location 47
}
}
:rexpr
{FUNCCALL
:funcname ("sum")
:args (
{CASEEXPR
:casetype 0
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{A_EXPR LIKE
:name ("~~")
:lexpr
{COLUMNREF
:fields ("p_type")
:location 78
}
}
:rexpr
{A_CONST
:val "PROMO%"
:location 90
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 85
}
}
:result
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 116
}
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 135
}
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 139
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 137
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 132
}
:location 73
}
)
:defresult
{A_CONST
:val 0
:location 164
}
:location 60
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false

```



```

        :agg_star false
        :agg_distinct false
        :func_variadic false
        :funcformat 0
        :location 56
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 54
}
:rexpr
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 181
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 200
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 204
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 202
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 197
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 177
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 175
}
:location 47
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname l
:colnames <>
}
:location 243
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 266
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l" "l_partkey")
:location 281
}
:rexpr
{COLUMNREF
:fields ("p_partkey")
:location 295
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 293
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l" "l_shipdate")
:location 313
}
:rexpr
{TYPECAST
:arg
{A_CONST

```

```

        :val "\1995-01-01"
        :location 334
    }
    :typeName
    {
        {TYPENAME
        :names ("date")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods <>
        :typemod -1
        :arrayBounds <>
        :location 329
        }
    }
    :location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 326
}
{A_EXPR
: name ("\<")
:lexpr
{
    {COLUMNREF
    :fields ("1" "1_shipdate")
    :location 355
    }
}
:rexpr
{
    {A_EXPR
    :name ("+")
    :lexpr
    {
        {TYPECAST
        :arg
        {
            {A_CONST
            :val "\1995-01-01"
            :location 375
            }
        }
        :typeName
        {
            {TYPENAME
            :names ("date")
            :typeOid 0
            :setof false
            :pct_type false
            :typmods <>
            :typemod -1
            :arrayBounds <>
            :location 370
            }
        }
        :location -1
        }
    }
}
:rexpr
{
    {TYPECAST
    :arg
    {
        {A_CONST
        :val "\1"
        :location 399
        }
    }
    :typeName
    {
        {TYPENAME
        :names ("pg_catalog" "interval")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods (
            {
                {A_CONST
                :val 2
                :location 403
                }
            }
        )
        :typemod -1
        :arrayBounds <>
        :location 390
        }
    }
    :location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 388
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 368
}
)
:location 309
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
}
{
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0

```

```

:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
}
}
:stmt_location 0
:stmt_len 408
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16701
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfg" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16701
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
}
}

```

```

    }
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 281
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 295
}
)
:location 293
}
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 313
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 334
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 326
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 355
}
{OPEXP
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 375
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
}

```

```

    }
    {CONST
    :consttype 1186
    :consttypmod 196607
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 399
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 ]
    }
  )
  :location 388
}
)
:location 368
}
)
:location 309
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {OPEXPR
  :opno 593
  :opfuncid 217
  :opresulttype 701
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {OPEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {FUNCEXPR
      :funcid 1746
      :funcresulttype 701
      :funcset false
      :funcvariadic false
      :funcformat 2
      :funccollid 0
      :inputcollid 0
      :args (
        {CONST
        :consttype 1700
        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location 47
        :constvalue 8 [ 32 0 0 0 0 -127 100 0 ]
        }
      )
    :location -1
    }
  {AGGREF
  :aggfnoid 2111
  :aggtype 701
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes (o 701)
  :aggdirectargs <>
  :args (
    {TARGETENTRY
    :expr
    {CASEEXPR
    :casetype 701
    :casecollid 0
    :arg <>
    :args (
      {CASEWHEN
      :expr
      {OPEXPR
      :opno 1209
      :opfuncid 850
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 100
      :args (
        {VAR
        :varno 2
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location 78
        }
      {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location 90
      :constvalue 10 [ 40 0 0 0 80 82 79 77 79 3
      7 ]
      }
    }
  }
}

```

```

    )
    :location 85
  }
:result
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 116
}
  {OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 135
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
  {VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 139
}
)
:location 137
}
)
:location 132
}
:location 73
}
)
:defresult
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 164
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:location 60
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false

```

```

:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 56
}
)
:location 54
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 181
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 200
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 204
}
)
:location 202
}
)
:location 197
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 177
}
)
:location 175

```

```

    }
    :resno 1
    :resname promo_revenue
    :resortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 408
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false

```



```

:isReturn false
:ctelList <>
:rttable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname l
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname l
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_status" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16701
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16701
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 12)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
      {RANGETBLREF
        :rtindex 2
      }
    )
  }
)
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 281
          }
          {VAR
            :varno 2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 1
            :location 295
          }
        )
      }
    )
  }

```

```

    }
  )
  :location 293
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 313
}
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 334
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 326
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 355
}
  {OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 375
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
  {CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 399
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 ]
}
)
:location 388
}
)
:location 368
}
)
:location 309
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {OPEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {FUNCEXPR
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1700
        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location 47
        :constvalue 8 [ 32 0 0 0 0 -127 100 0 ]
      }
    )
    :location -1
  }
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {CASEEXPR
            :casetype 701
            :casecollid 0
            :arg <>
            :args (
              {CASEWHEN
                :expr
                  {OPEXPR
                    :opno 1209
                    :opfuncid 850
                    :opresulttype 16
                    :opretset false
                    :opcollid 0
                    :inputcollid 100
                    :args (
                      {VAR
                        :varno 2
                        :varattno 5
                        :vartype 25
                        :vartypmod -1
                        :varcollid 100
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 2
                        :varattnosyn 5
                        :location 78
                      }
                      {CONST
                        :consttype 25
                        :consttypmod -1
                        :constcollid 100
                        :constlen -1
                        :constbyval false
                        :constisnull false
                        :location 90
                        :constvalue 10 [ 40 0 0 0 80 82 79 77 79 37 ]
                      }
                    )
                  }
                :location 85
              }
            )
          }
        :result
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location 116
              }
              {OPEXPR
                :opno 592
                :opfuncid 219
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                  {FUNCEXPR
                    :funcid 316
                    :funcresulttype 701
                    :funcresultset false
                    :funcvariadic false
                    :funcformat 2
                    :funccollid 0

```

```

        :inputcollid 0
      :args (
        {CONST
          :consttype 23
          :consttypmod -1
          :constcollid 0
          :constlen 4
          :constbyval true
          :constisnull false
          :location 135
          :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
      )
    :location -1
  }
  {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 139
  }
)
:location 137
}
)
:location 132
}
:location 73
}
)
:dfresult
{FUNCEXP
  :funcid 316
  :funcresulttype 701
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 164
      :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
:location 60
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 56
}
)
:location 54
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {OPEXP
      :opno 594
      :opfuncid 216
      :opresulttype 701
      :opresultset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 6
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1

```

```

:varattnosyn 6
:location 181
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 200
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 204
}
)
:location 202
}
)
:location 197
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 177
}
)
:location 175
}
:resno 1
:resname promo_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
}

```

```

:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname 1
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname 1
      :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
    }
  }
:rtekind 1
:subquery
{QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks true
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
      :alias
      {ALIAS
        :aliasname 1
        :colnames <>
      }
      :eref
      {ALIAS
        :aliasname 1
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  )
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{SUBLINK
  :subLinkType 0
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
  }
}

```

```

:isReturn false
:cteList <>
:rttable (
  {RANGETBLENTY
  :alias
  {ALIAS
  :aliasname s
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname s
  :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
  ey" "s_phone" "s_acctbal" "s_comment")
  }
  :rtekind 0
  :relid 16541
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16541
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 13)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {BOOLEXP
  :boolop and
  :args (
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
      }
      {VAR
      :varno 1
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 1
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location -1
      }
    )
    :location -1
  }
  {OPEXP
  :opno 674
  :opfuncid 297
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
  }
  }
  }

```

```

        :args (
            {CONST
             :consttype 23
             :consttypmod -1
             :constcollid 0
             :constlen 4
             :constbyval true
             :constisnull false
             :location -1
             :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
}
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
     :expr
     {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
     }
     :resno 1
     :resname ?column?
     :ressortgroupref 0
     :resorigtbl 0
     :resorigcol 0
     :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
     :expr
     {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
     }
     :resno 1
     :resname l_orderkey
     :ressortgroupref 0
     :resorigtbl 16566
     :resorigcol 1
     :resjunk false
    }
    {TARGETENTRY
     :expr
     {VAR
      :varno 1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
     }
     :resno 2
     :resname l_partkey
     :ressortgroupref 0
     :resorigtbl 16566

```



```

:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location -1
    }
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 14
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 14
        :location -1
    }
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 15
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 15
        :location -1
    }
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 16
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 16
        :location -1
    }
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16701
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY

```

```

:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16701
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 281
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 295
}
)
:location 293
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 313
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0

```

```

        :constlen 4
        :constbyval true
        :constisnull false
        :location 334
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
}
:location 326
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 355
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 375
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 399
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 ]
}
}
:location 388
}
)
:location 368
}
)
:location 309
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OPEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 47
:constvalue 8 [ 32 0 0 0 0 -127 100 0 ]
}
}
:location -1
}
{AGGREF
:aggfnoid 2111
:aggtype 701

```

```

:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {CASEEXPR
        :casetype 701
        :casecollid 0
        :arg <>
        :args (
          {CASEWHEN
            :expr
              {OPEXPR
                :opno 1209
                :opfuncid 850
                :opresulttype 16
                :opretset false
                :opcollid 0
                :inputcollid 100
                :args (
                  {VAR
                    :varno 2
                    :varattno 5
                    :vartype 25
                    :vartypmod -1
                    :varcollid 100
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 2
                    :varattnosyn 5
                    :location 78
                  }
                  {CONST
                    :consttype 25
                    :consttypmod -1
                    :constcollid 100
                    :constlen -1
                    :constbyval false
                    :constisnull false
                    :location 90
                    :constvalue 10 [ 40 0 0 0 80 82 79 77 79 37 ]
                  }
                )
              }
            :location 85
          }
        )
      }
    :result
      {OPEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 116
          }
          {OPEXPR
            :opno 592
            :opfuncid 219
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {FUNCEXPR
                :funcid 316
                :funcresulttype 701
                :funcresultset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                  {CONST
                    :consttype 23
                    :consttypmod -1
                    :constcollid 0
                    :constlen 4
                    :constbyval true
                    :constisnull false
                    :location 135
                    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                  }
                )
              }
            :location -1
          }
          {VAR
            :varno 1
            :varattno 7
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 7
            :location 139
          }
        )
      }
    )
  )

```

```

        :location 137
    }
)
:location 132
}
:location 73
}
)
:defresult
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 164
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:location 60
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 56
}
)
:location 54
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varstype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 181
}
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 200
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
}
}
}

```

```

        }
    }
    :location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 204
}
}
:location 202
}
}
:location 197
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 177
}
)
:location 175
}
:resno 1
:resname promo_revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_supkey" "l_linenum" "l_quantity"
"l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus"
"l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode"
"l_comment")
}
:rtekind 1
:subquery

```



```

{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname 1
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname 1
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
          "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
            ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
          "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
)
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTRY
            :alias
              {ALIAS
                :aliasname s
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname s
                :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
                  ey" "s_phone" "s_acctbal" "s_comment")
              }
            :rtekind 0
            :relid 16541
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
      }
    :rteperminfos (
      {RTEPERMISSIONINFO

```

```

:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname l_orderkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname l_partkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_suppkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname 1_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname 1_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname 1_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname 1_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 9
        :location -1
    }
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 10
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 10
        :location -1
    }
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 11
        :location -1
    }
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 12
        :location -1
    }
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location -1
    }
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 14
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 14
        :location -1
    }

```

```

    }
    :resno 14
    :resname l_shipinstruct
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 14
    :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 15
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 15
  :location -1
  }
  :resno 15
  :resname l_shipmode
  :ressortgroupref 0
  :resorigtbl 16566
  :resorigcol 15
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 16
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 16
  :location -1
  }
  :resno 16
  :resname l_comment
  :ressortgroupref 0
  :resorigtbl 16566
  :resorigcol 16
  :resjunk false
  }
  )
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location -1
  :stmt_len -1
  }
  :security_barrier false
  :relid 16701
  :inh false
  :relkind v
  :rellockmode 1
  :perminfoindex 1
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBLENTY
  :alias <>
  :eref
  {ALIAS
  :aliasname part
  :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
  "p_container" "p_retailprice" "p_comment")
  }
  :rtekind 0
  :relid 16551
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 2
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  )
  :rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16701
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 9 13 14 18)
  :insertedCols (b)
  :updatedCols (b)
  }
  )

```

```

{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 281
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 295
}
)
:location 293
}
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 313
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 334
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 326
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 355
}

```

```

    }
    {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 375
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
    {CONST
    :consttype 1186
    :consttypmod 196607
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 399
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 ]
    }
    )
    :location 388
  }
)
:location 368
}
)
:location 309
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OPEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 47
:constvalue 8 [ 32 0 0 0 0 -127 100 0 ]
}
)
:location -1
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 701
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location 78
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 90
    :constvalue 10 [ 40 0 0 0 80 82 79 77 79 37 ]
    }
    )
    :location 85
    }
:result
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 116
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 135
:constvalue 4 [ 1 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 139
}
)
:location 137
}
)
:location 132
}
:location 73
}
)
:defresult
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 164
:constvalue 4 [ 0 0 0 0 0 0 0 ]
}
)
}
)

```

```

        :location -1
    }
    :location 60
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 56
}
)
:location 54
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 181
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 200
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 204
}
)
:location 202
}
)
:location 197
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

    }
  )
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar false
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggsplit 0
  :aggno -1
  :aggtransno -1
  :location 177
  }
)
:location 175
}
:resno 1
:resname promo_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {AGG
  :plan.disabled_nodes 0
  :plan.startup_cost 150535.50220833338
  :plan.total_cost 150535.5172083334
  :plan.plan_rows 1
  :plan.plan_width 8
  :plan.parallel_aware false
  :plan.parallel_safe false
  :plan.async_capable false
  :plan.plan_node_id 0
  :plan.targetlist (
    {TARGETENTRY
      :expr
      {OPEXPR
        :opno 593
        :opfuncid 217
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 701
                :consttypmod -1
                :constcollid 0
                :constlen 8
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 8 [ 0 0 0 0 0 0 89 64 ]
              }
            {AGGREF
              :aggfnoid 2111
              :aggtype 701
              :aggcollid 0
              :inputcollid 0
              :aggtranstype 701
              :aggargtypes (o 701)
              :aggdirectargs <>
              :args (
                {TARGETENTRY
                  :expr
                  {VAR
                    :varno -2
                    :varattno 1
                    :vartype 701
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 0
                    :varattnosyn 0
                    :location -1
                  }
                }
              :resno 1
              :resname <>
            }
          }
        )
      }
    )
  )
}

```

```

        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 0
:aggtransno 0
:location 56
}
)
:location 54
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 1
:aggtransno 1
:location 177
}
)
:location 175
}
:resno 1
:resname promo_revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 150535.28220833334
:plan.total_cost 150535.49220833337
:plan.plan_rows 2
:plan.plan_width 16
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr

```

```

{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 149535.28220833334
:plan.total_cost 149535.29220833335
:plan.plan_rows 1
:plan.plan_width 16
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{CASEEXPR
:casetype 701
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 78
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 90
:constvalue 10 [ 40 0 0 0 80 82 79 77 79 37 ]
}
)
:location 85
}
:result
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false

```

```

        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 701
                :consttypmod -1
                :constcollid 0
                :constlen 8
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 8 [ 0 0 0 0 0 0 0 -16 63 ]
            }
            {VAR
                :varno -2
                :varattno 3
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 7
                :location -1
            }
        )
        :location 137
    }
    )
    :location 132
}
:location 73
}
)
:defresult
{CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 0 0 ]
}
:location 60
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 6
:aggno 0
:aggtransno 0
:location 56
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 701
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
            :expr
            {OEXPR
                :opno 594
                :opfuncid 216
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                    {VAR
                        :varno -2
                        :varattno 2
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 3
                        :varattnosyn 6
                        :location -1
                    }
                }
            {OEXPR
                :opno 592
                :opfuncid 219
                :opresulttype 701
                :opretset false
            }
        }
    )
}
}

```

```

        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 701
                :consttypmod -1
                :constcollid 0
                :constlen 8
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
            }
            {VAR
                :varno -2
                :varattno 3
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 7
                :location -1
            }
        )
        :location 202
    }
    :location 197
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 6
:aggno 1
:aggtransno 1
:location 177
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 6184.445833333333
    :join.plan.total_cost 149039.89220833333
    :join.plan.plan_rows 28308
    :join.plan.plan_width 37
    :join.plan.parallel_aware true
    :join.plan.parallel_safe true
    :join.plan.async_capable false
    :join.plan.plan_node_id 3
    :join.plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -1
                :varattno 1
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 5
                :location 78
            }
        }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno -2
            :varattno 1
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 6
            :location -1
        }
        :resno 2
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 445.45
:join.plan.total_cost 143076.791375
:join.plan.plan_rows 28308
:join.plan.plan_width 20
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 142225.75
:scan.plan.plan_rows 34539
:scan.plan.plan_width 24
:scan.plan.parallel_aware true

```



```

:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
      }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 1082

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 3
        :varattnosyn 16
        :location -1
    }
    :resno 16
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 334
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 326
}
{OPEXPR
:opno 2345
:opfncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
{CONST
:consttype 1114
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 -32 -39 -62 -14 114 -1 -1 ]
}
)
:location 368
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 8196
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
}
}
}

```

```

    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 7
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual (
  {OEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 4
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
      }
    )
    :location -1
  }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 4
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)

```

```

:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
      }
    )
    :location -1
  }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
  }
)
}
:join.plan.righttree
{HASH
  :plan.disabled_nodes 0
  :plan.startup_cost 4697.333333333333
  :plan.total_cost 4697.333333333333
  :plan.plan_rows 83333
  :plan.plan_width 25
  :plan.parallel_aware true
  :plan.parallel_safe true
  :plan.async_capable false
  :plan.plan_node_id 8
  :plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location -1
      }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
    {TARGETENTRY
      :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
      }
      :resno 2
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  )
}

```

```

    }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 4697.333333333333
:scan.plan.plan_rows 83333
:scan.plan.plan_width 25
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 9
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location 78
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 295
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 295
  }
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 199999.199999999998
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 295
}
}
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 0
:aggssplit 6
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggssplit 9
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
Finalize Aggregate (cost=150535.50..150535.52 rows=1 width=8) (actual time=629.076..630.590 rows=1.00 loops=1)
  Output: (('100':double precision * sum(CASE WHEN (part.p_type ~~ 'PROMO%':text) THEN (l1_extendedprice * ('1':double precision - l1_discount)) ELSE '
0':double precision END)) / sum((l1_extendedprice * ('1':double precision - l1_discount))))
  Buffers: shared hit=8899 read=100339
  -> Gather (cost=150535.28..150535.49 rows=2 width=16) (actual time=629.058..630.584 rows=3.00 loops=1)
    Output: (PARTIAL sum(CASE WHEN (part.p_type ~~ 'PROMO%':text) THEN (l1_extendedprice * ('1':double precision - l1_discount)) ELSE '0':double pr
ecision END)), (PARTIAL sum((l1_extendedprice * ('1':double precision - l1_discount))))
    Workers Planned: 2
    Workers Launched: 2
    Buffers: shared hit=8899 read=100339
    -> Partial Aggregate (cost=149535.28..149535.29 rows=1 width=16) (actual time=619.063..619.065 rows=1.00 loops=3)
      Output: PARTIAL sum(CASE WHEN (part.p_type ~~ 'PROMO%':text) THEN (l1_extendedprice * ('1':double precision - l1_discount)) ELSE '0':doub
le precision END), PARTIAL sum((l1_extendedprice * ('1':double precision - l1_discount)))
      Buffers: shared hit=8899 read=100339
      Worker 0: actual time=614.232..614.233 rows=1.00 loops=1
        Buffers: shared hit=2797 read=33422
      Worker 1: actual time=614.240..614.242 rows=1.00 loops=1
        Buffers: shared hit=2742 read=33572
      -> Parallel Hash Join (cost=6184.45..149039.89 rows=28308 width=37) (actual time=38.816..616.372 rows=21161.33 loops=3)
        Output: part.p_type, l1_extendedprice, l1_discount
        Hash Cond: (l1_partkey = part.p_partkey)
        Buffers: shared hit=8899 read=100339
        Worker 0: actual time=34.170..611.532 rows=21185.00 loops=1
          Buffers: shared hit=2797 read=33422
        Worker 1: actual time=34.171..611.519 rows=20991.00 loops=1
          Buffers: shared hit=2742 read=33572
        -> Hash Semi Join (cost=445.45..143076.79 rows=28308 width=20) (actual time=3.248..566.960 rows=21161.33 loops=3)
          Output: l1_extendedprice, l1_discount, l1_partkey

```



```

Hash Cond: (l1_suppkey = s.s_suppkey)
Buffers: shared hit=5035 read=100339
Worker 0: actual time=3.251..566.995 rows=21185.00 loops=1
  Buffers: shared hit=1684 read=33422
Worker 1: actual time=3.251..567.070 rows=20991.00 loops=1
  Buffers: shared hit=1634 read=33572
-> Parallel Seq Scan on public.lineitem l (cost=0.00..142225.75 rows=34539 width=24) (actual time=0.675..553.747 rows=25785.33 l
oops=3)
  Output: l1_orderkey, l1_partkey, l1_suppkey, l1_linenum, l1_quantity, l1_extendedprice, l1_discount, l1_tax, l1_
returnflag, l1_linestatus, l1_shipdate, l1_commitdate, l1_receiptdate, l1_shipinstruct, l1_shipmode, l1_comment
  Filter: ((l1_shipdate >= '1995-01-01'::date) AND (l1_shipdate < '1995-02-01 00:00:00'::timestamp without time zone))
  Rows Removed by Filter: 1974620
  Buffers: shared hit=4381 read=100339
  Worker 0: actual time=0.646..553.733 rows=25866.00 loops=1
    Buffers: shared hit=1466 read=33422
  Worker 1: actual time=0.674..553.890 rows=25557.00 loops=1
    Buffers: shared hit=1416 read=33572
-> Hash (cost=343.00..343.00 rows=8196 width=4) (actual time=2.540..2.540 rows=8197.00 loops=3)
  Output: s.s_suppkey
  Buckets: 16384 Batches: 1 Memory Usage: 417kB
  Buffers: shared hit=654
  Worker 0: actual time=2.566..2.566 rows=8197.00 loops=1
    Buffers: shared hit=218
  Worker 1: actual time=2.542..2.542 rows=8197.00 loops=1
    Buffers: shared hit=218
-> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8196 width=4) (actual time=0.039..1.704 rows=8197.00 loops=3)
  Output: s.s_suppkey
  Filter: (s.s_acctbal > '1000'::double precision)
  Rows Removed by Filter: 1803
  Buffers: shared hit=654
  Worker 0: actual time=0.054..1.744 rows=8197.00 loops=1
    Buffers: shared hit=218
  Worker 1: actual time=0.054..1.689 rows=8197.00 loops=1
    Buffers: shared hit=218
-> Parallel Hash (cost=4697.33..4697.33 rows=83333 width=25) (actual time=35.336..35.336 rows=66666.67 loops=3)
  Output: part.p_type, part.p_partkey
  Buckets: 262144 Batches: 1 Memory Usage: 14176kB
  Buffers: shared hit=3864
  Worker 0: actual time=30.892..30.892 rows=57638.00 loops=1
    Buffers: shared hit=1113
  Worker 1: actual time=30.900..30.901 rows=57052.00 loops=1
    Buffers: shared hit=1108
-> Parallel Seq Scan on public.part (cost=0.00..4697.33 rows=83333 width=25) (actual time=0.024..22.443 rows=66666.67 loops=3)
  Output: part.p_type, part.p_partkey
  Buffers: shared hit=3864
  Worker 0: actual time=0.022..20.254 rows=57638.00 loops=1
    Buffers: shared hit=1113
  Worker 1: actual time=0.026..20.400 rows=57052.00 loops=1
    Buffers: shared hit=1108

Planning:
  Buffers: shared hit=15
Planning Time: 5.525 ms
Execution Time: 631.005 ms
(76 rows)

Time: 641.063 ms
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS lineitem_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW lineitem_secure AS
SELECT l.*
FROM lineitem l
WHERE EXISTS (
  SELECT 1 FROM supplier s
  WHERE s.s_suppkey = l1_suppkey
  AND s.s_acctbal > 1000
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON lineitem_secure TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 5: Run Q14
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  100.00 * sum(case
    when p_type like 'PROMO%'
      then l_extendedprice * (1 - l_discount)
    else 0
  end) / sum(l_extendedprice * (1 - l_discount)) as promo_revenue
from
  lineitem_secure l,
  part
where
  l1_partkey = p_partkey
  and l1_shipdate >= date '1995-01-01'
  and l1_shipdate < date '1995-01-01' + interval '1' month;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt

```

```

{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 2.781 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41

```

```

      :missing_ok false
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 47
}

```

Time: 2.556 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
  :stmt
    {DROPSTMT
      :objects (("lineitem_secure"))
      :removeType 51
      :behavior 0
      :missing_ok true
      :concurrent false
    }
  :stmt_location 0
  :stmt_len 35
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {DROPSTMT
      :objects (("lineitem_secure"))
      :removeType 51
      :behavior 0
      :missing_ok true
      :concurrent false
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 35
}

```

Time: 1.728 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("1"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("1" "1_suppkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 146
}
}
```

```

        :rexpr
        {A_CONST
         :val 1000
         :location 160
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 158
    }
    )
    :location 142
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 166
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("1"
{A_STAR
}
)
:location 38
}
:location 38
}
)
}
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>

```

```

:intoClause <>
:targetList (
  {RESTARGET
    :name <>
    :indirection <>
    :val
      {A_CONST
        :val 1
        :location 84
      }
    :location 84
  }
)
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname supplier
    :inh true
    :relpersistence p
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :location 91
  }
)
:whereClause
  {BOOLEXP
    :boolop and
    :args (
      {A_EXPR
        :name ("=")
        :lexpr
          {COLUMNREF
            :fields ("s" "s_suppkey")
            :location 112
          }
        :rexpr
          {COLUMNREF
            :fields ("l" "l_suppkey")
            :location 126
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 124
      }
      {A_EXPR
        :name (">")
        :lexpr
          {COLUMNREF
            :fields ("s" "s_acctbal")
            :location 146
          }
        :rexpr
          {A_CONST
            :val 1000
            :location 160
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 158
      }
    )
    :location 142
  }
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false

```

```

:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesstatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
}
}
}
}

```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_
          _phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location 112
              }
              {VAR
                :varno 1
                :varattno 3
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 1
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 3
                :location 126
              }
            )
          }
        :location 124
      }
      {OPEXP
        :opno 674
        :opfuncid 297
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 146
          }
          {FUNCEXP
            :funcid 316
            :funcresulttype 701

```



```

        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 160
                :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    :location 158
}
:location 142
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 84
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 38
        }
        :resno 1
        :resname l_orderkey
        :ressortgroupref 0
        :resorigtbl 16566
        :resorigcol 1
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 38
        }
    }
)

```

```

    }
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566

```

```

:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 38
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 38
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 38
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 38
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 38
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 38
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 38
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 38
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 38
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

Time: 3.349 ms

WARNING: ===== RAW PARSE TREE =====

DETAIL: {RAWSTMT

:stmt

{GRANTSTMT

```

:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem_secure
    :inh true
    :relpersistence p
    :alias <>
    :location 16
  }
)
:privileges (
  {ACCESSPRIV
    :priv_name select
    :cols <>
  }
)
:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 35
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 40
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem_secure
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 35
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.509 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 29
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
}
```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

Time: 0.319 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targettype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relnname supplier
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targettype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relnname supplier
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>

```

```

:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.352 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.213 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {EXPLAINSTMT
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name promo_revenue
:indirection <>
:val
  {A_EXPR
:name ("/")
:lexpr
  {A_EXPR
:name ("*")

```



```

:lexpr
{A_CONST
:val 100.00
:location 47
}
:rexpr
{FUNCCALL
:funcname ("sum")
:args (
{CASEEXPR
:casetype 0
:casecollid 0
:arg <>
:args (
{CASEWHEN
:expr
{A_EXPR LIKE
:name ("~~")
:lexpr
{COLUMNREF
:fields ("p_type")
:location 78
}
:rexpr
{A_CONST
:val "PROMO%"
:location 90
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 85
}
:result
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 116
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 135
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 139
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 137
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 132
}
:location 73
}
)
:default
{A_CONST
:val 0
:location 164
}
:location 60
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 56
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 54
}
:rexpr
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 181
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 200
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 204
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 202
}
}
:rexpr_list_start 0

```

```

        :rexpr_list_end 0
        :location 197
    }
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 177
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 175
}
:location 47
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relnname lineitem_secure
:inh true
:relpersistance p
:alias
{ALIAS
:aliasname l
:colnames <>
}
:location 243
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relnname part
:inh true
:relpersistance p
:alias <>
:location 266
}
)
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l" "l_partkey")
:location 281
}
}
:rexpr
{COLUMNREF
:fields ("p_partkey")
:location 295
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 293
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l" "l_shipdate")
:location 313
}
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 334
}
:typeName
{TYPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 329
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 326
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("l" "l_shipdate")
:location 355
}
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 375
}
:typeName
{TYPENAME

```

```

        :names ("date")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods <>
        :typemod -1
        :arrayBounds <>
        :location 370
    }
    :location -1
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1"
:location 399
}
:typeName
{TYPPENAME
:names ("pg_catalog" "interval")
:typeOid 0
:setof false
:pct_type false
:typmods (
{A_CONST
:val 2
:location 403
}
)
:typemod -1
:arrayBounds <>
:location 390
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 388
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 368
}
)
:location 309
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 408
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false

```

```

:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname l
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname l
      :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
        "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
        ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
        "l_shipinstruct" "l_shipmode" "l_comment")
    }
    :rtekind 0
    :relid 16706
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname part
      :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
        size" "p_container" "p_retailprice" "p_comment")
    }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16706
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 12)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
    {RANGETBLREF
      :rtindex 2
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcoid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 2
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 2
          :location 281
        }
        {VAR
          :varno 2
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 1
          :location 295
        }
      )
    }
  )
}

```

```

    }
  )
  :location 293
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location 313
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 334
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
  }
)
:location 326
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location 355
  }
  {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 375
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
      {CONST
        :consttype 1186
        :consttypmod 196607
        :constcollid 0
        :constlen 16
        :constbyval false
        :constisnull false
        :location 399
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 ]
      }
    )
  }
  :location 388
}
)
:location 368
}
)
:location 309
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {OPEXPR
      :opno 593
      :opfuncid 217
      :opresulttype 701
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {OPEXPR
          :opno 594
          :opfuncid 216
          :opresulttype 701

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {FUNCEXP
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1700
        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location 47
        :constvalue 8 [ 32 0 0 0 0 -127 100 0 ]
      }
    )
    :location -1
  }
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {CASEEXPR
            :casetype 701
            :casecollid 0
            :arg <>
            :args (
              {CASEWHEN
                :expr
                  {OPEXP
                    :opno 1209
                    :opfuncid 850
                    :opresulttype 16
                    :opretset false
                    :opcollid 0
                    :inputcollid 100
                    :args (
                      {VAR
                        :varno 2
                        :varattno 5
                        :vartype 25
                        :vartypmod -1
                        :varcollid 100
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 2
                        :varattnosyn 5
                        :location 78
                      }
                      {CONST
                        :consttype 25
                        :consttypmod -1
                        :constcollid 100
                        :constlen -1
                        :constbyval false
                        :constisnull false
                        :location 90
                        :constvalue 10 [ 40 0 0 0 80 82 79 77 79 3
                          7 ]
                      }
                    )
                    :location 85
                  }
                :result
                  {OPEXP
                    :opno 594
                    :opfuncid 216
                    :opresulttype 701
                    :opretset false
                    :opcollid 0
                    :inputcollid 0
                    :args (
                      {VAR
                        :varno 1
                        :varattno 6
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 1
                        :varattnosyn 6
                        :location 116
                      }
                      {OPEXP
                        :opno 592
                        :opfuncid 219
                        :opresulttype 701
                        :opretset false
                        :opcollid 0
                        :inputcollid 0
                        :args (
                          {FUNCEXP
                            :funcid 316
                            :funcresulttype 701
                            :funcresultset false
                            :funcvariadic false
                            :funcformat 2

```

```

        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 135
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 139
    }
    )
    :location 137
}
)
:location 132
}
:location 73
}
)
:deffresult
{FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 164
            :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
:location 60
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 56
}
)
:location 54
}
{AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
            :expr
            {OPEXPR
                :opno 594
                :opfuncid 216
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                    {VAR
                        :varno 1
                        :varattno 6
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                    }
                )
            }
        }
    )
}

```

```

:varnosyn 1
:varattnosyn 6
:location 181
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 200
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 204
}
)
:location 202
}
)
:location 197
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 177
}
)
:location 175
}
:resno 1
:resname promo_revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
)

```



```

    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
  }
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 408
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname 1
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname 1
  :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
  }
  :rtekind 0
  :relid 16706
  :inh true
  :relkind v
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname part
  :colnames ("p_partkey" "p_name" "p_mfg" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
  }
  :rtekind 0
  :relid 16551
  :inh true

```

```

:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16706
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 281
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 295
}
)
:location 293
}
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 313
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 334
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 326
}
{OPEXP

```

```

:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location 355
  }
  {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 375
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
      {CONST
        :consttype 1186
        :consttypmod 196607
        :constcollid 0
        :constlen 16
        :constbyval false
        :constisnull false
        :location 399
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 ]
      }
    )
    :location 388
  }
)
:location 368
}
)
:location 309
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {OPEXPR
      :opno 593
      :opfuncid 217
      :opresulttype 701
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {OPEXPR
          :opno 594
          :opfuncid 216
          :opresulttype 701
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {FUNCEXPR
              :funcid 1746
              :funcresulttype 701
              :funcresultset false
              :funcvariadic false
              :funcformat 2
              :funccollid 0
              :inputcollid 0
              :args (
                {CONST
                  :consttype 1700
                  :consttypmod -1
                  :constcollid 0
                  :constlen -1
                  :constbyval false
                  :constisnull false
                  :location 47
                  :constvalue 8 [ 32 0 0 0 0 -127 100 0 ]
                }
              )
            :location -1
          }
          {AGGREF
            :aggfnoid 2111
            :aggtype 701
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 0
            :aggargtypes (o 701)
            :aggdirectargs <>
            :args (
              {TARGETENTRY
                :expr
                {CASEEXPR
                  :casetype 701

```

```

:casecollid 0
:arg <>
:args (
  {CASEWHEN
    :expr
    {OPEXPR
      :opno 1209
      :opfuncid 850
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 100
      :args (
        {VAR
          :varno 2
          :varattno 5
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 5
          :location 78
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 90
          :constvalue 10 [ 40 0 0 0 80 82 79 77 79 37 ]
        }
      )
    }
    :location 85
  }
):result
{OPEXPR
  :opno 594
  :opfuncid 216
  :opresulttype 701
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 1
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location 116
    }
    {OPEXPR
      :opno 592
      :opfuncid 219
      :opresulttype 701
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {FUNCEXPR
          :funcid 316
          :funcresulttype 701
          :funcresultset false
          :funcvariadic false
          :funcformat 2
          :funccollid 0
          :inputcollid 0
          :args (
            {CONST
              :consttype 23
              :consttypmod -1
              :constcollid 0
              :constlen 4
              :constbyval true
              :constisnull false
              :location 135
              :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
          )
        }
        :location -1
      )
    }
    {VAR
      :varno 1
      :varattno 7
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 7
      :location 139
    }
  )
  :location 137
}
)
:location 132
}
:location 73
}
)
:defresult
{FUNCEXPR

```

```

        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 164
                :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    :location 60
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 56
}
)
:location 54
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
    {TARGETENTRY
        :expr
        {OEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opresultset false
            :opcollid 0
            :inputcollid 0
            :args (
                {VAR
                    :varno 1
                    :varattno 6
                    :vartype 701
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 6
                    :location 181
                }
                {OEXPR
                    :opno 592
                    :opfuncid 219
                    :opresulttype 701
                    :opresultset false
                    :opcollid 0
                    :inputcollid 0
                    :args (
                        {FUNCEXP
                            :funcid 316
                            :funcresulttype 701
                            :funcresultset false
                            :funcvariadic false
                            :funcformat 2
                            :funccollid 0
                            :inputcollid 0
                            :args (
                                {CONST
                                    :consttype 23
                                    :consttypmod -1
                                    :constcollid 0
                                    :constlen 4
                                    :constbyval true
                                    :constisnull false
                                    :location 200
                                    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                                }
                            )
                        }
                    )
                    :location -1
                }
                {VAR
                    :varno 1
                    :varattno 7
                    :vartype 701
                    :vartypmod -1
                    :varcollid 0
                }
            )
        }
    }
)

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 204
}
)
:location 202
}
)
:location 197
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 177
}
)
:location 175
}
:resno 1
:resname promo_revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====:

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true

```

```

:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname 1
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname 1
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenummer"
          "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
            ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
              "l_shipinstruct" "l_shipmode" "l_comment")
        }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBENTRY
                :alias
                  {ALIAS
                    :aliasname s
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname s
                    :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
                      ey" "s_phone" "s_acctbal" "s_comment")
                    }
                :rtekind 0
                :relid 16541
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesampl <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
            )
          }
        :rteperminfos (
          {RTEPERMISSIONINFO
            :relid 16541
            :inh true
            :requiredPerms 2
            :checkAsUser 10
            :selectedCols (b 8 13)
            :insertedCols (b)
            :updatedCols (b)
          }
        )
      }
    )
  }
:jointree

```

```

{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    )
    :location -1
  }
  {OPEXP
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
      }
      {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
    )
    :location -1
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
  }
)

```



```

        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname l_orderkey
    :ressortgrouppref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname l_partkey
    :ressortgrouppref 0
    :resorigtbl 16566
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    :resno 3
    :resname l_suppkey
    :ressortgrouppref 0
    :resorigtbl 16566
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
    }

```

```

    }
:resno 4
:resname l_linenumber
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566

```

```

:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 1
        :varattno 15
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 15
        :location -1
        }
        :resno 15
        :resname l_shipmode
        :ressortgroupref 0
        :resorigtbl 16566
        :resorigcol 15
        :resjunk false
        }
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 16
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 16
        :location -1
        }
        :resno 16
        :resname l_comment
        :ressortgroupref 0
        :resorigtbl 16566
        :resorigcol 16
        :resjunk false
        }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :security_barrier false
    :relid 16706
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname part
    :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
    "p_container" "p_retailprice" "p_comment")
    }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16706
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 12)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    )

```

```

:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 281
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 295
}
)
:location 293
}
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 313
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 334
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 326
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 355
}
{OPEXP
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST

```

```

        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 375
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
    {CONST
    :consttype 1186
    :consttypmod 196607
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 399
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 ]
    }
    )
    :location 388
    }
    )
    :location 368
    }
    )
    :location 309
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {OPEXPR
    :opno 593
    :opfuncid 217
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {OPEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {FUNCEXPR
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 47
    :constvalue 8 [ 32 0 0 0 0 -127 100 0 ]
    }
    )
    :location -1
    }
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {CASEEXPR
    :casetype 701
    :casecollid 0
    :arg <>
    :args (
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 1209
    :opfuncid 850
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 2
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 78
    }
    {CONST
    :consttype 25
    :consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 90
        :constvalue 10 [ 40 0 0 0 80 82 79 77 79 37 ]
    }
)
:location 85
}
:result
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 116
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 135
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 139
}
)
:location 137
}
)
:location 132
}
:location 73
}
)
:defresult
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 164
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:location 60
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

    }
  )
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar false
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggsplit 0
  :aggno -1
  :aggtransno -1
  :location 56
}
)
:location 54
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
  :expr
  {OPEXPR
  :opno 594
  :opfuncid 216
  :opresulttype 701
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 181
    }
    {OPEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {FUNCEXPR
      :funcid 316
      :funcresulttype 701
      :funcresultset false
      :funcvariadic false
      :funcformat 2
      :funccollid 0
      :inputcollid 0
      :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 200
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
      )
    )
    :location -1
    }
    {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 204
    }
  )
  :location 202
}
)
:location 197
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0

```



```

        :aggssplit 0
        :aggno -1
        :aggtransno -1
        :location 177
    }
}
:location 175
}
:resno 1
:resname promo_revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
}
}
}

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1

```

```

        :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    {OEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :location -1

```

```

    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname 1_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname 1_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname 1_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname 1_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 16
        :location -1
    }
    :resno 16
    :resname l_comment
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 16
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16706
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16706
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 281
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 295
}
)
:location 293
}
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 313
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 334
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 326
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 355
}
{OEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 375
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 399
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 1 0 0 0 ]
}
)
:location 388
}
)
:location 368
}
)
:location 309
}
}

```



```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {OPEXPR
        :opno 593
        :opfuncid 217
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {FUNCEXPR
                :funcid 1746
                :funcresulttype 701
                :funcresultset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                  {CONST
                    :consttype 1700
                    :consttypmod -1
                    :constcollid 0
                    :constlen -1
                    :constbyval false
                    :constisnull false
                    :location 47
                    :constvalue 8 [ 32 0 0 0 0 -127 100 0 ]
                  }
                )
              :location -1
            }
          {AGGREF
            :aggfnoid 2111
            :aggtype 701
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 0
            :aggargtypes (o 701)
            :aggdirectargs <>
            :args (
              {TARGETENTRY
                :expr
                  {CASEEXPR
                    :casetype 701
                    :casecollid 0
                    :arg <>
                    :args (
                      {CASEWHEN
                        :expr
                          {OPEXPR
                            :opno 1209
                            :opfuncid 850
                            :opresulttype 16
                            :opretset false
                            :opcollid 0
                            :inputcollid 100
                            :args (
                              {VAR
                                :varno 2
                                :varattno 5
                                :vartype 25
                                :vartypmod -1
                                :varcollid 100
                                :varnullingrels (b)
                                :varlevelsup 0
                                :varreturningtype 0
                                :varnosyn 2
                                :varattnosyn 5
                                :location 78
                              }
                              {CONST
                                :consttype 25
                                :consttypmod -1
                                :constcollid 100
                                :constlen -1
                                :constbyval false
                                :constisnull false
                                :location 90
                                :constvalue 10 [ 40 0 0 0 80 82 79 77 79 37 ]
                              }
                            )
                          :location 85
                        }
                      )
                    }
                  :result
                    {OPEXPR
                      :opno 594
                      :opfuncid 216
                      :opresulttype 701
                      :opretset false
                      :opcollid 0
                      :inputcollid 0
                      :args (
                        {VAR
                          :varno 1
                          :varattno 6
                          :vartype 701
                          :vartypmod -1
                          :varcollid 0
                          :varnullingrels (b)
                          :varlevelsup 0
                          :varreturningtype 0
                          :varnosyn 1

```

```

        :varattnosyn 6
        :location 116
    }
    {OPEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 135
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 139
    }
    )
    :location 137
    }
    )
    :location 132
    }
    :location 73
    }
    )
    :defresult
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 164
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
    :location 60
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 56
    }
    )
    :location 54
    }
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr

```

```

{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 181
}
  {OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 200
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
  {VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 204
}
)
:location 202
}
)
:location 197
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 177
}
)
:location 175
}
:resno 1
:resname promo_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>

```

```

:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 150535.5022083338
:plan.total_cost 150535.5172083334
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
      {OPEXPR
        :opno 593
        :opfuncid 217
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 701
                :consttypmod -1
                :constcollid 0
                :constlen 8
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 8 [ 0 0 0 0 0 0 89 64 ]
              }
              {AGGREF
                :aggfnoid 2111
                :aggtype 701
                :aggcollid 0
                :inputcollid 0
                :aggtranstype 701
                :aggargtypes (o 701)
                :aggdirectargs <>
                :args (
                  {TARGETENTRY
                    :expr
                      {VAR
                        :varno -2
                        :varattno 1
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 0
                        :varattnosyn 0
                        :location -1
                      }
                    :resno 1
                    :resname <>
                    :ressortgroupref 0
                    :resorigtbl 0
                    :resorigcol 0
                    :resjunk false
                  }
                )
                :aggorder <>
                :aggdistinct <>
                :aggfilter <>
                :aggstar false
                :aggvariadic false
                :aggkind n
                :aggpresorted false
                :agglevelsup 0
                :aggssplit 9
                :aggno 0
                :aggtransno 0
                :location 56
              }
            )
          }
        :location 54
      }
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 701
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
            {VAR
              :varno -2
              :varattno 2
              :vartype 701
              :vartypmod -1
              :varcollid 0
            }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
    }
  )
}

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 9
:aggno 1
:aggtransno 1
:location 177
}
)
:location 175
}
:resno 1
:resname promo_revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 150535.28220833334
:plan.total_cost 150535.49220833337
:plan.plan_rows 2
:plan.plan_width 16
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:varitypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 149535.29220833335
:plan.total_cost 149535.29220833335
:plan.plan_rows 1
:plan.plan_width 16
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701

```

```

:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {CASEEXPR
        :casetype 701
        :casecollid 0
        :arg <>
        :args (
          {CASEWHEN
            :expr
              {OPEXPR
                :opno 1209
                :opfuncid 850
                :opresulttype 16
                :opretset false
                :opcollid 0
                :inputcollid 100
                :args (
                  {VAR
                    :varno -2
                    :varattno 1
                    :vartype 25
                    :vartypmod -1
                    :varcollid 100
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 2
                    :varattnosyn 5
                    :location 78
                  }
                  {CONST
                    :consttype 25
                    :consttypmod -1
                    :constcollid 100
                    :constlen -1
                    :constbyval false
                    :constisnull false
                    :location 90
                    :constvalue 10 [ 40 0 0 0 80 82 79 77 79 37 ]
                  }
                )
              }
            :location 85
          }
        :result
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno -2
                :varattno 2
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 6
                :location -1
              }
              {OPEXPR
                :opno 592
                :opfuncid 219
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                  {CONST
                    :consttype 701
                    :consttypmod -1
                    :constcollid 0
                    :constlen 8
                    :constbyval true
                    :constisnull false
                    :location -1
                    :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
                  }
                  {VAR
                    :varno -2
                    :varattno 3
                    :vartype 701
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 3
                    :varattnosyn 7
                    :location -1
                  }
                )
              }
            :location 137
          }
        )
      :location 132
    }
  :location 73
}
)
:defresult
{CONST
  :consttype 701
  :consttypmod -1

```

```

        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 0 0 ]
    }
    :location 60
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 6
:aggno 0
:aggtransno 0
:location 56
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
}
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
}
)
:location 202
}
)
:location 197
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 6
    :aggno 1
    :aggtransno 1
    :location 177
  }
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6184.445833333333
:join.plan.total_cost 149039.89220833333
:join.plan.plan_rows 28308
:join.plan.plan_width 37
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 78
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 445.45
:join.plan.total_cost 143076.791375
:join.plan.plan_rows 28308
:join.plan.plan_width 20
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (

```



```

{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location -1
  }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location -1
  }
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location -1
  }
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 142225.75
:scan.plan.plan_rows 34539
:scan.plan.plan_width 24
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2

```

```

        :location -1
    }
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4

```

```

        :constbyval true
        :constisnull false
        :location 334
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
)
:location 326
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 3
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 11
    :location -1
    }
    {CONST
    :consttype 1114
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 -32 -39 -62 -14 114 -1 -1 ]
    }
)
:location 368
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 8196
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 7
:scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 4
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
}
)
)

```

```

        :location -1
    }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
    }
)
}
:join.plan.righttree
{HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 4697.333333333333
    :plan.total_cost 4697.333333333333
    :plan.plan_rows 83333
    :plan.plan_width 25
    :plan.parallel_aware true
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 8
    :plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 1
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 5
                :location -1
            }
            :resno 1
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
        {TARGETENTRY
            :expr
            {VAR
                :varno -2
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 1
                :location -1
            }
            :resno 2
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
    )
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 4697.333333333333
    :scan.plan.plan_rows 83333
    :scan.plan.plan_width 25
    :scan.plan.parallel_aware true
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 9
    :scan.plan.targetlist (
        {TARGETENTRY
            :expr
            {VAR
                :varno 2
                :varattno 5
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 5
                :location 78
            }
            :resno 1
            :resname <>
            :ressortgroupref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
        }
        {TARGETENTRY
            :expr

```

```

        {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 295
        }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanreliid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 295
    }
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 199999.199999999998
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
        }
        {VAR
        :varno -1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 295
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location -1
    }
)
)

```



```

    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b 0)
    :plan.allParam (b 0)
    :aggstrategy 0
    :aggsplit 6
    :numCols 0
    :grpColIdx ()
    :grpOperators ()
    :grpCollations ()
    :numGroups 1
    :transitionSpace 0
    :aggParams (b)
    :groupingSets <>
    :chain <>
  }
  :plan.righttree <>
  :plan.initPlan <>
  :plan.extParam (b)
  :plan.allParam (b)
  :num_workers 2
  :rescan_param 0
  :single_copy false
  :invisible false
  :initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggsplit 9
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
Finalize Aggregate (cost=150535.50..150535.52 rows=1 width=8) (actual time=634.340..635.803 rows=1.00 loops=1)
  Output: (('100'::double precision * sum(CASE WHEN (part.p_type ~ 'PROMO'::text) THEN (l1_extendedprice * ('1'::double precision - l1_discount)) ELSE '
0'::double precision END)) / sum((l1_extendedprice * ('1'::double precision - l1_discount))))
  Buffers: shared hit=9181 read=100057
  -> Gather (cost=150535.28..150535.49 rows=2 width=16) (actual time=633.676..635.794 rows=3.00 loops=1)
    Output: (PARTIAL sum(CASE WHEN (part.p_type ~ 'PROMO'::text) THEN (l1_extendedprice * ('1'::double precision - l1_discount)) ELSE '0'::double pr
ecision END)), (PARTIAL sum((l1_extendedprice * ('1'::double precision - l1_discount))))
    Workers Planned: 2
    Workers Launched: 2
    Buffers: shared hit=9181 read=100057
    -> Partial Aggregate (cost=149535.28..149535.29 rows=1 width=16) (actual time=625.241..625.244 rows=1.00 loops=3)
      Output: PARTIAL sum(CASE WHEN (part.p_type ~ 'PROMO'::text) THEN (l1_extendedprice * ('1'::double precision - l1_discount)) ELSE '0'::doub
le precision END), PARTIAL sum((l1_extendedprice * ('1'::double precision - l1_discount)))
      Buffers: shared hit=9181 read=100057
      Worker 0: actual time=621.401..621.403 rows=1.00 loops=1
        Buffers: shared hit=2945 read=33473
      Worker 1: actual time=620.975..620.977 rows=1.00 loops=1
        Buffers: shared hit=3022 read=33298
      -> Parallel Hash Join (cost=6184.45..149039.89 rows=28308 width=37) (actual time=50.875..622.413 rows=21161.33 loops=3)
        Output: part.p_type, l1_extendedprice, l1_discount
        Hash Cond: (l1_partkey = part.p_partkey)
        Buffers: shared hit=9181 read=100057
        Worker 0: actual time=46.743..618.548 rows=21423.00 loops=1
          Buffers: shared hit=2945 read=33473
        Worker 1: actual time=46.756..618.066 rows=21269.00 loops=1
          Buffers: shared hit=3022 read=33298
        -> Hash Semi Join (cost=445.45..143076.79 rows=28308 width=20) (actual time=3.212..560.557 rows=21161.33 loops=3)
          Output: l1_extendedprice, l1_discount, l1_partkey
          Hash Cond: (l1_suppkey = s.s_suppkey)
          Buffers: shared hit=5317 read=100057
          Worker 0: actual time=3.206..560.339 rows=21423.00 loops=1
            Buffers: shared hit=1730 read=33473
          Worker 1: actual time=3.218..560.276 rows=21269.00 loops=1
            Buffers: shared hit=1819 read=33298
          -> Parallel Seq Scan on public.lineitem l1 (cost=0.00..142225.75 rows=34539 width=24) (actual time=0.634..547.033 rows=25785.33 l
oops=3)
            Output: l1_orderkey, l1_partkey, l1_suppkey, l1_linenum, l1_quantity, l1_extendedprice, l1_discount, l1_tax, l1_
returnflag, l1_linestatus, l1_shipdate, l1_commitdate, l1_receiptdate, l1_shipinstruct, l1_shipmode, l1_comment
            Filter: ((l1_shipdate >= '1995-01-01'::date) AND (l1_shipdate < '1995-02-01 00:00:00'::timestamp without time zone))
            Rows Removed by Filter: 1974620
            Buffers: shared hit=4663 read=100057
            Worker 0: actual time=0.586..546.720 rows=26124.00 loops=1
              Buffers: shared hit=1512 read=33473
            Worker 1: actual time=0.540..546.626 rows=25855.00 loops=1
              Buffers: shared hit=1601 read=33298
            -> Hash (cost=343.00..343.00 rows=8196 width=4) (actual time=2.527..2.527 rows=8197.00 loops=3)
              Output: s.s_suppkey
              Buckets: 16384 Batches: 1 Memory Usage: 417kB
              Buffers: shared hit=654
              Worker 0: actual time=2.576..2.577 rows=8197.00 loops=1
                Buffers: shared hit=218
              Worker 1: actual time=2.604..2.604 rows=8197.00 loops=1
                Buffers: shared hit=218
              -> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8196 width=4) (actual time=0.042..1.728 rows=8197.00 loops=3)
                Output: s.s_suppkey
                Filter: (s.s_acctbal > '1000'::double precision)
                Rows Removed by Filter: 1803
                Buffers: shared hit=654
                Worker 0: actual time=0.058..1.776 rows=8197.00 loops=1
                  Buffers: shared hit=218
                Worker 1: actual time=0.059..1.809 rows=8197.00 loops=1
                  Buffers: shared hit=218
              -> Parallel Hash (cost=4697.33..4697.33 rows=83333 width=25) (actual time=47.406..47.406 rows=66666.67 loops=3)
                Output: part.p_type, part.p_partkey
                Buckets: 262144 Batches: 1 Memory Usage: 14176kB
                Buffers: shared hit=3864
                Worker 0: actual time=43.498..43.499 rows=62906.00 loops=1

```

```

        Buffers: shared hit=1215
Worker 1: actual time=43.516..43.516 rows=62191.00 loops=1
        Buffers: shared hit=1203
-> Parallel Seq Scan on public.part (cost=0.00..4697.33 rows=83333 width=25) (actual time=0.034..31.674 rows=66666.67 loops=3)
        Output: part.p_type, part.p_partkey
        Buffers: shared hit=3864
Worker 0: actual time=0.041..29.136 rows=62906.00 loops=1
        Buffers: shared hit=1215
Worker 1: actual time=0.035..29.260 rows=62191.00 loops=1
        Buffers: shared hit=1203

Planning:
        Buffers: shared hit=15
Planning Time: 8.359 ms
Execution Time: 636.013 ms
(76 rows)

Time: 647.336 ms
tpch=> reset role;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 8.615 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
  r RECORD;
BEGIN
  FOR r IN SELECT policyname, tablename FROM pg_policies WHERE schemaname = 'public'
  LOOP
    EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.policyname, r.tablename);
  END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

```

```

-- Step 3: Enable RLS on lineitem
ALTER TABLE lineitem ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show lineitems from suppliers with acctbal > 1000
CREATE POLICY lineitem_rls_policy ON lineitem
USING (
    EXISTS (
        SELECT 1 FROM supplier s
        WHERE s.s_suppkey = lineitem.l_suppkey
        AND s.s_acctbal > 1000
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 6: Run Q15
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
with revenue(supplier_no, total_revenue) as
(select
    l_suppkey,
    sum(l_extendedprice * (1 - l_discount))
from
    lineitem
where
    l_shipdate >= date '1995-01-01'
    and l_shipdate < date '1995-01-01' + interval '3' month
group by
    l_suppkey)
select
    s_suppkey,
    s_name,
    s_address,
    s_phone,
    total_revenue
from
    supplier,
    revenue
where
    s_suppkey = supplier_no
    and total_revenue = (
        select
            max(total_revenue)
        from
            revenue
    )
order by
    s_suppkey;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {DOSTMT
:args (
  {DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
      :defaction 0
      :location 3
    }
  )
}
:stmt_location 0
:stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DOSTMT
:args (
  {DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
      :defaction 0
      :location 3
    }
  )
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false

```

```

:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
}
)
}
}
}

```

```

:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 ]
}
}
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>

```

```

:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2

```

```

:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}

```



```

{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
}

```

```

:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "relloftype" "relowner" "relam" "relfilenode" "rel
tablesampl" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhasubclass" "relrowsecurity" "relforcerowsecurity" "relr
epopulated" "relreplident" "relispartition" "relrewrite" "relr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid"
"nspname" "nspowner" "nspacl")
}
}

```

```

    }
:rtkind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
  {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
  {VAR
    :varno 1
    :varattno 4
    :vartype 18
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
  }
  {VAR
    :varno 1
    :varattno 5
    :vartype 16
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location -1
  }
  {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {VAR
    :varno 1
    :varattno 7
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
  }
  {VAR
    :varno 1
    :varattno 8
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location -1
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2

```

```

:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}

```

```

{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2

```



```

:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
}
}
}
}

```

```

    }
  )
  :location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (

```

```

{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:varatype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varatype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1

```

```

    }
    :location -1
  }
:resno 5
:resname roles
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR

```

```

:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false

```

```

        :location -1
        :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check

```



```

:resname policyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varatype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
}
:rtekind 0
}

```

```

:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relh
asindex" "relisshared" "relpersistency" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lcl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistency"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR

```

```

:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reliid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreliid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "relloftype" "relowner" "relam" "relfilenode" "rel
tablesampl" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastreliid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22

```

```

:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR

```

```

:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (

```

```

{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1

```

```

        :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals <>
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgrouppref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgrouppref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1

```

```

    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
    }
    :location -1
  }
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
}
:elemexpr

```



```

        {FUNCEXPR
        :funcid 407
        :funcresulttype 19
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 950
        :inputcollid 0
        :args (
        {CASETESTEXPR
        :typeid 25
        :typeMod -1
        :collation 0
        }
        )
        :location -1
        }
        :resulttype 1003
        :resulttypmod -1
        :resultcollid 950
        :coerceformat 2
        :location -1
        }
        :location -1
    }
)
:defresult
{SUBLINK
:sublinkType 6
:sublinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
)
{VAR

```

```

        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

        {CASETESTEXPR
        :typeId 18
        :typeMod -1
        :collation 0
        }
        {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
        }
    }
    :location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr

```

```

{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
  {CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
  {CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
  {VAR
:varno 1
:varattno 7

```

```

        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {FUNCEXP
        :funcid 1716
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
            {VAR
                :varno 1
                :varattno 8
                :vartype 194
                :vartypmod -1
                :varcollid 950
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 8
                :location -1
            }
            {VAR
                :varno 1
                :varattno 3
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 3
                :location -1
            }
        )
        :location -1
    }
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (

```

```

:RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>

```

```

:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL:      {NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.4025
:join.plan.total_cost 11.560087761919224
:join.plan.plan_rows 1
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname policyname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
  {NESTLOOP
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 0.2725
    :join.plan.total_cost 11.33603370786517
    :join.plan.plan_rows 1
    :join.plan.plan_width 132
    :join.plan.parallel_aware false
    :join.plan.parallel_safe false
    :join.plan.async_capable false
    :join.plan.plan_node_id 1
    :join.plan.targetlist (
      {TARGETENTRY
        :expr
        {VAR
          :varno -2
          :varattno 2
          :vartype 19
          :vartypmod -1
          :varcollid 950
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 2
          :location -1
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
        {VAR
          :varno -1
          :varattno 2
          :vartype 19
          :vartypmod -1
          :varcollid 950
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0

```

```

        :varnosyn 3
        :varattnosyn 2
        :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 3.01
:scan.plan.plan_rows 1
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```



```

        {VAR
        :varno 2
        :varattno 4
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
        }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)

```

```

:scan.scanrelid 2
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.2725
:scan.plan.total_cost 8.290000000000001
:scan.plan.plan_rows 1
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5

```

```

        :location -1
    }
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgrouppref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31

```

```

:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
:indexid 2662
:indexqual (
{OPEXPR
:opno 607
:opfncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)

```



```

:indexqualorig (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM
:paramno 0
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
)
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.13
:scan.plan.total_cost 0.17702702702702702
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2

```

```
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanrelid 5
:indexid 2685
:indexqual (
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 0
:args (
{VAR
:varno -3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
```

```

        :varattnosyn 1
        :location -1
    }
    {PARAM
    :paramkind 1
    :paramid 1
    :paramtype 26
    :paramtypmod -1
    :paramcollid 0
    :location -1
    }
}
:location -1
}
)
:indexqualorig (
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
}
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM
:paramno 1
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
}
)
}
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539

```

```

:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 7
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
      70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
    }
  {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
    }
  {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
  )
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree
      {FROMEXPR
        :fromlist <>
        :quals <>
      }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
      {TARGETENTRY
        :expr
          {FUNCEXP
            :funcid 3539
            :funcresulttype 25
            :funcresultset false
            :funcvariadic false
            :funcformat 0
            :funccollid 950
            :inputcollid 950
            :args (
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1

```

```

:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
}
}
)
}
)

```

```

        :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
    )
    :location 0
    }
    :resno 1
    :resname format
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL:  {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {DROPSTMT
    :objects (("lineitem" "lineitem_rls_policy"))
    :removeType 28
    :behavior 0
    :missing_ok true
    :concurrent false
  }
  :stmt_location 0
  :stmt_len 0
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DROPSTMT
    :objects (("lineitem" "lineitem_rls_policy"))
    :removeType 28
    :behavior 0
    :missing_ok true
    :concurrent false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
```

Time: 25.108 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
    :kind 4
    :name role
    :args <>
    :jumble_args false
    :is_local false
    :location -1
  }
  :stmt_location 0
  :stmt_len 10
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 4
    :name role
    :args <>
    :jumble_args false
    :is_local false
    :location -1
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.179 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
}

```



```

:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.777 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relnname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>

```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.362 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
}

```

```
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

Time: 0.379 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
}
```

```

:stmt_len 47
}

Time: 0.335 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

```

Time: 0.291 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT

```

```

:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.299 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>

```

```

        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 12
    }
    :cmds (
        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
    )
    :objtype 41
    :missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}
}

```

Time: 0.257 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
}
}

```

```

:cmds (
  {ALERTABLECMD
  :subtype 55
  :name <>
  :num 0
  :newowner <>
  :def <>
  :behavior 0
  :missing_ok false
  :recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
  {ALERTABLECMD
  :subtype 55
  :name <>
  :num 0
  :newowner <>
  :def <>
  :behavior 0
  :missing_ok false
  :recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

Time: 0.230 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
  {ALERTABLECMD
  :subtype 54
  :name <>
  :num 0
  :newowner <>

```

```

: def <>
: behavior 0
: missing_ok false
: recurse false
}
)
: objtype 41
: missing_ok false
}
: stmt_location 0
: stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
: commandType 6
: querySource 0
: canSetTag true
: utilityStmt
{ALERTABLESTMT
: relation
{RANGEVAR
: catalogname <>
: schemaname <>
: relname lineitem
: inh true
: relpersistence p
: alias <>
: location 12
}
: cmds (
{ALERTABLECMD
: subtype 54
: name <>
: num 0
: newowner <>
: def <>
: behavior 0
: missing_ok false
: recurse false
}
)
: objtype 41
: missing_ok false
}
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: cteList <>
: rtable <>
: rteperminfos <>
: jointree <>
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList <>
: override 0
: onConflict <>
: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 46
}

```

Time: 0.254 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
: stmt
{CREATEPOLICYSTMT
: policy_name lineitem_rls_policy
: table
{RANGEVAR
: catalogname <>
: schemaname <>
: relname lineitem
: inh true
: relpersistence p
: alias <>
: location 37
}
: cmd_name all
: permissive true
: roles (
{ROLESPEC
: roletype 4
: rolename <>
: location -1
}
)
: qual
{SUBLINK

```



```

:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 114
}
:rexpr
{COLUMNREF
:fields ("lineitem" "l_suppkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 159
}
:rexpr
{A_CONST
:val 1000
:location 173
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 171
}
)
:location 155
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 185
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name lineitem_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 37
}
}
}

```

```

    }
    :cmd_name all
    :permissive true
    :roles (
      {ROLESPEC
        :roletype 4
        :rolename <>
        :location -1
      }
    )
  )
  :qual
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {SELECTSTMT
        :distinctClause <>
        :intoClause <>
        :targetList (
          {RESTARTGET
            :name <>
            :indirection <>
            :val
              {A_CONST
                :val 1
                :location 82
              }
            :location 82
          }
        )
        :fromClause (
          {RANGEVAR
            :catalogname <>
            :schemaname <>
            :relname supplier
            :inh true
            :relpersistence p
            :alias
              {ALIAS
                :aliasname s
                :colnames <>
              }
            :location 89
          }
        )
        :whereClause
          {BOOLEXP
            :boolop and
            :args (
              {A_EXPR
                :name ("=")
                :lexpr
                  {COLUMNREF
                    :fields ("s" "s_suppkey")
                    :location 114
                  }
              :rexpr
                {COLUMNREF
                  :fields ("lineitem" "l_suppkey")
                  :location 128
                }
              :rexpr_list_start 0
              :rexpr_list_end 0
              :location 126
            )
            {A_EXPR
              :name (">")
              :lexpr
                {COLUMNREF
                  :fields ("s" "s_acctbal")
                  :location 159
                }
              :rexpr
                {A_CONST
                  :val 1000
                  :location 173
                }
              :rexpr_list_start 0
              :rexpr_list_end 0
              :location 171
            )
          }
        :location 155
      }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
  }
  :location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false

```

```

:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 185
}

```

Time: 1.307 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistance p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistance p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.520 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname supplier
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname supplier
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
}

```

```

:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.229 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
}

```

```

:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.141 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_suppkey")
:location 342
}
:location 342
}
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_name")
:location 357
}
:location 357
}
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_address")
:location 369
}
:location 369
}
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_phone")
:location 384
}
:location 384
}
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("total_revenue")
:location 397
}
:location 397
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistance p
:alias <>
:location 420
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname revenue
:inh true
:relpersistance p
:alias <>
:location 434
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_suppkey")
:location 452
}
:rexpr
{COLUMNREF
:fields ("supplier_no")
:location 464
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 462
}
)
}

```

```

{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("total_revenue")
:location 484
}
:rexpr
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{FUNCCALL
:funcname ("max")
:args (
{COLUMNREF
:fields ("total_revenue")
:location 533
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 529
}
:location 529
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname revenue
:inh true
:relpersistence p
:alias <>
:location 573
}
)
:whereClause <>
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 500
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 498
}
)
:location 480
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("s_suppkey")
:location 600
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause
{WITHCLAUSE
:ctes (
{COMMONTABLEEXPR
:ctename revenue
:aliascolnames ("supplier_no" "total_revenue")
:ctematerialized 0
:ctequery
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET

```

```

:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l_supkey")
:location 100
}
:location 100
}
{RESTARTGET
:name <>
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 123
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 142
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 146
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 144
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 139
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 119
}
:location 119
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 176
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l_shipdate")
:location 203
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 222
}
:typeName
{TYPPNAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 217
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 214
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("l_shipdate")
:location 247
}
:rexpr
{A_EXPR
:name ("+")
:lexpr

```



```

        {TYPECAST
        :arg
        {A_CONST
        :val "\1995-01-01"
        :location 265
        }
        :typeName
        {TYPENAME
        :names ("date")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods <>
        :typemod -1
        :arrayBounds <>
        :location 260
        }
        :location -1
        }
    :rexpr
    {TYPECAST
    :arg
    {A_CONST
    :val "\3"
    :location 289
    }
    :typeName
    {TYPENAME
    :names ("pg_catalog" "interval")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods (
    {A_CONST
    :val 2
    :location 293
    }
    )
    :typemod -1
    :arrayBounds <>
    :location 280
    }
    :location -1
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 278
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 258
    }
    }
    :location 243
    }
    :groupClause (
    {COLUMNREF
    :fields ("l_suppkey")
    :location 320
    }
    )
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :search_clause <>
    :cycle_clause <>
    :location 41
    :cterecursive false
    :cterefcoun 0
    :ctecolnames <>
    :ctecoltypes <>
    :ctecoltypmods <>
    :ctecolcollations <>
    }
    )
    :recursive false
    :location 36
    }
    }
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    }
    )

```

```

        :location 27
    }
}
}
:stmt_location 0
:stmt_len 609
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList (
{COMMONTABLEEXPR
:ctename revenue
:aliascolnames ("supplier_no" "total_revenue")
:ctematerialized 0
:ctequery
{QUERY
:commandType 1
:querySource 0
:canSetTag false
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_suppkey")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 100
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 10 13 14 18)

```

```

        :insertedCols (b)
        :updatedCols (b)
    }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 1098
      :opfuncid 1090
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 11
          :vartype 1082
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 11
          :location 203
        }
        {CONST
          :consttype 1082
          :consttypmod -1
          :constcollid 0
          :constlen 4
          :constbyval true
          :constisnull false
          :location 222
          :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
        }
      )
    }
    :location 214
  )
  {OPEXP
    :opno 2345
    :opfuncid 2338
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 11
        :location 247
      }
      {OPEXP
        :opno 1076
        :opfuncid 2071
        :opresulttype 1114
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 1082
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 265
            :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
          }
          {CONST
            :consttype 1186
            :consttypmod 196607
            :constcollid 0
            :constlen 16
            :constbyval false
            :constisnull false
            :location 289
            :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
          }
        )
      }
    }
    :location 278
  )
  :location 258
}
:location 243
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr

```

```
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname l_supkey
:ressortgroupref 1
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfno 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 123
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 142
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 146
}
)
:location 144
}
)
:location 139
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
```

```

        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggssplit 0
        :aggno -1
        :aggtransno -1
        :location 119
    }
    :resno 2
    :resname sum
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:search_clause <>
:cycle_clause <>
:location 41
:cterecursive false
:cterefcoun 2
:ctecolnames ("supplier_no" "total_revenue")
:ctecoltypes (o 23 701)
:ctecoltypmods (i -1 -1)
:ctecolcollations (o 0 0)
}
)
:rttable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname supplier
    :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname revenue
    :colnames ("supplier_no" "total_revenue")
    }
    :rtekind 6
    :ctename revenue
    :ctelevelsup 0
    :self_reference false
    :coltypes (o 23 701)
    :coltypmods (i -1 -1)
    :colcollations (o 0 0)
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 12)
    :insertedCols (b)
    :updatedCols (b)
    }
)
):jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF
    :rtindex 1
    }
)

```

```

{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 452
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 464
}
)
:location 462
}
{OPEXP
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 484
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname revenue
:colnames ("supplier_no" "total_revenue")
}
:rtkind 6
:ctename revenue
:ctelevelsup 1
:self_reference false
:coltypes (o 23 701)
:coltypmods (i -1 -1)
:colcollations (o 0 0)
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF

```

```

        :rtindex 1
    }
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2120
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 2
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 533
        }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
        }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 529
    }
    :resno 1
    :resname max
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 500
}
)
:location 498
}
)
:location 480
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 342
    }
    :resno 1

```

```

:resname s_supkey
:resortgroupref 1
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 357
}
:resno 2
:resname s_name
:resortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 369
}
:resno 3
:resname s_address
:resortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 384
}
:resno 4
:resname s_phone
:resortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 397
}
:resno 5
:resname total_revenue
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)

```



```

)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:define analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:define verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:define buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 609
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList (
{COMMAONTABLEEXPR
:ctename revenue
:aliascolnames ("supplier_no" "total_revenue")
:ctematerialized 0
:ctequery
{QUERY
:commandType 1
:querySource 0
:canSetTag false
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
          "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
            ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
              "l_shipinstruct" "l_shipmode" "l_comment")
        }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname *GROUP*
        :colnames ("l_suppkey")
      }
    :rtekind 9
    :groupexprs (
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 100
      }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 10 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OEXPR
        :opno 1098
        :opfuncid 1090
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 11
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 11
            :location 203
          }
          {CONST
            :consttype 1082
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 222
            :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
          }
        )
      }
    )
    :location 214
  }
  {OEXPR
    :opno 2345
    :opfuncid 2338
    :opresulttype 16
  }

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location 247
  }
  {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 265
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
      {CONST
        :consttype 1186
        :consttypmod 196607
        :constcollid 0
        :constlen 16
        :constbyval false
        :constisnull false
        :location 289
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
      }
    )
    :location 278
  }
)
:location 258
}
)
:location 243
}
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname l_suppkey
    :ressortgroupref 1
    :resorigtbl 16566
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location 123
              }
            )
          }
        }
      )
    }
  }
)

```

```

{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 142
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 146
  }
)
:location 144
}
)
:location 139
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 119
}
:resno 2
:resname sum
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:search_clause <>
:cycle_clause <>
:location 41
:cterecursive false
:cterefcnt 2
:ctecolnames ("supplier_no" "total_revenue")

```

```

:ctecoltypes (o 23 701)
:ctecoltypmods (i -1 -1)
:ctecolcollations (o 0 0)
}
)
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname revenue
:colnames ("supplier_no" "total_revenue")
}
:rtekind 6
:ctename revenue
:ctelevelsup 0
:self_reference false
:coltypes (o 23 701)
:coltypmods (i -1 -1)
:colcollations (o 0 0)
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 452
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 464
}
)
:location 462
}
{OPEXP
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR

```

```

:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 484
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname revenue
:colnames ("supplier_no" "total_revenue")
}
:rtekind 6
:ctename revenue
:ctelevelsup 1
:self_reference false
:coltypes (o 23 701)
:coltypmods (i -1 -1)
:colcollations (o 0 0)
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2120
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 533
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1

```

```

        :location 529
    }
    :resno 1
    :resname max
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 500
}
)
:location 498
}
)
:location 480
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 342
    }
    :resno 1
    :resname s_supkey
    :ressortgrouppref 1
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 357
    }
    :resno 2
    :resname s_name
    :ressortgrouppref 0
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 369
    }
    :resno 3
    :resname s_address
    :ressortgrouppref 0
    :resorigtbl 16541
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1

```

```

:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 384
}
:resno 4
:resname s_phone
:resortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 397
}
:resno 5
:resname total_revenue
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16566

WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone"
"s_acctbal" "s_comment")
}
:rtekind 0
:reliid 16541
}
}
)

```



```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}

```

```

    )
    :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList (
{COMMTABLEEXPR
:ctename revenue
:aliascolnames ("supplier_no" "total_revenue")
:ctematerialized 0
:ctequery
{QUERY
:commandType 1
:querySource 0
:canSetTag false
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>

```

```

:lateral false
:inFromCl true
:securityQuals (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
  }
  :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBLENTRY
          :alias
            {ALIAS
              :aliasname s
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname s
              :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
                ey" "s_phone" "s_acctbal" "s_comment")
            }
          :rtekind 0
          :relid 16541
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 16541
      :inh true
      :requiredPerms 2
      :checkAsUser 0
      :selectedCols (b 8 13)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
  :quals
    {BOOLEXP
      :boolop and
      :args (
        {OPEXP
          :opno 96
          :opfuncid 65
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 1
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 1
              :location -1
            }
            {VAR
              :varno 1
              :varattno 3
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 1
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 3
              :location -1
            }
          )
        }
      )
    }
  }
  {OPEXP
    :opno 674
    :opfuncid 297
    :opresulttype 16
  }

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_suppkey")
}
:rtekind 9
:groupexprs (
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1

```

```

        :varattnosyn 3
        :location 100
    }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 203
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 222
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
}
:location 214
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 247
}
{OPEXP
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 265
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 289
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
}
)

```

```

        :location 278
    }
)
:location 258
}
)
:location 243
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname l_suppkey
    :ressortgroupref 1
    :resorigtbl 16566
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {OEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 123
    }
    }
    {OEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 142
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 146
    }
    )
    :location 144
    }
}

```

```

        )
        :location 139
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 119
}
:resno 2
:resname sum
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:search_clause <>
:cycle_clause <>
:location 41
:cterecursive false
:cterefcoun 2
:ctecolnames ("supplier_no" "total_revenue")
:ctecoltypes (o 23 701)
:ctecoltypmods (i -1 -1)
:ctecolcollations (o 0 0)
}
)
:rtable (
    {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
            :aliasname supplier
            :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
                s_acctbal" "s_comment")
        }
        :rtekind 0
        :relid 16541
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
    {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
            :aliasname revenue
            :colnames ("supplier_no" "total_revenue")
        }
        :rtekind 6
        :ctename revenue
        :ctelevelsup 0
        :self_reference false
        :coltypes (o 23 701)
        :coltypmods (i -1 -1)
        :colcollations (o 0 0)
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO

```

```

:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 452
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 464
}
)
:location 462
}
{OPEXP
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 484
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname revenue
:colnames ("supplier_no" "total_revenue")
}
:rtkind 6
:ctename revenue

```



```

:ctelevelsup 1
:self_reference false
:coltypes (o 23 701)
:coltypmods (i -1 -1)
:colcollations (o 0 0)
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2120
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 533
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 529
}
:resno 1
:resname max
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 500
}
)
:location 498
}
)
:location 480
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 342
}
:resno 1
:resname s_suppkey
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 357
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 369
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 384
}
:resno 4
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 397
}
:resno 5
:resname total_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 96
   :sortop 97
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList (
  {COMMONTABLEEXPR
   :ctename revenue
   :aliascolnames ("supplier_no" "total_revenue")
   :ctematerialized 0
   :ctequery
   {QUERY
    :commandType 1
    :querySource 0
    :canSetTag false
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity true
    :hasGroupRTE true
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
       :alias <>
       :eref
       {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum"
         "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
         ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
         "l_shipinstruct" "l_shipmode" "l_comment")
       }
      :rtekind 0
      :relid 16566
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals (
        {SUBLINK
         :subLinkType 0
         :subLinkId 0
         :testexpr <>
         :operName <>
         :subselect
         {QUERY
          :commandType 1
          :querySource 0
          :canSetTag true
          :utilityStmt <>
          :resultRelation 0
          :hasAggs false
          :hasWindowFuncs false
          :hasTargetSRFs false
          :hasSubLinks false
          :hasDistinctOn false
          :hasRecursive false
          :hasModifyingCTE false
          :hasForUpdate false
          :hasRowSecurity false
          :hasGroupRTE false
          :isReturn false
          :cteList <>

```

```

:rtable (
  {RANGETBENTRY
  :alias
    {ALIAS
      :aliasname s
      :colnames <>
    }
  :eref
    {ALIAS
      :aliasname s
      :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
    }
  :rtekind 0
  :relid 16541
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16541
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 13)
  :insertedCols (b)
  :updatedCols (b)
}
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
    {BOOLEXP
    :boolop and
    :args (
      {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
        }
        {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
        }
      )
    }
    :location -1
  )
  {OPEXP
  :opno 674
  :opfuncid 297
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST

```

```

        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
        {TARGETENTRY
        :expr
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
        }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :location -1
    }
    )
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname *GROUP*
    :colnames ("l_suppkey")
    }
    :rtekind 9
    :groupexprs (
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 100
    }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 10 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    )

```

```

:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 203
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 222
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 214
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 247
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 265
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 289
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 278
}
)
:location 258
}
)
:location 243
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1

```

```

    }
:resno 1
:resname l_suppkey
:ressortgroupref 1
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 123
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 142
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 146
}
)
:location 144
}
)
:location 139
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 119
}
:resno 2
:resname sum
:ressortgroupref 0

```

```

        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:search_clause <>
:cycle_clause <>
:location 41
:cterecursive false
:cterefcnt 2
:ctecolnames ("supplier_no" "total_revenue")
:ctecoltypes (o 23 701)
:ctecoltypmods (i -1 -1)
:ctecolcollations (o 0 0)
}
)
:rtable (
    {RANGETBENTRY
        :alias <>
        :eref
            {ALIAS
                :aliasname supplier
                :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
                    s_acctbal" "s_comment")
            }
        :rtekind 0
        :relid 16541
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
    {RANGETBENTRY
        :alias <>
        :eref
            {ALIAS
                :aliasname revenue
                :colnames ("supplier_no" "total_revenue")
            }
        :rtekind 6
        :ctename revenue
        :ctelevelsup 0
        :self_reference false
        :coltypes (o 23 701)
        :coltypmods (i -1 -1)
        :colcollations (o 0 0)
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
        :relid 16541
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 9 10 12)
        :insertedCols (b)
        :updatedCols (b)
    }
)
:jointree
    {FROMEXPR
        :fromlist (
            {RANGETBLREF
                :rtindex 1
            }
            {RANGETBLREF
                :rtindex 2
            }
        )
    }
:quals
    {BOOLEXP
        :boolop and
        :args (
            {OEXPR
                :opno 96
                :opfuncid 65
                :opresulttype 16
            }
        )
    }

```



```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 452
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 464
  }
)
:location 462
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 484
  }
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname revenue
            :colnames ("supplier_no" "total_revenue")
          }
        :rtekind 6
        :ctename revenue
        :ctelevelsup 1
        :self_reference false
        :coltypes (o 23 701)
        :coltypmods (i -1 -1)
        :colcollations (o 0 0)
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
  }
:ртеperminfos <>
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {AGGREF

```

```

:aggfnoid 2120
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 533
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 529
}
:resno 1
:resname max
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 500
}
)
:location 498
}
)
:location 480
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 342
    }
    :resno 1
    :resname s_supkey
    :ressortgroupref 1
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 357
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 369
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 384
}
:resno 4
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 397
}
:resno 5
:resname total_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```
DETAIL: {SORT
:plan.disabled_nodes 0
:plan.startup_cost 2208559834.1460657
:plan.total_cost 2208559834.2710657
:plan.plan_rows 50
:plan.plan_width 72
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname s_supkey
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 4
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
```

```

:resno 5
:resname total_revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 224.6575
:join.plan.total_cost 580.6575
:join.plan.plan_rows 50
:join.plan.plan_width 72
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 342
}
:resno 1
:resname s_supkey
:ressortgrouppref 1
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 357
}
:resno 2
:resname s_name
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 369
}
:resno 3
:resname s_address
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 384
}
:resno 4
:resname s_phone
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 397
}
:resno 5
:resname total_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 318
:scan.plan.plan_rows 10000
:scan.plan.plan_width 64
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 224.0325
:plan.total_cost 224.0325
:plan.plan_rows 50
:plan.plan_width 12
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{CTESCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 224.0325
:scan.plan.plan_rows 50
:scan.plan.plan_width 12
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 397
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 464
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual (
{OEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 484
}
{PARAM
:paramkind 1
:paramid 3
:paramtype 701
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 498
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>

```



```

:scan.plan.extParam (b 3)
:scan.plan.allParam (b 3)
:scan.scanrelid 2
:ctePlanId 3
:cteParam 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 3)
:plan.allParam (b 3)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 464
}
)
:skewTable 16541
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 3)
:join.plan.allParam (b 3)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 452
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 464
}
}
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 452
}
)
}
:plan.righttree <>
:plan.initPlan (
{SUBPLAN
:subLinkType 7
:testexpr <>
:paramIds <>
:plan_id 3
:plan_name CTE\ revenue
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable false
:unknownEqFalse false
:parallel_safe false
:setParam (i 2)
:parParam <>
:args <>
:startup_cost 0
:per_call_cost 2208559028.0351014
}
{SUBPLAN
:subLinkType 4

```

```

: testexpr <>
: paramIds <>
: plan_id 4
: plan_name InitPlan\ 4
: firstColType 701
: firstColTypmod -1
: firstColCollation 0
: useHashTable false
: unknownEqFalse false
: parallel_safe false
: setParam (i 3)
: parParam <>
: args <>
: startup_cost 0
: per_call_cost 224.04250000000002
}
)
: plan.extParam (b)
: plan.allParam (b 2 3)
: numCols 1
: sortColIdx ( 1)
: sortOperators ( 97)
: collations ( 0)
: nullsFirst ( false)
}

```

QUERY PLAN

```

-----
Sort (cost=2208559834.15..2208559834.27 rows=50 width=72) (actual time=1430.808..1430.817 rows=1.00 loops=1)
  Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_phone, revenue.total_revenue
  Sort Key: supplier.s_suppkey
  Sort Method: quicksort Memory: 25kB
  Buffers: shared hit=5381 read=99775, temp read=770 written=772
CTE revenue
-> GroupAggregate (cost=2208556290.04..2208559028.04 rows=9957 width=12) (actual time=1390.036..1425.847 rows=8197.00 loops=1)
  Output: lineitem.l_suppkey, sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
  Group Key: lineitem.l_suppkey
  Buffers: shared hit=5163 read=99775, temp read=770 written=772
-> Sort (cost=2208556290.04..2208556817.73 rows=211074 width=20) (actual time=1390.023..1405.271 rows=184892.00 loops=1)
  Output: lineitem.l_suppkey, lineitem.l_extendedprice, lineitem.l_discount
  Sort Key: lineitem.l_suppkey
  Sort Method: external merge Disk: 6160kB
  Buffers: shared hit=5163 read=99775, temp read=770 written=772
-> Seq Scan on public.lineitem (cost=0.00..2208533293.80 rows=211074 width=20) (actual time=3.712..1331.840 rows=184892.00 loops=1)
  Output: lineitem.l_suppkey, lineitem.l_extendedprice, lineitem.l_discount
  Filter: ((lineitem.l_shipdate >= '1995-01-01'::date) AND (ANY (lineitem.l_suppkey = (hashed SubPlan 2).col1)) AND (lineitem.l_shipdate
< '1995-04-01 00:00:00'::timestamp without time zone))
  Rows Removed by Filter: 5816323
  Buffers: shared hit=5163 read=99775
  SubPlan 2
    -> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8196 width=4) (actual time=0.007..2.041 rows=8197.00 loops=1)
      Output: s.s_suppkey
      Filter: (s.s_acctbal > '1000'::double precision)
      Rows Removed by Filter: 1803
      Buffers: shared hit=218
InitPlan 4
-> Aggregate (cost=224.03..224.04 rows=1 width=8) (actual time=38.006..38.006 rows=1.00 loops=1)
  Output: max(revenue_1.total_revenue)
  Buffers: temp read=275
-> CTE Scan on revenue revenue_1 (cost=0.00..199.14 rows=9957 width=8) (actual time=0.001..37.461 rows=8197.00 loops=1)
  Output: revenue_1.supplier_no, revenue_1.total_revenue
  Storage: Memory Maximum Storage: 577kB
  Buffers: temp read=275
-> Hash Join (cost=224.66..580.66 rows=50 width=72) (actual time=1430.560..1430.617 rows=1.00 loops=1)
  Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_phone, revenue.total_revenue
  Hash Cond: (supplier.s_suppkey = revenue.supplier_no)
  Buffers: shared hit=5381 read=99775, temp read=770 written=772
-> Seq Scan on public.supplier (cost=0.00..318.00 rows=10000 width=64) (actual time=0.018..0.547 rows=10000.00 loops=1)
  Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_nationkey, supplier.s_phone, supplier.s_acctbal, supplier.s_commen
t
  Buffers: shared hit=218
-> Hash (cost=224.03..224.03 rows=50 width=12) (actual time=1429.493..1429.493 rows=1.00 loops=1)
  Output: revenue.total_revenue, revenue.supplier_no
  Buckets: 1024 Batches: 1 Memory Usage: 9kB
  Buffers: shared hit=5163 read=99775, temp read=770 written=772
-> CTE Scan on revenue (cost=0.00..224.03 rows=50 width=12) (actual time=1429.459..1429.490 rows=1.00 loops=1)
  Output: revenue.total_revenue, revenue.supplier_no
  Filter: (revenue.total_revenue = (InitPlan 4).col1)
  Rows Removed by Filter: 8196
  Storage: Memory Maximum Storage: 577kB
  Buffers: shared hit=5163 read=99775, temp read=770 written=772
Planning:
  Buffers: shared hit=11
Planning Time: 1.464 ms
Execution Time: 1433.391 ms
(55 rows)

Time: 1442.701 ms (00:01.443)
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS lineitem_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW lineitem_secure AS
SELECT l.*
FROM lineitem l
WHERE EXISTS (
  SELECT 1 FROM supplier s
  WHERE s.s_suppkey = l.l_suppkey
  AND s.s_acctbal > 1000
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON lineitem_secure TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 5: Run Q15
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)

```

```

with revenue(supplier_no, total_revenue) as
(
select
    l.l_suppkey,
    sum(l.l_extendedprice * (1 - l.l_discount))
from
    lineitem_secure l
where
    l.l_shipdate >= date '1995-01-01'
    and l.l_shipdate < date '1995-01-01' + interval '3' month
group by
    l.l_suppkey)
select
    s_suppkey,
    s_name,
    s_address,
    s_phone,
    total_revenue
from
    supplier,
    revenue
where
    s_suppkey = supplier_no
    and total_revenue = (
        select
            max(total_revenue)
        from
            revenue
    )
order by
    s_suppkey;

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 1.432 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
}
}

```

```

        :location 12
      }
    :cmds (
      {ALERTTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
  :stmt_location 0
  :stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {ALERTTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname lineitem
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 47
}

```

Time: 1.286 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
  :stmt
    {DROPSTMT
      :objects (("lineitem_secure"))
      :removeType 51
      :behavior 0
      :missing_ok true
      :concurrent false
    }
  :stmt_location 0
  :stmt_len 35
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
  :commandType 6
  :querySource 0

```

```

:canSetTag true
:utilityStmt
  {DROPSTMT
    :objects (("lineitem_secure"))
    :removeType 51
    :behavior 0
    :missing_ok true
    :concurrent false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

Time: 2.572 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {VIEWSTMT
:view
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("1"
  {A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
  {ALIAS
:aliasname 1
:colnames <>
}
:location 47
}
)
:whereClause
  {SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>

```

```

:indirection <>
:val
  {A_CONST
   :val 1
   :location 84
  }
:location 84
}
)
:fromClause (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname supplier
   :inh true
   :relpersistence p
   :alias
     {ALIAS
      :aliasname s
      :colnames <>
     }
   :location 91
  }
)
:whereClause
  {BOOLEXP
   :boolop and
   :args (
     {A_EXPR
      :name ("=")
      :lexpr
        {COLUMNREF
         :fields ("s" "s_suppkey")
         :location 112
        }
      :rexpr
        {COLUMNREF
         :fields ("l" "l_suppkey")
         :location 126
        }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 124
     }
     {A_EXPR
      :name (">")
      :lexpr
        {COLUMNREF
         :fields ("s" "s_acctbal")
         :location 146
        }
      :rexpr
        {A_CONST
         :val 1000
         :location 160
        }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 158
     }
   )
  :location 142
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 166
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VIEWSTMT
   :view
     {RANGEVAR
      :catalogname <>

```

```

:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname l
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("l" "l_suppkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 146
}
:rexpr
{A_CONST
:val 1000
:location 160
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 158
}
)
}

```

```

        )
        :location 142
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 64
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines

```



```

        tatus "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "
        l_shipmode" "l_comment")
    }
:rtkind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s
_phone" "s_acctbal" "s_comment")
}
:rtkind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1

```

```

:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 112
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 126
}
)
:location 124
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 146
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 160
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 158
}
)
:location 142
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 84
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>

```

```

        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:varstype 23
:varstype 23
:varstype 23
:varcollid -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 38
}
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varstype 23
:varstype 23
:varstype 23
:varcollid -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 38
}
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:varstype 23
:varstype 23
:varstype 23
:varcollid -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:varstype 23
:varstype 23
:varstype 23
:varcollid -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:varstype 701
:varstype 701
:varstype 701
:varcollid -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 5
:location 38
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 38
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 38
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 38
}
:resno 10
:resname l_linestatus

```

```

:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 38
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 38
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 38
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 38
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 38
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}

```

```

{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 16
    :location 38
  }
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

Time: 2.937 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem_secure
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 35
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 40
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem_secure
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC

```

```

        :roletype 0
        :rolename alice
        :location 35
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.689 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV

```

```

        :priv_name select
        :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.544 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:    {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
  }
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:    {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
:val "alice"
:location 9
  }
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
}

```



```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.151 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_suppkey")
:location 363
}
:location 363
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_name")
:location 378
}
:location 378
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_address")
:location 390
}
:location 390
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_phone")
:location 405
}
:location 405
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("total_revenue")
:location 418
}
:location 418
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 441
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname revenue
:inh true
:relpersistence p
:alias <>
:location 455
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF

```

```

        :fields ("s_supkey")
        :location 473
    }
    :rexpr
    {COLUMNREF
        :fields ("supplier_no")
        :location 485
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 483
}
{A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
        :fields ("total_revenue")
        :location 505
    }
    :rexpr
    {SUBLINK
        :subLinkType 4
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
        {SELECTTMT
            :distinctClause <>
            :intoClause <>
            :targetList (
                {RESTARTGET
                    :name <>
                    :indirection <>
                    :val
                    {FUNCCALL
                        :funcname ("max")
                        :args (
                            {COLUMNREF
                                :fields ("total_revenue")
                                :location 554
                            }
                        )
                    :agg_order <>
                    :agg_filter <>
                    :over <>
                    :agg_within_group false
                    :agg_star false
                    :agg_distinct false
                    :func_variadic false
                    :funcformat 0
                    :location 550
                }
            :location 550
        )
        :fromClause (
            {RANGEVAR
                :catalogname <>
                :schemaname <>
                :relname revenue
                :inh true
                :relpersistence p
                :alias <>
                :location 594
            }
        )
        :whereClause <>
        :groupClause <>
        :groupDistinct false
        :havingClause <>
        :windowClause <>
        :valuesLists <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :location 521
}
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 519
}
)
:location 501
}
:groupClause <>
:groupDistinct false
:havingClause <>
:windowClause <>
:valuesLists <>
:sortClause (
    {SORTBY
        :node
        {COLUMNREF
            :fields ("s_supkey")
            :location 621
        }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause

```

```

{WITHCLAUSE
:ctes (
  {COMMONTABLEEXPR
  :ctename revenue
  :aliascolnames ("supplier_no" "total_revenue")
  :ctematerialized 0
  :ctequery
  {SELECTSTMT
  :distinctClause <>
  :intoClause <>
  :targetList (
    {RESTARTGET
    :name <>
    :indirection <>
    :val
    {COLUMNREF
    :fields ("l" "l_suppkey")
    :location 100
    }
    :location 100
    }
    {RESTARTGET
    :name <>
    :indirection <>
    :val
    {FUNCCALL
    :funcname ("sum")
    :args (
      {A_EXPR
      :name ("*")
      :lexpr
      {COLUMNREF
      :fields ("l" "l_extendedprice")
      :location 125
      }
      :rexpr
      {A_EXPR
      :name ("-")
      :lexpr
      {A_CONST
      :val 1
      :location 146
      }
      :rexpr
      {COLUMNREF
      :fields ("l" "l_discount")
      :location 150
      }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 148
      }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 143
      }
    )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 0
    :location 121
    }
    :location 121
    }
  )
:fromClause (
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname lineitem_secure
  :inh true
  :relpersistance p
  :alias
  {ALIAS
  :aliasname l
  :colnames <>
  }
  :location 182
  }
)
:whereClause
{BOOLEXP
:boolop and
:args (
  {A_EXPR
  :name (">=")
  :lexpr
  {COLUMNREF
  :fields ("l" "l_shipdate")
  :location 218
  }
  :rexpr
  {TYPECAST
  :arg
  {A_CONST
  :val "\1995-01-01"
  :location 239
  }
  :typeName
  {TYPENAME
  :names ("date")
  :typeOid 0
  :setof false
  :pct_type false
  :typmods <>
  :typemod -1
  :arrayBounds <>
  :location 234
  }
  :location -1

```

```

    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 231
  }
  {A_EXPR
  :name ("<")
  :lexpr
  {COLUMNREF
  :fields ("1" "1_shipdate")
  :location 264
  }
  :rexpr
  {A_EXPR
  :name ("+")
  :lexpr
  {TYPECAST
  :arg
  {A_CONST
  :val "\1995-01-01"
  :location 284
  }
  :typeName
  {TYPENAME
  :names ("date")
  :typeOid 0
  :setof false
  :pct_type false
  :typmods <>
  :typemod -1
  :arrayBounds <>
  :location 279
  }
  :location -1
  }
  :rexpr
  {TYPECAST
  :arg
  {A_CONST
  :val "\3"
  :location 308
  }
  :typeName
  {TYPENAME
  :names ("pg_catalog" "interval")
  :typeOid 0
  :setof false
  :pct_type false
  :typmods (
  {A_CONST
  :val 2
  :location 312
  }
  )
  :typemod -1
  :arrayBounds <>
  :location 299
  }
  :location -1
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 297
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 277
  }
  )
  :location 260
  }
  :groupClause (
  {COLUMNREF
  :fields ("1" "1_suppkey")
  :location 339
  }
  )
  :groupDistinct false
  :havingClause <>
  :windowClause <>
  :valuesLists <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :lockingClause <>
  :withClause <>
  :op 0
  :all false
  :larg <>
  :rarg <>
  }
  :search_clause <>
  :cycle_clause <>
  :location 41
  :cterecursive false
  :cterefcoun 0
  :ctecolnames <>
  :ctecoltypes <>
  :ctecoltypmods <>
  :ctecolcollations <>
  }
  )
  :recursive false
  :location 36
  }
  :op 0
  :all false
  :larg <>
  :rarg <>
  }
  :options (
  {DEFELEM
  :defnamespace <>
  :defname analyze

```

```

:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:define verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:define buffers
:arg <>
:defaction 0
:location 27
}
}
}
:stmt_location 0
:stmt_len 630
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList (
{COMMONTABLEEXPR
:ctename revenue
:aliascolnames ("supplier_no" "total_revenue")
:ctematerialized 0
:ctequery
{QUERY
:commandType 1
:querySource 0
:canSetTag false
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16712
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_suppkey")
}
:rtekind 9
:grouppexprs (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 100
    }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16712
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 218
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 239
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 231
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 264
}
{OEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 284
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false

```

```

        :location 308
        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0
        ]
    }
    )
    :location 297
    }
    )
    :location 277
    }
    )
    :location 260
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname l_suppkey
    :ressortgroupref 1
    :resorigtbl 16712
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {OEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 125
            }
            {OEXPR
            :opno 592
            :opfuncid 219
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {FUNCEXPR
                :funcid 316
                :funcresulttype 701
                :funcresultset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                    {CONST
                    :consttype 23
                    :consttypmod -1
                    :constcollid 0
                    :constlen 4
                    :constbyval true
                    :constisnull false
                    :location 146
                    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                    }
                )
            )
            :location -1
            }
            {VAR
            :varno 1
            :varattno 7
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 7

```

```

        :location 150
      }
    )
    :location 148
  }
)
:location 143
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 121
}
:resno 2
:resname sum
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
   :tltSortGroupRef 1
   :eqop 96
   :sortop 97
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:search_clause <>
:cycle_clause <>
:location 41
:cterecursive false
:cterefcoun 2
:ctecolnames ("supplier_no" "total_revenue")
:ctecoltypes (o 23 701)
:ctecoltypmods (i -1 -1)
:ctecolcollations (o 0 0)
}
)
:rtable (
  {RANGETBENTRY
   :alias <>
   :eref
   {ALIAS
    :aliasname supplier
    :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
   }
   :rtekind 0
   :relid 16541
   :inh true
   :relkind r
   :rellockmode 1
   :perminfoindex 1
   :tablesample <>
   :lateral false
   :inFromCl true
   :securityQuals <>
  }
  {RANGETBENTRY
   :alias <>
   :eref
   {ALIAS
    :aliasname revenue
    :colnames ("supplier_no" "total_revenue")
   }
   :rtekind 6
   :ctename revenue
   :ctelevelsup 0
   :self_reference false
   :coltypes (o 23 701)
   :coltypmods (i -1 -1)
   :colcollations (o 0 0)
   :lateral false
   :inFromCl true

```



```

        :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 473
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 485
}
)
:location 483
}
{OPEXP
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 505
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelatn 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS

```

```

        :aliasname revenue
        :colnames ("supplier_no" "total_revenue")
    }
    :rtekind 6
    :ctename revenue
    :ctelevelsup 1
    :self_reference false
    :coltypes (o 23 701)
    :coltypmods (i -1 -1)
    :colcollations (o 0 0)
    :lateral false
    :inFromCl true
    :securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2120
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 2
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 554
          }
          :resno 1
          :resname <>
          :ressortgrouppref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar false
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggsplit 0
      :aggno -1
      :aggtransno -1
      :location 550
    }
    :resno 1
    :resname max
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 521
}
)
:location 519
}
)
:location 501
}
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 363
      }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 1
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 378
      }
    :resno 2
    :resname s_name
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 390
      }
    :resno 3
    :resname s_address
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 405
      }
    :resno 4
    :resname s_phone
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 5
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 2
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 418
      }
    :resno 5
    :resname total_revenue
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tileSortGroupRef 1
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 630
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false

```

```

:isReturn false
:cteList (
  {COMMOPTABLEEXPR
    :ctename revenue
    :aliascolnames ("supplier_no" "total_revenue")
    :ctematerialized 0
    :ctequery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag false
        :utilityStmt <>
        :resultRelation 0
        :hasAggs true
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE true
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname 1
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname 1
                :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenummer"
                  "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
                    ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
                    "l_shipinstruct" "l_shipmode" "l_comment")
              }
            :rtekind 0
            :relid 16712
            :inh true
            :relkind v
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
          {RANGETBENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname *GROUP*
                :colnames ("l_suppkey")
              }
            :rtekind 9
            :groupexprs (
              {VAR
                :varno 1
                :varattno 3
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 3
                :location 100
              }
            )
            :lateral false
            :inFromCl false
            :securityQuals <>
          }
        )
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16712
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 10 13 14 18)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  )
  :jointree
    {FROMEXPR
      :fromlist (
        {RANGETBENTRY
          :rtindex 1
        }
      )
      :quals
        {BOOLEXP
          :boolop and
          :args (
            {OEXPR
              :opno 1098
              :opfuncid 1090
              :opresulttype 16
              :opretset false
              :opcollid 0
              :inputcollid 0
              :args (
                {VAR
                  :varno 1
                  :varattno 11
                  :vartype 1082
                  :vartypmod -1
                  :varcollid 0
                }
              )
            }
          )
        }
      )
    }
  )

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 218
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 239
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 231
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 264
}
)
{OEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 284
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 308
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 297
}
)
:location 277
}
)
:location 260
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname l_suppkey
:ressortgroupref 1
:resorigtbl 16712
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>

```

```

:args (
  {TARGETENTRY
    :expr
      {OEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 125
          }
          {OEXPR
            :opno 592
            :opfuncid 219
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {FUNCEXP
                :funcid 316
                :funcresulttype 701
                :funcresultset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                  {CONST
                    :consttype 23
                    :consttypmod -1
                    :constcollid 0
                    :constlen 4
                    :constbyval true
                    :constisnull false
                    :location 146
                    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                  }
                )
                :location -1
              }
              {VAR
                :varno 1
                :varattno 7
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 7
                :location 150
              }
            )
            :location 148
          }
        )
        :location 143
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 121
}
:resno 2
:resname sum
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true

```

```

    }
  )
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 0
  }
  :search_clause <>
  :cycle_clause <>
  :location 41
  :cterecursive false
  :cterefcnt 2
  :ctecolnames ("supplier_no" "total_revenue")
  :ctecoltypes (o 23 701)
  :ctecoltypmods (i -1 -1)
  :ctecolcollations (o 0 0)
  }
)
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname supplier
  :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
  }
  :rtekind 0
  :relid 16541
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname revenue
  :colnames ("supplier_no" "total_revenue")
  }
  :rtekind 6
  :ctename revenue
  :ctelevelsup 0
  :self_reference false
  :coltypes (o 23 701)
  :coltypmods (i -1 -1)
  :colcollations (o 0 0)
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16541
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 10 12)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    {RANGETBLREF
    :rtindex 2
    }
  )
  :quals
  {BOOLEXP
  :boolop and
  :args (
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 473
      }
    )
  }
  )
  }

```



```

:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 485
}
)
:location 483
}
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 505
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname revenue
:colnames ("supplier_no" "total_revenue")
}
:rtekind 6
:ctename revenue
:ctelevelsup 1
:self_reference false
:coltypes (o 23 701)
:coltypmods (i -1 -1)
:colcollations (o 0 0)
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2120
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 554
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 550
}
:resno 1
:resname max
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 521
}
)
:location 519
}
)
:location 501
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 363
}
:resno 1
:resname s_supkey
:ressortgrouppref 1
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 378
}
:resno 2
:resname s_name
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 390
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 405
}
:resno 4
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 418
}
:resno 5
:resname total_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tltSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false

```

```

:isReturn false
:cteList (
  {COMMONTABLEEXPR
    :ctename revenue
    :aliascolnames ("supplier_no" "total_revenue")
    :ctematerialized 0
  :ctequery
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag false
      :utilityStmt <>
      :resultRelation 0
      :hasAggs true
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE true
      :isReturn false
      :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias
        {ALIAS
          :aliasname 1
          :colnames <>
        }
      :eref
        {ALIAS
          :aliasname 1
          :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
            "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
            ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
            "l_shipinstruct" "l_shipmode" "l_comment")
        }
      :rtekind 1
      :subquery
        {QUERY
          :commandType 1
          :querySource 0
          :canSetTag true
          :utilityStmt <>
          :resultRelation 0
          :hasAggs false
          :hasWindowFuncs false
          :hasTargetSRFs false
          :hasSubLinks true
          :hasDistinctOn false
          :hasRecursive false
          :hasModifyingCTE false
          :hasForUpdate false
          :hasRowSecurity false
          :hasGroupRTE false
          :isReturn false
          :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
            {ALIAS
              :aliasname 1
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname 1
              :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
              mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
              "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
              " "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
              t")
            }
          :rtekind 0
          :relid 16566
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCL true
          :securityQuals <>
        }
      )
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16566
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
        23)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  :jointree
    {FROMEXPR
      :fromlist (
        {RANGETBLREF
          :rtindex 1
        }
      )
      :quals
        {SUBLINK
          :subLinkType 0
          :subLinkId 0
          :testexpr <>
          :operName <>
          :subselect
            {QUERY

```

```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias
    {ALIAS
      :aliasname s
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname s
      :colnames ("s_suppkey" "s_name" "s_address" "s_n
        ationkey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals
  {BOOLEXP
    :boolop and
    :args (
      {OEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 1
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location -1
          }
        )
      }
      :location -1
    }
  }
  {OEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
      }
    )
  }
}

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}

```



```

    }
:resno 12
:resname l_commitdate
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location -1
  }
:resno 13
:resname l_receiptdate
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location -1
  }
:resno 14
:resname l_shipinstruct
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location -1
  }
:resno 15
:resname l_shipmode
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 16
    :location -1
  }
:resno 16
:resname l_comment
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>

```

```

        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :security_barrier false
    :reld 16712
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname *GROUP*
    :colnames ("l_suppkey")
    }
    :rtekind 9
    :groupexprs (
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 100
    }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :reld 16712
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 10 13 14 18)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    )
    :quals
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location 218
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 239
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
    )
    :location 231
    }
    {OPEXP
    :opno 2345
    :opfuncid 2338
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 11
:location 264
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 284
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 308
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 297
}
)
:location 277
}
)
:location 260
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname l_suppkey
:ressortgroupref 1
:resorigtbl 16712
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 125
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false

```

```

        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 146
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 150
    }
    )
    :location 148
    }
    :location 143
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 121
    }
    :resno 2
    :resname sum
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause (
        {SORTGROUPCLAUSE
            :tleSortGroupRef 1
            :eqop 96
            :sortop 97
            :reverse_sort false
            :nulls_first false
            :hashable true
        }
    )
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :search_clause <>
    :cycle_clause <>
    :location 41
    :cterecursive false
    :cterefcnt 2
    :ctecolnames ("supplier_no" "total_revenue")
    :ctecoltypes (o 23 701)
    :ctecoltypmods (i -1 -1)
    :ctecolcollations (o 0 0)
    }
    )
    :rtable (
        {RANGETBENTRY
            :alias <>
            :eref
                {ALIAS
                    :aliasname supplier
                    :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
                        s_acctbal" "s_comment")
                }
            }
    )

```

```

    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname revenue
  :colnames ("supplier_no" "total_revenue")
  }
  :rtekind 6
  :ctename revenue
  :ctelevelsup 0
  :self_reference false
  :coltypes (o 23 701)
  :coltypmods (i -1 -1)
  :colcollations (o 0 0)
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 473
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 485
}
)
:location 483
}
{OPEXP
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 505
}
}
{SUBLINK

```

```

:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname revenue
:colnames ("supplier_no" "total_revenue")
}
:rtekind 6
:ctename revenue
:ctelevelsup 1
:self_reference false
:coltypes (o 23 701)
:coltypmods (i -1 -1)
:colcollations (o 0 0)
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2120
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 554
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 550
}
:resno 1
:resname max
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>

```

```

        :returningNewAlias <>
        :returningList <>
        :groupClause <>
        :groupDistinct false
        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 521
}
)
:location 519
}
)
:location 501
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 363
}
:resno 1
:resname s_supkey
:ressortgrouppref 1
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 378
}
:resno 2
:resname s_name
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 390
}
:resno 3
:resname s_address
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 405
}
:resno 4
:resname s_phone

```

```

:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 418
}
:resno 5
:resname total_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList (
{COMMTABLEEXPR
:ctename revenue
:aliascolnames ("supplier_no" "total_revenue")
:ctematerialized 0
:ctequery
{QUERY
:commandType 1
:querySource 0
:canSetTag false
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl

```



```

        ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
        "l_shipinstruct" "l_shipmode" "l_comment")
    }
:rtkind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname l
:colnames <>
}
:eref
{ALIAS
:aliasname l
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate"
"l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtkind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_n
ationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtkind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
}
}
}

```

```

:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>

```

```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname l_partkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname l_suppkey
    :ressortgroupref 0
    :resorigtbl 16566

```

```

:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname l_linenumber
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 14
        :location -1
    }
    :resno 14
    :resname l_shipinstruct
    :ressortgrouppref 0
    :resorigtbl 16566
    :resorigcol 14
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname l_shipmode
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname l_comment
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16712
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_suppkey")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 100
}
)
)

```

```

:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16712
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 10 13 14 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 218
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 239
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
)
:location 231
}
{OPEXP
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 264
}
{OPEXP
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 284
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 196607
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 308
:constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 3 0 0 0 ]
}
)
:location 297
}
)
:location 277

```

```

    }
  }
  :location 260
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname 1_supkey
    :ressortgroupref 1
    :resorigtbl 16712
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location 125
              }
              {OPEXPR
                :opno 592
                :opfuncid 219
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                  {FUNCEXPR
                    :funcid 316
                    :funcresulttype 701
                    :funcretset false
                    :funcvariadic false
                    :funcformat 2
                    :funccollid 0
                    :inputcollid 0
                    :args (
                      {CONST
                        :consttype 23
                        :consttypmod -1
                        :constcollid 0
                        :constlen 4
                        :constbyval true
                        :constisnull false
                        :location 146
                        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                      }
                    )
                  :location -1
                }
                {VAR
                  :varno 1
                  :varattno 7
                  :vartype 701
                  :vartypmod -1
                  :varcollid 0
                  :varnullingrels (b)
                  :varlevelsup 0
                  :varreturningtype 0
                  :varnosyn 1
                  :varattnosyn 7
                  :location 150
                }
              )
            :location 148
          }
        )
      :location 143
    }
  }
  :resno 1

```



```

        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 121
}
:resno 2
:resname sum
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:search_clause <>
:cycle_clause <>
:location 41
:cterecursive false
:cterefcnt 2
:ctecolnames ("supplier_no" "total_revenue")
:ctecoltypes (o 23 701)
:ctecoltypmods (i -1 -1)
:ctecolcollations (o 0 0)
}
)
:rtable (
    {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
            :aliasname supplier
            :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
                s_acctbal" "s_comment")
        }
        :rtekind 0
        :relid 16541
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
    {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
            :aliasname revenue
            :colnames ("supplier_no" "total_revenue")
        }
        :rtekind 6
        :ctename revenue
        :ctelevelsup 0
        :self_reference false
        :coltypes (o 23 701)
        :coltypmods (i -1 -1)
        :colcollations (o 0 0)
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
        :relid 16541
        :inh true
        :requiredPerms 2
        :checkAsUser 0
    }
)

```

```

:selectedCols (b 8 9 10 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 473
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 485
}
)
:location 483
}
{OPEXP
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 505
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname revenue
:colnames ("supplier_no" "total_revenue")
}
:rtkind 6
:ctename revenue
:ctelevelsup 1
:self_reference false
:coltypes (o 23 701)
:coltypmods (i -1 -1)

```

```

        :colcollations (o 0 0)
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos <>
:jointree
{FROMEXPR
 :fromlist (
  {RANGETBLREF
   :rtindex 1
  }
 )
 :quals <>
 }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
 {TARGETENTRY
  :expr
  {AGGREF
   :aggfnoid 2120
   :aggtype 701
   :aggcollid 0
   :inputcollid 0
   :aggtranstype 0
   :aggargtypes (o 701)
   :aggdirectargs <>
   :args (
    {TARGETENTRY
     :expr
     {VAR
      :varno 1
      :varattno 2
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 554
     }
     :resno 1
     :resname <>
     :ressortgroupref 0
     :resorigtbl 0
     :resorigcol 0
     :resjunk false
    }
   )
   :aggorder <>
   :aggdistinct <>
   :aggfilter <>
   :aggstar false
   :aggvariadic false
   :aggkind n
   :aggpresorted false
   :agglevelsup 0
   :aggsplit 0
   :aggno -1
   :aggtransno -1
   :location 550
  }
  :resno 1
  :resname max
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
 }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 521
}
)
:location 519
}
)
:location 501
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
 {TARGETENTRY
  :expr
  {VAR
   :varno 1
   :varattno 1

```

```

:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 363
}
:resno 1
:resname s_suppkey
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 378
}
:resno 2
:resname s_name
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 390
}
:resno 3
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 405
}
:resno 4
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 418
}
:resno 5
:resname total_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>

```

```

>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 96
   :sortop 97
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL:      {SORT
:plan.disabled_nodes 0
:plan.startup_cost 150156.78560710943
:plan.total_cost 150156.91060710943
:plan.plan_rows 50
:plan.plan_width 72
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
   }
   :resno 1
   :resname s_suppkey
   :ressortgroupref 1
   :resorigtbl 16541
   :resorigcol 1
   :resjunk false
  }
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
   }
   :resno 2
   :resname s_name
   :ressortgroupref 0
   :resorigtbl 16541
   :resorigcol 2
   :resjunk false
  }
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
   }
   :resno 3
   :resname s_address
   :ressortgroupref 0
   :resorigtbl 16541
   :resorigcol 3
   :resjunk false
  }
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location -1
   }

```

```

    }
:resno 4
:resname s_phone
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 5
:resname total_revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 224.6575
:join.plan.total_cost 580.6575
:join.plan.plan_rows 50
:join.plan.plan_width 72
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 363
}
:resno 1
:resname s_suppkey
:ressortgrouppref 1
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 378
}
:resno 2
:resname s_name
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 390
}
:resno 3
:resname s_address
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5

```

```

:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 405
}
:resno 4
:resname s_phone
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 418
}
:resno 5
:resname total_revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 318
:scan.plan.plan_rows 10000
:scan.plan.plan_width 64
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 224.0325
:plan.total_cost 224.0325
:plan.plan_rows 50
:plan.plan_width 12
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr

```



```

        {VAR
        :varno -2
        :varattno 1
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
        }
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{CTESCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 224.0325
:scan.plan.plan_rows 50
:scan.plan.plan_width 12
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 418
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 485
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual (
{OPEXPR
:opno 670
:opfuncid 293
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 2
:vartype 701
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 505
    }
    {PARAM
    :paramkind 1
    :paramid 2
    :paramtype 701
    :paramtypmod -1
    :paramcollid 0
    :location -1
    }
    )
    :location 519
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b 2)
    :scan.plan.allParam (b 2)
    :scan.scanrelid 2
    :ctePlanId 1
    :cteParam 1
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b 2)
    :plan.allParam (b 2)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 485
    }
    )
    :skewTable 16541
    :skewColumn 1
    :skewInherit false
    :rows_total 0
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b 2)
    :join.plan.allParam (b 2)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual <>
    :hashclauses (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 473
    }
    {VAR
    :varno -1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 485
    }
    )
    :location -1
    }
    )
    :hashoperators (o 96)
    :hashcollations (o 0)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 473
    }
    )
    )

```

```

    }
:plan.righttree <>
:plan.initPlan (
  {SUBPLAN
    :subLinkType 7
    :testexpr <>
    :paramIds <>
    :plan_id 1
    :plan_name CTE\ revenue
    :firstColType 23
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable false
    :unknownEqFalse false
    :parallel_safe false
    :setParam (i 1)
    :parParam <>
    :args <>
    :startup_cost 0
    :per_call_cost 149350.67464306197
  }
  {SUBPLAN
    :subLinkType 4
    :testexpr <>
    :paramIds <>
    :plan_id 2
    :plan_name InitPlan\ 2
    :firstColType 701
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable false
    :unknownEqFalse false
    :parallel_safe false
    :setParam (i 2)
    :parParam <>
    :args <>
    :startup_cost 0
    :per_call_cost 224.04250000000002
  }
)
:plan.extParam (b)
:plan.allParam (b 1 2)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 97)
:collations ( 0)
:nullsFirst ( false)
}

```

QUERY PLAN

```

-----
Sort (cost=150156.79..150156.91 rows=50 width=72) (actual time=687.956..687.985 rows=1.00 loops=1)
  Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_phone, revenue.total_revenue
  Sort Key: supplier.s_suppkey
  Sort Method: quicksort  Memory: 25kB
  Buffers: shared hit=5925 read=99681
  CTE revenue
  -> Finalize GroupAggregate (cost=146348.42..149350.67 rows=9957 width=12) (actual time=673.970..682.197 rows=8197.00 loops=1)
    Output: l1_suppkey, sum((l1_extendedprice * ('1'::double precision - l1_discount)))
    Group Key: l1_suppkey
    Buffers: shared hit=5707 read=99681
    -> Gather Merge (cost=146348.42..149131.62 rows=23897 width=12) (actual time=673.963..678.459 rows=24573.00 loops=1)
      Output: l1_suppkey, (PARTIAL sum((l1_extendedprice * ('1'::double precision - l1_discount))))
      Workers Planned: 2
      Workers Launched: 2
      Buffers: shared hit=5707 read=99681
      -> Sort (cost=145348.40..145373.29 rows=9957 width=12) (actual time=663.586..664.047 rows=8191.00 loops=3)
        Output: l1_suppkey, (PARTIAL sum((l1_extendedprice * ('1'::double precision - l1_discount))))
        Sort Key: l1_suppkey
        Sort Method: quicksort  Memory: 641kB
        Buffers: shared hit=5707 read=99681
        Worker 0:  actual time=658.610..659.063 rows=8188.00 loops=1
          Sort Method: quicksort  Memory: 448kB
          Buffers: shared hit=1894 read=33050
        Worker 1:  actual time=658.597..659.051 rows=8191.00 loops=1
          Sort Method: quicksort  Memory: 448kB
          Buffers: shared hit=1893 read=32880
        -> Partial HashAggregate (cost=144587.61..144687.18 rows=9957 width=12) (actual time=659.666..660.860 rows=8191.00 loops=3)
          Output: l1_suppkey, PARTIAL sum((l1_extendedprice * ('1'::double precision - l1_discount)))
          Group Key: l1_suppkey
          Batches: 1  Memory Usage: 793kB
          Buffers: shared hit=5693 read=99681
          Worker 0:  actual time=654.843..656.029 rows=8188.00 loops=1
            Batches: 1  Memory Usage: 793kB
            Buffers: shared hit=1887 read=33050
          Worker 1:  actual time=654.834..656.019 rows=8191.00 loops=1
            Batches: 1  Memory Usage: 793kB
            Buffers: shared hit=1886 read=32880
          -> Hash Semi Join (cost=445.45..143799.86 rows=78775 width=20) (actual time=6.929..629.216 rows=61630.67 loops=3)
            Output: l1_suppkey, l1_extendedprice, l1_discount
            Hash Cond: (l1_suppkey = s.s_suppkey)
            Buffers: shared hit=5693 read=99681
            Worker 0:  actual time=4.929..625.232 rows=61137.00 loops=1
              Buffers: shared hit=1887 read=33050
            Worker 1:  actual time=11.717..625.087 rows=61140.00 loops=1
              Buffers: shared hit=1886 read=32880
            -> Parallel Seq Scan on public.lineitem l  (cost=0.00..142225.75 rows=96113 width=20) (actual time=0.670..588.936 rows=75
084.33 loops=3)
              Output: l1_orderkey, l1_partkey, l1_suppkey, l1_linenum, l1_quantity, l1_extendedprice, l1_discount, l1_t
ax, l1_returnflag, l1_linestatus, l1_shipdate, l1_commitdate, l1_receiptdate, l1_shipinstruct, l1_shipmode, l1_comment
              Filter: ((l1_shipdate >= '1995-01-01'::date) AND (l1_shipdate < '1995-04-01 00:00:00'::timestamp without time zone
))
                Rows Removed by Filter: 1925321
                Buffers: shared hit=5039 read=99681
                Worker 0:  actual time=0.558..587.816 rows=74542.00 loops=1
                  Buffers: shared hit=1669 read=33050
                Worker 1:  actual time=1.017..580.458 rows=74600.00 loops=1
                  Buffers: shared hit=1668 read=32880
                -> Hash (cost=343.00..343.00 rows=8196 width=4) (actual time=6.210..6.212 rows=8197.00 loops=3)
                  Output: s.s_suppkey
                  Buckets: 16384  Batches: 1  Memory Usage: 417kB
                  Buffers: shared hit=654
                  Worker 0:  actual time=4.346..4.349 rows=8197.00 loops=1

```

```

                Buffers: shared hit=218
Worker 1: actual time=10.626..10.628 rows=8197.00 loops=1
                Buffers: shared hit=218
-> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8196 width=4) (actual time=0.063..4.358 rows=8197.00 loop
s=3)
                Output: s.s_suppkey
                Filter: (s.s_acctbal > '1000'::double precision)
                Rows Removed by Filter: 1803
                Buffers: shared hit=654
                Worker 0: actual time=0.048..2.671 rows=8197.00 loops=1
                Buffers: shared hit=218
                Worker 1: actual time=0.124..8.086 rows=8197.00 loops=1
                Buffers: shared hit=218

InitPlan 2
-> Aggregate (cost=224.03..224.04 rows=1 width=8) (actual time=11.794..11.794 rows=1.00 loops=1)
    Output: max(revenue_1.total_revenue)
    -> CTE Scan on revenue revenue_1 (cost=0.00..199.14 rows=9957 width=8) (actual time=0.000..10.948 rows=8197.00 loops=1)
        Output: revenue_1.supplier_no, revenue_1.total_revenue
        Storage: Memory Maximum Storage: 577kB
-> Hash Join (cost=224.66..580.66 rows=50 width=72) (actual time=687.876..687.945 rows=1.00 loops=1)
    Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_phone, revenue.total_revenue
    Hash Cond: (supplier.s_suppkey = revenue.supplier_no)
    Buffers: shared hit=2138 read=33751
    -> Seq Scan on public.supplier (cost=0.00..318.00 rows=10000 width=64) (actual time=0.022..0.670 rows=10000.00 loops=1)
        Output: supplier.s_suppkey, supplier.s_name, supplier.s_address, supplier.s_nationkey, supplier.s_phone, supplier.s_acctbal, supplier.s_commen
t
        Buffers: shared hit=218
    -> Hash (cost=224.03..224.03 rows=50 width=12) (actual time=686.570..686.570 rows=1.00 loops=1)
        Output: revenue.total_revenue, revenue.supplier_no
        Buckets: 1024 Batches: 1 Memory Usage: 9kB
        Buffers: shared hit=1920 read=33751
        -> CTE Scan on revenue (cost=0.00..224.03 rows=50 width=12) (actual time=686.527..686.567 rows=1.00 loops=1)
            Output: revenue.total_revenue, revenue.supplier_no
            Filter: (revenue.total_revenue = (InitPlan 2).col1)
            Rows Removed by Filter: 8196
            Storage: Memory Maximum Storage: 577kB
            Buffers: shared hit=1920 read=33751

Planning:
    Buffers: shared hit=11
Planning Time: 4.370 ms
Execution Time: 688.470 ms
(98 rows)

Time: 698.154 ms
tpch=> reset role;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

```

    }

Time: 2.098 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT policyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.policyname, r.tablename);
    END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on partsupp
ALTER TABLE partsupp ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show partsupp from suppliers with acctbal > 0
CREATE POLICY partsupp_rls_policy ON partsupp
USING (
    EXISTS (
        SELECT 1 FROM supplier s
        WHERE s.s_suppkey = partsupp.ps_suppkey
        AND s.s_acctbal > 0
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON partsupp TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 6: Run Q16
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    p_brand,
    p_type,
    p_size,
    count(distinct ps_suppkey) as supplier_cnt
from
    partsupp,
    part
where
    p_partkey = ps_partkey
    and p_brand <> 'Brand#23'
    and p_type not like 'MEDIUM POLISHED%'
    and p_size in (1, 4, 7)
    and ps_suppkey not in (
        select
            s_suppkey
        from
            supplier
        where
            s_comment like '%Customer%Complaints%'
    )
group by
    p_brand,
    p_type,
    p_size
order by
    supplier_cnt desc,
    p_brand,
    p_type,
    p_size;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
    :stmt
        {DOSTMT
            :args (
                {DEFELEM
                    :defnamespace <>
                    :defname as
                    :arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
    T\ policyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
        public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
    \ IF\ EXISTS\ %I\ ON\ %I',\ r.policyname,\ r.tablename\
        );\
\ \ \ \ END\ LOOP;\
END;\
"
            :defaction 0
            :location 3
        }
    )
}
    :stmt_location 0
    :stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
    :commandType 6
    :querySource 0
    :canSetTag true
    :utilityStmt

```

```

        {DOSTMT
        :args (
            {DEFELEM
            :defnamespace <>
            :defname as
            :arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
        T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
        public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
        \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
        );\
\ \ \ \ END\ LOOP;\
END;\
"
        :defaction 0
        :location 3
        }
    )
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
    :alias <>
    :eref
        {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "polycyname" "permissive" "roles"
            "cmd" "qual" "with_check")
        }
    :rtekind 0
    :relid 12018
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 12018
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)

```

```
:updatedCols (b)
}
)
}:jointree
{FROMEXPR
 :fromlist (
 {RANGETBLREF
 :rtindex 1
 }
 )
 :quals
 {OPEXPR
 :opno 93
 :opfucind 62
 :opresulttype 16
 :opretset false
 :opcoidid 0
 :inputcollid 950
 :args (
 {VAR
 :varno 1
 :varattno 1
 :vartype 19
 :vartypmod -1
 :varcollid 950
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 1
 :varattnosyn 1
 :location 52
 }
 {CONST
 :consttype 19
 :consttypmod -1
 :constcollid 950
 :constlen 64
 :constbyval false
 :constisnull false
 :location 65
 :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
 }
 )
 :location 63
 }
 }
}:mergeActionList <>
}:mergeTargetRelation 0
}:mergeJoinCondition <>
}:targetList (
 {TARGETENTRY
 :expr
 {VAR
 :varno 1
 :varattno 3
 :vartype 19
 :vartypmod -1
 :varcollid 950
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 1
 :varattnosyn 3
 :location 7
 }
 :resno 1
 :resname policyname
 :ressortgroupref 0
 :resorigtbl 12018
 :resorigcol 3
 :resjunk false
 }
 {TARGETENTRY
 :expr
 {VAR
 :varno 1
 :varattno 2
 :vartype 19
 :vartypmod -1
 :varcollid 950
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 1
 :varattnosyn 2
 :location 19
 }
 :resno 2
 :resname tablename
 :ressortgroupref 0
 :resorigtbl 12018
 :resorigcol 2
 :resjunk false
 }
 }
 ):override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupByClause <>
:groupByDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel

```



```

tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhas subclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtkind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}

```

```

{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9

```

```

:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n

```

```

        :colnames ("oid" "nspname" "nspowner" "nspacl")
    }
:rtkind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtkind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2

```

```

:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}

```



```

{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
}

```

```

:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
}

```

```

:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615

```

```

:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 1028
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
  {FUNCEXP
    :funcid 394
    :funcresulttype 1009
    :funcset false
    :funcvariadic false
    :funcformat 0
    :funccollid 100
    :inputcollid 100
    :args (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 4 [ 16 0 0 0 ]
      }
    )
  }
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeId 25
    :typeMod -1
    :collation 0
  }
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
  }
}

```

```

:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctclList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
    :aliasname pg_authid
    :colnames ("oid" "rolname" "rolsuper" "rolinherit"
      "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
        lication" "rolbypassrsls" "rolconnlimit" "rolpasswor
          d" "rolvaliduntil")
    }
  :rtekind 0
  :relid 1260
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 1260
  :inh true
  :requiredPerms 2
  :checkAsUser 10
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {SCALARARRAYOEXPR
  :opno 607
  :opfuncid 184
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
  )
  :location -1
  }
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname rolname
  :ressortgroupref 1
  :resorigtbl 1260
  :resorigcol 2
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>

```

```

:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 93
   :sortop 660
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST

```



```

        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0

```

```

        :inputcollid 0
        :args (
            {CASETESTEXPR
                :typeid 18
                :typemod -1
                :collation 0
            }
            {CONST
                :consttype 18
                :consttypmod -1
                :constcollid 0
                :constlen 1
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    :result
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
}
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
    {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
    {VAR
        :varno 1
        :varattno 8

```



```

:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname pol
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname pol
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck")
      }
    :rtekind 0
    :relid 3256
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
          "relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
          eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relh
          aindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
          lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
          wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
          " "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
          lacl" "reloptions" "relpartbound")
      }
    :rtekind 0
    :relid 1259
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
          ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
          tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
          n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
          "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
          " "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
          spopulated" "relreplident" "relispartition" "relrewrite" "relfr
          ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
{VAR

```

```

:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```



```

:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1

```

```

:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11

```

```

:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR

```

```

:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4

```

```

        :varattnosyn 3
        :location -1
    }
    {VAR
    :varno 4
    :varattno 4
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location -1
    }
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
}
:alias <>

```



```

        :rtindex 3
    }
    :rarg
    {RANGETBLREF
    :rtindex 4
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {OEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals <>
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname schemaname
    :ressortgroupref 0
    :resorigtbl 2615
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 1259
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    }
    }

```

```

:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false

```

```

:funcformat 0
:funccollid 100
:inputcollid 100
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 4 [ 16 0 0 0 ]
  }
)
:location -1
}
:elemexpr
{FUNCEXP
  :funcid 407
  :funcresulttype 19
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 950
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 25
      :typeMod -1
      :collation 0
    }
  )
  :location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
  :subLinkType 6
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGEABLEENTRY
          :alias <>
          :eref
            {ALIAS
              :aliasname pg_authid
              :colnames ("oid" "rolname" "rolsuper" "rolinherit"
                "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
                lication" "rolbypassrles" "rolconlimit" "rolpasswor
                d" "rolvaliduntil")
            }
          :rtekind 0
          :relid 1260
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 1260
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
}
:jointree
{FROMEXPR

```

```

:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{SCALARARRAYOPEXPR
  :opno 607
  :opfuncid 184
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 0
  :args (
    {VAR
      :varno 1
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    {VAR
      :varno 1
      :varattno 6
      :vartype 1028
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 1
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location -1
    }
  )
  :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
  }
  :resno 1
  :resname rolname
  :ressortgroupref 1
  :resorigtbl 1260
  :resorigcol 2
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:varatype 18
:varitypmmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:constitypmmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:constitypmmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:constitypmmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:constitypmmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}

```

```

        {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1

```

```

        :constbyval false
        :constisnull true
        :location -1
        :constvalue <>
    }
    :location -1
}
:resno 6
:resname cmd
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>

```

```
:groupDistinct false
:groupBySets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
)rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relicid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relicid 12018
:inh true
|requiredPerms 2
:checkedAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatecols (b)
})
)
::jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
})
)
quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
})
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
})
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
})
:resno 1
:resname polycyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
){TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
```



```

        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 19
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL:      {NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.4025
:join.plan.total_cost 11.560087761919224
:join.plan.plan_rows 1
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname polycynname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.2725
:join.plan.total_cost 11.33603370786517
:join.plan.plan_rows 1
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2

```

```

        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
    }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno -1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
    }
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno -1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
    }
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 3.01
:scan.plan.plan_rows 1
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
    {TARGETENTRY
        :expr
            {VAR
                :varno 2
                :varattno 1
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 1
                :location -1
            }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
    {TARGETENTRY
        :expr
            {VAR
                :varno 2
                :varattno 2
                :vartype 19
                :vartypmod -1
                :varcollid 950
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 2
                :location -1
            }
        :resno 2
        :resname <>
        :ressortgrouppref 0
    }
}

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 2
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.2725
:scan.plan.total_cost 8.290000000000001
:scan.plan.plan_rows 1
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 9
        :location -1
    }
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25

```



```

:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 30
        :location -1
    }
:resno 30
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
:indexid 2662
:indexqual (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -3
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
  {PARAM
    :paramkind 1
    :paramid 0
    :paramtype 26
    :paramtypmod -1
    :paramcollid 0
    :location -1
  }
)
:location -1
}
)
:indexqualorig (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
      {PARAM
        :paramkind 1
        :paramid 0
        :paramtype 26
        :paramtypmod -1
        :paramcollid 0
        :location -1
      }
    )
    :location -1
  }
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
  {NESTLOOPPARAM
    :paramno 0
    :paramval
      {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
      }
    }
)
}
}
:join.plan.righttree
{INDEXSCAN
  :scan.plan.disabled_nodes 0
  :scan.plan.startup_cost 0.13
  :scan.plan.total_cost 0.17702702702702702
  :scan.plan.plan_rows 1
  :scan.plan.plan_width 4
  :scan.plan.parallel_aware false
  :scan.plan.parallel_safe false
  :scan.plan.async_capable false
  :scan.plan.plan_node_id 4
  :scan.plan.targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno 5
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
    }
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63

```

```

    }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanrelid 5
:indexid 2685
:indexqual (
  {OEXPR
  :opno 607
  :opfuncid 184
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno -3
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    {PARAM
    :paramkind 1
    :paramid 1
    :paramtype 26
    :paramtypmod -1
    :paramcollid 0
    :location -1
    }
  )
  :location -1
}
)
:indexqualorig (
  {OEXPR
  :opno 607
  :opfuncid 184
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 5
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    {PARAM
    :paramkind 1
    :paramid 1
    :paramtype 26
    :paramtypmod -1
    :paramcollid 0
    :location -1
    }
  )
  :location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
  {NESTLOOPPARAM
  :paramno 1
  :paramval
  {VAR
  :varno -2
  :varattno 3
  :vartype 26
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 3
  :location -1
  }
}
)
}
)
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:ReturningOldAlias <>
:ReturningNewAlias <>
:ReturningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
}
)

```

```

:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (

```

```

{TARGETENTRY
:expr
  {FUNCEXP
    :funcid 3539
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 7
        :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
          70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
        }
      {PARAM
        :paramkind 0
        :paramid 3
        :paramtype 19
        :paramtypmod -1
        :paramcollid 950
        :location 41
        }
      {PARAM
        :paramkind 0
        :paramid 4
        :paramtype 19
        :paramtypmod -1
        :paramcollid 950
        :location 55
        }
    )
    :location 0
  }
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 7
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
              70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
            }
          {PARAM
            :paramkind 0
            :paramid 3
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 41
            }
          {PARAM

```



```

        :paramkind 0
        :paramid 4
        :paramtype 19
        :paramtypmod -1
        :paramcollid 950
        :location 55
    }
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPTMT
:objects (("lineitem" "lineitem_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPTMT
:objects (("lineitem" "lineitem_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 17.880 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY

```

```

:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 4
    :name role
    :args <>
    :jumble_args false
    :is_local false
    :location -1
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.483 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
      }
    )
  }
}

```

```

        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.783 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.512 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.441 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false

```

```

:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.429 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0

```

```

:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.456 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
}

```

```

: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 47
}

```

Time: 0.490 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
: stmt
  {ALERTABLESTMT
    : relation
      {RANGEVAR
        : catalogname <>
        : schemaname <>
        : relname nation
        : inh true
        : relpersistence p
        : alias <>
        : location 12
      }
    : cmds (
      {ALERTABLECMD
        : subtype 55
        : name <>
        : num 0
        : newowner <>
        : def <>
        : behavior 0
        : missing_ok false
        : recurse false
      }
    )
    : objtype 41
    : missing_ok false
  }
: stmt_location 0
: stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
: commandType 6
: querySource 0
: canSetTag true
: utilityStmt
  {ALERTABLESTMT
    : relation
      {RANGEVAR
        : catalogname <>
        : schemaname <>
        : relname nation
        : inh true
        : relpersistence p
        : alias <>
        : location 12
      }
    : cmds (
      {ALERTABLECMD
        : subtype 55
        : name <>
        : num 0
        : newowner <>
        : def <>
        : behavior 0
        : missing_ok false
        : recurse false
      }
    )
    : objtype 41
    : missing_ok false
  }
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: cteList <>
: rtable <>
: rteperminfos <>
: jointree <>
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList <>
: override 0
: onConflict <>
: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
}

```



```

:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.519 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
}

```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.526 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

Time: 0.330 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {CREATEPOLICYSTMT
  :policy_name partsupp_rls_policy
  :table
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp
    :inh true
    :relpersistence p
    :alias <>
    :location 37
    }
  :cmd_name all
  :permissive true
  :roles (
    {ROLESPEC
    :roletype 4
    :rolename <>
    :location -1
    }
  )
  :qual
    {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {SELECTSTMT
      :distinctClause <>
      :intoClause <>
      :targetList (
        {RESTARTGET
        :name <>
        :indirection <>
        :val
          {A_CONST
          :val 1
          :location 82
          }
        :location 82
        }
      )
      :fromClause (
        {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias
          {ALIAS
          :aliasname s
          :colnames <>
          }
        :location 89
        }
      )
      :whereClause
        {BOOLEXP
        :boolop and
        :args (
          {A_EXPR
          :name ("=")
          :lexpr
            {COLUMNREF
            :fields ("s" "s_suppkey")
            :location 114
            }
          :rexpr
            {COLUMNREF
            :fields ("partsupp" "ps_suppkey")
            :location 128
            }
          :rexpr_list_start 0
          :rexpr_list_end 0
          :location 126
          }
          {A_EXPR
          :name (">")
          :lexpr
            {COLUMNREF
            :fields ("s" "s_acctbal")
            :location 160
            }
          :rexpr
            {A_CONST
            :val 0
            :location 174
            }
          :rexpr_list_start 0
          :rexpr_list_end 0
          :location 172
          }
        )
        :location 156
      )
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
  }
```

```

        :larg <>
        :rarg <>
    }
    :location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 183
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name partsupp_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 114
}
:rexpr
{COLUMNREF
:fields ("partsupp" "ps_suppkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 160
}
:rexpr
{A_CONST
:val 0
:location 174
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 172
}
)
:location 156
}
:groupClause <>

```

```

      :groupDistinct false
      :havingClause <>
      :windowClause <>
      :valuesLists <>
      :sortClause <>
      :limitOffset <>
      :limitCount <>
      :limitOption 0
      :lockingClause <>
      :withClause <>
      :op 0
      :all false
      :larg <>
      :rarg <>
    }
    :location 58
  }
  :with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 183
}

```

Time: 0.850 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>

```

```

:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.457 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT

```

```

:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname part
    :inh true
    :relpersistence p
    :alias <>
    :location 16
  }
)
:privileges (
  {ACCESSPRIV
    :priv_name select
    :cols <>
  }
)
:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 24
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.348 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.316 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
  }
}

```



```

)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.215 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_brand")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_type")
:location 60
}
:location 60
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_size")
:location 72
}
:location 72
}
{RESTARTGET
:name supplier_cnt
:indirection <>
:val
{FUNCCALL
:funcname ("count")
:args (
{COLUMNREF
:fields ("ps_suppkey")
:location 99
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct true
:func_variadic false
:funcformat 0
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR

```

```

:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistance p
:alias <>
:location 136
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistance p
:alias <>
:location 150
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_partkey")
:location 165
}
:rexpr
{COLUMNREF
:fields ("ps_partkey")
:location 177
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 175
}
{A_EXPR
:name ("<>")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 196
}
:rexpr
{A_CONST
:val "Brand#23"
:location 207
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 204
}
{A_EXPR LIKE
:name ("!~")
:lexpr
{COLUMNREF
:fields ("p_type")
:location 226
}
:rexpr
{A_CONST
:val "MEDIUM\ POLISHED%"
:location 242
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 233
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 269
}
:rexpr (
{A_CONST
:val 1
:location 280
}
{A_CONST
:val 4
:location 283
}
{A_CONST
:val 7
:location 286
}
)
:rexpr_list_start 279
:rexpr_list_end 287
:location 276
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{COLUMNREF
:fields ("ps_suppkey")
:location 297
}
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>

```

```

        :val
        {COLUMNREF
        :fields ("s_supkey")
        :location 344
        }
        :location 344
    }
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 379
}
)
:whereClause
{A_EXPR LIKE
:name ("~~")
:lexpr
{COLUMNREF
:fields ("s_comment")
:location 414
}
:rexpr
{A_CONST
:val "%Customer%Complaints%"
:location 429
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 424
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 308
}
)
:location 308
}
)
:location 192
}
:groupClause (
{COLUMNREF
:fields ("p_brand")
:location 472
}
{COLUMNREF
:fields ("p_type")
:location 485
}
{COLUMNREF
:fields ("p_size")
:location 497
}
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("supplier_cnt")
:location 517
}
:sortby_dir 2
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("p_brand")
:location 540
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("p_type")
:location 553
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF

```

```

        :fields ("p_size")
        :location 565
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 571
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
st" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref

```

```

        {ALIAS
        :aliasname *GROUP*
        :colnames ("p_brand" "p_type" "p_size")
        }
:rtkind 9
:groupexprs (
  {VAR
  :varno 2
  :varattno 4
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 4
  :location 47
  }
  {VAR
  :varno 2
  :varattno 5
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 5
  :location 60
  }
  {VAR
  :varno 2
  :varattno 6
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 6
  :location 72
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rtperminfos (
  {RTEPERMISSIONINFO
  :relid 16556
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16551
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 11 12 13)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    {RANGETBLREF
    :rtindex 2
    }
  )
  :quals
  {BOOLEXPR
  :boolop and
  :args (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location 165
      }
      {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0

```

```

        :varnosyn 1
        :varattnosyn 1
        :location 177
    }
)
:location 175
}
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 196
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 207
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
    }
)
:location 204
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location 226
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 242
        :constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 7
        3 83 72 69 68 37 ]
    }
)
:location 233
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 269
    }
    {ARRAYEXPR
        :array_typeid 1007
        :array_collid 0
        :element_typeid 23
        :elements (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 280
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
            {CONST
                :consttype 23
                :consttypmod -1

```

```

:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 283
:constvalue 4 [ 4 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 286
:constvalue 4 [ 7 0 0 0 0 0 0 0 ]
}
)
:multidims false
:list_start 279
:list_end 287
:location -1
}
)
:location 276
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 297
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
)
:location 308
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_n
ationkey" "s_phone" "s_acctbal" "s_comment")
}
:rekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 14)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

    }
  )
  :jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
    {OPEXPR
      :opno 1209
      :opfuncid 850
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 100
      :args (
        {VAR
          :varno 1
          :varattno 7
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 7
          :location 414
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 429
          :constvalue 25 [ 100 0 0 0 37 67 117 115 116
111 109 101 114 37 67 111 109 112 108 97 105
110 116 115 37 ]
        }
      )
      :location 424
    }
  }
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetlist (
    {TARGETENTRY
      :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 344
      }
      :resno 1
      :resname s_suppkey
      :ressortgroupref 0
      :resorigtbl 16541
      :resorigcol 1
      :resjunk false
    }
  )
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 0
}
:location 308
}
)
:location 308
}
)
:location 192
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 1
      :vartype 25
    }
  }
)

```



```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 84

```

```

    }
    :resno 4
    :resname supplier_cnt
    :resortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)
}
:resultRelation 0
:hasAggs false

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 571
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("p_brand" "p_type" "p_size")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 47
}
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 60
}
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 72
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 165
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 177
}
)
:location 175
}
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 196
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 207
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
  }
)
:location 204
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 226
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 242
    :constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 73 83 7
2 69 68 37 ]
  }
)
:location 233
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 269
  }
  {ARRAYEXPR
    :array_typeid 1007
    :array_collid 0
    :element_typeid 23
    :elements (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 280
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 283
        :constvalue 4 [ 4 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true

```

```

        :constisnull false
        :location 286
        :constvalue 4 [ 7 0 0 0 0 0 0 0 ]
    }
}
:multidims false
:list_start 279
:list_end 287
:location -1
}
)
:location 276
}
{BOOLEXP
:boolop not
:args (
    {SUBLINK
    :subLinkType 2
    :subLinkId 0
    :testexpr
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 297
        }
        {PARAM
        :paramkind 2
        :paramid 1
        :paramtype 23
        :paramtypmod -1
        :paramcollid 0
        :location -1
        }
    )
    :location 308
    }
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBLENTY
    :alias <>
    :eref
    {ALIAS
    :aliasname supplier
    :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 14)
    :insertedCols (b)
    :updatedCols (b)
    }
)
:jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF
    :rtindex 1
    }
)
:quals
{OPEXP
:opno 1209
:opfuncid 850

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 414
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 429
    :constvalue 25 [ 100 0 0 0 37 67 117 115 116 111 10
9 101 114 37 67 111 109 112 108 97 105 110 116 115
37 ]
  }
)
:location 424
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 344
    }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 308
}
)
:location 308
}
)
:location 192
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname p_brand
    :ressortgroupref 2
    :resorigtbl 16551

```

```

:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname p_type
:ressortgrouppref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname p_size
:ressortgrouppref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 84
}
:resno 4
:resname supplier_cnt
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>

```



```

:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16556
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
  }
  :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBLENTTRY
          :alias
            {ALIAS
              :aliasname s
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname s
              :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone

```

```

        " "s_acctbal" "s_comment")
    }
:rtkind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
(RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}

```

```

        }
    }
    :location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
    {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs true
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity true
        :hasGroupRTE true
        :isReturn false
        :cteList <>
    }
    {rtable (
        {RANGETBENTRY
            :alias <>
            :eref
            {ALIAS
                :aliasname partsupp
                :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
                    s_comment")
            }
            :rtekind 0
            :relid 16556
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals (
                {SUBLINK
                    :subLinkType 0
                    :subLinkId 0
                    :testexpr <>
                    :operName <>
                    :subselect
                    {QUERY
                        :commandType 1
                        :querySource 0
                        :canSetTag true
                        :utilityStmt <>
                        :resultRelation 0
                        :hasAggs false
                        :hasWindowFuncs false
                        :hasTargetSRFs false
                        :hasSubLinks false
                        :hasDistinctOn false
                        :hasRecursive false
                    }
                }
            )
        }
    )
}

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname s
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname s
      :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_
        _phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location -1
        }
        {VAR
          :varno 1
          :varattno 2
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 1
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 2
          :location -1
        }
      )
    }
    :location -1
  )
}
{OPEXP
  :opno 674
  :opfuncid 297
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 1
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location -1
    }
    {FUNCEXP
      :funcid 316
      :funcresulttype 701
      :funcset false
    }
  )
}

```

```

:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
:p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("p_brand" "p_type" "p_size")
}
:rtekind 9
:groupexprs (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 47
  }
)

```

```

    }
    {VAR
     :varno 2
     :varattno 5
     :vartype 25
     :vartypmod -1
     :varcollid 100
     :varnullingrels (b)
     :varlevelsup 0
     :varreturningtype 0
     :varnosyn 2
     :varattnosyn 5
     :location 60
    }
    {VAR
     :varno 2
     :varattno 6
     :vartype 23
     :vartypmod -1
     :varcollid 0
     :varnullingrels (b)
     :varlevelsup 0
     :varreturningtype 0
     :varnosyn 2
     :varattnosyn 6
     :location 72
    }
  )
  :lateral false
  :inFromCl false
  :securityQuals <>
}
:rteperminfos (
  {RTEPERMISSIONINFO
   :relid 16556
   :inh true
   :requiredPerms 2
   :checkAsUser 0
   :selectedCols (b 8 9)
   :insertedCols (b)
   :updatedCols (b)
  }
  {RTEPERMISSIONINFO
   :relid 16551
   :inh true
   :requiredPerms 2
   :checkAsUser 0
   :selectedCols (b 8 11 12 13)
   :insertedCols (b)
   :updatedCols (b)
  }
)
:jointree
{FROMEXPR
 :fromlist (
  {RANGETBLREF
   :rtindex 1
  }
  {RANGETBLREF
   :rtindex 2
  }
)
:quals
{BOOLEXP
 :boolop and
 :args (
  {OPEXP
   :opno 96
   :opfuncid 65
   :opresulttype 16
   :opretset false
   :opcollid 0
   :inputcollid 0
   :args (
    {VAR
     :varno 2
     :varattno 1
     :vartype 23
     :vartypmod -1
     :varcollid 0
     :varnullingrels (b)
     :varlevelsup 0
     :varreturningtype 0
     :varnosyn 2
     :varattnosyn 1
     :location 165
    }
    {VAR
     :varno 1
     :varattno 1
     :vartype 23
     :vartypmod -1
     :varcollid 0
     :varnullingrels (b)
     :varlevelsup 0
     :varreturningtype 0
     :varnosyn 1
     :varattnosyn 1
     :location 177
    }
   )
  }
 :location 175
 }
{OPEXP
 :opno 531
 :opfuncid 157
 :opresulttype 16
 :opretset false
 :opcollid 0
 :inputcollid 100
 :args (
  {VAR
   :varno 2
   :varattno 4

```

```

:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 196
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 204
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 226
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 242
:constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 73 83 7
2 69 68 37 ]
}
)
:location 233
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 269
}
{ARRAYEXPR
:array_typeid 1007
:array_collid 0
:element_typeid 23
:elements (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 280
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 283
:constvalue 4 [ 4 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 286
:constvalue 4 [ 7 0 0 0 0 0 0 0 ]
}
)
)

```

```

:multidims false
:list_start 279
:list_end 287
:location -1
}
)
:location 276
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:varatype 23
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 297
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramitypmode -1
:paramcollid 0
:location -1
}
)
:location 308
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```



```

        {VAR
        :varno 1
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 414
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 429
        :constvalue 25 [ 100 0 0 0 37 67 117 115 116 111 10
9 101 114 37 67 111 109 112 108 97 105 110 116 115
37 ]
        }
    )
    :location 424
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 344
    }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 308
}
)
:location 308
}
)
:location 192
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname p_brand
    :ressortgroupref 2
    :resorigtbl 16551
    :resorigcol 4
    :resjunk false
    }
    {TARGETENTRY
    :expr

```

```

{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 84
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 98

```

```

:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 410
:sortop 413
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
}
)
}
)

```

```

:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_
_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6

```

```

        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
    }
:location -1
    }
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("p_brand" "p_type" "p_size")
}
}

```

```

:rtekind 9
:groupexprs (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 47
  }
  {VAR
    :varno 2
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 60
  }
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 72
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11 12 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
      {RANGETBLREF
        :rtindex 2
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 1
            :location 165
          }
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 177
          }
        )
      }
    )
  }

```

```

)
:location 175
}
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 2
  :varattno 4
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 4
  :location 196
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 207
  :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
  }
)
:location 204
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 2
  :varattno 5
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 5
  :location 226
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 242
  :constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 73 83 7
2 69 68 37 ]
  }
)
:location 233
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
  :varno 2
  :varattno 6
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 6
  :location 269
  }
  {ARRAYEXPR
  :array_typeid 1007
  :array_collid 0
  :element_typeid 23
  :elements (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 280
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
  }
  }
  }

```

```

:location 283
:constvalue 4 [ 4 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 286
:constvalue 4 [ 7 0 0 0 0 0 0 0 ]
}
)
:multidims false
:list_start 279
:list_end 287
:location -1
}
)
:location 276
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 297
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
}
)
:location 308
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 14)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR

```



```

:fromlist (
  {RANGETBLREF
   :rtindex 1
  }
)
:quals
{OEXPR
 :opno 1209
 :opfuncid 850
 :opresulttype 16
 :opretset false
 :opcollid 0
 :inputcollid 100
 :args (
  {VAR
   :varno 1
   :varattno 7
   :vartype 25
   :vartypmod -1
   :varcollid 100
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 1
   :varattnosyn 7
   :location 414
  }
  {CONST
   :consttype 25
   :consttypmod -1
   :constcollid 100
   :constlen -1
   :constbyval false
   :constisnull false
   :location 429
   :constvalue 25 [ 100 0 0 0 37 67 117 115 116 111 10
9 101 114 37 67 111 109 112 108 97 105 110 116 115
37 ]
  }
 )
 :location 424
 }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
   :expr
   {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 344
   }
   :resno 1
   :resname s_supkey
   :ressortgroupref 0
   :resorigtbl 16541
   :resorigcol 1
   :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 308
}
)
:location 308
}
)
:location 192
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
   :expr
   {VAR
    :varno 3
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 84
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 3
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 4
   :eqop 96
   :sortop 97
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 410
   :sortop 413
   :reverse_sort true
   :nulls_first true
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 3
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 4
   :eqop 96
   :sortop 97
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:  {SORT
:plan.disabled_nodes 0
:plan.startup_cost 294438582.68527174
:plan.total_cost 294438605.15527177
:plan.plan_rows 8988
:plan.plan_width 42
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location -1
   }
  }
:resno 1
:resname p_brand

```

```

:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 294437757.74800044
:plan.total_cost 294437992.45300037
:plan.plan_rows 8988
:plan.plan_width 42
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname p_type
:ressortgrouppref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname p_size
:ressortgrouppref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tlesortgroupref 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted true
:agglevelsup 0
:aggsplit 0
:aggno 0
:aggtransno 0
:location 84
}
:resno 4
:resname supplier_cnt
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 294437757.74800044
:plan.total_cost 294437786.7130004
:plan.plan_rows 11586
:plan.plan_width 38
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr

```

```

        {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
        }
:resno 1
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 8101.827499999999
:join.plan.total_cost 294436975.6875
:join.plan.plan_rows 11586
:join.plan.plan_width 38
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}

```

```

:resno 1
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 343.0025
:scan.plan.total_cost 294428351.0025
:scan.plan.plan_rows 200000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 4
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location -1
    }
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual (
{SUBPLAN
:subLinkType 2
:testexpr
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno 1
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 2
                :location -1
            }
            {PARAM
                :paramkind 1
                :paramid 2
                :paramtype 23
                :paramtypmod -1
                :paramcollid 0
                :location -1
            }
        )
    }
}
)

```



```

    }
  )
  :location -1
}
:paramIds (i 2)
:plan_id 3
:plan_name SubPlan\ 3
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 365.77
:per_call_cost 0.0025
}
{BOOLEXP
:boolop not
:args (
  {SUBPLAN
    :subLinkType 2
    :testexpr
    {OEXPR
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 2
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 2
          :location 297
        }
        {PARAM
          :paramkind 1
          :paramid 0
          :paramtype 23
          :paramtypmod -1
          :paramcollid 0
          :location -1
        }
      )
    }
    :location 308
  }
)
:paramIds (i 0)
:plan_id 1
:plan_name SubPlan\ 1
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse false
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 343.0025
:per_call_cost 0.0025
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreleid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 7614
:plan.total_cost 7614
:plan.plan_rows 11586
:plan.plan_width 38
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 4
      :location -1
    }
  }
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 7614
:scan.plan.plan_rows 11586
:scan.plan.plan_width 38
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 2
        :varattnosyn 5
        :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 165
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual (
    {OPEXPR
    :opno 531
    :opfuncid 157
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 196
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 207
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
    }
    )
    :location 204
    }
    {SCALARARRAYOPEXPR
    :opno 96
    :opfuncid 65
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 269
    }
    {CONST
    :consttype 1007
    :consttypmod -1

```

```

        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 36 [ -112 0 0 0 1 0 0 0 0 0 0 0 23 0 0 0 3
        0 0 0 1 0 0 0 1 0 0 0 4 0 0 0 7 0 0 0 ]
    }
)
:location 276
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 226
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 242
:constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 7
6 73 83 72 69 68 37 ]
}
)
:location 233
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 165
}
)
:skewTable 16556
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 177
}
{VAR
:varno -1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 2
        :varattnosyn 1
        :location 165
    }
}
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 177
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 4
:sortColIdx ( 1 2 3 4)
:sortOperators ( 664 664 97 97)
:collations ( 100 100 0 0)
:nullsFirst ( false false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggsplit 0
:numCols 3
:grpColIdx ( 1 2 3)
:grpOperators ( 98 98 96)
:grpCollations ( 100 100 0)
:numGroups 8988
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 4
:sortColIdx ( 4 1 2 3)
:sortOperators ( 413 664 664 97)
:collations ( 0 100 100 0)
:nullsFirst ( true false false false)
}

```

QUERY PLAN

```

-----
Sort (cost=294438582.69..294438605.16 rows=8988 width=42) (actual time=621.035..621.274 rows=6878.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, (count(DISTINCT partsupp.ps_suppkey))
  Sort Key: (count(DISTINCT partsupp.ps_suppkey)) DESC, part.p_brand, part.p_type, part.p_size
  Sort Method: quicksort Memory: 615kB
  Buffers: shared hit=4994 read=17314
-> GroupAggregate (cost=294437757.75..294437992.45 rows=8988 width=42) (actual time=587.542..596.690 rows=6878.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, count(DISTINCT partsupp.ps_suppkey)
  Group Key: part.p_brand, part.p_type, part.p_size
  Buffers: shared hit=4994 read=17314
-> Sort (cost=294437757.75..294437786.71 rows=11586 width=38) (actual time=587.528..589.042 rows=41130.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, partsupp.ps_suppkey
  Sort Key: part.p_brand, part.p_type, part.p_size, partsupp.ps_suppkey
  Sort Method: quicksort Memory: 3512kB
  Buffers: shared hit=4994 read=17314
-> Hash Join (cost=8101.83..294436975.69 rows=11586 width=38) (actual time=85.459..383.800 rows=41130.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, partsupp.ps_suppkey
  Hash Cond: (partsupp.ps_partkey = part.p_partkey)
  Buffers: shared hit=4994 read=17314
-> Seq Scan on public.partsupp (cost=343.00..294428351.00 rows=200000 width=8) (actual time=17.081..252.649 rows=728800.00 loops=1)
  Output: partsupp.ps_partkey, partsupp.ps_suppkey, partsupp.ps_availqty, partsupp.ps_supplycost, partsupp.ps_comment
  Filter: ((ANY (partsupp.ps_suppkey = (hashed SubPlan 3).col1)) AND (NOT (ANY (partsupp.ps_suppkey = (hashed SubPlan 1).col1))))
  Rows Removed by Filter: 71200
  Buffers: shared hit=1130 read=17314
  SubPlan 3
    -> Seq Scan on public.supplier s (cost=0.00..343.00 rows=9108 width=4) (actual time=0.070..7.653 rows=9114.00 loops=1)
    Output: s.s_suppkey
    Filter: (s.s_acctbal > '0':double precision)
    Rows Removed by Filter: 886
    Buffers: shared hit=218
  SubPlan 1
    -> Seq Scan on public.supplier (cost=0.00..343.00 rows=1 width=4) (actual time=0.127..3.500 rows=4.00 loops=1)
    Output: supplier.s_suppkey
    Filter: (supplier.s_comment ~ '%Customer%Complaints%':text)
    Rows Removed by Filter: 9996
    Buffers: shared hit=218
-> Hash (cost=7614.00..7614.00 rows=11586 width=38) (actual time=67.255..67.256 rows=11274.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, part.p_partkey
  Buckets: 16384 Batches: 1 Memory Usage: 922kB
  Buffers: shared hit=3864
-> Seq Scan on public.part (cost=0.00..7614.00 rows=11586 width=38) (actual time=0.047..62.889 rows=11274.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, part.p_partkey
  Filter: ((part.p_brand <> 'Brand#23':text) AND (part.p_size = ANY ({1,4,7}::integer))) AND (part.p_type !~ 'MEDIUM POLI
SHED':text))
  Rows Removed by Filter: 188726
  Buffers: shared hit=3864

Planning:
  Buffers: shared hit=13
Planning Time: 5.421 ms

```

Execution Time: 622.311 ms
(48 rows)

Time: 633.208 ms

tpch=>

tpch=> -- Step 1: Reset role and disable RLS

RESET ROLE;

ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any

DROP VIEW IF EXISTS partsupp_secure;

-- Step 3: Create view with same filter logic as RLS policy

CREATE VIEW partsupp_secure AS

SELECT ps.*

FROM partsupp ps

WHERE EXISTS (

SELECT 1 FROM supplier s

WHERE s.s_suppkey = ps.ps_suppkey

AND s.s_acctbal > 0

);

-- Step 4: Grant permissions and set role

GRANT SELECT ON partsupp_secure TO alice;

GRANT SELECT ON part TO alice;

GRANT SELECT ON supplier TO alice;

SET ROLE alice;

-- Step 5: Run Q16

EXPLAIN (ANALYZE, VERBOSE, BUFFERS)

select

p_brand,

p_type,

p_size,

count(distinct ps_suppkey) as supplier_cnt

from

partsupp_secure ps,

part

where

p_partkey = ps.ps_partkey

and p_brand <> 'Brand#23'

and p_type not like 'MEDIUM POLISHED%'

and p_size in (1, 4, 7)

and ps.ps_suppkey not in (

select

s_suppkey

from

supplier

where

s_comment like '%Customer%Complaints%'

)

group by

p_brand,

p_type,

p_size

order by

supplier_cnt desc,

p_brand,

p_type,

p_size;

WARNING: ===== RAW PARSE TREE =====:

DETAIL: {RAWSTMT

:stmt

{VARIABLESETSTMT

:kind 4

:name role

:args <>

:jumble_args false

:is_local false

:location -1

}

:stmt_location 0

:stmt_len 10

}

WARNING: ===== ANALYZED QUERY =====:

DETAIL: {QUERY

:commandType 6

:querySource 0

:canSetTag true

:utilityStmt

{VARIABLESETSTMT

:kind 4

:name role

:args <>

:jumble_args false

:is_local false

:location -1

}

:resultRelation 0

:hasAggs false

:hasWindowFuncs false

:hasTargetSRFs false

:hasSubLinks false

:hasDistinctOn false

:hasRecursive false

:hasModifyingCTE false

:hasForUpdate false

:hasRowSecurity false

:hasGroupRTE false

:isReturn false

:cteList <>

:rtable <>

:rteperminfos <>

:jointree <>

:mergeActionList <>

:mergeTargetRelation 0

:mergeJoinCondition <>

:targetList <>

:override 0

:onConflict <>

:returningOldAlias <>

:returningNewAlias <>

:returningList <>

:groupClause <>

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 1.638 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
}

```

```
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

Time: 2.317 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{DROPSMT
:objects (("partsupp_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSMT
:objects (("partsupp_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}
```

NOTICE: view "partsupp_secure" does not exist, skipping

Time: 0.704 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("ps"
{A_STAR
}
}
)
:location 38
}
}
```



```

        :location 38
    }
)
:fromClause (
    {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistence p
        :alias
        {ALIAS
            :aliasname ps
            :colnames <>
        }
        :location 48
    }
)
:whereClause
    {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
            {SELECTTMT
                :distinctClause <>
                :intoClause <>
                :targetlist (
                    {RESTARTGET
                        :name <>
                        :indirection <>
                        :val
                            {A_CONST
                                :val 1
                                :location 86
                            }
                        :location 86
                    }
                )
            }
        :fromClause (
            {RANGEVAR
                :catalogname <>
                :schemaname <>
                :relname supplier
                :inh true
                :relpersistence p
                :alias
                {ALIAS
                    :aliasname s
                    :colnames <>
                }
                :location 93
            }
        )
        :whereClause
            {BOOLEXP
                :boolop and
                :args (
                    {A_EXPR
                        :name ("=")
                        :lexpr
                            {COLUMNREF
                                :fields ("s" "s_suppkey")
                                :location 114
                            }
                        :rexpr
                            {COLUMNREF
                                :fields ("ps" "ps_suppkey")
                                :location 128
                            }
                        :rexpr_list_start 0
                        :rexpr_list_end 0
                        :location 126
                    }
                    {A_EXPR
                        :name (">")
                        :lexpr
                            {COLUMNREF
                                :fields ("s" "s_acctbal")
                                :location 150
                            }
                        :rexpr
                            {A_CONST
                                :val 0
                                :location 164
                            }
                        :rexpr_list_start 0
                        :rexpr_list_end 0
                        :location 162
                    }
                )
            }
        :location 146
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
}
:location 66
}
:groupClause <>
:groupDistinct false
:havingClause <>

```

```

:windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 167
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("ps"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname ps
:colnames <>
}
:location 48
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 86
}
:location 86
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 93
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR

```

```

        :name ("=")
        :lexpr
        {COLUMNREF
         :fields ("s" "s_supkey")
         :location 114
        }
        :rexpr
        {COLUMNREF
         :fields ("ps" "ps_supkey")
         :location 128
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 126
    }
    {A_EXPR
     :name (">")
     :lexpr
     {COLUMNREF
      :fields ("s" "s_acctbal")
      :location 150
     }
     :rexpr
     {A_CONST
      :val 0
      :location 164
     }
     :rexpr_list_start 0
     :rexpr_list_end 0
     :location 162
    }
    }
    :location 146
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 66
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 167
}

```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname ps
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname ps
  :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
  }
  :rtekind 0
  :relid 16556
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16556
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 10 11 12)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname s
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname s
  :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s
_phone" "s_acctbal" "s_comment")
  }
  :rtekind 0
  :relid 16541
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16541
```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 114
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 128
}
)
:location 126
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 150
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 164
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 162
}
)
:location 146
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1

```

```

        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 86
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 66
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 38
    }
    :resno 1
    :resname ps_partkey
    :ressortgrouppref 0
    :resorigtbl 16556
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 38
    }
    :resno 2
    :resname ps_suppkey
    :ressortgrouppref 0
    :resorigtbl 16556
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 38
    }
    :resno 3
    :resname ps_availqty
    :ressortgrouppref 0
    :resorigtbl 16556
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4

```

```

:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname ps_supplycost
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname ps_comment
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 5
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 167
}

```

Time: 5.769 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 40
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR

```

```

:catalogname <>
:schemaname <>
:relname partsupp_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.526 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt

```



```

{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.397 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}
```

Time: 0.391 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
```

```

    }
  }
  :jumble_args false
  :is_local false
  :location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.213 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {EXPLAINSTMT
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("p_brand")
:location 47
}
:location 47
}
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("p_type")
:location 60
}
:location 60
}
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("p_size")
:location 72
}
:location 72
}
  {RESTARTGET
:name supplier_cnt
:indirection <>
:val
  {FUNCCALL
:funcname ("count")
:args (
  {COLUMNREF
:fields ("ps_suppkey")
:location 99
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct true
:func_variadic false
:funcformat 0
:location 84
}
:location 84
}
)
:fromClause (

```

```

{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp_secure
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname ps
:colnames <>
}
:location 136
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 160
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_partkey")
:location 175
}
:rexpr
{COLUMNREF
:fields ("ps" "ps_partkey")
:location 187
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 185
}
{A_EXPR
:name ("<>")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 209
}
:rexpr
{A_CONST
:val "Brand#23"
:location 220
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 217
}
{A_EXPR LIKE
:name ("!~")
:lexpr
{COLUMNREF
:fields ("p_type")
:location 239
}
:rexpr
{A_CONST
:val "MEDIUM\ POLISHED%"
:location 255
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 246
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 282
}
:rexpr (
{A_CONST
:val 1
:location 293
}
{A_CONST
:val 4
:location 296
}
{A_CONST
:val 7
:location 299
}
)
:rexpr_list_start 292
:rexpr_list_end 300
:location 289
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:sublinkType 2
:subLinkId 0
:testexpr
{COLUMNREF
:fields ("ps" "ps_supkey")
:location 310
}
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>

```

```

:intoClause <>
:targetList (
  {RESTARGET
    :name <>
    :indirection <>
    :val
      {COLUMNREF
        :fields ("s_supkey")
        :location 360
      }
    :location 360
  }
)
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname supplier
    :inh true
    :relpersistence p
    :alias <>
    :location 395
  }
)
:whereClause
  {A_EXPR LIKE
    :name ("~~")
    :lexpr
      {COLUMNREF
        :fields ("s_comment")
        :location 430
      }
    :rexpr
      {A_CONST
        :val "%Customer%Complaints%"
        :location 445
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 440
  }
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 324
}
)
:location 324
}
)
:location 205
}
:groupClause (
  {COLUMNREF
    :fields ("p_brand")
    :location 488
  }
  {COLUMNREF
    :fields ("p_type")
    :location 501
  }
  {COLUMNREF
    :fields ("p_size")
    :location 513
  }
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
  {SORTBY
    :node
      {COLUMNREF
        :fields ("supplier_cnt")
        :location 533
      }
    :sortby_dir 2
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
  {SORTBY
    :node
      {COLUMNREF
        :fields ("p_brand")
        :location 556
      }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
  {SORTBY
    :node
      {COLUMNREF
        :fields ("p_type")
        :location 569
      }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>

```

```

:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("p_size")
:location 581
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 587
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
st" "ps_comment")
}
:rtekind 0
:relid 16718
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgpr" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
}
}
}

```

```

:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("p_brand" "p_type" "p_size")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 47
}
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 60
}
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 72
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16718
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 175
}
)
}
)

```

```

{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 187
}
)
:location 185
}
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 209
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 220
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 217
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 239
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 255
:constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 7
3 83 72 69 68 37 ]
}
)
:location 246
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 282
}
{ARRAYEXPR
:array_typeid 1007
:array_collid 0
:element_typeid 23
:elements (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0

```



```

:constlen 4
:constbyval true
:constisnull false
:location 293
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 296
:constvalue 4 [ 4 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 299
:constvalue 4 [ 7 0 0 0 0 0 0 0 ]
}
)
:multidims false
:list_start 292
:list_end 300
:location -1
}
)
:location 289
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 310
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
)
:location 324
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_n
ationkey" "s_phone" "s_acctbal" "s_comment")
}
}
:rtkind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
)

```

```

:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16541
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 14)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
    {OPEXPR
    :opno 1209
    :opfuncid 850
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
      :varno 1
      :varattno 7
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 7
      :location 430
      }
      {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location 445
      :constvalue 25 [ 100 0 0 0 37 67 117 115 116
111 109 101 114 37 67 111 109 112 108 97 105
110 116 115 37 ]
      }
    )
    :location 440
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location 360
  }
  :resno 1
  :resname s_suppkey
  :ressortgroupref 0
  :resorigtbl 16541
  :resorigcol 1
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 324
}
)
:location 324
}
)
:location 205
}
}
:mergeActionList <>

```

```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname p_brand
    :ressortgroupref 2
    :resorigtbl 16551
    :resorigcol 4
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname p_type
    :ressortgroupref 3
    :resorigtbl 16551
    :resorigcol 5
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname p_size
    :ressortgroupref 4
    :resorigtbl 16551
    :resorigcol 6
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2147
      :aggtype 20
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 23)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 99
          }
          :resno 1
          :resname <>
          :ressortgroupref 1
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct (
        {SORTGROUPCLAUSE
          :tleSortGroupRef 1
          :eqop 96
          :sortop 97
          :reverse_sort false
          :nulls_first false
          :hashable true
        }
      )
    }
  )
  :aggfilter <>

```

```

        :aggstar false
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 84
    }
    :resno 4
    :resname supplier_cnt
    :resortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 4
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 410
        :sortop 413
        :reverse_sort true
        :nulls_first true
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 4
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
    }
    {DEFELEM
        :defnamespace <>

```

```

:dbname buffers
:arg <>
:defaultion 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 587
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 16718
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref

```

```

    {ALIAS
    :aliasname *GROUP*
    :colnames ("p_brand" "p_type" "p_size")
    }
:rtekind 9
:groupexprs (
  {VAR
  :varno 2
  :varattno 4
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 4
  :location 47
  }
  {VAR
  :varno 2
  :varattno 5
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 5
  :location 60
  }
  {VAR
  :varno 2
  :varattno 6
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 6
  :location 72
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16718
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16551
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 11 12 13)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
  {RANGETBLREF
  :rtindex 2
  }
)
}
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 175
    }
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
  }
  }
  }

```

```

:varnosyn 1
:varattnosyn 1
:location 187
}
)
:location 185
}
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 209
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 220
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 217
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 239
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 255
:constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 73 83 7
2 69 68 37 ]
}
)
:location 246
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 282
}
{ARRAYEXPR
:array_typeid 1007
:array_collid 0
:element_typeid 23
:elements (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 293
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1

```

```

:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 296
:constvalue 4 [ 4 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 299
:constvalue 4 [ 7 0 0 0 0 0 0 0 ]
}
)
:multidims false
:list_start 292
:list_end 300
:location -1
}
)
:location 289
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 310
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
)
:location 324
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 14)
:insertedCols (b)
:updatedCols (b)
}
)

```



```

    }
  )
  :jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
    {OEXPR
      :opno 1209
      :opfuncid 850
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 100
      :args (
        {VAR
          :varno 1
          :varattno 7
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 7
          :location 430
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 445
          :constvalue 25 [ 100 0 0 0 37 67 117 115 116 111 10
            9 101 114 37 67 111 109 112 108 97 105 110 116 115
            37 ]
          }
        )
        :location 440
      }
    )
  }
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList (
    {TARGETENTRY
      :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 360
      }
      :resno 1
      :resname s_suppkey
      :ressortgroupref 0
      :resorigtbl 16541
      :resorigcol 1
      :resjunk false
    }
  )
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 0
}
:location 324
}
)
:location 324
}
)
:location 205
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 1
      :vartype 25
    }
  }
)

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 84

```

```

    }
    :resno 4
    :resname supplier_cnt
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====:

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname ps

```

```

        :colnames <>
    }
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
st" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGEtblref
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname ps_partkey
    :ressortgroupref 0
    :resorigtbl 16556
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname ps_suppkey
    :ressortgroupref 0
    :resorigtbl 16556
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname ps_availqty
    :ressortgroupref 0
  }
)

```

```

:resorigtbl 16556
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname ps_supplycost
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname ps_comment
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 5
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16718
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("p_brand" "p_type" "p_size")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 47
}
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 60
}
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 72
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16718
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 175
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 187
}
)
:location 185
}
{OPEXP
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false

```



```

:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 209
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 220
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
  }
)
:location 217
}
{OPEXPR
:opno 1210
:opfucid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 239
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 255
    :constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 73 83 7
2 69 68 37 ]
  }
)
:location 246
}
{SCALARARRAYOPEXPR
:opno 96
:opfucid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 282
  }
  {ARRAYEXPR
    :array_typeid 1007
    :array_collid 0
    :element_typeid 23
    :elements (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 293
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 296
        :constvalue 4 [ 4 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4

```

```

        :constbyval true
        :constisnull false
        :location 299
        :constvalue 4 [ 7 0 0 0 0 0 0 0 ]
    }
)
:multidims false
:list_start 292
:list_end 300
:location -1
}
)
:location 289
}
{BOOLEXP
:boolop not
:args (
    {SUBLINK
        :subLinkType 2
        :subLinkId 0
        :testexpr
        {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {VAR
                    :varno 1
                    :varattno 2
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 2
                    :location 310
                }
                {PARAM
                    :paramkind 2
                    :paramid 1
                    :paramtype 23
                    :paramtypmod -1
                    :paramcollid 0
                    :location -1
                }
            )
        }
        :location 324
    }
)
:operName ("=")
:subselect
{QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
        {RANGETBLENTRY
            :alias <>
            :eref
            {ALIAS
                :aliasname supplier
                :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
            }
            :rtekind 0
            :relid 16541
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
        }
    )
    :rteperminfos (
        {RTEPERMISSIONINFO
            :relid 16541
            :inh true
            :requiredPerms 2
            :checkAsUser 0
            :selectedCols (b 8 14)
            :insertedCols (b)
            :updatedCols (b)
        }
    )
)
:jointree
{FROMEXPR
    :fromlist (
        {RANGETBLREF
            :rtindex 1
        }
    )
)
:quals
{OPEXP
    :opno 1209

```

```

:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 430
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 445
    :constvalue 25 [ 100 0 0 0 37 67 117 115 116 111 10
      9 101 114 37 67 111 109 112 108 97 105 110 116 115
      37 ]
    }
  )
  :location 440
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 360
    }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 324
}
)
:location 324
}
)
:location 205
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname p_brand
    :ressortgroupref 2

```

```

:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:varstype 23
:varstype -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varstype 23
:varstype -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 84
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>

```

```

:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 3
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 4
   :eqop 96
   :sortop 97
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 410
   :sortop 413
   :reverse_sort true
   :nulls_first true
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 3
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 4
   :eqop 96
   :sortop 97
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
   :alias
   {ALIAS
    :aliasname ps
    :colnames <>
   }
   :eref
   {ALIAS
    :aliasname ps
    :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
   }
   :rtekind 1
:subquery
{QUERY
:commandType 1

```

```

:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname ps
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname ps
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
          st" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals
    {SUBLINK
      :subLinkType 0
      :subLinkId 0
      :testexpr <>
      :operName <>
      :subselect
        {QUERY
          :commandType 1
          :querySource 0
          :canSetTag true
          :utilityStmt <>
          :resultRelation 0
          :hasAggs false
          :hasWindowFuncs false
          :hasTargetSRFs false
          :hasSubLinks false
          :hasDistinctOn false
          :hasRecursive false
          :hasModifyingCTE false
          :hasForUpdate false
          :hasRowSecurity false
          :hasGroupRTE false
          :isReturn false
          :cteList <>
          :rtable (
            {RANGETBENTRY
              :alias
                {ALIAS
                  :aliasname s
                  :colnames <>
                }
              :eref
                {ALIAS
                  :aliasname s
                  :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
                    ey" "s_phone" "s_acctbal" "s_comment")
                }
              :rtekind 0
              :relid 16541
              :inh true
              :relkind r
              :rellockmode 1
              :perminfoindex 1
              :tablesample <>
              :lateral false
              :inFromCl true
              :securityQuals <>
            }
          )
        }
      :rteperminfos (
        {RTEPERMISSIONINFO
          :relid 16541
          :inh true
          :requiredPerms 2
          :checkAsUser 10

```

```

:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true

```

```

        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname ps_partkey
:ressortgrouppref 0
:resorigtbl 16556
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname ps_suppkey
:ressortgrouppref 0
:resorigtbl 16556
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname ps_availqty
:ressortgrouppref 0
:resorigtbl 16556
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
    :resno 4
    :resname ps_supplycost
    :ressortgroupref 0
    :resorigtbl 16556
    :resorigcol 4
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname ps_comment
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 5
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16718
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("p_brand" "p_type" "p_size")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 47
}
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location 60
    }
    {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 72
    }
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
    {RTEPERMISSIONINFO
        :relid 16718
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 9)
        :insertedCols (b)
        :updatedCols (b)
    }
    {RTEPERMISSIONINFO
        :relid 16551
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 11 12 13)
        :insertedCols (b)
        :updatedCols (b)
    }
}
)
:jointree
{FROMEXPR
    :fromlist (
        {RANGETBLREF
            :rtindex 1
        }
        {RANGETBLREF
            :rtindex 2
        }
    )
}
:quals
{BOOLEXP
    :boolop and
    :args (
        {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {VAR
                    :varno 2
                    :varattno 1
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 2
                    :varattnosyn 1
                    :location 175
                }
                {VAR
                    :varno 1
                    :varattno 1
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 1
                    :location 187
                }
            )
        }
        :location 185
    )
}
{OPEXP
    :opno 531
    :opfuncid 157
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
            :varno 2
            :varattno 4
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
        }
    )
}

```

```

:varnosyn 2
:varattnosyn 4
:location 209
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 220
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 217
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 239
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 255
:constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 73 83 7
2 69 68 37 ]
}
)
:location 246
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 282
}
{ARRAYEXPR
:array_typeid 1007
:array_collid 0
:element_typeid 23
:elements (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 293
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 296
:constvalue 4 [ 4 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 299
:constvalue 4 [ 7 0 0 0 0 0 0 0 ]
}
)
:multidims false
:list_start 292
:list_end 300
:location -1
}
)

```

```

:location 289
}
{BOOLEXP
:boolop not
:args (
  {SUBLINK
    :subLinkType 2
    :subLinkId 0
    :testexpr
      {OEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 310
          }
          {PARAM
            :paramkind 2
            :paramid 1
            :paramtype 23
            :paramtypmod -1
            :paramcollid 0
            :location -1
          }
        )
      }
    :location 324
  }
:operName ("=")
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBLENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname supplier
            :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
              ey" "s_phone" "s_acctbal" "s_comment")
          }
        :rtekind 0
        :relid 16541
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16541
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 14)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  }
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {OEXPR
    :opno 1209
    :opfuncid 850
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 1
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
      }
    )
  }

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 430
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 445
    :constvalue 25 [ 100 0 0 0 37 67 117 115 116 111 10
9 101 114 37 67 111 109 112 108 97 105 110 116 115
37 ]
    }
    )
    :location 440
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 360
}
:resno 1
:resname s_supkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 324
}
)
:location 324
}
)
:location 205
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tlesortgroupref 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 84
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tlesortgroupref 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
{SORTGROUPCLAUSE

```

```

:tleSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 410
:sortop 413
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {SORT
:plan.disabled_nodes 0
:plan.startup_cost 34162.12864410764
:plan.total_cost 34184.59864410764
:plan.plan_rows 8988
:plan.plan_width 42
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
}
}

```

```

:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 30823.059689870777
:plan.total_cost 33571.89637275909
:plan.plan_rows 8988
:plan.plan_width 42
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23

```



```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted true
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 84
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHERMERGE
:plan.disabled_nodes 0
:plan.startup_cost 30823.059689870777
:plan.total_cost 33271.76637275909
:plan.plan_rows 21025
:plan.plan_width 38
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname <>
:ressortgroupref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 29823.035915433265
:plan.total_cost 29844.935915433267
:plan.plan_rows 8760
:plan.plan_width 38
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5

```

```

        :location -1
    }
:resno 2
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6286.7025
:join.plan.total_cost 29249.399791666667
:join.plan.plan_rows 8760
:join.plan.plan_width 38
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2

```

```

:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 5829.8525
:join.plan.total_cost 28669.75041666667
:join.plan.plan_rows 9655
:join.plan.plan_width 38
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 5
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 3
:resname <>

```

```

:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 343.0025
:scan.plan.total_cost 22517.669166666667
:scan.plan.plan_rows 166667
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location -1
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{BOOLEXP
:boolop not
:args (
{SUBPLAN
:subLinkType 2
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 324
}
:paramIds (i 0)
:plan_id 1
:plan_name SubPlan\ 1
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse false
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 343.0025
:per_call_cost 0.0025
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanrelid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 5426.5
:plan.total_cost 5426.5
:plan.plan_rows 4828
:plan.plan_width 38
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 7
:plan.targetlist (
{TARGETENTRY

```

```

:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 5426.5
:scan.plan.plan_rows 4828
:scan.plan.plan_width 38
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 8
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1

```

```

    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
  :expr
    {VAR
    :varno 2
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location -1
    }
  :resno 2
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
  :expr
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
    }
  :resno 3
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
  {TARGETENTRY
  :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 175
    }
  :resno 4
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:scan.plan.qual (
  {OEXPR
  :opno 531
  :opfuncid 157
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 209
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 220
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 5
    0 51 ]
    }
  )
  :location 217
  }
  {OEXPR
  :opno 1210
  :opfuncid 851
  :opresulttype 16

```



```

:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 239
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 255
    :constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 8
0 79 76 73 83 72 69 68 37 ]
  }
)
:location 246
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 282
  }
  {CONST
    :consttype 1007
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 36 [ -112 0 0 0 1 0 0 0 0 0 0 0 23 0
0 0 3 0 0 0 1 0 0 0 1 0 0 0 4 0 0 0 7 0 0 0 ]
  }
)
:location 289
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 1)
:plan.allParam (b 1)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 175
  }
)
)
:skewTable 16556
:skewColumn 1
:skewInherit false
:rows_total 11587.199999999999
}
:join.plan.initPlan <>
:join.plan.extParam (b 1)
:join.plan.allParam (b 1)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2

```

```

        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno -1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 175
    }
    )
    :location -1
    }
    )
    :hashoperators (o 96)
    :hashcollations (o 0)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    )
    }
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 9108
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 9
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 9108
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)

```

```

    }
  )
  :scan.plan.qual (
    {OPEXPR
      :opno 674
      :opfuncid 297
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 5
          :varattno 6
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 5
          :varattnosyn 6
          :location -1
        }
        {CONST
          :consttype 701
          :consttypmod -1
          :constcollid 0
          :constlen 8
          :constbyval true
          :constisnull false
          :location -1
          :constvalue 8 [ 0 0 0 0 0 0 0 0 ]
        }
      )
      :location -1
    }
  )
  :scan.plan.lefttree <>
  :scan.plan.righttree <>
  :scan.plan.initPlan <>
  :scan.plan.extParam (b)
  :scan.plan.allParam (b)
  :scan.scanreliid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16556
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 1)
:join.plan.allParam (b 1)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
    )
  }
  :location -1
}
)
:hashoperators (o 96)

```

```

:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 1)
:plan.allParam (b 1)
:numCols 4
:sortColIdx ( 1 2 3 4)
:sortOperators ( 664 664 97 97)
:collations ( 100 100 0 0)
:nullsFirst ( false false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 1
:numCols 4
:sortColIdx ( 1 2 3 4)
:sortOperators ( 664 664 97 97)
:collations ( 100 100 0 0)
:nullsFirst ( false false false false)
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 0
:numCols 3
:grpColIdx ( 1 2 3)
:grpOperators ( 98 98 96)
:grpCollations ( 100 100 0)
:numGroups 8988
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 4
:sortColIdx ( 4 1 2 3)
:sortOperators ( 413 664 664 97)
:collations ( 0 100 100 0)
:nullsFirst ( true false false false)
}

```

QUERY PLAN

```

-----
Sort (cost=34162.13..34184.60 rows=8988 width=42) (actual time=240.210..241.287 rows=6878.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, (count(DISTINCT ps.ps_suppkey))
  Sort Key: (count(DISTINCT ps.ps_suppkey)) DESC, part.p_brand, part.p_type, part.p_size
  Sort Method: quicksort  Memory: 615kB
  Buffers: shared hit=5990 read=17220
-> GroupAggregate (cost=30823.06..33571.90 rows=8988 width=42) (actual time=185.521..213.263 rows=6878.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, count(DISTINCT ps.ps_suppkey)
  Group Key: part.p_brand, part.p_type, part.p_size
  Buffers: shared hit=5990 read=17220
-> Gather Merge (cost=30823.06..33271.77 rows=21025 width=38) (actual time=185.505..206.174 rows=41130.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, ps.ps_suppkey
  Workers Planned: 2
  Workers Launched: 2
  Buffers: shared hit=5990 read=17220
-> Sort (cost=29823.04..29844.94 rows=8760 width=38) (actual time=174.912..175.483 rows=13710.00 loops=3)
  Output: part.p_brand, part.p_type, part.p_size, ps.ps_suppkey
  Sort Key: part.p_brand, part.p_type, part.p_size, ps.ps_suppkey
  Sort Method: quicksort  Memory: 1155kB
  Buffers: shared hit=5990 read=17220
  Worker 0: actual time=171.469..172.033 rows=13720.00 loops=1
    Sort Method: quicksort  Memory: 1153kB
    Buffers: shared hit=1738 read=5728
  Worker 1: actual time=170.835..171.398 rows=13654.00 loops=1
    Sort Method: quicksort  Memory: 1149kB
    Buffers: shared hit=1737 read=5728
-> Hash Semi Join (cost=6286.70..29249.40 rows=8760 width=38) (actual time=25.307..105.656 rows=13710.00 loops=3)
  Output: part.p_brand, part.p_type, part.p_size, ps.ps_suppkey
  Hash Cond: (ps.ps_suppkey = s.s_suppkey)
  Buffers: shared hit=5960 read=17220
  Worker 0: actual time=20.894..101.200 rows=13720.00 loops=1
    Buffers: shared hit=1723 read=5728
  Worker 1: actual time=20.783..101.172 rows=13654.00 loops=1
    Buffers: shared hit=1722 read=5728
-> Parallel Hash Join (cost=5829.85..28669.75 rows=9655 width=38) (actual time=21.850..97.784 rows=15027.00 loops=3)
  Output: ps.ps_suppkey, part.p_brand, part.p_type, part.p_size
  Hash Cond: (ps.ps_partkey = part.p_partkey)
  Buffers: shared hit=5306 read=17220
  Worker 0: actual time=17.709..93.660 rows=15024.00 loops=1
    Buffers: shared hit=1505 read=5728
  Worker 1: actual time=17.599..93.549 rows=14950.00 loops=1
    Buffers: shared hit=1504 read=5728
-> Parallel Seq Scan on public.partsupp ps (cost=343.00..22517.67 rows=16667 width=8) (actual time=2.890..55.806 rows=266
560.00 loops=3)
  Output: ps.ps_partkey, ps.ps_suppkey, ps.ps_availqty, ps.ps_supplycost, ps.ps_comment

```

```

Filter: (NOT (ANY (ps.ps_suppkey = (hashed SubPlan 1).col1)))
Rows Removed by Filter: 107
Buffers: shared hit=1442 read=17220
Worker 0: actual time=2.967..55.895 rows=266063.00 loops=1
  Buffers: shared hit=482 read=5728
Worker 1: actual time=2.846..55.646 rows=265915.00 loops=1
  Buffers: shared hit=477 read=5728
SubPlan 1
-> Seq Scan on public.supplier (cost=0.00..343.00 rows=1 width=4) (actual time=0.104..2.305 rows=4.00 loops=3)
  Output: supplier.s_suppkey
  Filter: (supplier.s_comment ~ '%Customer%Complaints%':text)
  Rows Removed by Filter: 9996
  Buffers: shared hit=654
  Worker 0: actual time=0.107..2.217 rows=4.00 loops=1
    Buffers: shared hit=218
  Worker 1: actual time=0.102..2.353 rows=4.00 loops=1
    Buffers: shared hit=218
-> Parallel Hash (cost=5426.50..5426.50 rows=4828 width=38) (actual time=18.893..18.893 rows=3758.00 loops=3)
  Output: part.p_brand, part.p_type, part.p_size, part.p_partkey
  Buckets: 16384 Batches: 1 Memory Usage: 992kB
  Buffers: shared hit=3864
  Worker 0: actual time=14.708..14.708 rows=2927.00 loops=1
    Buffers: shared hit=1023
  Worker 1: actual time=14.708..14.708 rows=2948.00 loops=1
    Buffers: shared hit=1027
-> Parallel Seq Scan on public.part (cost=0.00..5426.50 rows=4828 width=38) (actual time=0.022..17.816 rows=3758.00
loops=3)
  Output: part.p_brand, part.p_type, part.p_size, part.p_partkey
  Filter: ((part.p_brand <> 'Brand#23':text) AND (part.p_type !~~ 'MEDIUM POLISHED':text) AND (part.p_size = AN
Y ('{1,4,7}':integer[])))
  Rows Removed by Filter: 62909
  Buffers: shared hit=3864
  Worker 0: actual time=0.021..13.865 rows=2927.00 loops=1
    Buffers: shared hit=1023
  Worker 1: actual time=0.026..13.911 rows=2948.00 loops=1
    Buffers: shared hit=1027
-> Hash (cost=343.00..343.00 rows=9108 width=4) (actual time=3.430..3.430 rows=9114.00 loops=3)
  Output: s.s_suppkey
  Buckets: 16384 Batches: 1 Memory Usage: 449kB
  Buffers: shared hit=654
  Worker 0: actual time=3.158..3.159 rows=9114.00 loops=1
    Buffers: shared hit=218
  Worker 1: actual time=3.155..3.155 rows=9114.00 loops=1
    Buffers: shared hit=218
-> Seq Scan on public.supplier s (cost=0.00..343.00 rows=9108 width=4) (actual time=0.050..2.189 rows=9114.00 loops=3)
  Output: s.s_suppkey
  Filter: (s.s_acctbal > '0':double precision)
  Rows Removed by Filter: 886
  Buffers: shared hit=654
  Worker 0: actual time=0.058..1.979 rows=9114.00 loops=1
    Buffers: shared hit=218
  Worker 1: actual time=0.058..1.974 rows=9114.00 loops=1
    Buffers: shared hit=218

Planning:
  Buffers: shared hit=15
Planning Time: 2.642 ms
Execution Time: 242.407 ms
(98 rows)

Time: 248.113 ms
tpch=> reset role;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
}

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 2.709 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
    END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on partsupp
ALTER TABLE partsupp ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show partsupp from suppliers with acctbal > 0
CREATE POLICY partsupp_rls_policy ON partsupp
USING (
    EXISTS (
        SELECT 1 FROM supplier s
        WHERE s.s_suppkey = partsupp.ps_suppkey
        AND s.s_acctbal > 0
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON partsupp TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 6: Run Q16
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    p_brand,
    p_type,
    p_size,
    count(distinct ps_suppkey) as supplier_cnt
from
    partsupp,
    part
where
    p_partkey = ps_partkey
    and p_brand <> 'Brand#23'
    and p_type not like 'MEDIUM POLISHED%'
    and p_size in (1, 4, 7)
    and ps_suppkey not in (
        select
            s_suppkey
        from
            supplier
        where
            s_comment like '%Customer%Complaints%'
    )
group by
    p_brand,
    p_type,
    p_size
order by
    supplier_cnt desc,
    p_brand,
    p_type,
    p_size;
WARNING:  ===== RAW PARSE TREE =====
DETAIL:   {RAWSTMT
:stmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg ""
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELE
\ \ \ \ \ T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
\ \ \ \ \ public\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ \ \ \ \ \ \ \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
\ \ \ \ \ \
\ \ \ \ END\ LOOP;\
END;\

```

```

"
    :defaction 0
    :location 3
  }
)
}
:stmt_location 0
:stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
\ \ \ \ \ T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
\ \ \ \ \ public\
\ \ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ \ \ \ \ \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
\ \ \ \ \ );\
\ \ \ \ \ END\ LOOP;\
END;\
"
    :defaction 0
    :location 3
  }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 0
:relid 12018
:inh true
:relkind v

```

```
:rellockmode 1
:perminfoindex 1
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatecols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname polycyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)
:override 0
:onConflict <>
```



```

:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "relsubtype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relh
sindex" "relisshard" "relpersistency" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhasrules" "relhasrules" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lactl" "reloptions" "relpartbound")
}
}
:rtekind 0
:relid 1259
:inh true

```

```

:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)

```

```

:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilename" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistenc
e" "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
{VAR

```

```

:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}

```



```

}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (

```

```

{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR

```

```

:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
}

```

```

:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 93
        :sortop 660
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}

```

```

{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
  }
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
  }
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100

```

```

        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
    :location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
    {VAR
    :varno 1
    :varattno 7
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
}
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{OPEXP
:opno 93
:opfuncid 62
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1

```



```

:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
          "cmd" "qual" "with_check")
      }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
      }
    :rtable (
      {RANGETBENTRY
        :alias
          {ALIAS
            :aliasname pol
            :colnames <>
          }
        :eref
          {ALIAS
            :aliasname pol
            :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
              "polroles" "polqual" "polwithcheck")
          }
        :rtekind 0
        :relid 3256
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
      {RANGETBENTRY
        :alias
          {ALIAS
            :aliasname c
            :colnames <>
          }
        :eref
          {ALIAS
            :aliasname c
            :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
              "relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
              eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relh
              aindex" "relisshared" "relpersistency" "relkind" "relnatts" "re
              lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
              wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
              " "relispartition" "relrewrite" "relfrozenxid" "relminxid" "re
              lacl" "reloptions" "relpartbound")
          }
        :rtekind 0
        :relid 1259
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 2
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    }
    {RANGETBENTRY
      :alias <>
      :eref
        {ALIAS
          :aliasname unnamed_join
          :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
            "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
            ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
            tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
            n" "reltoastrelid" "relhasindex" "relisshared" "relpersistency"
            "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
            " "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
            spopulated" "relreplident" "relispartition" "relrewrite" "relfr
            ozenxid" "relminxid" "relacl" "reloptions" "relpartbound")
          }
        :rtekind 2
        :jointype 0
        :joinmergedcols 0
        :joinaliasvars (
          {VAR
            :varno 1
            :varattno 1
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
        )
      }
    }
  }
)

```

```

{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
}

```

```

:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reliid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreliid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastreliid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers

```

```

    "relhassubclass" "relrowsecurity" "relforcerowsecurity" "relispopulated" "relreplident" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid"
    "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2

```

```

:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}

```

```

{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18

```

```

:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
{VAR

```

```

        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
:alias <>
:rtindex 3
}
:raarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
}
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false

```

```

        :constisnull false
        :location -1
        :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
        0 0 0 1 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:sublinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true

```

```

        :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tlesortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>

```

```

        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}

```

```

}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
}
)
:defaultresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
}
)

```



```

        :location -1
    }
    :resno 8
    :resname with_check
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupByClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
)rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:reldid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updateCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
quals
{OPEXPR
:opno 93
:opfncund 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
```

```

        :varattnosyn 3
        :location 7
    }
:resno 1
:resname polycyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varstype 19
:varstpmid -1
:varcolliid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL:      {NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.4025
:join.plan.total_cost 11.55988549906787
:join.plan.plan_rows 1
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:varstype 19
:varstpmid -1
:varcolliid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname polycyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:varstype 19
:varstpmid -1
:varcolliid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree

```

```

{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.2725
:join.plan.total_cost 11.335952914798208
:join.plan.plan_rows 1
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 3.01
:scan.plan.plan_rows 1
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr

```

```

{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 194
:vartypmod -1

```

```

        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location -1
    }
    :resno 7
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.2725
:scan.plan.total_cost 8.290000000000001
:scan.plan.plan_rows 1
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3

```

```

        :location -1
    }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21

```



```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29

```

```

:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

    }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanreliid 3
:indexid 2662
:indexqual (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -3
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
      {PARAM
        :paramkind 1
        :paramid 0
        :paramtype 26
        :paramtypmod -1
        :paramcollid 0
        :location -1
      }
    )
    :location -1
  }
)
:indexqualorig (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
      {PARAM
        :paramkind 1
        :paramid 0
        :paramtype 26
        :paramtypmod -1
        :paramcollid 0
        :location -1
      }
    )
    :location -1
  }
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
  {NESTLOOPPARAM
    :paramno 0
    :paramval
      {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
      }
    }
)
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.13
:scan.plan.total_cost 0.17696629213483145
:scan.plan.plan_rows 1

```

```

:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 5
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 5
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 5
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 5
        :varattno 4
        :vartype 1034
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 4
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual (
  {OPEXPR
    :opno 93
    :opfuncid 62
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 950
    :args (
      {VAR
        :varno 5
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 2

```

```

        :location -1
    }
    {CONST
    :consttype 19
    :consttypmod -1
    :constcollid 950
    :constlen 64
    :constbyval false
    :constisnull false
    :location 65
    :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
    0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
    0 0 0 0 0 0 0 0 0 0 0 ]
    }
}
:location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanrelid 5
:indexid 2685
:indexqual (
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexqualorig (
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM
:paramno 1
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
    }
}
)
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== REWRITE OUTPUT =====
DETAIL: (
{QUERY

```

```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{
  FROMEXPR
  :fromlist <>
  :quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {FUNCEXP
  :funcid 3539
  :funcresulttype 25
  :funcresultset false
  :funcvariadic false
  :funcformat 0
  :funccollid 950
  :inputcollid 950
  :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 7
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
    70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
    }
    {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
  )
  :location 0
  }
  :resno 1
  :resname format
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```



```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
   :fromlist <>
   :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
   :expr
   {FUNCEXP
    :funcid 3539
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {CONST
       :consttype 25
       :consttypmod -1
       :constcollid 100
       :constlen -1
       :constbyval false
       :constisnull false
       :location 7
       :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
        70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
      }
      {PARAM
       :paramkind 0
       :paramid 3
       :paramtype 19
       :paramtypmod -1
       :paramcollid 950
       :location 41
      }
      {PARAM
       :paramkind 0
       :paramid 4
       :paramtype 19
       :paramtypmod -1
       :paramcollid 950
       :location 55
      }
    )
    :location 0
  }
  :resno 1
  :resname format
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:  {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
   :expr
   {FUNCEXP
    :funcid 3539
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {CONST
       :consttype 25
       :consttypmod -1
       :constcollid 100

```

```

:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{DROPSMT
:objects (("partsupp" "partsupp_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSMT
:objects (("partsupp" "partsupp_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 19.180 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
    :kind 4
    :name role
    :args <>
    :jumble_args false
    :is_local false
    :location -1
  }
:stmt_location 0
:stmt_len 10
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 4
    :name role
    :args <>
    :jumble_args false
    :is_local false
    :location -1
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}
```

Time: 1.397 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 47
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
```

```

:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 1.176 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
}
}

```

```

    }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 45
}

```

Time: 0.724 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
  :stmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname customer
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
    :stmt_location 0
    :stmt_len 47
  }
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname customer
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0

```

```

:owner <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.356 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnamesupplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnamesupplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
}

```

```

    )
    :objtype 41
    :missing_ok false
  }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :ctelist <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 47
}

```

Time: 0.227 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
  :stmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname part
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :stmt_location 0
  :stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname part
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :resultRelation 0
  :hasAggs false
}

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.244 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```



```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.891 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>

```

```

:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.322 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.340 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rtepermInfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

Time: 0.224 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name partsupp_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_supkey")
:location 114
}
}
:rexpr
{COLUMNREF
:fields ("partsupp" "ps_supkey")
:location 128
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 160
}
}
:rexpr
{A_CONST
:val 0
:location 174
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 172
}
}
}

```

```

        )
        :location 156
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 183
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name partsupp_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXPR
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_supkey")
:location 114
}
}
:rexpr
{COLUMNREF
:fields ("partsupp" "ps_supkey")
:location 128
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF

```

```

        :fields ("s" "s_acctbal")
        :location 160
    }
    :rexpr
    {A_CONST
     :val 0
     :location 174
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 172
  }
)
:location 156
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 183
}

```

Time: 0.554 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
   :is_grant true
   :target 0
   :objtype 41
   :objects (
     {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname partsupp
      :inh true
      :relpersistence p
      :alias <>
      :location 16
     }
   )
   :privileges (
     {ACCESSPRIV
      :priv_name select
      :cols <>
     }
   )
   :grantees (
     {ROLESPEC
      :roletype 0
      :rolename alice
      :location 28
     }
   )
   :grant_option false
   :grantor <>
   :behavior 0
  }
:stmt_location 0
}

```

```

:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

```

Time: 0.185 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT

```

```

:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)

```

```

    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
  :stmt_location 0
  :stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.200 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
  }
}

```



```

:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname supplier
   :inh true
   :relpersistence p
   :alias <>
   :location 16
  }
)
:privileges (
  {ACCESSPRIV
   :priv_name select
   :cols <>
  }
)
:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.216 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
   :val "alice"
   :location 9
  }
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

```

}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.136 ms
WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_brand")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_type")
:location 60
}
:location 60
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_size")
:location 72
}
:location 72
}
{RESTARTGET
:name supplier_cnt
:indirection <>
:val
{FUNCCALL
:funcname ("count")
:args (
{COLUMNREF
:fields ("ps_suppkey")
:location 99
}
)
}
}
}

```

```

    )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct true
    :func_variadic false
    :funcformat 0
    :location 84
  }
  :location 84
}
)
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp
    :inh true
    :relpersistance p
    :alias <>
    :location 136
  }
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname part
    :inh true
    :relpersistance p
    :alias <>
    :location 150
  }
)
:whereClause
{BOOLEXP
  :boolop and
  :args (
    {A_EXPR
      :name ("=")
      :lexpr
      {COLUMNREF
        :fields ("p_partkey")
        :location 165
      }
    }
    :rexpr
    {COLUMNREF
      :fields ("ps_partkey")
      :location 177
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 175
  }
  {A_EXPR
    :name ("<>")
    :lexpr
    {COLUMNREF
      :fields ("p_brand")
      :location 196
    }
    :rexpr
    {A_CONST
      :val "Brand#23"
      :location 207
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 204
  }
  {A_EXPR LIKE
    :name ("!~")
    :lexpr
    {COLUMNREF
      :fields ("p_type")
      :location 226
    }
    :rexpr
    {A_CONST
      :val "MEDIUM POLISHED%"
      :location 242
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 233
  }
  {A_EXPR IN
    :name ("=")
    :lexpr
    {COLUMNREF
      :fields ("p_size")
      :location 269
    }
    :rexpr (
      {A_CONST
        :val 1
        :location 280
      }
      {A_CONST
        :val 4
        :location 283
      }
      {A_CONST
        :val 7
        :location 286
      }
    )
    :rexpr_list_start 279
    :rexpr_list_end 287
    :location 276
  }
}
{BOOLEXP
  :boolop not
  :args (
    {SUBLINK

```

```

:subLinkType 2
:subLinkId 0
:testexpr
{COLUMNREF
:fields ("ps_supkey")
:location 297
}
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_supkey")
:location 344
}
:location 344
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 379
}
)
:whereClause
{A_EXPR LIKE
:name ("~~")
:lexpr
{COLUMNREF
:fields ("s_comment")
:location 414
}
:rexpr
{A_CONST
:val "%Customer%Complaints%"
:location 429
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 424
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 308
}
)
:location 308
}
)
:location 192
}
:groupClause (
{COLUMNREF
:fields ("p_brand")
:location 472
}
{COLUMNREF
:fields ("p_type")
:location 485
}
{COLUMNREF
:fields ("p_size")
:location 497
}
)
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("supplier_cnt")
:location 517
}
:sortby_dir 2
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("p_brand")
:location 540
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
}

```

```

:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("p_type")
:location 553
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
{COLUMNREF
:fields ("p_size")
:location 565
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
}
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 571
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
st" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_

```

```

        size" "p_container" "p_retailprice" "p_comment")
    }
:rtkind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("p_brand" "p_type" "p_size")
}
:rtkind 9
:groupexprs (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 47
}
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 60
}
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 72
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rtperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 165
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 177
}
)
:location 175
}
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 196
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 204
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 226
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 242
:constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 7
3 83 72 69 68 37 ]
}
)
:location 233
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 269
}
{ARRAYEXPR
:array_typeid 1007

```

```

:array_collid 0
:element_typeid 23
:elements (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 280
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 283
    :constvalue 4 [ 4 0 0 0 0 0 0 0 ]
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 286
    :constvalue 4 [ 7 0 0 0 0 0 0 0 ]
  }
)
:multidims false
:list_start 279
:list_end 287
:location -1
}
)
:location 276
}
{BOOLEXP
:boolop not
:args (
  {SUBLINK
    :subLinkType 2
    :subLinkId 0
    :testexpr
    {OEXPR
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 2
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 2
          :location 297
        }
        {PARAM
          :paramkind 2
          :paramid 1
          :paramtype 23
          :paramtypmod -1
          :paramcollid 0
          :location -1
        }
      )
    }
  )
  :location 308
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname supplier
      :colnames ("s_suppkey" "s_name" "s_address" "s_n
        ationkey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
  }
)

```



```

        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 414
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 429
:constvalue 25 [ 100 0 0 0 37 67 117 115 116
111 109 101 114 37 67 111 109 112 108 97 105
110 116 115 37 ]
}
)
:location 424
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 344
}
:resno 1
:resname s_suppkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 308
}
)

```

```

        :location 308
    }
)
:location 192
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tlesortgroupref 1
:eqop 96

```

```

        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 84
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 4
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 410
        :sortop 413
        :reverse_sort true
        :nulls_first true
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 4
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>

```

```

:define verbose
:arg <>
:default 0
:location 18
}
{DEFELEM
:default <>
:define buffers
:arg <>
:default 0
:location 27
}
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 571
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}

```

```

{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("p_brand" "p_type" "p_size")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 47
}
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 60
}
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 72
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 165
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 177
    }
)
:location 175
}
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 196
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 207
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
    }
)
:location 204
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location 226
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 242
        :constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 73 83 7
            2 69 68 37 ]
    }
)
:location 233
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 269
    }
    {ARRAYEXPR
        :array_typeid 1007
        :array_collid 0
        :element_typeid 23
        :elements (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 280
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
        )
    }
)
}

```

```

        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 283
        :constvalue 4 [ 4 0 0 0 0 0 0 0 ]
        }
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 286
        :constvalue 4 [ 7 0 0 0 0 0 0 0 ]
        }
    )
    :multidims false
    :list_start 279
    :list_end 287
    :location -1
}
)
:location 276
}
{BOOLEXP
:boolop not
:args (
    {SUBLINK
    :subLinkType 2
    :subLinkId 0
    :testexpr
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 297
        }
        {PARAM
        :paramkind 2
        :paramid 1
        :paramtype 23
        :paramtypmod -1
        :paramcollid 0
        :location -1
        }
    )
    :location 308
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname supplier
    :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0

```

```

        :selectedCols (b 8 14)
        :insertedCols (b)
        :updatedCols (b)
    }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals
    {OEXPR
      :opno 1209
      :opfuncid 850
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 100
      :args (
        {VAR
          :varno 1
          :varattno 7
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 7
          :location 414
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 429
          :constvalue 25 [ 100 0 0 0 37 67 117 115 116 111 10
            9 101 114 37 67 111 109 112 108 97 105 110 116 115
            37 ]
          }
        )
      :location 424
    }
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 344
      }
    :resno 1
    :resname s_supkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 308
}
)
:location 308
}
)
:location 192
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR

```



```

:varno 3
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0

```

```

        :aggno -1
        :aggtransno -1
        :location 84
    }
    :resno 4
    :resname supplier_cnt
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16556
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
      }
    }
)

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone"
          "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
          }
        )
      }
      :location -1
    )
  }
  {OPEXP
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
      }
      {FUNCEXP
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
      }
    )
  }

```

```

        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    :location -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
    {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs true
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity true
        :hasGroupRTE true
        :isReturn false
        :cteList <>
        :rtable (
            {RANGETBENTRY
                :alias <>
                :eref
                {ALIAS
                    :aliasname partsupp
                    :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
                        s_comment")
                }
            }
            :rtekind 0
            :relid 16556
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals (
                {SUBLINK
                    :subLinkType 0
                }
            )
        )
    }
)

```

```

:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR

```

```

:varno 1
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 1651
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*

```

```

        :colnames ("p_brand" "p_type" "p_size")
    }
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 47
}
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 60
}
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 72
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 165
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1

```

```

        :location 177
    }
)
:location 175
}
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 196
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 207
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
    }
)
:location 204
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 226
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 242
    :constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 73 83 7
2 69 68 37 ]
    }
)
:location 233
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 269
    }
    {ARRAYEXPR
    :array_typeid 1007
    :array_collid 0
    :element_typeid 23
    :elements (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 280
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4

```



```

:constbyval true
:constisnull false
:location 283
:constvalue 4 [ 4 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 286
:constvalue 4 [ 7 0 0 0 0 0 0 0 ]
}
)
:multidims false
:list_start 279
:list_end 287
:location -1
}
)
:location 276
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 297
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
}
)
:location 308
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 14)
:insertedCols (b)
:updatedCols (b)
}
)
)

```

```

:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 414
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 429
:constvalue 25 [ 100 0 0 0 37 67 117 115 116 111 10
9 101 114 37 67 111 109 112 108 97 105 110 116 115
37 ]
}
)
:location 424
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 344
}
:resno 1
:resname s_suppkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 308
}
)
:location 308
}
)
:location 192
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 84
}
:resno 4

```

```

:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p

```

```

        s_comment")
    }
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname s
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname s
                :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
              }
          :rtekind 0
          :relid 16541
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        )
      }
    )
  )
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
          }
        )
      }
    )
  }

```

```

        :location -1
    }
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
    "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551

```

```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("p_brand" "p_type" "p_size")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 47
}
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 60
}
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 72
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 1
:location 165
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 177
}
)
:location 175
}
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 196
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 204
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 226
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 242
:constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 73 83 7
2 69 68 37 ]
}
)
:location 233
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 269
}
{ARRAYEXPR
:array_typeid 1007
:array_collid 0
:element_typeid 23
:elements (
{CONST

```



```

:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 280
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 283
:constvalue 4 [ 4 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 286
:constvalue 4 [ 7 0 0 0 0 0 0 0 ]
}
)
:multidims false
:list_start 279
:list_end 287
:location -1
}
)
:location 276
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 297
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 308
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true

```

```

        :securityQuals <>
    }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {OPEXPR
        :opno 1209
        :opfuncid 850
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
          {VAR
            :varno 1
            :varattno 7
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 7
            :location 414
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 429
            :constvalue 25 [ 100 0 0 0 37 67 117 115 116 111 10
              9 101 114 37 67 111 109 112 108 97 105 110 116 115
              37 ]
            }
          )
        :location 424
      }
    }
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 344
      }
    :resno 1
    :resname s_suppkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 308
}
)
:location 308
}
)
:location 192

```

```

    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true

```

```

    }
  )
  :aggfilter <>
  :aggstar false
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggsplit 0
  :aggno -1
  :aggtransno -1
  :location 84
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:  {SORT
  :plan.disabled_nodes 0
  :plan.startup_cost 294438582.68527174
  :plan.total_cost 294438605.15527177
  :plan.plan_rows 8988
  :plan.plan_width 42
  :plan.parallel_aware false
  :plan.parallel_safe false
  :plan.async_capable false
  :plan.plan_node_id 0
  :plan.targetlist (
    {TARGETENTRY

```

```

:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 1
:resname p_brand
:ressortgrouppref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname p_type
:ressortgrouppref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname p_size
:ressortgrouppref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 20
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 4
:resname supplier_cnt
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 294437757.74800044
:plan.total_cost 294437992.45300037
:plan.plan_rows 8988
:plan.plan_width 42
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1

```

```

    }
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted true
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 84
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 294437757.74800044
:plan.total_cost 294437786.7130004
:plan.plan_rows 11586
:plan.plan_width 38
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 8101.827499999999
:join.plan.total_cost 294436975.6875
:join.plan.plan_rows 11586
:join.plan.plan_width 38
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 3

```

```

:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 343.0025
:scan.plan.total_cost 294428351.0025
:scan.plan.plan_rows 200000
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```



```

        :varattnosyn 1
        :location -1
    }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{SUBPLAN
:sublinkType 2
:testexpr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    {PARAM
    :paramkind 1
    :paramid 2
    :paramtype 23
    :paramtypmod -1
    :paramcollid 0
    :location -1
    }
    )
    :location -1
    }
    :paramIds (i 2)
    :plan_id 3
    :plan_name SubPlan\ 3
    :firstColType 23
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable true
    :unknownEqFalse true
    :parallel_safe true
    :setParam <>
    :parParam <>
    :args <>
    :startup_cost 365.77
    :per_call_cost 0.0025
    }
    {BOOLEXP
    :boolop not
    :args (
    {SUBPLAN
    :subLinkType 2
    :testexpr
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 297
    }
    {PARAM
    :paramkind 1
    :paramid 0
    :paramtype 23
    :paramtypmod -1
    :paramcollid 0
    :location -1
    }
    )
    :location 308
    }
    :paramIds (i 0)
    :plan_id 1
    :plan_name SubPlan\ 1
    :firstColType 23
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable true
    :unknownEqFalse false
    :parallel_safe true
    :setParam <>
    :parParam <>
    :args <>
    :startup_cost 343.0025
    :per_call_cost 0.0025
    }
    )
    :location -1
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 1
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 7614
    :plan.total_cost 7614
    :plan.plan_rows 11586
    :plan.plan_width 38
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 5
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2

```

```

        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
    }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 7614
:scan.plan.plan_rows 11586
:scan.plan.plan_width 38
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 1
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 165
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 196
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 207
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 204
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (

```

```

        {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 269
        }
        {CONST
        :consttype 1007
        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 36 [ -112 0 0 0 1 0 0 0 0 0 0 0 23 0 0 0 3
        0 0 0 1 0 0 0 1 0 0 0 4 0 0 0 7 0 0 0 ]
        }
    )
    :location 276
    }
    {OPEXPR
    :opno 1210
    :opfuncid 851
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 2
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 226
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 242
    :constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 7
    6 73 83 72 69 68 37 ]
    }
    )
    :location 233
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 2
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 165
    }
    )
    :skewTable 16556
    :skewColumn 1
    :skewInherit false
    :rows_total 0
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b)
    :join.plan.allParam (b)
    :join.jointype 0
    :join.inner_unique false
    :join.joinqual <>
    :hashclauses (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 177
}
{VAR
:varno -1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 165
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 177
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 4
:sortColIdx ( 1 2 3 4)
:sortOperators ( 664 664 97 97)
:collations ( 100 100 0 0)
:nullsFirst ( false false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggsplit 0
:numCols 3
:grpColIdx ( 1 2 3)
:grpOperators ( 98 98 96)
:grpCollations ( 100 100 0)
:numGroups 8988
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 4
:sortColIdx ( 4 1 2 3)
:sortOperators ( 413 664 664 97)
:collations ( 0 100 100 0)
:nullsFirst ( true false false false)
}

```

QUERY PLAN

```

-----
Sort (cost=294438582.69..294438605.16 rows=8988 width=42) (actual time=548.148..548.388 rows=6878.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, (count(DISTINCT partsupp.ps_suppkey))
  Sort Key: (count(DISTINCT partsupp.ps_suppkey)) DESC, part.p_brand, part.p_type, part.p_size
  Sort Method: quicksort  Memory: 615kB
  Buffers: shared hit=5370 read=16938
-> GroupAggregate (cost=294437757.75..294437992.45 rows=8988 width=42) (actual time=514.459..523.757 rows=6878.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, count(DISTINCT partsupp.ps_suppkey)
  Group Key: part.p_brand, part.p_type, part.p_size
  Buffers: shared hit=5370 read=16938
-> Sort (cost=294437757.75..294437786.71 rows=11586 width=38) (actual time=514.446..516.026 rows=41130.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, partsupp.ps_suppkey
  Sort Key: part.p_brand, part.p_type, part.p_size, partsupp.ps_suppkey
  Sort Method: quicksort  Memory: 3512kB
  Buffers: shared hit=5370 read=16938
-> Hash Join (cost=8101.83..294436975.69 rows=11586 width=38) (actual time=44.761..315.063 rows=41130.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, partsupp.ps_suppkey
  Hash Cond: (partsupp.ps_partkey = part.p_partkey)
  Buffers: shared hit=5370 read=16938
-> Seq Scan on public.partsupp (cost=343.00..294428351.00 rows=200000 width=8) (actual time=5.911..211.525 rows=728800.00 loops=1)
  Output: partsupp.ps_partkey, partsupp.ps_suppkey, partsupp.ps_availqty, partsupp.ps_supplycost, partsupp.ps_comment
  Filter: ((ANY (partsupp.ps_suppkey = (hashed SubPlan 3).col1)) AND (NOT (ANY (partsupp.ps_suppkey = (hashed SubPlan 1).col1))))
  Rows Removed by Filter: 71200
  Buffers: shared hit=1506 read=16938
  SubPlan 3
    -> Seq Scan on public.supplier s (cost=0.00..343.00 rows=9108 width=4) (actual time=0.024..1.829 rows=9114.00 loops=1)
    Output: s.s_suppkey
    Filter: (s.s_acctbal > '0'::double precision)
    Rows Removed by Filter: 886
    Buffers: shared hit=218
  SubPlan 1
    -> Seq Scan on public.supplier (cost=0.00..343.00 rows=1 width=4) (actual time=0.091..2.362 rows=4.00 loops=1)
    Output: supplier.s_suppkey

```

```

Filter: (supplier.s_comment ~~ '%Customer%Complaints%':text)
Rows Removed by Filter: 9996
Buffers: shared hit=218
-> Hash (cost=7614.00..7614.00 rows=11586 width=38) (actual time=38.817..38.817 rows=11274.00 loops=1)
    Output: part.p_brand, part.p_type, part.p_size, part.p_partkey
    Buckets: 16384 Batches: 1 Memory Usage: 922kB
    Buffers: shared hit=3864
-> Seq Scan on public.part (cost=0.00..7614.00 rows=11586 width=38) (actual time=0.022..36.253 rows=11274.00 loops=1)
    Output: part.p_brand, part.p_type, part.p_size, part.p_partkey
    Filter: ((part.p_brand <> 'Brand#23':text) AND (part.p_size = ANY ({1,4,7}::integer[])) AND (part.p_type !~~ 'MEDIUM POLI
SHED%':text))

Rows Removed by Filter: 188726
Buffers: shared hit=3864

Planning:
  Buffers: shared hit=10
Planning Time: 2.894 ms
Execution Time: 549.362 ms
(48 rows)

Time: 555.773 ms
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS partsupp_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW partsupp_secure AS
SELECT ps.*
FROM partsupp ps
WHERE EXISTS (
  SELECT 1 FROM supplier s
  WHERE s.s_suppkey = ps.ps_suppkey
  AND s.s_acctbal > 0
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON partsupp_secure TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 5: Run Q16
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  p_brand,
  p_type,
  p_size,
  count(distinct ps_suppkey) as supplier_cnt
from
  partsupp_secure ps,
  part
where
  p_partkey = ps.ps_partkey
  and p_brand <> 'Brand#23'
  and p_type not like 'MEDIUM POLISHED%'
  and p_size in (1, 4, 7)
  and ps.ps_suppkey not in (
    select
      s_suppkey
    from
      supplier
    where
      s_comment like '%Customer%Complaints%'
  )
group by
  p_brand,
  p_type,
  p_size
order by
  supplier_cnt desc,
  p_brand,
  p_type,
  p_size;

WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false

```

```

:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 2.124 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>

```



```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 2.906 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("partsupp_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("partsupp_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

Time: 4.024 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query

```

```

{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARGET
    :name <>
    :indirection <>
    :val
      {COLUMNREF
        :fields ("ps"
          {A_STAR
            }
          )
        :location 38
      }
    :location 38
  }
)
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp
    :inh true
    :relpersistance p
    :alias
      {ALIAS
        :aliasname ps
        :colnames <>
      }
    :location 48
  }
)
:whereClause
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {SELECTSTMT
        :distinctClause <>
        :intoClause <>
        :targetList (
          {RESTARGET
            :name <>
            :indirection <>
            :val
              {A_CONST
                :val 1
                :location 86
              }
            :location 86
          }
        )
        :fromClause (
          {RANGEVAR
            :catalogname <>
            :schemaname <>
            :relname supplier
            :inh true
            :relpersistance p
            :alias
              {ALIAS
                :aliasname s
                :colnames <>
              }
            :location 93
          }
        )
        :whereClause
          {BOOLEXP
            :boolop and
            :args (
              {A_EXPR
                :name ("=")
                :lexpr
                  {COLUMNREF
                    :fields ("s" "s_suppkey")
                    :location 114
                  }
                :rexpr
                  {COLUMNREF
                    :fields ("ps" "ps_suppkey")
                    :location 128
                  }
                :rexpr_list_start 0
                :rexpr_list_end 0
                :location 126
              }
              {A_EXPR
                :name (">")
                :lexpr
                  {COLUMNREF
                    :fields ("s" "s_acctbal")
                    :location 150
                  }
                :rexpr
                  {A_CONST
                    :val 0
                    :location 164
                  }
                :rexpr_list_start 0
                :rexpr_list_end 0
                :location 162
              }
            )
            :location 146
          }
        :groupClause <>
        :groupDistinct false
        :havingClause <>
        :windowClause <>
        :valuesLists <>
        :sortClause <>
      }
    }

```

```

        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :location 66
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 167
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("ps"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname ps
:colnames <>
}
:location 48
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 86
}
:location 86
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier

```

```

:inh true
:relpersistence p
:alias
{
  ALIAS
  :aliasname s
  :colnames <>
}
:location 93
}
)
:whereClause
{
  BOOLEXP
  :boolop and
  :args (
    {
      A_EXPR
      :name ("=")
      :lexpr
      {
        COLUMNREF
        :fields ("s" "s_suppkey")
        :location 114
      }
    }
    :rexpr
    {
      COLUMNREF
      :fields ("ps" "ps_suppkey")
      :location 128
    }
  )
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 126
}
{
  A_EXPR
  :name (">")
  :lexpr
  {
    COLUMNREF
    :fields ("s" "s_acctbal")
    :location 150
  }
  :rexpr
  {
    A_CONST
    :val 0
    :location 164
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 162
}
}
:location 146
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 66
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>

```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 167
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname ps
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname ps
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
          s_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTY
            :alias
              {ALIAS
                :aliasname s
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname s
                :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s
                  _phone" "s_acctbal" "s_comment")
              }
            }
          }
        }
      }
    }
  }

```

```

:rtkind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 114
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 128
}
)
:location 126
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 150
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 164
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
)

```

```

        :location 162
    }
)
:location 146
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 86
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 66
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 38
}
:resno 1
:resname ps_partkey
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 38
}
:resno 2
:resname ps_suppkey
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

        :varattnosyn 3
        :location 38
    }
    :resno 3
    :resname ps_availqty
    :ressortgrouppref 0
    :resorigtbl 16556
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 38
    }
    :resno 4
    :resname ps_supplycost
    :ressortgrouppref 0
    :resorigtbl 16556
    :resorigcol 4
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 38
    }
    :resno 5
    :resname ps_comment
    :ressortgrouppref 0
    :resorigtbl 16556
    :resorigcol 5
    :resjunk false
    }
    }
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 167
    }
}

```

Time: 2.314 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targettype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp_secure
    :inh true
    :relpersistance p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 35
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
}

```



```

:stmt_len 40
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 0.660 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
}
}

```

```

    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
  :stmt_location 0
  :stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.925 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
}
}

```

```

:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname supplier
    :inh true
    :relpersistence p
    :alias <>
    :location 16
  }
)
:privileges (
  {ACCESSPRIV
    :priv_name select
    :cols <>
  }
)
:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.312 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
  {A_CONST
    :val "alice"
    :location 9
  }
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

```

}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.514 ms
WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_brand")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_type")
:location 60
}
:location 60
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_size")
:location 72
}
:location 72
}
{RESTARTGET
:name supplier_cnt
:indirection <>
:val
{FUNCCALL
:funcname ("count")
:args (
{COLUMNREF
:fields ("ps_suppkey")
:location 99
}
)
}
}
}

```

```

    )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct true
    :func_variadic false
    :funcformat 0
    :location 84
  }
  :location 84
}
)
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp_secure
    :inh true
    :relpersistance p
    :alias
    {ALIAS
      :aliasname ps
      :colnames <>
    }
    :location 136
  }
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname part
    :inh true
    :relpersistance p
    :alias <>
    :location 160
  }
)
:whereClause
{BOOLEXP
  :boolop and
  :args (
    {A_EXPR
      :name ("=")
      :lexpr
        {COLUMNREF
          :fields ("p_partkey")
          :location 175
        }
      :rexpr
        {COLUMNREF
          :fields ("ps" "ps_partkey")
          :location 187
        }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 185
    }
    {A_EXPR
      :name ("<>")
      :lexpr
        {COLUMNREF
          :fields ("p_brand")
          :location 209
        }
      :rexpr
        {A_CONST
          :val "Brand#23"
          :location 220
        }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 217
    }
    {A_EXPR LIKE
      :name ("!~")
      :lexpr
        {COLUMNREF
          :fields ("p_type")
          :location 239
        }
      :rexpr
        {A_CONST
          :val "MEDIUM\ POLISHED%"
          :location 255
        }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 246
    }
    {A_EXPR IN
      :name ("=")
      :lexpr
        {COLUMNREF
          :fields ("p_size")
          :location 282
        }
      :rexpr (
        {A_CONST
          :val 1
          :location 293
        }
        {A_CONST
          :val 4
          :location 296
        }
        {A_CONST
          :val 7
          :location 299
        }
      )
      :rexpr_list_start 292
      :rexpr_list_end 300
      :location 289
    }
  )
}

```

```

{BOOLEXP
:boolop not
:args (
  {SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
  {COLUMNREF
:fields ("ps" "ps_supkey")
:location 310
}
}
:operName <>
:subselect
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("s_supkey")
:location 360
}
}
:location 360
)
)
:fromClause (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 395
}
)
:whereClause
  {A_EXPR LIKE
:name ("~~")
:lexpr
  {COLUMNREF
:fields ("s_comment")
:location 430
}
}
:rexpr
  {A_CONST
:val "%Customer%Complaints%"
:location 445
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 440
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 324
}
)
:location 324
}
)
:location 205
}
:groupClause (
  {COLUMNREF
:fields ("p_brand")
:location 488
}
  {COLUMNREF
:fields ("p_type")
:location 501
}
  {COLUMNREF
:fields ("p_size")
:location 513
}
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
  {SORTBY
:node
  {COLUMNREF
:fields ("supplier_cnt")
:location 533
}
}
:sortby_dir 2
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
  {COLUMNREF
:fields ("p_brand")
:location 556
}
}

```

```

    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
  {SORTBY
  :node
    {COLUMNREF
    :fields ("p_type")
    :location 569
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
  {SORTBY
  :node
    {COLUMNREF
    :fields ("p_size")
    :location 581
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
  }
}
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
  {DEFELEM
  :defnamespace <>
  :defname analyze
  :arg <>
  :defaction 0
  :location 9
  }
  {DEFELEM
  :defnamespace <>
  :defname verbose
  :arg <>
  :defaction 0
  :location 18
  }
  {DEFELEM
  :defnamespace <>
  :defname buffers
  :arg <>
  :defaction 0
  :location 27
  }
)
}
:stmt_location 0
:stmt_len 587
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {EXPLAINSTMT
:query
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs true
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks true
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE true
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname ps
    :colnames <>
    }
  }
  :eref
  {ALIAS
  :aliasname ps
  :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
    st" "ps_comment")
  }
  :rtekind 0
  :relid 16723
  :inh true
  :relkind v
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true

```

```

:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("p_brand" "p_type" "p_size")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 47
}
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 60
}
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 72
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16723
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
}
)
}

```



```

:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 175
  }
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 187
  }
)
:location 185
}
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 209
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 220
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
  }
)
:location 217
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 239
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 255
    :constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 7
3 83 72 69 68 37 ]
  }
)
:location 246
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 282
}
{ARRAYEXPR
:array_typeid 1007
:array_collid 0
:element_typeid 23
:elements (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 293
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 296
:constvalue 4 [ 4 0 0 0 0 0 0 0 ]
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 299
:constvalue 4 [ 7 0 0 0 0 0 0 0 ]
}
)
:multidims false
:list_start 292
:list_end 300
:location -1
}
)
:location 289
}
{BOOLEXP
:boolop not
:args (
  {SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
  {OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 310
}
  {PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
)
:location 324
}
:operName ("=")
:subselect
  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
:alias <>
:eref
  {ALIAS
:aliasname supplier

```

```

        :colnames ("s_suppkey" "s_name" "s_address" "s_n
          ationkey" "s_phone" "s_acctbal" "s_comment")
      }
      :rtekind 0
      :relid 16541
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  )
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 16541
      :inh true
      :requiredPerms 2
      :checkAsUser 0
      :selectedCols (b 8 14)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
  :jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
    {OPEXPR
      :opno 1209
      :opfuncid 850
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 100
      :args (
        {VAR
          :varno 1
          :varattno 7
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 7
          :location 430
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 445
          :constvalue 25 [ 100 0 0 0 37 67 117 115 116
            111 109 101 114 37 67 111 109 112 108 97 105
            110 116 115 37 ]
          }
        )
        :location 440
      }
    }
  }
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList (
    {TARGETENTRY
      :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 360
      }
      :resno 1
      :resname s_suppkey
      :ressortgroupref 0
      :resorigtbl 16541
      :resorigcol 1
      :resjunk false
    }
  )
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>

```

```

        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 324
}
)
:location 324
}
)
:location 205
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0

```

```

        :resjunk false
    }
)
:aggorder <>
:aggdistinct (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 84
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 4
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 410
        :sortop 413
        :reverse_sort true
        :nulls_first true
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 4
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM

```

```

: defnamespace <>
: defname analyze
: arg <>
: defaction 0
: location 9
}
{ DEFELEM
: defnamespace <>
: defname verbose
: arg <>
: defaction 0
: location 18
}
{ DEFELEM
: defnamespace <>
: defname buffers
: arg <>
: defaction 0
: location 27
}
}
}
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: cteList <>
: rtable <>
: rteperminfos <>
: jointree <>
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList <>
: override 0
: onConflict <>
: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 587
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: { QUERY
: commandType 1
: querySource 0
: canSetTag true
: utilityStmt <>
: resultRelation 0
: hasAggs true
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks true
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE true
: isReturn false
: cteList <>
: rtable (
{ RANGETBENTRY
: alias
{ ALIAS
: aliasname ps
: colnames <>
}
}
: eref
{ ALIAS
: aliasname ps
: colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
: rtekind 0
: relid 16723
: inh true
: relkind v
: rellockmode 1
: perminfoindex 1
: tablesample <>
: lateral false
: inFromCl true
: securityQuals <>
}
{ RANGETBENTRY
: alias <>
: eref
{ ALIAS
: aliasname part
: colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
}
}

```

```

    }
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("p_brand" "p_type" "p_size")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 4
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 47
}
{VAR
:varno 2
:varattno 5
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 60
}
{VAR
:varno 2
:varattno 6
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 72
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16723
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 175
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 187
}
)
:location 185
}
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 209
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 220
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 217
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 239
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 255
:constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 73 83 7
2 69 68 37 ]
}
)
:location 246
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 282
}
{ARRAYEXPR
:array_typeid 1007
:array_collid 0

```



```

:element_typeid 23
:elements (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 293
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 296
    :constvalue 4 [ 4 0 0 0 0 0 0 0 ]
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 299
    :constvalue 4 [ 7 0 0 0 0 0 0 0 ]
  }
)
:multidims false
:list_start 292
:list_end 300
:location -1
}
)
:location 289
}
{BOOLEXPR
:boolop not
:args (
  {SUBLINK
    :subLinkType 2
    :subLinkId 0
    :testexpr
    {OPEXPR
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 2
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 2
          :location 310
        }
        {PARAM
          :paramkind 2
          :paramid 1
          :paramtype 23
          :paramtypmod -1
          :paramcollid 0
          :location -1
        }
      )
    }
  }
  :location 324
}
:operName ("=")
:subselect
{QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
      :alias <>
      :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
          ey" "s_phone" "s_acctbal" "s_comment")
      }
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
  )
}

```

```

        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 14)
    :insertedCols (b)
    :updatedCols (b)
    }
)
:jointree
    {FROMEXPR
    :fromlist (
        {RANGETBLREF
        :rtindex 1
        }
    )
    :quals
        {OEXPR
        :opno 1209
        :opfuncid 850
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
            :varno 1
            :varattno 7
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 7
            :location 430
            }
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 445
            :constvalue 25 [ 100 0 0 0 37 67 117 115 116 111 10
            9 101 114 37 67 111 109 112 108 97 105 110 116 115
            37 ]
            }
        )
        :location 440
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
        {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 360
        }
    :resno 1
    :resname s_supkey
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 1
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 324
}
)
:location 324

```

```

    }
  )
  :location 205
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 3
  :varattno 1
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname p_brand
  :ressortgroupref 2
  :resorigtbl 16551
  :resorigcol 4
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 3
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 2
  :location -1
  }
  :resno 2
  :resname p_type
  :ressortgroupref 3
  :resorigtbl 16551
  :resorigcol 5
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 3
  :varattno 3
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 3
  :location -1
  }
  :resno 3
  :resname p_size
  :ressortgroupref 4
  :resorigtbl 16551
  :resorigcol 6
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {AGGREF
  :aggfnoid 2147
  :aggtype 20
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes (o 23)
  :aggdirectargs <>
  :args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 99
    }
    :resno 1
    :resname <>
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
  )
  :aggorder <>
  :aggdistinct (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 96
    :sortop 97

```

```

        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 84
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:ctelist <>
:rtable (
  {RANGETBLENTTRY
    :alias
    {ALIAS
      :aliasname ps
      :colnames <>
    }
  :eref
  {ALIAS
    :aliasname ps
    :colnames ("ps_partkey" "ps_supplekey" "ps_availqty" "ps_supplycost" "ps_comment")
  }
  :rtekind 1
  :subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :ctelist <>
    :rtable (
      {RANGETBLENTTRY
        :alias
        {ALIAS
          :aliasname ps
          :colnames <>
        }
        :eref
        {ALIAS
          :aliasname ps
          :colnames ("ps_partkey" "ps_supplekey" "ps_availqty" "ps_supplycost" "ps_comment")
        }
        :rtekind 0
        :relid 16556
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16556
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 9 10 11 12)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  }
  :jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
  :quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :ctelist <>
      :rtable (
        {RANGETBLENTTRY
          :alias
          {ALIAS

```

```

        :aliasname s
        :colnames <>
    }
    :eref
    {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
            ey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
        :relid 16541
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 13)
        :insertedCols (b)
        :updatedCols (b)
    }
)
:jointree
{FROMEXPR
    :fromlist (
        {RANGETBLREF
            :rtindex 1
        }
    )
}
:quals
{BOOLEXP
    :boolop and
    :args (
        {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {VAR
                    :varno 1
                    :varattno 1
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 1
                    :location -1
                }
                {VAR
                    :varno 1
                    :varattno 2
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 1
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 2
                    :location -1
                }
            )
        }
        :location -1
    }
    {OPEXP
        :opno 674
        :opfuncid 297
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno 1
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location -1
            }
            {FUNCEXP
                :funcid 316
                :funcresulttype 701
                :funcset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                    {CONST
                        :consttype 23
                        :consttypmod -1
                        :constcollid 0
                        :constlen 4
                    }
                )
            }
        )
    }
}

```

```

        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 0 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
    }
    :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname ps_partkey
    :ressortgroupref 0
    :resorigtbl 16556
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname ps_suppkey
    :ressortgroupref 0
    :resorigtbl 16556
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR

```

```

        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
    :resno 3
    :resname ps_availqty
    :ressortgroupref 0
    :resorigtbl 16556
    :resorigcol 3
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname ps_supplycost
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname ps_comment
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 5
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16723
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}

```



```

{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("p_brand" "p_type" "p_size")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 47
}
{VAR
:varno 2
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 60
}
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 72
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16723
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 175
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 187
    }
}
:location 185
}
{OPEXPR
:opno 531
:opfuncid 157
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 209
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 220
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
    }
)
:location 217
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location 239
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 255
        :constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 73 83 7
            2 69 68 37 ]
    }
)
:location 246
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 282
    }
    {ARRAYEXPR
        :array_typeid 1007
        :array_collid 0
        :element_typeid 23
        :elements (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 293
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
        )
    }
)
}

```

```

        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 296
        :constvalue 4 [ 4 0 0 0 0 0 0 0 ]
        }
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 299
        :constvalue 4 [ 7 0 0 0 0 0 0 0 ]
        }
    )
    :multidims false
    :list_start 292
    :list_end 300
    :location -1
}
)
:location 289
}
{BOOLEXP
:boolop not
:args (
    {SUBLINK
    :subLinkType 2
    :subLinkId 0
    :testexpr
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 310
        }
        {PARAM
        :paramkind 2
        :paramid 1
        :paramtype 23
        :paramtypmod -1
        :paramcollid 0
        :location -1
        }
    )
    :location 324
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname supplier
    :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0

```

```

        :selectedCols (b 8 14)
        :insertedCols (b)
        :updatedCols (b)
    }
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 430
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 445
:constvalue 25 [ 100 0 0 0 37 67 117 115 116 111 10
9 101 114 37 67 111 109 112 108 97 105 110 116 115
37 ]
}
)
:location 440
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 360
}
:resno 1
:resname s_supkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 324
}
)
:location 324
}
)
:location 205
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR

```

```

:varno 3
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0

```

```

        :aggno -1
        :aggtransno -1
        :location 84
    }
    :resno 4
    :resname supplier_cnt
    :ressortgroupref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
    {RANGETBLENTRY

```

```

:alias
{ALIAS
:aliasname ps
:colnames <>
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplycost" "p
s_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname ps
:colnames <>
}
:eref
{ALIAS
:aliasname ps
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
st" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtable 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true

```

```

:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)

```



```

        :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :resortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname ps_partkey
    :resortgroupref 0
    :resorigtbl 16556
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname ps_suppkey
    :resortgroupref 0
    :resorigtbl 16556
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
}

```

```

:resno 3
:resname ps_availqty
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname ps_supplycost
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname ps_comment
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 5
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16723
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("p_brand" "p_type" "p_size")
}
:rtekind 9
:groupexprs (
{VAR
:varno 2
:varattno 4

```

```

:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 47
}
{VAR
:varno 2
:varattno 5
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 60
}
{VAR
:varno 2
:varattno 6
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 72
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16723
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 175
}
{VAR
:varno 1
:varattno 1
:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 187
}
)
:location 185
}
{OPEXP
:opno 531

```

```

:opfuncid 157
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 209
  }
  {CONST
    :constttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 220
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
  }
)
:location 217
}
{OPEXPR
:opno 1210
:opfuncid 851
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 239
  }
  {CONST
    :constttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 255
    :constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 80 79 76 73 83 7
2 69 68 37 ]
  }
)
:location 246
}
{SCALARARRAYOPEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 282
  }
  {ARRAYEXPR
    :array_typeid 1007
    :array_collid 0
    :element_typeid 23
    :elements (
      {CONST
        :constttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 293
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
      {CONST
        :constttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 296
        :constvalue 4 [ 4 0 0 0 0 0 0 0 ]
      }
    )
  }
  {CONST
    :constttype 23

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 299
        :constvalue 4 [ 7 0 0 0 0 0 0 0 ]
    }
)
:multidims false
:list_start 292
:list_end 300
:location -1
}
)
:location 289
}
{BOOLEXPRESS
:boolop not
:args (
    {SUBLINK
    :subLinkType 2
    :subLinkId 0
    :testexpr
    {OPEXPRESS
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 310
        }
        {PARAM
        :paramkind 2
        :paramid 1
        :paramtype 23
        :paramtypmod -1
        :paramcollid 0
        :location -1
        }
    )
    :location 324
    }
)
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname supplier
    :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 14)
    :insertedCols (b)
    :updatedCols (b)
    }
)
)
:jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF
    :rtindex 1
    }
)
}

```

```

:quals
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 430
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 445
:constvalue 25 [ 100 0 0 0 37 67 117 115 116 111 10
9 101 114 37 67 111 109 112 108 97 105 110 116 115
37 ]
}
)
:location 440
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 360
}
:resno 1
:resname s_supkey
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 324
}
)
:location 324
}
)
:location 205
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
}

```

```

:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 99
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 84
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 3
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 4
   :eqop 96
   :sortop 97
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 410
   :sortop 413
   :reverse_sort true
   :nulls_first true
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 3
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 4
   :eqop 96
   :sortop 97
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL:  {SORT
:plan.disabled_nodes 0
:plan.startup_cost 34162.12864410764
:plan.total_cost 34184.59864410764
:plan.plan_rows 8988
:plan.plan_width 42
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
:expr
  {VAR
   :varno -2
   :varattno 1
   :vartype 25
   :vartypmod -1
   :varcollid 100
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 2
   :varattnosyn 4
   :location -1
  }
:resno 1
:resname p_brand
:ressortgroupref 2
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
}

```



```

{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location -1
  }
:resno 2
:resname p_type
:ressortgrouppref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
  }
:resno 3
:resname p_size
:ressortgrouppref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 4
    :vartype 20
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
  }
:resno 4
:resname supplier_cnt
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 30823.059689870777
:plan.total_cost 33571.89637275909
:plan.plan_rows 8988
:plan.plan_width 42
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 1
    :resname p_brand
    :ressortgrouppref 2
    :resorigtbl 16551
    :resorigcol 4
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
      }
    :resno 2
    :resname p_type
    :ressortgrouppref 3
    :resorigtbl 16551
    :resorigcol 5
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
      }
    :resno 3
    :resname p_size
    :ressortgrouppref 4
    :resorigtbl 16551
    :resorigcol 6
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 4
        :vartype 20
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 4
    :resname supplier_cnt
    :ressortgrouppref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
}
)

```

```

        :location -1
    }
:resno 2
:resname p_type
:ressortgroupref 3
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname p_size
:ressortgroupref 4
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2147
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes (o 23)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted true
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 84
}
:resno 4
:resname supplier_cnt
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHERMERGE
:plan.disabled_nodes 0
:plan.startup_cost 30823.059689870777
:plan.total_cost 33271.76637275909
:plan.plan_rows 21025
:plan.plan_width 38
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
    }
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname <>
:ressortgroupref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 29823.035915433265
:plan.total_cost 29844.935915433267
:plan.plan_rows 8760
:plan.plan_width 38
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 3
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
}
:resno 2
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
}
:resno 3
:resname <>
:ressortgrouppref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6286.7025
:join.plan.total_cost 29249.399791666667
:join.plan.plan_rows 8760
:join.plan.plan_width 38
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 4
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
}
}

```

```

        :varnosyn 2
        :varattnosyn 5
        :location -1
    }
:resno 2
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 5829.8525
:join.plan.total_cost 28669.75041666667
:join.plan.plan_rows 9655
:join.plan.plan_width 38
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 5
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno -1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 5
        :location -1
        }
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 343.0025
:scan.plan.total_cost 22517.669166666667
:scan.plan.plan_rows 166667
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}

```

```

:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{BOOLEXP
:boolop not
:args (
{SUBPLAN
:subLinkType 2
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 324
}
:paramIds (i 0)
:plan_id 1
:plan_name SubPlan\ 1
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse false
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 343.0025
:per_call_cost 0.0025
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)

```

```

:scan.scanrelid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 5426.5
:plan.total_cost 5426.5
:plan.plan_rows 4828
:plan.plan_width 38
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 7
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 5426.5
:scan.plan.plan_rows 4828
:scan.plan.plan_width 38
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 8

```



```

:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 4
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 4
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 5
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 5
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 6
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 6
      :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location 175
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual (
  {OEXPR
    :opno 531
    :opfuncid 157
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 209
      }
      {CONST
        :consttype 25
        :consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 220
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 5
        0 51 ]
    }
)
:location 217
}
{OEXPR
:opno 1210
:opfuncid 851
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 5
    :location 239
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 255
    :constvalue 20 [ 80 0 0 0 77 69 68 73 85 77 32 8
    0 79 76 73 83 72 69 68 37 ]
    }
)
:location 246
}
{SCALARARRAYOEXPR
:opno 96
:opfuncid 65
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 282
    }
    {CONST
    :consttype 1007
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 36 [ -112 0 0 0 1 0 0 0 0 0 0 0 23 0
    0 0 3 0 0 0 1 0 0 0 1 0 0 0 4 0 0 0 7 0 0 0 ]
    }
)
:location 289
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanreliid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 1)
:plan.allParam (b 1)
:hashkeys (
    {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 175
    }
)
)
:skewTable 16556
:skewColumn 1
:skewInherit false
:rows_total 11587.199999999999
}
:join.plan.initPlan <>
:join.plan.extParam (b 1)

```

```

:join.plan.allParam (b 1)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno -1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 175
    }
  )
  :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
  :varno -2
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 1
  :location -1
  }
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 9108
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 9
:plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR
  :varno -2
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 5
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 9108
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR
  :varno 5
  :varattno 1
  :vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 5
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:skewTable 16556
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b 1)
:join.plan.allParam (b 1)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno -1
:varattno 1

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 1)
:plan.allParam (b 1)
:numCols 4
:sortColIdx ( 1 2 3 4)
:sortOperators ( 664 664 97 97)
:collations ( 100 100 0 0)
:nullsFirst ( false false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 1
:numCols 4
:sortColIdx ( 1 2 3 4)
:sortOperators ( 664 664 97 97)
:collations ( 100 100 0 0)
:nullsFirst ( false false false false)
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 0
:numCols 3
:grpColIdx ( 1 2 3)
:grpOperators ( 98 98 96)
:grpCollations ( 100 100 0)
:numGroups 8988
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 4
:sortColIdx ( 4 1 2 3)
:sortOperators ( 413 664 664 97)
:collations ( 0 100 100 0)
:nullsFirst ( true false false false)
}

```

QUERY PLAN

```

-----
Sort (cost=34162.13..34184.60 rows=8988 width=42) (actual time=313.227..313.953 rows=6878.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, (count(DISTINCT ps.ps_suppkey))
  Sort Key: (count(DISTINCT ps.ps_suppkey)) DESC, part.p_brand, part.p_type, part.p_size
  Sort Method: quicksort  Memory: 615kB
  Buffers: shared hit=6366 read=16844
->  GroupAggregate (cost=30823.06..33571.90 rows=8988 width=42) (actual time=238.877..275.809 rows=6878.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, count(DISTINCT ps.ps_suppkey)
  Group Key: part.p_brand, part.p_type, part.p_size
  Buffers: shared hit=6366 read=16844
->  Gather Merge (cost=30823.06..33271.77 rows=21025 width=38) (actual time=238.858..266.230 rows=41130.00 loops=1)
  Output: part.p_brand, part.p_type, part.p_size, ps.ps_suppkey
  Workers Planned: 2
  Workers Launched: 2
  Buffers: shared hit=6366 read=16844
->  Sort (cost=29823.04..29844.94 rows=8760 width=38) (actual time=226.278..227.141 rows=13710.00 loops=3)
  Output: part.p_brand, part.p_type, part.p_size, ps.ps_suppkey
  Sort Key: part.p_brand, part.p_type, part.p_size, ps.ps_suppkey
  Sort Method: quicksort  Memory: 1157kB
  Buffers: shared hit=6366 read=16844
  Worker 0:  actual time=222.006..222.865 rows=13787.00 loops=1
    Sort Method: quicksort  Memory: 1156kB
    Buffers: shared hit=1864 read=5556
  Worker 1:  actual time=220.573..221.415 rows=13539.00 loops=1
    Sort Method: quicksort  Memory: 1143kB
    Buffers: shared hit=1885 read=5640
->  Hash Semi Join (cost=6286.70..29249.40 rows=8760 width=38) (actual time=29.554..126.979 rows=13710.00 loops=3)
  Output: part.p_brand, part.p_type, part.p_size, ps.ps_suppkey
  Hash Cond: (ps.ps_suppkey = s.s_suppkey)
  Buffers: shared hit=6336 read=16844

```

```

Worker 0: actual time=24.009..121.668 rows=13787.00 loops=1
  Buffers: shared hit=1849 read=5556
Worker 1: actual time=24.051..121.721 rows=13539.00 loops=1
  Buffers: shared hit=1870 read=5640
-> Parallel Hash Join (cost=5829.85..28669.75 rows=9655 width=38) (actual time=23.990..115.902 rows=15027.00 loops=3)
  Output: ps.ps_suppkey, part.p_brand, part.p_type, part.p_size
  Hash Cond: (ps.ps_partkey = part.p_partkey)
  Buffers: shared hit=5682 read=16844
  Worker 0: actual time=19.222..111.278 rows=15086.00 loops=1
    Buffers: shared hit=1631 read=5556
  Worker 1: actual time=19.223..111.539 rows=14891.00 loops=1
    Buffers: shared hit=1652 read=5640
-> Parallel Seq Scan on public.partsupp ps (cost=343.00..22517.67 rows=16667 width=8) (actual time=2.870..66.037 rows=266
560.00 loops=3)

  Output: ps.ps_partkey, ps.ps_suppkey, ps.ps_availqty, ps.ps_supplycost, ps.ps_comment
  Filter: (NOT (ANY (ps.ps_suppkey = (hashed SubPlan 1).col1)))
  Rows Removed by Filter: 107
  Buffers: shared hit=1818 read=16844
  Worker 0: actual time=2.871..65.736 rows=263414.00 loops=1
    Buffers: shared hit=597 read=5556
  Worker 1: actual time=2.917..66.544 rows=267836.00 loops=1
    Buffers: shared hit=607 read=5640
  SubPlan 1
  -> Seq Scan on public.supplier (cost=0.00..343.00 rows=1 width=4) (actual time=0.092..2.569 rows=4.00 loops=3)
    Output: supplier.s_suppkey
    Filter: (supplier.s_comment ~ '%Customer%Complaints%':text)
    Rows Removed by Filter: 9996
    Buffers: shared hit=654
    Worker 0: actual time=0.091..2.568 rows=4.00 loops=1
      Buffers: shared hit=218
    Worker 1: actual time=0.093..2.512 rows=4.00 loops=1
      Buffers: shared hit=218
-> Parallel Hash (cost=5426.50..5426.50 rows=4828 width=38) (actual time=21.074..21.075 rows=3758.00 loops=3)
  Output: part.p_brand, part.p_type, part.p_size, part.p_partkey
  Buckets: 16384 Batches: 1 Memory Usage: 960kB
  Buffers: shared hit=3864
  Worker 0: actual time=16.327..16.329 rows=2994.00 loops=1
    Buffers: shared hit=1034
  Worker 1: actual time=16.291..16.291 rows=3008.00 loops=1
    Buffers: shared hit=1045
-> Parallel Seq Scan on public.part (cost=0.00..5426.50 rows=4828 width=38) (actual time=0.118..20.019 rows=3758.00
loops=3)

  Output: part.p_brand, part.p_type, part.p_size, part.p_partkey
  Filter: ((part.p_brand <> 'Brand#23':text) AND (part.p_type !~ 'MEDIUM POLISHED':text) AND (part.p_size = AN
Y ('{1,4,7}':integer[])))

  Rows Removed by Filter: 62909
  Buffers: shared hit=3864
  Worker 0: actual time=0.059..15.518 rows=2994.00 loops=1
    Buffers: shared hit=1034
  Worker 1: actual time=0.037..15.488 rows=3008.00 loops=1
    Buffers: shared hit=1045
-> Hash (cost=343.00..343.00 rows=9108 width=4) (actual time=5.542..5.542 rows=9114.00 loops=3)
  Output: s.s_suppkey
  Buckets: 16384 Batches: 1 Memory Usage: 449kB
  Buffers: shared hit=654
  Worker 0: actual time=4.761..4.762 rows=9114.00 loops=1
    Buffers: shared hit=218
  Worker 1: actual time=4.804..4.805 rows=9114.00 loops=1
    Buffers: shared hit=218
-> Seq Scan on public.supplier s (cost=0.00..343.00 rows=9108 width=4) (actual time=0.040..4.519 rows=9114.00 loops=3)
  Output: s.s_suppkey
  Filter: (s.s_acctbal > '0':double precision)
  Rows Removed by Filter: 886
  Buffers: shared hit=654
  Worker 0: actual time=0.053..3.800 rows=9114.00 loops=1
    Buffers: shared hit=218
  Worker 1: actual time=0.053..3.839 rows=9114.00 loops=1
    Buffers: shared hit=218

Planning:
  Buffers: shared hit=15
Planning Time: 3.898 ms
Execution Time: 314.994 ms
(98 rows)

Time: 324.828 ms
tpch=> reset role;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
: {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
: {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false

```

```

:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 1.832 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
    END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on lineitem
ALTER TABLE lineitem ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show lineitems from suppliers with acctbal > 1000
CREATE POLICY lineitem_rls_policy ON lineitem
USING (
    EXISTS (
        SELECT 1 FROM supplier s
        WHERE s.s_suppkey = lineitem.l_suppkey
        AND s.s_acctbal > 1000
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 6: Run Q17
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select sum(l_extendedprice) / 7.0 as avg_yearly
from
    lineitem,
    part
where
    p_partkey = l_partkey
    and p_brand = 'Brand#53'
    and p_container = 'MED BAG'
    and l_quantity < (
        select
            0.7 * avg(l_quantity)
        from
            lineitem
        where
            l_partkey = p_partkey
    );
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\

```

```

END;\
"
    :defaction 0
    :location 3
  }
)
}
:stmt_location 0
:stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:define as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename)\
;\
\ \ \ \ END\ LOOP;\
END;\
"
    :defaction 0
    :location 3
  }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true

```



```
:relkind v
:relockmode 1
:perminfoindex 1
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updateCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
```

```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259

```

```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26

```

```

:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
)

```

```

:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}

```



```

{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6

```

```

:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1

```

```

:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR

```

```

:fromlist (
  {JOINEXPR
  :jointype 1
  :isNatural false
  :larg
  {JOINEXPR
  :jointype 0
  :isNatural false
  :larg
  {RANGETBLREF
  :rtindex 1
  }
  :rarg
  {RANGETBLREF
  :rtindex 2
  }
  :usingClause <>
  :join_using_alias <>
  :quals
  {OEXPR
  :opno 607
  :opfuncid 184
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
  )
  :location -1
  }
  :alias <>
  :rtindex 3
  }
  :rarg
  {RANGETBLREF
  :rtindex 4
  }
  :usingClause <>
  :join_using_alias <>
  :quals
  {OEXPR
  :opno 607
  :opfuncid 184
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
  )
  :location -1
  }
  :alias <>
  :rtindex 5
  }
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr

```

```

{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:sublinkType 6
:sublinkId 0

```



```

:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconndef" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
}
}
)

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 93
        :sortop 660
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
}
:location -1

```

```

}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
    :location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:ReturningOldAlias <>
:ReturningNewAlias <>
:ReturningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{OEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19

```



```
isReturn false
:ctelist <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
          "cmd" "qual" "with_check")
        }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSublinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTRY
            :alias
              {ALIAS
                :aliasname pol
                :colnames <>
                }
              :eref
                {ALIAS
                  :aliasname pol
                  :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
                    "polroles" "polqual" "polwithcheck")
                  }
                :rtekind 0
                :relid 3256
                :inh true
                :relkind r
                :relockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
                }
          {RANGETBLENTRY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
                }
              :eref
                {ALIAS
                  :aliasname c
                  :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
                    "relowner" "relam" "relfilenode" "reltablespace" "relpages" "reltuples"
                    "relallvisible" "relallfrozen" "reltoastrelid" "relha
                    index" "relisshared" "relpersistence" "relkind" "relnatts" "relchecks"
                    "relhasrules" "relhastriggers" "relhassubclass" "relrowsecurity"
                    "relforcerowsecurity" "relispopulated" "relreplident"
                    "relispartition" "relrewrite" "relfrozensxid" "relminmxid" "relacl"
                    "reloptions" "relpartbound")
                  }
                :rtekind 0
                :relid 1259
                :inh true
                :relkind r
                :relockmode 1
                :perminfoindex 2
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
                }
          {RANGETBLENTRY
            :alias <>
            :eref
              {ALIAS
                :aliasname unnamed_join
                :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
                  "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespace"
                  "reltype" "reloftype" "relowner" "relam" "relfilenode" "reltablespace"
                  "relpages" "reltuples" "relallvisible" "relallfrozen" "reltoastrelid"
                  "relhasindex" "relisshared" "relpersistence" "relkind" "relnatts"
                  "relchecks" "relhasrules" "relhastriggers" "relhassubclass"
                  "relrowsecurity" "relforcerowsecurity" "relispopulated" "relreplident"
                  "relispartition" "relrewrite" "relfrozensxid" "relminmxid" "relacl"
                  "reloptions" "relpartbound")
                  }
                :rtekind 2
                :jointype 0
                :joinmergedcols 0
                :joinaliasvars (
                  {VAR
                    :varno 1
                    :varattno 1
                    :vartype 26
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 1
                    :location -1

```

```

}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```



```

:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")}
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"

```

```

        "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
        "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
        spopulated" "relreplident" "relispartition" "relrewrite" "relfr
        ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
        " "nspname" "nspowner" "nspacl")
    }
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
    {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
    {VAR
        :varno 1
        :varattno 4
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
    {VAR
        :varno 1
        :varattno 5
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location -1
    }
    {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    {VAR
        :varno 1
        :varattno 8
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    {VAR

```

```

:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```



```

:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950

```

```

:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reliid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reliid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reliid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
)
}
}

```

```

        {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
        }
    )
    :location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 1
:resname schemaname
:ressortgrouppref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 1259
:resorigcol 2

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 3
:resname policynome
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
}
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1

```

```

        :constbyval false
        :constisnull false
        :location -1
        :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
        0 0 0 1 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false

```

```

        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
)
:jointree
    {FROMEXPR
    :fromlist (
        {RANGETBLREF
        :rtindex 1
        }
    )
    :quals
        {SCALARARRAYOPEXPR
        :opno 607
        :opfuncid 184
        :hashfuncid 0
        :negfuncid 0
        :useOr true
        :inputcollid 0
        :args (
            {VAR
            :varno 1
            :varattno 1
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
            }
            {VAR
            :varno 1
            :varattno 6
            :vartype 1028
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location -1
            }
        )
        :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
        {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
        }
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>

```

```

        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
:location -1
}
:resno 5
:resname roles
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:varatype 18
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
}

```

```

:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25

```



```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
}
)
:defaultresult
{CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
        {VAR
            :varno 1
            :varattno 7
            :vartype 194
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 7
            :location -1
        }
        {VAR
            :varno 1
            :varattno 3
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location -1
        }
    )
    :location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
        {VAR
            :varno 1
            :varattno 8
            :vartype 194
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 8
            :location -1
        }
        {VAR
            :varno 1
            :varattno 3
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location -1
        }
    )
}
}

```



```

:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.4025
:join.plan.total_cost 11.55988549906787
:join.plan.plan_rows 1
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
:join.plan.qual <>

```

```

:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.2725
:join.plan.total_cost 11.335952914798208
:join.plan.plan_rows 1
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 3.01
:scan.plan.plan_rows 1
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 194

```

```

        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location -1
    }
    :resno 7
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 8
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 8
    :location -1
    }
    :resno 8
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanreliid 2
    }
    :join.plan.righttree
    {INDEXSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0.2725
    :scan.plan.total_cost 8.2900000000000001
    :scan.plan.plan_rows 1
    :scan.plan.plan_width 72
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 3
    :scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 3
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3

```

```

        :varattnosyn 3
        :location -1
    }
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```



```

{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19

```

```

:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 24
        :location -1
    }
:resno 24
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}

```

```

:resno 29
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0

```

```

        :resjunk false
    }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
:indexid 2662
:indexqual (
    {OPEXPR
        :opno 607
        :opfuncid 184
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -3
                :varattno 1
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 1
                :location -1
            }
            {PARAM
                :paramkind 1
                :paramid 0
                :paramtype 26
                :paramtypmod -1
                :paramcollid 0
                :location -1
            }
        )
        :location -1
    }
)
:indexqualorig (
    {OPEXPR
        :opno 607
        :opfuncid 184
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno 3
                :varattno 1
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 1
                :location -1
            }
            {PARAM
                :paramkind 1
                :paramid 0
                :paramtype 26
                :paramtypmod -1
                :paramcollid 0
                :location -1
            }
        )
        :location -1
    }
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
    {NESTLOOPPARAM
        :paramno 0
        :paramval
            {VAR
                :varno -2
                :varattno 3
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 3
                :location -1
            }
        }
    )
}
:join.plan.righttree
{INDEXSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0.13
    :scan.plan.total_cost 0.17696629213483145

```

```

:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 5
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 5
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 5
      :varattno 3
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 5
      :varattno 4
      :vartype 1034
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 4
      :location -1
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual (
  {OPEXPR
    :opno 93
    :opfuncid 62
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 950
    :args (
      {VAR
        :varno 5
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
}
)
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== REWRITE OUTPUT =====
DETAIL: (

```



```

{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
  :fromlist <>
  :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {FUNCEXP
  :funcid 3539
  :funcresulttype 25
  :funcresultset false
  :funcvariadic false
  :funcformat 0
  :funccollid 950
  :inputcollid 950
  :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 7
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
    70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
    }
    {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
  )
  :location 0
  }
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
  :fromlist <>
  :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {FUNCEXP
  :funcid 3539
  :funcresulttype 25
  :funcresultset false
  :funcvariadic false
  :funcformat 0
  :funccollid 950
  :inputcollid 950
  :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 7
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
    70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
    }
    {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
  )
  :location 0
  }
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
  :expr
  {FUNCEXP
  :funcid 3539
  :funcresulttype 25
  :funcresultset false
  :funcvariadic false
  :funcformat 0
  :funccollid 950
  :inputcollid 950
  :args (
    {CONST
    :consttype 25
    :consttypmod -1

```

```

:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("partsupp" "partsupp_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("partsupp" "partsupp_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 25.286 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}
```

Time: 0.217 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnamelineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
```

```

:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.926 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
}
}
}

```

```

        :location 12
    }
    :cmds (
        {ALERTTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
    )
    :objtype 41
    :missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.382 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTTABLESTMT
:relation
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname customer
  :inh true
  :relpersistence p
  :alias <>
  :location 12
  }
:cmds (
  {ALERTTABLECMD
  :subtype 55
  :name <>
  :num 0
  :newowner <>
  :def <>
  :behavior 0
  :missing_ok false
  :recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTTABLESTMT
  :relation
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname customer
  :inh true
  :relpersistence p
  :alias <>
  :location 12
  }
  }
:cmds (
  {ALERTTABLECMD
  :subtype 55
  :name <>
  }
)
}

```

```

        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.741 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
}

```

```

    }
  )
  :objtype 41
  :missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.273 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0

```



```

:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.265 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.276 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>

```

```

:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 1.075 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALTERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALTERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALTERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALTERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>

```

```

:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.874 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

Time: 0.285 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name lineitem_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 114
}
}
:rexpr
{COLUMNREF
:fields ("lineitem" "l_suppkey")
:location 128
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 159
}
}
:rexpr
{A_CONST
:val 1000
:location 173
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 171
}
}
}
}

```

```

    }
  )
  :location 155
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 185
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name lineitem_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 114
}
:rexpr
{COLUMNREF
:fields ("lineitem" "l_suppkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name (">")
:lexpr

```

```

        {COLUMNREF
        :fields ("s" "s_acctbal")
        :location 159
        }
    :rexpr
    {A_CONST
    :val 1000
    :location 173
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 171
    }
    )
    :location 155
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 58
    }
    :with_check <>
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 185
}

```

Time: 2.288 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}

```

```

:stmt_location 0
:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

Time: 0.263 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
}
}

```



```

    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
}
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.262 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
}

```

```

    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
  :stmt_location 0
  :stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {GRANTSTMT
      :is_grant true
      :targettype 0
      :objtype 41
      :objects (
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname supplier
          :inh true
          :relpersistence p
          :alias <>
          :location 16
        }
      )
      :privileges (
        {ACCESSPRIV
          :priv_name select
          :cols <>
        }
      )
      :grantees (
        {ROLESPEC
          :roletype 0
          :rolename alice
          :location 28
        }
      )
      :grant_option false
      :grantor <>
      :behavior 0
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 33
}

```

Time: 0.243 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
  :stmt
    {VARIABLESETSTMT
      :kind 0
      :name role
      :args (
        {A_CONST
          :val "alice"
          :location 9
        }
      )
    }
  :jumble_args false
  :is_local false
  :location 9
}
:stmt_location 0

```

```

:stmt_len 14
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.154 ms
WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name avg_yearly
:indirection <>
:val
{A_EXPR
:name ("/")
:lexpr
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("l_extendedprice")
:location 47
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 43
}
}
:rexpr
{A_CONST
:val 7.0
:location 66
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 64
}
:location 43
}
)
:fromClause (
{RANGEVAR
:catalogname <>

```

```

:schemaname <>
:relname lineitem
:inh true
:relpersistance p
:alias <>
:location 93
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistance p
:alias <>
:location 107
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_partkey")
:location 122
}
:rexpr
{COLUMNREF
:fields ("l_partkey")
:location 134
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 132
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 152
}
:rexpr
{A_CONST
:val "Brand#53"
:location 162
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 160
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_container")
:location 181
}
:rexpr
{A_CONST
:val "MED\ BAG"
:location 195
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 193
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 213
}
:rexpr
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_EXPR
:name ("*")
:lexpr
{A_CONST
:val 0.7
:location 255
}
:rexpr
{FUNCCALL
:funcname ("avg")
:args (
{COLUMNREF
:fields ("l_quantity")
:location 265
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0

```

```

        :location 261
      }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 259
    }
  }
  :location 255
}
)
:fromClause (
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname lineitem
  :inh true
  :relpersistence p
  :alias <>
  :location 302
  }
)
:whereClause
{A_EXPR
:name ("=")
:lexpr
  {COLUMNREF
  :fields ("l_partkey")
  :location 337
  }
:rexpr
  {COLUMNREF
  :fields ("p_partkey")
  :location 349
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 347
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 226
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 224
}
)
:location 148
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
  {DEFELEM
  :defnamespace <>
  :defname analyze
  :arg <>
  :defaction 0
  :location 9
  }
  {DEFELEM
  :defnamespace <>
  :defname verbose
  :arg <>
  :defaction 0
  :location 18
  }
  {DEFELEM
  :defnamespace <>
  :defname buffers
  :arg <>
  :defaction 0
  :location 27
  }
)
}
:stmt_location 0
:stmt_len 364
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:  {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {EXPLAINSTMT
  :query
  {QUERY

```

```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
          "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
            ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
              "l_shipinstruct" "l_shipmode" "l_comment")
        }
      :rtekind 0
      :relid 16566
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
          size" "p_container" "p_retailprice" "p_comment")
        }
      :rtekind 0
      :relid 16551
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 2
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 12 13)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
    {RANGETBLREF
      :rtindex 2
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 2
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 1
          :location 122
        }
        {VAR

```

```

:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 134
}
)
:location 132
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 152
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 162
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 53 51 ]
}
)
:location 160
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 181
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 195
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
)
:location 193
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 213
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>

```

```

:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey"
          "l_linenumber" "l_quantity" "l_extendedprice" "l_
            _discount" "l_tax" "l_returnflag" "l_linestatus"
          "l_shipdate" "l_commitdate" "l_receiptdate" "l_
            shipinstruct" "l_shipmode" "l_comment")
        }
      :rtekind 0
      :relid 16566
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  )
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 12)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals
    {OPEXPR
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 2
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 2
          :location 337
        }
        {VAR
          :varno 2
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 1
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 1
          :location 349
        }
      )
      :location 347
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {OPEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {FUNCEXPR
            :funcid 1746
            :funcresulttype 701
            :funcresultset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
          }
        )
      }
    }
)

```



```

:inputcollid 0
:args (
  {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 255
    :constvalue 8 [ 32 0 0 0 -1 -128 88 27 ]
  }
)
:location -1
}
{AGGREG
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 265
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 261
}
)
:location 259
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 226
}
)
:location 224
}
)
:location 148
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {OPEXPR
        :opno 593
        :opfuncid 217
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
      }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)

```

```

:args (
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 47
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 43
  }
  {FUNCEXP
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1700
        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location 66
        :constvalue 8 [ 32 0 0 0 -128 -128 7 0 ]
      }
    )
    :location -1
  }
)
:location 64
}
:resno 1
:resname avg_yearly
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
)

```

```

    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
  )
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 364
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesstatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (

```

```

{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 122
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 134
}
)
:location 132
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 152
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 162
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 53 51 ]
}
)
:location 160
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7

```

```

:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 181
}
{CONST
:conststype 25
:conststypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 195
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
)
:location 193
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 213
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_line
number" "l_quantity" "l_extendedprice" "l_discount" "
l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_c
ommitdate" "l_receiptdate" "l_shipinstruct" "l_shipmod
e" "l_comment")
}
:rtekind 0
:reldid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 337
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 349
  }
)
:location 347
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {OPEXPR
      :opno 594
      :opfuncid 216
      :opresulttype 701
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {FUNCEXPR
          :funcid 1746
          :funcresulttype 701
          :funcresultset false
          :funcvariadic false
          :funcformat 2
          :funccollid 0
          :inputcollid 0
          :args (
            {CONST
              :consttype 1700
              :consttypmod -1
              :constcollid 0
              :constlen -1
              :constbyval false
              :constisnull false
              :location 255
              :constvalue 8 [ 32 0 0 0 -1 -128 88 27 ]
            }
          )
        }
      :location -1
    }
    {AGGREF
      :aggfnoid 2105
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 5
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location 265
          }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar false
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggssplit 0
      :aggno -1
      :aggtransno -1
      :location 261
    }
  }
)

```

```

        )
        :location 259
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 226
}
)
:location 224
}
)
:location 148
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {OEXPR
    :opno 593
    :opfuncid 217
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 47
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 43
    }
    {FUNCEXP
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1

```

```

        :constbyval false
        :constisnull false
        :location 66
        :constvalue 8 [ 32 0 0 0 -128 -128 7 0 ]
    }
    )
    :location -1
    }
    )
    :location 64
    }
    :resno 1
    :resname avg_yearly
    :resortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }

```

WARNING: Table OID=16566

WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
      }
    :rtable (
      {RANGETBLENTY
        :alias
          {ALIAS
            :aliasname s
            :colnames <>
          }
        :eref
          {ALIAS
            :aliasname s
            :colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone"
              "s_acctbal" "s_comment")
          }
        :rtekind 0
        :relid 16541
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
  }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 16541
      :inh true
      :requiredPerms 2
      :checkAsUser 0
      :selectedCols (b 8 13)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
  :jointree
    {FROMEXPR
      :fromlist (
        {RANGETBLREF
          :rtindex 1
        }
      )
    }
    :quals
      {BOOLEXP
        :boolop and
      }
    }
  )

```



```

:args (
  {OEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
  )
  :location -1
}
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 6
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 6
  :location -1
  }
  {FUNCEXP
  :funcid 316
  :funcresulttype 701
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  :resno 1
  :resname ?column?
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>

```

```

:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: Table OID=16566
 WARNING: ===== RLS POLICY ADDED =====:
 DETAIL: {

```

{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone"
"s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }

```

```
:location -1
}
)
```

WARNING: ===== REWRITE OUTPUT =====

```
DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
```

```

:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    )
    :location -1
  }
  {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
      }
      {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
    )
    :location -1
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>

```

```

        :returningNewAlias <>
        :returningList <>
        :groupClause <>
        :groupDistinct false
        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 122
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 134
}
)
:location 132
}
{OPEXP

```

```

:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 152
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 162
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 53 51 ]
  }
)
:location 160
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 181
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 195
    :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
  }
)
:location 193
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 213
  }
  {SUBLINK
    :sublinkType 4
    :sublinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs true
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity true
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTY
            :alias <>

```

```

:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_line
number" "l_quantity" "l_extendedprice" "l_discount" "
l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_c
ommitdate" "l_receiptdate" "l_shipinstruct" "l_shipmod
e" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "
s_nationkey" "s_phone" "s_acctbal" "s_comment
")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3

```



```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
}
}
:rteperminfos (

```

```

{RTEPERMISSIONINFO
:reld 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 337
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 349
}
)
:location 347
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 255
:constvalue 8 [ 32 0 0 0 -1 -128 88 27 ]
}
)
:location -1
}
)
{AGGREG
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 265
}
}
)
}
)
}

```

```

        }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 261
}
)
:location 259
}
:resno 1
:resname ?column?
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 226
}
)
:location 224
}
)
:location 148
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {OPEXPR
    :opno 593
    :opfuncid 217
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
            {TARGETENTRY
            :expr
            {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 47
            }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
        }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false

```

```

:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggn -1
:aggtransno -1
:location 43
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 66
    :constvalue 8 [ 32 0 0 0 -128 -128 7 0 ]
  }
)
:location -1
}
)
:location 64
}
:resno 1
:resname avg_yearly
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:ReturningOldAlias <>
:ReturningNewAlias <>
:ReturningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
          }
      }
    )
  }
)
}

```

```

:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGE_TBL_ENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rtepermissions (
  {RTE_PERMISSION_INFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROM_EXPR
    :fromlist (
      {RANGE_TBL_REF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXPR
    :boolop and
    :args (
      {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 1
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location -1
          }
        )
      }
      :location -1
    )
  }
  {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
      }
    )
  }

```

```

:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551

```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 122
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 134
}
)
:location 132
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 152
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 162
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 53 51 ]
}
)
:location 160
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 181
}
{CONST

```

```

:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 195
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
)
:location 193
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 213
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_lin
enumber" "l_quantity" "l_extendedprice" "l_discount" "
l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_c
ommitdate" "l_receiptdate" "l_shipinstruct" "l_shipmod
e" "l_comment")
}
}
:rtkind 0
:reld 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "
s_nationkey" "s_phone" "s_acctbal" "s_comment

```



```

    ")
  }
  :rtekind 0
  :relid 16541
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16541
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 13)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {BOOLEXP
  :boolop and
  :args (
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
      }
      {VAR
      :varno 1
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 1
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location -1
      }
    )
    :location -1
  }
  {OPEXP
  :opno 674
  :opfuncid 297
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
}

```

```

        }
        )
        :location -1
    }
    )
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
)
:rteperminfos (
    {RTEPERMISSIONINFO
        :relid 16566
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 9 12)
        :insertedCols (b)
        :updatedCols (b)
    }
)
:jointree
    {FROMEXPR
        :fromlist (
            {RANGETBLREF
                :rtindex 1
            }
        )
    }
:quals
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno 1
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 2
                :location 337
            }
            {VAR
                :varno 2
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 1
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 1
                :location 349
            }
        )
    }
:location 347
}

```

```

    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {OPEXPR
      :opno 594
      :opfuncid 216
      :opresulttype 701
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {FUNCEXPR
          :funcid 1746
          :funcresulttype 701
          :funcset false
          :funcvariadic false
          :funcformat 2
          :funccollid 0
          :inputcollid 0
          :args (
            {CONST
              :consttype 1700
              :consttypmod -1
              :constcollid 0
              :constlen -1
              :constbyval false
              :constisnull false
              :location 255
              :constvalue 8 [ 32 0 0 0 -1 -128 88 27 ]
            }
          )
        }
      :location -1
    }
  {AGGREF
    :aggfnoid 2105
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
        {VAR
          :varno 1
          :varattno 5
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 5
          :location 265
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 261
  }
)
:location 259
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

```

        :location 226
    }
)
:location 224
}
)
:location 148
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {OEXPR
    :opno 593
    :opfuncid 217
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 47
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 43
    }
    {FUNCEXPR
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 66
    :constvalue 8 [ 32 0 0 0 -128 -128 7 0 ]
    }
    )
    :location -1
    }
    )
    :location 64
    }
    :resno 1
    :resname avg_yearly
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>

```

```

:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 6528380072261.515
:plan.total_cost 6528380072261.527
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{OPEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 47
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 43
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 28 64 ]
}
)
:location 64
}
:resno 1
:resname avg_yearly
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6136.162499999999
:join.plan.total_cost 6528380072259.052
:join.plan.plan_rows 985
:join.plan.plan_width 8
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6

```

```

:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 47
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 2208503289.2
:scan.plan.plan_rows 3000460
:scan.plan.plan_width 20
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25

```



```

        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 15
        :location -1
    }
    :resno 15
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 16
    :location -1
    }
    :resno 16
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual (
    {SUBPLAN
    :subLinkType 2
    :testexpr
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    {PARAM
    :paramkind 1
    :paramid 4
    :paramtype 23
    :paramtypmod -1
    :paramcollid 0
    :location -1
    }
    )
    :location -1
    }
    :paramIds (i 4)
    :plan_id 5
    :plan_name SubPlan\ 5
    :firstCollType 23
    :firstCollTypmod -1
    :firstColCollation 0
    :useHashTable true
    :unknownEqFalse true
    :parallel_safe true
    :setParam <>
    :parParam <>
    :args <>
    :startup_cost 363.49
    :per_call_cost 0.0025
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 1
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 6133.7
    :plan.total_cost 6133.7
    :plan.plan_rows 197
    :plan.plan_width 4
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 3
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 1000
:plan.total_cost 6133.7
:plan.plan_rows 197
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 122
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 5114
:scan.plan.plan_rows 82
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 122
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 152
}
{CONST
:consttype 25
:consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 162
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 53 51 ]
    }
)
:location 160
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 181
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 195
    :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
    }
)
:location 193
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 5)
:scan.plan.allParam (b 5)
:scan.scanreliid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 5
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 122
    }
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
    {OPEXPR
    :opno 672
    :opfuncid 295
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 213
        }
        {SUBPLAN
        :subLinkType 4

```

```

: testexpr <>
: paramIds <>
: plan_id 3
: plan_name SubPlan\ 3
: firstColType 701
: firstColTypmod -1
: firstColCollation 0
: useHashTable false
: unknownEqFalse false
: parallel_safe false
: setParam <>
: parParam (i 0)
: args (
  {VAR
    : varno -1
    : varattno 1
    : vartype 23
    : vartypmod -1
    : varcollid 0
    : varnullingrels (b)
    : varlevelsup 0
    : varreturningtype 0
    : varnosyn 2
    : varattnosyn 1
    : location 349
  }
)
: startup_cost 0
: per_call_cost 2208518291.5550003
}
)
: location 224
}
)
: hashclauses (
  {OEXPR
    : opno 96
    : ofuncid 65
    : opresulttype 16
    : opretset false
    : opcollid 0
    : inputcollid 0
    : args (
      {VAR
        : varno -2
        : varattno 2
        : vartype 23
        : vartypmod -1
        : varcollid 0
        : varnullingrels (b)
        : varlevelsup 0
        : varreturningtype 0
        : varnosyn 1
        : varattnosyn 2
        : location 134
      }
      {VAR
        : varno -1
        : varattno 1
        : vartype 23
        : vartypmod -1
        : varcollid 0
        : varnullingrels (b)
        : varlevelsup 0
        : varreturningtype 0
        : varnosyn 2
        : varattnosyn 1
        : location 122
      }
    )
  }
)
: location -1
}
)
: hashoperators (o 96)
: hashcollations (o 0)
: hashkeys (
  {VAR
    : varno -2
    : varattno 2
    : vartype 23
    : vartypmod -1
    : varcollid 0
    : varnullingrels (b)
    : varlevelsup 0
    : varreturningtype 0
    : varnosyn 1
    : varattnosyn 2
    : location 134
  }
)
}
: plan.righttree <>
: plan.initPlan <>
: plan.extParam (b)
: plan.allParam (b)
: aggstrategy 0
: aggsplit 0
: numCols 0
: grpColIdx ()
: grpOperators ()
: grpCollations ()
: numGroups 1
: transitionSpace 0
: aggParams (b)
: groupingSets <>
: chain <>
}

```

QUERY PLAN

```

Aggregate (cost=6528380072261.51..6528380072261.53 rows=1 width=8) (actual time=5170419.607..5170420.958 rows=1.00 loops=1)

```

```

Output: (sum(lineitem.l_extendedprice) / '7'::double precision)
Buffers: shared hit=28968973 read=531077887
-> Hash Join (cost=6136.16..6528380072259.05 rows=985 width=8) (actual time=2279.254..5170416.568 rows=1862.00 loops=1)
  Output: lineitem.l_extendedprice
  Hash Cond: (lineitem.l_partkey = part.p_partkey)
  Join Filter: (lineitem.l_quantity < (SubPlan 3))
  Rows Removed by Join Filter: 3485
  Buffers: shared hit=28968973 read=531077887
  -> Seq Scan on public.lineitem (cost=0.00..2208503289.20 rows=3000460 width=20) (actual time=3.668..1573.016 rows=4918316.00 loops=1)
    Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
    Filter: (ANY (lineitem.l_suppkey = (hashed SubPlan 5).col1))
    Rows Removed by Filter: 1082899
    Buffers: shared hit=5540 read=99398
    SubPlan 5
      -> Seq Scan on public.supplier s_1 (cost=0.00..343.00 rows=8196 width=4) (actual time=0.015..2.005 rows=8197.00 loops=1)
        Output: s_1.s_suppkey
        Filter: (s_1.s_acctbal > '1000'::double precision)
        Rows Removed by Filter: 1803
        Buffers: shared hit=218
  -> Hash (cost=6133.70..6133.70 rows=197 width=4) (actual time=20.999..21.796 rows=214.00 loops=1)
    Output: part.p_partkey
    Buckets: 1024 Batches: 1 Memory Usage: 16kB
    Buffers: shared hit=3864
    -> Gather (cost=1000.00..6133.70 rows=197 width=4) (actual time=0.195..21.747 rows=214.00 loops=1)
      Output: part.p_partkey
      Workers Planned: 2
      Workers Launched: 2
      Buffers: shared hit=3864
      -> Parallel Seq Scan on public.part (cost=0.00..5114.00 rows=82 width=4) (actual time=0.063..13.107 rows=71.33 loops=3)
        Output: part.p_partkey
        Filter: ((part.p_brand = 'Brand#53'::text) AND (part.p_container = 'MED BAG'::text))
        Rows Removed by Filter: 66595
        Buffers: shared hit=3864
        Worker 0: actual time=0.069..9.332 rows=50.00 loops=1
          Buffers: shared hit=900
        Worker 1: actual time=0.071..9.332 rows=38.00 loops=1
          Buffers: shared hit=888
    SubPlan 3
      -> Aggregate (cost=2208518291.54..2208518291.56 rows=1 width=8) (actual time=966.615..966.615 rows=1.00 loops=5347)
        Output: ('0.7'::double precision * avg(lineitem_1.l_quantity))
        Buffers: shared hit=28959569 read=530978489
        -> Seq Scan on public.lineitem lineitem_1 (cost=0.00..2208518291.50 rows=16 width=8) (actual time=41.873..966.580 rows=26.89 loops=5347)
          Output: lineitem_1.l_orderkey, lineitem_1.l_partkey, lineitem_1.l_suppkey, lineitem_1.l_linenum, lineitem_1.l_quantity, lineitem_1.l_extendedprice, lineitem_1.l_discount, lineitem_1.l_tax, lineitem_1.l_returnflag, lineitem_1.l_linestatus, lineitem_1.l_shipdate, lineitem_1.l_commitdate, lineitem_1.l_receiptdate, lineitem_1.l_shipinstruct, lineitem_1.l_shipmode, lineitem_1.l_comment
          Filter: ((lineitem_1.l_partkey = part.p_partkey) AND (ANY (lineitem_1.l_suppkey = (hashed SubPlan 2).col1)))
          Rows Removed by Filter: 6001188
          Buffers: shared hit=28959569 read=530978489
          SubPlan 2
            -> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8196 width=4) (actual time=0.012..1.451 rows=8197.00 loops=1)
              Output: s.s_suppkey
              Filter: (s.s_acctbal > '1000'::double precision)
              Rows Removed by Filter: 1803
              Buffers: shared hit=218

Planning:
  Buffers: shared hit=13
Planning Time: 5.415 ms
Execution Time: 5170421.850 ms
(57 rows)

Time: 5170438.656 ms (01:26:10.439)
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS lineitem_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW lineitem_secure AS
SELECT l.*
FROM lineitem l
WHERE EXISTS (
  SELECT 1 FROM supplier s
  WHERE s.s_suppkey = l.l_suppkey
  AND s.s_acctbal > 1000
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON lineitem_secure TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON supplier TO alice;
SET ROLE alice;

-- Step 5: Run Q17
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select sum(l.l_extendedprice) / 7.0 as avg_yearly
from
  lineitem_secure l,
  part
where
  p_partkey = l.l_partkey
  and p_brand = 'Brand#53'
  and p_container = 'MED BAG'
  and l.l_quantity < (
    select
      0.7 * avg(l2.l_quantity)
    from
      lineitem_secure l2
    where
      l2.l_partkey = p_partkey
  );
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
}

```

```
:stmt_location 0
:stmt_len 10
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}
```

Time: 24.149 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
}
```

```

        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 12.999 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{DROPSTMT
:objects (("lineitem_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("lineitem_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
}

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

Time: 10.390 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l"
{A_STAR
}
}
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname l
:colnames <>
}
:location 47
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("l" "l_suppkey")
:location 126
}
}
:rexpr_list_start 0

```



```

        :rexpr_list_end 0
        :location 124
    }
    {A_EXPR
    :name (">")
    :lexpr
        {COLUMNREF
        :fields ("s" "s_acctbal")
        :location 146
        }
    :rexpr
        {A_CONST
        :val 1000
        :location 160
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 158
    }
    )
    :location 142
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 64
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
    :stmt_location 0
    :stmt_len 166
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("1"
{A_STAR
}
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:location 47
}
}

```

```

)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 84
}
:location 84
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname s
:colnames <>
}
:location 91
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s" "s_suppkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("l" "l_suppkey")
:location 126
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 124
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("s" "s_acctbal")
:location 146
}
:rexpr
{A_CONST
:val 1000
:location 160
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 158
}
)
:location 142
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 64
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname 1
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname 1
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY

```

```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_
          _phone" "s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 112
          }
          {VAR
            :varno 1
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location 126
          }
        )
      }
    :location 124
  }
  {OPEXP
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
      }
    )
  }

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 146
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 160
        :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
    :location 158
}
:location 142
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 84
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 64
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 38
    }
    :resno 1
    :resname l_orderkey
    :ressortgrouppref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1

```

```

:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 38
}
:resno 2
:resname l_partkey
:resortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 38
}
:resno 3
:resname l_supkey
:resortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 38
}
:resno 4
:resname l_linenummer
:resortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname l_quantity
:resortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname l_extendedprice
:resortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:varatype 701
:varatpmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 38
}
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:varatype 25
:varatpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 38
}
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:varatype 25
:varatpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 38
}
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:varatype 1082
:varatpmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 38
}
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:varatype 1082
:varatpmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 38
}
}

```

```

    }
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 38
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 38
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 38
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 38
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>

```



```

:withCheckOptions <>
:stmt_location 0
:stmt_len 166
}

Time: 13.466 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 40
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 35
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
}

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 1.280 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 24
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.332 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
}

```

```
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}
```

Time: 0.264 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:stmt_location 0
:stmt_len 14
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}
```

Time: 0.212 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
  {EXPLAINSTMT
    :query
      {SELECTSTMT
        :distinctClause <>
        :intoClause <>
      }
  }
}
```

```

:targetList (
  {RESTARGET
  :name avg_yearly
  :indirection <>
  :val
    {A_EXPR
    :name ("/")
    :lexpr
      {FUNCCALL
      :funcname ("sum")
      :args (
        {COLUMNREF
        :fields ("l" "l_extendedprice")
        :location 47
        }
      )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 0
    :location 43
    }
  :rexpr
    {A_CONST
    :val 7.0
    :location 68
    }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 66
  }
:location 43
}
)
:fromClause (
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname lineitem_secure
  :inh true
  :relpersistance p
  :alias
    {ALIAS
    :aliasname l
    :colnames <>
    }
  :location 95
  }
  {RANGEVAR
  :catalogname <>
  :schemaname <>
  :relname part
  :inh true
  :relpersistance p
  :alias <>
  :location 118
  }
)
:whereClause
  {BOOLEXPR
  :boolop and
  :args (
    {A_EXPR
    :name ("=")
    :lexpr
      {COLUMNREF
      :fields ("p_partkey")
      :location 133
      }
    :rexpr
      {COLUMNREF
      :fields ("l" "l_partkey")
      :location 145
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 143
    }
    {A_EXPR
    :name ("=")
    :lexpr
      {COLUMNREF
      :fields ("p_brand")
      :location 165
      }
    :rexpr
      {A_CONST
      :val "Brand#53"
      :location 175
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 173
    }
    {A_EXPR
    :name ("=")
    :lexpr
      {COLUMNREF
      :fields ("p_container")
      :location 194
      }
    :rexpr
      {A_CONST
      :val "MED\ BAG"
      :location 208
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 206
    }
  }
  {A_EXPR

```

```

:name ("<")
:lexpr
{COLUMNREF
:fields ("l" "l_quantity")
:location 226
}
:rexpr
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_EXPR
:name ("*")
:lexpr
{A_CONST
:val 0.7
:location 270
}
:rexpr
{FUNCCALL
:funcname ("avg")
:args (
{COLUMNREF
:fields ("l2" "l_quantity")
:location 280
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 276
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 274
}
:location 270
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem_secure
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname l2
:colnames <>
}
:location 320
}
)
:whereClause
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l2" "l_partkey")
:location 365
}
:rexpr
{COLUMNREF
:fields ("p_partkey")
:location 380
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 378
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 241
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 239
}
)
:location 161
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>

```

```

:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 395
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname 1
:colnames <>
}
:eref
{ALIAS
:aliasname 1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16728
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16728

```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 133
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 145
}
)
:location 143
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 165
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 175
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 53 51 ]
}
)
:location 173
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1

```



```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 194
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 208
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
)
:location 206
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 226
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname 12
:colnames <>
}
:eref
{ALIAS
:aliasname 12
:colnames ("l_orderkey" "l_partkey" "l_suppkey"
"l_linenum" "l_quantity" "l_extendedprice" "l_
_discount" "l_tax" "l_returnflag" "l_linestatus"
"l_shipdate" "l_commitdate" "l_receiptdate" "l_
shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16728
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16728
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{OPEXPR
:opno 96

```

```

:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 365
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 380
  }
)
:location 378
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {OPEXPR
      :opno 594
      :opfuncid 216
      :opresultttype 701
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {FUNCEXPR
          :funcid 1746
          :funcresultttype 701
          :funcset false
          :funcvariadic false
          :funcformat 2
          :funccollid 0
          :inputcollid 0
          :args (
            {CONST
              :consttype 1700
              :consttypmod -1
              :constcollid 0
              :constlen -1
              :constbyval false
              :constisnull false
              :location 270
              :constvalue 8 [ 32 0 0 0 -1 -128 88 27 ]
            }
          )
        }
      :location -1
    }
    {AGGREF
      :aggfnoid 2105
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 5
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location 280
          }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar false
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggsplit 0
      :aggno -1
      :aggtransno -1
    }
  }
)

```

```

        :location 276
    }
)
:location 274
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 241
}
)
:location 239
}
)
:location 161
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {OPEXPR
    :opno 593
    :opfuncid 217
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 47
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 43
    }
    {FUNCEXPR
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 1700
    :consttypmod -1

```

```

        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location 68
        :constvalue 8 [ 32 0 0 0 -128 -128 7 0 ]
    }
}
:location -1
}
)
:location 66
}
:resno 1
:resname avg_yearly
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 395
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true

```

```

:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname l
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname l
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16728
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16728
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 12 13)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
  {RANGETBLREF
    :rtindex 2
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 96
    :opfncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 133
      }
    )
  }
)
}

```

```

    {VAR
      :varno 1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 145
    }
  )
:location 143
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 165
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 175
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 53 51 ]
  }
)
:location 173
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 194
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 208
    :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
  }
)
:location 206
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 226
  }
  {SUBLINK
    :subLinkType 4
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
    }
  }
)
}

```

```

:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname 12
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname 12
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_lin
          enumber" "l_quantity" "l_extendedprice" "l_discount" "
            l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_c
              ommitdate" "l_receiptdate" "l_shipinstruct" "l_shipmod
                e" "l_comment")
      }
    :rtekind 0
    :relid 16728
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16728
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 12)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 365
      }
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 380
      }
    )
    :location 378
  }
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {OPEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {FUNCEXPR
            :funcid 1746

```

```

:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 270
    :constvalue 8 [ 32 0 0 0 -1 -128 88 27 ]
  }
)
:location -1
}
{AGGREG
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 5
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 5
      :location 280
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 276
}
)
:location 274
}
:resno 1
:resname ?column?
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 241
}
)
:location 239
}
)
:location 161
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {OEXPR
      :opno 593

```



```

:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 47
          }
          :resno 1
          :resname <>
          :ressortgrouppref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar false
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggssplit 0
      :aggno -1
      :aggtransno -1
      :location 43
    )
    {FUNCEXP
      :funcid 1746
      :funcresulttype 701
      :funcresultset false
      :funcvariadic false
      :funcformat 2
      :funccollid 0
      :inputcollid 0
      :args (
        {CONST
          :consttype 1700
          :consttypmod -1
          :constcollid 0
          :constlen -1
          :constbyval false
          :constisnull false
          :location 68
          :constvalue 8 [ 32 0 0 0 -128 -128 7 0 ]
        }
      )
      :location -1
    }
  )
  :location 66
}
:resno 1
:resname avg_yearly
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
  }
)

```

```

:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname 1
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname 1
      :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
    }
  }
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname 1
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname 1
      :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
    }
  }
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false

```

```

:isReturn false
:cteList <>
:rttable (
  {RANGETBLENTRY
    :alias
    {ALIAS
      :aliasname s
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname s
      :colnames ("s_suppkey" "s_name" "s_address" "s_nationk
        ey" "s_phone" "s_acctbal" "s_comment")
    }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location -1
              }
              {VAR
                :varno 1
                :varattno 3
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 1
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 3
                :location -1
              }
            )
          }
        :location -1
      }
      {OPEXP
        :opno 674
        :opfuncid 297
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location -1
          }
          {FUNCEXP
            :funcid 316
            :funcresulttype 701
            :funcset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
            :inputcollid 0
          }
        )
      }
    )
  }

```

```

        :args (
            {CONST
             :consttype 23
             :consttypmod -1
             :constcollid 0
             :constlen 4
             :constbyval true
             :constisnull false
             :location -1
             :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
}
:location -1
}
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
     :expr
     {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
     }
     :resno 1
     :resname ?column?
     :ressortgroupref 0
     :resorigtbl 0
     :resorigcol 0
     :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
     :expr
     {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
     }
     :resno 1
     :resname l_orderkey
     :ressortgroupref 0
     :resorigtbl 16566
     :resorigcol 1
     :resjunk false
    }
    {TARGETENTRY
     :expr
     {VAR
      :varno 1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
     }
     :resno 2
     :resname l_partkey
     :ressortgroupref 0
     :resorigtbl 16566

```

```

:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location -1
    }
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 14
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 14
        :location -1
    }
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 15
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 15
        :location -1
    }
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 16
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 16
        :location -1
    }
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16728
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY

```

```

:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16728
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 133
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 145
}
)
:location 143
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 165
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```



```

:constlen -1
:constbyval false
:constisnull false
:location 175
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 53 51 ]
}
)
:location 173
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 194
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 208
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
)
:location 206
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 226
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname 12
:colnames <>
}
:eref
{ALIAS
:aliasname 12
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_lin
enumber" "l_quantity" "l_extendedprice" "l_discount" "
l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_c
ommitdate" "l_receiptdate" "l_shipinstruct" "l_shipmod
e" "l_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false

```

```

:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname l
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname l
        :colnames ("l_orderkey" "l_partkey" "l_suppkey"
          "l_linenummer" "l_quantity" "l_extendedprice" "l_
            _discount" "l_tax" "l_returnflag" "l_linestatus"
          "l_shipdate" "l_commitdate" "l_receiptdate" "l_
            shipinstruct" "l_shipmode" "l_comment")
        }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19
      20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBLENTRY
                :alias
                  {ALIAS
                    :aliasname s
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname s
                    :colnames ("s_suppkey" "s_name" "s_addr
                      ess" "s_nationkey" "s_phone" "s_acctbal
                        " "s_comment")
                    }
                :rtekind 0
                :relid 16541
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
            )
          }
      }
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16541
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 13)
        :insertedCols (b)
      }
    )
  }

```

```

        :updatedCols (b)
    }
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -24 3 0 0 0 0
0 0 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false

```

```

        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname l_orderkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname l_partkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_suppkey
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}

```

```

    }
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566

```

```

:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16728
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16728
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 365
    }
    {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 380
    }
}
:location 378
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {FUNCEXPR
                    :funcid 1746
                    :funcresulttype 701
                    :funcresultset false
                    :funcvariadic false
                    :funcformat 2
                    :funccollid 0
                    :inputcollid 0
                    :args (
                        {CONST
                            :consttype 1700
                            :consttypmod -1
                            :constcollid 0
                            :constlen -1
                            :constbyval false
                            :constisnull false
                            :location 270
                            :constvalue 8 [ 32 0 0 0 -1 -128 88 27 ]
                        }
                    )
                }
            )
            :location -1
        }
        {AGGREF
            :aggfnoid 2105
            :aggtype 701
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 0
            :aggargtypes (o 701)
            :aggdirectargs <>
            :args (
                {TARGETENTRY
                    :expr
                    {VAR
                        :varno 1
                        :varattno 5
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 1
                        :varattnosyn 5
                        :location 280
                    }
                    :resno 1
                    :resname <>
                    :ressortgroupref 0
                    :resorigtbl 0
                    :resorigcol 0
                    :resjunk false
                }
            )
            :aggorder <>
            :aggdistinct <>
            :aggfilter <>
            :aggstar false
            :aggvariadic false
            :aggkind n
            :aggpresorted false
            :agglevelsup 0
            :aggssplit 0
            :aggno -1
            :aggtransno -1
            :location 276
        }
    )
    :location 274
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)

```



```

        :override 0
        :onConflict <>
        :returningOldAlias <>
        :returningNewAlias <>
        :returningList <>
        :groupClause <>
        :groupDistinct false
        :groupingSets <>
        :havingQual <>
        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 241
}
)
:location 239
}
)
:location 161
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {OPEXPR
    :opno 593
    :opfuncid 217
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 47
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 43
    }
    {FUNCEXPR
    :funcid 1746
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location 68
    :constvalue 8 [ 32 0 0 0 -128 -128 7 0 ]
    }
    )
    :location -1
    }
    )
    :location 66
}

```

```

:resno 1
:resname avg_yearly
:resortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname l
  :colnames <>
  }
  }
  :eref
  {ALIAS
  :aliasname l
  :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
  }
  :rtekind 1
:subquery
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks true
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname l
    :colnames <>
    }
    }
    :eref
    {ALIAS
    :aliasname l
    :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
  )
  :rteperminfos (
    {RTEPERMISSIONINFO

```

```

:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname s
:colnames <>
}
:eref
{ALIAS
:aliasname s
:colnames ("s_suppkey" "s_name" "s_address" "s_nationk
ey" "s_phone" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcretset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ -24 3 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr

```

```

{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname 1_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname 1_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname 1_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname 1_linenumber
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

        :varattnosyn 11
        :location -1
    }
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname l_comment

```

```

        :ressortgroupref 0
        :resorigtbl 16566
        :resorigcol 16
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16728
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16728
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 14)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 133
}
{VAR
:varno 1

```



```

:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 145
}
)
:location 143
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 165
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 175
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 53 51 ]
}
)
:location 173
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 194
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 208
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
)
:location 206
}
{OPEXPR
:opno 672
:opfuncid 295
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 226
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
}
}
}

```

```

:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname l2
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname l2
      :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_lin
        enumber" "l_quantity" "l_extendedprice" "l_discount" "
        l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_c
        ommitdate" "l_receiptdate" "l_shipinstruct" "l_shipmod
        e" "l_comment")
    }
  }
:rtekind 1
:subquery
{QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks true
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
      :alias
      {ALIAS
        :aliasname 1
        :colnames <>
      }
      :eref
      {ALIAS
        :aliasname 1
        :colnames ("l_orderkey" "l_partkey" "l_suppkey"
          "l_linenummer" "l_quantity" "l_extendedprice" "l_
          _discount" "l_tax" "l_returnflag" "l_linestatus"
          "l_shipdate" "l_commitdate" "l_receiptdate" "l_
          shipinstruct" "l_shipmode" "l_comment")
        }
      :rtekind 0
      :relid 16566
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  )
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19
      20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
    }
  }
}

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname s
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname s
        :colnames ("s_suppkey" "s_name" "s_addr
          ess" "s_nationkey" "s_phone" "s_acctbal
            " "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 1
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location -1
          }
        )
      }
      :location -1
    )
  }
  {OEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
      }
    )
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
  }

```

```

:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -24 3 0 0 0 0
      0 0 ]
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
  }
)

```

```

    }
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566

```

```

:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 1
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location -1
        }
    :resno 13
    :resname l_receiptdate
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 13
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location -1
    }
    :resno 14
    :resname l_shipinstruct
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 14
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location -1
    }
    :resno 15
    :resname l_shipmode
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 15
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 16
    :location -1
    }
    :resno 16
    :resname l_comment
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 16
    :resjunk false
    }
    }
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :security_barrier false
    :relid 16728
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1

```

```

:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16728
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 365
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 380
}
)
:location 378
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 270
:constvalue 8 [ 32 0 0 0 -1 -128 88 27 ]
}
)
:location -1
}
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 280
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}

)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 276
}

)
:location 274
}

:resno 1
:resname ?column?
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

:location 241
}

)
:location 239
}

)
:location 161
}

}

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OPEXPR
:opno 593
:opfuncid 217
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 47
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```



```

        }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 43
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 28 64 ]
}
)
:location 66
}
:resno 1
:resname avg_yearly
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6581.612499999999
:join.plan.total_cost 873219724.3207502
:join.plan.plan_rows 1615
:join.plan.plan_width 8
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 445.45
:join.plan.total_cost 235643.75325000004
:join.plan.plan_rows 4918354
:join.plan.plan_width 20
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 164729.2
:scan.plan.plan_rows 6000920
:scan.plan.plan_width 24
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}

```

```

    }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 3
        :varattno 14
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 14
        :location -1
        }
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 343
:plan.total_cost 343
:plan.plan_rows 8196
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 343
:scan.plan.plan_rows 8196

```

```

:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 4
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual (
  {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 4
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 64 -113 64 ]
      }
    )
    :location -1
  }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 4
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16566
:skewColumn 3
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 4
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 3
        :vartype 23

```



```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
    }
    {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    )
    :location -1
    }
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
    }
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 6133.7
:plan.total_cost 6133.7
:plan.plan_rows 197
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 1000
:plan.total_cost 6133.7
:plan.plan_rows 197
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 7
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 133
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
}
)

```

```

:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 5114
:scan.plan.plan_rows 82
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 8
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 133
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 165
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 175
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 53 51 ]
}
)
:location 173
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 194
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 208
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
)
:location 206
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanreldid 2
}
:plan.righttree <>
:plan.initPlan <>

```

```

        :plan.extParam (b)
        :plan.allParam (b)
        :num_workers 2
        :rescan_param 1
        :single_copy false
        :invisible false
        :initParam (b)
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 133
        }
    )
    :skewTable 16566
    :skewColumn 2
    :skewInherit false
    :rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
    {OPEXPR
    :opno 672
    :opfuncid 295
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 3
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
        }
        {SUBPLAN
        :subLinkType 4
        :testexpr <>
        :paramIds <>
        :plan_id 1
        :plan_name SubPlan\ 1
        :firstColType 701
        :firstColTypmod -1
        :firstColCollation 0
        :useHashTable false
        :unknownEqFalse false
        :parallel_safe false
        :setParam <>
        :parParam (i 0)
        :args (
            {VAR
            :varno -1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 1
            :location 380
            }
        )
        :startup_cost 0
        :per_call_cost 180177.38700000005
    }
    )
    :location 239
}
)
:hashclauses (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
    }

```

```

:location -1
}
{VAR
:varno -1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 133
}
}
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggsplit 0
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

Aggregate (cost=873219728.36..873219728.37 rows=1 width=8) (actual time=4887690.402..4887691.337 rows=1.00 loops=1)
  Output: (sum(l1_extendedprice) / '7'::double precision)
  Buffers: shared hit=30001030 read=530045830
  -> Hash Join (cost=6581.61..873219724.32 rows=1615 width=8) (actual time=1432.561..4887688.416 rows=1862.00 loops=1)
    Output: l1_extendedprice
    Hash Cond: (l1_partkey = part.p_partkey)
    Join Filter: (l1_quantity < (SubPlan 1))
    Rows Removed by Join Filter: 3485
    Buffers: shared hit=30001030 read=530045830
    -> Hash Semi Join (cost=445.45..235643.75 rows=4918354 width=20) (actual time=11.338..1929.467 rows=4918316.00 loops=1)
      Output: l1_extendedprice, l1_partkey, l1_quantity
      Hash Cond: (l1_suppkey = s.s_suppkey)
      Buffers: shared hit=5821 read=99117
      -> Seq Scan on public.lineitem l1 (cost=0.00..164729.20 rows=6000920 width=24) (actual time=0.707..408.319 rows=6001215.00 loops=1)
        Output: l1_orderkey, l1_partkey, l1_suppkey, l1_linenum, l1_quantity, l1_extendedprice, l1_discount, l1_tax, l1_returnflag,
        l1_linestatus, l1_shipdate, l1_commitdate, l1_receiptdate, l1_shipinstruct, l1_shipmode, l1_comment
        Buffers: shared hit=5603 read=99117
      -> Hash (cost=343.00..343.00 rows=8196 width=4) (actual time=10.616..10.616 rows=8197.00 loops=1)
        Output: s.s_suppkey
        Buckets: 16384 Batches: 1 Memory Usage: 417kB
        Buffers: shared hit=218
        -> Seq Scan on public.supplier s (cost=0.00..343.00 rows=8196 width=4) (actual time=0.372..9.438 rows=8197.00 loops=1)
          Output: s.s_suppkey
          Filter: (s.s_acctbal > '1000'::double precision)
          Rows Removed by Filter: 1803
          Buffers: shared hit=218
    -> Hash (cost=6133.70..6133.70 rows=197 width=4) (actual time=145.530..146.272 rows=214.00 loops=1)
      Output: part.p_partkey
      Buckets: 1024 Batches: 1 Memory Usage: 16kB
      Buffers: shared hit=3864
      -> Gather (cost=1000.00..6133.70 rows=197 width=4) (actual time=1.018..146.192 rows=214.00 loops=1)
        Output: part.p_partkey
        Workers Planned: 2
        Workers Launched: 2
        Buffers: shared hit=3864
        -> Parallel Seq Scan on public.part (cost=0.00..5114.00 rows=82 width=4) (actual time=1.782..126.447 rows=71.33 loops=3)
          Output: part.p_partkey
          Filter: ((part.p_brand = 'Brand#53'::text) AND (part.p_container = 'MED BAG'::text))
          Rows Removed by Filter: 66595
          Buffers: shared hit=3864
          Worker 0: actual time=0.076..117.713 rows=67.00 loops=1
          Buffers: shared hit=1073
          Worker 1: actual time=4.921..117.720 rows=71.00 loops=1
          Buffers: shared hit=1106
    SubPlan 1
      -> Aggregate (cost=180177.37..180177.39 rows=1 width=8) (actual time=913.649..913.649 rows=1.00 loops=5347)
        Output: ('0.7'::double precision * avg(l1_l_quantity))
        Buffers: shared hit=29991345 read=529946713
        -> Hash Semi Join (cost=445.45..180177.31 rows=25 width=8) (actual time=37.684..913.621 rows=26.89 loops=5347)
          Output: l1_l_quantity
          Hash Cond: (l1_l_suppkey = s1.s_suppkey)
          Buffers: shared hit=29991345 read=529946713
          -> Seq Scan on public.lineitem l1 (cost=0.00..179731.50 rows=31 width=12) (actual time=30.628..913.558 rows=30.79 loops=5347)
            Output: l1_l_orderkey, l1_l_partkey, l1_l_suppkey, l1_l_linenum, l1_l_quantity, l1_l_extendedprice, l1_l_discount, l1_l_
            .l_tax, l1_l_returnflag, l1_l_linestatus, l1_l_shipdate, l1_l_commitdate, l1_l_receiptdate, l1_l_shipinstruct, l1_l_shipmode, l1_l_comment
            Filter: (l1_l_partkey = part.p_partkey)
            Rows Removed by Filter: 6001184

```

```

        Buffers: shared hit=29991127 read=529946713
-> Hash (cost=343.00..343.00 rows=8196 width=4) (actual time=2.170..2.170 rows=8197.00 loops=1)
    Output: s_1.s_suppkey
    Buckets: 16384 Batches: 1 Memory Usage: 417kB
    Buffers: shared hit=218
-> Seq Scan on public.supplier s_1 (cost=0.00..343.00 rows=8196 width=4) (actual time=0.009..1.333 rows=8197.00 loops=1)
    Output: s_1.s_suppkey
    Filter: (s_1.s_acctbal > '1000'::double precision)
    Rows Removed by Filter: 1803
    Buffers: shared hit=218

Planning:
  Buffers: shared hit=15
Planning Time: 9.553 ms
Execution Time: 4887693.461 ms
(69 rows)

```

```

Time: 4887719.021 ms (01:21:27.719)
tpch=> reset role;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

```

Time: 9.456 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE
  r RECORD;
BEGIN
  FOR r IN SELECT policyname, tablename FROM pg_policies WHERE schemaname = 'public'
  LOOP
    EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.policyname, r.tablename);
  END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

```

```

-- Step 3: Enable RLS on orders
ALTER TABLE orders ENABLE ROW LEVEL SECURITY;

-- Step 4: Create policy - only show orders from customers with acctbal > 5000
CREATE POLICY orders_rls_policy ON orders
USING (
    EXISTS (
        SELECT 1 FROM customer c
        WHERE c.c_custkey = orders.o_custkey
        AND c.c_acctbal > 5000
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON orders TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;

-- Step 6: Run Q18
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    c_name,
    c_custkey,
    o_orderkey,
    o_orderdate,
    o_totalprice,
    sum(l_quantity)
from
    customer,
    orders,
    lineitem
where
    o_orderkey in (
        select
            l_orderkey
        from
            lineitem
        group by
            l_orderkey having
                sum(l_quantity) > 300
    )
    and c_custkey = o_custkey
    and o_orderkey = l_orderkey
group by
    c_name,
    c_custkey,
    o_orderkey,
    o_orderdate,
    o_totalprice
order by
    o_totalprice desc,
    o_orderdate;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {DOSTMT
:args (
  {DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycynome,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycynome,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
      :defaction 0
      :location 3
    }
  }
  :stmt_location 0
  :stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DOSTMT
:args (
  {DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
  T\ polycynome,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
  public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
  \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycynome,\ r.tablename\
  );\
\ \ \ \ END\ LOOP;\
END;\
"
      :defaction 0
      :location 3
    }
  }
  :resultRelation 0

```

```

:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
          "cmd" "qual" "with_check")
      }
    :rtekind 0
    :relid 12018
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 12018
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {OEXPR
    :opno 93
    :opfuncid 62
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 950
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 19
        :vartypmod -1
        :varcollid 950
      }
    )
  }
}

```



```

:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "relotype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lcl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "relotype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR

```

```

:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli

```

```

        spopulated" "relreplident" "relispartition" "relrewrite" "relfr
        ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
        " "nspname" "nspowner" "nspacl")
    }
:rtkind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
    {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
    {VAR
        :varno 1
        :varattno 4
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
    {VAR
        :varno 1
        :varattno 5
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location -1
    }
    {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    {VAR
        :varno 1
        :varattno 8
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    {VAR
        :varno 2
        :varattno 1

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR

```



```

:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1

```

```

        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}

```

```

{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {CASEEXPR
    :casetype 25
    :casecollid 100
    :arg <>
    :args (
      {CASEWHEN
        :expr
          {VAR
            :varno 1
            :varattno 5
            :vartype 16
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location -1
          }
        :result
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
          }
        :location -1
      }
    )
  :defresult
    {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location -1
      :constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
    }
    :location -1
  }
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {CASEEXPR
    :casetype 1003
    :casecollid 950
    :arg <>
    :args (
      {CASEWHEN
        :expr
          {OPEXPR
            :opno 1070
            :opfuncid 744
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 1028
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location -1
              }
            {CONST
              :consttype 1028
              :consttypmod -1
              :constcollid 0
              :constlen -1
              :constbyval false
              :constisnull false
            }
          }
        }
      }
    )
  }

```

```

        :location -1
        :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:default
{SUBLINK
:sublinkType 6
:sublinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>

```

```

    }
  )
  :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
  )
  :jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {SCALARARRAYOPEXPR
  :opno 607
  :opfuncid 184
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
  )
  :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname rolname
  :ressortgroupref 1
  :resorigtbl 1260
  :resorigcol 2
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 93
  :sortop 660
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1

```



```

        :stmt_len -1
    }
    :location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}

```

```

{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
  }
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
  }
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100

```

```

        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
}
)
:defaultresult
{CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
        {VAR
            :varno 1
            :varattno 7
            :vartype 194
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 7
            :location -1
        }
        {VAR
            :varno 1
            :varattno 3
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location -1
        }
    )
    :location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
        {VAR
            :varno 1
            :varattno 8
            :vartype 194
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 8
            :location -1
        }
        {VAR
            :varno 1
            :varattno 3
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location -1
        }
    )
    :location -1
}
}
:location -1

```



```

        :location 7
    }
    :resno 1
    :resname policyname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 19
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
    }
    }
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    )

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname pg_policies
  :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
    "cmd" "qual" "with_check")
  }
  :rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname pol
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname pol
  :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"

```

```

        "polroles" "polqual" "polwithcheck")
    }
:rtkind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtkind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtkind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1

```

```

:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}

```

```

{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14

```



```

:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")}
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2

```

```

:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
}

```

```

{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30

```

```

:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>

```



```

    }
)
:rtperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
)

```

```

        :location -1
    }
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
    {CASETESTEXPR
    :typeid 25
    :typeMod -1
    :collation 0
    }
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBLENTY
    :alias <>
    :eref
    {ALIAS
    :aliasname pg_authid
    :colnames ("oid" "rolname" "rolsuper" "rolinherit"
    "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
    lication" "rolbypassrls" "rolconlimit" "rolpasswor
    d" "rolvaliduntil")
    }
    :rtekind 0
    :relid 1260
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
)
}
:jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF
    :rtindex 1
    }
)
}
:quals
{SCALARARRAYOPEXP
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    }
)
}

```

```

        :location -1
    }
    {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    )
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1

```

```

}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (

```

```

        {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
        }
        {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
        }
    }
    :location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>

```



```

    }
} :rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updateCols (b)
})
):jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rindex 1
})
}:quals
(OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
})
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
})
:location 63
})
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
})
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
})
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
):override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.4025
:join.plan.total_cost 11.56988549906787
:join.plan.plan_rows 1
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.2725
:join.plan.total_cost 11.335952914798208
:join.plan.plan_rows 1
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 3.01
:scan.plan.plan_rows 1
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>

```

```

:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.2725
:scan.plan.total_cost 8.290000000000001
:scan.plan.plan_rows 1
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
    }
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
}

```

```

:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```



```

:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 26
        :location -1
    }
:resno 26
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 27
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 27
        :location -1
    }
:resno 27
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 28
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 28
        :location -1
    }
:resno 28
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 29
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 29
        :location -1
    }
:resno 29
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 30
        :vartype 28
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 30
        :location -1
    }
:resno 30
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 31
        :vartype 28
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 31
    }

```

```

        :location -1
    }
:resno 31
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
:indexid 2662
:indexqual (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
)

```

```

        :location -1
    }
)
:indexqualorig (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM
:paramno 0
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
)
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.13
:scan.plan.total_cost 0.17696629213483145
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2

```

```
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 3
    :location -1
  }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 4
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 4
    :location -1
  }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 93
:opfucnid 62
:opresulttpe 16
:opretset false
:opcoid 0
:inputcoid 950
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttpe 19
    :consttypmod -1
    :constcoid 950
    :constlen 64
    :constbyval false
    :constisnull false
    :location 65
    :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
  }
)
:location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanrelid 5
:indexid 2685
:indexqual (
  {OPEXPR
    :opno 607
    :opfucnid 184
    :opresulttpe 16
    :opretset false
    :opcoid 0
    :inputcoid 0
    :args (
      {VAR
        :varno -3
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
}
:location -1
}
)
:indexqualorig (
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
}
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM
:paramno 1
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
}
)
}
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY

```

```

:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25

```

```

:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3

```



```

        :paramtype 19
        :paramtypmod -1
        :paramcollid 950
        :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
}
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>

```

```

}

WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("lineitem" "lineitem_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("lineitem" "lineitem_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

```

Time: 30.488 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>

```

```

:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.163 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALTERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALTERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALTERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALTERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>

```

```

:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 1.438 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
}

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.346 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>

```

```

:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.620 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>

```

```
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

Time: 0.272 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}
```

```
Time: 0.251 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}
```

```
WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

```
Time: 0.332 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
```



```

        {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 12
        }
      :cmds (
        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :stmt_location 0
  :stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}
}

```

Time: 0.283 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
}
}
}

```

```

        :alias <>
        :location 12
    }
    :cmds (
        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
    )
    :objtype 41
    :missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.940 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54

```

```

        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 44
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 44
}

```

Time: 0.246 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name orders_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 35
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
}

```

```

)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 78
}
:location 78
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 85
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 110
}
:rexpr
{COLUMNREF
:fields ("orders" "o_custkey")
:location 124
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 122
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("c" "c_acctbal")
:location 153
}
:rexpr
{A_CONST
:val 5000
:location 167
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 165
}
)
:location 149
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 54
}
:with_check <>
}
:stmt_location 0
:stmt_len 179
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name orders_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true

```

```

:relpersistence p
:alias <>
:location 35
}
:cmd_name all
:permissive true
:roles (
  {ROLESPEC
    :roletype 4
    :rolename <>
    :location -1
  }
)
:qual
{SUBLINK
  :subLinkType 0
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
    {SELECTSTMT
      :distinctClause <>
      :intoClause <>
      :targetList (
        {RESTARTGET
          :name <>
          :indirection <>
          :val
            {A_CONST
              :val 1
              :location 78
            }
          :location 78
        }
      )
      :fromClause (
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname customer
          :inh true
          :relpersistence p
          :alias
            {ALIAS
              :aliasname c
              :colnames <>
            }
          :location 85
        }
      )
      :whereClause
        {BOOLEXP
          :boolop and
          :args (
            {A_EXPR
              :name ("=")
              :lexpr
                {COLUMNREF
                  :fields ("c" "c_custkey")
                  :location 110
                }
              :rexpr
                {COLUMNREF
                  :fields ("orders" "o_custkey")
                  :location 124
                }
              :rexpr_list_start 0
              :rexpr_list_end 0
              :location 122
            }
            {A_EXPR
              :name (">")
              :lexpr
                {COLUMNREF
                  :fields ("c" "c_acctbal")
                  :location 153
                }
              :rexpr
                {A_CONST
                  :val 5000
                  :location 167
                }
              :rexpr_list_start 0
              :rexpr_list_end 0
              :location 165
            }
          )
        }
      :location 149
    }
  :groupClause <>
  :groupDistinct false
  :havingClause <>
  :windowClause <>
  :valuesLists <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :lockingClause <>
  :withClause <>
  :op 0
  :all false
  :larg <>
  :rarg <>
}
:location 54
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 179
}

```

Time: 1.938 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
}

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.773 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
  }
}

```

```

    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.911 ms
WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
}

```



```

)
:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.542 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
}

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.571 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c_name")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c_custkey")
:location 59
}
:location 59
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o_orderkey")
:location 74
}
:location 74
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o_orderdate")
:location 90
}
:location 90
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o_totalprice")
:location 107
}
:location 107
}
{RESTARTGET
:name <>
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("l_quantity")
:location 129
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 125
}
:location 125
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p

```

```

:alias <>
:location 150
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistance p
:alias <>
:location 164
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistance p
:alias <>
:location 176
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{COLUMNREF
:fields ("o_orderkey")
:location 195
}
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l_orderkey")
:location 238
}
:location 238
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistance p
:alias <>
:location 274
}
)
:whereClause <>
:groupClause (
{COLUMNREF
:fields ("l_orderkey")
:location 312
}
)
)
:groupDistinct false
:havingClause
{A_EXPR
:name (">")
:lexpr
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("l_quantity")
:location 350
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 346
}
:rexpr
{A_CONST
:val 300
:location 364
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 362
}
:windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 206

```

```

    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("c_custkey")
    :location 382
    }
    :rexpr
    {COLUMNREF
    :fields ("o_custkey")
    :location 394
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 392
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("o_orderkey")
    :location 412
    }
    :rexpr
    {COLUMNREF
    :fields ("l_orderkey")
    :location 425
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 423
    }
    )
    :location 378
    }
    :groupClause (
    {COLUMNREF
    :fields ("c_name")
    :location 449
    }
    {COLUMNREF
    :fields ("c_custkey")
    :location 461
    }
    {COLUMNREF
    :fields ("o_orderkey")
    :location 476
    }
    {COLUMNREF
    :fields ("o_orderdate")
    :location 492
    }
    {COLUMNREF
    :fields ("o_totalprice")
    :location 509
    }
    )
    )
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause (
    {SORTBY
    :node
    {COLUMNREF
    :fields ("o_totalprice")
    :location 535
    }
    :sortby_dir 2
    :sortby_nulls 0
    :useOp <>
    :location -1
    }
    {SORTBY
    :node
    {COLUMNREF
    :fields ("o_orderdate")
    :location 558
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
    }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>

```

```

:deffaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 569
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_name" "c_custkey" "o_orderkey" "o_orderdate" "o_t
otalprice")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 59
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 74
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 90
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 107
}
}
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 195
  }
  {PARAM
    :paramkind 2
    :paramid 1
    :paramtype 23
    :paramtypmod -1
    :paramcollid 0
    :location -1
  }
)
:location 206
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_
          linenumber" "l_quantity" "l_extendedprice" "l_disco
          unt" "l_tax" "l_returnflag" "l_linestatus" "l_shipd
          ate" "l_commitdate" "l_receiptdate" "l_shipinstruct
          " "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname *GROUP*
        :colnames ("l_orderkey")
      }
    :rtekind 9
  }
  :groupexprs (
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 238
    }
  )
  :lateral false
  :inFromCl false
  :securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 12)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF

```

```

        :rtindex 1
    }
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 1
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 350
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
        }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 346
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1

```



```

        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 364
        :constvalue 4 [ 44 1 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location 362
}
:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 206
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 382
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 394
}
}
:location 392
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 412
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 425
}
}
:location 423
}
)
:location 378
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1

```

```

:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname c_name
:resortgroupref 3
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname c_custkey
:resortgroupref 4
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname o_orderkey
:resortgroupref 5
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname o_orderdate
:resortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname o_totalprice
:resortgroupref 1
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>

```

```

:args (
  {TARGETENTRY
  :expr
    {VAR
      :varno 3
      :varattno 5
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 5
      :location 129
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 125
}
:resno 6
:resname sum
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 5
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1095
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1095
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
)

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 569
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
}

```

```

}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumbe" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_name" "c_custkey" "o_orderkey" "o_orderdate" "o_totalprice")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 59
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 74
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 90
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 107
}

```

```

    }
  }
  :lateral false
  :inFromCl false
  :securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16546
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16561
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 11 12)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16566
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 12)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    {RANGETBLREF
    :rtindex 2
    }
    {RANGETBLREF
    :rtindex 3
    }
  )
  :quals
  {BOOLEXP
  :boolop and
  :args (
    {SUBLINK
    :subLinkType 2
    :subLinkId 0
    :testexpr
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location 195
      }
      {PARAM
      :paramkind 2
      :paramid 1
      :paramtype 23
      :paramtypmod -1
      :paramcollid 0
      :location -1
      }
    )
    :location 206
  }
  :operName ("=")
  :subselect
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs true
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE true
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname lineitem

```

```

        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
    }
:rtkind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_orderkey")
}
:rtkind 9
:groupeprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 238
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname l_orderkey
:ressortgroupref 1
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tlesortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
        {VAR
          :varno 1
          :varattno 5
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 5
          :location 350
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 346
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 364
        :constvalue 4 [ 44 1 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location 362
}
>windowClause <>
>distinctClause <>
>sortClause <>
>limitOffset <>
>limitCount <>
>limitOption 0
>rowMarks <>
>setOperations <>
>constraintDeps <>
>withCheckOptions <>
>stmt_location 0
>stmt_len 0
}
:location 206
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 382
  }
  {VAR
    :varno 2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 394
    }
)
:location 392
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 412
    }
    {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 425
    }
)
:location 423
}
)
:location 378
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 1
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 1
            :location -1
        }
        :resno 1
        :resname c_name
        :ressortgrouppref 3
        :resorigtbl 16546
        :resorigcol 2
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 2
            :location -1
        }
        :resno 2
        :resname c_custkey
        :ressortgrouppref 4
        :resorigtbl 16546
        :resorigcol 1
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 3
            :location -1
        }
        :resno 3

```

```

:resname o_orderkey
:ressortgroupref 5
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:varstype 1082
:varstype -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:varstype 701
:varstype -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname o_totalprice
:ressortgroupref 1
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:varstype 701
:varstype -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 129
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 125
}
:resno 6
:resname sum
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 98
:sortop 664

```

```

:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 5
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 2
:eqop 1093
:sortop 1095
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tltSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tltSortGroupRef 2
:eqop 1093
:sortop 1095
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16561

WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone"
" c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r

```

```

:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -120 19 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1

```

```

    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity true
    :hasGroupRTE true
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBLENTY
        :alias <>
        :eref
        {ALIAS
          :aliasname customer
          :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
        }
        :rtekind 0
        :relid 16546
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
      {RANGETBLENTY
        :alias <>
        :eref
        {ALIAS
          :aliasname orders
          :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
        }
        :rtekind 0
        :relid 16561
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 2
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals (
          {SUBLINK
            :subLinkType 0
            :subLinkId 0
            :testexpr <>
            :operName <>
          }
        )
      }
    )
  }
)

```

```

:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c
_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ -120 19 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
    :location -1
    }
    :location -1
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_name" "c_custkey" "o_orderkey" "o_orderdate" "o_totalpr

```

```

ice")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 59
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 74
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 90
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 107
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
}

```



```

    }
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 195
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 206
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_orderkey")
}
:rtekind 9
:grouppexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 238
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO

```

```

:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname l_orderkey
:ressortgroupref 1
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tlesortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 350
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 346

```

```

    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 364
    :constvalue 4 [ 44 1 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location 362
    }
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :location 206
    }
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 382
    }
    {VAR
    :varno 2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 394
    }
    )
    :location 392
    }
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 412
    }
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 425
    }
    )
    :location 423
    }

```

```

    )
    :location 378
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 4
  :varattno 1
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname c_name
  :ressortgroupref 3
  :resorigtbl 16546
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 4
  :varattno 2
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 2
  :location -1
  }
  :resno 2
  :resname c_custkey
  :ressortgroupref 4
  :resorigtbl 16546
  :resorigcol 1
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 4
  :varattno 3
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 3
  :location -1
  }
  :resno 3
  :resname o_orderkey
  :ressortgroupref 5
  :resorigtbl 16561
  :resorigcol 1
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 4
  :varattno 4
  :vartype 1082
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 4
  :location -1
  }
  :resno 4
  :resname o_orderdate
  :ressortgroupref 2
  :resorigtbl 16561
  :resorigcol 5
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 4
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 4
  :varattnosyn 5
  :location -1
  }
  :resno 5
  :resname o_totalprice
  :ressortgroupref 1
  :resorigtbl 16561

```

```

:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 129
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 125
}
:resno 6
:resname sum
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 5
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 2
:eqop 1093
:sortop 1095
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 670
:sortop 674

```

```

:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1093
:sortop 1095
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o
_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
}
:eref
{ALIAS

```

```

        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c
        _phone" "c_acctbal" "c_mktsegment" "c_comment")
    }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
)
:location -1
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -120 19 0 0 0 0 0 0 ]
}
)
}
}
}

```

```

        )
        :location -1
    }
    )
    :location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_name" "c_custkey" "o_orderkey" "o_orderdate" "o_totalprice")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1

```



```

:location 59
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 74
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 90
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 107
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 1
:location 195
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 206
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("l_orderkey")
}
:rtekind 9
:grouppexprs (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 238
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 1
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual
    {OPEXPR
        :opno 674
        :opfuncid 297
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {AGGREF
                :aggfnoid 2111
                :aggtype 701
                :aggcollid 0
                :inputcollid 0
                :aggtranstype 0
                :aggargtypes (o 701)
                :aggdirectargs <>
                :args (
                    {TARGETENTRY
                        :expr
                        {VAR
                            :varno 1
                            :varattno 5
                            :vartype 701
                            :vartypmod -1
                            :varcollid 0
                            :varnullingrels (b)
                            :varlevelsup 0
                            :varreturningtype 0
                            :varnosyn 1
                            :varattnosyn 5
                            :location 350
                        }
                    }
                    :resno 1
                    :resname <>
                    :ressortgroupref 0
                    :resorigtbl 0
                    :resorigcol 0
                    :resjunk false
                }
            )
        )
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar false
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggssplit 0
        :aggno -1
        :aggtransno -1
        :location 346
    }
    {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 364
                :constvalue 4 [ 44 1 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
)
:location 362
}
>windowClause <>
:distinctClause <>

```

```

:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 206
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 382
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 394
}
)
:location 392
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 412
}
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 425
}
)
:location 423
}
}
:location 378
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname c_name
:ressortgroupref 3
:resorigtbl 16546
:resorigcol 2

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 2
:resname c_custkey
:ressortgroupref 4
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
}
:resno 3
:resname o_orderkey
:ressortgroupref 5
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:resno 4
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
}
:resno 5
:resname o_totalprice
:ressortgroupref 1
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 129
}
}
}
}

```

```

        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 125
}
:resno 6
:resname sum
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 3
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 4
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 5
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 1093
        :sortop 1095
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 670
        :sortop 674
        :reverse_sort true
        :nulls_first true
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 670
        :sortop 674
        :reverse_sort true
        :nulls_first true
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 1093
        :sortop 1095
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 8883838073.804281

```

:plan.total_cost 8883845805.071783
:plan.plan_rows 281137
:plan.plan_width 47
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 0
      :varattnosyn 0
      :location -1
    }
    :resno 1
    :resname c_name
    :ressortgroupref 3
    :resorigtbl 16546
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 0
      :varattnosyn 0
      :location -1
    }
    :resno 2
    :resname c_custkey
    :ressortgroupref 4
    :resorigtbl 16546
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 0
      :varattnosyn 0
      :location -1
    }
    :resno 3
    :resname o_orderkey
    :ressortgroupref 5
    :resorigtbl 16561
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 4
      :vartype 1082
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 0
      :varattnosyn 0
      :location -1
    }
    :resno 4
    :resname o_orderdate
    :ressortgroupref 2
    :resorigtbl 16561
    :resorigcol 5
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 5
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 0
      :varattnosyn 0
      :location -1
    }
    :resno 5
    :resname o_totalprice
    :ressortgroupref 1
    :resorigtbl 16561
  }
)

```

```

:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 129
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno 0
:aggtransno 0
:location 125
}
:resno 6
:resname sum
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 8883838073.804281
:plan.total_cost 8883838776.646782
:plan.plan_rows 281137
:plan.plan_width 47
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```



```

{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 5
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 5
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 719262.4774983241
:join.plan.total_cost 8883803981.12125
:join.plan.plan_rows 281137
:join.plan.plan_width 47
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2

```

```

        :location -1
    }
:resno 1
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 5
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 129
}
:resno 6
:resname <>
:ressortgrouppref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 711336.4774983241
:join.plan.total_cost 8883787466.4875
:join.plan.plan_rows 281137
:join.plan.plan_width 28
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 394
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location 129
    }
    :resno 5
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 8883041008
:scan.plan.plan_rows 750000
:scan.plan.plan_width 20
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 394
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

)
:scan.plan.qual (
{SUBPLAN
:subLinkType 2
:testexpr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
:paramIds (i 1)
:plan_id 2
:plan_name SubPlan\ 2
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 5716.52
:per_call_cost 0.0025
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 676564.7024983241
:plan.total_cost 676564.7024983241
:plan.plan_rows 2000302
:plan.plan_width 16
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 496082.93174832413
:join.plan.total_cost 676564.7024983241
:join.plan.plan_rows 2000302
:join.plan.plan_width 16
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 6
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 129
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 425
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 164729.2
:scan.plan.plan_rows 6000920
:scan.plan.plan_width 12
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false

```

```

:scan.plan.plan_node_id 7
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
      }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
}

```

```

:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 1002
:vartypmod -1
:varcollid 0

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 11
        :location -1
    }
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16

```

```

        :location -1
    }
    :resno 16
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 494326.0942483241
:plan.total_cost 494326.0942483241
:plan.plan_rows 140547
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 8
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 366138.65905861283
:plan.total_cost 494326.0942483241
:plan.plan_rows 140547
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 10
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual (
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 0
:aggtransno 0
:location 346
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 -64 114 64 ]
}
)
:location 362
}
)
:plan.lefttree
{GATHERMERGE
:plan.disabled_nodes 0
:plan.startup_cost 366138.65905861283
:plan.total_cost 483995.8642483242
:plan.plan_rows 1011941
:plan.plan_width 12
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 11
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 365138.63528417534
:plan.total_cost 366192.7402841753
:plan.plan_rows 421642
:plan.plan_width 12
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 12
:plan.targetlist (
{TARGETENTRY
:expr
{VAR

```

```

:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 289904.6192708333
:plan.total_cost 318538.84200520837
:plan.plan_rows 421642
:plan.plan_width 12
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 13
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location 350
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false

```

```

:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 6
:aggno 0
:aggtransno 0
:location 346
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 129723.83333333334
:scan.plan.plan_rows 2500383
:scan.plan.plan_width 12
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 14
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 6
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 15
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 15
        :location -1
    }
    :resno 15
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 6
    :varattno 16
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 16
    :location -1
    }
    :resno 16
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b 2)
    :scan.plan.allParam (b 2)
    :scan.scanrelid 6
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b 2)
    :plan.allParam (b 2)
    :aggstrategy 2
    :aggsplit 6
    :numCols 1
    :grpColIdx ( 1)
    :grpOperators ( 96)
    :grpCollations ( 0)
    :numGroups 421642
    :transitionSpace 0
    :aggParams (b)
    :groupingSets <>
    :chain <>
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b 2)
    :plan.allParam (b 2)
    :numCols 1
    :sortColIdx ( 1)
    :sortOperators ( 97)
    :collations ( 0)
    :nullsFirst ( false)
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :num_workers 2
    :rescan_param 2
    :numCols 1
    :sortColIdx ( 1)
    :sortOperators ( 97)
    :collations ( 0)
    :nullsFirst ( false)
    :initParam (b)
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :aggstrategy 1
    :aggsplit 9
    :numCols 1
    :grpColIdx ( 1)
    :grpOperators ( 96)
    :grpCollations ( 0)
    :numGroups 421642
    :transitionSpace 0
    :aggParams (b)
    :groupingSets <>
    :chain <>
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0

```



```

        :varnosyn 5
        :varattnosyn 1
        :location -1
    }
)
:skewTable 16566
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 425
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 425
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 425
    }
)
:skewTable 16561
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 1

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 412
    }
    {VAR
    :varno -1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 425
    }
    )
    :location -1
    }
    )
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 412
    }
    )
    }
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 5172
:plan.total_cost 5172
:plan.plan_rows 150000
:plan.plan_width 23
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 15
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 5172
:scan.plan.plan_rows 150000
:scan.plan.plan_width 23
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 16
:scan.plan.targetlist (

```

```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 382
}
)
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
}
:args (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 394
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

        :varattnosyn 1
        :location 382
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 4
:vartype 23
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 394
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 5
:sortColIdx ( 5 4 1 2 3)
:sortOperators ( 674 1095 664 97 97)
:collations ( 0 0 100 0 0)
:nullsFirst ( true false false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 0
:numCols 5
:grpColIdx ( 5 4 1 2 3)
:grpOperators ( 670 1093 98 96 96)
:grpCollations ( 0 0 100 0 0)
:numGroups 281137
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
GroupAggregate (cost=8883838073.80..8883845805.07 rows=281137 width=47) (actual time=4267.552..4267.645 rows=25.00 loops=1)
  Output: customer.c_name, customer.c_custkey, orders.o_orderkey, orders.o_orderdate, orders.o_totalprice, sum(lineitem.l_quantity)
  Group Key: orders.o_totalprice, orders.o_orderdate, customer.c_name, customer.c_custkey, orders.o_orderkey
  Buffers: shared hit=19716 read=223090, temp read=33845 written=56831
  -> Sort (cost=8883838073.80..8883838776.65 rows=281137 width=47) (actual time=4267.543..4267.601 rows=175.00 loops=1)
    Output: customer.c_name, customer.c_custkey, orders.o_orderkey, orders.o_orderdate, orders.o_totalprice, lineitem.l_quantity
    Sort Key: orders.o_totalprice DESC, orders.o_orderdate, customer.c_name, customer.c_custkey, orders.o_orderkey
    Sort Method: quicksort Memory: 35kB
    Buffers: shared hit=19716 read=223090, temp read=33845 written=56831
    -> Hash Join (cost=719262.48..8883803981.12 rows=281137 width=47) (actual time=4193.281..4267.250 rows=175.00 loops=1)
      Output: customer.c_name, customer.c_custkey, orders.o_orderkey, orders.o_orderdate, orders.o_totalprice, lineitem.l_quantity
      Hash Cond: (orders.o_custkey = customer.c_custkey)
      Buffers: shared hit=19716 read=223090, temp read=33845 written=56831
      -> Hash Join (cost=711336.48..8883787466.49 rows=281137 width=28) (actual time=3581.044..4029.284 rows=175.00 loops=1)
        Output: orders.o_orderkey, orders.o_orderdate, orders.o_totalprice, orders.o_custkey, lineitem.l_quantity
        Hash Cond: (orders.o_orderkey = lineitem.l_orderkey)
        Buffers: shared hit=16044 read=223090, temp read=33441 written=56427
        -> Seq Scan on public.orders (cost=0.00..8883041008.00 rows=750000 width=20) (actual time=29.950..426.894 rows=679548.00 loops=1)
          Output: orders.o_orderkey, orders.o_orderdate, orders.o_totalprice, orders.o_custkey
          Filter: (ANY (orders.o_custkey = (hashed SubPlan 2).col1))
          Rows Removed by Filter: 820452
          Buffers: shared hit=4168 read=25512
          SubPlan 2
          -> Seq Scan on public.customer c (cost=0.00..5547.00 rows=67808 width=4) (actual time=0.008..19.646 rows=67989.00 loops=1)
            Output: c.c_custkey
            Filter: (c.c_acctbal > '5000':double precision)
            Rows Removed by Filter: 82011
            Buffers: shared hit=3672
        -> Hash (cost=676564.70..676564.70 rows=2000302 width=16) (actual time=3382.732..3382.783 rows=399.00 loops=1)
          Output: lineitem.l_quantity, lineitem.l_orderkey, lineitem.l_orderkey
          Buckets: 262144 Batches: 16 Memory Usage: 2050kB
          Buffers: shared hit=11876 read=197578, temp read=30310 written=53296
          -> Hash Join (cost=496082.93..676564.70 rows=2000302 width=16) (actual time=2583.824..3380.172 rows=399.00 loops=1)
            Output: lineitem.l_quantity, lineitem.l_orderkey, lineitem.l_orderkey
            Inner Unique: true
            Hash Cond: (lineitem.l_orderkey = lineitem.l_orderkey)
            Buffers: shared hit=11876 read=197578, temp read=30310 written=53296
            -> Seq Scan on public.lineitem (cost=0.00..164729.20 rows=6000920 width=12) (actual time=0.026..390.260 rows=6001215.00 lo
ops=1)
              Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, linei
tem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.
l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
              Buffers: shared hit=6072 read=98648
              -> Hash (cost=494326.09..494326.09 rows=140547 width=4) (actual time=2573.100..2573.149 rows=57.00 loops=1)
                Output: lineitem.l_orderkey
                Buckets: 262144 Batches: 1 Memory Usage: 2051kB
                Buffers: shared hit=5804 read=98930, temp read=30310 written=53296
                -> Finalize GroupAggregate (cost=366138.66..494326.09 rows=140547 width=4) (actual time=2166.663..2572.891 rows=57.0
0 loops=1)
                  Output: lineitem.l_orderkey
                  Group Key: lineitem.l_orderkey
                  Filter: (sum(lineitem.l_quantity) > '300':double precision)
                  Rows Removed by Filter: 1499943
                  Buffers: shared hit=5804 read=98930, temp read=30310 written=53296
                  -> Gather Merge (cost=366138.66..483995.86 rows=1011941 width=12) (actual time=2166.103..2362.411 rows=1501819
.00 loops=1)
                    Output: lineitem.l_orderkey, (PARTIAL sum(lineitem.l_quantity))

```

```

Workers Planned: 2
Workers Launched: 2
Buffers: shared hit=5804 read=98930, temp read=30310 written=53296
-> Sort (cost=365138.64..366192.74 rows=421642 width=12) (actual time=2133.448..2177.618 rows=500606.33
loops=3)

Output: lineitem_1.l_orderkey, (PARTIAL sum(lineitem_1.l_quantity))
Sort Key: lineitem_1.l_orderkey
Sort Method: external merge Disk: 12200kB
Buffers: shared hit=5804 read=98930, temp read=30310 written=53296
Worker 0: actual time=2136.462..2182.028 rows=509088.00 loops=1
Sort Method: external merge Disk: 12960kB
Buffers: shared hit=1859 read=33648, temp read=10300 written=18269
Worker 1: actual time=2148.711..2194.711 rows=513594.00 loops=1
Sort Method: external merge Disk: 13080kB
Buffers: shared hit=1950 read=33879, temp read=10415 written=18366
-> Partial HashAggregate (cost=289904.62..318538.84 rows=421642 width=12) (actual time=1397.268..1
946.237 rows=500606.33 loops=3)

Output: lineitem_1.l_orderkey, PARTIAL sum(lineitem_1.l_quantity)
Group Key: lineitem_1.l_orderkey
Planned Partitions: 8 Batches: 9 Memory Usage: 10073kB Disk Usage: 64912kB
Buffers: shared hit=5790 read=98930, temp read=25530 written=48496
Worker 0: actual time=1391.841..1949.365 rows=509088.00 loops=1
Batches: 9 Memory Usage: 10073kB Disk Usage: 72696kB
Buffers: shared hit=1852 read=33648, temp read=8680 written=16642
Worker 1: actual time=1391.847..1956.091 rows=513594.00 loops=1
Batches: 9 Memory Usage: 10073kB Disk Usage: 72808kB
Buffers: shared hit=1943 read=33879, temp read=8780 written=16724
-> Parallel Seq Scan on public.lineitem lineitem_1 (cost=0.00..129723.83 rows=2500383 width=
12) (actual time=1.133..185.478 rows=2000405.00 loops=3)

Output: lineitem_1.l_orderkey, lineitem_1.l_partkey, lineitem_1.l_suppkey, lineitem_1.l_
linenumber, lineitem_1.l_quantity, lineitem_1.l_extendedprice, lineitem_1.l_discount, lineitem_1.l_tax, lineitem_1.l_returnflag, lineitem_1.l_linestatus, lin
eitem_1.l_shipdate, lineitem_1.l_commitdate, lineitem_1.l_receiptdate, lineitem_1.l_shipinstruct, lineitem_1.l_shipmode, lineitem_1.l_comment
Buffers: shared hit=5790 read=98930
Worker 0: actual time=1.707..188.537 rows=2034146.00 loops=1
Buffers: shared hit=1852 read=33648
Worker 1: actual time=1.687..189.105 rows=2052529.00 loops=1
Buffers: shared hit=1943 read=33879
-> Hash (cost=5172.00..5172.00 rows=150000 width=23) (actual time=228.689..228.689 rows=150000.00 loops=1)
Output: customer.c_name, customer.c_custkey
Buckets: 131072 Batches: 2 Memory Usage: 5128kB
Buffers: shared hit=3672, temp written=402
-> Seq Scan on public.customer (cost=0.00..5172.00 rows=150000 width=23) (actual time=0.015..196.705 rows=150000.00 loops=1)
Output: customer.c_name, customer.c_custkey
Buffers: shared hit=3672

Planning:
Buffers: shared hit=15
Planning Time: 2.601 ms
Execution Time: 4277.854 ms
(95 rows)

Time: 4288.583 ms (00:04.289)
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS orders_secure;

-- Step 3: Create view with same filter logic as RLS policy
CREATE VIEW orders_secure AS
SELECT o.*
FROM orders o
WHERE EXISTS (
SELECT 1 FROM customer c
WHERE c.c_custkey = o.o_custkey
AND c.c_acctbal > 5000
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON orders_secure TO alice;
GRANT SELECT ON customer TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;

-- Step 5: Run Q18
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  c_name,
  c_custkey,
  o.o_orderkey,
  o.o_orderdate,
  o.o_totalprice,
  sum(l_quantity)
from
  customer,
  orders_secure o,
  lineitem
where
  o.o_orderkey in (
    select
      l_orderkey
    from
      lineitem
    group by
      l_orderkey having
        sum(l_quantity) > 300
  )
  and c_custkey = o.o_custkey
  and o.o_orderkey = l_orderkey
group by
  c_name,
  c_custkey,
  o.o_orderkey,
  o.o_orderdate,
  o.o_totalprice
order by
  o.o_totalprice desc,
  o.o_orderdate;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role

```

```

:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 8.739 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
}
}

```

```

        :location 12
      }
    :cmds (
      {ALERTTABLECMD
      :subtype 55
      :name <>
      :num 0
      :newowner <>
      :def <>
      :behavior 0
      :missing_ok false
      :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 4.359 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
  :stmt
    {DROPSTMT
      :objects (("orders_secure"))
      :removeType 51
      :behavior 0
      :missing_ok true
      :concurrent false
    }
  :stmt_location 0
  :stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {DROPSTMT
      :objects (("orders_secure"))
      :removeType 51
      :behavior 0
      :missing_ok true
      :concurrent false
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
}

```

```

:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 7.621 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o"
{A_STAR
}
)
:location 36
}
:location 36
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname o
:colnames <>
}
:location 45
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 80
}
:location 80
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 87
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 108
}
}
:rexpr

```



```

        {COLUMNREF
        :fields ("o" "o_custkey")
        :location 122
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 120
    }
    {A_EXPR
    :name (">")
    :lexpr
        {COLUMNREF
        :fields ("c" "c_acctbal")
        :location 142
        }
    :rexpr
        {A_CONST
        :val 5000
        :location 156
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 154
    }
    )
    :location 138
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 60
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
    :stmt_location 0
    :stmt_len 162
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o"
{A_STAR
}
}
}
:location 36
}
:location 36
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias
{ALIAS

```

```

        :aliasname o
        :colnames <>
    }
    :location 45
}
)
:whereClause
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 80
}
:location 80
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 87
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 108
}
:rexpr
{COLUMNREF
:fields ("o" "o_custkey")
:location 122
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 120
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("c" "c_acctbal")
:location 142
}
:rexpr
{A_CONST
:val 5000
:location 156
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 154
}
)
:location 138
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 60
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>

```

```

    }
    :replace false
    :options <>
    :withCheckOption 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 162
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname o
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname o
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
  }
}

```

```

:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_
_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 108
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 122
}
)
:location 120
}
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6

```

```

        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 142
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 156
        :constvalue 4 [ -120 19 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
    :location 154
    }
    :location 138
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 80
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 60
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 36
    }
    :resno 1
    :resname o_orderkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 1
    :resjunk false
    }
)
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 36
}
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 36
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 36
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 36
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 36
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 36
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 36
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 36
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 162
}

```

Time: 6.379 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 33
}
)
}

```

```

    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
  :stmt_location 0
  :stmt_len 38
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 33
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 38
}

```

```

Time: 0.728 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
}
)

```



```

:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname customer
   :inh true
   :relpersistence p
   :alias <>
   :location 16
  }
)
:privileges (
  {ACCESSPRIV
   :priv_name select
   :cols <>
  }
)
:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.312 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname lineitem
   :inh true
   :relpersistence p
   :alias <>
   :location 16
  }
)
}
}

```

```

:privileges (
  {ACCESSPRIV
  :priv_name select
  :cols <>
  }
)
:grantees (
  {ROLESPEC
  :roletype 0
  :rolename alice
  :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targettype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

Time: 0.253 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
  {VARIABLESETSTMT
  :kind 0
  :name role
  :args (
    {A_CONST
    :val "alice"
    :location 9
    }
  )
}
}

```

```

        :jumble_args false
        :is_local false
        :location 9
    }
    :stmt_location 0
    :stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.146 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c_name")
:location 47
}
:location 47
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c_custkey")
:location 59
}
:location 59
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o" "o_orderkey")
:location 74
}
:location 74
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF

```

```

        :fields ("o" "o_orderdate")
        :location 92
    }
    :location 92
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("o" "o_totalprice")
:location 111
}
:location 111
}
{RESTARTGET
:name <>
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("l_quantity")
:location 135
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 131
}
:location 131
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistance p
:alias <>
:location 156
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders_secure
:inh true
:relpersistance p
:alias
{ALIAS
:aliasname o
:colnames <>
}
:location 170
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistance p
:alias <>
:location 191
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{COLUMNREF
:fields ("o" "o_orderkey")
:location 210
}
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("l_orderkey")
:location 255
}
:location 255
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistance p
:alias <>
:location 291
}
)
:whereClause <>
:groupClause (

```

```

        {COLUMNREF
        :fields ("l_orderkey")
        :location 329
        }
    )
    :groupDistinct false
    :havingClause
    {A_EXPR
    :name (">")
    :lexpr
    {FUNCCALL
    :funcname ("sum")
    :args (
    {COLUMNREF
    :fields ("l_quantity")
    :location 367
    }
    )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 0
    :location 363
    }
    :rexpr
    {A_CONST
    :val 300
    :location 381
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 379
    }
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 223
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("c_custkey")
    :location 399
    }
    :rexpr
    {COLUMNREF
    :fields ("o" "o_custkey")
    :location 411
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 409
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("o" "o_orderkey")
    :location 431
    }
    :rexpr
    {COLUMNREF
    :fields ("l_orderkey")
    :location 446
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 444
    }
    }
    :location 395
    }
    :groupClause (
    {COLUMNREF
    :fields ("c_name")
    :location 470
    }
    {COLUMNREF
    :fields ("c_custkey")
    :location 482
    }
    {COLUMNREF
    :fields ("o" "o_orderkey")
    :location 497
    }
    {COLUMNREF
    :fields ("o" "o_orderdate")
    :location 515
    }
    {COLUMNREF
    :fields ("o" "o_totalprice")
    :location 534
    }
    )
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause (
    {SORTBY

```

```

:node
  {COLUMNREF
  :fields ("o" "o_totalprice")
  :location 562
  }
:sortby_dir 2
:sortby_nulls 0
:useOp <>
:location -1
}
{SORTBY
:node
  {COLUMNREF
  :fields ("o" "o_orderdate")
  :location 587
  }
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 600
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o

```

```

:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16734
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumbe
r" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_name" "c_custkey" "o_orderkey" "o_orderdate" "o_t
otalprice")
}
:rtekind 9
:grouppexprs (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 59
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 74
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 92
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 111
}
)
:lateral false
:inFromCl false
:securityQuals <>

```

```

    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16734
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:sublinkType 2
:sublinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 210
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 223
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_supkey" "l_
linenumber" "l_quantity" "l_extendedprice" "l_disco
unt" "l_tax" "l_returnflag" "l_linestatus" "l_shipd
ate" "l_commitdate" "l_receiptdate" "l_shipinstruct
" "l_shipmode" "l_comment")

```



```

    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
  :alias <>
  :eref
  {ALIAS
  :aliasname *GROUP*
  :colnames ("l_orderkey")
  }
  :rtekind 9
  :groupexprs (
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location 255
  }
  )
  :lateral false
  :inFromCl false
  :securityQuals <>
  }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname l_orderkey
:ressortgroupref 1
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111

```

```

:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 367
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 363
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 381
    :constvalue 4 [ 44 1 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location 379
}
>windowClause <>
>distinctClause <>
>sortClause <>
>limitOffset <>
>limitCount <>
>limitOption 0
>rowMarks <>
>setOperations <>
>constraintDeps <>
>withCheckOptions <>
>stmt_location 0
>stmt_len 0
}
:location 223
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 399
  }
  {VAR
    :varno 2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
  }
)
}

```

```

        :location 411
    }
)
:location 409
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 431
    }
    {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 446
    }
)
:location 444
}
)
:location 395
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname c_name
:ressortgroupref 3
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname c_custkey
:ressortgroupref 4
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname o_orderkey
:ressortgroupref 5
:resorigtbl 16734
:resorigcol 1
:resjunk false

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16734
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname o_totalprice
:ressortgroupref 1
:resorigtbl 16734
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 135
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 131
}
:resno 6
:resname sum
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE

```

```

        :tleSortGroupRef 4
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 5
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1095
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
    }
    )
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (
        {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 670
        :sortop 674
        :reverse_sort true
        :nulls_first true
        :hashable true
        }
        {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 1093
        :sortop 1095
        :reverse_sort false
        :nulls_first false
        :hashable true
        }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :options (
        {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
        }
        {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
        }
        {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
        }
    )
    }
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree <>
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList <>
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 600
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o
_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16734
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_qua
ntity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines
tatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "
l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_name" "c_custkey" "o_orderkey" "o_orderdate" "o_totalpr
ice")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 1
:varatype 23
:varatpmid -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 59
}
{VAR
:varno 2
:varattno 1
:varatype 23
:varatpmid -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 74
}
{VAR
:varno 2
:varattno 5
:varatype 1082
:varatpmid -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 92
}
{VAR
:varno 2
:varattno 4
:varatype 701
:varatpmid -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 111
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16734
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
}
)
)

```

```

: testexpr
{ OEXPR
: opno 96
: opfuncid 65
: opresulttype 16
: opretset false
: opcollid 0
: inputcollid 0
: args (
{ VAR
: varno 2
: varattno 1
: vartype 23
: vartypmod -1
: varcollid 0
: varnullingrels (b)
: varlevelsup 0
: varreturningtype 0
: varnosyn 2
: varattnosyn 1
: location 210
}
{ PARAM
: paramkind 2
: paramid 1
: paramtype 23
: paramtypmod -1
: paramcollid 0
: location -1
}
)
: location 223
}
: operName ("=")
: subselect
{ QUERY
: commandType 1
: querySource 0
: canSetTag true
: utilityStmt <>
: resultRelation 0
: hasAggs true
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE true
: isReturn false
: cteList <>
: rtable (
{ RANGETBLENTY
: alias <>
: eref
{ ALIAS
: aliasname lineitem
: colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
: rtekind 0
: relid 16566
: inh true
: relkind r
: rellockmode 1
: perminfoindex 1
: tablesample <>
: lateral false
: inFromCl true
: securityQuals <>
}
{ RANGETBLENTY
: alias <>
: eref
{ ALIAS
: aliasname *GROUP*
: colnames ("l_orderkey")
}
: rtekind 9
: grouppexprs (
{ VAR
: varno 1
: varattno 1
: vartype 23
: vartypmod -1
: varcollid 0
: varnullingrels (b)
: varlevelsup 0
: varreturningtype 0
: varnosyn 1
: varattnosyn 1
: location 255
}
)
: lateral false
: inFromCl false
: securityQuals <>
}
)
: rteperminfos (
{ RTEPERMISSIONINFO
: relid 16566
: inh true
: requiredPerms 2
: checkAsUser 0
: selectedCols (b 8 12)
: insertedCols (b)
: updatedCols (b)
}
)
)

```



```

:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname l_orderkey
:ressortgroupref 1
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tlesortgroupref 1
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 367
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 363
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcsetset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
}

```

```

        :args (
            {CONST
             :consttype 23
             :consttypmod -1
             :constcollid 0
             :constlen 4
             :constbyval true
             :constisnull false
             :location 381
             :constvalue 4 [ 44 1 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
)
:location 379
}
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 223
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
     :varno 1
     :varattno 1
     :vartype 23
     :vartypmod -1
     :varcollid 0
     :varnullingrels (b)
     :varlevelsup 0
     :varreturningtype 0
     :varnosyn 1
     :varattnosyn 1
     :location 399
    }
    {VAR
     :varno 2
     :varattno 2
     :vartype 23
     :vartypmod -1
     :varcollid 0
     :varnullingrels (b)
     :varlevelsup 0
     :varreturningtype 0
     :varnosyn 2
     :varattnosyn 2
     :location 411
    }
)
:location 409
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
     :varno 2
     :varattno 1
     :vartype 23
     :vartypmod -1
     :varcollid 0
     :varnullingrels (b)
     :varlevelsup 0
     :varreturningtype 0
     :varnosyn 2
     :varattnosyn 1
     :location 431
    }
    {VAR
     :varno 3
     :varattno 1
     :vartype 23
     :vartypmod -1
     :varcollid 0
     :varnullingrels (b)
     :varlevelsup 0
     :varreturningtype 0
     :varnosyn 3
     :varattnosyn 1
     :location 446
    }
)
:location 444
}
)
:location 395
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY

```

```

:expr
{VAR
:varno 4
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname c_name
:ressortgrouppref 3
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname c_custkey
:ressortgrouppref 4
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname o_orderkey
:ressortgrouppref 5
:resorigtbl 16734
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname o_orderdate
:ressortgrouppref 2
:resorigtbl 16734
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname o_totalprice
:ressortgrouppref 1
:resorigtbl 16734
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0

```

```

:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location 135
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 131
}
:resno 6
:resname sum
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 3
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 4
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 5
    :eqop 96
    :sortop 97
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1095
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 670
    :sortop 674
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 1093
    :sortop 1095
    :reverse_sort false

```

```

:nullable false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o
_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO

```

```

:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationk
ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcretset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ -120 19 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr

```

```

{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1

```



```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16734
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY

```

```

:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_name" "c_custkey" "o_orderkey" "o_orderdate" "o_totalprice")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:varstype 25
:varstymod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 1
:varstype 23
:varstymod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 59
}
{VAR
:varno 2
:varattno 1
:varstype 23
:varstymod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 74
}
{VAR
:varno 2
:varattno 5
:varstype 1082
:varstymod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location 92
}
{VAR
:varno 2
:varattno 4
:varstype 701
:varstymod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 111
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16734
:inh true
:requiredPerms 2

```

```

:checkAsUser 0
:selectedCols (b 8 9 11 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 210
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 223
}
)
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS

```

```

        :aliasname *GROUP*
        :colnames ("l_orderkey")
    }
    :rtekind 9
    :groupexprs (
        {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 255
        }
    )
    :lateral false
    :inFromCl false
    :securityQuals <>
}
)
:rteperminfos (
    {RTEPERMISSIONINFO
        :reldid 16566
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 12)
        :insertedCols (b)
        :updatedCols (b)
    }
)
:jointree
    {FROMEXPR
        :fromlist (
            {RANGETBLREF
                :rtindex 1
            }
        )
        :quals <>
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
            {VAR
                :varno 2
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 1
                :location -1
            }
        :resno 1
        :resname l_orderkey
        :ressortgroupref 1
        :resorigtbl 16566
        :resorigcol 1
        :resjunk false
    }
)
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 96
        :sortop 97
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
)
:groupDistinct false
:groupingSets <>
:havingQual
    {OPEXPR
        :opno 674
        :opfuncid 297
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {AGGREF
                :aggfnoid 2111
                :aggtype 701
                :aggcollid 0
                :inputcollid 0
                :aggtranstype 0
                :aggargtypes (o 701)
                :aggdirectargs <>
                :args (
                    {TARGETENTRY
                        :expr
                            {VAR
                                :varno 1
                                :varattno 5
                                :vartype 701
                                :vartypmod -1
                                :varcollid 0
                                :varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 367
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 363
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 381
:constvalue 4 [ 44 1 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 379
}
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 223
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 399
}
{VAR
:varno 2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 411
}
)
:location 409
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 431
    }
    {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 446
    }
    }
    :location 444
}
}
:location 395
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 1
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 1
            :location -1
        }
        :resno 1
        :resname c_name
        :ressortgrouppref 3
        :resorigtbl 16546
        :resorigcol 2
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 2
            :location -1
        }
        :resno 2
        :resname c_custkey
        :ressortgrouppref 4
        :resorigtbl 16546
        :resorigcol 1
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 3
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 3
            :location -1
        }
        :resno 3
        :resname o_orderkey
        :ressortgrouppref 5
        :resorigtbl 16734
        :resorigcol 1
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 4
            :vartype 1082
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 4
            :location -1
        }
    }
}

```

```

:resno 4
:resname o_orderdate
:resortgroupref 2
:resorigtbl 16734
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname o_totalprice
:resortgroupref 1
:resorigtbl 16734
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 135
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 131
}
:resno 6
:resname sum
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 3
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 4
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tletSortGroupRef 5
:eqop 96
:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
{SORTGROUPCLAUSE

```

```

:tleSortGroupRef 2
:eqop 1093
:sortop 1095
:reverse_sort false
:nulls_first false
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 670
:sortop 674
:reverse_sort true
:nulls_first true
:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 1093
:sortop 1095
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname o
:colnames <>
}
:eref
{ALIAS
:aliasname o
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o
_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
}
}
}

```



```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname o
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname o
        :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
          ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
            "o_comment")
      }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBENTRY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
              }
            :eref
              {ALIAS
                :aliasname c
                :colnames ("c_custkey" "c_name" "c_address" "c_nationk
                  ey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
              }
            :rtekind 0
            :relid 16546
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
          }
        )
        :rteperminfos (
          {RTEPERMISSIONINFO
            :relid 16546
            :inh true
            :requiredPerms 2
            :checkAsUser 10
            :selectedCols (b 8 13)
            :insertedCols (b)
            :updatedCols (b)
          }
        )
      }
    )
  }
:jointree
  {FROMEXPR
    :fromlist (

```

```

{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
)
:location -1
}
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -120 19 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0

```

```

        :resorigcol 0
        :resjunk false
    }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname o_orderkey
:resortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname o_custkey
:resortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname o_orderstatus
:resortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4

```

```

:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}

```

```

    }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16734
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("c_name" "c_custkey" "o_orderkey" "o_orderdate" "o_totalprice")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 47
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 59
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 74
}
{VAR
:varno 2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5

```

```

:location 92
}
{VAR
:varno 2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 111
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16734
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11 12)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 210
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
}
:location 223
}
)
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false

```

```

:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname lineitem
  :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
  }
  :rtekind 0
  :relid 16566
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname *GROUP*
  :colnames ("l_orderkey")
  }
  :rtekind 9
  :grouppr (
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location 255
  }
  )
  :lateral false
  :inFromCl false
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16566
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 12)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 2
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname l_orderkey
  :ressortgroupref 1
  :resorigtbl 16566
  :resorigcol 1
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 96

```

```

:sortop 97
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 367
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 363
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcsetset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 381
:constvalue 4 [ 44 1 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 379
}
>windowClause <>
>distinctClause <>
>sortClause <>
>limitOffset <>
>limitCount <>
>limitOption 0
>rowMarks <>
>setOperations <>
>constraintDeps <>
>withCheckOptions <>
>stmt_location 0
>stmt_len 0
}
:location 223
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1

```



```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 399
    }
    {VAR
        :varno 2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location 411
    }
)
:location 409
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 431
    }
    {VAR
        :varno 3
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 446
    }
)
:location 444
}
)
:location 395
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 1
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 1
            :location -1
        }
        :resno 1
        :resname c_name
        :ressortgroupref 3
        :resorigtbl 16546
        :resorigcol 2
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 2
            :location -1
        }
        :resno 2
        :resname c_custkey
        :ressortgroupref 4
        :resorigtbl 16546
        :resorigcol 1
        :resjunk false
    }
    {TARGETENTRY
        :expr

```

```

{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname o_orderkey
:ressortgroupref 5
:resorigtbl 16734
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16734
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname o_totalprice
:ressortgroupref 1
:resorigtbl 16734
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 135
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 131
}
:resno 6
:resname sum
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 3
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 4
   :eqop 96
   :sortop 97
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 5
   :eqop 96
   :sortop 97
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 1093
   :sortop 1095
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 670
   :sortop 674
   :reverse_sort true
   :nulls_first true
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 670
   :sortop 674
   :reverse_sort true
   :nulls_first true
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 1093
   :sortop 1095
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:      {AGG
:plan.disabled_nodes 0
:plan.startup_cost 777900.2911428167
:plan.total_cost 784890.1861428166
:plan.plan_rows 254178
:plan.plan_width 47
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
   }
  }
:resno 1
:resname c_name
:ressortgroupref 3

```

```

:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:varstype 23
:varstpmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 2
:resname c_custkey
:ressortgroupref 4
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:varstype 23
:varstpmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 3
:resname o_orderkey
:ressortgroupref 5
:resorigtbl 16734
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:varstype 1082
:varstpmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 4
:resname o_orderdate
:ressortgroupref 2
:resorigtbl 16734
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:varstype 701
:varstpmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 5
:resname o_totalprice
:ressortgroupref 1
:resorigtbl 16734
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:varstype 701
:varstpmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 5
        :location 135
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno 0
:aggtransno 0
:location 131
}
:resno 6
:resname sum
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 777900.2911428167
:plan.total_cost 778535.7361428166
:plan.plan_rows 254178
:plan.plan_width 47
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 5
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2

```

```

:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 557487.4116233242
:join.plan.total_cost 747261.8516233242
:join.plan.plan_rows 254178
:join.plan.plan_width 47
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 3
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 2
:resname <>

```

```

:ressortgroupref 4
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 5
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 5
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 135
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 164729.2
:scan.plan.plan_rows 6000920
:scan.plan.plan_width 12
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6

```



```

        :location -1
    }
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)

```

```

:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreleid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 556693.2241233242
:plan.total_cost 556693.2241233242
:plan.plan_rows 63535
:plan.plan_width 43
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 510585.31174832414
:join.plan.total_cost 556693.2241233242
:join.plan.plan_rows 63535
:join.plan.plan_width 43
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 5
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 496082.93174832413
:join.plan.total_cost 541028.4428733242
:join.plan.plan_rows 140547
:join.plan.plan_width 24
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 6
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 6
        :varattnosyn 5
        :location -1
    }
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 41008
:scan.plan.plan_rows 1500000
:scan.plan.plan_width 20
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 7
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 6
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5
:vartype 1002
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 7
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 7
        :location -1
    }
    :resno 7
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 6
    :varattno 8
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 8
    :location -1
    }
    :resno 8
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 6
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 9
    :location -1
    }
    :resno 9
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :scan.plan.qual <>
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 6
    }
    :join.plan.righttree
    {HASH
    :plan.disabled_nodes 0
    :plan.startup_cost 494326.0942483241
    :plan.total_cost 494326.0942483241
    :plan.plan_rows 140547
    :plan.plan_width 4
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 8
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree
    {AGG
    :plan.disabled_nodes 0
    :plan.startup_cost 366138.65905861283
    :plan.total_cost 494326.0942483241
    :plan.plan_rows 140547
    :plan.plan_width 4
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 10

```



```

:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual (
  {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 701
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
          {TARGETENTRY
            :expr
              {VAR
                :varno -2
                :varattno 2
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 0
                :varattnosyn 0
                :location -1
              }
            :resno 1
            :resname <>
            :ressortgrouppref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
          }
        )
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar false
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 9
        :aggno 0
        :aggtransno 0
        :location 363
      }
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 -64 114 64 ]
      }
    )
    :location 379
  }
)
:plan.lefttree
  {GATHERMERGE
    :plan.disabled_nodes 0
    :plan.startup_cost 366138.65905861283
    :plan.total_cost 483995.8642483242
    :plan.plan_rows 1011941
    :plan.plan_width 12
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 11
    :plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno -2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
          }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }

```

```

        :varnosyn 0
        :varattnosyn 0
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree
    {SORT
    :plan.disabled_nodes 0
    :plan.startup_cost 365138.63528417534
    :plan.total_cost 366192.7402841753
    :plan.plan_rows 421642
    :plan.plan_width 12
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 12
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 8
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 0
    :varattnosyn 0
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree
    {AGG
    :plan.disabled_nodes 0
    :plan.startup_cost 289904.6192708333
    :plan.total_cost 318538.84200520837
    :plan.plan_rows 421642
    :plan.plan_width 12
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 13
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 5
:location 367
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 6
:aggno 0
:aggtransno 0
:location 363
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 129723.83333333334
:scan.plan.plan_rows 2500383
:scan.plan.plan_width 12
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 14
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 2

```

```

        :location -1
    }
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 8
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 8
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 8
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 8
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 2
:aggsplit 6
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 96)
:grpCollations ( 0)
:numGroups 421642
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)

```

```

        :plan.allParam (b 0)
        :numCols 1
        :sortColIdx ( 1)
        :sortOperators ( 97)
        :collations ( 0)
        :nullsFirst ( false)
    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :num_workers 2
    :rescan_param 0
    :numCols 1
    :sortColIdx ( 1)
    :sortOperators ( 97)
    :collations ( 0)
    :nullsFirst ( false)
    :initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 9
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 96)
:grpCollations ( 0)
:numGroups 421642
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
)
:skewTable 16561
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location -1
    }
}
)
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 13654.78
:plan.total_cost 13654.78
:plan.plan_rows 67808
:plan.plan_width 27
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 15
:plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 7242.200000000001
:join.plan.total_cost 13654.78
:join.plan.plan_rows 67808
:join.plan.plan_width 27
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 16
:join.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    }
)

```



```

:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 5172
:scan.plan.plan_rows 150000
:scan.plan.plan_width 23
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 17
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25

```

```

        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    :resno 8
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 6394.6
:plan.total_cost 6394.6
:plan.plan_rows 67808
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 18
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 5716.52
:plan.total_cost 6394.6
:plan.plan_rows 67808
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 19
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 5547
:scan.plan.plan_rows 67808
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 20
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 7
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 7
        :varattnosyn 1
        :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 7
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 -120 -77 64 ]
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 7
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 2
:aggssplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 96)
:grpCollations ( 0)
:numGroups 67808
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
)
:skewTable 16546
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 399
    }
    {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
    }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 399
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location -1
    }
)
)
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 4
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 6
                :varattnosyn 2
                :location -1
            }
            {VAR
                :varno -1
                :varattno 3
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 7
                :varattnosyn 1
                :location -1
            }
        )
    }
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (

```

```

        {VAR
        :varno -2
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 2
        :location -1
        }
    )
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
    {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location -1
    }
)
:skewTable 16566
:skewColumn 1
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 446
        }
        {VAR
        :varno -1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location -1
        }
    )
    :location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 446
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 5
:sortColIdx ( 5 4 1 2 3)
:sortOperators ( 674 1095 664 97 97)
:collations ( 0 0 100 0 0)
:nullsFirst ( true false false false false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)

```

```

:plan.allParam (b)
:aggstrategy 1
:aggssplit 0
:numCols 5
:grpColIdx ( 5 4 1 2 3)
:grpOperators ( 670 1093 98 96 96)
:grpCollations ( 0 0 100 0 0)
:numGroups 254178
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

GroupAggregate (cost=777900.29..784890.19 rows=254178 width=47) (actual time=3769.248..3769.339 rows=25.00 loops=1)
  Output: customer.c_name, customer.c_custkey, o.o_orderkey, o.o_orderdate, o.o_totalprice, sum(lineitem.l_quantity)
  Group Key: o.o_totalprice, o.o_orderdate, customer.c_name, customer.c_custkey, o.o_orderkey
  Buffers: shared hit=19927 read=222879, temp read=30448 written=54322
  -> Sort (cost=777900.29..778535.74 rows=254178 width=47) (actual time=3769.232..3769.286 rows=175.00 loops=1)
    Output: customer.c_name, customer.c_custkey, o.o_orderkey, o.o_orderdate, o.o_totalprice, lineitem.l_quantity
    Sort Key: o.o_totalprice DESC, o.o_orderdate, customer.c_name, customer.c_custkey, o.o_orderkey
    Sort Method: quicksort Memory: 35kB
    Buffers: shared hit=19927 read=222879, temp read=30448 written=54322
    -> Hash Join (cost=557487.41..747261.85 rows=254178 width=47) (actual time=3063.935..3768.262 rows=175.00 loops=1)
      Output: customer.c_name, customer.c_custkey, o.o_orderkey, o.o_orderdate, o.o_totalprice, lineitem.l_quantity
      Hash Cond: (lineitem.l_orderkey = o.o_orderkey)
      Buffers: shared hit=19927 read=222879, temp read=30448 written=54322
      -> Seq Scan on public.lineitem (cost=0.00..164729.20 rows=6000920 width=12) (actual time=0.066..378.541 rows=6001215.00 loops=1)
        Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
        Buffers: shared hit=6176 read=98544
      -> Hash (cost=556693.22..556693.22 rows=63535 width=43) (actual time=3050.779..3050.825 rows=25.00 loops=1)
        Output: customer.c_name, customer.c_custkey, o.o_orderkey, o.o_orderdate, o.o_totalprice, lineitem.l_orderkey
        Buckets: 65536 Batches: 1 Memory Usage: 514kB
        Buffers: shared hit=13751 read=124335, temp read=30448 written=54322
        -> Hash Join (cost=510585.31..556693.22 rows=63535 width=43) (actual time=2813.122..3050.772 rows=25.00 loops=1)
          Output: customer.c_name, customer.c_custkey, o.o_orderkey, o.o_orderdate, o.o_totalprice, lineitem.l_orderkey
          Hash Cond: (o.o_custkey = c.c_custkey)
          Buffers: shared hit=13751 read=124335, temp read=30448 written=54322
          -> Hash Join (cost=496082.93..541028.44 rows=140547 width=24) (actual time=2697.666..2934.068 rows=57.00 loops=1)
            Output: o.o_orderkey, o.o_orderdate, o.o_totalprice, o.o_custkey, lineitem.l_orderkey
            Inner Unique: true
            Hash Cond: (o.o_orderkey = lineitem.l_orderkey)
            Buffers: shared hit=6407 read=124335, temp read=30448 written=54322
            -> Seq Scan on public.orders o (cost=0.00..41008.00 rows=1500000 width=20) (actual time=0.888..121.385 rows=1500000.00 loops=1)
              Output: o.o_orderkey, o.o_custkey, o.o_orderstatus, o.o_totalprice, o.o_orderdate, o.o_orderpriority, o.o_clerk, o.o_shippriority, o.o_comment
              Buffers: shared hit=499 read=25509
            -> Hash (cost=494326.09..494326.09 rows=140547 width=4) (actual time=2694.593..2694.637 rows=57.00 loops=1)
              Output: lineitem.l_orderkey
              Buckets: 262144 Batches: 1 Memory Usage: 2051kB
              Buffers: shared hit=5908 read=98826, temp read=30448 written=54322
              -> Finalize GroupAggregate (cost=366138.66..494326.09 rows=140547 width=4) (actual time=2282.287..2694.196 rows=57.00 loops=1)
                Output: lineitem.l_orderkey
                Group Key: lineitem.l_orderkey
                Filter: (sum(lineitem.l_quantity) > '300'::double precision)
                Rows Removed by Filter: 1499943
                Buffers: shared hit=5908 read=98826, temp read=30448 written=54322
                -> Gather Merge (cost=366138.66..483995.86 rows=1011941 width=12) (actual time=2281.700..2481.606 rows=1501857.00 loops=1)
                  Output: lineitem.l_orderkey, (PARTIAL sum(lineitem.l_quantity))
                  Workers Planned: 2
                  Workers Launched: 2
                  Buffers: shared hit=5908 read=98826, temp read=30448 written=54322
                  -> Sort (cost=365138.64..366192.74 rows=421642 width=12) (actual time=2266.445..2311.928 rows=500619.00 loops=3)
                    Output: lineitem.l_orderkey, (PARTIAL sum(lineitem.l_quantity))
                    Sort Key: lineitem.l_orderkey
                    Sort Method: external merge Disk: 12800kB
                    Buffers: shared hit=5908 read=98826, temp read=30448 written=54322
                    Worker 0: actual time=2268.146..2314.650 rows=501206.00 loops=1
                      Sort Method: external merge Disk: 12760kB
                      Buffers: shared hit=1939 read=32977, temp read=10176 written=18141
                    Worker 1: actual time=2261.891..2308.016 rows=498126.00 loops=1
                      Sort Method: external merge Disk: 12688kB
                      Buffers: shared hit=1961 read=32808, temp read=10149 written=18110
                    -> Partial HashAggregate (cost=289904.62..318538.84 rows=421642 width=12) (actual time=1545.853..2084.599 rows=500619.00 loops=3)
                      Output: lineitem.l_orderkey, PARTIAL sum(lineitem.l_quantity)
                      Group Key: lineitem.l_orderkey
                      Planned Partitions: 8 Batches: 9 Memory Usage: 10073kB Disk Usage: 72536kB
                      Buffers: shared hit=5894 read=98826, temp read=25667 written=49522
                      Worker 0: actual time=1541.834..2083.569 rows=501206.00 loops=1
                        Batches: 9 Memory Usage: 9817kB Disk Usage: 72576kB
                        Buffers: shared hit=1932 read=32977, temp read=8581 written=16540
                      Worker 1: actual time=1541.829..2081.473 rows=498126.00 loops=1
                        Batches: 9 Memory Usage: 9817kB Disk Usage: 72584kB
                        Buffers: shared hit=1954 read=32808, temp read=8563 written=16518
                      -> Parallel Seq Scan on public.lineitem lineitem_1 (cost=0.00..129723.83 rows=2500383 width=12) (actual time=0.416..206.004 rows=2000405.00 loops=3)
                        Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
                        Buffers: shared hit=5894 read=98826
                        Worker 0: actual time=0.684..204.760 rows=2000887.00 loops=1
                        Buffers: shared hit=1932 read=32977
                        Worker 1: actual time=0.559..205.905 rows=1992112.00 loops=1
                        Buffers: shared hit=1954 read=32808
                      -> Hash (cost=13654.78..13654.78 rows=67808 width=27) (actual time=115.297..115.298 rows=67989.00 loops=1)
                        Output: customer.c_name, customer.c_custkey, c.c_custkey
                        Buckets: 131072 Batches: 1 Memory Usage: 5008kB
                        Buffers: shared hit=7344
                        -> Hash Join (cost=7242.20..13654.78 rows=67808 width=27) (actual time=62.598..102.471 rows=67989.00 loops=1)
                          Output: customer.c_name, customer.c_custkey, c.c_custkey
                          Hash Cond: (customer.c_custkey = c.c_custkey)
                          Buffers: shared hit=7344

```

```

ops=1)
        -> Seq Scan on public.customer (cost=0.00..5172.00 rows=150000 width=23) (actual time=0.139..7.872 rows=150000.00 lo
Output: customer.c_custkey, customer.c_name, customer.c_address, customer.c_nationkey, customer.c_phone, custome
r.c_acctbal, customer.c_mktsegment, customer.c_comment
        Buffers: shared hit=3672
        -> Hash (cost=6394.60..6394.60 rows=67808 width=4) (actual time=62.311..62.312 rows=67989.00 loops=1)
Output: c.c_custkey
        Buckets: 131072 Batches: 1 Memory Usage: 3415kB
        Buffers: shared hit=3672
        -> HashAggregate (cost=5716.52..6394.60 rows=67808 width=4) (actual time=48.390..55.128 rows=67989.00 loops=1)
Output: c.c_custkey
        Group Key: c.c_custkey
        Batches: 1 Memory Usage: 4889kB
        Buffers: shared hit=3672
        -> Seq Scan on public.customer c (cost=0.00..5547.00 rows=67808 width=4) (actual time=0.005..33.619 rows
=67989.00 loops=1)
Output: c.c_custkey
        Filter: (c.c_acctbal > '5000'::double precision)
        Rows Removed by Filter: 82011
        Buffers: shared hit=3672

Planning:
        Buffers: shared hit=15
        Planning Time: 7.019 ms
        Execution Time: 3780.609 ms
(105 rows)

Time: 3794.703 ms (00:03.795)
tpch=> reset role;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 10.758 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO $$
DECLARE r RECORD;
BEGIN
FOR r IN
SELECT polycyname, tablename
FROM pg_policies
WHERE schemaname = 'public'
LOOP
EXECUTE format(
'DROP POLICY IF EXISTS %I ON %I',
r.polycyname, r.tablename
);

```



```

END LOOP;
END;
$$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on part
ALTER TABLE part ENABLE ROW LEVEL SECURITY;

-- Step 4: Policy - only rows matching
-- Q19 brand/container/size combos
CREATE POLICY part_rls_policy ON part
USING (
    (
        p_brand = 'Brand#12'
        AND p_container IN (
            'SM CASE', 'SM BOX', 'SM PACK', 'SM PKG'
        )
        AND p_size BETWEEN 1 AND 5
    ) OR (
        p_brand = 'Brand#23'
        AND p_container IN (
            'MED BAG', 'MED BOX', 'MED PKG', 'MED PACK'
        )
        AND p_size BETWEEN 1 AND 10
    ) OR (
        p_brand = 'Brand#34'
        AND p_container IN (
            'LG CASE', 'LG BOX', 'LG PACK', 'LG PKG'
        )
        AND p_size BETWEEN 1 AND 15
    )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON part TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;

-- Step 6: Run Q19
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
SELECT
    sum(l_extendedprice * (1 - l_discount))
    AS revenue
FROM lineitem, part
WHERE
    (
        p_partkey = l_partkey
        AND p_brand = 'Brand#12'
        AND p_container IN (
            'SM CASE', 'SM BOX', 'SM PACK', 'SM PKG'
        )
        AND l_quantity >= 1
        AND l_quantity <= 1 + 10
        AND p_size BETWEEN 1 AND 5
        AND l_shipmode IN ('AIR', 'AIR REG')
        AND l_shipinstruct = 'DELIVER IN PERSON'
    ) OR (
        p_partkey = l_partkey
        AND p_brand = 'Brand#23'
        AND p_container IN (
            'MED BAG', 'MED BOX', 'MED PKG', 'MED PACK'
        )
        AND l_quantity >= 10
        AND l_quantity <= 10 + 10
        AND p_size BETWEEN 1 AND 10
        AND l_shipmode IN ('AIR', 'AIR REG')
        AND l_shipinstruct = 'DELIVER IN PERSON'
    ) OR (
        p_partkey = l_partkey
        AND p_brand = 'Brand#34'
        AND p_container IN (
            'LG CASE', 'LG BOX', 'LG PACK', 'LG PKG'
        )
        AND l_quantity >= 20
        AND l_quantity <= 20 + 10
        AND p_size BETWEEN 1 AND 15
        AND l_shipmode IN ('AIR', 'AIR REG')
        AND l_shipinstruct = 'DELIVER IN PERSON'
    )
);
View
Secure View

Filter on part_secure view, then run Q19

-- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS part_secure;

-- Step 3: Create view with same filter
-- logic as the RLS policy
CREATE VIEW part_secure AS
SELECT p.*
FROM part p
WHERE
    (
        p.p_brand = 'Brand#12'
        AND p.p_container IN (
            'SM CASE', 'SM BOX', 'SM PACK', 'SM PKG'
        )
        AND p.p_size BETWEEN 1 AND 5
    ) OR (
        p.p_brand = 'Brand#23'

```

```

        AND p.p_container IN (
            'MED BAG','MED BOX','MED PKG','MED PACK'
        )
    ) OR (
        p.p_brand = 'Brand#34'
        AND p.p_container IN (
            'LG CASE','LG BOX','LG PACK','LG PKG'
        )
        AND p.p_size BETWEEN 1 AND 15
    );

-- Step 4: Grant permissions and set role
GRANT SELECT ON part_secure TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;

-- Step 5: Run Q19
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
SELECT
    sum(l_extendedprice * (1 - l_discount))
    AS revenue
FROM lineitem, part_secure p
WHERE
    (
        p.p_partkey = l_partkey
        AND p.p_brand = 'Brand#12'
        AND p.p_container IN (
            'SM CASE','SM BOX','SM PACK','SM PKG'
        )
        AND l_quantity >= 1
        AND l_quantity <= 1 + 10
        AND p.p_size BETWEEN 1 AND 5
        AND l_shipmode IN ('AIR','AIR REG')
        AND l_shipinstruct = 'DELIVER IN PERSON'
    ) OR (
        p.p_partkey = l_partkey
        AND p.p_brand = 'Brand#23'
        AND p.p_container IN (
            'MED BAG','MED BOX','MED PKG','MED PACK'
        )
        AND l_quantity >= 10
        AND l_quantity <= 10 + 10
        AND p.p_size BETWEEN 1 AND 10
        AND l_shipmode IN ('AIR','AIR REG')
        AND l_shipinstruct = 'DELIVER IN PERSON'
    ) OR (
        p.p_partkey = l_partkey
        AND p.p_brand = 'Brand#34'
        AND p.p_container IN (
            'LG CASE','LG BOX','LG PACK','LG PKG'
        )
        AND l_quantity >= 20
        AND l_quantity <= 20 + 10
        AND p.p_size BETWEEN 1 AND 15
        AND l_shipmode IN ('AIR','AIR REG')
        AND l_shipinstruct = 'DELIVER IN PERSON'
    );
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\ r\ RECORD;\
BEGIN\
\ \ FOR\ r\ IN\
\ \ \ \ SELECT\ p
ollicyname,\ tablename\
\ \ \ \ FROM\ pg_policies\
\ \ \ \ WHERE\ sche
maname\ =\ 'public'\
\ \ LOOP\
\ \ \ \ EXECUTE\ format(\
\ \ \ \ \
'DROP\ POLICY\ IF\ EXISTS\ %I\ ON\ %I',\
\ \ \ \ \ r.policynome,\
r.tableame\
\ \ \ \ )\
;\
\ \ END\ LOOP;\
END;\
"
:deffaction 0
:location 3
}
)
}
:stmt_location 0
:stmt_len 252
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\ r\ RECORD;\
BEGIN\
\ \ FOR\ r\ IN\
\ \ \ \ SELECT\ p
ollicyname,\ tablename\
\ \ \ \ FROM\ pg_policies\
\ \ \ \ WHERE\ sche
maname\ =\ 'public'\

```

```

\ \ LOOP\
\ \ \ \ EXECUTE\ format\(\
\ \ \ \ \ \
'DROP\ POLICY\ IF\ EXISTS\ %I\ ON\ %I',\
\ \ \ \ \ \ r.policyname,\
r.tablename\
\ \ \ \ \ \)
;\
\ \ END\ LOOP;\
END;\
"

```

```

:deffaction 0
:location 3
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 252
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1

```



```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
          "cmd" "qual" "with_check")
      }
  }
:rtekind 1
:subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias
          {ALIAS
            :aliasname pol
            :colnames <>
          }
        :eref
          {ALIAS
            :aliasname pol
            :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
              "polroles" "polqual" "polwithcheck")
          }
      }
    :rtekind 0
    :relid 3256
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
          "relowner" "relam" "relfilenode" "reltablespace" "relpages" "reltuples"
          "relallvisible" "relallfrozen" "reltoastrelid" "relhasindex" "relisshared"
          "relpersistence" "relkind" "relnatts" "relchecks" "relhasrules"
          "relhastriggers" "relhassubclass" "relrowsecurity" "relforcerowsecurity"
          "relispopulated" "relreplident" "relispartition" "relrewrite"
          "relfrozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
      }
    :rtekind 0
    :relid 1259
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespace"
          "reltype" "reloftype" "relowner" "relam" "relfilenode" "reltablespace"
          "relpages" "reltuples" "relallvisible" "relallfrozen" "reltoastrelid"
          "relhasindex" "relisshared" "relpersistence" "relkind" "relnatts"
          "relchecks" "relhasrules" "relhastriggers" "relhassubclass"
          "relrowsecurity" "relforcerowsecurity" "relispopulated" "relreplident"
          "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "relacl"
          "reloptions" "relpartbound")
      }
    :rtekind 2
  }

```

```

:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21

```



```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2

```

```

:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}

```

```

}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0

```



```

        :inputcollid 0
        :args (
            {VAR
                :varno 2
                :varattno 1
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 1
                :location -1
            }
            {VAR
                :varno 1
                :varattno 3
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 3
                :location -1
            }
        )
        :location -1
    }
    :alias <>
    :rtindex 3
}
:rarg
{RANGETBLREF
    :rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
            :varno 4
            :varattno 1
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 1
            :location -1
        }
        {VAR
            :varno 2
            :varattno 3
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 3
            :location -1
        }
    )
    :location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b 5)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 2
            :location -1
        }
    }
    :resno 1
    :resname schemaname
    :ressortgroupref 0
    :resorigtbl 2615
    :resorigcol 2
    :resjunk false
}
{TARGETENTRY
    :expr
    {VAR
        :varno 2
        :varattno 2
    }
}

```

```

:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6

```

```

:varstype 1028
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rttable (
{RANGETBLENTY
:alias <>
:eref

```

```

        {ALIAS
        :aliasname pg_authid
        :colnames ("oid" "rolname" "rolsuper" "rolinherit"
        "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
        lication" "rolbypassrls" "rolconndeflimit" "rolpasswor
        d" "rolvaliduntil")
        }
        :rtekind 0
        :relid 1260
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
        }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    :quals
    {SCALARARRAYOPEXPR
    :opno 607
    :opfuncid 184
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause (

```

```

        {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 93
        :sortop 660
        :reverse_sort false
        :nulls_first false
        :hashable true
        }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :location -1
    }
    :location -1
    }
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
}
}

```

```

    }
  )
  :location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST

```

```

        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8

```

[illegible]


```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 7
      }
    :resno 1
    :resname polycynname
    :ressortgrouppref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 19
      }
    :resno 2
    :resname tablename
    :ressortgrouppref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "polycynname" "permissive" "roles"
          "cmd" "qual" "with_check")
      }
    :rtekind 1
  }
:subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks true
    :hasDistinctOn false
    :hasRecursive false
  }
}

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname pol
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname pol
      :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
        "polroles" "polqual" "polwithcheck")
    }
    :rtekind 0
    :relid 3256
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname c
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname c
      :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
        "relowner" "relam" "relfilenode" "reltablespace" "relpages" "reltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relhasindex" "relisshared" "relpersistence" "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "relispopulated" "relreplident" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
    }
    :rtekind 0
    :relid 1259
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname unnamed_join
      :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
        "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespace" "reltype" "reloftype" "relowner" "relam" "relfilenode" "reltablespace" "relpages" "reltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relhasindex" "relisshared" "relpersistence" "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "relispopulated" "relreplident" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
    }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3

```

```

:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31

```

```

:varstype 28
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:varstype 1034
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:varstype 1009
:varstypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:varstype 194
:varstypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid"
"nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:varstype 26
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1

```

```

:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}

```



```

{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11

```

```

:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b 5)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location -1
    }
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>

```

```

:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY

```

```

:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defaultresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```

```

        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 4 [ 16 0 0 0 ]
    }
    )
    :location -1
    }
    :elemexpr
    {FUNCEXP
    :funcid 407
    :funcresulttype 19
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 950
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeid 25
    :typemod -1
    :collation 0
    }
    )
    :location -1
    }
    :resulttype 1003
    :resulttypmod -1
    :resultcollid 950
    :coerceformat 2
    :location -1
    }
    :location -1
    }
    )
    :defresult
    {SUBLINK
    :sublinkType 6
    :sublinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname pg_authid
    :colnames ("oid" "rolname" "rolsuper" "rolinherit"
    "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
    lication" "rolbypassrsls" "rolconlimit" "rolpasswor
    d" "rolvaliduntil")
    }
    :rtekind 0
    :relid 1260
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    )
    :quals
    {SCALARARRAYOPEXP
    :opno 607

```



```

:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
)
:location -1
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:args (
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1

```

```

        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6

```

```

:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:varstype 194
:varstypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:varstype 26
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:varstype 194
:varstypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:varstype 26
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>

```

```
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relicid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relicid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updateCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:varitypmode -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 60
}
{CONST
:consttype 19
:constitypmode -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 73
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 71
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:varitypmode -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:varitypmode -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
```

```

    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL:      {NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.4025
:join.plan.total_cost 11.55988549906787
:join.plan.plan_rows 1
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR
  :varno -2
  :varattno 1
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname policyname
  :ressortgroupref 0
  :resorigtbl 12018
  :resorigcol 3
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno -2
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 2
  :location -1
  }
  :resno 2
  :resname tablename
  :ressortgroupref 0
  :resorigtbl 12018
  :resorigcol 2
  :resjunk false
  }
  }
)
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.2725
:join.plan.total_cost 11.335952914798208
:join.plan.plan_rows 1
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
  {TARGETENTRY
  :expr
  {VAR
  :varno -2
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 2

```

```

        :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno -1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    }
    :join.plan.qual <>
    :join.plan.lefttree
    {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 3.01
    :scan.plan.plan_rows 1
    :scan.plan.plan_width 68
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 2
    :scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2

```

```

:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)

```



```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 8
        :location -1
    }
    :resno 8
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.2725
:scan.plan.total_cost 8.290000000000001
:scan.plan.plan_rows 1
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
}

```

```

:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25

```

```

        :location -1
    }
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:indexid 2662
:indexqual (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -3
:varattno 1
:vartype 26
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
    }
    {PARAM
    :paramkind 1
    :paramid 0
    :paramtype 26
    :paramtypmod -1
    :paramcollid 0
    :location -1
    }
    )
    :location -1
}
)
:indexqualorig (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM
:paramno 0
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
)
}
)
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.13
:scan.plan.total_cost 0.17696629213483145
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0

```



```
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
):scan.plan.qual (
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 73
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 71
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanrelid 5
```

```

:indexid 2685
:indexqual (
  {OEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -3
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
      {PARAM
        :paramkind 1
        :paramid 1
        :paramtype 26
        :paramtypmod -1
        :paramcollid 0
        :location -1
      }
    )
    :location -1
  }
)
:indexqualorig (
  {OEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 5
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
      {PARAM
        :paramkind 1
        :paramid 1
        :paramtype 26
        :paramtypmod -1
        :paramcollid 0
        :location -1
      }
    )
    :location -1
  }
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
  {NESTLOOPPARAM
    :paramno 1
    :paramval
      {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
    }
  }
)
}
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
    :fromlist <>
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 14
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
              70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
          }
          {PARAM
            :paramkind 0
            :paramid 3
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 54
          }
          {PARAM
            :paramkind 0
            :paramid 4
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 68
          }
        )
      }
    :location 0
  }
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree
      {FROMEXPR
        :fromlist <>
        :quals <>
      }
    }
  )

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 14
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
              70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
          }
          {PARAM
            :paramkind 0
            :paramid 3
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 54
          }
          {PARAM
            :paramkind 0
            :paramid 4
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 68
          }
        )
      }
    :location 0
  }
  :resno 1
  :resname format
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree
    {FROMEXPR
      :fromlist <>
      :quals <>
    }
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList (
    {TARGETENTRY
      :expr
        {FUNCEXP
          :funcid 3539
          :funcresulttype 25
          :funcresultset false
          :funcvariadic false
          :funcformat 0

```

```

:funccollid 950
:inputcollid 950
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 14
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
      70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
  }
  {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 54
  }
  {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 68
  }
)
:location 0
}
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
    {FUNCEXP
      :funcid 3539
      :funcresulttype 25
      :funcresultset false
      :funcvariadic false
      :funcformat 0
      :funccollid 950
      :inputcollid 950
      :args (
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 14
          :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
            70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
        }
        {PARAM
          :paramkind 0
          :paramid 3
          :paramtype 19
          :paramtypmod -1
          :paramcollid 950
          :location 54
        }
        {PARAM
          :paramkind 0
          :paramid 4
          :paramtype 19
          :paramtypmod -1
          :paramcollid 950
          :location 68
        }
      )
    }
  )
}
)

```

```

        :location 0
      }
    :resno 1
    :resname format
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
  :stmt
    {DROPSTMT
      :objects (("orders" "orders_rls_policy"))
      :removeType 28
      :behavior 0
      :missing_ok true
      :concurrent false
    }
    :stmt_location 0
    :stmt_len 0
  }
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {DROPSTMT
      :objects (("orders" "orders_rls_policy"))
      :removeType 28
      :behavior 0
      :missing_ok true
      :concurrent false
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 0
}

```

Time: 37.243 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
  :stmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
    :stmt_location 0
    :stmt_len 10
  }
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 10
}

```

```

:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.635 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 1.423 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```



```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.528 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>

```

```

:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.273 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.305 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rtepermInfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
}

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.245 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
}

```

```
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}
```

Time: 0.248 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relnam nation
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

Time: 0.239 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.237 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 54
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 42
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 54
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 42
}
```

Time: 0.222 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {CREATEPOLICYSTMT
    :policy_name part_rls_policy
    :table
```

```

{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 33
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 54
}
}
:rexpr
{A_CONST
:val "Brand#12"
:location 64
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 62
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_container")
:location 83
}
}
:rexpr (
{A_CONST
:val "SM\ CASE"
:location 106
}
{A_CONST
:val "SM\ BOX"
:location 116
}
{A_CONST
:val "SM\ PACK"
:location 125
}
{A_CONST
:val "SM\ PKG"
:location 135
}
)
:rexpr_list_start 98
:rexpr_list_end 148
:location 95
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 158
}
}
:rexpr (
{A_CONST
:val 1
:location 173
}
{A_CONST
:val 5
:location 179
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 165
}
)
:location 79
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 194
}
}
:rexpr
{A_CONST
:val "Brand#23"
:location 204
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 202
}
{A_EXPR IN
:name ("=")

```



```

:lexpr
  {COLUMNREF
   :fields ("p_container")
   :location 223
  }
:rexpr (
  {A_CONST
   :val "MED\ BAG"
   :location 246
  }
  {A_CONST
   :val "MED\ BOX"
   :location 256
  }
  {A_CONST
   :val "MED\ PKG"
   :location 266
  }
  {A_CONST
   :val "MED\ PACK"
   :location 276
  }
)
:rexpr_list_start 238
:rexpr_list_end 291
:location 235
}
{A_EXPR BETWEEN
: name ("BETWEEN")
:lexpr
  {COLUMNREF
   :fields ("p_size")
   :location 301
  }
:rexpr (
  {A_CONST
   :val 1
   :location 316
  }
  {A_CONST
   :val 10
   :location 322
  }
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 308
}
}
:location 219
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
   :name ("=")
   :lexpr
     {COLUMNREF
      :fields ("p_brand")
      :location 338
     }
  :rexpr
    {A_CONST
     :val "Brand#34"
     :location 348
    }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 346
}
{A_EXPR IN
: name ("=")
:lexpr
  {COLUMNREF
   :fields ("p_container")
   :location 367
  }
:rexpr (
  {A_CONST
   :val "LG\ CASE"
   :location 390
  }
  {A_CONST
   :val "LG\ BOX"
   :location 400
  }
  {A_CONST
   :val "LG\ PACK"
   :location 409
  }
  {A_CONST
   :val "LG\ PKG"
   :location 419
  }
)
:rexpr_list_start 382
:rexpr_list_end 432
:location 379
}
{A_EXPR BETWEEN
: name ("BETWEEN")
:lexpr
  {COLUMNREF
   :fields ("p_size")
   :location 442
  }
:rexpr (
  {A_CONST
   :val 1
   :location 457
  }
  {A_CONST
   :val 15
   :location 463
  }
}

```

```

        )
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 449
    }
    )
    :location 363
}
)
:location 185
}
:with_check <>
}
:stmt_location 0
:stmt_len 471
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name part_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 33
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 54
}
}
:rexpr
{A_CONST
:val "Brand#12"
:location 64
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 62
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_container")
:location 83
}
}
:rexpr (
{A_CONST
:val "SM\ CASE"
:location 106
}
{A_CONST
:val "SM\ BOX"
:location 116
}
{A_CONST
:val "SM\ PACK"
:location 125
}
{A_CONST
:val "SM\ PKG"
:location 135
}
)
}
:rexpr_list_start 98
:rexpr_list_end 148
:location 95
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 158
}
}
:rexpr (
{A_CONST
:val 1
:location 173
}
{A_CONST
:val 5
:location 179
}
)
}
:rexpr_list_start 0
:rexpr_list_end 0

```

```

        :location 165
    }
)
:location 79
}
{BOOLEXP
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
        {COLUMNREF
        :fields ("p_brand")
        :location 194
        }
    :rexpr
        {A_CONST
        :val "Brand#23"
        :location 204
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 202
    }
    {A_EXPR IN
    :name ("=")
    :lexpr
        {COLUMNREF
        :fields ("p_container")
        :location 223
        }
    :rexpr (
        {A_CONST
        :val "MED\ BAG"
        :location 246
        }
        {A_CONST
        :val "MED\ BOX"
        :location 256
        }
        {A_CONST
        :val "MED\ PKG"
        :location 266
        }
        {A_CONST
        :val "MED\ PACK"
        :location 276
        }
    )
    :rexpr_list_start 238
    :rexpr_list_end 291
    :location 235
    }
    {A_EXPR BETWEEN
    :name ("BETWEEN")
    :lexpr
        {COLUMNREF
        :fields ("p_size")
        :location 301
        }
    :rexpr (
        {A_CONST
        :val 1
        :location 316
        }
        {A_CONST
        :val 10
        :location 322
        }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 308
    }
)
:location 219
}
{BOOLEXP
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
        {COLUMNREF
        :fields ("p_brand")
        :location 338
        }
    :rexpr
        {A_CONST
        :val "Brand#34"
        :location 348
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 346
    }
    {A_EXPR IN
    :name ("=")
    :lexpr
        {COLUMNREF
        :fields ("p_container")
        :location 367
        }
    :rexpr (
        {A_CONST
        :val "LG\ CASE"
        :location 390
        }
        {A_CONST
        :val "LG\ BOX"
        :location 400
        }
        {A_CONST
        :val "LG\ PACK"
        :location 409
        }
    )

```

```

        }
        {A_CONST
         :val "LG\ PKG"
         :location 419
        }
    )
    :rexpr_list_start 382
    :rexpr_list_end 432
    :location 379
    }
    {A_EXPR BETWEEN
     :name ("BETWEEN")
     :lexpr
     {COLUMNREF
      :fields ("p_size")
      :location 442
     }
    :rexpr (
     {A_CONST
      :val 1
      :location 457
     }
     {A_CONST
      :val 15
      :location 463
     }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 449
    }
    )
    :location 363
    }
    )
    :location 185
    }
    :with_check <>
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 471
}

```

Time: 3.554 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
   :is_grant true
   :targtype 0
   :objtype 41
   :objects (
    {RANGEVAR
     :catalogname <>
     :schemaname <>
     :relname part
     :inh true
     :relpersistence p
     :alias <>
     :location 16
    }
   )
   :privileges (
    {ACCESSPRIV
     :priv_name select
     :cols <>
    }
   )
   :grantees (
    {ROLESPEC
     :roletype 0
     :rolename alice
     :location 28
    }
   )
  )
:grant_option false

```

```

:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.695 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC

```

```

        :roletype 0
        :rolename alice
        :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.171 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}
```

Time: 0.108 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 49
}
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 68
}
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 72
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 70
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 65
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
}
```

```

        :funcformat 0
        :location 45
    }
    :location 45
}
)
:fromClause (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistance p
    :alias <>
    :location 105
    }
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname part
    :inh true
    :relpersistance p
    :alias <>
    :location 115
    }
)
:whereClause
{BOOLEXP
:boolop or
:args (
    {BOOLEXP
    :boolop and
    :args (
        {A_EXPR
        :name ("=")
        :lexpr
        {COLUMNREF
        :fields ("p_partkey")
        :location 134
        }
        :rexpr
        {COLUMNREF
        :fields ("l_partkey")
        :location 146
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 144
        }
        {A_EXPR
        :name ("=")
        :lexpr
        {COLUMNREF
        :fields ("p_brand")
        :location 164
        }
        :rexpr
        {A_CONST
        :val "Brand#12"
        :location 174
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 172
        }
        {A_EXPR IN
        :name ("=")
        :lexpr
        {COLUMNREF
        :fields ("p_container")
        :location 193
        }
        :rexpr (
            {A_CONST
            :val "SM\ CASE"
            :location 216
            }
            {A_CONST
            :val "SM\ BOX"
            :location 226
            }
            {A_CONST
            :val "SM\ PACK"
            :location 235
            }
            {A_CONST
            :val "SM\ PKG"
            :location 245
            }
        )
        :rexpr_list_start 208
        :rexpr_list_end 258
        :location 205
        }
        {A_EXPR
        :name (">=")
        :lexpr
        {COLUMNREF
        :fields ("l_quantity")
        :location 268
        }
        :rexpr
        {A_CONST
        :val 1
        :location 282
        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 279
        }
        {A_EXPR
        :name ("<=")
        :lexpr
        {COLUMNREF
        :fields ("l_quantity")

```



```

        :location 292
    }
    :rexpr
    {A_EXPR
    :name ("+")
    :lexpr
    {A_CONST
    :val 1
    :location 306
    }
    :rexpr
    {A_CONST
    :val 10
    :location 310
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 308
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 303
    }
    {A_EXPR BETWEEN
    :name ("BETWEEN")
    :lexpr
    {COLUMNREF
    :fields ("p_size")
    :location 321
    }
    :rexpr (
    {A_CONST
    :val 1
    :location 336
    }
    {A_CONST
    :val 5
    :location 342
    }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 328
    }
    {A_EXPR IN
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("l_shipmode")
    :location 352
    }
    :rexpr (
    {A_CONST
    :val "AIR"
    :location 367
    }
    {A_CONST
    :val "AIR\ REG"
    :location 373
    }
    )
    :rexpr_list_start 366
    :rexpr_list_end 382
    :location 363
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("l_shipinstruct")
    :location 392
    }
    :rexpr
    {A_CONST
    :val "DELIVER\ IN\ PERSON"
    :location 409
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 407
    }
    }
    :location 160
    }
    {BOOLEXP
    :boolop and
    :args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("p_partkey")
    :location 442
    }
    :rexpr
    {COLUMNREF
    :fields ("l_partkey")
    :location 454
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 452
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("p_brand")
    :location 472
    }
    :rexpr
    {A_CONST
    :val "Brand#23"
    :location 482
    }
    }

```

```

:rexpr_list_start 0
:rexpr_list_end 0
:location 480
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_container")
:location 501
}
}
:rexpr (
{A_CONST
:val "MED\ BAG"
:location 524
}
{A_CONST
:val "MED\ BOX"
:location 534
}
{A_CONST
:val "MED\ PKG"
:location 544
}
{A_CONST
:val "MED\ PACK"
:location 554
}
)
:rexpr_list_start 516
:rexpr_list_end 569
:location 513
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 579
}
}
:rexpr
{A_CONST
:val 10
:location 593
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 590
}
{A_EXPR
:name ("<=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 604
}
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{A_CONST
:val 10
:location 618
}
}
:rexpr
{A_CONST
:val 10
:location 623
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 621
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 615
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 634
}
}
:rexpr (
{A_CONST
:val 1
:location 649
}
{A_CONST
:val 10
:location 655
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 641
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipmode")
:location 666
}
}
:rexpr (
{A_CONST
:val "AIR"
:location 681
}
{A_CONST
:val "AIR\ REG"
:location 687
}
)
)

```

```

:rexpr_list_start 680
:rexpr_list_end 696
:location 677
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipinstruct")
:location 706
}
:rexpr
{A_CONST
:val "DELIVER\ IN\ PERSON"
:location 723
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 721
}
)
:location 468
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_partkey")
:location 756
}
:rexpr
{COLUMNREF
:fields ("l_partkey")
:location 768
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 766
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 786
}
:rexpr
{A_CONST
:val "Brand#34"
:location 796
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 794
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_container")
:location 815
}
:rexpr (
{A_CONST
:val "LG\ CASE"
:location 838
}
{A_CONST
:val "LG\ BOX"
:location 848
}
{A_CONST
:val "LG\ PACK"
:location 857
}
{A_CONST
:val "LG\ PKG"
:location 867
}
)
:rexpr_list_start 830
:rexpr_list_end 880
:location 827
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 890
}
:rexpr
{A_CONST
:val 20
:location 904
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 901
}
{A_EXPR
:name ("<=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 915
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{A_CONST

```

```

        :val 20
        :location 929
    }
    :rexpr
    {A_CONST
    :val 10
    :location 934
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 932
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 926
    }
    {A_EXPR BETWEEN
    :name ("BETWEEN")
    :lexpr
    {COLUMNREF
    :fields ("p_size")
    :location 945
    }
    }
    :rexpr (
    {A_CONST
    :val 1
    :location 960
    }
    {A_CONST
    :val 15
    :location 966
    }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 952
    }
    {A_EXPR IN
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("l_shipmode")
    :location 977
    }
    }
    :rexpr (
    {A_CONST
    :val "AIR"
    :location 992
    }
    {A_CONST
    :val "AIR\ REG"
    :location 998
    }
    )
    :rexpr_list_start 991
    :rexpr_list_end 1007
    :location 988
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("l_shipinstruct")
    :location 1017
    }
    }
    :rexpr
    {A_CONST
    :val "DELIVER\ IN\ PERSON"
    :location 1034
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 1032
    }
    }
    :location 782
    }
    }
    :location 433
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>

```

```

:deffaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 1057
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBENTRY
:rteindex 1
}
{RANGETBENTRY
:rteindex 2
}
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 134
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 146
  }
)
:location 144
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 164
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 174
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
  }
)
:location 172
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 193
  }
)
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 216
    :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 226
    :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
  }
)
}

```

```

    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 235
    :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 245
    :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
    }
  )
  :multidims false
  :list_start 208
  :list_end 258
  :location -1
}
)
:location 205
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 268
  }
  {FUNCEXPR
  :funcid 316
  :funcresulttype 701
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 282
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 292
  }
  {FUNCEXPR
  :funcid 316
  :funcresulttype 701
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {OPEXPR
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST

```

```

        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 306
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 310
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    )
    :location 308
    }
    )
    :location -1
    }
    )
    :location 303
    }
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 321
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 336
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    )
    )
    :location 328
    }
    {OPEXP
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 321
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 342
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
    )
    )
    :location 328
    }
    )
    :location 328
    }
    {SCALARARRAYOPEXP
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1

```



```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 352
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 367
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 373
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
:multidims false
:list_start 366
:list_end 382
:location -1
}
)
:location 363
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 392
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 409
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
8 32 80 69 82 83 79 78 ]
}
)
:location 407
}
)
:location 160
}
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 442
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2

```

```

        :location 454
    }
)
:location 452
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 472
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 482
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
    }
)
:location 480
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location 501
    }
    {ARRAYEXPR
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 524
                :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 534
                :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 544
                :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 554
                :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
            }
        )
        :multidims false
        :list_start 516
        :list_end 569
        :location -1
    }
)
:location 513
}
{OPEXPR

```

```

:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 579
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 593
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location 590
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 604
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXP
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 618
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 623
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
        )
        :location 621
      }
    )
    :location -1
  }
)
:location 615
}
{BOOLEXP
:boolop and
:args (

```

```

{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 634
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 649
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location 641
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 634
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location 641
}
)
:location 641
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 666
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 681
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 687
      }
    )
  }
)
:location 687
}

```

```

        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
)
:multidims false
:list_start 680
:list_end 696
:location -1
}
)
:location 677
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 706
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 723
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
8 32 80 69 82 83 79 78 ]
}
)
:location 721
}
)
:location 468
}
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 756
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 768
}
)
:location 766
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 786
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1

```

```

:constbyval false
:constisnull false
:location 796
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 794
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 815
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 838
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 848
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 857
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 867
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
)
:multidims false
:list_start 830
:list_end 880
:location -1
}
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 890
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 904
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
)
:location 901
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 915
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 929
            :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 934
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
            }
        )
        :location 932
    }
    )
    :location -1
}
)
:location 926
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 945
        }
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 960
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
    )
}

```

```

)
:location 952
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 945
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 966
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location 952
}
)
:location 952
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 977
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 992
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 998
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
    :multidims false
    :list_start 991
    :list_end 1007
    :location -1
  }
)
:location 988
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1017
  }
)

```



```

        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1034
        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
        8 32 80 69 82 83 79 78 ]
        }
    )
    :location 1032
}
)
:location 782
}
)
:location 433
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 68
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
)
:location 70
}
)
:location 65
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

    }
  )
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar false
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggsplit 0
  :aggno -1
  :aggtransno -1
  :location 45
}
:resno 1
:resname revenue
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1057
}

```

```

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1

```

```

:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 12 13 14 21 22)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
      {RANGETBLREF
        :rtindex 2
      }
    )
  }
:quals
  {BOOLEXP
    :boolop or
    :args (
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
          }
          :args (
            {VAR
              :varno 2
              :varattno 1
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 2
              :varattnosyn 1
              :location 134
            }
          )
        )
      }
    )
  }

```

```

    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 146
    }
  )
  :location 144
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 2
  :varattno 4
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 4
  :location 164
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 174
  :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
  }
)
:location 172
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
  :varno 2
  :varattno 7
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 7
  :location 193
  }
  {ARRAYEXPR
  :array_typeid 1009
  :array_collid 100
  :element_typeid 25
  :elements (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 216
    :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 226
    :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 235
    :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
    }
  )
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 245
  }
  }
  }

```

```

        :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
    }
)
:multidims false
:list_start 208
:list_end 258
:location -1
}
)
:location 205
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 268
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 282
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 292
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 306
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 310
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
)
)
)

```

```

    )
    :location 308
  }
)
:location -1
}
)
:location 303
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 321
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 336
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  )
  :location 328
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 321
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 342
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
  }
)
:location 328
}
)
:location 328
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 352
  }
  {ARRAYEXP
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false

```

```

        :constisnull false
        :location 367
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 373
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
    )
    :multidims false
    :list_start 366
    :list_end 382
    :location -1
    }
    )
    :location 363
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 392
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 409
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
    0 69 82 83 79 78 ]
    }
    )
    :location 407
    }
    )
    :location 160
    }
    {BOOLEXPR
    :boolop and
    :args (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 442
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 454
    }
    )
    :location 452
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 472
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 482
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 480
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 501
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 524
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 534
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 544
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 554
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start 516
:list_end 569
:location -1
}
)
:location 513
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 579

```



```

    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 593
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
)
:location 590
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 604
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXP
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opresultset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 618
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 623
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
            }
        )
        :location 621
    )
}
)
:location -1
}
)
:location 615
}
{BOOLEXP
:boolop and
:args (
    {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
    }

```

```

        :location 634
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 649
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location 641
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 634
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 641
}
)
:location 641
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 666
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 681
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 687
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 680
    :list_end 696
    :location -1
    }
)
:location 677
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```

```

{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 706
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 723
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 721
}
)
:location 468
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 756
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 768
}
)
:location 766
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 786
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 796
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 794
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7

```

```

:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 815
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 838
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 848
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 857
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 867
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
)
:multidims false
:list_start 830
:list_end 880
:location -1
}
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 5
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 890
}
  {FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 904
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 901
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 915
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXP
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opresultset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 929
            :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 934
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
        )
      }
    )
    :location 932
  }
)
:location -1
}
:location 926
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 945
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 960
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location 952
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 945
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 966
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
    )
    :location 952
}
)
:location 952
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 977
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 992
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 998
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
:multidims false
:list_start 991
:list_end 1007
:location -1
}
)
:location 988
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 1017
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1034
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 1032
}
)
:location 782
}
)

```



```

:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16551
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
)
}
)
)

```



```

    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
    }
  )
  :multidims false
  :list_start -1
  :list_end -1
  :location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 525
  :opfuncid 150
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
  }
  {OPEXP
  :opno 523
  :opfuncid 149
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
  }
)
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false

```

```

:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
  }
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location -1
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
      }
    )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
  }
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (

```

```

        {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
        }
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
        }
    )
    :location -1
}
)
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 7
    :vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
)
:location -1
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```



```

:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
)
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
)
{CONST

```

```

        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
        }
    )
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location -1
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (

```

```

{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
)
:location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
}
)
}

```



```

        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
)
}
)

```

```

        :multidims false
        :list_start -1
        :list_end -1
        :location -1
    }
)
:location -1
}
{BOOLEXP
:boolop and
:args (
    {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
        }
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
)
}
)
:rtperminfos (
    {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 12 13 14 21 22)
    :insertedCols (b)
    :updatedCols (b)
    }
    {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11 13 14)
    :insertedCols (b)
    :updatedCols (b)
    }
)
)
:jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF

```

```

:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 134
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 146
}
)
:location 144
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 164
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 174
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 172
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 193
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1

```

```

:constbyval false
:constisnull false
:location 216
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 226
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 235
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 245
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
)
:multidims false
:list_start 208
:list_end 258
:location -1
}
)
:location 205
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 268
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 282
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 292
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false

```

```

:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OEXPR
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 306
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 310
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location 308
  }
)
:location -1
}
)
:location 303
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 321
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 336
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location 328
  }
  {OEXPR
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 321
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 342
        :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
      }
    )
    :location 328
  }
)
:location 328
}
)
:location 328

```

```

}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 352
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 367
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 373
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
    :multidims false
    :list_start 366
    :list_end 382
    :location -1
  }
)
:location 363
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 392
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 409
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
  }
)
:location 407
}
)
:location 160
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2

```

```

:varattnosyn 1
:location 442
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 454
}
)
:location 452
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 472
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 482
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 480
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:use0r true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 501
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 524
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 534
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 544
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

        :constisnull false
        :location 554
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
)
:multidims false
:list_start 516
:list_end 569
:location -1
}
)
:location 513
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 579
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 593
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
)
:location 590
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 604
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 618
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 623

```



```

        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 621
}
)
:location -1
}
)
:location 615
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 634
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 649
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 641
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 634
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 655
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 641
}
)
:location 641
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 666
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```

```

        :constlen -1
        :constbyval false
        :constisnull false
        :location 681
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 687
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
    )
    :multidims false
    :list_start 680
    :list_end 696
    :location -1
    }
    )
    :location 677
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 706
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 723
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
    0 69 82 83 79 78 ]
    }
    )
    :location 721
    }
    )
    :location 468
    }
    {BOOLEXPR
    :boolop and
    :args (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 756
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 768
    }
    )
    :location 766
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 786
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 796
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 794
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 815
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 838
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 848
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 857
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 867
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
}
)
:multidims false
:list_start 830
:list_end 880
:location -1
}
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 5
:location 890
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 904
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 901
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 915
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXP
:opno 551
:opfuncid 177
:opresulttype 23
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 929
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 934
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 932
}
)
:location -1
}
)
:location 926
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 2
        :varattnosyn 6
        :location 945
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 960
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location 952
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 945
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 966
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 952
}
)
:location 952
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 977
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 992
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 998
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
:multidims false
:list_start 991
:list_end 1007
:location -1
}
)
:location 988
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1017
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1034
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
  }
)
:location 1032
}
)
:location 782
}
)
:location 433
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {OEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location 49
              }
              {OEXPR
                :opno 592
                :opfuncid 219
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                  {FUNCEXP
                    :funcid 316
                    :funcresulttype 701
                    :funcset false
                    :funcvariadic false
                    :funcformat 2
                    :funccollid 0
                    :inputcollid 0
                    :args (
                      {CONST
                        :consttype 23
                        :consttypmod -1
                        :constcollid 0
                        :constlen 4
                        :constbyval true
                        :constisnull false
                        :location 68
                        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                      }
                    )
                    :location -1
                  }
                  {VAR
                    :varno 1
                    :varattno 7
                    :vartype 701
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 7

```

```

        :location 72
      }
    )
    :location 70
  }
)
:location 65
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfg" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1

```

```

:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
  {BOOLEXP
    :boolop or
    :args (
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 98
            :opfuncid 67
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 100
            :args (
              {VAR
                :varno 2
                :varattno 4
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 4
                :location -1
              }
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
              }
            )
          }
        :location -1
      }
    {SCALARARRAYOPEXP
      :opno 98
      :opfuncid 67
      :hashfuncid 0
      :negfuncid 0
      :useOr true
      :inputcollid 100
      :args (
        {VAR
          :varno 2
          :varattno 7
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 7
          :location -1
        }
        {ARRAYEXP
          :array_typeid 1009
          :array_collid 100
          :element_typeid 25
          :elements (
            {CONST
              :consttype 25
              :consttypmod -1
              :constcollid 100
              :constlen -1
              :constbyval false
              :constisnull false
              :location -1
              :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
            }
            {CONST
              :consttype 25
              :consttypmod -1
              :constcollid 100
              :constlen -1
              :constbyval false
              :constisnull false
              :location -1
              :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
            }
            {CONST
              :consttype 25
              :consttypmod -1
              :constcollid 100
              :constlen -1
              :constbyval false
              :constisnull false
              :location -1
              :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
            }
            {CONST
              :consttype 25
              :consttypmod -1
              :constcollid 100
              :constlen -1
              :constbyval false
              :constisnull false
              :location -1
              :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
            }
          )
        }
      :multidims false
      :list_start -1
      :list_end -1
    )
  )

```



```

        :location -1
    }
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 5 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location -1
}
)

```

```

    }
  }
  :location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location -1
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
      }
    )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
  }
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
)
:location -1

```

```

    }
    {OPEXPR
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
        }
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    {BOOLEXPR
    :boolop and
    :args (
        {OPEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
            :varno 2
            :varattno 4
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 4
            :location -1
            }
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
            }
        )
    )
    :location -1
    }
    {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :use0r true
    :inputcollid 100
    :args (
        {VAR
        :varno 2
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location -1
        }
        {ARRAYEXPR
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
            }
        )
    )
    {CONST

```

```

:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}

```

```

    )
    :location -1
  }
}
)
}
)
:rtperminfos (
  {RTEPERMISSIONINFO
  :relid 16566
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 9 12 13 14 21 22)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16551
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 11 13 14)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    {RANGETBLREF
    :rtindex 2
    }
  )
  :quals
  {BOOLEXP
  :boolop or
  :args (
    {BOOLEXP
    :boolop and
    :args (
      {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 134
        }
        {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 146
        }
      )
    }
  )
  :location 144
  }
  {OPEXP
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 164
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 174
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
    }
  )
  :location 172
  }
  {SCALARARRAYOPEXP

```

```

:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:use0r true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 193
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 216
        :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 226
        :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 235
        :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 245
        :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
      }
    )
    :multidims false
    :list_start 208
    :list_end 258
    :location -1
  }
)
:location 205
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 268
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 282
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
)
}

```

```

        :location -1
    }
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 292
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 306
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 310
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
            }
        )
        :location 308
    }
    )
    :location -1
}
)
:location 303
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 321
        }
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 336
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
    )
    :location 328
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 321
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 342
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
  }
)
:location 328
}
)
:location 328
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 352
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 367
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 373
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
  }
  :multidims false
  :list_start 366
  :list_end 382
  :location -1
}
)
:location 363
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 392
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 409
  }
)

```



```

        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
        0 69 82 83 79 78 ]
    }
)
:location 407
}
)
:location 160
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 442
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 454
}
)
:location 452
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 472
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 482
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 480
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 501
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

:constisnull false
:location 524
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 534
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 544
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 554
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start 516
:list_end 569
:location -1
}
)
:location 513
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 579
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 593
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 590
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 604
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false

```

```

:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OEXPR
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 618
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 623
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location 621
  }
)
:location -1
}
)
:location 615
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 634
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 649
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location 641
  }
)
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 634
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location 641
}
)
:location 641
}

```

```

{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 666
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 681
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 687
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
    :multidims false
    :list_start 680
    :list_end 696
    :location -1
  }
)
:location 677
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 706
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 723
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
      0 69 82 83 79 78 ]
  }
)
:location 721
}
)
:location 468
}
{BOOLEXPRESSPR
:boolop and
:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1

```

```

:location 756
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 768
}
)
:location 766
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 786
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 796
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 794
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 815
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 838
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 848
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 857
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
}
)
}

```

```

        :location 867
        :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
    }
)
:multidims false
:list_start 830
:list_end 880
:location -1
}
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 890
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 904
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 901
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 915
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 929
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 934
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
}
}
}
}

```



```

        :constbyval false
        :constisnull false
        :location 992
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 998
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
    )
    :multidims false
    :list_start 991
    :list_end 1007
    :location -1
    }
    )
    :location 988
    }
    {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1017
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1034
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
    0 69 82 83 79 78 ]
    }
    )
    :location 1032
    }
    )
    :location 782
    }
    )
    :location 433
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {OEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 49
    }
    {OEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701

```



```

:funcretset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 68
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
)
:location 70
}
)
:location 65
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL:  {AGG
:plan.disabled_nodes 0
:plan.startup_cost 191022.825
:plan.total_cost 191022.835000000002
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
:expr
  {AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
:expr

```

```

{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno -2
:varattno 1
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
  {OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
  {VAR
:varno -2
:varattno 2
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
)
:location 70
}
)
:location 65
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 45
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 11114.0125
:plan.total_cost 191022.8175
:plan.plan_rows 1
:plan.plan_width 16
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
  {TARGETENTRY
:expr
  {VAR
:varno -2
:varattno 1
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
}
)
}

```

```

:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 10114.0125
:join.plan.total_cost 190022.7175
:join.plan.plan_rows 1
:join.plan.plan_width 16
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 179731.5
:scan.plan.plan_rows 47240
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}
)

```

```

    }
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0

```

```

:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 352
  }
  {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 44 [ -80 0 0 0 1 0 0 0 0 0 0 0 25 0 0 0 2 0 0 0
1 0 0 0 28 0 0 0 65 73 82 0 44 0 0 0 65 73 82 32 82 69 71 0
]
  }
)
:location 363
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 392
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 409
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
  }
)
:location 407
}
{BOOLEXPR
:boolop or
:args (
  {BOOLEXPR
    :boolop and
    :args (
      {OPEXPR
        :opno 675
        :opfuncid 298
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 5
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location 268
          }
          {CONST
            :consttype 701
            :consttypmod -1
            :constcollid 0
            :constlen 8
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 8 [ 0 0 0 0 0 0 0 -16 63 ]
          }
        )
      }
      :location 279
    )
  }
  {OPEXPR
    :opno 673
    :opfuncid 296
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR

```

```

        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 292
    }
    {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 38 64 ]
    }
    )
    :location 303
    }
    )
    :location -1
    }
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 579
    }
    {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 36 64 ]
    }
    )
    :location 590
    }
    {OPEXP
    :opno 673
    :opfuncid 296
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 604
    }
    {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 52 64 ]
    }
    )
    :location 615
    }
    )
    :location -1
    }
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1

```



```

        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 890
    }
    {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 52 64 ]
    }
    )
    :location 901
    }
    {OPEXPR
    :opno 673
    :opfuncid 296
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 915
    }
    {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 62 64 ]
    }
    )
    :location 926
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanreldid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 10114
:plan.total_cost 10114
:plan.plan_rows 1
:plan.plan_width 25
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
    }
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:varattno 25
:varattmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:varattno 23
:varattmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 10114
:scan.plan.plan_rows 1
:scan.plan.plan_width 25
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:varattmod 23
:varattmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 134
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:varattmod 25
:varattmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 164
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 193
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 321
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{OEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 321
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 336
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 328
}
{BOOLEXP

```

```

:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 5
0 ]
}
)
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
4 0 0 0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69 0 40
0 0 0 83 77 32 66 79 88 0 0 44 0 0 0 83 77 32 80 65
67 75 0 40 0 0 0 83 77 32 80 75 71 0 0 ]
}
)
:location -1
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 5 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
{BOOLEXP

```

```

:boolop and
:args (
  {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 5
          1 ]
      }
    )
    :location -1
  }
  {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {VAR
        :varno 2
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location -1
      }
      {CONST
        :consttype 1009
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
          4 0 0 0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71 0 44
          0 0 0 77 69 68 32 66 79 88 0 44 0 0 0 77 69 68 32 8
          0 75 71 0 48 0 0 0 77 69 68 32 80 65 67 75 ]
      }
    )
    :location -1
  }
  {OPEXPR
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXPR

```

```

:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 5
2 ]
  }
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location -1
  }
  {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 0 25 0 0 0
4 0 0 0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69 0 40
0 0 0 76 71 32 66 79 88 0 0 44 0 0 0 76 71 32 80 65
67 75 0 40 0 0 0 76 71 32 80 75 71 0 0 ]
  }
)
:location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop or
:args (
  {BOOLEXPR

```

```

:boolop and
:args (
  {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 164
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 174
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 5
          0 ]
      }
    )
    :location 172
  }
  {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {VAR
        :varno 2
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location 193
      }
      {CONST
        :consttype 1009
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
          4 0 0 0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69 0 40
          0 0 0 83 77 32 66 79 88 0 0 44 0 0 0 83 77 32 80 65
          67 75 0 40 0 0 0 83 77 32 80 75 71 0 0 ]
      }
    )
    :location 205
  }
  {OPEXPR
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 321
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 342
        :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
      }
    )
    :location 328
  }
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR

```

```

:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 472
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 482
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 5
1 ]
  }
)
:location 480
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 501
  }
  {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 0 25 0 0 0
4 0 0 0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71 0 44
0 0 0 77 69 68 32 66 79 88 0 44 0 0 0 77 69 68 32 8
0 75 71 0 48 0 0 0 77 69 68 32 80 65 67 75 ]
  }
)
:location 513
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 634
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location 641
}
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16

```



```

:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 786
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 796
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 5
2 ]
  }
)
:location 794
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 815
  }
  {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
4 0 0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69 0 40
0 0 0 76 71 32 66 79 88 0 0 44 0 0 0 76 71 32 80 65
67 75 0 40 0 0 0 76 71 32 80 75 71 0 0 ]
  }
)
:location 827
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 945
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 966
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location 952
}
)
:location -1
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanreliid 2

```

```

    }
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 134
  }
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 2.4
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
  {BOOLEXP
    :boolop or
    :args (
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 98
            :opfuncid 67
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 100
            :args (
              {VAR
                :varno -1
                :varattno 2
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 4
                :location 164
              }
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 174
                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
              }
            )
          }
        :location 172
      }
    {SCALARARRAYOPEXP
      :opno 98
      :opfuncid 67
      :hashfuncid 0
      :negfuncid 0
      :useOr true
      :inputcollid 100
      :args (
        {VAR
          :varno -1
          :varattno 3
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 7
          :location 193
        }
        {CONST
          :consttype 1009
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location -1
          :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 25 0 0 0 4 0 0
            0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69 0 40 0 0 0 83 77
            32 66 79 88 0 0 44 0 0 0 83 77 32 80 65 67 75 0 40 0 0 0
            83 77 32 80 75 71 0 0 ]
          }
        )
      }
    :location 205
  }
  {OPEXP
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
  }

```

```

:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 268
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
  }
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 292
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 38 64 ]
  }
)
:location 303
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 321
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 342
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
  }
)
:location 328
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno -1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 472
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 482
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 480
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 501
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 25 0 0 0 4 0 0
0 1 0 0 44 0 0 77 69 68 32 66 65 71 0 44 0 0 77 69
68 32 66 79 88 0 44 0 0 0 77 69 68 32 80 75 71 0 48 0 0 0
77 69 68 32 80 65 67 75 ]
}
)
:location 513
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 579
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 36 64 ]
}
)
:location 590
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 604
}
{CONST
:consttype 701
:consttypmod -1

```

```

        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 52 64 ]
    }
)
:location 615
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno -1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 634
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 641
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno -1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 786
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 796
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
        }
    )
:location 794
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno -1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 815
    }
    {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 25 0 0 0 4 0 0
0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69 0 40 0 0 0 76 71

```

```

32 66 79 88 0 0 44 0 0 0 76 71 32 80 65 67 75 0 40 0 0 0
76 71 32 80 75 71 0 0 ]
}
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 890
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 52 64 ]
}
)
:location 901
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 915
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 62 64 ]
}
)
:location 926
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 945
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 966
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 952
}
)
:location -1
}
)
:location -1
}
)

```

```

:hashclauses (
  {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 146
    }
    {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 134
    }
  )
  :location -1
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
  :varno -2
  :varattno 2
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 146
  }
)
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggssplit 0
:numCols 0
:grpCollIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
-----
-----
-----
-----
Aggregate (cost=191022.83..191022.84 rows=1 width=8) (actual time=996.668..998.349 rows=1.00 loops=1)
  Output: sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
  Buffers: shared hit=10134 read=98450
  -> Gather (cost=11114.01..191022.82 rows=1 width=16) (actual time=216.652..998.294 rows=121.00 loops=1)
    Output: lineitem.l_extendedprice, lineitem.l_discount
    Workers Planned: 2
    Workers Launched: 2
    Buffers: shared hit=10134 read=98450
    -> Parallel Hash Join (cost=10114.01..190022.72 rows=1 width=16) (actual time=210.929..985.626 rows=40.33 loops=3)
      Output: lineitem.l_extendedprice, lineitem.l_discount
      Hash Cond: (lineitem.l_partkey = part.p_partkey)
      Join Filter: (((part.p_brand = 'Brand#12'::text) AND (part.p_container = ANY ('{"SM CASE","SM BOX","SM PACK","SM PKG"}'::text[])) AND (lineite
m.l_quantity >= '1'::double precision) AND (lineitem.l_quantity <= '11'::double precision) AND (part.p_size <= 5)) OR ((part.p_brand = 'Brand#23'::text) AND
(part.p_container = ANY ('{"MED BAG","MED BOX","MED PKG","MED PACK"}'::text[])) AND (lineitem.l_quantity >= '10'::double precision) AND (lineitem.l_quantity
<= '20'::double precision) AND (part.p_size <= 10)) OR ((part.p_brand = 'Brand#34'::text) AND (part.p_container = ANY ('{"LG CASE","LG BOX","LG PACK","LG PKG
"}'::text[])) AND (lineitem.l_quantity >= '20'::double precision) AND (lineitem.l_quantity <= '30'::double precision) AND (part.p_size <= 15)))
      Rows Removed by Join Filter: 67

```

```

Buffers: shared hit=10134 read=98450
Worker 0: actual time=209.200..980.567 rows=48.00 loops=1
  Buffers: shared hit=3369 read=32752
Worker 1: actual time=207.679..980.607 rows=38.00 loops=1
  Buffers: shared hit=3382 read=32856
-> Parallel Seq Scan on public.lineitem (cost=0.00..179731.50 rows=47240 width=28) (actual time=0.204..778.288 rows=42790.33 loops=3)
  Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
  Filter: (((lineitem.l_shipmode = ANY ('{AIR,"AIR REG"}'::text[])) AND (lineitem.l_shipinstruct = 'DELIVER IN PERSON'::text) AND (((lineitem.l_quantity >= '1'::double precision) AND (lineitem.l_quantity <= '11'::double precision)) OR ((lineitem.l_quantity >= '10'::double precision) AND (lineitem.l_quantity <= '20'::double precision)) OR ((lineitem.l_quantity >= '20'::double precision) AND (lineitem.l_quantity <= '30'::double precision))))
  Rows Removed by Filter: 1957615
  Buffers: shared hit=6270 read=98450
  Worker 0: actual time=0.044..778.124 rows=43029.00 loops=1
    Buffers: shared hit=2122 read=32752
  Worker 1: actual time=0.042..778.283 rows=42778.00 loops=1
    Buffers: shared hit=2106 read=32856
-> Parallel Hash (cost=10114.00..10114.00 rows=1 width=25) (actual time=200.600..200.601 rows=161.67 loops=3)
  Output: part.p_partkey, part.p_brand, part.p_container, part.p_size
  Buckets: 1024 Batches: 1 Memory Usage: 104kB
  Buffers: shared hit=3864
  Worker 0: actual time=195.606..195.607 rows=152.00 loops=1
    Buffers: shared hit=1247
  Worker 1: actual time=195.637..195.637 rows=170.00 loops=1
    Buffers: shared hit=1276
-> Parallel Seq Scan on public.part (cost=0.00..10114.00 rows=1 width=25) (actual time=4.429..200.347 rows=161.67 loops=3)
  Output: part.p_partkey, part.p_brand, part.p_container, part.p_size
  Filter: (((part.p_size >= 1) AND (part.p_size <= 5)) OR ((part.p_brand = 'Brand#12'::text) AND (part.p_container = ANY ('{'SM CASE", "SM BOX", "SM PACK", "SM PKG"}'::text[])) AND (part.p_size <= 10)) OR ((part.p_brand = 'Brand#23'::text) AND (part.p_container = ANY ('{'MED BAG", "MED BOX", "MED PKG", "MED PACK"}'::text[])) AND (part.p_size <= 15)) OR ((part.p_brand = 'Brand#34'::text) AND (part.p_container = ANY ('{'LG CASE", "LG BOX", "LG PACK", "LG PKG"}'::text[])) AND (part.p_size <= 10)) OR ((part.p_brand = 'Brand#23'::text) AND (part.p_container = ANY ('{'SM CASE", "SM BOX", "SM PACK", "SM PKG"}'::text[])) AND (part.p_size <= 5)) OR ((part.p_brand = 'Brand#12'::text) AND (part.p_container = ANY ('{'MED BAG", "MED BOX", "MED PKG", "MED PACK"}'::text[])) AND (part.p_size <= 10)) OR ((part.p_brand = 'Brand#34'::text) AND (part.p_container = ANY ('{'LG CASE", "LG BOX", "LG PACK", "LG PKG"}'::text[])) AND (part.p_size <= 15))))
  Rows Removed by Filter: 66505
  Buffers: shared hit=3864
  Worker 0: actual time=9.847..195.504 rows=152.00 loops=1
    Buffers: shared hit=1247
  Worker 1: actual time=3.110..195.492 rows=170.00 loops=1
    Buffers: shared hit=1276

```

```

Planning:
  Buffers: shared hit=11
Planning Time: 6.758 ms
Execution Time: 998.771 ms
(48 rows)

```

```

Time: 1014.384 ms (00:01.014)
ERROR: syntax error at or near "View"
LINE 1: View
        ^

```

```

Time: 1.912 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41

```



```

        :missing_ok false
    }
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree <>
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList <>
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 43
}

ERROR: must be owner of table part
Time: 0.402 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
    :stmt
        {DROPSTMT
            :objects (("part_secure"))
            :removeType 51
            :behavior 0
            :missing_ok true
            :concurrent false
        }
        :stmt_location 0
        :stmt_len 31
    }

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
    :commandType 6
    :querySource 0
    :canSetTag true
    :utilityStmt
        {DROPSTMT
            :objects (("part_secure"))
            :removeType 51
            :behavior 0
            :missing_ok true
            :concurrent false
        }
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree <>
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList <>
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 31
}

```

```

}

ERROR: must be owner of view part_secure
Time: 0.527 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p"
{A_STAR
}
)
:location 34
}
:location 34
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname p
:colnames <>
}
:location 43
}
)
:whereClause
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_brand")
:location 64
}
:rexpr
{A_CONST
:val "Brand#12"
:location 76
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 74
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_container")
:location 95
}
:rexpr (
{A_CONST
:val "SM\ CASE"
:location 120
}
{A_CONST
:val "SM\ BOX"
:location 130
}
{A_CONST
:val "SM\ PACK"
:location 139
}
{A_CONST
:val "SM\ PKG"
:location 149
}
)
:rexpr_list_start 112
:rexpr_list_end 162
:location 109
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p" "p_size")
:location 172
}
:rexpr (
{A_CONST
:val 1

```

```

        :location 189
      }
      {A_CONST
      :val 5
      :location 195
      }
    )
    :repr_list_start 0
    :repr_list_end 0
    :location 181
  }
)
:location 91
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
  :name ("=")
  :lexpr
  {COLUMNREF
  :fields ("p" "p_brand")
  :location 210
  }
  :repr
  {A_CONST
  :val "Brand#23"
  :location 222
  }
  :repr_list_start 0
  :repr_list_end 0
  :location 220
  }
  {A_EXPR IN
  :name ("=")
  :lexpr
  {COLUMNREF
  :fields ("p" "p_container")
  :location 241
  }
  :repr (
    {A_CONST
    :val "MED\ BAG"
    :location 266
    }
    {A_CONST
    :val "MED\ BOX"
    :location 276
    }
    {A_CONST
    :val "MED\ PKG"
    :location 286
    }
    {A_CONST
    :val "MED\ PACK"
    :location 296
    }
  )
  :repr_list_start 258
  :repr_list_end 311
  :location 255
  }
  {A_EXPR BETWEEN
  :name ("BETWEEN")
  :lexpr
  {COLUMNREF
  :fields ("p" "p_size")
  :location 321
  }
  :repr (
    {A_CONST
    :val 1
    :location 338
    }
    {A_CONST
    :val 10
    :location 344
    }
  )
  :repr_list_start 0
  :repr_list_end 0
  :location 330
  }
)
:location 237
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
  :name ("=")
  :lexpr
  {COLUMNREF
  :fields ("p" "p_brand")
  :location 360
  }
  :repr
  {A_CONST
  :val "Brand#34"
  :location 372
  }
  :repr_list_start 0
  :repr_list_end 0
  :location 370
  }
  {A_EXPR IN
  :name ("=")
  :lexpr
  {COLUMNREF
  :fields ("p" "p_container")
  :location 391
  }
  :repr (
    {A_CONST
    :val "LG\ CASE"

```

```

        :location 416
      }
      {A_CONST
      :val "LG\ BOX"
      :location 426
      }
      {A_CONST
      :val "LG\ PACK"
      :location 435
      }
      {A_CONST
      :val "LG\ PKG"
      :location 445
      }
    )
    :rexpr_list_start 408
    :rexpr_list_end 458
    :location 405
  }
  {A_EXPR BETWEEN
  :name ("BETWEEN")
  :lexpr
  {COLUMNREF
  :fields ("p" "p_size")
  :location 468
  }
  :rexpr (
  {A_CONST
  :val 1
  :location 485
  }
  {A_CONST
  :val 15
  :location 491
  }
  )
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 477
}
)
:location 387
}
)
:location 201
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 497
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p"
{A_STAR
}
}
)
:location 34
}
:location 34
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias

```

```

        {ALIAS
        :aliasname p
        :colnames <>
        }
        :location 43
    }
)
:whereClause
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_brand")
:location 64
}
}
:rexpr
{A_CONST
:val "Brand#12"
:location 76
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 74
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_container")
:location 95
}
}
:rexpr (
{A_CONST
:val "SM\ CASE"
:location 120
}
{A_CONST
:val "SM\ BOX"
:location 130
}
{A_CONST
:val "SM\ PACK"
:location 139
}
{A_CONST
:val "SM\ PKG"
:location 149
}
)
:rexpr_list_start 112
:rexpr_list_end 162
:location 109
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p" "p_size")
:location 172
}
}
:rexpr (
{A_CONST
:val 1
:location 189
}
{A_CONST
:val 5
:location 195
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 181
}
}
:location 91
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_brand")
:location 210
}
}
:rexpr
{A_CONST
:val "Brand#23"
:location 222
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 220
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_container")
:location 241
}
}
:rexpr (
{A_CONST
:val "MED\ BAG"
:location 266
}
{A_CONST

```

```

        :val "MED\ BOX"
        :location 276
    }
    {A_CONST
    :val "MED\ PKG"
    :location 286
    }
    {A_CONST
    :val "MED\ PACK"
    :location 296
    }
)
:rexpr_list_start 258
:rexpr_list_end 311
:location 255
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p" "p_size")
:location 321
}
}
:rexpr (
{A_CONST
:val 1
:location 338
}
{A_CONST
:val 10
:location 344
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 330
}
)
:location 237
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_brand")
:location 360
}
}
:rexpr
{A_CONST
:val "Brand#34"
:location 372
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 370
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_container")
:location 391
}
}
:rexpr (
{A_CONST
:val "LG\ CASE"
:location 416
}
{A_CONST
:val "LG\ BOX"
:location 426
}
{A_CONST
:val "LG\ PACK"
:location 435
}
{A_CONST
:val "LG\ PKG"
:location 445
}
)
:rexpr_list_start 408
:rexpr_list_end 458
:location 405
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p" "p_size")
:location 468
}
}
:rexpr (
{A_CONST
:val 1
:location 485
}
{A_CONST
:val 15
:location 491
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 477
}
)
:location 387
}
)
:location 201
}

```

```

:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 497
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname p
:colnames <>
}
:eref
{ALIAS
:aliasname p
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
}
)

```

```

        :updatedCols (b)
    }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{BOOLEXP
  :boolop or
  :args (
    {BOOLEXP
      :boolop and
      :args (
        {OPEXP
          :opno 98
          :opfuncid 67
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 100
          :args (
            {VAR
              :varno 1
              :varattno 4
              :vartype 25
              :vartypmod -1
              :varcollid 100
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 4
              :location 64
            }
            {CONST
              :consttype 25
              :consttypmod -1
              :constcollid 100
              :constlen -1
              :constbyval false
              :constisnull false
              :location 76
              :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
            }
          )
        }
      :location 74
    }
    {SCALARARRAYOPEXP
      :opno 98
      :opfuncid 67
      :hashfuncid 0
      :negfuncid 0
      :useOr true
      :inputcollid 100
      :args (
        {VAR
          :varno 1
          :varattno 7
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 7
          :location 95
        }
        {ARRAYEXP
          :array_typeid 1009
          :array_collid 100
          :element_typeid 25
          :elements (
            {CONST
              :consttype 25
              :consttypmod -1
              :constcollid 100
              :constlen -1
              :constbyval false
              :constisnull false
              :location 120
              :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
            }
            {CONST
              :consttype 25
              :consttypmod -1
              :constcollid 100
              :constlen -1
              :constbyval false
              :constisnull false
              :location 130
              :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
            }
            {CONST
              :consttype 25
              :consttypmod -1
              :constcollid 100
              :constlen -1
              :constbyval false
              :constisnull false
              :location 139
              :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
            }
          )
        }
      )
    }
  )
}
:location 149

```



```

        :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
    }
)
:multidims false
:list_start 112
:list_end 162
:location -1
}
)
:location 109
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 172
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 189
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 181
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 172
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 195
:constvalue 4 [ 5 0 0 0 0 0 0 0 ]
}
)
:location 181
}
)
:location 181
}
)
:location 91
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 210
}
{CONST
:consttype 25
:consttypmod -1

```

```

:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 222
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 220
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 241
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 266
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 276
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 286
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 296
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start 258
:list_end 311
:location -1
}
)
:location 255
}
{BOOLEXPRESS
:boolop and
:args (
{OPEXPRESS
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 321
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true

```

```

        :constisnull false
        :location 338
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location 330
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 321
    }
    {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 344
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 330
}
)
:location 330
}
)
:location 237
}
{BOOLEXP
:boolop and
:args (
    {OPEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
                :varno 1
                :varattno 4
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 4
                :location 360
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 372
                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
            }
        )
    }
:location 370
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
        :varno 1
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 391
    }
    {ARRAYEXPR
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
            }
        )
    }
)
}

```

```

:constbyval false
:constisnull false
:location 416
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 426
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 435
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 445
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
)
:multidims false
:list_start 408
:list_end 458
:location -1
}
)
:location 405
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 468
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 485
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
)
:location 477
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 468
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 491
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
)
:location 477
}

```

```

        )
        :location 477
    }
    )
    :location 387
}
)
:location 201
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 34
}
:resno 1
:resname p_partkey
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 34
}
:resno 2
:resname p_name
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 34
}
:resno 3
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 34
}
:resno 4
:resname p_brand
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5

```

```

        :location 34
    }
}
:resno 5
:resname p_type
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 34
}
}
:resno 6
:resname p_size
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 34
}
}
:resno 7
:resname p_container
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 34
}
}
:resno 8
:resname p_retailprice
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 34
}
}
:resno 9
:resname p_comment
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>

```

```
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 497
}
```

ERROR: permission denied for schema public

Time: 4.595 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part_secure
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 31
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 36
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part_secure
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 31
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
```

```

:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 36
}

```

WARNING: no privileges were granted for "part_secure"

Time: 0.616 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 31
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 36
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 31
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
}

```



```

:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 36
}

WARNING: no privileges were granted for "lineitem"
Time: 0.404 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT

```

```

:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.265 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT

```

:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET

```

```

:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 49
}
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 68
}
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 72
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 70
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 65
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 45
}
:location 45
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 105
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part_secure
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname p
:colnames <>
}
}
:location 115
}
)
:whereClause
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_partkey")
:location 143
}
}
:rexpr
{COLUMNREF
:fields ("l_partkey")
:location 157
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 155
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_brand")
:location 175
}
}
:rexpr
{A_CONST
:val "Brand#12"
:location 187
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 185
}
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF

```

```

        :fields ("p" "p_container")
        :location 206
    }
    :rexpr (
        {A_CONST
        :val "SM\ CASE"
        :location 231
        }
        {A_CONST
        :val "SM\ BOX"
        :location 241
        }
        {A_CONST
        :val "SM\ PACK"
        :location 250
        }
        {A_CONST
        :val "SM\ PKG"
        :location 260
        }
    )
    :rexpr_list_start 223
    :rexpr_list_end 273
    :location 220
}
{A_EXPR
: name (">=")
:lexpr
    {COLUMNREF
    :fields ("l_quantity")
    :location 283
    }
:rexpr
    {A_CONST
    :val 1
    :location 297
    }
:rexpr_list_start 0
:rexpr_list_end 0
:location 294
}
{A_EXPR
: name ("\<=")
:lexpr
    {COLUMNREF
    :fields ("l_quantity")
    :location 307
    }
:rexpr
    {A_EXPR
    :name ("+")
    :lexpr
        {A_CONST
        :val 1
        :location 321
        }
    :rexpr
        {A_CONST
        :val 10
        :location 325
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 323
    }
:rexpr_list_start 0
:rexpr_list_end 0
:location 318
}
{A_EXPR BETWEEN
: name ("BETWEEN")
:lexpr
    {COLUMNREF
    :fields ("p" "p_size")
    :location 336
    }
:rexpr (
    {A_CONST
    :val 1
    :location 353
    }
    {A_CONST
    :val 5
    :location 359
    }
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 345
}
{A_EXPR IN
: name ("=")
:lexpr
    {COLUMNREF
    :fields ("l_shipmode")
    :location 369
    }
:rexpr (
    {A_CONST
    :val "AIR"
    :location 384
    }
    {A_CONST
    :val "AIR\ REG"
    :location 390
    }
)
:rexpr_list_start 383
:rexpr_list_end 399
:location 380
}
{A_EXPR
: name ("=")
:lexpr
    {COLUMNREF

```

```

        :fields ("l_shipinstruct")
        :location 409
    }
    :rexpr
    {A_CONST
     :val "DELIVER\ IN\ PERSON"
     :location 426
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 424
}
)
:location 171
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
   :name ("=")
   :lexpr
   {COLUMNREF
    :fields ("p" "p_partkey")
    :location 459
   }
  }
  :rexpr
  {COLUMNREF
   :fields ("l_partkey")
   :location 473
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 471
}
  {A_EXPR
   :name ("=")
   :lexpr
   {COLUMNREF
    :fields ("p" "p_brand")
    :location 491
   }
  }
  :rexpr
  {A_CONST
   :val "Brand#23"
   :location 503
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 501
}
  {A_EXPR IN
   :name ("=")
   :lexpr
   {COLUMNREF
    :fields ("p" "p_container")
    :location 522
   }
  }
  :rexpr (
    {A_CONST
     :val "MED\ BAG"
     :location 547
    }
    {A_CONST
     :val "MED\ BOX"
     :location 557
    }
    {A_CONST
     :val "MED\ PKG"
     :location 567
    }
    {A_CONST
     :val "MED\ PACK"
     :location 577
    }
  )
  :rexpr_list_start 539
  :rexpr_list_end 592
  :location 536
}
  {A_EXPR
   :name (">=")
   :lexpr
   {COLUMNREF
    :fields ("l_quantity")
    :location 602
   }
  }
  :rexpr
  {A_CONST
   :val 10
   :location 616
  }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 613
}
  {A_EXPR
   :name ("<=")
   :lexpr
   {COLUMNREF
    :fields ("l_quantity")
    :location 627
   }
  }
  :rexpr
  {A_EXPR
   :name ("+")
   :lexpr
   {A_CONST
    :val 10
    :location 641
   }
  }
  :rexpr
  {A_CONST
   :val 10
   :location 646
  }
}

```

```

        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 644
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 638
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p" "p_size")
:location 657
}
}
:rexpr (
{A_CONST
:val 1
:location 674
}
{A_CONST
:val 10
:location 680
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 666
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipmode")
:location 691
}
}
:rexpr (
{A_CONST
:val "AIR"
:location 706
}
{A_CONST
:val "AIR\ REG"
:location 712
}
)
:rexpr_list_start 705
:rexpr_list_end 721
:location 702
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipinstruct")
:location 731
}
}
:rexpr
{A_CONST
:val "DELIVER\ IN\ PERSON"
:location 748
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 746
}
)
:location 487
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_partkey")
:location 781
}
}
:rexpr
{COLUMNREF
:fields ("l_partkey")
:location 795
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 793
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_brand")
:location 813
}
}
:rexpr
{A_CONST
:val "Brand#34"
:location 825
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 823
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_container")
:location 844
}
}
:rexpr (
{A_CONST
:val "LG\ CASE"
:location 869
}

```

```

    }
    {A_CONST
    :val "LG\ BOX"
    :location 879
    }
    {A_CONST
    :val "LG\ PACK"
    :location 888
    }
    {A_CONST
    :val "LG\ PKG"
    :location 898
    }
)
:rexpr_list_start 861
:rexpr_list_end 911
:location 858
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 921
}
}
:rexpr
{A_CONST
:val 20
:location 935
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 932
}
{A_EXPR
:name ("<=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 946
}
}
:rexpr
{A_EXPR
:name ("+" )
:lexpr
{A_CONST
:val 20
:location 960
}
}
:rexpr
{A_CONST
:val 10
:location 965
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 963
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 957
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p" "p_size")
:location 976
}
}
:rexpr (
{A_CONST
:val 1
:location 993
}
{A_CONST
:val 15
:location 999
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 985
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipmode")
:location 1010
}
}
:rexpr (
{A_CONST
:val "AIR"
:location 1025
}
{A_CONST
:val "AIR\ REG"
:location 1031
}
)
:rexpr_list_start 1024
:rexpr_list_end 1040
:location 1021
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipinstruct")
:location 1050
}
}
:rexpr
{A_CONST
:val "DELIVER\ IN\ PERSON"
:location 1067
}

```

```

        }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 1065
    }
}
)
:location 809
}
)
:location 450
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:define analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:define verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:define buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 1090
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname p
:colnames <>
}
:eref
{ALIAS
:aliasname p
:colnames ("p_partkey" "p_name" "p_mfg" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
}
}

```

```

:rtkind 0
:relid 16597
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16597
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 143
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 157
}
)
:location 155
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 175
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 187
}
}
}

```



```

        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
    }
}
:location 185
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location 206
    }
    {ARRAYEXPR
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 231
                :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 241
                :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 250
                :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 260
                :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
            }
        )
    )
    :multidims false
    :list_start 223
    :list_end 273
    :location -1
}
)
:location 220
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 283
    }
    {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
            }
        )
    }
)
}

```

```

        :constbyval true
        :constisnull false
        :location 297
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
)
:location 294
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 307
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 321
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 325
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 323
}
)
:location -1
}
)
:location 318
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 336
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 353
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 345
}

```

```

{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 336
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 359
:constvalue 4 [ 5 0 0 0 0 0 0 0 ]
}
)
:location 345
}
)
:location 345
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 369
}
  {ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 384
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 390
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
:multidims false
:list_start 383
:list_end 399
:location -1
}
)
:location 380
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 409
}
  {CONST
:consttype 25

```

```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 426
        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
8 32 80 69 82 83 79 78 ]
    }
}
:location 424
}
)
:location 171
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 459
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 473
}
}
:location 471
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 491
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 503
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
}
:location 501
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 522
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (

```

```

        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 547
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 567
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 567
        :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 577
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
        }
    )
    :multidims false
    :list_start 539
    :list_end 592
    :location -1
}
)
:location 536
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 602
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 616
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 613
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 627

```

```

}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OPEXP
:opno 551
:opfuncid 177
:opresulttype 23
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 641
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 646
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 644
}
)
:location -1
}
)
:location 638
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 657
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 674
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 666
}
  {OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 657
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 680
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
}

```

```

    )
    :location 666
  }
)
:location 666
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 691
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 706
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 712
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
    :multidims false
    :list_start 705
    :list_end 721
    :location -1
  }
)
:location 702
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 731
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 748
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
      8 32 80 69 82 83 79 78 ]
  }
)
:location 746
}
)
:location 487
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 781
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 795
}
)
:location 793
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 813
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 825
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 823
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 844
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 869
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 879
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 888
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
}
{CONST

```



```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 898
        :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
    }
)
:multidims false
:list_start 861
:list_end 911
:location -1
}
)
:location 858
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 921
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 935
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 932
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 946
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 960
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1

```

```

        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 965
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 963
}
)
:location -1
}
)
:location 957
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 976
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 993
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
)
:location 985
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 976
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 999
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
)
:location 985
}
)
:location 985
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 1010
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25

```

```

:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1025
    :constvalue 7 [ 28 0 0 0 65 73 82 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1031
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
  }
)
:multidims false
:list_start 1024
:list_end 1040
:location -1
}
)
:location 1021
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1050
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1067
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
      8 32 80 69 82 83 79 78 ]
  }
)
:location 1065
}
)
:location 809
}
)
:location 450
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location 49
              }
              {OPEXPR
                :opno 592
                :opfuncid 219
                :opresulttype 701
                :opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 68
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 72
  }
)
:location 70
}
)
:location 65
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
  }
)

```

```

        :location 27
    }
}
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1090
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname p
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname p
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16597
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566

```

```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16597
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 143
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 157
}
)
:location 155
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 175
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 187
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 185
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2

```

```

:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 206
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 231
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 241
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 250
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 260
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
}
:multidims false
:list_start 223
:list_end 273
:location -1
}
)
:location 220
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 283
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcretset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 297
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 294
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 307
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXP
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 321
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 325
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
        )
        :location 323
      }
    )
    :location -1
  }
)
:location 318
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 336
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 353
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location 345
  }
  {OPEXP
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)

```



```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 336
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 359
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
    )
    :location 345
}
)
:location 345
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 369
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 384
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 390
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 383
    :list_end 399
    :location -1
}
)
:location 380
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 409
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 426
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
    }
    )
    :location 424
}
)
:location 171
}

```

```

{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 459
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 473
}
)
:location 471
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 491
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 503
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 501
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 522
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 547
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1

```

```

        :constbyval false
        :constisnull false
        :location 557
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 567
    :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 577
    :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
    )
    :multidims false
    :list_start 539
    :list_end 592
    :location -1
}
)
:location 536
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 602
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 616
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
)
:location 613
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 627
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 641
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 646
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location 644
}
)
:location -1
}
)
:location 638
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 657
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 674
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location 666
  }
  {OEXPR
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 657
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 680
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location 666
  }
)
:location 666
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR

```

```

:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 691
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 706
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 712
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
:multidims false
:list_start 705
:list_end 721
:location -1
}
)
:location 702
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 731
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 748
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 746
}
)
:location 487
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 781
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 795
}
)
:location 793
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 813
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 825
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 823
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 844
}
  {ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 869
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 879
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 888
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 898
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
)
:multidims false
:list_start 861
:list_end 911
:location -1
}

```

```

)
:location 858
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 921
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 935
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 932
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 946
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 960
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 965
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 963
}
)
:location -1
}
)
:location 957

```

```

}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 976
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 993
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 985
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 976
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 999
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 985
}
)
:location 985
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 1010
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1025
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```



```

        :constlen -1
        :constbyval false
        :constisnull false
        :location 1031
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
)
:multidims false
:list_start 1024
:list_end 1040
:location -1
}
)
:location 1021
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 1050
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1067
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
}
:location 1065
}
)
:location 809
}
)
:location 450
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1

```

```

        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 68
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
}
:location 70
}
}
:location 65
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_supkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true

```

```

:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname p
:colnames <>
}
}
:eref
{ALIAS
:aliasname p
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
):quals
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
}
)
}

```

```

    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
    }
  )
  :multidims false
  :list_start -1
  :list_end -1
  :location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname p_partkey
  :ressortgrouppref 0
  :resorigtbl 16551
  :resorigcol 1
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 2
  :resname p_name
  :ressortgrouppref 0
  :resorigtbl 16551
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 3
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 3
  :location -1
  }
  :resno 3
  :resname p_mfgr
  :ressortgrouppref 0
  :resorigtbl 16551
  :resorigcol 3
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 4
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 4
  :location -1
  }

```

```

    }
:resno 4
:resname p_brand
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location -1
  }
:resno 5
:resname p_type
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
:resno 6
:resname p_size
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
  }
:resno 7
:resname p_container
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 8
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location -1
  }
:resno 8
:resname p_retailprice
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 9
    :location -1
  }
:resno 9
:resname p_comment
:ressortgroupref 0
:resorigtbl 16551

```

```

        :resorigcol 9
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16597
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16597
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 143
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 157
}
)
:location 155
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 175
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 187
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
  }
)
:location 185
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 206
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 231
        :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 241
        :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 250
        :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 260
        :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
      }
    )
  }
  :multidims false
  :list_start 223
  :list_end 273
  :location -1
)
}
:location 220
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1

```

```

:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 283
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 297
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 294
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 307
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OPEXP
:opno 551
:opfuncid 177
:opresulttype 23
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 321
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 325
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 323
}
)
:location -1
}
)
:location 318
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR

```



```

:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 336
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 353
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 345
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 336
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 359
:constvalue 4 [ 5 0 0 0 0 0 0 0 ]
}
)
:location 345
}
)
:location 345
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 369
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 384
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 390
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
)
:multidims false
:list_start 383
:list_end 399
:location -1
}
)

```

```

:location 380
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 409
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 426
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 424
}
)
:location 171
}
{BOOLEXP
:boolop and
:args (
  {OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 459
}
  {VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 473
}
)
:location 471
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 491
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 503
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 501
}
{SCALARARRAYOPEXPR

```

```

:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 522
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 547
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 557
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 567
        :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 577
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
      }
    )
    :multidims false
    :list_start 539
    :list_end 592
    :location -1
  }
)
:location 536
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 602
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 616
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
  }
)
}

```

```

        :location -1
    }
)
:location 613
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 627
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 641
            :constvalue 4 [ 10 00 00 00 00 ]
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 646
            :constvalue 4 [ 10 00 00 00 00 ]
            }
        )
        :location 644
    }
)
:location -1
}
)
:location 638
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 657
        }
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 674
        :constvalue 4 [ 10 00 00 00 00 ]
        }
    )
    :location 666
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 657
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 680
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location 666
}
)
:location 666
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 691
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 706
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 712
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
  }
  :multidims false
  :list_start 705
  :list_end 721
  :location -1
)
}
:location 702
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 731
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 748
  }
)
}

```

```

        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
        0 69 82 83 79 78 ]
    }
)
:location 746
}
)
:location 487
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 781
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 795
}
)
:location 793
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 813
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 825
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 823
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 844
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

:constisnull false
:location 869
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 879
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 888
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 898
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
}
:multidims false
:list_start 861
:list_end 911
:location -1
}
)
:location 858
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 921
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 935
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 932
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 946
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false

```

```

:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OEXPR
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 960
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 965
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location 963
  }
)
:location -1
}
)
:location 957
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 976
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 993
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location 985
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 976
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 999
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location 985
}
)
:location 985
}

```



```

{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 1010
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1025
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1031
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
    :multidims false
    :list_start 1024
    :list_end 1040
    :location -1
  }
)
:location 1021
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1050
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1067
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
  }
)
:location 1065
}
)
:location 809
}
)
:location 450
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
          {TARGETENTRY
            :expr
              {OPEXPR

```

```

:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 49
  }
  {OPEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 68
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
      {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 72
      }
    )
    :location 70
  }
)
:location 65
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>

```

```

:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname p
:colnames <>
}
:eref
{ALIAS
:aliasname p
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (

```

```

        {RANGETBLREF
        :rtindex 1
        }
    )
    :quals
    {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
        {VAR
        :varno 1
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
        }
        {ARRAYEXPR
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
            }
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
            }
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
            }
        )
        :multidims false
        :list_start -1
        :list_end -1
        :location -1
    )
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
        }
        :resno 1
        :resname p_partkey
        :ressortgroupref 0
        :resorigtbl 16551
        :resorigcol 1
        :resjunk false
        }
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
        }
        :resno 2
        :resname p_name
        :ressortgroupref 0
    )

```

```

:resorigtbl 16551
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname p_brand
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname p_type
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname p_size
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname p_container
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 7
:resjunk false
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname p_retailprice
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname p_comment
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 9
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16597
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16597
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 143
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 157
  }
)
:location 155
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 175
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 187
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
  }
)
:location 185
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 206
  }
)
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 231
    :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 241
    :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
  }
)
}

```

```

    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 250
    :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 260
    :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
    }
  )
  :multidims false
  :list_start 223
  :list_end 273
  :location -1
}
)
:location 220
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 283
  }
  {FUNCEXPR
  :funcid 316
  :funcresulttype 701
  :funcretset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 297
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
)
:location 294
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 307
  }
  {FUNCEXPR
  :funcid 316
  :funcresulttype 701
  :funcretset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {OPEXPR
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST

```



```

        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 321
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 325
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    )
    :location 323
    }
    )
    :location -1
    }
)
:location 318
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 336
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 353
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
)
:location 345
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 336
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 359
:constvalue 4 [ 5 0 0 0 0 0 0 0 ]
}
)
)
:location 345
}
)
:location 345
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 369
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 384
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 390
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
:multidims false
:list_start 383
:list_end 399
:location -1
}
)
:location 380
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 409
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 426
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 424
}
)
:location 171
}
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 459
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2

```

```

        :location 473
    }
)
:location 471
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 491
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 503
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
    }
)
:location 501
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 522
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 547
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 557
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 567
        :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 577
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
        }
    )
    :multidims false
    :list_start 539
    :list_end 592
    :location -1
}
)
:location 536
}
{OPEXPR

```

```

:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 602
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 616
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location 613
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 627
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXP
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 641
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 646
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
        )
      }
      :location 644
    )
  }
  :location -1
)
}
:location 638
}
{BOOLEXP
:boolop and
:args (

```

```

{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 657
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 674
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 666
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 657
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 680
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 666
}
)
:location 666
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 691
}
  {ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
    {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 706
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
    {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 712
}
  )
}
)

```

```

        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
)
:multidims false
:list_start 705
:list_end 721
:location -1
}
)
:location 702
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 731
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 748
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 746
}
)
:location 487
}
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 781
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 795
}
)
:location 793
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 813
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1

```

```

:constbyval false
:constisnull false
:location 825
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 823
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 844
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 869
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 879
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 888
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 898
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
}
)
:multidims false
:list_start 861
:list_end 911
:location -1
}
)
:location 858
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 921
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 935
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location 932
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 946
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 960
            :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 965
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
            }
        )
        :location 963
    }
)
:location -1
}
)
:location 957
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 976
        }
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 993
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
    )
)
}

```



```

)
:location 985
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 976
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 999
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location 985
}
)
:location 985
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 1010
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1025
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1031
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
  )
  :multidims false
  :list_start 1024
  :list_end 1040
  :location -1
)
}
:location 1021
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1050
  }
)
}

```

```

        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1067
        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
        0 69 82 83 79 78 ]
        }
    )
    :location 1065
}
)
:location 809
}
)
:location 450
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 68
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
)
:location 70
}
)
:location 65
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```

```

    }
  )
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar false
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggsplit 0
  :aggno -1
  :aggtransno -1
  :location 45
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 188627.63166666668
:plan.total_cost 188627.64166666667
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 9
:aggno 0
:aggtransno 0
:location 45
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree

```

```

{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 188627.41666666666
:plan.total_cost 188627.62666666668
:plan.plan_rows 2
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 0
        :varattnosyn 0
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
  {AGG
    :plan.disabled_nodes 0
    :plan.startup_cost 187627.41666666666
    :plan.total_cost 187627.42666666667
    :plan.plan_rows 1
    :plan.plan_width 8
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 2
    :plan.targetlist (
      {TARGETENTRY
        :expr
          {AGGREF
            :aggfnoid 2111
            :aggtype 701
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 701
            :aggargtypes (o 701)
            :aggdirectargs <>
            :args (
              {TARGETENTRY
                :expr
                  {OPEXPR
                    :opno 594
                    :opfuncid 216
                    :opresulttype 701
                    :opretset false
                    :opcollid 0
                    :inputcollid 0
                    :args (
                      {VAR
                        :varno -2
                        :varattno 1
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 1
                        :varattnosyn 6
                        :location 49
                      }
                    )
                  {OPEXPR
                    :opno 592
                    :opfuncid 219
                    :opresulttype 701
                    :opretset false
                    :opcollid 0
                    :inputcollid 0
                    :args (
                      {CONST
                        :consttype 701
                        :consttypmod -1
                        :constcollid 0
                        :constlen 8
                        :constbyval true
                        :constisnull false
                        :location -1
                        :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
                      }
                      {VAR
                        :varno -2
                        :varattno 2
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 1
                        :varattnosyn 7
                        :location 72
                      }
                    )
                  :location 70
                }
              }
            )
          }
        }
      )
    }
  }

```

```

        )
        :location 65
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 6
:aggno 0
:aggtransno 0
:location 45
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 7718.454166666667
:join.plan.total_cost 187627.37916666665
:join.plan.plan_rows 5
:join.plan.plan_width 16
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 179731.5
:scan.plan.plan_rows 47240
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

        :varattnosyn 1
        :location -1
    }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67

```



```

:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 369
  }
  {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 44 [ -80 0 0 0 1 0 0 0 0 0 0 25 0 0 0 2 0 0
      0 1 0 0 0 28 0 0 0 65 73 82 0 44 0 0 0 65 73 82 32 82 69
      71 0 ]
  }
)
:location 380
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 409
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 426
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 3
      2 80 69 82 83 79 78 ]
  }
)
:location 424
}
{BOOLEXP
:boolop or
:args (
  {BOOLEXP
    :boolop and
    :args (
      {OEXPR
        :opno 675
        :opfuncid 298
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 5
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location 283
          }
          {CONST
            :consttype 701
            :consttypmod -1
            :constcollid 0
            :constlen 8
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
          }
        )
      }
    )
  }
  :location 294
}
{OEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0

```

```

:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 307
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 38 64 ]
  }
)
:location 318
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 602
      }
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 36 64 ]
      }
    )
  }
  :location 613
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 627
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 52 64 ]
  }
)
:location 638
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (

```

```

        {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 921
        }
        {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 52 64 ]
        }
    )
    :location 932
  }
  {OPEXPR
  :opno 673
  :opfuncid 296
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
  {VAR
  :varno 1
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 946
  }
  {CONST
  :consttype 701
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ 0 0 0 0 0 0 62 64 ]
  }
  )
  :location 957
}
)
:location -1
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 7718.166666666667
:plan.total_cost 7718.166666666667
:plan.plan_rows 23
:plan.plan_width 25
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1

```

```

        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
    }
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 7718.166666666667
:scan.plan.plan_rows 23
:scan.plan.plan_width 25
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 353
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 345
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 60 [ -16 0 0 0 1 0 0 0 0 0 0 0 25 0 0 0 3
0 0 0 1 0 0 0 48 0 0 0 66 114 97 110 100 35 49 50 48 0
0 0 66 114 97 110 100 35 50 51 48 0 0 66 114 97 110
100 35 51 52 ]
}
)
}

```

```

    }
  )
  :location -1
}
{BOOLEXP
:boolop or
:args (
  {BOOLEXP
  :boolop and
  :args (
    {OPEXP
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
      :varno 3
      :varattno 4
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 4
      :location -1
      }
      {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location 187
      :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 4
        9 50 ]
      }
    )
  )
  :location 185
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
  :varno 3
  :varattno 7
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 7
  :location -1
  }
  {CONST
  :consttype 1009
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0
    0 4 0 0 0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69
    0 40 0 0 0 83 77 32 66 79 88 0 0 44 0 0 0 83 77
    32 80 65 67 75 0 40 0 0 0 83 77 32 80 75 71 0 0
    ]
  }
)
:location 220
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 3
  :varattno 6
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 6
  :location -1
  }
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location 359
  :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
  }
)
}

```

```

        :location 345
    }
)
:location -1
}
{BOOLEXP
:boolop and
:args (
    {OPEXP
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno 3
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 503
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 5
        0 51 ]
        }
    )
    :location 501
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 3
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location -1
    }
    {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0
    0 4 0 0 0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71
    0 44 0 0 0 77 69 68 32 66 79 88 0 44 0 0 0 77 6
    9 68 32 80 75 71 0 48 0 0 0 77 69 68 32 80 65 67
    75 ]
    }
)
:location 536
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 3
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 680
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 666
}

```

```

)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 3
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 825
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 5
          1 52 ]
        }
      )
    :location 823
  }
  {SCALARARRAYOEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {VAR
        :varno 3
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location -1
      }
      {CONST
        :consttype 1009
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0
          0 4 0 0 0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69
          0 40 0 0 0 76 71 32 66 79 88 0 0 44 0 0 0 76 71
          32 80 65 67 75 0 40 0 0 0 76 71 32 80 75 71 0 0
          ]
        }
      )
    :location 858
  }
  {OEXPR
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 999
        :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
        }
      )
    :location 985
  }
)
:location -1

```



```

    }
    )
    :location -1
    }
  )
  :scan.plan.lefttree <>
  :scan.plan.righttree <>
  :scan.plan.initPlan <>
  :scan.plan.extParam (b 0)
  :scan.plan.allParam (b 0)
  :scan.scanrelid 3
  }
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 55.199999999999996
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
  {BOOLEXPR
    :boolop or
    :args (
      {BOOLEXPR
        :boolop and
        :args (
          {OPEXPR
            :opno 98
            :opfuncid 67
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 100
            :args (
              {VAR
                :varno -1
                :varattno 2
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 4
                :location -1
              }
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 187
                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
              }
            )
          }
        :location 185
      }
    )
    {SCALARARRAYOPEXPR
      :opno 98
      :opfuncid 67
      :hashfuncid 0
      :negfuncid 0
      :useOr true
      :inputcollid 100
      :args (
        {VAR
          :varno -1
          :varattno 3
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 3
          :varattnosyn 7
          :location -1
        }
        {CONST
          :consttype 1009
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location -1
          :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0 4 0
            0 0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69 0 40 0 0 0
            83 77 32 66 79 88 0 0 44 0 0 0 83 77 32 80 65 67 75 0
            40 0 0 0 83 77 32 80 75 71 0 0 ]
          }
        )
      }
    )
  }
)

```

```

    }
  )
  :location 220
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 283
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
  }
)
:location 294
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 307
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 38 64 ]
  }
)
:location 318
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 359
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
  }
)
:location 345
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXPR
    :opno 98
    :opfuncid 67

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno -1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 4
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 503
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
  }
)
:location 501
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno -1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location -1
  }
  {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0 4 0
      0 0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71 0 44 0 0 0
      77 69 68 32 66 79 88 0 44 0 0 0 77 69 68 32 80 75 71 0
      48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
)
:location 536
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 602
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 36 64 ]
  }
)
:location 613
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 627
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 52 64 ]
}
)
:location 638
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 680
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 666
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 825
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 823
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}

```

```

    }
    {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0 4 0
    0 0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69 0 40 0 0 0
    76 71 32 66 79 88 0 0 44 0 0 0 76 71 32 80 65 67 75 0
    40 0 0 0 76 71 32 80 75 71 0 0 ]
    }
  )
  :location 858
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno -2
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 921
  }
  {CONST
  :consttype 701
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ 0 0 0 0 0 0 0 52 64 ]
  }
)
:location 932
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno -2
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 946
  }
  {CONST
  :consttype 701
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ 0 0 0 0 0 0 0 62 64 ]
  }
)
:location 957
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno -1
  :varattno 4
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 6
  :location -1
  }
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location 999
  :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)

```

```

        }
        )
        :location 985
        }
    )
    :location -1
    }
)
:location -1
}
)
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 157
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 157
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:aggstrategy 0
:aggssplit 6
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggssplit 9
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

```
-----
-----
-----
Finalize Aggregate (cost=188627.63..188627.64 rows=1 width=8) (actual time=793.062..794.989 rows=1.00 loops=1)
  Output: sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
  Buffers: shared hit=10416 read=98168
-> Gather (cost=188627.42..188627.63 rows=2 width=8) (actual time=792.924..794.983 rows=3.00 loops=1)
  Output: (PARTIAL sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount))))
  Workers Planned: 2
  Workers Launched: 2
  Buffers: shared hit=10416 read=98168
-> Partial Aggregate (cost=187627.42..187627.43 rows=1 width=8) (actual time=788.100..788.102 rows=1.00 loops=3)
  Output: PARTIAL sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
  Buffers: shared hit=10416 read=98168
  Worker 0: actual time=786.867..786.869 rows=1.00 loops=1
    Buffers: shared hit=3364 read=32697
  Worker 1: actual time=784.804..784.806 rows=1.00 loops=1
    Buffers: shared hit=3208 read=32567
-> Parallel Hash Join (cost=7718.45..187627.38 rows=5 width=16) (actual time=56.889..788.052 rows=40.33 loops=3)
  Output: lineitem.l_extendedprice, lineitem.l_discount
  Hash Cond: (lineitem.l_partkey = part.p_partkey)
  Join Filter: (((part.p_brand = 'Brand#12'::text) AND (part.p_container = ANY (('{SM CASE',"SM BOX","SM PACK","SM PKG"}'::text[])) AND (lineitem.l_quantity >= '1'::double precision) AND (lineitem.l_quantity <= '11'::double precision) AND (part.p_size <= 5)) OR ((part.p_brand = 'Brand#23'::text) AND (part.p_container = ANY (('{MED BAG',"MED BOX',"MED PKG',"MED PACK"}'::text[])) AND (lineitem.l_quantity >= '10'::double precision) AND (lineitem.l_quantity <= '20'::double precision) AND (part.p_size <= 10)) OR ((part.p_brand = 'Brand#34'::text) AND (part.p_container = ANY (('{LG CASE',"LG BOX","LG PACK","LG PKG"}'::text[])) AND (lineitem.l_quantity >= '20'::double precision) AND (lineitem.l_quantity <= '30'::double precision) AND (part.p_size <= 15))))
  Rows Removed by Join Filter: 67
  Buffers: shared hit=10416 read=98168
  Worker 0: actual time=24.487..786.800 rows=49.00 loops=1
    Buffers: shared hit=3364 read=32697
  Worker 1: actual time=72.490..784.765 rows=37.00 loops=1
    Buffers: shared hit=3208 read=32567
-> Parallel Seq Scan on public.lineitem (cost=0.00..179731.50 rows=47240 width=28) (actual time=0.108..762.988 rows=42790.33 loops=3)
  Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
  Filter: (((lineitem.l_shipmode = ANY (('{AIR',"AIR REG"}'::text[])) AND (lineitem.l_shipinstruct = 'DELIVER IN PERSON'::text) AND (((lineitem.l_quantity >= '1'::double precision) AND (lineitem.l_quantity <= '11'::double precision)) OR ((lineitem.l_quantity >= '10'::double precision) AND (lineitem.l_quantity <= '20'::double precision)) OR ((lineitem.l_quantity >= '20'::double precision) AND (lineitem.l_quantity <= '30'::double precision)))))
  Rows Removed by Filter: 1957615
  Buffers: shared hit=6552 read=98168
  Worker 0: actual time=0.270..762.990 rows=42890.00 loops=1
    Buffers: shared hit=2198 read=32697
  Worker 1: actual time=0.030..762.838 rows=42698.00 loops=1
    Buffers: shared hit=2143 read=32567
-> Parallel Hash (cost=7718.17..7718.17 rows=23 width=25) (actual time=18.473..18.474 rows=161.67 loops=3)
  Output: part.p_partkey, part.p_brand, part.p_container, part.p_size
  Buckets: 1024 Batches: 1 Memory Usage: 104kB
  Buffers: shared hit=3864
  Worker 0: actual time=17.255..17.256 rows=135.00 loops=1
    Buffers: shared hit=1166
  Worker 1: actual time=15.200..15.200 rows=150.00 loops=1
    Buffers: shared hit=1065
-> Parallel Seq Scan on public.part (cost=0.00..7718.17 rows=23 width=25) (actual time=0.086..18.386 rows=161.67 loops=3)
  Output: part.p_partkey, part.p_brand, part.p_container, part.p_size
  Filter: (((part.p_size >= 1) AND (part.p_brand = ANY (('{Brand#12,Brand#23,Brand#34'}'::text[])) AND (((part.p_brand = 'Brand#12'::text) AND (part.p_container = ANY (('{SM CASE","SM BOX","SM PACK","SM PKG"}'::text[])) AND (part.p_size <= 5)) OR ((part.p_brand = 'Brand#23'::text) AND (part.p_container = ANY (('{MED BAG","MED BOX","MED PKG","MED PACK"}'::text[])) AND (part.p_size <= 10)) OR ((part.p_brand = 'Brand#34'::text) AND (part.p_container = ANY (('{LG CASE","LG BOX","LG PACK","LG PKG"}'::text[])) AND (part.p_size <= 15))))))
  Rows Removed by Filter: 66505
  Buffers: shared hit=3864
  Worker 0: actual time=0.058..17.163 rows=135.00 loops=1
    Buffers: shared hit=1166
  Worker 1: actual time=0.172..15.110 rows=150.00 loops=1
    Buffers: shared hit=1065

Planning:
  Buffers: shared hit=7
Planning Time: 15.170 ms
Execution Time: 795.073 ms
(55 rows)

Time: 815.855 ms
tpch=> RESET ROLE;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
  :stmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
    :stmt_location 0
    :stmt_len 10
  }
)

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {VARIABLESETSTMT
      :kind 4
      :name role
      :args <>
      :jumble_args false
      :is_local false
      :location -1
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
}
```

```

:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 1.615 ms

tpch=#

tpch=# -- Step 1: Drop all existing policies

DO \$\$

DECLARE r RECORD;

BEGIN

FOR r IN

SELECT polycyname, tablenamee

FROM pg_policies

WHERE schemaname = 'public'

LOOP

EXECUTE format(

'DROP POLICY IF EXISTS %I ON %I',

r.polycyname, r.tablename

);

END LOOP;

END;

\$\$;

-- Step 2: Disable RLS on all tables

RESET ROLE;

ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;

ALTER TABLE orders DISABLE ROW LEVEL SECURITY;

ALTER TABLE customer DISABLE ROW LEVEL SECURITY;

ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;

ALTER TABLE part DISABLE ROW LEVEL SECURITY;

ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;

ALTER TABLE nation DISABLE ROW LEVEL SECURITY;

ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on part

ALTER TABLE part ENABLE ROW LEVEL SECURITY;

-- Step 4: Policy - only rows matching

-- Q19 brand/container/size combos

CREATE POLICY part_rls_policy ON part

USING (

(

p_brand = 'Brand#12'

AND p_container IN (

'SM CASE', 'SM BOX', 'SM PACK', 'SM PKG'

)

AND p_size BETWEEN 1 AND 5

) OR (

p_brand = 'Brand#23'

AND p_container IN (

'MED BAG', 'MED BOX', 'MED PKG', 'MED PACK'

)

AND p_size BETWEEN 1 AND 10

) OR (

p_brand = 'Brand#34'

AND p_container IN (

'LG CASE', 'LG BOX', 'LG PACK', 'LG PKG'

)

AND p_size BETWEEN 1 AND 15

)

);

-- Step 5: Grant permissions and set role

GRANT SELECT ON part TO alice;

GRANT SELECT ON lineitem TO alice;

SET ROLE alice;

-- Step 6: Run Q19

EXPLAIN (ANALYZE, VERBOSE, BUFFERS)

SELECT

sum(l_extendedprice * (1 - l_discount))

AS revenue

FROM lineitem, part

WHERE

(

p_partkey = l_partkey

AND p_brand = 'Brand#12'

AND p_container IN (

'SM CASE', 'SM BOX', 'SM PACK', 'SM PKG'

)

AND l_quantity >= 1

AND l_quantity <= 1 + 10

AND p_size BETWEEN 1 AND 5

AND l_shipmode IN ('AIR', 'AIR REG')

AND l_shipinstruct = 'DELIVER IN PERSON'

) OR (


```

p_partkey = l_partkey
AND p_brand = 'Brand#23'
AND p_container IN (
  'MED BAG', 'MED BOX', 'MED PKG', 'MED PACK'
)
AND l_quantity >= 10
AND l_quantity <= 10 + 10
AND p_size BETWEEN 1 AND 10
AND l_shipmode IN ('AIR', 'AIR REG')
AND l_shipinstruct = 'DELIVER IN PERSON'
) OR (
  p_partkey = l_partkey
  AND p_brand = 'Brand#34'
  AND p_container IN (
    'LG CASE', 'LG BOX', 'LG PACK', 'LG PKG'
  )
  AND l_quantity >= 20
  AND l_quantity <= 20 + 10
  AND p_size BETWEEN 1 AND 15
  AND l_shipmode IN ('AIR', 'AIR REG')
  AND l_shipinstruct = 'DELIVER IN PERSON'
);
View
Secure View

Filter on part_secure view, then run Q19

-- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS part_secure;

-- Step 3: Create view with same filter
-- logic as the RLS policy
CREATE VIEW part_secure AS
SELECT p.*
FROM part p
WHERE
(
  p.p_brand = 'Brand#12'
  AND p.p_container IN (
    'SM CASE', 'SM BOX', 'SM PACK', 'SM PKG'
  )
  AND p.p_size BETWEEN 1 AND 5
) OR (
  p.p_brand = 'Brand#23'
  AND p.p_container IN (
    'MED BAG', 'MED BOX', 'MED PKG', 'MED PACK'
  )
  AND p.p_size BETWEEN 1 AND 10
) OR (
  p.p_brand = 'Brand#34'
  AND p.p_container IN (
    'LG CASE', 'LG BOX', 'LG PACK', 'LG PKG'
  )
  AND p.p_size BETWEEN 1 AND 15
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON part_secure TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;

-- Step 5: Run Q19
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
SELECT
  sum(l_extendedprice * (1 - l_discount))
  AS revenue
FROM lineitem, part_secure p
WHERE
(
  p.p_partkey = l_partkey
  AND p.p_brand = 'Brand#12'
  AND p.p_container IN (
    'SM CASE', 'SM BOX', 'SM PACK', 'SM PKG'
  )
  AND l_quantity >= 1
  AND l_quantity <= 1 + 10
  AND p.p_size BETWEEN 1 AND 5
  AND l_shipmode IN ('AIR', 'AIR REG')
  AND l_shipinstruct = 'DELIVER IN PERSON'
) OR (
  p.p_partkey = l_partkey
  AND p.p_brand = 'Brand#23'
  AND p.p_container IN (
    'MED BAG', 'MED BOX', 'MED PKG', 'MED PACK'
  )
  AND l_quantity >= 10
  AND l_quantity <= 10 + 10
  AND p.p_size BETWEEN 1 AND 10
  AND l_shipmode IN ('AIR', 'AIR REG')
  AND l_shipinstruct = 'DELIVER IN PERSON'
) OR (
  p.p_partkey = l_partkey
  AND p.p_brand = 'Brand#34'
  AND p.p_container IN (
    'LG CASE', 'LG BOX', 'LG PACK', 'LG PKG'
  )
  AND l_quantity >= 20
  AND l_quantity <= 20 + 10
  AND p.p_size BETWEEN 1 AND 15
  AND l_shipmode IN ('AIR', 'AIR REG')
  AND l_shipinstruct = 'DELIVER IN PERSON'
);
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\

```

```

DECLARE\ r\ RECORD;\
BEGIN\
\ \ FOR\ r\ IN\
\ \ \ \ SELECT\ p
\ \ \ \ \ olicyname,\ tablename\
\ \ \ \ FROM\ pg_policies\
\ \ \ \ WHERE\ sche
\ \ \ \ \ maname\ =\ 'public'\
\ \ LOOP\
\ \ \ \ EXECUTE\ format\(\
\ \ \ \ \
\ \ \ \ \ 'DROP\ POLICY\ IF\ EXISTS\ %I\ ON\ %I',\
\ \ \ \ \ r.policynome,\
\ \ \ \ \ r.tablename\
\ \ \ \ \ )
\ \ \ \ \ ;\
\ \ END\ LOOP;\
END;\

```

```

"
: defaction 0
: location 3
}
)
}
: stmt_location 0
: stmt_len 252
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
: commandType 6
: querySource 0
: canSetTag true
: utilityStmt
{DOSTMT
: args (
{DEFELEM
: defnamespace <>
: defname as
: arg "\

```

```

DECLARE\ r\ RECORD;\
BEGIN\
\ \ FOR\ r\ IN\
\ \ \ \ SELECT\ p
\ \ \ \ \ olicyname,\ tablename\
\ \ \ \ FROM\ pg_policies\
\ \ \ \ WHERE\ sche
\ \ \ \ \ maname\ =\ 'public'\
\ \ LOOP\
\ \ \ \ EXECUTE\ format\(\
\ \ \ \ \
\ \ \ \ \ 'DROP\ POLICY\ IF\ EXISTS\ %I\ ON\ %I',\
\ \ \ \ \ r.policynome,\
\ \ \ \ \ r.tablename\
\ \ \ \ \ )
\ \ \ \ \ ;\
\ \ END\ LOOP;\
END;\

```

```

"
: defaction 0
: location 3
}
)
}
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: cteList <>
: rtable <>
: rteperminfos <>
: jointree <>
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList <>
: override 0
: onConflict <>
: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 252
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
: commandType 1
: querySource 0
: canSetTag true
: utilityStmt <>
: resultRelation 0
: hasAggs false

```

```
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable (
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "polyciname" "permissive" "roles"
          "cmd" "qual" "with_check")
      }
    :rtekind 0
    :relid 12018
    :inh true
    :relkind v
    :relockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 12018
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals
    {OPEXPR
      :opno 93
      :opfncind 62
      :opresulttype 16
      :opretset false
      :opcoid 0
      :inputcollid 950
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 19
          :vartypmod -1
          :varcollid 950
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location 60
        }
        {CONST
          :consttype 19
          :consttypmod -1
          :constcollid 950
          :constlen 64
          :constbyval false
          :constisnull false
          :location 73
          :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
        }
      )
      :location 71
    }
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 7
      }
    :resno 1
    :resname polyciname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
```

```

:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== REWRITE OUTPUT =====
DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false

```

```

:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
laci" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relaci" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}

```

```

}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reliid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreliid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastreliid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4

```

```

:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR

```

```

:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)

```

```

:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
}
:rarg
{RANGETBLREF
:rtindex 2
}
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1

```



```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
}
}
}

```

```

        :constbyval false
        :constisnull false
        :location -1
        :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
    }
    :location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950

```

```

        :inputcollid 0
        :args (
            {CASETESTEXPR
                :typeId 25
                :typeMod -1
                :collation 0
            }
        )
        :location -1
    }
    :resulttype 1003
    :resulttypmod -1
    :resultcollid 950
    :coerceformat 2
    :location -1
}
:location -1
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
            :aliasname pg_authid
            :colnames ("oid" "rolname" "rolsuper" "rolinherit"
                "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
                    lication" "rolbypassrls" "rolconlimit" "rolpasswor
                        d" "rolvaliduntil")
        }
        :rtekind 0
        :relid 1260
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
        :relid 1260
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 9)
        :insertedCols (b)
        :updatedCols (b)
    }
)
:jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF
        :rtindex 1
    }
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
    }
)
}
}
}

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
}
}

```

```

:args (
  {CASETESTEXPR
    :typeId 18
    :typeMod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
  }
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeId 18
        :typeMod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
  }
:location -1
}
)
:defresult
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
  }
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
      }
    )
  }
}

```

```

        :varattnosyn 7
        :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:reldid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)

```

```
:updatedCols (b)
}
)
}:jointree
{FROMEXPR
 :fromlist (
 {RANGETBLREF
 :rtindex 1
 }
 )
 :quals
 {OPEXPR
 :opno 93
 :opfuncid 62
 :opresulttype 16
 :opretset false
 :opcoid 0
 :inputcollid 950
 :args (
 {VAR
 :varno 1
 :varattno 1
 :vartype 19
 :vartypmod -1
 :varcollid 950
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 1
 :varattnosyn 1
 :location 60
 }
 {CONST
 :consttype 19
 :consttypmod -1
 :constcollid 950
 :constlen 64
 :constbyval false
 :constisnull false
 :location 73
 :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
 }
 )
 :location 71
 }
 }
}:mergeActionList <>
}:mergeTargetRelation 0
}:mergeJoinCondition <>
}:targetList (
 {TARGETENTRY
 :expr
 {VAR
 :varno 1
 :varattno 3
 :vartype 19
 :vartypmod -1
 :varcollid 950
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 1
 :varattnosyn 3
 :location 7
 }
 :resno 1
 :resname policynome
 :ressortgroupref 0
 :resorigtbl 12018
 :resorigcol 3
 :resjunk false
 }
 {TARGETENTRY
 :expr
 {VAR
 :varno 1
 :varattno 2
 :vartype 19
 :vartypmod -1
 :varcollid 950
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 1
 :varattnosyn 2
 :location 19
 }
 :resno 2
 :resname tablename
 :ressortgroupref 0
 :resorigtbl 12018
 :resorigcol 2
 :resjunk false
 }
 )
}:override 0
}:onConflict <>
}:returningOldAlias <>
}:returningNewAlias <>
}:returningList <>
}:groupByClause <>
}:groupByDistinct false
}:groupingSets <>
}:havingQual <>
}:windowClause <>
}:distinctClause <>
}:sortClause <>
}:limitOffset <>
}:limitCount <>
}:limitOption 0
}:rowMarks <>
}:setOperations <>
}:constraintDeps <>
```



```

:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel

```

```

tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhas subclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtkind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}

```

```

{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9

```

```

:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n

```

```

        :colnames ("oid" "nspname" "nspowner" "nspacl")
    }
:rtkind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtkind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2

```



```

:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}

```

```

{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
}

```

```

:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
}

```

```

:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615

```

```

:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 1028
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{ARRAYCOERCEEXPR
  :arg
  {FUNCEXP
    :funcid 394
    :funcresulttype 1009
    :funcset false
    :funcvariadic false
    :funcformat 0
    :funccollid 100
    :inputcollid 100
    :args (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 4 [ 16 0 0 0 ]
      }
    )
    :location -1
  }
  :elemexpr
  {FUNCEXP
    :funcid 407
    :funcresulttype 19
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 950
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeId 25
        :typeMod -1
        :collation 0
      }
    )
    :location -1
  }
  :resulttype 1003
  :resulttypmod -1
  :resultcollid 950
  :coerceformat 2
  :location -1
}
:location -1
}
)
:defresult
{SUBLINK
  :subLinkType 6
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
  }
}

```

```

:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctclList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_authid
        :colnames ("oid" "rolname" "rolsuper" "rolinherit"
          "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
            lication" "rolbypassrsls" "rolconnlimit" "rolpasswor
              d" "rolvaliduntil")
        }
      :rtekind 0
      :relid 1260
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  )
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SCALARARRAYOEXPR
    :opno 607
    :opfuncid 184
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
      }
    )
    :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>

```



```

:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 93
   :sortop 660
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST

```

```

        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0

```

```

        :inputcollid 0
        :args (
            {CASETESTEXPR
                :typeid 18
                :typemod -1
                :collation 0
            }
            {CONST
                :consttype 18
                :consttypmod -1
                :constcollid 0
                :constlen 1
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    :result
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
}
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
    {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
    {VAR
        :varno 1
        :varattno 8

```

```

        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :resno 8
    :resname with_check
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :security_barrier false
    :relid 12018
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 12018
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    )
    :quals
    {OEXPR
    :opno 93
    :opfuncid 62
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 950
    :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 60
    }
    {CONST
    :consttype 19
    :consttypmod -1
    :constcollid 950
    :constlen 64
    :constbyval false
    :constisnull false
    :location 73
    }
    )
    }
    }
    }

```



```

:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.2725
:join.plan.total_cost 11.335952914798208
:join.plan.plan_rows 1
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 3.01
:scan.plan.plan_rows 1
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (

```

```

{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6

```

```

        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
    }
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.2725
:scan.plan.total_cost 8.2900000000000001
:scan.plan.plan_rows 1
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7

```

```

:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3

```

```

:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 23
        :location -1
    }
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
}

```

```

    }
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
}
:resno 33
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
:indexid 2662
:indexqual (
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexqualorig (
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM

```

```

:paramno 0
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
)
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.13
:scan.plan.total_cost 0.17696629213483145
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0

```


[illegible]

```

    }
  )
  :indexorderby <>
  :indexorderbyorig <>
  :indexorderbyops <>
  :indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
  {NESTLOOPPARAM
    :paramno 1
    :paramval
      {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
    }
)
}
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
    :fromlist <>
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 14
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
              70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
            }
          {PARAM
            :paramkind 0
            :paramid 3
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 54
          }
          {PARAM
            :paramkind 0
            :paramid 4
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 68
          }
        )
      }
    :location 0
  }
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>

```

```

:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 14
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 54
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 68
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>

```

```

:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 14
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 54
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 68
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL: {RESULT
:plan.disabled_nodes 0
}

```

```

:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
  :expr
  {FUNCEXP
  :funcid 3539
  :funcresulttype 25
  :funcresultset false
  :funcvariadic false
  :funcformat 0
  :funccollid 950
  :inputcollid 950
  :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 14
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
      70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
    }
    {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 54
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 68
    }
  )
  :location 0
  }
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("part" "part_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("part" "part_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
}

```

```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 22.319 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.178 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALTERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALTERTABLECMD
:subtype 55
:name <>
:num 0
}
)
}

```

```

        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.435 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
}

```

```
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 48
}
```

WARNING: ===== ANALYZED QUERY =====

DETAIL: {QUERY

- :commandType 6
- :querySource 0
- :canSetTag true
- :utilityStmt
 - {ALERTABLESTMT
 - :relation
 - {RANGEVAR
 - :catalogname <>
 - :schemaname <>
 - :relname orders
 - :inh true
 - :relpersistence p
 - :alias <>
 - :location 12
 - }
 - :cmds (
 - {ALERTABLECMD
 - :subtype 55
 - :name <>
 - :num 0
 - :newowner <>
 - :def <>
 - :behavior 0
 - :missing_ok false
 - :recurse false
 - }

- }
- :objtype 41
- :missing_ok false
- }
- :resultRelation 0
- :hasAggs false
- :hasWindowFuncs false
- :hasTargetSRFs false
- :hasSubLinks false
- :hasDistinctOn false
- :hasRecursive false
- :hasModifyingCTE false
- :hasForUpdate false
- :hasRowSecurity false
- :hasGroupRTE false
- :isReturn false
- :cteList <>
- :rtable <>
- :rteperminfos <>
- :jointree <>
- :mergeActionList <>
- :mergeTargetRelation 0
- :mergeJoinCondition <>
- :targetList <>
- :override 0
- :onConflict <>
- :returningOldAlias <>
- :returningNewAlias <>
- :returningList <>
- :groupClause <>
- :groupDistinct false
- :groupingSets <>
- :havingQual <>
- :windowClause <>
- :distinctClause <>
- :sortClause <>
- :limitOffset <>
- :limitCount <>
- :limitOption 0
- :rowMarks <>
- :setOperations <>
- :constraintDeps <>
- :withCheckOptions <>
- :stmt_location 0
- :stmt_len 48
- }

Time: 0.312 ms

WARNING: ===== RAW PARSE TREE =====

DETAIL: {RAWSTMT

- :stmt
 - {ALERTABLESTMT
 - :relation
 - {RANGEVAR
 - :catalogname <>
 - :schemaname <>
 - :relname customer
 - :inh true
 - :relpersistence p
 - :alias <>
 - :location 12
 - }
 - :cmds (
 - {ALERTABLECMD
 - :subtype 55
 - :name <>
 - :num 0
 - :newowner <>
 - :def <>
 - :behavior 0
 - :missing_ok false
 - :recurse false
 - }
- }
- :objtype 41
- :missing_ok false
- }
- :stmt_location 0
- :stmt_len 48


```

}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.384 ms
WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0

```

:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.336 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>

```

```

:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.295 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
}
}

```

```

    }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 48
}

```

Time: 0.335 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
  :stmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname nation
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
    :stmt_location 0
    :stmt_len 48
  }
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname nation
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0

```

```

:owner <>
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.351 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
}

```

```

    )
    :objtype 41
    :missing_ok false
  }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :ctelist <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 48
}

```

Time: 0.301 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
  :stmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname part
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 54
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :stmt_location 0
  :stmt_len 42
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname part
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 54
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :resultRelation 0
  :hasAggs false
}

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 42
}

```

Time: 0.296 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name part_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 33
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 54
}
}
:rexpr
{A_CONST
:val "Brand#12"
:location 64
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 62
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_container")
:location 83
}
}
:rexpr (
{A_CONST
:val "SM\ CASE"
:location 106
}
{A_CONST
:val "SM\ BOX"
:location 116
}
{A_CONST
:val "SM\ PACK"
:location 125
}
{A_CONST
:val "SM\ PKG"
:location 135
}
}
)
:rexpr_list_start 98

```

```

:rexpr_list_end 148
:location 95
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 158
}
:rexpr (
{A_CONST
:val 1
:location 173
}
{A_CONST
:val 5
:location 179
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 165
}
)
:location 79
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 194
}
:rexpr
{A_CONST
:val "Brand#23"
:location 204
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 202
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_container")
:location 223
}
:rexpr (
{A_CONST
:val "MED\ BAG"
:location 246
}
{A_CONST
:val "MED\ BOX"
:location 256
}
{A_CONST
:val "MED\ PKG"
:location 266
}
{A_CONST
:val "MED\ PACK"
:location 276
}
)
:rexpr_list_start 238
:rexpr_list_end 291
:location 235
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 301
}
:rexpr (
{A_CONST
:val 1
:location 316
}
{A_CONST
:val 10
:location 322
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 308
}
)
:location 219
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 338
}
:rexpr
{A_CONST
:val "Brand#34"
:location 348
}
}
:rexpr_list_start 0

```



```

:rexpr_list_end 0
:location 346
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_container")
:location 367
}
:rexpr (
{A_CONST
:val "LG\ CASE"
:location 390
}
{A_CONST
:val "LG\ BOX"
:location 400
}
{A_CONST
:val "LG\ PACK"
:location 409
}
{A_CONST
:val "LG\ PKG"
:location 419
}
)
:rexpr_list_start 382
:rexpr_list_end 432
:location 379
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 442
}
:rexpr (
{A_CONST
:val 1
:location 457
}
{A_CONST
:val 15
:location 463
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 449
}
)
:location 363
}
)
:location 185
}
:with_check <>
}
:stmt_location 0
:stmt_len 471
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name part_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 33
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{BOOLEXPR
:boolop or
:args (
{BOOLEXPR
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 54
}
}
:rexpr
{A_CONST
:val "Brand#12"
:location 64
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 62
}
}

```

```

{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_container")
:location 83
}
}
:rexpr (
{A_CONST
:val "SM\ CASE"
:location 106
}
{A_CONST
:val "SM\ BOX"
:location 116
}
{A_CONST
:val "SM\ PACK"
:location 125
}
{A_CONST
:val "SM\ PKG"
:location 135
}
)
:rexpr_list_start 98
:rexpr_list_end 148
:location 95
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 158
}
}
:rexpr (
{A_CONST
:val 1
:location 173
}
{A_CONST
:val 5
:location 179
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 165
}
}
:location 79
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 194
}
}
:rexpr
{A_CONST
:val "Brand#23"
:location 204
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 202
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_container")
:location 223
}
}
:rexpr (
{A_CONST
:val "MED\ BAG"
:location 246
}
{A_CONST
:val "MED\ BOX"
:location 256
}
{A_CONST
:val "MED\ PKG"
:location 266
}
{A_CONST
:val "MED\ PACK"
:location 276
}
)
:rexpr_list_start 238
:rexpr_list_end 291
:location 235
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 301
}
}
:rexpr (
{A_CONST
:val 1
:location 316
}
{A_CONST
:val 10

```

```

        :location 322
      }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 308
  }
)
:location 219
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
    :name ("=")
    :lexpr
      {COLUMNREF
        :fields ("p_brand")
        :location 338
      }
    :rexpr
      {A_CONST
        :val "Brand#34"
        :location 348
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 346
  }
  {A_EXPR IN
    :name ("=")
    :lexpr
      {COLUMNREF
        :fields ("p_container")
        :location 367
      }
    :rexpr (
      {A_CONST
        :val "LG\ CASE"
        :location 390
      }
      {A_CONST
        :val "LG\ BOX"
        :location 400
      }
      {A_CONST
        :val "LG\ PACK"
        :location 409
      }
      {A_CONST
        :val "LG\ PKG"
        :location 419
      }
    )
    :rexpr_list_start 382
    :rexpr_list_end 432
    :location 379
  }
  {A_EXPR BETWEEN
    :name ("BETWEEN")
    :lexpr
      {COLUMNREF
        :fields ("p_size")
        :location 442
      }
    :rexpr (
      {A_CONST
        :val 1
        :location 457
      }
      {A_CONST
        :val 15
        :location 463
      }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 449
  }
)
:location 363
}
)
:location 185
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>

```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 471
}

```

Time: 0.951 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
}

```

```

:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.504 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.292 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.250 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT

```

```

:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 49
}
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 68
}
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 72
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 70
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 65
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 45
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistance p
:alias <>
:location 105
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistance p
:alias <>
:location 115
}
)
:whereClause
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_partkey")
:location 134
}
}
:rexpr
{COLUMNREF
:fields ("l_partkey")
:location 146
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 144
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 164
}
}
:rexpr
{A_CONST
:val "Brand#12"
:location 174
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 172
}
{A_EXPR IN
:name ("=")

```

```

:lexpr
  {COLUMNREF
   :fields ("p_container")
   :location 193
  }
:rexpr (
  {A_CONST
   :val "SM\ CASE"
   :location 216
  }
  {A_CONST
   :val "SM\ BOX"
   :location 226
  }
  {A_CONST
   :val "SM\ PACK"
   :location 235
  }
  {A_CONST
   :val "SM\ PKG"
   :location 245
  }
)
:rexpr_list_start 208
:rexpr_list_end 258
:location 205
}
{A_EXPR
: name (">=")
:lexpr
  {COLUMNREF
   :fields ("l_quantity")
   :location 268
  }
:rexpr
  {A_CONST
   :val 1
   :location 282
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 279
}
{A_EXPR
: name ("<=")
:lexpr
  {COLUMNREF
   :fields ("l_quantity")
   :location 292
  }
:rexpr
  {A_EXPR
   :name ("+" )
   :lexpr
     {A_CONST
      :val 1
      :location 306
     }
   :rexpr
     {A_CONST
      :val 10
      :location 310
     }
   :rexpr_list_start 0
   :rexpr_list_end 0
   :location 308
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 303
}
{A_EXPR BETWEEN
: name ("BETWEEN")
:lexpr
  {COLUMNREF
   :fields ("p_size")
   :location 321
  }
:rexpr (
  {A_CONST
   :val 1
   :location 336
  }
  {A_CONST
   :val 5
   :location 342
  }
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 328
}
{A_EXPR IN
: name ("=")
:lexpr
  {COLUMNREF
   :fields ("l_shipmode")
   :location 352
  }
:rexpr (
  {A_CONST
   :val "AIR"
   :location 367
  }
  {A_CONST
   :val "AIR\ REG"
   :location 373
  }
)
:rexpr_list_start 366
:rexpr_list_end 382
:location 363
}
{A_EXPR
: name ("=")

```



```

:lexpr
  {COLUMNREF
   :fields ("l_shipinstruct")
   :location 392
  }
:rexpr
  {A_CONST
   :val "DELIVER\ IN\ PERSON"
   :location 409
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 407
}
)
:location 160
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
   :name ("=")
  :lexpr
    {COLUMNREF
     :fields ("p_partkey")
     :location 442
    }
  :rexpr
    {COLUMNREF
     :fields ("l_partkey")
     :location 454
    }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 452
}
  {A_EXPR
   :name ("=")
  :lexpr
    {COLUMNREF
     :fields ("p_brand")
     :location 472
    }
  :rexpr
    {A_CONST
     :val "Brand#23"
     :location 482
    }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 480
}
  {A_EXPR IN
   :name ("=")
  :lexpr
    {COLUMNREF
     :fields ("p_container")
     :location 501
    }
  :rexpr (
    {A_CONST
     :val "MED\ BAG"
     :location 524
    }
    {A_CONST
     :val "MED\ BOX"
     :location 534
    }
    {A_CONST
     :val "MED\ PKG"
     :location 544
    }
    {A_CONST
     :val "MED\ PACK"
     :location 554
    }
  )
  :rexpr_list_start 516
  :rexpr_list_end 569
  :location 513
}
  {A_EXPR
   :name (">=")
  :lexpr
    {COLUMNREF
     :fields ("l_quantity")
     :location 579
    }
  :rexpr
    {A_CONST
     :val 10
     :location 593
    }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 590
}
  {A_EXPR
   :name ("<=")
  :lexpr
    {COLUMNREF
     :fields ("l_quantity")
     :location 604
    }
  :rexpr
    {A_EXPR
     :name ("+")
     :lexpr
       {A_CONST
        :val 10
        :location 618
       }
     :rexpr
       {A_CONST
        :val 10

```

```

        :location 623
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 621
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 615
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 634
}
}
:rexpr (
{A_CONST
:val 1
:location 649
}
{A_CONST
:val 10
:location 655
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 641
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipmode")
:location 666
}
}
:rexpr (
{A_CONST
:val "AIR"
:location 681
}
{A_CONST
:val "AIR\ REG"
:location 687
}
)
:rexpr_list_start 680
:rexpr_list_end 696
:location 677
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipinstruct")
:location 706
}
}
:rexpr
{A_CONST
:val "DELIVER\ IN\ PERSON"
:location 723
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 721
}
}
:location 468
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_partkey")
:location 756
}
}
:rexpr
{COLUMNREF
:fields ("l_partkey")
:location 768
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 766
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 786
}
}
:rexpr
{A_CONST
:val "Brand#34"
:location 796
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 794
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_container")
:location 815
}
}
:rexpr (
{A_CONST

```

```

        :val "LG\ CASE"
        :location 838
    }
    {A_CONST
    :val "LG\ BOX"
    :location 848
    }
    {A_CONST
    :val "LG\ PACK"
    :location 857
    }
    {A_CONST
    :val "LG\ PKG"
    :location 867
    }
}
:rexpr_list_start 830
:rexpr_list_end 880
:location 827
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 890
}
}
:rexpr
{A_CONST
:val 20
:location 904
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 901
}
{A_EXPR
:name ("<=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 915
}
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{A_CONST
:val 20
:location 929
}
}
:rexpr
{A_CONST
:val 10
:location 934
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 932
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 926
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 945
}
}
:rexpr (
{A_CONST
:val 1
:location 960
}
{A_CONST
:val 15
:location 966
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 952
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipmode")
:location 977
}
}
:rexpr (
{A_CONST
:val "AIR"
:location 992
}
{A_CONST
:val "AIR\ REG"
:location 998
}
)
:rexpr_list_start 991
:rexpr_list_end 1007
:location 988
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipinstruct")
:location 1017
}
}
:rexpr
{A_CONST

```

```

        :val "DELIVER\ IN\ PERSON"
        :location 1034
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 1032
}
)
:location 782
}
)
:location 433
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:define analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:define verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:define buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 1057
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfg" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
}
}
}

```

```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 134
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 146
}
)
:location 144
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 164
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 174
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
}

```

```

)
:location 172
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 193
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 216
        :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 226
        :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 235
        :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 245
        :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
      }
    )
    :multidims false
    :list_start 208
    :list_end 258
    :location -1
  }
)
:location 205
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 268
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
      }
    )
  }
)
}

```

```

        :location 282
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 292
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 306
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 310
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 308
}
)
:location -1
}
)
:location 303
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 321
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 336
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 328
}
{OPEXPR
:opno 523

```

```

:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 321
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 342
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
  }
)
:location 328
}
)
:location 328
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 352
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 367
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 373
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
  )
  :multidims false
  :list_start 366
  :list_end 382
  :location -1
)
}
:location 363
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 392
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
  }
)
}

```



```

        :constlen -1
        :constbyval false
        :constisnull false
        :location 409
        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
            8 32 80 69 82 83 79 78 ]
    }
}
:location 407
}
)
:location 160
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 442
        }
        {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 454
        }
    )
}
:location 452
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 472
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 482
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
    }
)
:location 480
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 501
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25

```

```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 524
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 534
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 544
        :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 554
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
    )
    :multidims false
    :list_start 516
    :list_end 569
    :location -1
}
)
:location 513
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 579
    }
    {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 593
                :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
)
:location 590
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 604
    }
}
{FUNCEXPR

```

```

:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OEXPR
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 618
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 623
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location 621
  }
)
:location -1
}
)
:location 615
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 634
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 649
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location 641
  }
  {OEXPR
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 634
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 655
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
  }
)
:location 641

```

```

    }
  )
  :location 641
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 666
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 681
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 687
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
    :multidims false
    :list_start 680
    :list_end 696
    :location -1
  }
)
:location 677
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 706
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 723
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
      8 32 80 69 82 83 79 78 ]
  }
)
:location 721
}
)
:location 468
}
{BOOLEXPRESS
:boolop and
:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 756
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 768
}
)
:location 766
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 786
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 796
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 794
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 815
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 838
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 848
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 857
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 867
        :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
    }
)
:multidims false
:list_start 830
:list_end 880
:location -1
}
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 890
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 904
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
)
:location 901
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 915
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 929
            :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4

```

```

        :constbyval true
        :constisnull false
        :location 934
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 932
}
)
:location -1
}
)
:location 926
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 945
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 960
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 952
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 945
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 966
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 952
}
)
:location 952
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 977
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST

```

```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 992
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 998
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
    )
    :multidims false
    :list_start 991
    :list_end 1007
    :location -1
    }
    )
    :location 988
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1017
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1034
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
    8 32 80 69 82 83 79 78 ]
    }
    )
    :location 1032
    }
    )
    :location 782
    }
    )
    :location 433
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {OPEXPR
    :opno 594
    :opfuncid 216
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 49
    }
    {OPEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    }
    }
    }
    }
    }

```



```

:args (
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 68
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 72
  }
)
:location 70
}
:location 65
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)

```

```

    }
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1057
}

WARNING: ===== REWRITE INPUT =====
DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 12 13 14 21 22)
    :insertedCols (b)
    :updatedCols (b)
  }
)

```

```

}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 134
}
{VAR
:varno 1
:varattno 2
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 146
}
)
:location 144
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 164
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 174
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 172
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 193
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 216
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 226
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 235
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 245
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
)
:multidims false
:list_start 208
:list_end 258
:location -1
}
)
:location 205
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 268
}
  {FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 282
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1

```

```

:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 292
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OPEXP
:opno 551
:opfuncid 177
:opresulttype 23
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 306
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 310
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 308
}
)
:location -1
}
)
:location 303
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 321
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 336
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 328
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 321
}
)

```

```

        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 342
        :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
        }
    )
    :location 328
}
)
:location 328
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 352
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 367
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 373
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 366
    :list_end 382
    :location -1
    }
)
:location 363
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 392
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 409
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
    }
)
:location 407
}
)
:location 160
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 96
    :opfuncid 65

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 442
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 454
  }
)
:location 452
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 472
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 482
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
  }
)
:location 480
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 501
  }
)
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 524
    :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 534
    :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
  }
)
}
{CONST

```

```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 544
        :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 554
    :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
)
:multidims false
:list_start 516
:list_end 569
:location -1
}
)
:location 513
}
{OPEXPR
:opno 675
:opfncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 579
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 593
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 590
}
{OPEXPR
:opno 673
:opfncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 604
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 551
:opfncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1

```



```

        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 618
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 623
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    )
    :location 621
    }
    )
    :location -1
    }
    )
    :location 615
    }
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 634
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 649
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    )
    )
    :location 641
    }
    {OPEXP
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 634
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    )
    )
    :location 641
    }
    )
    :location 641
    }
    {SCALARARRAYOPEXP
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 666
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 681
    :constvalue 7 [ 28 0 0 0 65 73 82 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 687
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
  }
)
:multidims false
:list_start 680
:list_end 696
:location -1
}
)
:location 677
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 706
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 723
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
  }
)
:location 721
}
)
:location 468
}
{BOOLEXP
:boolop and
:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 756
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 768
      }
    )
  }
)
}

```

```

)
:location 766
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 786
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 796
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 794
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 815
}
  {ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 838
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 848
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 857
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 867
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
)
)
:multidims false
:list_start 830
:list_end 880
:location -1
}
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 890
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 904
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location 901
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 915
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXP
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 929
            :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 934
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
        )
        :location 932
      }
    )
    :location -1
  }
)
:location 926
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525

```

```

:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 945
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 960
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location 952
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 945
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 966
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location 952
}
)
:location 952
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 977
  }
  {ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 992
    :constvalue 7 [ 28 0 0 0 65 73 82 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 998
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
  }
)
}
}

```

```

    )
    :multidims false
    :list_start 991
    :list_end 1007
    :location -1
  }
)
:location 988
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1017
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1034
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
      0 69 82 83 79 78 ]
  }
)
:location 1032
}
)
:location 782
}
)
:location 433
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {OEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location 49
              }
              {OEXPR
                :opno 592
                :opfuncid 219
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                  {FUNCEXP
                    :funcid 316
                    :funcresulttype 701
                    :funcresultset false
                    :funcvariadic false
                    :funcformat 2
                    :funccollid 0
                    :inputcollid 0
                    :args (
                      {CONST
                        :consttype 23
                        :consttypmod -1
                        :constcollid 0
                        :constlen 4
                        :constbyval true
                        :constisnull false
                        :location 68
                        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                      }
                    )
                  }
                )
              }
            )
          }
        }
      )
    }
  )
)

```

```

    }
    )
    :location -1
  }
  {VAR
  :varno 1
  :varattno 7
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 7
  :location 72
  }
  )
  :location 70
}
)
:location 65
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16551

WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
)
)

```

```

)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location -1
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
      }
    )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
  }
)
:location -1
}
{BOOLEXPRESS
:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)

```



```

{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 5 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
  {ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
  {CONST
:consttype 25

```

```

:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXP

```

```

:boolop and
:args (
  {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
      }
    )
    :location -1
  }
  {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {VAR
        :varno 2
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location -1
      }
      {ARRAYEXPR
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
          }
        )
        :multidims false
        :list_start -1
        :list_end -1
        :location -1
      }
    )
    :location -1
  }
  {BOOLEXPR
    :boolop and
    :args (
      {OPEXPR

```



```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:varatype 25
:varatypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:varatype 25
:varatypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
    }
}
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 5 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7

```



```

:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
  }
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location -1
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
  }
  {CONST

```

```

        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
)
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 134
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 146
}
)
:location 144
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 4
:location 164
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 174
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 172
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 193
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 216
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 226
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 235
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 245
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
}
)
:multidims false
:list_start 208
:list_end 258
:location -1
}
)
:location 205
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 268
}
{FUNCEXPR
:funcid 316

```

```

:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 282
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 292
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opresultset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 306
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 310
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
        )
      }
    :location 308
    }
  )
:location -1
}
)
:location 303
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 321
      }
      {CONST

```

```

        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 336
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location 328
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 321
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 342
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
)
:location 328
}
)
:location 328
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 352
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 367
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 373
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 366
    :list_end 382
    :location -1
    }
)
:location 363
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 14

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 14
        :location 392
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 409
        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
            0 69 82 83 79 78 ]
    }
    )
    :location 407
    }
    )
    :location 160
    }
    {BOOLEXP
        :boolop and
        :args (
            {OEXPR
                :opno 96
                :opfuncid 65
                :opresulttype 16
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                    {VAR
                        :varno 2
                        :varattno 1
                        :vartype 23
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 2
                        :varattnosyn 1
                        :location 442
                    }
                    {VAR
                        :varno 1
                        :varattno 2
                        :vartype 23
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 1
                        :varattnosyn 2
                        :location 454
                    }
                )
            }
            :location 452
        )
    }
    {OEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
                :varno 2
                :varattno 4
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 4
                :location 472
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 482
                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
            }
        )
    }
    :location 480
    }
    {SCALARARRAYOEXPR
        :opno 98
        :opfuncid 67
        :hashfuncid 0
        :negfuncid 0
        :useOr true
        :inputcollid 100
        :args (
            {VAR
                :varno 2
                :varattno 7
                :vartype 25
                :vartypmod -1
                :varcollid 100
            }
        )
    }

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 501
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 524
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 534
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 544
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 554
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start 516
:list_end 569
:location -1
}
)
:location 513
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 579
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 593
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 590
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 604
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OPEXP
:opno 551
:opfuncid 177
:opresulttype 23
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 618
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 623
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 621
}
)
:location -1
}
)
:location 615
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 634
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 649
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 641
}
  {OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6

```



```

        :location 634
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    )
    :location 641
    }
    )
    :location 641
    }
    {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
        {VAR
        :varno 1
        :varattno 15
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 15
        :location 666
        }
        {ARRAYEXPR
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 681
            :constvalue 7 [ 28 0 0 0 65 73 82 ]
            }
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 687
            :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
            }
        )
        :multidims false
        :list_start 680
        :list_end 696
        :location -1
    )
    }
    :location 677
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno 1
        :varattno 14
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 14
        :location 706
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 723
        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
        0 69 82 83 79 78 ]
        }
    )
    :location 721
    }
    )
    :location 468
    }
    {BOOLEXPR
    :boolop and
    :args (
        {OPEXPR

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 756
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 768
  }
)
:location 766
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 786
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 796
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
  }
)
:location 794
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 815
  }
)
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 838
    :constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 848
    :constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
  }
)
}

```

```

    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 857
    :constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 867
    :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
    }
  )
  :multidims false
  :list_start 830
  :list_end 880
  :location -1
}
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 890
  }
  {FUNCEXPR
  :funcid 316
  :funcresulttype 701
  :funcretset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 904
    :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
)
:location 901
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 915
  }
  {FUNCEXPR
  :funcid 316
  :funcresulttype 701
  :funcretset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {OPEXPR
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST

```

```

        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 929
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 934
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    )
    :location 932
    }
    )
    :location -1
    }
)
:location 926
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 945
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 960
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 952
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 945
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 966
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 952
}
)
:location 952
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1

```

```

:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 977
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 992
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 998
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
:multidims false
:list_start 991
:list_end 1007
:location -1
}
)
:location 988
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 1017
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1034
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 1032
}
)
:location 782
}
)
:location 433
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 68
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
)
:location 70
}
)
:location 65
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>

```

```

:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {BOOLEXP
        :boolop or
        :args (
          {BOOLEXP
            :boolop and
            :args (
              {OPEXP
                :opno 98
                :opfuncid 67
                :opresulttype 16
                :opretset false
                :opcollid 0
                :inputcollid 100
                :args (
                  {VAR
                    :varno 2
                    :varattno 4
                    :vartype 25
                    :vartypmod -1
                    :varcollid 100
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 2
                    :varattnosyn 4
                    :location -1
                  }
                  {CONST
                    :consttype 25
                    :consttypmod -1
                    :constcollid 100
                    :constlen -1
                    :constbyval false
                    :constisnull false
                    :location -1
                    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
                  }
                )
              }
            :location -1
          }
        {SCALARARRAYOPEXP
          :opno 98
          :opfuncid 67
          :hashfuncid 0
          :negfuncid 0
          :useOr true
          :inputcollid 100
          :args (
            {VAR
              :varno 2
              :varattno 7
              :vartype 25
              :vartypmod -1
              :varcollid 100
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 2
              :varattnosyn 7
              :location -1
            }
            {ARRAYEXPR

```

```

:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
  }
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location -1
}
)
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
  }
)

```



```

        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false

```

```

        :location -1
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
)
:location -1
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25

```

```

:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4

```



```

:varstype 23
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 146
}
)
:location 144
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 164
}
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 174
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 172
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 193
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 216
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 226
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 235
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 245
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
)
)
:multidims false

```

```

        :list_start 208
        :list_end 258
        :location -1
    }
}
:location 205
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 268
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 282
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
}
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 292
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 306
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 310
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
        )
    )
    :location 308
    }
}
)

```

```

        :location -1
    }
)
:location 303
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 321
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 336
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 328
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 321
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 342
:constvalue 4 [ 5 0 0 0 0 0 0 0 ]
}
)
:location 328
}
)
:location 328
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 352
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 367
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
)
)
}

```

```

        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 373
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 366
    :list_end 382
    :location -1
}
)
:location 363
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 392
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 409
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 407
}
)
:location 160
}
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 442
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 454
}
)
:location 452
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```



```

:varattnosyn 4
:location 472
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 482
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 480
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 501
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 524
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 534
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 544
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 554
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
}
)
:multidims false
:list_start 516
:list_end 569
:location -1
}
)
:location 513
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 579
}
{FUNCEXPR
:funcid 316
:funcresulttype 701

```

```

:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 593
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location 590
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 604
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opresultset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 618
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 623
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
        )
      }
    :location 621
    }
  )
:location -1
}
)
:location 615
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 634
      }
      {CONST
        :consttype 23

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 649
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location 641
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 634
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 641
}
)
:location 641
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 666
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 681
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 687
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 680
    :list_end 696
    :location -1
}
)
:location 677
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 706
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 723
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 721
}
)
:location 468
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 756
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 768
}
}
)
:location 766
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 786
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 796
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 794
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 815
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 838
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 848
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 857
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 867
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
)
:multidims false
:list_start 830
:list_end 880
:location -1
}
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 5
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 890
}
  {FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 904
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 901
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR

```

```

:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 915
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OPEXP
:opno 551
:opfuncid 177
:opresulttype 23
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 929
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 934
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 932
}
)
:location -1
}
)
:location 926
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 945
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 960
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 952
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 945

```

```

    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 966
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
  )
  :location 952
}
)
:location 952
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 977
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 992
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 998
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
:multidims false
:list_start 991
:list_end 1007
:location -1
}
)
:location 988
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 1017
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1034
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 1032
}
)
:location 782
}
)
:location 433
}
}
:mergeActionList <>

```

```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location 49
              }
              {OPEXPR
                :opno 592
                :opfuncid 219
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                  {FUNCEXPR
                    :funcid 316
                    :funcresulttype 701
                    :funcset false
                    :funcvariadic false
                    :funcformat 2
                    :funccollid 0
                    :inputcollid 0
                    :args (
                      {CONST
                        :consttype 23
                        :consttypmod -1
                        :constcollid 0
                        :constlen 4
                        :constbyval true
                        :constisnull false
                        :location 68
                        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                      }
                    )
                    :location -1
                  }
                  {VAR
                    :varno 1
                    :varattno 7
                    :vartype 701
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 7
                    :location 72
                  }
                )
                :location 70
              }
            )
            :location 65
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 45
  }
  :resno 1
  :resname revenue
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)

```



```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL:      {AGG
:plan.disabled_nodes 0
:plan.startup_cost 191022.825
:plan.total_cost 191022.835000000002
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
      {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 701
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
          {TARGETENTRY
            :expr
              {OPEXPR
                :opno 594
                :opfuncid 216
                :opresulttype 701
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                  {VAR
                    :varno -2
                    :varattno 1
                    :vartype 701
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 6
                    :location 49
                  }
                {OPEXPR
                  :opno 592
                  :opfuncid 219
                  :opresulttype 701
                  :opretset false
                  :opcollid 0
                  :inputcollid 0
                  :args (
                    {CONST
                      :consttype 701
                      :consttypmod -1
                      :constcollid 0
                      :constlen 8
                      :constbyval true
                      :constisnull false
                      :location -1
                      :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
                    }
                    {VAR
                      :varno -2
                      :varattno 2
                      :vartype 701
                      :vartypmod -1
                      :varcollid 0
                      :varnullingrels (b)
                      :varlevelsup 0
                      :varreturningtype 0
                      :varnosyn 1
                      :varattnosyn 7
                      :location 72
                    }
                  }
                }
              :location 70
            }
          :location 65
        }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    }
  )
:aggorder <>

```

```

:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno 0
:aggtransno 0
:location 45
}
:resno 1
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 11114.0125
:plan.total_cost 191022.8175
:plan.plan_rows 1
:plan.plan_width 16
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 10114.0125
:join.plan.total_cost 190022.7175
:join.plan.plan_rows 1
:join.plan.plan_width 16
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno -2
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 72
        }
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 179731.5
:scan.plan.plan_rows 47240
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}

```

```

:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 352
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 44 [ -80 0 0 0 1 0 0 0 0 0 0 0 25 0 0 0 2 0 0 0
1 0 0 0 28 0 0 0 65 73 82 0 44 0 0 0 65 73 82 32 82 69 71 0
]
}
)
:location 363
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 392
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 409
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 407
}
{BOOLEXPR

```

```

:boolop or
:args (
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 268
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 292
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 38 64 ]
}
)
:location 303
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 579
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 36 64 ]
}
)
:location 590
}
{OPEXPR
:opno 673

```

```

:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 604
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 0 52 64 ]
  }
)
:location 615
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 890
      }
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 0 52 64 ]
      }
    )
    :location 901
  }
  {OPEXP
    :opno 673
    :opfuncid 296
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 915
      }
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 0 62 64 ]
      }
    )
    :location 926
  }
)
:location -1
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>

```



```

:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 10114
:plan.total_cost 10114
:plan.plan_rows 1
:plan.plan_width 25
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:varstype 23
:varstype -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:varstype 25
:varstype -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:varstype 23
:varstype -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 10114
:scan.plan.plan_rows 1
:scan.plan.plan_width 25
:scan.plan.parallel_aware true

```

```

:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 134
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 164
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location 193
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 321
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
      }
    )
  }
)

```

```

{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 321
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 336
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 328
}
{BOOLEXPR
:boolop or
:args (
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 5
0 ]
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

        :constisnull false
        :location -1
        :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
4 0 0 0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69 0 40
0 0 0 83 77 32 66 79 88 0 0 44 0 0 0 83 77 32 80 65
67 75 0 40 0 0 0 83 77 32 80 75 71 0 0 ]
    }
)
:location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
    }
    {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
    {OPEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
                :varno 2
                :varattno 4
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 4
                :location -1
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 5
1 ]
            }
        )
    }
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
        :varno 2
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location -1
    }
    {CONST
        :consttype 1009
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0

```

```

4 0 0 0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71 0 44
0 0 0 77 69 68 32 66 79 88 0 44 0 0 0 77 69 68 32 8
0 75 71 0 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 5
2 ]
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
4 0 0 0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69 0 40
0 0 0 76 71 32 66 79 88 0 0 44 0 0 0 76 71 32 80 65
67 75 0 40 0 0 0 76 71 32 80 75 71 0 0 ]
}
)
:location -1
}

```

```

    }
  )
  :location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop or
:args (
  {BOOLEXPR
    :boolop and
    :args (
      {OPEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
          {VAR
            :varno 2
            :varattno 4
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 4
            :location 164
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 174
            :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 5
              0 ]
          }
        )
      }
      :location 172
    }
  )
  {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {VAR
        :varno 2
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location 193
      }
      {CONST
        :consttype 1009
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 0 25 0 0 0

```

```

        4 0 0 0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69 0 40
        0 0 0 83 77 32 66 79 88 0 0 44 0 0 0 83 77 32 80 65
        67 75 0 40 0 0 0 83 77 32 80 75 71 0 0 ]
    }
}
:location 205
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 321
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 342
:constvalue 4 [ 5 0 0 0 0 0 0 0 ]
}
)
:location 328
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 472
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 482
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 5
1 ]
}
)
:location 480
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 501
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
4 0 0 0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71 0 44
0 0 0 77 69 68 32 66 79 88 0 44 0 0 0 77 69 68 32 8
0 75 71 0 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
}

```

```

    }
  }
  :location 513
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 634
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location 641
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 786
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 796
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 5
          2 ]
      }
    )
  }
  :location 794
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 815
  }
  {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 0 25 0 0 0
      4 0 0 0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69 0 40
      0 0 0 76 71 32 66 79 88 0 0 44 0 0 0 76 71 32 80 65
      67 75 0 40 0 0 0 76 71 32 80 75 71 0 0 ]
    }
)
:location 827

```



```

    }
    {OPEXPR
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 945
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 966
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
    )
    :location 952
  }
)
:location -1
)
}
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 134
}
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 2.4
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
{BOOLEXPR
:boolop or
:args (
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 164
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 174
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]

```

```

    }
)
:location 172
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno -1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 193
  }
  {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 25 0 0 0 4 0 0
0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69 0 40 0 0 0 83 77
32 66 79 88 0 0 44 0 0 0 83 77 32 80 65 67 75 0 40 0 0 0
83 77 32 80 75 71 0 0 ]
  }
)
:location 205
}
{OEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 268
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 0 -16 63 ]
  }
)
:location 279
}
{OEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 292
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 0 38 64 ]
  }
)
:location 303
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno -1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 321
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 342
    :constvalue 4 [ 5 0 0 0 0 0 0 ]
  }
)
:location 328
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno -1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 472
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 482
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
      }
    )
    :location 480
  }
  {SCALARARRAYOEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {VAR
        :varno -1
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location 501
      }
      {CONST
        :consttype 1009
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 25 0 0 0 4 0 0
          0 1 0 0 44 0 0 0 77 69 68 32 66 65 71 0 44 0 0 0 77 69
          68 32 66 79 88 0 44 0 0 0 77 69 68 32 80 75 71 0 48 0 0 0
          77 69 68 32 80 65 67 75 ]
        }
    )
    :location 513
  }
  {OEXPR
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2

```

```

:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 579
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 36 64 ]
}
)
:location 590
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 604
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 52 64 ]
}
)
:location 615
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 634
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 655
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 641
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 4
:location 786
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 796
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 794
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 815
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 25 0 0 0 4 0 0
0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69 0 40 0 0 0 76 71
32 66 79 88 0 0 44 0 0 0 76 71 32 80 65 67 75 0 40 0 0 0
76 71 32 80 75 71 0 0 ]
}
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 890
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 0 52 64 ]
}
)
:location 901
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 915
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true

```

```

        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 62 64 ]
    }
)
:location 926
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno -1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 945
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 966
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
)
:location 952
}
)
:location -1
}
)
:location -1
}
)
:hashclauses (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 146
    }
    {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 134
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 146
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:single_copy false
:invisible false
:initParam (b)
}

```

```

:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggsplit 0
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
-----
-----
-----
Aggregate  (cost=191022.83..191022.84 rows=1 width=8) (actual time=728.170..729.657 rows=1.00 loops=1)
  Output: sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
  Buffers: shared hit=10698 read=97886
->  Gather  (cost=11114.01..191022.82 rows=1 width=16) (actual time=33.467..729.605 rows=121.00 loops=1)
  Output: lineitem.l_extendedprice, lineitem.l_discount
  Workers Planned: 2
  Workers Launched: 2
  Buffers: shared hit=10698 read=97886
->   Parallel Hash Join  (cost=10114.01..190022.72 rows=1 width=16) (actual time=41.899..722.025 rows=40.33 loops=3)
  Output: lineitem.l_extendedprice, lineitem.l_discount
  Hash Cond: (lineitem.l_partkey = part.p_partkey)
  Join Filter: (((part.p_brand = 'Brand#12'::text) AND (part.p_container = ANY ('{"SM CASE","SM BOX","SM PACK","SM PKG"}'::text[])) AND (lineite
m.l_quantity >= '1'::double precision) AND (lineitem.l_quantity <= '11'::double precision) AND (part.p_size <= 5)) OR ((part.p_brand = 'Brand#23'::text) AND
(part.p_container = ANY ('{"MED BAG","MED BOX","MED PKG","MED PACK"}'::text[])) AND (lineitem.l_quantity >= '10'::double precision) AND (lineitem.l_quantity
<= '20'::double precision) AND (part.p_size <= 10)) OR ((part.p_brand = 'Brand#34'::text) AND (part.p_container = ANY ('{"LG CASE","LG BOX","LG PACK","LG PKG
"}'::text[])) AND (lineitem.l_quantity >= '20'::double precision) AND (lineitem.l_quantity <= '30'::double precision) AND (part.p_size <= 15)))
  Rows Removed by Join Filter: 67
  Buffers: shared hit=10698 read=97886
  Worker 0:  actual time=69.480..719.175 rows=42.00 loops=1
    Buffers: shared hit=3504 read=32436
  Worker 1:  actual time=23.055..719.227 rows=39.00 loops=1
    Buffers: shared hit=3433 read=32654
->   Parallel Seq Scan on public.lineitem  (cost=0.00..179731.50 rows=47240 width=28) (actual time=0.179..696.265 rows=42790.33 loops=3)
  Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, lineitem.l_extendedpric
e, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.l_receiptdate, lin
eitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
  Filter: (((lineitem.l_shipmode = ANY ('{"AIR","AIR REG"}'::text[])) AND (lineitem.l_shipinstruct = 'DELIVER IN PERSON'::text) AND (((lineite
m.l_quantity >= '1'::double precision) AND (lineitem.l_quantity <= '11'::double precision)) OR ((lineitem.l_quantity >= '10'::double precision) AND (lineite
m.l_quantity <= '20'::double precision)) OR ((lineitem.l_quantity >= '20'::double precision) AND (lineitem.l_quantity <= '30'::double precision))))
  Rows Removed by Filter: 1957615
  Buffers: shared hit=6834 read=97886
  Worker 0:  actual time=0.043..696.278 rows=42651.00 loops=1
    Buffers: shared hit=2319 read=32436
  Worker 1:  actual time=0.464..696.376 rows=42710.00 loops=1
    Buffers: shared hit=2246 read=32654
->   Parallel Hash  (cost=10114.00..10114.00 rows=1 width=25) (actual time=19.876..19.876 rows=161.67 loops=3)
  Output: part.p_partkey, part.p_brand, part.p_container, part.p_size
  Buckets: 1024 Batches: 1 Memory Usage: 104kB
  Buffers: shared hit=3864
  Worker 0:  actual time=17.051..17.051 rows=167.00 loops=1
    Buffers: shared hit=1185
  Worker 1:  actual time=17.075..17.075 rows=150.00 loops=1
    Buffers: shared hit=1187
->   Parallel Seq Scan on public.part  (cost=0.00..10114.00 rows=1 width=25) (actual time=0.086..19.790 rows=161.67 loops=3)
  Output: part.p_partkey, part.p_brand, part.p_container, part.p_size
  Filter: (((part.p_size >= 1) AND (part.p_size >= 1) AND (((part.p_brand = 'Brand#12'::text) AND (part.p_container = ANY ('{"SM CASE
","SM BOX","SM PACK","SM PKG"}'::text[])) AND (part.p_size <= 5)) OR ((part.p_brand = 'Brand#23'::text) AND (part.p_container = ANY ('{"MED BAG","MED BOX","M
ED PKG","MED PACK"}'::text[])) AND (part.p_size <= 10)) OR ((part.p_brand = 'Brand#34'::text) AND (part.p_container = ANY ('{"LG CASE","LG BOX","LG PACK","LG
PKG"}'::text[])) AND (part.p_size <= 15))) AND (((part.p_brand = 'Brand#12'::text) AND (part.p_container = ANY ('{"SM CASE","SM BOX","SM PACK","SM PKG"}'::t
ext[])) AND (part.p_size <= 5)) OR ((part.p_brand = 'Brand#23'::text) AND (part.p_container = ANY ('{"MED BAG","MED BOX","MED PKG","MED PACK"}'::text[])) AND
(part.p_size <= 10)) OR ((part.p_brand = 'Brand#34'::text) AND (part.p_container = ANY ('{"LG CASE","LG BOX","LG PACK","LG PKG"}'::text[])) AND (part.p_size
<= 15))))
  Rows Removed by Filter: 66505
  Buffers: shared hit=3864
  Worker 0:  actual time=0.042..16.955 rows=167.00 loops=1
    Buffers: shared hit=1185
  Worker 1:  actual time=0.157..16.990 rows=150.00 loops=1
    Buffers: shared hit=1187

Planning:
  Buffers: shared hit=8
Planning Time: 2.647 ms
Execution Time: 729.724 ms
(48 rows)

```

```

Time: 741.356 ms
ERROR:  syntax error at or near "View"
LINE 1: View
        ^

```

```

Time: 0.267 ms
WARNING:  ===== RAW PARSE TREE =====
DETAIL:   {RAWSTMT
:stmt
  {ALTERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (

```

```

        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
    )
    :objtype 41
    :missing_ok false
    }
    :stmt_location 0
    :stmt_len 43
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
    {ALERTABLESTMT
    :relation
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname part
    :inh true
    :relpersistence p
    :alias <>
    :location 12
    }
    :cmds (
    {ALERTABLECMD
    :subtype 55
    :name <>
    :num 0
    :newowner <>
    :def <>
    :behavior 0
    :missing_ok false
    :recurse false
    }
    )
    :objtype 41
    :missing_ok false
    }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

ERROR: must be owner of table part

Time: 0.248 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
    {DROPSTMT
    :objects (("part_secure"))
    :removeType 51
    :behavior 0
    :missing_ok true
    :concurrent false
    }
    :stmt_location 0
    :stmt_len 31
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt

```



```

{DROPSTMT
:objects (("part_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

ERROR: must be owner of view part_secure

Time: 0.123 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p"
{A_STAR
}
)
}
:location 34
}
:location 34
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname p
:colnames <>
}
:location 43
}
)
:whereClause
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_brand")
:location 64
}
}
)
}
)
}
}

```

```

:rexpr
  {A_CONST
   :val "Brand#12"
   :location 76
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 74
}
{A_EXPR IN
:name ("=")
:lexpr
  {COLUMNREF
   :fields ("p" "p_container")
   :location 95
  }
:rexpr (
  {A_CONST
   :val "SM\ CASE"
   :location 120
  }
  {A_CONST
   :val "SM\ BOX"
   :location 130
  }
  {A_CONST
   :val "SM\ PACK"
   :location 139
  }
  {A_CONST
   :val "SM\ PKG"
   :location 149
  }
)
:rexpr_list_start 112
:rexpr_list_end 162
:location 109
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
  {COLUMNREF
   :fields ("p" "p_size")
   :location 172
  }
:rexpr (
  {A_CONST
   :val 1
   :location 189
  }
  {A_CONST
   :val 5
   :location 195
  }
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 181
}
)
:location 91
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
   :name ("=")
   :lexpr
     {COLUMNREF
      :fields ("p" "p_brand")
      :location 210
     }
  :rexpr
    {A_CONST
     :val "Brand#23"
     :location 222
    }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 220
}
{A_EXPR IN
:name ("=")
:lexpr
  {COLUMNREF
   :fields ("p" "p_container")
   :location 241
  }
:rexpr (
  {A_CONST
   :val "MED\ BAG"
   :location 266
  }
  {A_CONST
   :val "MED\ BOX"
   :location 276
  }
  {A_CONST
   :val "MED\ PKG"
   :location 286
  }
  {A_CONST
   :val "MED\ PACK"
   :location 296
  }
)
:rexpr_list_start 258
:rexpr_list_end 311
:location 255
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
  {COLUMNREF
   :fields ("p" "p_size")

```

```

        :location 321
    }
    :rexpr (
        {A_CONST
        :val 1
        :location 338
        }
        {A_CONST
        :val 10
        :location 344
        }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 330
}
)
:location 237
}
{BOOLEXP
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("p" "p_brand")
    :location 360
    }
    :rexpr
    {A_CONST
    :val "Brand#34"
    :location 372
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 370
}
    {A_EXPR IN
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("p" "p_container")
    :location 391
    }
    :rexpr (
        {A_CONST
        :val "LG\ CASE"
        :location 416
        }
        {A_CONST
        :val "LG\ BOX"
        :location 426
        }
        {A_CONST
        :val "LG\ PACK"
        :location 435
        }
        {A_CONST
        :val "LG\ PKG"
        :location 445
        }
    )
    :rexpr_list_start 408
    :rexpr_list_end 458
    :location 405
}
    {A_EXPR BETWEEN
    :name ("BETWEEN")
    :lexpr
    {COLUMNREF
    :fields ("p" "p_size")
    :location 468
    }
    :rexpr (
        {A_CONST
        :val 1
        :location 485
        }
        {A_CONST
        :val 15
        :location 491
        }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 477
}
)
:location 387
}
)
:location 201
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0

```

```

:stmt_len 497
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p"
{A_STAR
}
)
:location 34
}
:location 34
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname p
:colnames <>
}
:location 43
}
)
:whereClause
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_brand")
:location 64
}
}
:rexpr
{A_CONST
:val "Brand#12"
:location 76
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 74
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_container")
:location 95
}
}
:rexpr (
{A_CONST
:val "SM\ CASE"
:location 120
}
{A_CONST
:val "SM\ BOX"
:location 130
}
{A_CONST
:val "SM\ PACK"
:location 139
}
{A_CONST
:val "SM\ PKG"
:location 149
}
)
:rexpr_list_start 112
:rexpr_list_end 162
:location 109
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p" "p_size")
:location 172
}
}
:rexpr (

```

```

        {A_CONST
        :val 1
        :location 189
        }
        {A_CONST
        :val 5
        :location 195
        }
    )
    :repr_list_start 0
    :repr_list_end 0
    :location 181
    }
}
:location 91
}
{BOOLEXP
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("p" "p_brand")
    :location 210
    }
    :repr
    {A_CONST
    :val "Brand#23"
    :location 222
    }
    :repr_list_start 0
    :repr_list_end 0
    :location 220
    }
    {A_EXPR IN
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("p" "p_container")
    :location 241
    }
    :repr (
    {A_CONST
    :val "MED\ BAG"
    :location 266
    }
    {A_CONST
    :val "MED\ BOX"
    :location 276
    }
    {A_CONST
    :val "MED\ PKG"
    :location 286
    }
    {A_CONST
    :val "MED\ PACK"
    :location 296
    }
    )
    :repr_list_start 258
    :repr_list_end 311
    :location 255
    }
    {A_EXPR BETWEEN
    :name ("BETWEEN")
    :lexpr
    {COLUMNREF
    :fields ("p" "p_size")
    :location 321
    }
    :repr (
    {A_CONST
    :val 1
    :location 338
    }
    {A_CONST
    :val 10
    :location 344
    }
    )
    :repr_list_start 0
    :repr_list_end 0
    :location 330
    }
}
:location 237
}
{BOOLEXP
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("p" "p_brand")
    :location 360
    }
    :repr
    {A_CONST
    :val "Brand#34"
    :location 372
    }
    :repr_list_start 0
    :repr_list_end 0
    :location 370
    }
    {A_EXPR IN
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("p" "p_container")
    :location 391
    }
    :repr (

```

```

        {A_CONST
        :val "LG\ CASE"
        :location 416
        }
        {A_CONST
        :val "LG\ BOX"
        :location 426
        }
        {A_CONST
        :val "LG\ PACK"
        :location 435
        }
        {A_CONST
        :val "LG\ PKG"
        :location 445
        }
    )
    :rexpr_list_start 408
    :rexpr_list_end 458
    :location 405
    }
    {A_EXPR BETWEEN
    :name ("BETWEEN")
    :lexpr
    {COLUMNREF
    :fields ("p" "p_size")
    :location 468
    }
    :rexpr (
    {A_CONST
    :val 1
    :location 485
    }
    {A_CONST
    :val 15
    :location 491
    }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 477
    }
    }
    :location 387
    }
    )
    :location 201
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree <>
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList <>
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 497
    }
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 1
:querySource 0

```

```

:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias
      {ALIAS
        :aliasname p
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname p
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
          "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rtepermissions (
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop or
    :args (
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 98
            :opfuncid 67
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 100
            :args (
              {VAR
                :varno 1
                :varattno 4
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 4
                :location 64
              }
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 76
                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
              }
            )
          }
        :location 74
      }
    )
  }
  {SCALARARRAYOPEXP
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {VAR
        :varno 1
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
      }
    )
  }
)

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 95
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 120
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 130
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 139
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 149
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
)
:multidims false
:list_start 112
:list_end 162
:location -1
}
)
:location 109
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 172
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 189
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
)
:location 181
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6

```



```

        :location 172
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 195
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
    )
    :location 181
    }
    )
    :location 181
    }
    )
    :location 91
    }
    {BOOLEXP
    :boolop and
    :args (
    {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 210
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 222
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
    }
    )
    :location 220
    }
    {SCALARARRAYOEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 241
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 266
    :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 276
    :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 286
    :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
    }
    )
    {CONST

```

```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 296
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
)
:multidims false
:list_start 258
:list_end 311
:location -1
}
)
:location 255
}
{BOOLEXP
:boolop and
:args (
    {OEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 321
        }
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 338
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
    )
    :location 330
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 321
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 344
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 330
}
)
:location 330
}
)
:location 237
}
{BOOLEXP
:boolop and
:args (
    {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno 1
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 4
:location 360
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 372
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 370
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 391
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 416
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 426
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 435
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 445
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
}
)
:multidims false
:list_start 408
:list_end 458
:location -1
}
)
:location 405
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 468

```

```

    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 485
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
  )
  :location 477
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 6
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 6
  :location 468
  }
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location 491
  :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location 477
}
)
:location 477
}
)
:location 387
}
)
:location 201
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location 34
  }
  :resno 1
  :resname p_partkey
  :ressortgroupref 0
  :resorigtbl 16551
  :resorigcol 1
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 34
  }
  :resno 2
  :resname p_name
  :ressortgroupref 0
  :resorigtbl 16551
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 3
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 34
}
:resno 3
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 34
}
}
:resno 4
:resname p_brand
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 34
}
}
:resno 5
:resname p_type
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 34
}
}
:resno 6
:resname p_size
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 34
}
}
:resno 7
:resname p_container
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 34
}
}

```

```

    }
    :resno 8
    :resname p_retailprice
    :resortgroupref 0
    :resorigtbl 16551
    :resorigcol 8
    :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 9
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 9
  :location 34
  }
  :resno 9
  :resname p_comment
  :resortgroupref 0
  :resorigtbl 16551
  :resorigcol 9
  :resjunk false
  }
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 497
}

```

ERROR: permission denied for schema public

Time: 1.721 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 31
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 36
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
}
}

```

```

)
:privileges (
  {ACCESSPRIV
  :priv_name select
  :cols <>
  }
)
:grantees (
  {ROLESPEC
  :roletype 0
  :rolename alice
  :location 31
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 36
}

```

WARNING: no privileges were granted for "part_secure"

Time: 4.253 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 31
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 36
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>

```

```

        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
    }
}
)
:privileges (
    {ACCESSPRIV
        :priv_name select
        :cols <>
    }
)
:grantees (
    {ROLESPEC
        :roletype 0
        :rolename alice
        :location 31
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 36
}

```

WARNING: no privileges were granted for "lineitem"

Time: 0.401 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
    :stmt
    {VARIABLESETSTMT
        :kind 0
        :name role
        :args (
            {A_CONST
                :val "alice"
                :location 9
            }
        )
        :jumble_args false
        :is_local false
        :location 9
    }
    :stmt_location 0
    :stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
    :commandType 6
    :querySource 0
    :canSetTag true
    :utilityStmt
    {VARIABLESETSTMT
        :kind 0
        :name role
        :args (
            {A_CONST
                :val "alice"
                :location 9
            }
        )
        :jumble_args false
        :is_local false
        :location 9
    }
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
}

```



```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.355 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 49
}
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 68
}
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 72
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 70
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 65
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 45
}
:location 45
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 105
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part_secure
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname p

```

```

        :colnames <>
    }
    :location 115
}
)
:whereClause
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_partkey")
:location 143
}
}
:rexpr
{COLUMNREF
:fields ("l_partkey")
:location 157
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 155
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_brand")
:location 175
}
}
:rexpr
{A_CONST
:val "Brand#12"
:location 187
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 185
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_container")
:location 206
}
}
:rexpr (
{A_CONST
:val "SM\ CASE"
:location 231
}
{A_CONST
:val "SM\ BOX"
:location 241
}
{A_CONST
:val "SM\ PACK"
:location 250
}
{A_CONST
:val "SM\ PKG"
:location 260
}
)
:rexpr_list_start 223
:rexpr_list_end 273
:location 220
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 283
}
}
:rexpr
{A_CONST
:val 1
:location 297
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 294
}
{A_EXPR
:name ("<=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 307
}
}
:rexpr
{A_EXPR
:name ("+" )
:lexpr
{A_CONST
:val 1
:location 321
}
}
:rexpr
{A_CONST
:val 10
:location 325
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 323
}
}
:rexpr_list_start 0
:rexpr_list_end 0

```

```

:location 318
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
  {COLUMNREF
   :fields ("p" "p_size")
   :location 336
  }
:rexpr (
  {A_CONST
   :val 1
   :location 353
  }
  {A_CONST
   :val 5
   :location 359
  }
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 345
}
{A_EXPR IN
:name ("=")
:lexpr
  {COLUMNREF
   :fields ("l_shipmode")
   :location 369
  }
:rexpr (
  {A_CONST
   :val "AIR"
   :location 384
  }
  {A_CONST
   :val "AIR\ REG"
   :location 390
  }
)
:rexpr_list_start 383
:rexpr_list_end 399
:location 380
}
{A_EXPR
:name ("=")
:lexpr
  {COLUMNREF
   :fields ("l_shipinstruct")
   :location 409
  }
:rexpr
  {A_CONST
   :val "DELIVER\ IN\ PERSON"
   :location 426
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 424
}
}
:location 171
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
   :name ("=")
   :lexpr
     {COLUMNREF
      :fields ("p" "p_partkey")
      :location 459
     }
  :rexpr
     {COLUMNREF
      :fields ("l_partkey")
      :location 473
     }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 471
}
}
{A_EXPR
:name ("=")
:lexpr
  {COLUMNREF
   :fields ("p" "p_brand")
   :location 491
  }
:rexpr
  {A_CONST
   :val "Brand#23"
   :location 503
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 501
}
{A_EXPR IN
:name ("=")
:lexpr
  {COLUMNREF
   :fields ("p" "p_container")
   :location 522
  }
:rexpr (
  {A_CONST
   :val "MED\ BAG"
   :location 547
  }
  {A_CONST
   :val "MED\ BOX"
   :location 557
  }
}
{A_CONST

```

```

        :val "MED\ PKG"
        :location 567
    }
    {A_CONST
    :val "MED\ PACK"
    :location 577
    }
}
:rexpr_list_start 539
:rexpr_list_end 592
:location 536
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 602
}
}
:rexpr
{A_CONST
:val 10
:location 616
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 613
}
{A_EXPR
:name ("<=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 627
}
}
:rexpr
{A_EXPR
:name ("+" )
:lexpr
{A_CONST
:val 10
:location 641
}
}
:rexpr
{A_CONST
:val 10
:location 646
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 644
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 638
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p" "p_size")
:location 657
}
}
:rexpr (
{A_CONST
:val 1
:location 674
}
{A_CONST
:val 10
:location 680
}
)
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 666
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipmode")
:location 691
}
}
:rexpr (
{A_CONST
:val "AIR"
:location 706
}
{A_CONST
:val "AIR\ REG"
:location 712
}
)
}
:rexpr_list_start 705
:rexpr_list_end 721
:location 702
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipinstruct")
:location 731
}
}
:rexpr
{A_CONST
:val "DELIVER\ IN\ PERSON"
:location 748
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 746
}
}
)

```

```

:location 487
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
    :name ("=")
    :lexpr
      {COLUMNREF
        :fields ("p" "p_partkey")
        :location 781
      }
    :rexpr
      {COLUMNREF
        :fields ("l_partkey")
        :location 795
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 793
  }
  {A_EXPR
    :name ("=")
    :lexpr
      {COLUMNREF
        :fields ("p" "p_brand")
        :location 813
      }
    :rexpr
      {A_CONST
        :val "Brand#34"
        :location 825
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 823
  }
  {A_EXPR IN
    :name ("=")
    :lexpr
      {COLUMNREF
        :fields ("p" "p_container")
        :location 844
      }
    :rexpr (
      {A_CONST
        :val "LG\ CASE"
        :location 869
      }
      {A_CONST
        :val "LG\ BOX"
        :location 879
      }
      {A_CONST
        :val "LG\ PACK"
        :location 888
      }
      {A_CONST
        :val "LG\ PKG"
        :location 898
      }
    )
    :rexpr_list_start 861
    :rexpr_list_end 911
    :location 858
  }
  {A_EXPR
    :name (">=")
    :lexpr
      {COLUMNREF
        :fields ("l_quantity")
        :location 921
      }
    :rexpr
      {A_CONST
        :val 20
        :location 935
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 932
  }
  {A_EXPR
    :name ("<=")
    :lexpr
      {COLUMNREF
        :fields ("l_quantity")
        :location 946
      }
    :rexpr
      {A_EXPR
        :name ("+")
        :lexpr
          {A_CONST
            :val 20
            :location 960
          }
        :rexpr
          {A_CONST
            :val 10
            :location 965
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 963
      }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 957
  }
  {A_EXPR BETWEEN
    :name ("BETWEEN")
    :lexpr
      {COLUMNREF
        :fields ("p" "p_size")

```

```

        :location 976
    }
    :rexpr (
        {A_CONST
        :val 1
        :location 993
        }
        {A_CONST
        :val 15
        :location 999
        }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 985
}
{A_EXPR IN
:name ("=")
:lexpr
    {COLUMNREF
    :fields ("l_shipmode")
    :location 1010
    }
    :rexpr (
        {A_CONST
        :val "AIR"
        :location 1025
        }
        {A_CONST
        :val "AIR\ REG"
        :location 1031
        }
    )
    :rexpr_list_start 1024
    :rexpr_list_end 1040
    :location 1021
}
{A_EXPR
:name ("=")
:lexpr
    {COLUMNREF
    :fields ("l_shipinstruct")
    :location 1050
    }
    :rexpr
        {A_CONST
        :val "DELIVER\ IN\ PERSON"
        :location 1067
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 1065
}
)
:location 809
}
)
:location 450
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 1090
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true

```

```

:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSublinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
          "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
            ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
              "l_shipinstruct" "l_shipmode" "l_comment")
        }
      :rtekind 0
      :relid 16566
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname p
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname p
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
          size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16597
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 12 13 14 21 22)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16597
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
    {RANGETBLREF
      :rtindex 2
    }
  )
  :quals
    {BOOLEXP
      :boolop or
      :args (
        {BOOLEXP
          :boolop and
          :args (
            {OPEXP
              :opno 96
              :opfuncid 65
              :opresulttype 16
              :opretset false
              :opcollid 0
              :inputcollid 0
              :args (
                {VAR
                  :varno 2
                  :varattno 1
                  :vartype 23
                  :vartypmod -1
                  :varcollid 0
                  :varnullingrels (b)
                  :varlevelsup 0
                  :varreturningtype 0
                  :varnosyn 2

```

```

:varattnosyn 1
:location 143
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 157
}
)
:location 155
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 175
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 187
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 185
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 206
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 231
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 241
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 250
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```



```

        :constisnull false
        :location 260
        :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
    }
)
:multidims false
:list_start 223
:list_end 273
:location -1
}
)
:location 220
}
{OEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 283
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 297
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
)
:location 294
}
{OEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 307
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 321
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 325

```

```

        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 323
}
)
:location -1
}
)
:location 318
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 336
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 353
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 345
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 336
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 359
:constvalue 4 [ 5 0 0 0 0 0 0 0 ]
}
)
:location 345
}
)
:location 345
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 369
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```

```

        :constlen -1
        :constbyval false
        :constisnull false
        :location 384
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 390
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
    )
    :multidims false
    :list_start 383
    :list_end 399
    :location -1
    }
    )
    :location 380
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 409
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 426
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
    8 32 80 69 82 83 79 78 ]
    }
    )
    :location 424
    }
    )
    :location 171
    }
    {BOOLEXPR
    :boolop and
    :args (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 459
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 473
    }
    )
    :location 471
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 491
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 503
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 501
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 522
}
){ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 547
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 557
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 567
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 577
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start 539
:list_end 592
:location -1
}
)
:location 536
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 5
:location 602
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 616
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 613
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 627
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXP
:opno 551
:opfuncid 177
:opresulttype 23
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 641
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 646
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 644
}
)
:location -1
}
)
:location 638
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 6
:location 657
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 674
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 666
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 657
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 680
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 666
}
)
:location 666
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 691
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 706
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 712
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
:multidims false
:list_start 705
:list_end 721
:location -1
}
)
:location 702
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 731
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 748
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
8 32 80 69 82 83 79 78 ]
  }
)
:location 746
}
)
:location 487
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 781
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 795
      }
    )
  }
  :location 793
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 813
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 825
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
  }
)
:location 823
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR

```

```

:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 844
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 869
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 879
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 888
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 898
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
}
:multidims false
:list_start 861
:list_end 911
:location -1
}
)
:location 858
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 921
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 935
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 932
}
{OPEXPR
:opno 673
:opfuncid 296

```



```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 946
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 960
            :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 965
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
        )
      }
    :location 963
  )
  :location -1
)
:location 957
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 976
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 993
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location 985
)
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 976
    }
    {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 999
        :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
    )
    :location 985
}
)
:location 985
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
        :varno 1
        :varattno 15
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 15
        :location 1010
    }
    {ARRAYEXPR
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 1025
                :constvalue 7 [ 28 0 0 0 65 73 82 ]
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 1031
                :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
            }
        )
    )
    :multidims false
    :list_start 1024
    :list_end 1040
    :location -1
}
)
:location 1021
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 1
        :varattno 14
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 14
        :location 1050
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1067
        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
            8 32 80 69 82 83 79 78 ]
    }
    )
    :location 1065
}
)
:location 809

```

```

    }
  )
  :location 450
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {AGGREF
  :aggfnoid 2111
  :aggtype 701
  :aggcollid 0
  :inputcollid 0
  :aggtranstype 0
  :aggargtypes (o 701)
  :aggdirectargs <>
  :args (
  {TARGETENTRY
  :expr
  {OEXPR
  :opno 594
  :opfuncid 216
  :opresulttype 701
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
  {VAR
  :varno 1
  :varattno 6
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 6
  :location 49
  }
  {OEXPR
  :opno 592
  :opfuncid 219
  :opresulttype 701
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
  {FUNCEXP
  :funcid 316
  :funcresulttype 701
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location 68
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  )
  :location -1
  }
  {VAR
  :varno 1
  :varattno 7
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 7
  :location 72
  }
  )
  :location 70
  }
  )
  :location 65
  }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue

```

```

        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1090
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (

```

```

{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname p
:colnames <>
}
:eref
{ALIAS
:aliasname p
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16597
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16597
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 143
}
{VAR
:varno 1
:varattno 2
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 157
}
}
}
}
)

```

```

    }
  )
  :location 155
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 175
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 187
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
  }
)
:location 185
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 206
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 231
        :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 241
        :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 250
        :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 260
        :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
      }
    )
  )
  :multidims false
  :list_start 223
  :list_end 273
  :location -1
}
)
:location 220
}
{OPEXPR
:opno 675

```

```

:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 283
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 297
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location 294
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 307
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXP
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 321
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 325
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
        )
      }
      :location 323
    )
  }
)
:location -1
}
)
:location 318
}
{BOOLEXP
:boolop and
:args (
  {OPEXP

```

```

:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 336
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 353
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location 345
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 336
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 359
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
  }
)
:location 345
}
)
:location 345
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 369
  }
)
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 384
    :constvalue 7 [ 28 0 0 0 65 73 82 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 390
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
  }
)
}

```



```

    }
  )
  :multidims false
  :list_start 383
  :list_end 399
  :location -1
}
)
:location 380
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 1
  :varattno 14
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 14
  :location 409
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 426
  :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
  }
)
:location 424
}
)
:location 171
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 459
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 473
    }
  )
)
:location 471
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 2
  :varattno 4
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 4
  :location 491
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false

```

```

:constisnull false
:location 503
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 501
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 522
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 547
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 557
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 567
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 577
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
}
)
:multidims false
:list_start 539
:list_end 592
:location -1
}
)
:location 536
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 602
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1

```

```

        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 616
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location 613
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 627
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 641
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 646
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 644
}
)
:location -1
}
)
:location 638
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 657
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 674
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
)

```

```

:location 666
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 657
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 680
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location 666
}
)
:location 666
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 691
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 706
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 712
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
  }
  :multidims false
  :list_start 705
  :list_end 721
  :location -1
)
}
:location 702
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 731
  }
)
}

```

```

        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 748
        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
        0 69 82 83 79 78 ]
        }
    )
    :location 746
}
)
:location 487
}
{BOOLEXP
:boolop and
:args (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 781
        }
        {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 795
        }
    )
    :location 793
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 813
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 825
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
    }
)
:location 823
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 844
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100

```

```

:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 869
    :constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 879
    :constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 888
    :constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 898
    :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
  }
)
:multidims false
:list_start 861
:list_end 911
:location -1
}
)
:location 858
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 921
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 935
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location -1
}
)
:location 932
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1

```

```

:varattnosyn 5
:location 946
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OPEXP
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 960
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 965
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location 963
  }
)
:location -1
}
)
:location 957
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 976
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 993
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location 985
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 976
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 999
  }
}

```

```

        :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
)
:location 985
}
)
:location 985
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 1010
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1025
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1031
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 1024
    :list_end 1040
    :location -1
    }
)
:location 1021
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1050
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1067
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
    }
)
:location 1065
}
)
:location 809
}
)
:location 450
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0

```



```

:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
      {OPEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 49
          }
          {OPEXPR
            :opno 592
            :opfuncid 219
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {FUNCEXPR
                :funcid 316
                :funcresulttype 701
                :funcset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (
                  {CONST
                    :consttype 23
                    :consttypmod -1
                    :constcollid 0
                    :constlen 4
                    :constbyval true
                    :constisnull false
                    :location 68
                    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                  }
                )
                :location -1
              }
              {VAR
                :varno 1
                :varattno 7
                :vartype 701
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 7
                :location 72
              }
            )
            :location 70
          }
        )
        :location 65
      }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>

```

```

:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname lineitem
  :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
  }
  :rtekind 0
  :relid 16566
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname p
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname p
  :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
  }
  :rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname part
  :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
  }
  :rtekind 0
  :relid 16551
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
  )
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16551
  :inh true
  :requiredPerms 2
  :checkAsUser 10

```

```

:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}
:resno 1
:resname p_partkey
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
}
}

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname p_name
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:resno 3
:resname p_mfgr
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:resno 4
:resname p_brand
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:resno 5
:resname p_type
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
:resno 6
:resname p_size
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
}

```

```

:resno 7
:resname p_container
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname p_retailprice
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname p_comment
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16597
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16597
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)

```

```

:quals
{BOOLEXPR
:boolop or
:args (
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:varatype 23
:varitypm -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 143
}
{VAR
:varno 1
:varattno 2
:varatype 23
:varitypm -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 157
}
)
:location 155
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:varatype 25
:varitypm -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 175
}
{CONST
:consttype 25
:constitypm -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 187
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 185
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:varatype 25
:varitypm -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 206
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:constitypm -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 231
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST

```

```

:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 241
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 250
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 260
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
)
:multidims false
:list_start 223
:list_end 273
:location -1
}
)
:location 220
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 283
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 297
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 294
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 307
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR

```

```

:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 321
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 325
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location 323
}
)
:location -1
}
)
:location 318
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 336
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 353
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location 345
  }
  {OPEXP
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 336
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 359
        :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
      }
    )
    :location 345
  }
)
:location 345
}
)
:location 345
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0

```



```

:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 369
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 384
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 390
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
    :multidims false
    :list_start 383
    :list_end 399
    :location -1
  }
)
:location 380
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 409
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 426
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
  }
)
:location 424
}
:location 171
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 459
      }
      {VAR
        :varno 1
        :varattno 2

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 473
}
)
:location 471
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 491
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 503
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 501
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 522
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 547
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 557
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 567
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 577
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
)
:multidims false

```

```

        :list_start 539
        :list_end 592
        :location -1
    }
}
:location 536
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 602
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 616
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
}
:location 613
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 627
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 641
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 646
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
            }
        )
    )
    :location 644
    }
)
}

```

```

        :location -1
    }
)
:location 638
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 657
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 674
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 666
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 657
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 680
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 666
}
)
:location 666
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:neqfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 691
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 706
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
)
)
}

```

```

        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 712
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 705
    :list_end 721
    :location -1
}
)
:location 702
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 731
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 748
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
    0 69 82 83 79 78 ]
    }
)
:location 746
}
)
:location 487
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 781
        }
        {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 795
        }
    )
)
:location 793
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2

```

```

:varattnosyn 4
:location 813
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 825
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 823
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 844
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 869
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 879
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 888
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 898
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
}
)
:multidims false
:list_start 861
:list_end 911
:location -1
}
)
:location 858
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 921
}
{FUNCEXPR
:funcid 316
:funcresulttype 701

```

```

:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 935
    :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location 932
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 946
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opresultset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 960
            :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 965
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
        )
      }
    :location 963
  }
)
:location -1
}
)
:location 957
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 976
      }
      {CONST
        :consttype 23

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 993
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location 985
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 976
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 999
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
)
:location 985
}
)
:location 985
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 1010
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1025
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1031
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 1024
    :list_end 1040
    :location -1
}
)
:location 1021
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25

```



```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 1050
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1067
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 1065
}
)
:location 809
}
)
:location 450
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 68
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
)
:location 70
}
)

```

```

        :location 65
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname p
:colnames <>
}
:eref
{ALIAS
:aliasname p
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15 16)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {VAR
        :varno 1
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
      }
      {ARRAYEXPR
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
          }
        )
      }
    )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
  }
}

```

```

    )
    :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 1
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 1
  :location -1
  }
  :resno 1
  :resname p_partkey
  :ressortgroupref 0
  :resorigtbl 16551
  :resorigcol 1
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 2
  :resname p_name
  :ressortgroupref 0
  :resorigtbl 16551
  :resorigcol 2
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 3
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 3
  :location -1
  }
  :resno 3
  :resname p_mfgr
  :ressortgroupref 0
  :resorigtbl 16551
  :resorigcol 3
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 4
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 4
  :location -1
  }
  :resno 4
  :resname p_brand
  :ressortgroupref 0
  :resorigtbl 16551
  :resorigcol 4
  :resjunk false
  }
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 5
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location -1
  }
  :resno 5
  :resname p_type
  :ressortgroupref 0
  :resorigtbl 16551

```

```

:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname p_size
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname p_container
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname p_retailprice
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname p_comment
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false

```

```

:relid 16597
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16597
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 143
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 157
}
)
:location 155
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 175
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 187
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
}

```

```

)
:location 185
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 206
}
  {ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 231
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 241
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 250
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 260
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
)
:multidims false
:list_start 223
:list_end 273
:location -1
}
)
:location 220
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 283
}
  {FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false

```

```

        :location 297
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location 294
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 307
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 321
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 325
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
            }
        )
        :location 323
    }
)
:location -1
}
)
:location 318
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 336
        }
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 353
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
    )
    :location 345
}
{OPEXPR
:opno 523

```



```

:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 336
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 359
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
  }
)
:location 345
}
)
:location 345
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 369
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 384
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 390
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
  }
  :multidims false
  :list_start 383
  :list_end 399
  :location -1
)
:location 380
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 409
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100

```

```

        :constlen -1
        :constbyval false
        :constisnull false
        :location 426
        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
        0 69 82 83 79 78 ]
    }
}
:location 424
}
)
:location 171
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 459
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 473
}
}
:location 471
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 491
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 503
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
}
:location 501
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 522
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25

```

```

:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 547
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 557
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 567
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 577
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start 539
:list_end 592
:location -1
}
)
:location 536
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 602
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 616
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 613
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 627
}
{FUNCEXPR

```

```

:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OPEXPR
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 641
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 646
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location 644
  }
)
:location -1
}
)
:location 638
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 657
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 674
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location 666
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 657
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 680
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
}
:location 666

```

```

    }
  }
  :location 666
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 691
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 706
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 712
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
    :multidims false
    :list_start 705
    :list_end 721
    :location -1
  }
)
:location 702
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 731
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 748
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
  }
)
:location 746
}
:location 487
}
{BOOLEXP
:boolop and
:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 781
}
{VAR
:varno 1
:varattno 2
:varatype 23
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 795
}
)
:location 793
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:varatype 25
:varatypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 813
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 825
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 823
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:varatype 25
:varatypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 844
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 869
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 879
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 888
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 898
        :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
    }
)
:multidims false
:list_start 861
:list_end 911
:location -1
}
)
:location 858
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 921
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 935
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
)
:location 932
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 946
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 960
            :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4

```

```

        :constbyval true
        :constisnull false
        :location 965
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 963
}
)
:location -1
}
)
:location 957
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 976
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 993
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 985
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 976
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 999
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 985
}
)
:location 985
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 1010
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST

```



```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1025
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1031
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
    )
    :multidims false
    :list_start 1024
    :list_end 1040
    :location -1
    }
    )
    :location 1021
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1050
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1067
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
    0 69 82 83 79 78 ]
    }
    )
    :location 1065
    }
    )
    :location 809
    }
    )
    :location 450
    }
    )
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0

```

```

:args (
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 68
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 72
  }
)
:location 70
}

)
:location 65
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {AGG
  :plan.disabled_nodes 0
  :plan.startup_cost 188627.63166666668
  :plan.total_cost 188627.64166666667
  :plan.plan_rows 1
  :plan.plan_width 8
  :plan.parallel_aware false
  :plan.parallel_safe false
  :plan.async_capable false
  :plan.plan_node_id 0
  :plan.targetlist (
    {TARGETENTRY
      :expr
      {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 701
        :aggargtypes (o 701)
      }
    }
  )
}

```

```

:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 0
      :varattnosyn 0
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 9
:aggno 0
:aggtransno 0
:location 45
}
:resno 1
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 188627.41666666666
:plan.total_cost 188627.62666666668
:plan.plan_rows 2
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 0
      :varattnosyn 0
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
}
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 187627.41666666666
:plan.total_cost 187627.42666666667
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 701
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {OPEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
          }
        }
      )
    }
  }
)
}

```

```

:args (
  {VAR
    :varno -2
    :varattno 1
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 49
  }
  {OEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
      }
      {VAR
        :varno -2
        :varattno 2
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 72
      }
    )
    :location 70
  }
  :location 65
)
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 6
:aggno 0
:aggtransno 0
:location 45
}

:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 7718.454166666667
:join.plan.total_cost 187627.37916666665
:join.plan.plan_rows 5
:join.plan.plan_width 16
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location 49
    }
  }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
}

```

```

{TARGETENTRY
:expr
  {VAR
    :varno -2
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 72
  }
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 179731.5
:scan.plan.plan_rows 47240
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4

```

```

        :location -1
    }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 369
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 44 [ -80 0 0 0 1 0 0 0 0 0 0 0 25 0 0 0 2 0 0
0 1 0 0 0 28 0 0 0 65 73 82 0 44 0 0 0 65 73 82 32 82 69
71 0 ]
}
)
:location 380
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 409
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 426
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 3
2 80 69 82 83 79 78 ]
}
)
:location 424

```



```

}
{BOOLEXPR
:boolop or
:args (
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 283
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
)
:location 294
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 307
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 38 64 ]
}
)
:location 318
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 602
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 36 64 ]
}
)
:location 613
}

```

```

{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 627
}
  {CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 52 64 ]
}
)
:location 638
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 921
}
  {CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 52 64 ]
}
)
:location 932
}
)
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 946
}
  {CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 62 64 ]
}
)
:location 957
}
)
:location -1
}
)
:location -1
}
)

```

```

:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 7718.166666666667
:plan.total_cost 7718.166666666667
:plan.plan_rows 23
:plan.plan_width 25
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 7718.166666666667
:scan.plan.plan_rows 23

```

```

:scan.plan.plan_width 25
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 4
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 4
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 7
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 7
      :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 3
      :varattno 6
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 3
      :varattnosyn 6
      :location -1
    }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6

```

```

:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 353
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 345
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 60 [ -16 0 0 0 1 0 0 0 0 0 0 0 25 0 0 0 3
0 0 0 1 0 0 0 48 0 0 0 66 114 97 110 100 35 49 50 48 0
0 0 66 114 97 110 100 35 50 51 48 0 0 66 114 97 110
100 35 51 52 ]
}
)
:location -1
}
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 187
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 4
9 50 ]
}
)
:location 185
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
{CONST

```

```

        :consttype 1009
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0
        0 4 0 0 0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69
        0 40 0 0 0 83 77 32 66 79 88 0 0 44 0 0 0 83 77
        32 80 65 67 75 0 40 0 0 0 83 77 32 80 75 71 0 0
        ]
    }
}
)
:location 220
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 3
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 359
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
)
:location 345
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno 3
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 503
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 5
        0 51 ]
        }
    )
)
:location 501
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 3
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location -1
    }
    {CONST
    :consttype 1009
    :consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0
          0 4 0 0 0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71
          0 44 0 0 0 77 69 68 32 66 79 88 0 44 0 0 0 77 6
          9 68 32 80 75 71 0 48 0 0 0 77 69 68 32 80 65 67
          75 ]
      }
    )
    :location 536
  }
  {OPEXPR
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 680
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location 666
  }
)
:location -1
}
{BOOLEXP
  :boolop and
  :args (
    {OPEXPR
      :opno 98
      :opfuncid 67
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 100
      :args (
        {VAR
          :varno 3
          :varattno 4
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 3
          :varattnosyn 4
          :location -1
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 825
          :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 5
            1 52 ]
        }
      )
    )
    :location 823
  }
  {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {VAR
        :varno 3
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location -1
      }
      {CONST
        :consttype 1009
        :consttypmod -1
        :constcollid 100
        :constlen -1
      }
    )
  }
}

```

```

        :constbyval false
        :constisnull false
        :location -1
        :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0
          0 4 0 0 0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69
          0 40 0 0 0 76 71 32 66 79 88 0 0 44 0 0 0 76 71
          32 80 65 67 75 0 40 0 0 0 76 71 32 80 75 71 0 0
        ]
      }
    )
    :location 858
  }
  {OEXPR
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 999
        :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
      }
    )
    :location 985
  }
)
:location -1
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 55.199999999999996
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
  {BOOLEXPR
    :boolop or
    :args (
      {BOOLEXPR
        :boolop and
        :args (
          {OEXPR
            :opno 98
            :opfuncid 67
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 100
            :args (
              {VAR
                :varno -1
                :varattno 2
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 4
              }
            )
          }
        )
      }
    )
  }
)

```



```

:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 187
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 185
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0 4 0
0 0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69 0 40 0 0 0
83 77 32 66 79 88 0 0 44 0 0 0 83 77 32 80 65 67 75 0
40 0 0 0 83 77 32 80 75 71 0 0 ]
}
)
:location 220
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 283
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
)
:location 294
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 307
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
}
)

```

```

        :constvalue 8 [ 0 0 0 0 0 0 0 38 64 ]
    }
)
:location 318
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno -1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 359
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
)
:location 345
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno -1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 503
        :constvalue 12 [ 48 0 0 0 0 66 114 97 110 100 35 50 51 ]
        }
    )
)
:location 501
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno -1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location -1
    }
    {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0 4 0
    0 0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71 0 44 0 0 0
    77 69 68 32 66 79 88 0 44 0 0 0 77 69 68 32 80 75 71 0
    48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
)
}
:location 536

```

```

}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 602
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 36 64 ]
  }
)
:location 613
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 627
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 52 64 ]
  }
)
:location 638
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 680
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location 666
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0

```

```

:inputcollid 100
:args (
  {VAR
    :varno -1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 4
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 825
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
  }
)
:location 823
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno -1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location -1
  }
  {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0 4 0
      0 0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69 0 40 0 0 0
      76 71 32 66 79 88 0 0 44 0 0 0 76 71 32 80 65 67 75 0
      40 0 0 0 76 71 32 80 75 71 0 0 ]
    }
)
:location 858
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 921
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 52 64 ]
  }
)
:location 932
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 946
    }
    {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 62 64 ]
    }
}
:location 957
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno -1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
    }
    {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 999
        :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
)
:location 985
}
)
:location -1
}
)
:location -1
}
)
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 2
                :location 157
            }
            {VAR
                :varno -1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 1
                :location -1
            }
        )
    }
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 157
    }
)
)

```

```

    }
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b 0)
    :plan.allParam (b 0)
    :aggstrategy 0
    :aggsplit 6
    :numCols 0
    :grpColIdx ()
    :grpOperators ()
    :grpCollations ()
    :numGroups 1
    :transitionSpace 0
    :aggParams (b)
    :groupingSets <>
    :chain <>
  }
  :plan.righttree <>
  :plan.initPlan <>
  :plan.extParam (b)
  :plan.allParam (b)
  :num_workers 2
  :rescan_param 0
  :single_copy false
  :invisible false
  :initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggsplit 9
:numCols 0
:grpColIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
Finalize Aggregate (cost=188627.63..188627.64 rows=1 width=8) (actual time=712.896..714.385 rows=1.00 loops=1)
  Output: sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
  Buffers: shared hit=10980 read=97604
-> Gather (cost=188627.42..188627.63 rows=2 width=8) (actual time=712.744..714.380 rows=3.00 loops=1)
  Output: (PARTIAL sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount))))
  Workers Planned: 2
  Workers Launched: 2
  Buffers: shared hit=10980 read=97604
-> Partial Aggregate (cost=187627.42..187627.43 rows=1 width=8) (actual time=708.731..708.733 rows=1.00 loops=3)
  Output: PARTIAL sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
  Buffers: shared hit=10980 read=97604
  Worker 0: actual time=707.144..707.145 rows=1.00 loops=1
  Buffers: shared hit=3614 read=32317
  Worker 1: actual time=706.598..706.600 rows=1.00 loops=1
  Buffers: shared hit=3430 read=32684
-> Parallel Hash Join (cost=7718.45..187627.38 rows=5 width=16) (actual time=36.436..708.696 rows=40.33 loops=3)
  Output: lineitem.l_extendedprice, lineitem.l_discount
  Hash Cond: (lineitem.l_partkey = part.p_partkey)
  Join Filter: (((part.p_brand = 'Brand#12'::text) AND (part.p_container = ANY ('{'SM CASE',"SM BOX","SM PACK","SM PKG"}'::text[])) AND (lineitem.l_quantity >= '1'::double precision) AND (lineitem.l_quantity <= '11'::double precision) AND (part.p_size <= 5)) OR ((part.p_brand = 'Brand#23'::text) AND (part.p_container = ANY ('{'MED BAG","MED BOX","MED PKG","MED PACK"}'::text[])) AND (lineitem.l_quantity >= '10'::double precision) AND (lineitem.l_quantity <= '20'::double precision) AND (part.p_size <= 10)) OR ((part.p_brand = 'Brand#34'::text) AND (part.p_container = ANY ('{'LG CASE","LG BOX","LG PACK","LG PKG"}'::text[])) AND (lineitem.l_quantity >= '20'::double precision) AND (lineitem.l_quantity <= '30'::double precision) AND (part.p_size <= 15)))
  Rows Removed by Join Filter: 67
  Buffers: shared hit=10980 read=97604
  Worker 0: actual time=53.231..707.107 rows=41.00 loops=1
  Buffers: shared hit=3614 read=32317
  Worker 1: actual time=23.306..706.567 rows=37.00 loops=1
  Buffers: shared hit=3430 read=32684
-> Parallel Seq Scan on public.lineitem (cost=0.00..179731.50 rows=47240 width=28) (actual time=0.187..682.419 rows=42790.33 loops=3)
  Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
  Filter: (((lineitem.l_shipmode = ANY ('{'AIR',"AIR REG"}'::text[])) AND (lineitem.l_shipinstruct = 'DELIVER IN PERSON'::text) AND (((lineitem.l_quantity >= '1'::double precision) AND (lineitem.l_quantity <= '11'::double precision)) OR ((lineitem.l_quantity >= '10'::double precision) AND (lineitem.l_quantity <= '20'::double precision)) OR ((lineitem.l_quantity >= '20'::double precision) AND (lineitem.l_quantity <= '30'::double precision))))
  Rows Removed by Filter: 1957615
  Buffers: shared hit=7116 read=97604
  Worker 0: actual time=0.034..682.199 rows=42762.00 loops=1
  Buffers: shared hit=2405 read=32317
  Worker 1: actual time=0.501..682.456 rows=42919.00 loops=1
  Buffers: shared hit=2319 read=32684
-> Parallel Hash (cost=7718.17..7718.17 rows=23 width=25) (actual time=20.238..20.239 rows=161.67 loops=3)
  Output: part.p_partkey, part.p_brand, part.p_container, part.p_size
  Buckets: 1024 Batches: 1 Memory Usage: 104kB
  Buffers: shared hit=3864
  Worker 0: actual time=18.662..18.663 rows=163.00 loops=1
  Buffers: shared hit=1209
  Worker 1: actual time=18.115..18.115 rows=128.00 loops=1
  Buffers: shared hit=1111
-> Parallel Seq Scan on public.part (cost=0.00..7718.17 rows=23 width=25) (actual time=0.088..20.152 rows=161.67 loops=3)
  Output: part.p_partkey, part.p_brand, part.p_container, part.p_size
  Filter: (((part.p_size >= 1) AND (part.p_brand = ANY ('{'Brand#12,Brand#23,Brand#34'}'::text[])) AND (((part.p_brand = 'Brand#12'::text) AND (part.p_container = ANY ('{'SM CASE","SM BOX","SM PACK","SM PKG"}'::text[])) AND (part.p_size <= 5)) OR ((part.p_brand = 'Brand#23'::text) AND (part.p_container = ANY ('{'MED BAG","MED BOX","MED PKG","MED PACK"}'::text[])) AND (part.p_size <= 10)) OR ((part.p_brand = 'Brand#34'::text) AND (part.p_container = ANY ('{'LG CASE","LG BOX","LG PACK","LG PKG"}'::text[])) AND (part.p_size <= 15))))
  Rows Removed by Filter: 66505
  Buffers: shared hit=3864
  Worker 0: actual time=0.163..18.586 rows=163.00 loops=1
  Buffers: shared hit=1209
  Worker 1: actual time=0.073..18.024 rows=128.00 loops=1

```

Buffers: shared hit=1111

Planning:
 Buffers: shared hit=7
Planning Time: 9.305 ms
Execution Time: 714.458 ms
(55 rows)

Time: 734.057 ms
tpch=> reset role;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
 :stmt
 {VARIABLESETSTMT
 :kind 4
 :name role
 :args <>
 :jumble_args false
 :is_local false
 :location -1
 }
 :stmt_location 0
 :stmt_len 10
 }
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
 :commandType 6
 :querySource 0
 :canSetTag true
 :utilityStmt
 {VARIABLESETSTMT
 :kind 4
 :name role
 :args <>
 :jumble_args false
 :is_local false
 :location -1
 }
 :resultRelation 0
 :hasAggs false
 :hasWindowFuncs false
 :hasTargetSRFs false
 :hasSubLinks false
 :hasDistinctOn false
 :hasRecursive false
 :hasModifyingCTE false
 :hasForUpdate false
 :hasRowSecurity false
 :hasGroupRTE false
 :isReturn false
 :cteList <>
 :rtable <>
 :rteperminfos <>
 :jointree <>
 :mergeActionList <>
 :mergeTargetRelation 0
 :mergeJoinCondition <>
 :targetList <>
 :override 0
 :onConflict <>
 :returningOldAlias <>
 :returningNewAlias <>
 :returningList <>
 :groupClause <>
 :groupDistinct false
 :groupingSets <>
 :havingQual <>
 :windowClause <>
 :distinctClause <>
 :sortClause <>
 :limitOffset <>
 :limitCount <>
 :limitOption 0
 :rowMarks <>
 :setOperations <>
 :constraintDeps <>
 :withCheckOptions <>
 :stmt_location 0
 :stmt_len 10
}

Time: 2.214 ms
tpch=#
tpch=# -- Step 1: Drop all existing policies
DO \$\$
DECLARE r RECORD;
BEGIN
 FOR r IN
 SELECT polycyname, tablename
 FROM pg_policies
 WHERE schemaname = 'public'
 LOOP
 EXECUTE format(
 'DROP POLICY IF EXISTS %I ON %I',
 r.polycyname, r.tablename
);
 END LOOP;
END;
\$\$;

-- Step 2: Disable RLS on all tables
RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

-- Step 3: Enable RLS on part
ALTER TABLE part ENABLE ROW LEVEL SECURITY;

-- Step 4: Policy - only rows matching

```

-- Q19 brand/container/size combos
CREATE POLICY part_rls_policy ON part
USING (
  (
    p_brand = 'Brand#12'
    AND p_container IN (
      'SM CASE', 'SM BOX', 'SM PACK', 'SM PKG'
    )
    AND p_size BETWEEN 1 AND 5
  ) OR (
    p_brand = 'Brand#23'
    AND p_container IN (
      'MED BAG', 'MED BOX', 'MED PKG', 'MED PACK'
    )
    AND p_size BETWEEN 1 AND 10
  ) OR (
    p_brand = 'Brand#34'
    AND p_container IN (
      'LG CASE', 'LG BOX', 'LG PACK', 'LG PKG'
    )
    AND p_size BETWEEN 1 AND 15
  )
);

-- Step 5: Grant permissions and set role
GRANT SELECT ON part TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;

-- Step 6: Run Q19
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
SELECT
  sum(l_extendedprice * (1 - l_discount))
  AS revenue
FROM lineitem, part
WHERE
  (
    p_partkey = l_partkey
    AND p_brand = 'Brand#12'
    AND p_container IN (
      'SM CASE', 'SM BOX', 'SM PACK', 'SM PKG'
    )
    AND l_quantity >= 1
    AND l_quantity <= 1 + 10
    AND p_size BETWEEN 1 AND 5
    AND l_shipmode IN ('AIR', 'AIR REG')
    AND l_shipinstruct = 'DELIVER IN PERSON'
  ) OR (
    p_partkey = l_partkey
    AND p_brand = 'Brand#23'
    AND p_container IN (
      'MED BAG', 'MED BOX', 'MED PKG', 'MED PACK'
    )
    AND l_quantity >= 10
    AND l_quantity <= 10 + 10
    AND p_size BETWEEN 1 AND 10
    AND l_shipmode IN ('AIR', 'AIR REG')
    AND l_shipinstruct = 'DELIVER IN PERSON'
  ) OR (
    p_partkey = l_partkey
    AND p_brand = 'Brand#34'
    AND p_container IN (
      'LG CASE', 'LG BOX', 'LG PACK', 'LG PKG'
    )
    AND l_quantity >= 20
    AND l_quantity <= 20 + 10
    AND p_size BETWEEN 1 AND 15
    AND l_shipmode IN ('AIR', 'AIR REG')
    AND l_shipinstruct = 'DELIVER IN PERSON'
  )
);
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
  :stmt
    {DOSTMT
      :args (
        {DEFELEM
          :defnamespace <>
          :defname as
          :arg "\
DECLARE\ r\ RECORD;\
BEGIN\
  \ \ FOR\ r\ IN\
  \ \ \ \ SELECT\ p
    olicyname,\ tablename\
  \ \ \ \ FROM\ pg_policies\
  \ \ \ \ WHERE\ sche
    maname\ =\ 'public'\
  \ \ LOOP\
  \ \ \ \ EXECUTE\ format\(\
  \ \ \ \ \
    'DROP\ POLICY\ IF\ EXISTS\ %I\ ON\ %I',\
  \ \ \ \ \ r.policyname,\
  \ \ \ \ \ r.tablename\
  \ \ \ \ \)
  \ \ \ \ \)
  \ \ END\ LOOP;\
END;\
"
      :defaction 0
      :location 3
    }
  )
}
:stmt_location 0
:stmt_len 252
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {DOSTMT
      :args (

```



```

        {DEFELEM
        :defnamespace <>
        :defname as
        :arg "\
DECLARE\ r\ RECORD;\
BEGIN\
\ \ FOR\ r\ IN\
\ \ \ \ SELECT\ p
        olicyname,\ tablename\
\ \ \ \ FROM\ pg_policies\
\ \ \ \ WHERE\ sche
        maname\ =\ 'public'\
\ \ LOOP\
\ \ \ \ EXECUTE\ format\(\
\ \ \ \ \
        'DROP\ POLICY\ IF\ EXISTS\ %I\ ON\ %I',\
\ \ \ \ \ r.policynome,\
\ \ \ \ \ r.tablename\
\ \ \ \ \ )
        ;\
\ \ END\ LOOP;\
END;\
"

```

```

        :defaction 0
        :location 3
    }
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 252
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGE_TBL_ENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policynome" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTE_PERMISSION_INFO
:relid 12018
:inh true

```

```
:requiredPerms 2  
:  
checkAsUser 0  
selectedCols ( b 8 9 10)  
insertedCols (b)  
updatedCols (b)  
}  
  
)  
jointree  
{FROMEXPR  
fromlist (  
{RANGETBLREF  
rtindex 1  
})  
}  
quals  
{OPEXPR  
opno 93  
opfncid 62  
oproresulttype 16  
opretset false  
opcoid 0  
inputcollid 950  
args (  
VAR  
varno 1  
varattno 1  
vartype 19  
vartypmod -1  
varcollid 950  
varnullingrels (b)  
varlevelsup 0  
varreturningtype 0  
varnosyn 1  
varattnosyn 1  
location 60  
})  
{CONST  
consttype 19  
consttypmod -1  
constcollid 950  
constlen 64  
constbyval false  
constisnull false  
location 73  
constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]  
}  
}  
location 71  
}  
}  
mergeActionList <>  
mergeTargetRelation 0  
mergeJoinCondition <>  
targetList (  
TARGETENTRY  
expr  
VAR  
varno 1  
varattno 3  
vartype 19  
vartypmod -1  
varcollid 950  
varnullingrels (b)  
varlevelsup 0  
varreturningtype 0  
varnosyn 1  
varattnosyn 3  
location 7  
}  
resno 1  
resname policyname  
ressortgroupref 0  
resorigtbl 12018  
resorigcol 3  
resjunk false  
}  
TARGETENTRY  
expr  
VAR  
varno 1  
varattno 2  
vartype 19  
vartypmod -1  
varcollid 950  
varnullingrels (b)  
varlevelsup 0  
varreturningtype 0  
varnosyn 1  
varattnosyn 2  
location 19  
}  
resno 2  
resname tablename  
ressortgroupref 0  
resorigtbl 12018  
resorigcol 2  
resjunk false  
}  
)  
override 0  
onConflict <>  
returningOldAlias <>  
returningNewAlias <>  
returningList <>  
groupByClause <>  
groupByDistinct false  
groupBySets <>  
havingQual <>  
windowClause <>  
distinctClause <>  
sortClause <>  
limitOffset <>  
limitCount <>
```

```

:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relh
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastiggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplicent
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS

```

```

:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablesapace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27

```

```

:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>

```



```

    }
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "relotype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}

```

```

{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7

```

```

:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1

```

```

:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
):jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
}
:rarg

```

```

        {RANGETBLREF
        :rtindex 2
        }
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
)

```

```

:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN

```



```

:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false

```

```

:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_authid
        :colnames ("oid" "rolname" "rolsuper" "rolinherit"
          "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
            lication" "rolbypassrls" "rolconlimit" "rolpasswor
              d" "rolvaliduntil")
        }
    :rtekind 0
    :relid 1260
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {SCALARARRAYOPEXPR
    :opno 607
    :opfuncid 184
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
      }
    )
    :location -1
  }
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
  }
)
)

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 93
   :sortop 660
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:varatype 18
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18

```

```

        :typeMod -1
        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
:result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
    }
:location -1
}
{CASEWHEN
:expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {CASETESTEXPR
        :typeid 18
        :typeMod -1
        :collation 0
        }
        {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
:result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
    }
:location -1
}
{CASEWHEN
:expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {CASETESTEXPR
        :typeid 18
        :typeMod -1
        :collation 0
        }
        {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
:result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
:location -1
}
{CASEWHEN
:expr
    {OPEXPR
    :opno 92

```

```

:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 18
    :typeMod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull true
  :location -1
  :constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
  :funcid 1716
  :funcresulttype 25
  :funcset false
  :funcvariadic false
  :funcformat 0
  :funccollid 950
  :inputcollid 950
  :args (
    {VAR
      :varno 1
      :varattno 7
      :vartype 194
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 7
      :location -1
    }
    {VAR
      :varno 1
      :varattno 3
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location -1
    }
  )
}
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
  :funcid 1716
  :funcresulttype 25
  :funcset false
  :funcvariadic false
  :funcformat 0
  :funccollid 950
  :inputcollid 950

```

```

:args (
  {VAR
    :varno 1
    :varattno 8
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 12018
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
  }
)
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
)
:quals
{OPEXPR
  :opno 93
  :opfuncid 62
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 950
  :args (
    {VAR
      :varno 1
      :varattno 1
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 60
    }
    {CONST
      :consttype 19
      :consttypmod -1
      :constcollid 950
    }
  )
}

```

```

        :constlen 64
        :constbyval false
        :constisnull false
        :location 73
        :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0
        0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
        0 0 0 0 0 0 0 0 0 0 0 ]
    }
}
:location 71
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 7
    }
    :resno 1
    :resname policyname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 19
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
    }
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname pg_policies
    :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
    "cmd" "qual" "with_check")
    }
    :rtekind 1
    :subquery

```

```

{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname pol
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname pol
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck")
      }
    :rtekind 0
    :relid 3256
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
          "relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
          eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
          sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
          lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
          wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
          " "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
          lacl" "reloptions" "relpartbound")
      }
    :rtekind 0
    :relid 1259
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
          ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
          tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
          n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
          "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
          " "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
          spopulated" "relreplident" "relispartition" "relrewrite" "relfr
          ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    )
  }
)
}

```



```

}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR

```

```

:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```



```

:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
}
}

```

```

        )
        :location -1
    }
    :alias <>
    :rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policynome
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR

```

```

:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 4 [ 16 0 0 0 ]
  }
)
:location -1
}
:elemexpr
{FUNCEXP
  :funcid 407
  :funcresulttype 19
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 950
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 25
      :typemod -1
      :collation 0
    }
  )
  :location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
  :sublinkType 6
  :sublinkId 0
  :testexpr <>
  :operName <>
  :subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
          :aliasname pg_authid
          :colnames ("oid" "rolname" "rolsuper" "rolinherit"
            "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
            lication" "rolbypassrles" "rolconlimit" "rolpasswor
            d" "rolvaliduntil")
        }
        :rtekind 0
        :relid 1260
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
  }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 1260
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
}

```

```

    }
  )
  :jointtree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
    {SCALARARRAYOPEXPR
      :opno 607
      :opfuncid 184
      :hashfuncid 0
      :negfuncid 0
      :useOr true
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 26
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location -1
        }
        {VAR
          :varno 1
          :varattno 6
          :vartype 1028
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 1
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 6
          :location -1
        }
      )
    }
    :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:varatype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR

```



```

        :typeId 18
        :typeMod -1
        :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
    }
    :location -1
    }
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeId 18
    :typeMod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
    }
    :location -1
    }
    {CASEWHEN
    :expr
    {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CASETESTEXPR
    :typeId 18
    :typeMod -1
    :collation 0
    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
    }
    }
    :defresult
    {CONST

```

```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull true
        :location -1
        :constvalue <>
    }
    :location -1
}
:resno 6
:resname cmd
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>

```

```
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
}
:security_barrier false
:relicid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rtepermissions (
{RTEPERMISSIONINFO
:relicid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
quals
{OEXPR
:opno 93
:opfncid 62
:opresultype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varsyn 1
:varattnosyn 1
:location 60
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 73
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 71
}
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varsyn 1
:varattnosyn 3
:location 7
}
}
:resno 1
:resname policyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
```

```

{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.4025
:join.plan.total_cost 11.55988549906787
:join.plan.plan_rows 1
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.2725
:join.plan.total_cost 11.335952914798208
:join.plan.plan_rows 1
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY

```

```

:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 3.01
:scan.plan.plan_rows 1
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}

```

```

    }
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.2725
:scan.plan.total_cost 8.290000000000001
:scan.plan.plan_rows 1
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 9
        :location -1
    }
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 10
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 10
        :location -1
    }
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 11
        :vartype 700
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 11
        :location -1
    }
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 12
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 12
        :location -1
    }
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 13
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 13
        :location -1
    }
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 14
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 14
    }

```

```

        :location -1
    }
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 30
        :location -1
    }
:resno 30
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 31
        :vartype 28
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 31
        :location -1
    }
:resno 31
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 32
        :vartype 1034
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 32
        :location -1
    }
:resno 32
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 33
        :vartype 1009
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 33
        :location -1
    }
:resno 33
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 34
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 34
        :location -1
    }
:resno 34
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
:indexid 2662
:indexqual (
    {OPEXPR

```

```

:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -3
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
  {PARAM
    :paramkind 1
    :paramid 0
    :paramtype 26
    :paramtypmod -1
    :paramcollid 0
    :location -1
  }
)
:location -1
}
)
:indexqualorig (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
      {PARAM
        :paramkind 1
        :paramid 0
        :paramtype 26
        :paramtypmod -1
        :paramcollid 0
        :location -1
      }
    )
    :location -1
  }
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
  {NESTLOOPPARAM
    :paramno 0
    :paramval
      {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
      }
    }
)
}
)
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.13
:scan.plan.total_cost 0.17696629213483145
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 5
        :varattno 1
        :vartype 26

```

[illegible]

```

        0 0 0 0 0 0 0 0 0 0 0 0 ]
    }
)
:location 71
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanrelid 5
:indexid 2685
:indexqual (
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexqualorig (
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM
:paramno 1
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
}
)
}
}

```

WARNING: ===== REWRITE INPUT =====
 DETAIL: {QUERY


```

:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{
  FROMEXPR
  :fromlist <>
  :quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {FUNCEXP
  :funcid 3539
  :funcresulttype 25
  :funcresultset false
  :funcvariadic false
  :funcformat 0
  :funccollid 950
  :inputcollid 950
  :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 14
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
    70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
    }
    {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 54
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 68
    }
  )
  :location 0
  }
  :resno 1
  :resname format
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
    :fromlist <>
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 14
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
              70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
          }
          {PARAM
            :paramkind 0
            :paramid 3
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 54
          }
          {PARAM
            :paramkind 0
            :paramid 4
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 68
          }
        )
      }
    :location 0
  }
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
    :fromlist <>
    :quals <>
  }
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {FUNCEXPR
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 14
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
              70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
          }
          {PARAM
            :paramkind 0
            :paramid 3
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 54
          }
          {PARAM
            :paramkind 0
            :paramid 4
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 68
          }
        )
      }
    :location 0
  }
  :resno 1
  :resname format
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
      {FUNCEXPR
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 14
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
              70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
          }
          {PARAM
            :paramkind 0
            :paramid 3
            :paramtype 19
            :paramtypmod -1

```

```

        :paramcollid 950
        :location 54
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 68
    }
    )
    :location 0
    }
    :resno 1
    :resname format
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree <>
    :plan.righttree <>
    :plan.initPlan <>
    :plan.extParam (b)
    :plan.allParam (b)
    :resconstantqual <>
    }

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPSMT
:objects (("part" "part_qls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSMT
:objects (("part" "part_qls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 23.249 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

```

}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

```

Time: 0.199 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0

```

```

:owner <>
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.479 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnames orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnames orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
}

```

```

    )
    :objtype 41
    :missing_ok false
  }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :ctelist <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
  :targetList <>
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 48
}

```

Time: 0.376 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
  :stmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname customer
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :stmt_location 0
  :stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname customer
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
  :resultRelation 0
  :hasAggs false
}

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.426 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```



```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.333 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>

```

```

:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.320 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.298 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rtepermInfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
}

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}

```

Time: 0.365 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 48
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
}

```

```
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 48
}
```

Time: 0.362 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 42
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 42
}

Time: 0.540 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name part_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 33
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 54
}
:rexpr
{A_CONST
:val "Brand#12"
:location 64
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 62
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_container")
:location 83
}
:rexpr (
{A_CONST
:val "SM\ CASE"
:location 106
}
{A_CONST
:val "SM\ BOX"
:location 116
}
{A_CONST
:val "SM\ PACK"
:location 125
}
{A_CONST
:val "SM\ PKG"
:location 135
}
)
:rexpr_list_start 98
:rexpr_list_end 148
:location 95
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 158
}
:rexpr (
{A_CONST
:val 1
:location 173
}
{A_CONST
:val 5
:location 179
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 165
}
}
:location 79
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 194

```

```

    }
:rexpr
  {A_CONST
   :val "Brand#23"
   :location 204
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 202
}
{A_EXPR IN
: name ("=")
:lexpr
  {COLUMNREF
   :fields ("p_container")
   :location 223
  }
}
:rexpr (
  {A_CONST
   :val "MED\ BAG"
   :location 246
  }
  {A_CONST
   :val "MED\ BOX"
   :location 256
  }
  {A_CONST
   :val "MED\ PKG"
   :location 266
  }
  {A_CONST
   :val "MED\ PACK"
   :location 276
  }
)
:rexpr_list_start 238
:rexpr_list_end 291
:location 235
}
{A_EXPR BETWEEN
: name ("BETWEEN")
:lexpr
  {COLUMNREF
   :fields ("p_size")
   :location 301
  }
}
:rexpr (
  {A_CONST
   :val 1
   :location 316
  }
  {A_CONST
   :val 10
   :location 322
  }
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 308
}
)
:location 219
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
   :name ("=")
   :lexpr
     {COLUMNREF
      :fields ("p_brand")
      :location 338
     }
  }
  :rexpr
    {A_CONST
     :val "Brand#34"
     :location 348
    }
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 346
}
{A_EXPR IN
: name ("=")
:lexpr
  {COLUMNREF
   :fields ("p_container")
   :location 367
  }
}
:rexpr (
  {A_CONST
   :val "LG\ CASE"
   :location 390
  }
  {A_CONST
   :val "LG\ BOX"
   :location 400
  }
  {A_CONST
   :val "LG\ PACK"
   :location 409
  }
  {A_CONST
   :val "LG\ PKG"
   :location 419
  }
)
:rexpr_list_start 382
:rexpr_list_end 432
:location 379
}
{A_EXPR BETWEEN
: name ("BETWEEN")
:lexpr
  {COLUMNREF

```

```

        :fields ("p_size")
        :location 442
    }
    :rexpr (
        {A_CONST
        :val 1
        :location 457
        }
        {A_CONST
        :val 15
        :location 463
        }
    )
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 449
}
)
:location 363
}
)
:location 185
}
:with_check <>
}
:stmt_location 0
:stmt_len 471
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name part_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 33
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_brand")
:location 54
}
}
:rexpr
{A_CONST
:val "Brand#12"
:location 64
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 62
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p_container")
:location 83
}
}
:rexpr (
{A_CONST
:val "SM\ CASE"
:location 106
}
{A_CONST
:val "SM\ BOX"
:location 116
}
{A_CONST
:val "SM\ PACK"
:location 125
}
{A_CONST
:val "SM\ PKG"
:location 135
}
}
:rexpr_list_start 98
:rexpr_list_end 148
:location 95
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 158
}
}
}
}

```



```

:rexpr (
  {A_CONST
   :val 1
   :location 173
  }
  {A_CONST
   :val 5
   :location 179
  }
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 165
}
)
:location 79
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
   :name ("=")
   :lexpr
    {COLUMNREF
     :fields ("p_brand")
     :location 194
    }
  }
  :rexpr
   {A_CONST
    :val "Brand#23"
    :location 204
   }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 202
 }
 {A_EXPR IN
  :name ("=")
  :lexpr
   {COLUMNREF
    :fields ("p_container")
    :location 223
   }
 }
  :rexpr (
    {A_CONST
     :val "MED\ BAG"
     :location 246
    }
    {A_CONST
     :val "MED\ BOX"
     :location 256
    }
    {A_CONST
     :val "MED\ PKG"
     :location 266
    }
    {A_CONST
     :val "MED\ PACK"
     :location 276
    }
  )
  :rexpr_list_start 238
  :rexpr_list_end 291
  :location 235
 }
 {A_EXPR BETWEEN
  :name ("BETWEEN")
  :lexpr
   {COLUMNREF
    :fields ("p_size")
    :location 301
   }
 }
  :rexpr (
    {A_CONST
     :val 1
     :location 316
    }
    {A_CONST
     :val 10
     :location 322
    }
  )
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 308
 }
)
:location 219
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
   :name ("=")
   :lexpr
    {COLUMNREF
     :fields ("p_brand")
     :location 338
    }
  }
  :rexpr
   {A_CONST
    :val "Brand#34"
    :location 348
   }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 346
 }
 {A_EXPR IN
  :name ("=")
  :lexpr
   {COLUMNREF
    :fields ("p_container")
    :location 367
   }
 }
)

```

```

:rexpr (
  {A_CONST
   :val "LG\ CASE"
   :location 390
  }
  {A_CONST
   :val "LG\ BOX"
   :location 400
  }
  {A_CONST
   :val "LG\ PACK"
   :location 409
  }
  {A_CONST
   :val "LG\ PKG"
   :location 419
  }
)
:rexpr_list_start 382
:rexpr_list_end 432
:location 379
}
{A_EXPR BETWEEN
: name ("BETWEEN")
: lexpr
  {COLUMNREF
   : fields ("p_size")
   : location 442
  }
: rexpr (
  {A_CONST
   : val 1
   : location 457
  }
  {A_CONST
   : val 15
   : location 463
  }
)
: rexpr_list_start 0
: rexpr_list_end 0
: location 449
}
)
: location 363
}
)
: location 185
}
: with_check <>
}
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: cteList <>
: rtable <>
: rteperminfos <>
: jointree <>
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList <>
: override 0
: onConflict <>
: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 471
}

```

Time: 0.947 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
: stmt
  {GRANTSTMT
   : is_grant true
   : targtype 0
   : objtype 41
   : objects (
     {RANGEVAR
      : catalogname <>
      : schemaname <>
      : relname part
      : inh true
      : relpersistence p
      : alias <>
      : location 16
     }
   )
   : privileges (
     {ACCESSPRIV

```

```

        :priv_name select
        :cols <>
    }
)
:grantees (
    {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
        {RANGEVAR
            :catalogname <>
            :schemaname <>
            :relname part
            :inh true
            :relpersistence p
            :alias <>
            :location 16
        }
    )
    :privileges (
        {ACCESSPRIV
            :priv_name select
            :cols <>
        }
    )
    :grantees (
        {ROLESPEC
            :roletype 0
            :rolename alice
            :location 28
        }
    )
    :grant_option false
    :grantor <>
    :behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.507 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
        {RANGEVAR
            :catalogname <>
            :schemaname <>
            :relname lineitem
            :inh true
            :relpersistence p

```

```

        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
        :priv_name select
        :cols <>
    }
)
:grantees (
    {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targetype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.256 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST

```

```

        :val "alice"
        :location 9
    }
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
   :kind 0
   :name role
   :args (
     {A_CONST
      :val "alice"
      :location 9
     }
   )
   :jumble_args false
   :is_local false
   :location 9
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.258 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {EXPLAINSTMT
   :query
   {SELECTSTMT
    :distinctClause <>
    :intoClause <>
    :targetList (
      {RESTARGET
       :name revenue
       :indirection <>
       :val
        {FUNCCALL
         :funcname ("sum")
         :args (
           {A_EXPR
            :name ("*")
            :lexpr
             {COLUMNREF
              :fields ("l_extendedprice")
              :location 49
            }
          }
        )
        :rexpr
         {A_EXPR
          :name ("-")
          :lexpr
           {A_CONST
            :val 1
            :location 68
          }
        }
        :rexpr
         {COLUMNREF
          :fields ("l_discount")
          :location 72
        }
      }
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 70
    )
  }
}

```

```

        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 65
    }
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 45
}
:location 45
}
)
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistance p
    :alias <>
    :location 105
  }
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname part
    :inh true
    :relpersistance p
    :alias <>
    :location 115
  }
)
:whereClause
{BOOLEXP
:boolop or
:args (
  {BOOLEXP
    :boolop and
    :args (
      {A_EXPR
        :name ("=")
        :lexpr
          {COLUMNREF
            :fields ("p_partkey")
            :location 134
          }
        :rexpr
          {COLUMNREF
            :fields ("l_partkey")
            :location 146
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 144
      }
      {A_EXPR
        :name ("=")
        :lexpr
          {COLUMNREF
            :fields ("p_brand")
            :location 164
          }
        :rexpr
          {A_CONST
            :val "Brand#12"
            :location 174
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 172
      }
      {A_EXPR IN
        :name ("=")
        :lexpr
          {COLUMNREF
            :fields ("p_container")
            :location 193
          }
        :rexpr (
          {A_CONST
            :val "SM\ CASE"
            :location 216
          }
          {A_CONST
            :val "SM\ BOX"
            :location 226
          }
          {A_CONST
            :val "SM\ PACK"
            :location 235
          }
          {A_CONST
            :val "SM\ PKG"
            :location 245
          }
        )
        :rexpr_list_start 208
        :rexpr_list_end 258
        :location 205
      }
      {A_EXPR
        :name (">=")
        :lexpr
          {COLUMNREF
            :fields ("l_quantity")
            :location 268
          }
        :rexpr
          {A_CONST

```

```

        :val 1
        :location 282
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 279
}
{A_EXPR
: name ("<=")
:lexpr
    {COLUMNREF
    :fields ("l_quantity")
    :location 292
    }
}
:rexpr
    {A_EXPR
    :name ("+")
    :lexpr
        {A_CONST
        :val 1
        :location 306
        }
        :rexpr
            {A_CONST
            :val 10
            :location 310
            }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 308
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 303
}
{A_EXPR BETWEEN
: name ("BETWEEN")
:lexpr
    {COLUMNREF
    :fields ("p_size")
    :location 321
    }
}
:rexpr (
    {A_CONST
    :val 1
    :location 336
    }
    {A_CONST
    :val 5
    :location 342
    }
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 328
}
{A_EXPR IN
: name ("=")
:lexpr
    {COLUMNREF
    :fields ("l_shipmode")
    :location 352
    }
}
:rexpr (
    {A_CONST
    :val "AIR"
    :location 367
    }
    {A_CONST
    :val "AIR\ REG"
    :location 373
    }
)
:rexpr_list_start 366
:rexpr_list_end 382
:location 363
}
{A_EXPR
: name ("=")
:lexpr
    {COLUMNREF
    :fields ("l_shipinstruct")
    :location 392
    }
}
:rexpr
    {A_CONST
    :val "DELIVER\ IN\ PERSON"
    :location 409
    }
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 407
}
}
:location 160
}
{BOOLEXPR
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
        {COLUMNREF
        :fields ("p_partkey")
        :location 442
        }
    }
    :rexpr
        {COLUMNREF
        :fields ("l_partkey")
        :location 454
        }
    }
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 452
}

```

```

{A_EXPR
:name ("=")
:lexpr
  {COLUMNREF
   :fields ("p_brand")
   :location 472
  }
:rexpr
  {A_CONST
   :val "Brand#23"
   :location 482
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 480
}
{A_EXPR IN
:name ("=")
:lexpr
  {COLUMNREF
   :fields ("p_container")
   :location 501
  }
:rexpr (
  {A_CONST
   :val "MED\ BAG"
   :location 524
  }
  {A_CONST
   :val "MED\ BOX"
   :location 534
  }
  {A_CONST
   :val "MED\ PKG"
   :location 544
  }
  {A_CONST
   :val "MED\ PACK"
   :location 554
  }
)
:rexpr_list_start 516
:rexpr_list_end 569
:location 513
}
{A_EXPR
:name (">=")
:lexpr
  {COLUMNREF
   :fields ("l_quantity")
   :location 579
  }
:rexpr
  {A_CONST
   :val 10
   :location 593
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 590
}
{A_EXPR
:name ("<=")
:lexpr
  {COLUMNREF
   :fields ("l_quantity")
   :location 604
  }
:rexpr
  {A_EXPR
   :name ("+")
   :lexpr
     {A_CONST
      :val 10
      :location 618
     }
   :rexpr
     {A_CONST
      :val 10
      :location 623
     }
   :rexpr_list_start 0
   :rexpr_list_end 0
   :location 621
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 615
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
  {COLUMNREF
   :fields ("p_size")
   :location 634
  }
:rexpr (
  {A_CONST
   :val 1
   :location 649
  }
  {A_CONST
   :val 10
   :location 655
  }
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 641
}
{A_EXPR IN
:name ("=")
:lexpr
  {COLUMNREF
   :fields ("l_shipmode")

```



```

        :location 666
    }
    :rexpr (
        {A_CONST
        :val "AIR"
        :location 681
        }
        {A_CONST
        :val "AIR\ REG"
        :location 687
        }
    )
    :rexpr_list_start 680
    :rexpr_list_end 696
    :location 677
}
{A_EXPR
: name ("=")
:lexpr
    {COLUMNREF
    :fields ("l_shipinstruct")
    :location 706
    }
:rexpr
    {A_CONST
    :val "DELIVER\ IN\ PERSON"
    :location 723
    }
:rexpr_list_start 0
:rexpr_list_end 0
:location 721
}
)
:location 468
}
{BOOLEXPR
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
        {COLUMNREF
        :fields ("p_partkey")
        :location 756
        }
    :rexpr
        {COLUMNREF
        :fields ("l_partkey")
        :location 768
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 766
    }
    {A_EXPR
    :name ("=")
    :lexpr
        {COLUMNREF
        :fields ("p_brand")
        :location 786
        }
    :rexpr
        {A_CONST
        :val "Brand#34"
        :location 796
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 794
    }
    {A_EXPR IN
    :name ("=")
    :lexpr
        {COLUMNREF
        :fields ("p_container")
        :location 815
        }
    :rexpr (
        {A_CONST
        :val "LG\ CASE"
        :location 838
        }
        {A_CONST
        :val "LG\ BOX"
        :location 848
        }
        {A_CONST
        :val "LG\ PACK"
        :location 857
        }
        {A_CONST
        :val "LG\ PKG"
        :location 867
        }
    )
    :rexpr_list_start 830
    :rexpr_list_end 880
    :location 827
    }
    {A_EXPR
    :name (">=")
    :lexpr
        {COLUMNREF
        :fields ("l_quantity")
        :location 890
        }
    :rexpr
        {A_CONST
        :val 20
        :location 904
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 901
    }
}

```

```

{A_EXPR
:name ("<=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 915
}
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{A_CONST
:val 20
:location 929
}
:rexpr
{A_CONST
:val 10
:location 934
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 932
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 926
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p_size")
:location 945
}
:rexpr (
{A_CONST
:val 1
:location 960
}
{A_CONST
:val 15
:location 966
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 952
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipmode")
:location 977
}
:rexpr (
{A_CONST
:val "AIR"
:location 992
}
{A_CONST
:val "AIR\ REG"
:location 998
}
)
:rexpr_list_start 991
:rexpr_list_end 1007
:location 988
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipinstruct")
:location 1017
}
:rexpr
{A_CONST
:val "DELIVER\ IN\ PERSON"
:location 1034
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 1032
}
}
:location 782
}
)
:location 433
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
)

```

```

    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
  }
}
:stmt_location 0
:stmt_len 1057
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}

```

```

{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 134
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 146
}
)
:location 144
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 164
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 174
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 172
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 193
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false

```

```

:location 216
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 226
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 235
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 245
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
)
:multidims false
:list_start 208
:list_end 258
:location -1
}
)
:location 205
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 268
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 282
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 292
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2

```

```

:funccollid 0
:inputcollid 0
:args (
  {OEXPR
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 306
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 310
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location 308
  }
)
:location -1
}
:location 303
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 321
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 336
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location 328
  }
  {OEXPR
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 321
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 342
        :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
      }
    )
    :location 328
  }
)
:location 328
}
{SCALARARRAYOEXPR

```

```

:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 352
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 367
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 373
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
    :multidims false
    :list_start 366
    :list_end 382
    :location -1
  }
)
:location 363
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 392
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 409
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
      8 32 80 69 82 83 79 78 ]
  }
)
:location 407
}
)
:location 160
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 442
  }
)
}

```

```

    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 454
    }
  )
  :location 452
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 2
  :varattno 4
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 4
  :location 472
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location 482
  :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
  }
)
:location 480
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
  :varno 2
  :varattno 7
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 7
  :location 501
  }
  {ARRAYEXPR
  :array_typeid 1009
  :array_collid 100
  :element_typeid 25
  :elements (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 524
    :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 534
    :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 544
    :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 554
  )
}

```



```

        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
)
:multidims false
:list_start 516
:list_end 569
:location -1
}
)
:location 513
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 579
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 593
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 590
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 604
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 618
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 623
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
}
}
}

```

```

    )
    :location 621
  }
)
:location -1
}
)
:location 615
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 634
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 649
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location 641
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 634
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location 641
}
)
:location 641
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 666
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false

```

```

        :constisnull false
        :location 681
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 687
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
    )
    :multidims false
    :list_start 680
    :list_end 696
    :location -1
    }
    )
    :location 677
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 706
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 723
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
    8 32 80 69 82 83 79 78 ]
    }
    )
    :location 721
    }
    )
    :location 468
    }
    {BOOLEXPR
    :boolop and
    :args (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 756
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 768
    }
    )
    :location 766
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 786
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 796
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 794
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 815
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 838
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 848
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 857
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 867
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
}
)
:multidims false
:list_start 830
:list_end 880
:location -1
}
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 890

```

```

    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 904
    :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
)
:location 901
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 915
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXP
:opno 551
:opfuncid 177
:opresulttype 23
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 929
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 934
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 932
}
)
:location -1
}
)
:location 926
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6

```

```

        :location 945
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 960
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location 952
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 945
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 966
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
)
:location 952
}
)
:location 952
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 977
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 992
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 998
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 991
    :list_end 1007
    :location -1
    }
)
:location 988
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```

```

        {VAR
        :varno 1
        :varattno 14
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 14
        :location 1017
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 1034
        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
        8 32 80 69 82 83 79 78 ]
        }
    )
    :location 1032
}
)
:location 782
}
)
:location 433
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcretset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 68
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}

```

```

        )
        :location 70
    }
    )
    :location 65
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>

```



```

:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1057
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 12 13 14 21 22)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 11 13 14)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
      {RANGETBLREF
        :rtindex 2
      }
    )
  }
:quals
  {BOOLEXP
    :boolop or
    :args (
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
          }
        )
      }
    )
  }
)

```

```

{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 134
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 146
}
)
:location 144
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 164
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 174
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 172
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 193
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 216
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 226
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

        :constisnull false
        :location 235
        :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 245
    :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
    }
)
:multidims false
:list_start 208
:list_end 258
:location -1
}
)
:location 205
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 268
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 282
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 292
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 306

```

```

        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 310
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    )
    :location 308
    }
    )
    :location -1
    }
    )
    :location 303
    }
    {BOOLEXP
    :boolop and
    :args (
        {OEXPR
        :opno 525
        :opfuncid 150
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno 2
            :varattno 6
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 6
            :location 321
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 336
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
        )
        :location 328
        }
        {OEXPR
        :opno 523
        :opfuncid 149
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno 2
            :varattno 6
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 6
            :location 321
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 342
            :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
            }
        )
        :location 328
        }
    )
    :location 328
    }
    {SCALARARRAYOEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
        {VAR
        :varno 1
        :varattno 15
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 15
        :location 352
    )

```

```

    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 367
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 373
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 366
    :list_end 382
    :location -1
}
)
:location 363
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 392
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 409
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
    0 69 82 83 79 78 ]
    }
)
:location 407
}
)
:location 160
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 442
        }
        {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 454
        }
    )
)
:location 452
}
{OPEXPR
:opno 98

```

```

:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 472
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 482
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
  }
)
:location 480
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 501
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 524
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 534
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 544
        :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 554
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
      }
    )
  }
  :multidims false
  :list_start 516
  :list_end 569
  :location -1
}
)
:location 513
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 579
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 593
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 590
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 604
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXP
:opno 551
:opfuncid 177
:opresulttype 23
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 618
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 623
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 621
}
)
:location -1
}
)
:location 615
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0

```

```

:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 634
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 649
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location 641
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 634
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location 641
}
)
:location 641
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 666
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 681
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 687
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
  }
)
:multidims false
:list_start 680
:list_end 696
:location -1

```



```

    }
  )
  :location 677
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 706
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 723
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
      0 69 82 83 79 78 ]
  }
)
:location 721
}
)
:location 468
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 756
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 768
      }
    )
  }
  :location 766
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 786
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 796
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
  }
)
:location 794

```

```

}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 815
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 838
        :constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 848
        :constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 857
        :constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 867
        :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
      }
    )
    :multidims false
    :list_start 830
    :list_end 880
    :location -1
  }
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 890
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 904
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
      }
    )
  }
)
}

```

```

    }
  )
  :location -1
}
)
:location 901
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 915
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 929
            :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 934
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
        )
      }
    :location 932
  }
)
:location -1
}
)
:location 926
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 945
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 960
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
:location 952
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 945
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 966
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location 952
}
)
:location 952
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 977
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 992
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 998
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
  }
  :multidims false
  :list_start 991
  :list_end 1007
  :location -1
)
)
:location 988
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1017
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false

```

```

        :constisnull false
        :location 1034
        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
    }
}
:location 1032
}
)
:location 782
}
)
:location 433
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 68
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
)
:location 70
}
)
:location 65
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false

```

```

:aggkind n
:agppresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16551
 WARNING: ===== RLS POLICY ADDED =====:

```

DETAIL: (
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
}
)
}
)
}
)

```

```

:location -1
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
}
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
)
:location -1
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 5 0 0 0 0 0 0 0 ]
}
}
)
:location -1
}
)
:location -1

```

```

    }
}
:location -1
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
}
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1

```



```

}
{BOOLEXP
:boolop and
:args (
  {OEXPR
  :opno 525
  :opfuncid 150
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
  }
  {OEXPR
  :opno 523
  :opfuncid 149
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
  }
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
    }
  )
  :location -1
  }
}

```

```

{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location -1
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
      }
    )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
  }
)
:location -1
}
{BOOLEXPRESS
:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:opno 523
:opfuncid 149

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals (
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100

```

```

:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
  }
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location -1
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
      }
    )
  }
  :multidims false
  :list_start -1
  :list_end -1
  :location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2

```

```

:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 5 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location -1
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
}
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
}
}
}

```

```

    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
    }
  )
  :multidims false
  :list_start -1
  :list_end -1
  :location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 525
  :opfuncid 150
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 2
  :varattno 6
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 6
  :location -1
  }
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
)
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551

```



```

:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 134
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 146
}
)
:location 144
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 164
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 174
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 172
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7

```

```

:location 193
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 216
    :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 226
    :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 235
    :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 245
    :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
  }
)
:multidims false
:list_start 208
:list_end 258
:location -1
}
)
:location 205
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 268
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 282
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location -1
}
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 292
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 306
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 310
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 308
}
)
:location -1
}
)
:location 303
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 321
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 336
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 328
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 321
}
  {CONST
:consttype 23
:consttypmod -1

```

```

        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 342
        :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
)
:location 328
}
)
:location 328
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
        :varno 1
        :varattno 15
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 15
        :location 352
    }
    {ARRAYEXPR
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 367
                :constvalue 7 [ 28 0 0 0 65 73 82 ]
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 373
                :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
            }
        )
        :multidims false
        :list_start 366
        :list_end 382
        :location -1
    }
)
:location 363
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 1
        :varattno 14
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 14
        :location 392
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 409
        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
            0 69 82 83 79 78 ]
    }
)
:location 407
}
)
:location 160
}
{BOOLEXP
:boolop and
:args (
    {OEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 442
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 454
  }
)
:location 452
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 472
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 482
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
  }
)
:location 480
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 501
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 524
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 534
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
      }
    )
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
  }
)

```

```

        :constlen -1
        :constbyval false
        :constisnull false
        :location 544
        :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 554
    :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
    )
    :multidims false
    :list_start 516
    :list_end 569
    :location -1
    }
    )
    :location 513
    }
    {OPEXPR
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 579
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 593
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location 590
    }
    {OPEXPR
    :opno 673
    :opfuncid 296
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 604
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {OPEXPR
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true

```

```

        :constisnull false
        :location 618
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 623
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    )
    :location 621
    }
    )
    :location -1
    }
    )
:location 615
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 634
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 649
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 641
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 634
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 655
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 641
}
)
:location 641
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 15
:location 666
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 681
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 687
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
:multidims false
:list_start 680
:list_end 696
:location -1
}
)
:location 677
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 706
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 723
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 721
}
)
:location 468
}
{BOOLEXP
:boolop and
:args (
  {OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 756
}
    {VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 768
}
  )
)
:location 766
}

```



```

{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 2
:varattno 4
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 786
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 796
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 794
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
:varno 2
:varattno 7
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 815
}
  {ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
    {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 838
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
    {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 848
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
    {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 857
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
    {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 867
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
  )
:multidims false
:list_start 830
:list_end 880
:location -1
}
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 890
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 904
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location 901
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 915
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXP
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opresultset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 929
            :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 934
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
        )
        :location 932
      }
    )
    :location -1
  }
)
:location 926
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opresultset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 945
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 960
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location 952
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 945
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 966
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location 952
}
)
:location 952
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 977
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 992
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 998
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
  }
)
:multidims false
:list_start 991

```

```

        :list_end 1007
        :location -1
    }
)
:location 988
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 1017
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1034
:constvalue 21 [ 84 0 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 1032
}
)
:location 782
}
)
:location 433
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 68
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
}
:location -1

```

```

        }
        {VAR
        :varno 1
        :varattno 7
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 72
        }
    )
    :location 70
}
)
:location 65
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY

```

```

:alias <>
:eref
{
  ALIAS
  :aliasname part
  :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
    "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
  {BOOLEXP
    :boolop or
    :args (
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 98
            :opfuncid 67
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 100
            :args (
              {VAR
                :varno 2
                :varattno 4
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 4
                :location -1
              }
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
              }
            )
          }
          :location -1
        }
      {SCALARARRAYOPEXP
        :opno 98
        :opfuncid 67
        :hashfuncid 0
        :negfuncid 0
        :useOr true
        :inputcollid 100
        :args (
          {VAR
            :varno 2
            :varattno 7
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 7
            :location -1
          }
          {ARRAYEXP
            :array_typeid 1009
            :array_collid 100
            :element_typeid 25
            :elements (
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
              }
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
              }
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
              }
            )
          }
          {CONST
            :consttype 25

```

```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
    }
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
        }
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
)
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2

```

```

:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXPRESS
:boolop and
:args (
{OPEXPRESS
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
)
}
)
}

```



```

        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
    {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno 2
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
        }
    )
    :location -1
}
)
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location -1
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25

```

```

:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 11 [ 44 0 0 0 0 76 71 32 67 65 83 69 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 0 76 71 32 66 79 88 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 11 [ 44 0 0 0 0 76 71 32 80 65 67 75 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 0 76 71 32 80 75 71 ]
  }
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location -1
}
)
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
  }
)
}

```

```

        :location -1
        :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
)
}
)
:rtperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 134
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 146
}
)
:location 144
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 164
}
{CONST
:consttype 25

```

```

:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 174
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 172
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 193
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 216
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 226
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 235
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 245
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
}
)
:multidims false
:list_start 208
:list_end 258
:location -1
}
)
:location 205
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 268
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
}
)
}

```

```

:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 282
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 292
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 306
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 310
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
        )
      }
    :location 308
  }
)
:location -1
}
)
:location 303
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 321
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false

```

```

        :location 336
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location 328
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 321
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 342
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
)
:location 328
}
)
:location 328
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 352
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 367
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 373
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 366
    :list_end 382
    :location -1
}
)
:location 363
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 14
:location 392
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 409
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 407
}
)
:location 160
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 442
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 454
}
)
:location 452
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 472
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 482
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 480
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 501

```

```

}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 524
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 534
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 544
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 554
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start 516
:list_end 569
:location -1
}
)
:location 513
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 579
}
  {FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 593
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 590
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 604
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 618
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 623
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 621
}
)
:location -1
}
)
:location 615
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 634
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 649
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 641
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 634
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0

```

```

        :constlen 4
        :constbyval true
        :constisnull false
        :location 655
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
}
:location 641
}
)
:location 641
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 666
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 681
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 687
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 680
    :list_end 696
    :location -1
    }
)
:location 677
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 706
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 723
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
    }
)
:location 721
}
)
:location 468
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0

```

```

:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 756
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 768
  }
)
:location 766
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 786
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 796
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
  }
)
:location 794
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 815
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 838
        :constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 848
        :constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
      }
    )
  }
)

```

```

        :constbyval false
        :constisnull false
        :location 857
        :constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 867
    :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
    }
)
:multidims false
:list_start 830
:list_end 880
:location -1
}
)
:location 827
}
{OEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 890
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 904
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
    }
)
:location 901
}
{OEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 915
    }
    {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false

```

```

        :location 929
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 934
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    )
    :location 932
    }
    )
    :location -1
    }
    )
    :location 926
    }
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 945
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 960
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    )
    )
    :location 952
    }
    {OPEXP
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 945
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 966
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
    )
    )
    :location 952
    }
    )
    :location 952
    }
    {SCALARARRAYOPEXP
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15

```

```

:location 977
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 992
    :constvalue 7 [ 28 0 0 0 65 73 82 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 998
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
  }
)
:multidims false
:list_start 991
:list_end 1007
:location -1
}
)
:location 988
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1017
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1034
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
  }
)
:location 1032
}
)
:location 782
}
)
:location 433
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
:expr
      {OPEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 49

```

```

    }
    {OPEXPR
    :opno 592
    :opfuncid 219
    :opresulttype 701
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 68
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 72
    }
    )
    :location 70
    }
    )
    :location 65
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 45
    }
    :resno 1
    :resname revenue
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 191022.825
:plan.total_cost 191022.835000000002
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY

```

```

:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
{OEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
)
:location 70
}
)
:location 65
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 45
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 11114.0125
:plan.total_cost 191022.8175
:plan.plan_rows 1
:plan.plan_width 16
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR

```



```

:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 10114.0125
:join.plan.total_cost 190022.7175
:join.plan.plan_rows 1
:join.plan.plan_width 16
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 179731.5
:scan.plan.plan_rows 47240
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr

```

```

{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:varypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:varypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:varypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:varypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:varypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 352
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 44 [ -80 0 0 0 1 0 0 0 0 0 0 0 25 0 0 0 2 0 0 0
1 0 0 0 28 0 0 0 65 73 82 0 44 0 0 0 65 73 82 32 82 69 71 0
]
}
)
:location 363
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 392
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 409
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 407
}
{BOOLEXPR
:boolop or
:args (
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 268
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 0 -16 63 ]
}
}
)
}
)
}

```

```

)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 292
  }
  {CONST
  :consttype 701
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ 0 0 0 0 0 0 38 64 ]
  }
)
:location 303
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
  :opno 675
  :opfuncid 298
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 579
    }
    {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 36 64 ]
    }
  )
  :location 590
  }
  {OPEXPR
  :opno 673
  :opfuncid 296
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 604
    }
    {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 52 64 ]
    }
  )
  :location 615
  }
)
:location -1
}
{BOOLEXPR

```

```

:boolop and
:args (
  {OPEXPR
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 890
      }
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 52 64 ]
      }
    )
    :location 901
  }
  {OPEXPR
    :opno 673
    :opfuncid 296
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 915
      }
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 62 64 ]
      }
    )
    :location 926
  }
)
:location -1
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanreliid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 10114
:plan.total_cost 10114
:plan.plan_rows 1
:plan.plan_width 25
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
  }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 10114
:scan.plan.plan_rows 1
:scan.plan.plan_width 25
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 134
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```



```

        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location 164
    }
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 2
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 7
        :location 193
    }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 321
    }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location -1
    }
    {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 321
    }
    {CONST
        :consttype 23

```

```

:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 336
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 328
}
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 5
0 ]
}
)
:location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
4 0 0 1 0 0 0 44 0 0 83 77 32 67 65 83 69 0 40
0 0 83 77 32 66 79 88 0 0 44 0 0 83 77 32 80 65
67 75 0 40 0 0 83 77 32 80 75 71 0 0 ]
}
)
:location -1
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4

```

```

        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 5
1 ]
}
)
}
:location -1
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
4 0 0 0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71 0 44
0 0 0 77 69 68 32 66 79 88 0 44 0 0 0 77 69 68 32 8
0 75 71 0 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
}
:location -1
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
}
}

```

```

        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 5
2 ]
}
)
:location -1
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
4 0 0 1 0 0 0 44 0 0 76 71 32 67 65 83 69 0 40
0 0 76 71 32 66 79 88 0 0 44 0 0 76 71 32 80 65
67 75 0 40 0 0 76 71 32 80 75 71 0 0 ]
}
)
:location -1
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
)

```

```

        :location -1
    }
)
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop or
:args (
    {BOOLEXP
    :boolop and
    :args (
        {OEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
            :varno 2
            :varattno 4
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 4
            :location 164
            }
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 174
            :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 5
            0 ]
            }
        )
    )
    :location 172
    }
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 193
    }
    {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
    4 0 0 0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69 0 40
    0 0 0 83 77 32 66 79 88 0 0 44 0 0 0 83 77 32 80 65
    67 75 0 40 0 0 0 83 77 32 80 75 71 0 0 ]
    }
)
:location 205
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 321
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 342
    }
)
}

```

```

        :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
)
:location 328
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 472
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 482
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 5
1 ]
}
)
:location 480
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 501
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
4 0 0 0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71 0 44
0 0 0 77 69 68 32 66 79 88 0 44 0 0 0 77 69 68 32 8
0 75 71 0 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:location 513
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 634
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 655
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
)

```

```

        :location 641
    }
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 786
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 796
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 5
2 ]
}
)
:location 794
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 815
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
4 0 0 0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69 0 40
0 0 0 76 71 32 66 79 88 0 0 44 0 0 0 76 71 32 80 65
67 75 0 40 0 0 0 76 71 32 80 75 71 0 0 ]
}
)
:location 827
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 945
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 966
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 952
}
)

```

```

        :location -1
    }
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanreleid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 134
    }
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 2.4
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
    {BOOLEXP
        :boolop or
        :args (
            {BOOLEXP
                :boolop and
                :args (
                    {OPEXP
                        :opno 98
                        :opfuncid 67
                        :opresulttype 16
                        :opretset false
                        :opcollid 0
                        :inputcollid 100
                        :args (
                            {VAR
                                :varno -1
                                :varattno 2
                                :vartype 25
                                :vartypmod -1
                                :varcollid 100
                                :varnullingrels (b)
                                :varlevelsup 0
                                :varreturningtype 0
                                :varnosyn 2
                                :varattnosyn 4
                                :location 164
                            }
                            {CONST
                                :consttype 25
                                :consttypmod -1
                                :constcollid 100
                                :constlen -1
                                :constbyval false
                                :constisnull false
                                :location 174
                                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
                            }
                        )
                    }
                )
            }
        )
    }
)
:location 172
}
{SCALARARRAYOPEXP
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
        {VAR
            :varno -1
            :varattno 3
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 7
            :location 193
        }
        {CONST
            :consttype 1009
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 25 0 0 0 4 0 0
                0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69 0 40 0 0 0 83 77
                32 66 79 88 0 0 44 0 0 0 83 77 32 80 65 67 75 0 40 0 0 0
            ]
        }
    )
}

```



```

    83 77 32 80 75 71 0 0 ]
  }
)
:location 205
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno -2
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 268
  }
  {CONST
  :consttype 701
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
  }
)
:location 279
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno -2
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 292
  }
  {CONST
  :consttype 701
  :consttypmod -1
  :constcollid 0
  :constlen 8
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 8 [ 0 0 0 0 0 0 38 64 ]
  }
)
:location 303
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno -1
  :varattno 4
  :vartype 23
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 2
  :varattnosyn 6
  :location 321
  }
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location 342
  :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
  }
)
:location 328
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
  :opno 98

```

```

:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno -1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 472
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 482
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
  }
)
:location 480
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno -1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 501
  }
  {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0 4 0 0
0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71 0 44 0 0 0 77 69
68 32 66 79 88 0 44 0 0 0 77 69 68 32 80 75 71 0 48 0 0 0
77 69 68 32 80 65 67 75 ]
  }
)
:location 513
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 579
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 36 64 ]
  }
)
:location 590
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 604
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 52 64 ]
}
)
:location 615
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 634
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 655
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 641
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 786
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 796
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 794
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7

```

```

:location 815
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0 4 0 0
0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69 0 40 0 0 0 76 71
32 66 79 88 0 0 44 0 0 0 76 71 32 80 65 67 75 0 40 0 0 0
76 71 32 80 75 71 0 0 ]
}
)
:location 827
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 890
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 52 64 ]
}
)
:location 901
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 915
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 62 64 ]
}
)
:location 926
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 945
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 966
}

```

```

        :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
)
:location 952
}
)
:location -1
}
)
:location -1
}
)
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 146
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 134
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 146
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggsplit 0
:numCols 0
:grpCollIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
Aggregate (cost=191022.83..191022.84 rows=1 width=8) (actual time=735.612..737.115 rows=1.00 loops=1)
  Output: sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
  Buffers: shared hit=11262 read=97322
->  Gather (cost=11114.01..191022.82 rows=1 width=16) (actual time=40.661..737.066 rows=121.00 loops=1)
    Output: lineitem.l_extendedprice, lineitem.l_discount

```

```

Workers Planned: 2
Workers Launched: 2
Buffers: shared hit=11262 read=97322
-> Parallel Hash Join (cost=10114.01..190022.72 rows=1 width=16) (actual time=40.949..729.151 rows=40.33 loops=3)
    Output: lineitem.l_extendedprice, lineitem.l_discount
    Hash Cond: (lineitem.l_partkey = part.p_partkey)
    Join Filter: (((part.p_brand = 'Brand#12'::text) AND (part.p_container = ANY ('{"SM CASE","SM BOX","SM PACK","SM PKG"}'::text[])) AND (lineitem.l_quantity >= '1'::double precision) AND (lineitem.l_quantity <= '11'::double precision) AND (part.p_size <= 5)) OR ((part.p_brand = 'Brand#23'::text) AND (part.p_container = ANY ('{"MED BAG","MED BOX","MED PKG","MED PACK"}'::text[])) AND (lineitem.l_quantity >= '10'::double precision) AND (lineitem.l_quantity <= '20'::double precision) AND (part.p_size <= 10)) OR ((part.p_brand = 'Brand#34'::text) AND (part.p_container = ANY ('{"LG CASE","LG BOX","LG PACK","LG PKG"}'::text[])) AND (lineitem.l_quantity >= '20'::double precision) AND (lineitem.l_quantity <= '30'::double precision) AND (part.p_size <= 15)))
    Rows Removed by Join Filter: 67
    Buffers: shared hit=11262 read=97322
    Worker 0:  actual time=56.590..726.194 rows=47.00 loops=1
        Buffers: shared hit=3638 read=32309
    Worker 1:  actual time=25.880..726.188 rows=37.00 loops=1
        Buffers: shared hit=3556 read=32568
-> Parallel Seq Scan on public.lineitem (cost=0.00..179731.50 rows=47240 width=28) (actual time=0.251..701.574 rows=42790.33 loops=3)
    Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
    Filter: (((lineitem.l_shipmode = ANY ('{"AIR","AIR REG"}'::text[])) AND (lineitem.l_shipinstruct = 'DELIVER IN PERSON'::text) AND (((lineitem.l_quantity >= '1'::double precision) AND (lineitem.l_quantity <= '11'::double precision)) OR ((lineitem.l_quantity >= '10'::double precision) AND (lineitem.l_quantity <= '20'::double precision))) OR ((lineitem.l_quantity >= '20'::double precision) AND (lineitem.l_quantity <= '30'::double precision))))
    Rows Removed by Filter: 1957615
    Buffers: shared hit=7398 read=97322
    Worker 0:  actual time=0.040..701.612 rows=42432.00 loops=1
        Buffers: shared hit=2511 read=32309
    Worker 1:  actual time=0.683..701.592 rows=43089.00 loops=1
        Buffers: shared hit=2424 read=32568
-> Parallel Hash (cost=10114.00..10114.00 rows=1 width=25) (actual time=22.026..22.026 rows=161.67 loops=3)
    Output: part.p_partkey, part.p_brand, part.p_container, part.p_size
    Buckets: 1024 Batches: 1 Memory Usage: 104kB
    Buffers: shared hit=3864
    Worker 0:  actual time=19.076..19.076 rows=137.00 loops=1
        Buffers: shared hit=1127
    Worker 1:  actual time=19.064..19.065 rows=154.00 loops=1
        Buffers: shared hit=1132
-> Parallel Seq Scan on public.part (cost=0.00..10114.00 rows=1 width=25) (actual time=0.315..21.956 rows=161.67 loops=3)
    Output: part.p_partkey, part.p_brand, part.p_container, part.p_size
    Filter: (((part.p_size >= 1) AND (part.p_size >= 1) AND (((part.p_brand = 'Brand#12'::text) AND (part.p_container = ANY ('{"SM CASE","SM BOX","SM PACK","SM PKG"}'::text[])) AND (part.p_size <= 5)) OR ((part.p_brand = 'Brand#23'::text) AND (part.p_container = ANY ('{"MED BAG","MED BOX","MED PKG","MED PACK"}'::text[])) AND (part.p_size <= 10)) OR ((part.p_brand = 'Brand#34'::text) AND (part.p_container = ANY ('{"LG CASE","LG BOX","LG PACK","LG PKG"}'::text[])) AND (part.p_size <= 15))) AND (((part.p_brand = 'Brand#12'::text) AND (part.p_container = ANY ('{"SM CASE","SM BOX","SM PACK","SM PKG"}'::text[])) AND (part.p_size <= 5)) OR ((part.p_brand = 'Brand#23'::text) AND (part.p_container = ANY ('{"MED BAG","MED BOX","MED PKG","MED PACK"}'::text[])) AND (part.p_size <= 10)) OR ((part.p_brand = 'Brand#34'::text) AND (part.p_container = ANY ('{"LG CASE","LG BOX","LG PACK","LG PKG"}'::text[])) AND (part.p_size <= 15))))
    Rows Removed by Filter: 66505
    Buffers: shared hit=3864
    Worker 0:  actual time=0.385..19.007 rows=137.00 loops=1
        Buffers: shared hit=1127
    Worker 1:  actual time=0.499..19.000 rows=154.00 loops=1
        Buffers: shared hit=1132

Planning:
  Buffers: shared hit=8
Planning Time: 7.947 ms
Execution Time: 737.188 ms
(48 rows)

Time: 753.750 ms
tpch=>
tpch=> -- Step 1: Reset role and disable RLS
RESET ROLE;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;

-- Step 2: Drop existing view if any
DROP VIEW IF EXISTS part_secure;

-- Step 3: Create secure view
CREATE VIEW part_secure AS
SELECT p.*
FROM part p
WHERE
(
    p.p_brand = 'Brand#12'
    AND p.p_container IN ('SM CASE', 'SM BOX', 'SM PACK', 'SM PKG')
    AND p.p_size BETWEEN 1 AND 5
) OR (
    p.p_brand = 'Brand#23'
    AND p.p_container IN ('MED BAG', 'MED BOX', 'MED PKG', 'MED PACK')
    AND p.p_size BETWEEN 1 AND 10
) OR (
    p.p_brand = 'Brand#34'
    AND p.p_container IN ('LG CASE', 'LG BOX', 'LG PACK', 'LG PKG')
    AND p.p_size BETWEEN 1 AND 15
);

-- Step 4: Grant permissions and set role
GRANT SELECT ON part_secure TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;

-- Step 5: Run Q19
EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
SELECT
    sum(l_extendedprice * (1 - l_discount)) AS revenue
FROM
    lineitem,
    part_secure p
WHERE
(
    p.p_partkey = l_partkey
    AND p.p_brand = 'Brand#12'
    AND p.p_container IN ('SM CASE', 'SM BOX', 'SM PACK', 'SM PKG')
    AND l_quantity >= 1 AND l_quantity <= 1 + 10
    AND p.p_size BETWEEN 1 AND 5
    AND l_shipmode IN ('AIR', 'AIR REG')
    AND l_shipinstruct = 'DELIVER IN PERSON'
) OR (
    p.p_partkey = l_partkey
    AND p.p_brand = 'Brand#23'
    AND p.p_container IN ('MED BAG', 'MED BOX', 'MED PKG', 'MED PACK')
    AND l_quantity >= 10 AND l_quantity <= 10 + 10
    AND p.p_size BETWEEN 1 AND 10
    AND l_shipmode IN ('AIR', 'AIR REG')

```

```

AND l_shipinstruct = 'DELIVER IN PERSON'
) OR (
  p.p_partkey = l_partkey
  AND p.p_brand = 'Brand#34'
  AND p.p_container IN ('LG CASE', 'LG BOX', 'LG PACK', 'LG PKG')
  AND l_quantity >= 20 AND l_quantity <= 20 + 10
  AND p.p_size BETWEEN 1 AND 15
  AND l_shipmode IN ('AIR', 'AIR REG')
  AND l_shipinstruct = 'DELIVER IN PERSON'
);

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 1.781 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}
```

Time: 2.431 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
  {DROPSTMT
    :objects (("part_secure"))
    :removeType 51
    :behavior 0
    :missing_ok true
    :concurrent false
  }
:stmt_location 0
:stmt_len 31
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DROPSTMT
    :objects (("part_secure"))
    :removeType 51
    :behavior 0
    :missing_ok true
    :concurrent false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
}
```



```

:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 2.574 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p"
{A_STAR
}
)
:location 34
}
:location 34
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname p
:colnames <>
}
:location 43
}
)
:whereClause
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_brand")
:location 64
}
:rexpr
{A_CONST
:val "Brand#12"
:location 76
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 74
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_container")
:location 95
}
:rexpr (
{A_CONST
:val "SM\ CASE"

```

```

        :location 113
      }
      {A_CONST
      :val "SM\ BOX"
      :location 124
      }
      {A_CONST
      :val "SM\ PACK"
      :location 134
      }
      {A_CONST
      :val "SM\ PKG"
      :location 145
      }
    )
    :rexpr_list_start 112
    :rexpr_list_end 153
    :location 109
  }
  {A_EXPR BETWEEN
  :name ("BETWEEN")
  :lexpr
  {COLUMNREF
  :fields ("p" "p_size")
  :location 163
  }
  :rexpr (
  {A_CONST
  :val 1
  :location 180
  }
  {A_CONST
  :val 5
  :location 186
  }
  )
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 172
}
)
:location 91
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_brand")
:location 201
}
:rexpr
{A_CONST
:val "Brand#23"
:location 213
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 211
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_container")
:location 232
}
:rexpr (
{A_CONST
:val "MED\ BAG"
:location 250
}
{A_CONST
:val "MED\ BOX"
:location 261
}
{A_CONST
:val "MED\ PKG"
:location 272
}
{A_CONST
:val "MED\ PACK"
:location 283
}
)
:rexpr_list_start 249
:rexpr_list_end 293
:location 246
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
{COLUMNREF
:fields ("p" "p_size")
:location 303
}
:rexpr (
{A_CONST
:val 1
:location 320
}
{A_CONST
:val 10
:location 326
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 312
}
)
:location 228
}

```

```

{BOOLEXPR
:boolop and
:args (
  {A_EXPR
:name ("=")
:lexpr
  {COLUMNREF
:fields ("p" "p_brand")
:location 342
}
:rexpr
  {A_CONST
:val "Brand#34"
:location 354
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 352
}
  {A_EXPR IN
:name ("=")
:lexpr
  {COLUMNREF
:fields ("p" "p_container")
:location 373
}
:rexpr (
  {A_CONST
:val "LG\ CASE"
:location 391
}
  {A_CONST
:val "LG\ BOX"
:location 402
}
  {A_CONST
:val "LG\ PACK"
:location 412
}
  {A_CONST
:val "LG\ PKG"
:location 423
}
)
:rexpr_list_start 390
:rexpr_list_end 431
:location 387
}
  {A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
  {COLUMNREF
:fields ("p" "p_size")
:location 441
}
:rexpr (
  {A_CONST
:val 1
:location 458
}
  {A_CONST
:val 15
:location 464
}
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 450
}
}
:location 369
}
}
:location 192
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 470
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
}
}

```

```

    }
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARGET
    :name <>
    :indirection <>
    :val
      {COLUMNREF
        :fields ("p"
          {A_STAR
            }
        )
      }
    :location 34
  }
  :location 34
}
)
:fromClause (
  {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname part
    :inh true
    :relpersistence p
    :alias
      {ALIAS
        :aliasname p
        :colnames <>
      }
    :location 43
  }
)
:whereClause
{BOOLEXP
:boolop or
:args (
  {BOOLEXP
    :boolop and
    :args (
      {A_EXPR
        :name ("=")
        :lexpr
          {COLUMNREF
            :fields ("p" "p_brand")
            :location 64
          }
        :rexpr
          {A_CONST
            :val "Brand#12"
            :location 76
          }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 74
      }
      {A_EXPR IN
        :name ("=")
        :lexpr
          {COLUMNREF
            :fields ("p" "p_container")
            :location 95
          }
        :rexpr (
          {A_CONST
            :val "SM\ CASE"
            :location 113
          }
          {A_CONST
            :val "SM\ BOX"
            :location 124
          }
          {A_CONST
            :val "SM\ PACK"
            :location 134
          }
          {A_CONST
            :val "SM\ PKG"
            :location 145
          }
        )
        :rexpr_list_start 112
        :rexpr_list_end 153
        :location 109
      }
      {A_EXPR BETWEEN
        :name ("BETWEEN")
        :lexpr
          {COLUMNREF
            :fields ("p" "p_size")
            :location 163
          }
        :rexpr (
          {A_CONST
            :val 1
            :location 180
          }
          {A_CONST
            :val 5
            :location 186
          }
        )
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 172
      }
    )
    :location 91
  }
  {BOOLEXP
    :boolop and
    :args (

```

```

{A_EXPR
:name ("=")
:lexpr
  {COLUMNREF
   :fields ("p" "p_brand")
   :location 201
  }
:rexpr
  {A_CONST
   :val "Brand#23"
   :location 213
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 211
}
{A_EXPR IN
:name ("=")
:lexpr
  {COLUMNREF
   :fields ("p" "p_container")
   :location 232
  }
:rexpr (
  {A_CONST
   :val "MED\ BAG"
   :location 250
  }
  {A_CONST
   :val "MED\ BOX"
   :location 261
  }
  {A_CONST
   :val "MED\ PKG"
   :location 272
  }
  {A_CONST
   :val "MED\ PACK"
   :location 283
  }
)
:rexpr_list_start 249
:rexpr_list_end 293
:location 246
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
  {COLUMNREF
   :fields ("p" "p_size")
   :location 303
  }
:rexpr (
  {A_CONST
   :val 1
   :location 320
  }
  {A_CONST
   :val 10
   :location 326
  }
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 312
}
)
:location 228
}
{BOOLEXP
:boolop and
:args (
  {A_EXPR
   :name ("=")
   :lexpr
     {COLUMNREF
      :fields ("p" "p_brand")
      :location 342
     }
  :rexpr
    {A_CONST
     :val "Brand#34"
     :location 354
    }
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 352
}
  {A_EXPR IN
   :name ("=")
   :lexpr
     {COLUMNREF
      :fields ("p" "p_container")
      :location 373
     }
  :rexpr (
    {A_CONST
     :val "LG\ CASE"
     :location 391
    }
    {A_CONST
     :val "LG\ BOX"
     :location 402
    }
    {A_CONST
     :val "LG\ PACK"
     :location 412
    }
    {A_CONST
     :val "LG\ PKG"
     :location 423
    }
  )
  :rexpr_list_start 390
  :rexpr_list_end 431
}

```

```

        :location 387
      }
      {A_EXPR BETWEEN
      :name ("BETWEEN")
      :lexpr
        {COLUMNREF
        :fields ("p" "p_size")
        :location 441
        }
      :rexpr (
        {A_CONST
        :val 1
        :location 458
        }
        {A_CONST
        :val 15
        :location 464
        }
      )
      :rexpr_list_start 0
      :rexpr_list_end 0
      :location 450
    }
  )
  :location 369
}
)
:location 192
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 470
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS

```

```

        :aliasname p
        :colnames <>
    }
    :eref
    {ALIAS
        :aliasname p
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
            "p_container" "p_retailprice" "p_comment")
    }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
}
)
:rteperminfos (
    {RTEPERMISSIONINFO
        :relid 16551
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 9 10 11 12 13 14 15 16)
        :insertedCols (b)
        :updatedCols (b)
    }
)
)
:jointree
{FROMEXPR
    :fromlist (
        {RANGETBLREF
            :rtindex 1
        }
    )
}
)
:quals
{BOOLEXP
    :boolop or
    :args (
        {BOOLEXP
            :boolop and
            :args (
                {OEXPR
                    :opno 98
                    :opfuncid 67
                    :opresulttype 16
                    :opretset false
                    :opcollid 0
                    :inputcollid 100
                    :args (
                        {VAR
                            :varno 1
                            :varattno 4
                            :vartype 25
                            :vartypmod -1
                            :varcollid 100
                            :varnullingrels (b)
                            :varlevelsup 0
                            :varreturningtype 0
                            :varnosyn 1
                            :varattnosyn 4
                            :location 64
                        }
                    )
                }
                {CONST
                    :consttype 25
                    :consttypmod -1
                    :constcollid 100
                    :constlen -1
                    :constbyval false
                    :constisnull false
                    :location 76
                    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
                }
            )
        }
    )
    :location 74
}
{SCALARARRAYOEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
        {VAR
            :varno 1
            :varattno 7
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 7
            :location 95
        }
    )
    {ARRAYEXPR
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 113
                :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
            }
        )
    }
}
}

```

```

    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 124
    :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 134
    :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 145
    :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
    }
  )
  :multidims false
  :list_start 112
  :list_end 153
  :location -1
}
)
:location 109
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 525
  :opfuncid 150
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 163
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 180
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
  )
  :location 172
  }
  {OPEXP
  :opno 523
  :opfuncid 149
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 163
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 186
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
  )
  :location 172
  }
)
:location 172
}
)

```



```

:location 91
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 1
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 201
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 213
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
      }
    )
  }
:location 211
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 232
  }
  {ARRAYEXP
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 250
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 261
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 272
        :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 283
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
      }
    )
  }
  :multidims false
  :list_start 249
  :list_end 293
  :location -1
}
)
:location 246
}
{BOOLEXP

```

```

:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 303
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 320
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location 312
  }
  {OPEXPR
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 303
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 326
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location 312
  }
)
:location 312
}
)
:location 228
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 1
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 342
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 354
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
      }
    )
    :location 352
  }
  {SCALARARRAYOPEXPR
    :opno 98

```

```

:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 373
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 391
        :constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 402
        :constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 412
        :constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 423
        :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
      }
    )
    :multidims false
    :list_start 390
    :list_end 431
    :location -1
  }
)
:location 387
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 441
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 458
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location 450
  }
  {OPEXP
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
  }
)

```

```

        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno 1
                :varattno 6
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location 441
            }
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 464
                :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
            }
        )
        :location 450
    }
    :location 450
}
:location 369
}
:location 192
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 34
        }
    }
    :resno 1
    :resname p_partkey
    :ressortgroupref 0
    :resorigtbl 16551
    :resorigcol 1
    :resjunk false
}
{TARGETENTRY
    :expr
    {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 34
    }
}
:resno 2
:resname p_name
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 2
:resjunk false
}
{TARGETENTRY
    :expr
    {VAR
        :varno 1
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 34
    }
}
:resno 3
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
    :expr
    {VAR
        :varno 1
        :varattno 4
        :vartype 25

```

```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 34
}
:resno 4
:resname p_brand
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 34
}
:resno 5
:resname p_type
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 34
}
:resno 6
:resname p_size
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 34
}
:resno 7
:resname p_container
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 34
}
:resno 8
:resname p_retailprice
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 9
:location 34
}
:resno 9
:resname p_comment
:ressortgrouppref 0
:resorigtbl 16551
:resorigcol 9
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 470
}

```

Time: 5.327 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 31
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 36
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part_secure
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 31
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 36
}

```

Time: 0.489 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 31
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 36
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
  {ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
  {ROLESPEC
:roletype 0
:rolename alice
:location 31
}
)
}

```

```

:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 36
}

```

Time: 0.335 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
}

```



```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.243 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name revenue
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{A_EXPR
:name ("*")
:lexpr
{COLUMNREF
:fields ("l_extendedprice")
:location 49
}
}
:rexpr
{A_EXPR
:name ("-")
:lexpr
{A_CONST
:val 1
:location 68
}
}
:rexpr
{COLUMNREF
:fields ("l_discount")
:location 72
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 70
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 65
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 45
}
:location 45
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 103
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part_secure
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname p
:colnames <>
}
:location 115
}
)
:whereClause
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_partkey")
:location 143
}
}
:rexpr
{COLUMNREF
:fields ("l_partkey")

```

```

        :location 157
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 155
}
{A_EXPR
: name ("=")
: lexpr
    {COLUMNREF
    : fields ("p" "p_brand")
    : location 175
    }
: rexpr
    {A_CONST
    : val "Brand#12"
    : location 187
    }
: rexpr_list_start 0
: rexpr_list_end 0
: location 185
}
{A_EXPR IN
: name ("=")
: lexpr
    {COLUMNREF
    : fields ("p" "p_container")
    : location 206
    }
: rexpr (
    {A_CONST
    : val "SM\ CASE"
    : location 224
    }
    {A_CONST
    : val "SM\ BOX"
    : location 235
    }
    {A_CONST
    : val "SM\ PACK"
    : location 245
    }
    {A_CONST
    : val "SM\ PKG"
    : location 256
    }
)
: rexpr_list_start 223
: rexpr_list_end 264
: location 220
}
{A_EXPR
: name (">=")
: lexpr
    {COLUMNREF
    : fields ("l_quantity")
    : location 274
    }
: rexpr
    {A_CONST
    : val 1
    : location 288
    }
: rexpr_list_start 0
: rexpr_list_end 0
: location 285
}
{A_EXPR
: name ("<=")
: lexpr
    {COLUMNREF
    : fields ("l_quantity")
    : location 294
    }
: rexpr
    {A_EXPR
    : name ("+" )
    : lexpr
        {A_CONST
        : val 1
        : location 308
        }
    : rexpr
        {A_CONST
        : val 10
        : location 312
        }
    : rexpr_list_start 0
    : rexpr_list_end 0
    : location 310
    }
: rexpr_list_start 0
: rexpr_list_end 0
: location 305
}
{A_EXPR BETWEEN
: name ("BETWEEN")
: lexpr
    {COLUMNREF
    : fields ("p" "p_size")
    : location 323
    }
: rexpr (
    {A_CONST
    : val 1
    : location 340
    }
    {A_CONST
    : val 5
    : location 346
    }
)
: rexpr_list_start 0
: rexpr_list_end 0
: location 332

```

```

}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipmode")
:location 356
}
}
:rexpr (
{A_CONST
:val "AIR"
:location 371
}
{A_CONST
:val "AIR\ REG"
:location 378
}
)
:rexpr_list_start 370
:rexpr_list_end 387
:location 367
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_shipinstruct")
:location 397
}
:rexpr
{A_CONST
:val "DELIVER\ IN\ PERSON"
:location 414
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 412
}
}
)
:location 171
}
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_partkey")
:location 447
}
}
:rexpr
{COLUMNREF
:fields ("l_partkey")
:location 461
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 459
}
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_brand")
:location 479
}
}
:rexpr
{A_CONST
:val "Brand#23"
:location 491
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 489
}
}
{A_EXPR IN
:name ("=")
:lexpr
{COLUMNREF
:fields ("p" "p_container")
:location 510
}
}
:rexpr (
{A_CONST
:val "MED\ BAG"
:location 528
}
{A_CONST
:val "MED\ BOX"
:location 539
}
{A_CONST
:val "MED\ PKG"
:location 550
}
{A_CONST
:val "MED\ PACK"
:location 561
}
}
)
:rexpr_list_start 527
:rexpr_list_end 571
:location 524
}
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l_quantity")
:location 581
}
}
:rexpr
{A_CONST
:val 10

```

```

        :location 595
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 592
}
{A_EXPR
: name ("<=")
:lexpr
    {COLUMNREF
    :fields ("l_quantity")
    :location 602
    }
}
:rexpr
    {A_EXPR
    :name ("+")
    :lexpr
        {A_CONST
        :val 10
        :location 616
        }
    :rexpr
        {A_CONST
        :val 10
        :location 621
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 619
    }
:rexpr_list_start 0
:rexpr_list_end 0
:location 613
}
{A_EXPR BETWEEN
: name ("BETWEEN")
:lexpr
    {COLUMNREF
    :fields ("p" "p_size")
    :location 632
    }
}
:rexpr (
    {A_CONST
    :val 1
    :location 649
    }
    {A_CONST
    :val 10
    :location 655
    }
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 641
}
{A_EXPR IN
: name ("=")
:lexpr
    {COLUMNREF
    :fields ("l_shipmode")
    :location 666
    }
}
:rexpr (
    {A_CONST
    :val "AIR"
    :location 681
    }
    {A_CONST
    :val "AIR\ REG"
    :location 688
    }
)
:rexpr_list_start 680
:rexpr_list_end 697
:location 677
}
{A_EXPR
: name ("=")
:lexpr
    {COLUMNREF
    :fields ("l_shipinstruct")
    :location 707
    }
}
:rexpr
    {A_CONST
    :val "DELIVER\ IN\ PERSON"
    :location 724
    }
:rexpr_list_start 0
:rexpr_list_end 0
:location 722
}
}
:location 475
}
{BOOLEXPR
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
        {COLUMNREF
        :fields ("p" "p_partkey")
        :location 757
        }
    }
    :rexpr
        {COLUMNREF
        :fields ("l_partkey")
        :location 771
        }
    }
:rexpr_list_start 0
:rexpr_list_end 0
:location 769
}
}
{A_EXPR

```

```

:name ("=")
:lexpr
  {COLUMNREF
   :fields ("p" "p_brand")
   :location 789
  }
:rexpr
  {A_CONST
   :val "Brand#34"
   :location 801
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 799
}
{A_EXPR IN
:name ("=")
:lexpr
  {COLUMNREF
   :fields ("p" "p_container")
   :location 820
  }
:rexpr (
  {A_CONST
   :val "LG\ CASE"
   :location 838
  }
  {A_CONST
   :val "LG\ BOX"
   :location 849
  }
  {A_CONST
   :val "LG\ PACK"
   :location 859
  }
  {A_CONST
   :val "LG\ PKG"
   :location 870
  }
)
:rexpr_list_start 837
:rexpr_list_end 878
:location 834
}
{A_EXPR
:name (">=")
:lexpr
  {COLUMNREF
   :fields ("l_quantity")
   :location 888
  }
:rexpr
  {A_CONST
   :val 20
   :location 902
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 899
}
{A_EXPR
:name ("<=")
:lexpr
  {COLUMNREF
   :fields ("l_quantity")
   :location 909
  }
:rexpr
  {A_EXPR
   :name ("+")
   :lexpr
     {A_CONST
      :val 20
      :location 923
     }
   :rexpr
     {A_CONST
      :val 10
      :location 928
     }
   :rexpr_list_start 0
   :rexpr_list_end 0
   :location 926
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 920
}
{A_EXPR BETWEEN
:name ("BETWEEN")
:lexpr
  {COLUMNREF
   :fields ("p" "p_size")
   :location 939
  }
:rexpr (
  {A_CONST
   :val 1
   :location 956
  }
  {A_CONST
   :val 15
   :location 962
  }
)
:rexpr_list_start 0
:rexpr_list_end 0
:location 948
}
{A_EXPR IN
:name ("=")
:lexpr
  {COLUMNREF
   :fields ("l_shipmode")
   :location 973
  }

```

```

        }
        :rexpr (
            {A_CONST
            :val "AIR"
            :location 988
            }
            {A_CONST
            :val "AIR\ REG"
            :location 995
            }
        )
        :rexpr_list_start 987
        :rexpr_list_end 1004
        :location 984
    }
    {A_EXPR
    :name ("=")
    :lexpr
        {COLUMNREF
        :fields ("l_shipinstruct")
        :location 1014
        }
    :rexpr
        {A_CONST
        :val "DELIVER\ IN\ PERSON"
        :location 1031
        }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 1029
    }
    )
    :location 785
    }
    )
    :location 438
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :options (
    {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
    }
    {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
    }
    {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
    }
    )
    )
    :stmt_location 0
    :stmt_len 1054
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber"
"l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl

```

```

        ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
        "l_shipinstruct" "l_shipmode" "l_comment")
    }
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTRY
:alias
{ALIAS
:aliasname p
:colnames <>
}
:eref
{ALIAS
:aliasname p
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_
size" "p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16741
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16741
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 143
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 157
}
}
:location 155
}
{OPEXP
:opno 98
:opfuncid 67

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 175
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 187
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
  }
)
:location 185
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 206
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 224
        :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 235
        :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 245
        :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 256
        :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
      }
    )
  )
  :multidims false
  :list_start 223
  :list_end 264
  :location -1
)
}
:location 220
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR

```



```

:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 274
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 288
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 285
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 294
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXP
:opno 551
:opfuncid 177
:opresulttype 23
:opresultset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 308
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 312
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 310
}
)
:location -1
}
)
:location 305
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (

```

```

    {VAR
      :varno 2
      :varattno 6
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 6
      :location 323
    }
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 340
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
  )
  :location 332
}
{OPEXPR
  :opno 523
  :opfuncid 149
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 2
      :varattno 6
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 6
      :location 323
    }
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 346
      :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
  )
  :location 332
}
)
:location 332
}
{SCALARARRAYOPEXPR
  :opno 98
  :opfuncid 67
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 100
  :args (
    {VAR
      :varno 1
      :varattno 15
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 15
      :location 356
    }
    {ARRAYEXPR
      :array_typeid 1009
      :array_collid 100
      :element_typeid 25
      :elements (
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 371
          :constvalue 7 [ 28 0 0 0 65 73 82 ]
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location 378
          :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
      )
    }
  )
  :multidims false
  :list_start 370
  :list_end 387
  :location -1
}

```

```

    )
    :location 367
  }
  {OPEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 397
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 414
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
      8 32 80 69 82 83 79 78 ]
    }
  )
  :location 412
}
)
:location 171
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 447
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 461
    }
  )
  :location 459
}
  {OPEXPR
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 479
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 491
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
    }
  )
  :location 489
}

```

```

{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 510
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 528
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 539
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 550
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 561
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start 527
:list_end 571
:location -1
}
)
:location 524
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 581
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 595
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
}
)
}

```

```

    )
    :location -1
  }
)
:location 592
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 5
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 5
  :location 602
  }
  {FUNCEXPR
  :funcid 316
  :funcresulttype 701
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {OPEXPR
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 616
      :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
      {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location 621
      :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location 619
  )
  }
)
:location -1
}
)
:location 613
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
  :opno 525
  :opfuncid 150
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 632
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 649
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
  )
  :location 641
  }
  {OPEXPR
  :opno 523
  :opfuncid 149
  :opresulttype 16
  :opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 632
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location 641
}
:location 641
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 666
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 681
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 688
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
  }
  :multidims false
  :list_start 680
  :list_end 697
  :location -1
}
)
:location 677
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 707
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
  }
)
}

```

```

        :location 724
        :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
        8 32 80 69 82 83 79 78 ]
    }
}
:location 722
}
)
:location 475
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 757
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 771
}
}
:location 769
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 789
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 801
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
}
:location 799
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 820
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1

```

```

        :constbyval false
        :constisnull false
        :location 838
        :constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 849
    :constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 859
    :constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 870
    :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
    }
    )
    :multidims false
    :list_start 837
    :list_end 878
    :location -1
    }
)
:location 834
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 888
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 902
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 899
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 909
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false

```



```

:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OEXPR
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 923
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 928
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location 926
  }
)
:location -1
}
:location 920
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 939
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 956
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location 948
  }
  {OEXPR
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 939
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 962
        :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
      }
    )
    :location 948
  }
)
:location 948

```

```

    }
    {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 973
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 988
    :constvalue 7 [ 28 0 0 0 65 73 82 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 995
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
    )
    :multidims false
    :list_start 987
    :list_end 1004
    :location -1
    }
    )
    :location 984
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1014
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1031
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 7
    8 32 80 69 82 83 79 78 ]
    }
    )
    :location 1029
    }
    )
    :location 785
    }
    )
    :location 438
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr

```

```

{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 68
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
)
:location 70
}
)
:location 65
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>

```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1054
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY

```

```

:alias
{ALIAS
:aliasname p
:colnames <>
}
:eref
{ALIAS
:aliasname p
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
"p_container" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16741
:inh true
:relkind v
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16741
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:varypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 143
}
{VAR
:varno 1
:varattno 2
:vartype 23
:varypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 157
}
)
:location 155
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:varypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 4
:location 175
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 187
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 185
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 206
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 224
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 235
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 245
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 256
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
}
)
:multidims false
:list_start 223
:list_end 264
:location -1
}
)
:location 220
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 274
}
{FUNCEXPR
:funcid 316
:funcresulttype 701

```

```

:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 288
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location 285
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 294
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opresultset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 308
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 312
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
        )
      }
    :location 310
  }
)
:location -1
}
)
:location 305
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 323
      }
      {CONST
        :consttype 23

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 340
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location 332
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 323
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 346
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
)
:location 332
}
)
:location 332
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 356
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 371
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 378
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
        }
    )
    :multidims false
    :list_start 370
    :list_end 387
    :location -1
}
)
:location 367
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25

```



```

:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 397
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 414
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 412
}
)
:location 171
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 447
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 461
}
)
:location 459
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 479
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 491
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 489
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 510
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 528
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 539
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 550
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 561
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start 527
:list_end 571
:location -1
}
)
:location 524
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 5
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 581
}
  {FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 595
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 592
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR

```

```

:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 602
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OPEXP
:opno 551
:opfuncid 177
:opresulttype 23
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 616
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 621
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 619
}
)
:location -1
}
)
:location 613
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 632
}
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 649
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 641
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 632

```

```

    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
  )
  :location 641
}
)
:location 641
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 666
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 681
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 688
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
:multidims false
:list_start 680
:list_end 697
:location -1
}
)
:location 677
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 707
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 724
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 722
}
)
:location 475
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96

```

```

:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 757
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 771
  }
)
:location 769
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 789
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 801
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
  }
)
:location 799
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 820
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 838
        :constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 849
        :constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
      }
    )
  }
)
}

```

```

        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 859
        :constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 870
        :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
        }
    )
    :multidims false
    :list_start 837
    :list_end 878
    :location -1
}
)
:location 834
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 888
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 902
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
)
:location 899
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 909
    }
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {OPEXPR
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 23

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 923
        :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 928
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    )
    :location 926
    }
    )
    :location -1
    }
    )
:location 920
}
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 939
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 956
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 948
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 939
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 962
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 948
}
)
:location 948
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 973
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 988
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 995
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
:multidims false
:list_start 987
:list_end 1004
:location -1
}
)
:location 984
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 1014
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1031
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 1029
}
)
:location 785
}
)
:location 438
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 68
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
)
:location 70
}
)
:location 65
}
:resno 1
:resname <>
:resortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:resortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
}

```

```

:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname p
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname p
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
      }
    :rtekind 1
  }
  :subquery
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
          :alias
            {ALIAS
              :aliasname p
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname p
              :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size" "p_container" "p_retailprice" "p_comment")
            }
          :rtekind 0
          :relid 16551
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 16551
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9 10 11 12 13 14 15 16)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
  :jointree
    {FROMEXPR
      :fromlist (
        {RANGETBLREF
          :rtindex 1
        }
      )
      :quals
        {BOOLEXP
          :boolop or
          :args (
            {BOOLEXP
              :boolop and

```

```

:args (
  {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 1
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
      }
    )
    :location -1
  }
  {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {VAR
        :varno 1
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
      }
      {ARRAYEXPR
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
          }
        )
      }
      :multidims false
      :list_start -1
      :list_end -1
      :location -1
    )
  }
  {BOOLEXPR
    :boolop and
    :args (
      {OPEXPR
        :opno 525

```

```

:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno 1
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
      }
    )
  }
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true

```

```

:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
      }
    )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
  )
)
:location -1
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  {OPEXP
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR

```

```

        :varno 1
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
    {OPEXP
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
                :varno 1
                :varattno 4
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 4
                :location -1
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
            }
        )
    }
    :location -1
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
        :varno 1
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    {ARRAYEXP
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
            }
        )
    }
    {CONST

```

```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
    }
    )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
    }
    )
    :location -1
    }
    {BOOLEXP
    :boolop and
    :args (
    {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    {OPEXP
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr

```

```

{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname p_partkey
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname p_name
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname p_brand
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname p_type
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1

```



```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
:resno 6
:resname p_size
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname p_container
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname p_retailprice
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname p_comment
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16741
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
)

```

```

:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16566
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 9 12 13 14 21 22)
  :insertedCols (b)
  :updatedCols (b)
  }
  {RTEPERMISSIONINFO
  :relid 16741
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 11 13 14)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
  {RANGETBLREF
  :rtindex 2
  }
)
:quals
{BOOLEXP
:boolop or
:args (
  {BOOLEXP
  :boolop and
  :args (
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 2
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location 143
      }
      {VAR
      :varno 1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 157
      }
    )
  }
  :location 155
  }
  {OPEXP
  :opno 98
  :opfuncid 67
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 100
  :args (
    {VAR
    :varno 2
    :varattno 4
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 4
    :location 175
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 187
    :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
    }
  )
  :location 185
  }
  {SCALARARRAYOPEXP
  :opno 98
  :opfuncid 67
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 100

```

```

:args (
  {VAR
    :varno 2
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 7
    :location 206
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 224
        :constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 235
        :constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 245
        :constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 256
        :constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
      }
    )
    :multidims false
    :list_start 223
    :list_end 264
    :location -1
  }
)
:location 220
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 274
  }
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 288
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
)
:location 285
}
{OPEXPR

```

```

:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 294
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXP
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 308
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 312
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
        )
      }
    :location 310
  )
)
:location -1
}
)
:location 305
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 323
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 340
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location 332
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 323
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 346
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
    )
    :location 332
    }
    )
    :location 332
    }
    {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 356
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 371
    :constvalue 7 [ 28 0 0 0 65 73 82 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 378
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
    )
    :multidims false
    :list_start 370
    :list_end 387
    :location -1
    }
    )
    :location 367
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 397
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 414
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
    0 69 82 83 79 78 ]
    }
    )
    :location 412
    }

```

```

)
:location 171
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:varatype 23
:varattpmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 447
}
{VAR
:varno 1
:varattno 2
:varatype 23
:varattpmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 461
}
}
)
:location 459
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:varatype 25
:varattpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 479
}
{CONST
:consttype 25
:consttppmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 491
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 489
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:varatype 25
:varattpmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 510
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttppmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 528
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25

```

```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 539
        :constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 550
        :constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 561
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
)
:multidims false
:list_start 527
:list_end 571
:location -1
}
)
:location 524
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 581
    }
    {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 595
                :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
)
:location 592
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 602
    }
    {FUNCEXPR
        :funcid 316
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {OPEXPR
                :opno 551

```

```

:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 616
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 621
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
  }
)
:location 619
}
)
:location -1
}
)
:location 613
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 632
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 649
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location 641
  }
  {OPEXP
    :opno 523
    :opfuncid 149
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 632
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 655
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location 641
  }
)
:location 641
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true

```



```

:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 666
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 681
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 688
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
    :multidims false
    :list_start 680
    :list_end 697
    :location -1
  }
)
:location 677
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 707
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 724
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
  }
)
:location 722
}
)
:location 475
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 757
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 771
}
)
:location 769
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 789
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 801
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 799
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 820
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 838
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 849
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 859
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 870
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
}
)
:multidims false
:list_start 837

```

```

        :list_end 878
        :location -1
    }
)
:location 834
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 888
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 902
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 899
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 909
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 923
:constvalue 4 [ 20 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 928
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 926
}
)
:location -1

```

```

    }
)
:location 920
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 939
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 956
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
  )
:location 948
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 939
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 962
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location 948
}
)
:location 948
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 973
  }
  {ARRAYEXP
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 988
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
    )
  }
)
}

```

```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 995
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
)
:multidims false
:list_start 987
:list_end 1004
:location -1
}
)
:location 984
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1014
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1031
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
    }
)
:location 1029
}
)
:location 785
}
)
:location 438
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {OPEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 49
            }
            {OPEXPR
            :opno 592
            :opfuncid 219
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
                {FUNCEXPR
                :funcid 316
                :funcresulttype 701
                :funcset false
                :funcvariadic false
                :funcformat 2
                :funccollid 0
                :inputcollid 0
                :args (

```

```

        {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 68
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
    )
    :location -1
}
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
)
:location 70
}
)
:location 65
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity"
"l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines
tatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "
l_shipmode" "l_comment")
}
}
)

```

```

:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
  {ALIAS
    :aliasname p
    :colnames <>
  }
:eref
  {ALIAS
    :aliasname p
    :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
      "p_container" "p_retailprice" "p_comment")
  }
:rtekind 1
:subquery
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias
          {ALIAS
            :aliasname p
            :colnames <>
          }
        :eref
          {ALIAS
            :aliasname p
            :colnames ("p_partkey" "p_name" "p_mfgr" "p_brand" "p_type" "p_size"
              "p_container" "p_retailprice" "p_comment")
          }
        :rtekind 0
        :relid 16551
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16551
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 9 10 11 12 13 14 15 16)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  }
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {BOOLEXP
        :boolop or
        :args (
          {BOOLEXP
            :boolop and
            :args (
              {OPEXP
                :opno 98
                :opfuncid 67
                :opresulttype 16
                :opretset false
                :opcollid 0
                :inputcollid 100
                :args (
                  {VAR
                    :varno 1
                    :varattno 4
                    :vartype 25
                    :vartypmod -1
                    :varcollid 100
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 4
                    :location -1
                  }
                {CONST

```

```

:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXPRESS
:boolop and
:args (
{OPEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0

```



```

        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno 1
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
        }
    )
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1

```

```

:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{OPEXP
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
)

```

```

        :location -1
    }
)
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
    {OEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno 1
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
        }
    )
)
:location -1
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
    }
    {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
        }
    )
)
:multidims false
:list_start -1
:list_end -1

```

```

        :location -1
    }
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
){OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:location -1
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
)
:location -1
}
}
)
:location -1
}
}
}
:mergeActionList <
:mergeTargetRelation 0
:mergeJoinCondition <
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname p_partkey
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
```

```

:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname p_name
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:resno 3
:resname p_mfgr
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:resno 4
:resname p_brand
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:resno 5
:resname p_type
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
:resno 6
:resname p_size
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    :resno 7
    :resname p_container
    :ressortgroupref 0
    :resorigtbl 16551
    :resorigcol 7
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname p_retailprice
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname p_comment
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 16741
:inh false
:relkind v
:rellockmode 1
:perminfoindex 2
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 12 13 14 21 22)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16741
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 11 13 14)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (

```

```

{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 143
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 157
}
)
:location 155
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 175
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 187
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
}
)
:location 185
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 206
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```

```

:constlen -1
:constbyval false
:constisnull false
:location 224
:constvalue 11 [ 44 0 0 0 83 77 32 67 65 83 69 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 235
:constvalue 10 [ 40 0 0 0 83 77 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 245
:constvalue 11 [ 44 0 0 0 83 77 32 80 65 67 75 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 256
:constvalue 10 [ 40 0 0 0 83 77 32 80 75 71 ]
}
)
:multidims false
:list_start 223
:list_end 264
:location -1
}
)
:location 220
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 274
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 288
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 285
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 294
}
{FUNCEXPR
:funcid 316
:funcresulttype 701

```



```

:funcreset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {OEXPR
    :opno 551
    :opfuncid 177
    :opresulttype 23
    :opreset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 308
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 312
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
      }
    )
    :location 310
  }
)
:location -1
}
)
:location 305
}
{BOOLEXPR
:boolop and
:args (
  {OEXPR
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opreset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 6
        :location 323
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 340
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
    )
    :location 332
  }
)
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opreset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 6
    :location 323
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 346
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
  }
)
:location 332
}
)

```

```

:location 332
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 15
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 15
    :location 356
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 371
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 378
        :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
      }
    )
    :multidims false
    :list_start 370
    :list_end 387
    :location -1
  }
)
:location 367
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 397
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 414
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
      0 69 82 83 79 78 ]
  }
)
:location 412
}
)
:location 171
}
{BOOLEXP
:boolop and
:args (
  {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 1
:location 447
}
{VAR
:varno 1
:varattno 2
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 461
}
)
:location 459
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 4
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 479
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 491
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
}
)
:location 489
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 510
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 528
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 65 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 539
:constvalue 11 [ 44 0 0 0 77 69 68 32 66 79 88 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 550
:constvalue 11 [ 44 0 0 0 77 69 68 32 80 75 71 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1

```

```

        :constbyval false
        :constisnull false
        :location 561
        :constvalue 12 [ 48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
)
:multidims false
:list_start 527
:list_end 571
:location -1
}
)
:location 524
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 581
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 595
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location -1
}
)
:location 592
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 602
}
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{OPEXPR
:opno 551
:opfuncid 177
:opresulttype 23
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 616
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false

```

```

        :location 621
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 619
}
)
:location -1
}
)
:location 613
}
{BOOLEXPR
:boolop and
:args (
{OEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 632
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 649
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 641
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 632
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 655
:constvalue 4 [ 10 0 0 0 0 0 0 0 ]
}
)
:location 641
}
)
:location 641
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 666
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 681
        :constvalue 7 [ 28 0 0 0 65 73 82 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 688
    :constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
    }
    )
    :multidims false
    :list_start 680
    :list_end 697
    :location -1
    }
    )
    :location 677
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 707
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 724
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
    }
    )
    :location 722
    }
    )
    :location 475
    }
    {BOOLEXP
    :boolop and
    :args (
    {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 757
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 771
    }
    )
    )
    :location 769
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 2
    :varattno 4

```

```

:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location 789
}
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 801
:constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
}
)
:location 799
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 7
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location 820
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 838
:constvalue 11 [ 44 0 0 0 76 71 32 67 65 83 69 ]
}
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 849
:constvalue 10 [ 40 0 0 0 76 71 32 66 79 88 ]
}
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 859
:constvalue 11 [ 44 0 0 0 76 71 32 80 65 67 75 ]
}
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 870
:constvalue 10 [ 40 0 0 0 76 71 32 80 75 71 ]
}
}
)
:multidims false
:list_start 837
:list_end 878
:location -1
}
)
:location 834
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 5
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 5
:location 888
}
{FUNCEXP
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 902
    :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
)
:location 899
}
{OPEXP
:opno 673
:opfuncid 296
:opresulttype 16
:opresultset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 909
  }
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {OPEXP
        :opno 551
        :opfuncid 177
        :opresulttype 23
        :opresultset false
        :opcollid 0
        :inputcollid 0
        :args (
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 923
            :constvalue 4 [ 20 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 928
            :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
          }
        )
      }
    :location 926
  }
)
:location -1
}
)
:location 920
}
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 525
    :opfuncid 150
    :opresulttype 16
    :opresultset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 2
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0

```



```

:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 939
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 956
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 948
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location 939
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 962
:constvalue 4 [ 15 0 0 0 0 0 0 0 ]
}
)
:location 948
}
)
:location 948
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 973
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 988
:constvalue 7 [ 28 0 0 0 65 73 82 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 995
:constvalue 11 [ 44 0 0 0 65 73 82 32 82 69 71 ]
}
)
:multidims false
:list_start 987
:list_end 1004
:location -1
}
)
:location 984
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 14
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 14
    :location 1014
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1031
    :constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
  }
)
:location 1029
}
)
:location 785
}
)
:location 438
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
    }
    :args (
      {TARGETENTRY
        :expr
        {OPEXPR
          :opno 594
          :opfuncid 216
          :opresulttype 701
          :opretset false
          :opcollid 0
          :inputcollid 0
        }
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 49
          }
          {OPEXPR
            :opno 592
            :opfuncid 219
            :opresulttype 701
            :opretset false
            :opcollid 0
            :inputcollid 0
          }
          :args (
            {FUNCEXPR
              :funcid 316
              :funcresulttype 701
              :funcset false
              :funcvariadic false
              :funcformat 2
              :funccollid 0
              :inputcollid 0
            }
            :args (
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 68
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
              }
            )
          )
          :location -1
        }
        {VAR
          :varno 1
          :varattno 7
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1

```

```

        :varattnosyn 7
        :location 72
    }
)
:location 70
}
)
:location 65
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 45
}
:resno 1
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 191022.825
:plan.total_cost 191022.835000000002
:plan.plan_rows 1
:plan.plan_width 8
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:varstype 701
:varypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
}
{OPEXPR
:opno 592
:opfuncid 219
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (

```

```

        {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
        }
        {VAR
        :varno -2
        :varattno 2
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 72
        }
    )
    :location 70
}
)
:location 65
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 45
}
:resno 1
:resname revenue
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHER
:plan.disabled_nodes 0
:plan.startup_cost 11114.0125
:plan.total_cost 191022.8175
:plan.plan_rows 1
:plan.plan_width 16
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 10114.0125
:join.plan.total_cost 190022.7175
:join.plan.plan_rows 1
:join.plan.plan_width 16
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 49
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 72
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 179731.5
:scan.plan.plan_rows 47240
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location -1
    }
    :resno 13
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{SCALARARRAYOPEXPR
:opno 98
:opfncid 67
:hashfncid 0
:negfncid 0
:useOr true
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 356
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 44 [ -80 0 0 0 1 0 0 0 0 0 0 0 25 0 0 0 2 0 0 0
1 0 0 0 28 0 0 0 65 73 82 0 44 0 0 0 65 73 82 32 82 69 71 0
]
}
)
)

```



```

:location 367
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 397
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 414
:constvalue 21 [ 84 0 0 0 68 69 76 73 86 69 82 32 73 78 32 8
0 69 82 83 79 78 ]
}
)
:location 412
}
{BOOLEXPR
:boolop or
:args (
  {BOOLEXPR
:boolop and
:args (
  {OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 274
}
  {CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
}
)
:location 285
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 294
}
  {CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 38 64 ]
}
)
:location 305
}
)
:location -1
}
{BOOLEXPR

```

```

:boolop and
:args (
  {OPEXPR
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 581
      }
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 36 64 ]
      }
    )
    :location 592
  }
  {OPEXPR
    :opno 673
    :opfuncid 296
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 602
      }
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 52 64 ]
      }
    )
    :location 613
  }
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 675
    :opfuncid 298
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 5
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 888
      }
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 52 64 ]
      }
    )
    :location 899
  }
  {OPEXPR
    :opno 673
    :opfuncid 296
    :opresulttype 16
    :opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 909
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 62 64 ]
  }
)
:location 920
}
)
:location -1
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 10114
:plan.total_cost 10114
:plan.plan_rows 1
:plan.plan_width 25
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location -1
      }
    :resno 3

```

```

:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 10114
:scan.plan.plan_rows 1
:scan.plan.plan_width 25
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 23
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
    }
    :resno 4
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{OEXPR
:opno 525
:opfuncid 150
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 6
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 340
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
)
:location 332
}
{BOOLEXP
:boolop or
:args (
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
{CONST
:consttype 25
:consttypmod -1

```

```

        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 5
        0 ]
    }
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 3
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location -1
    }
    {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
    4 0 0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69 0 40
    0 0 0 83 77 32 66 79 88 0 0 44 0 0 0 83 77 32 80 65
    67 75 0 40 0 0 0 83 77 32 80 75 71 0 0 ]
    }
)
:location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 3
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno 3
        :varattno 4
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false

```

```

        :constisnull false
        :location -1
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 5
        1 ]
    }
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
        :varno 3
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location -1
    }
    {CONST
        :consttype 1009
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
        4 0 0 0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71 0 44
        0 0 0 77 69 68 32 66 79 88 0 44 0 0 0 77 69 68 32 8
        0 75 71 0 48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
)
:location -1
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 3
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
    }
    {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
                :varno 3
                :varattno 4
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 4
                :location -1
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 5

```

```

        2 ]
    }
)
:location -1
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno 3
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location -1
    }
    {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
4 0 0 0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69 0 40
0 0 0 76 71 32 66 79 88 0 0 44 0 0 0 76 71 32 80 65
67 75 0 40 0 0 0 76 71 32 80 75 71 0 0 ]
    }
)
:location -1
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 3
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
)
:location -1
}
{BOOLEXP
:boolop or
:args (
    {BOOLEXP
    :boolop and
    :args (
        {OEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
            :varno 3
            :varattno 4
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 4
            :location -1
            }
            {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false

```



```

        :constisnull false
        :location 187
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 5
        0 ]
    }
}
:location 185
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
        :varno 3
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location -1
    }
    {CONST
        :consttype 1009
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
        4 0 0 0 1 0 0 0 44 0 0 0 83 77 32 67 65 83 69 0 40
        0 0 0 83 77 32 66 79 88 0 0 44 0 0 0 83 77 32 80 65
        67 75 0 40 0 0 0 83 77 32 80 75 71 0 0 ]
    }
)
:location 220
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 3
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
    }
    {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 346
        :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
    }
)
:location 332
}
}
:location -1
}
{BOOLEXPR
:boolop and
:args (
    {OPEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
                :varno 3
                :varattno 4
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 4
                :location -1
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 491
                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 5

```

```

        1 ]
    }
)
:location 489
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
        :varno 3
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location -1
    }
    {CONST
        :consttype 1009
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
4 0 0 0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71 0 44
0 0 0 77 69 68 32 66 79 88 0 44 0 0 0 77 69 68 32 8
0 75 71 0 48 0 0 0 77 69 68 32 80 65 67 75 ]
    }
)
:location 524
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 3
        :varattno 6
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
    }
    {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 655
        :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 641
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
    {OEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
            {VAR
                :varno 3
                :varattno 4
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 4
                :location -1
            }
            {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 801
                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 5
2 ]
            }
        )
    }
)

```

```

:location 799
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR
    :varno 3
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location -1
  }
  {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0
4 0 0 0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69 0 40
0 0 0 76 71 32 66 79 88 0 0 44 0 0 0 76 71 32 80 65
67 75 0 40 0 0 0 76 71 32 80 75 71 0 0 ]
  }
)
:location 834
}
{OEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 6
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 962
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
  }
)
:location 948
}
)
:location -1
}
)
:location -1
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 0)
:plan.allParam (b 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16566
:skewColumn 2
:skewInherit false
:rows_total 2.4
}
:join.plan.initPlan <>
:join.plan.extParam (b 0)
:join.plan.allParam (b 0)
:join.jointype 0

```

```

:join.inner_unique false
:join.joinqual (
  {BOOLEXPR
    :boolop or
    :args (
      {BOOLEXPR
        :boolop and
        :args (
          {OPEXPR
            :opno 98
            :opfuncid 67
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 100
            :args (
              {VAR
                :varno -1
                :varattno 2
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 4
                :location -1
              }
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 187
                :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 49 50 ]
              }
            )
          }
          :location 185
        }
      {SCALARARRAYOPEXPR
        :opno 98
        :opfuncid 67
        :hashfuncid 0
        :negfuncid 0
        :useOr true
        :inputcollid 100
        :args (
          {VAR
            :varno -1
            :varattno 3
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 7
            :location -1
          }
          {CONST
            :consttype 1009
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 25 0 0 0 4 0 0
              0 1 0 0 44 0 0 83 77 32 67 65 83 69 0 40 0 0 83 77
              32 66 79 88 0 0 44 0 0 83 77 32 80 65 67 75 0 40 0 0 0
              83 77 32 80 75 71 0 0 ]
            }
          )
        }
        :location 220
      }
      {OPEXPR
        :opno 675
        :opfuncid 298
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno -2
            :varattno 5
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location 274
          }
          {CONST
            :consttype 701
            :consttypmod -1
            :constcollid 0
            :constlen 8
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 8 [ 0 0 0 0 0 0 -16 63 ]
          }
        )
      }
      :location 285
    }
  {OPEXPR
    :opno 673

```

```

:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 294
  }
  {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 38 64 ]
  }
)
:location 305
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 346
    :constvalue 4 [ 5 0 0 0 0 0 0 0 ]
  }
)
:location 332
}
)
:location -1
}
{BOOLEXPR
:boolop and
:args (
  {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
        :varno -1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 491
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 50 51 ]
      }
    )
  }
  :location 489
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
  {VAR

```

```

:varno -1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0 4 0 0
0 1 0 0 0 44 0 0 0 77 69 68 32 66 65 71 0 44 0 0 0 77 69
68 32 66 79 88 0 44 0 0 0 77 69 68 32 80 75 71 0 48 0 0 0
77 69 68 32 80 65 67 75 ]
}
)
:location 524
}
{OPEXPR
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 581
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 36 64 ]
}
)
:location 592
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 602
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 52 64 ]
}
)
:location 613
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6

```

```

        :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 655
    :constvalue 4 [ 10 0 0 0 0 0 0 0 ]
    }
)
:location 641
}
)
:location -1
}
{BOOLEXP
:boolop and
:args (
    {OPEXP
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
        {VAR
        :varno -1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 801
        :constvalue 12 [ 48 0 0 0 66 114 97 110 100 35 51 52 ]
        }
    )
    :location 799
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
    {VAR
    :varno -1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 7
    :location -1
    }
    {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 72 [ 32 1 0 0 1 0 0 0 0 0 0 25 0 0 0 4 0 0
0 1 0 0 0 44 0 0 0 76 71 32 67 65 83 69 0 40 0 0 0 76 71
32 66 79 88 0 0 44 0 0 0 76 71 32 80 65 67 75 0 40 0 0 0
76 71 32 80 75 71 0 0 ]
    }
)
:location 834
}
{OPEXP
:opno 675
:opfuncid 298
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 888
    }
    {CONST
    :consttype 701

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 52 64 ]
    }
)
:location 899
}
{OPEXPR
:opno 673
:opfuncid 296
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno -2
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 909
    }
    {CONST
    :consttype 701
    :consttypmod -1
    :constcollid 0
    :constlen 8
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 8 [ 0 0 0 0 0 0 62 64 ]
    }
)
:location 920
}
{OPEXPR
:opno 523
:opfuncid 149
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno -1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 6
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 962
    :constvalue 4 [ 15 0 0 0 0 0 0 0 ]
    }
)
:location 948
}
)
:location -1
}
)
:location -1
}
)
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 157
    }
    {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 2
:varatype 23
:varatypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 157
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 0
:single_copy false
:invisible false
:initParam (b)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 0
:aggssplit 0
:numCols 0
:grpCollIdx ()
:grpOperators ()
:grpCollations ()
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

Aggregate (cost=191022.83..191022.84 rows=1 width=8) (actual time=679.776..681.184 rows=1.00 loops=1)
Output: sum((lineitem.l_extendedprice * ('1'::double precision - lineitem.l_discount)))
Buffers: shared hit=11544 read=97040
-> Gather (cost=11114.01..191022.82 rows=1 width=16) (actual time=26.912..681.117 rows=121.00 loops=1)
Output: lineitem.l_extendedprice, lineitem.l_discount
Workers Planned: 2
Workers Launched: 2
Buffers: shared hit=11544 read=97040
-> Parallel Hash Join (cost=10114.01..190022.72 rows=1 width=16) (actual time=40.078..673.351 rows=40.33 loops=3)
Output: lineitem.l_extendedprice, lineitem.l_discount
Hash Cond: (lineitem.l_partkey = p.p_partkey)
Join Filter: (((p.p_brand = 'Brand#12'::text) AND (p.p_container = ANY ('{"SM CASE","SM BOX","SM PACK","SM PKG"}'::text[])) AND (lineitem.l_quantity >= '1'::double precision) AND (lineitem.l_quantity <= '11'::double precision) AND (p.p_size <= 5)) OR ((p.p_brand = 'Brand#23'::text) AND (p.p_container = ANY ('{"MED BAG","MED BOX","MED PKG","MED PACK"}'::text[])) AND (lineitem.l_quantity >= '10'::double precision) AND (lineitem.l_quantity <= '20'::double precision) AND (p.p_size <= 10)) OR ((p.p_brand = 'Brand#34'::text) AND (p.p_container = ANY ('{"LG CASE","LG BOX","LG PACK","LG PKG"}'::text[])) AND (lineitem.l_quantity >= '20'::double precision) AND (lineitem.l_quantity <= '30'::double precision) AND (p.p_size <= 15)))
Rows Removed by Join Filter: 67
Buffers: shared hit=11544 read=97040
Worker 0: actual time=53.166..670.373 rows=46.00 loops=1
Buffers: shared hit=3810 read=32257
Worker 1: actual time=40.501..670.473 rows=31.00 loops=1
Buffers: shared hit=3684 read=32365
-> Parallel Seq Scan on public.lineitem (cost=0.00..179731.50 rows=47240 width=28) (actual time=0.155..649.766 rows=42790.33 loops=3)
Output: lineitem.l_orderkey, lineitem.l_partkey, lineitem.l_suppkey, lineitem.l_linenum, lineitem.l_quantity, lineitem.l_extendedprice, lineitem.l_discount, lineitem.l_tax, lineitem.l_returnflag, lineitem.l_linestatus, lineitem.l_shipdate, lineitem.l_commitdate, lineitem.l_receiptdate, lineitem.l_shipinstruct, lineitem.l_shipmode, lineitem.l_comment
Filter: (((lineitem.l_shipmode = ANY ('{"AIR","AIR REG"}'::text[])) AND (lineitem.l_shipinstruct = 'DELIVER IN PERSON'::text) AND (((lineitem.l_quantity >= '1'::double precision) AND (lineitem.l_quantity <= '11'::double precision) OR ((lineitem.l_quantity >= '10'::double precision) AND (lineitem.l_quantity <= '20'::double precision)) OR ((lineitem.l_quantity >= '20'::double precision) AND (lineitem.l_quantity <= '30'::double precision))))
Rows Removed by Filter: 1957615
Buffers: shared hit=7680 read=97040
Worker 0: actual time=0.038..649.641 rows=42945.00 loops=1
Buffers: shared hit=2679 read=32257
Worker 1: actual time=0.026..649.910 rows=42505.00 loops=1
Buffers: shared hit=2550 read=32365
-> Parallel Hash (cost=10114.00..10114.00 rows=1 width=25) (actual time=18.376..18.376 rows=161.67 loops=3)
Output: p.p_partkey, p.p_brand, p.p_container, p.p_size
Buckets: 1024 Batches: 1 Memory Usage: 104kB
Buffers: shared hit=3864
Worker 0: actual time=15.459..15.459 rows=144.00 loops=1
Buffers: shared hit=1131
Worker 1: actual time=15.455..15.455 rows=150.00 loops=1
Buffers: shared hit=1134
-> Parallel Seq Scan on public.part p (cost=0.00..10114.00 rows=1 width=25) (actual time=0.147..18.302 rows=161.67 loops=3)
Output: p.p_partkey, p.p_brand, p.p_container, p.p_size
Filter: (((p.p_size >= 1) AND (p.p_size >= 1) AND (((p.p_brand = 'Brand#12'::text) AND (p.p_container = ANY ('{"SM CASE","SM BOX","SM PACK","SM PKG"}'::text[])) AND (p.p_size <= 5)) OR ((p.p_brand = 'Brand#23'::text) AND (p.p_container = ANY ('{"MED BAG","MED BOX","MED PKG","MED PACK"}'::text[])) AND (p.p_size <= 10)) OR ((p.p_brand = 'Brand#34'::text) AND (p.p_container = ANY ('{"LG CASE","LG BOX","LG PACK","LG PKG"}'::text[])) AND (p.p_size <= 15))))

```

```

e <= 15))) AND (((p.p_brand = 'Brand#12':text) AND (p.p_container = ANY ('{"SM CASE","SM BOX","SM PACK","SM PKG"}':text[])) AND (p.p_size <= 5)) OR ((p.p_brand = 'Brand#23':text) AND (p.p_container = ANY ('{"MED BAG","MED BOX","MED PKG","MED PACK"}':text[])) AND (p.p_size <= 10)) OR ((p.p_brand = 'Brand#34':text) AND (p.p_container = ANY ('{"LG CASE","LG BOX","LG PACK","LG PKG"}':text[])) AND (p.p_size <= 15))))
Rows Removed by Filter: 66505
Buffers: shared hit=3864
Worker 0:  actual time=0.263..15.390 rows=144.00 loops=1
          Buffers: shared hit=1131
Worker 1:  actual time=0.125..15.388 rows=150.00 loops=1
          Buffers: shared hit=1134

Planning:
  Buffers: shared hit=11
Planning Time: 11.033 ms
Execution Time: 681.310 ms
(48 rows)

Time: 701.564 ms
tpch=> reset role;
WARNING:  ===== RAW PARSE TREE =====
DETAIL:   {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING:  ===== ANALYZED QUERY =====
DETAIL:   {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 8.006 ms
tpch=#
tpch=# DO $$
DECLARE
  r RECORD;
BEGIN
  FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
  LOOP
    EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
  END LOOP;
END;
$$;

RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

ALTER TABLE supplier ENABLE ROW LEVEL SECURITY;

CREATE POLICY supplier_rls_policy ON supplier

```

```

USING (
  EXISTS (
    SELECT 1 FROM nation n
    WHERE n.n_nationkey = supplier.s_nationkey
    AND n.n_name = 'FRANCE'
  )
);

GRANT SELECT ON supplier TO alice;
GRANT SELECT ON nation TO alice;
GRANT SELECT ON partsupp TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;

EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
  s_name,
  s_address
from
  supplier,
  nation
where
  s_suppkey in (
    select
      ps_suppkey
    from
      partsupp
    where
      ps_partkey in (
        select
          p_partkey
        from
          part
        where
          p_name like '%ivory%'
      )
    and ps_availqty > (
      select
        0.5 * sum(l_quantity)
      from
        lineitem
      where
        l_partkey = ps_partkey
        and l_suppkey = ps_suppkey
        and l_shipdate >= date '1995-01-01'
        and l_shipdate < date '1995-01-01' + interval '1' year
    )
  )
  and s_nationkey = n_nationkey
  and n_name = 'FRANCE'
order by
  s_name;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
:defaction 0
:location 3
}
}
:stmt_location 0
:stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
:defaction 0
:location 3
}
}
:resultRelation 0

```

```

:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
  :alias <>
  :eref
  {ALIAS
  :aliasname pg_policies
  :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
    "cmd" "qual" "with_check")
  }
  :rtekind 0
  :relid 12018
  :inh true
  :relkind v
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 12018
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 10)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {OEXPR
  :opno 93
  :opfuncid 62
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 950
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 19
    :vartypmod -1
    :varcollid 950
    }
  )
  }
  }
}

```



```

:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lcl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR

```

```

:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```



```

:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli

```

```

        spopulated" "relreplident" "relispartition" "relrewrite" "relfr
        ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
        " "nspname" "nspowner" "nspacl")
    }
:rtkind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
    {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
    {VAR
        :varno 1
        :varattno 4
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
    {VAR
        :varno 1
        :varattno 5
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location -1
    }
    {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    {VAR
        :varno 1
        :varattno 8
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    {VAR
        :varno 2
        :varattno 1

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR

```

```

:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0

```



```

:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1

```

```

        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}

```

```

{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {CASEEXPR
    :casetype 25
    :casecollid 100
    :arg <>
    :args (
      {CASEWHEN
        :expr
          {VAR
            :varno 1
            :varattno 5
            :vartype 16
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location -1
          }
        :result
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
          }
        :location -1
      }
    )
  }
:defresult
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
  }
  :location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {CASEEXPR
    :casetype 1003
    :casecollid 950
    :arg <>
    :args (
      {CASEWHEN
        :expr
          {OPEXPR
            :opno 1070
            :opfuncid 744
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 1028
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location -1
              }
            {CONST
              :consttype 1028
              :consttypmod -1
              :constcollid 0
              :constlen -1
              :constbyval false
              :constisnull false
            }
          }
        }
      }
    )
  }
}

```

```

        :location -1
        :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:default
{SUBLINK
:sublinkType 6
:sublinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>

```

```

    }
  )
  :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
  )
  :jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {SCALARARRAYOPEXPR
  :opno 607
  :opfuncid 184
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
  )
  :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname rolname
  :ressortgroupref 1
  :resorigtbl 1260
  :resorigcol 2
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 93
  :sortop 660
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1

```

```

        :stmt_len -1
    }
    :location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}

```

```

{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
  }
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
  }
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
:result
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100

```

```

        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
}
)
:defaultresult
{CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
        {VAR
            :varno 1
            :varattno 7
            :vartype 194
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 7
            :location -1
        }
        {VAR
            :varno 1
            :varattno 3
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location -1
        }
    )
    :location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
        {VAR
            :varno 1
            :varattno 8
            :vartype 194
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 8
            :location -1
        }
        {VAR
            :varno 1
            :varattno 3
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 3
            :location -1
        }
    )
    :location -1
}
}
:location -1

```



```

        :location 7
    }
    :resno 1
    :resname policyname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 19
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
    }
    }
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    )

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname pg_policies
  :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
    "cmd" "qual" "with_check")
  }
  :rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
  :alias
  {ALIAS
  :aliasname pol
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname pol
  :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"

```

```

        "polroles" "polqual" "polwithcheck")
    }
:rtkind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtkind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtkind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1

```

```

:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}

```

```

{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14

```

```

:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")}
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2

```

```

:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}

```

```

{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
}

```

```

:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>

```

```

    }
)
:rtperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
)

```



```

        :location -1
    }
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
    {CASETESTEXPR
        :typeid 25
        :typeMod -1
        :collation 0
    }
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
            :aliasname pg_authid
            :colnames ("oid" "rolname" "rolsuper" "rolinherit"
                "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
                    lication" "rolbypassrls" "rolconndeflimit" "rolpasswor
                        d" "rolvaliduntil")
        }
        :rtekind 0
        :relid 1260
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
        :relid 1260
        :inh true
        :requiredPerms 2
        :checkAsUser 10
        :selectedCols (b 8 9)
        :insertedCols (b)
        :updatedCols (b)
    }
)
}
:jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF
        :rtindex 1
    }
)
}
:quals
{SCALARARRAYOPEXP
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
    }
)
}

```

```

        :location -1
      }
      {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
      }
    )
    :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
      }
    )
  }
  :location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1

```

```

}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (

```

```

        {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
        }
        {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
        }
    }
    :location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>

```

```

    }
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updateCols (b)
})
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
})
}
:quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
})
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
})
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
})
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
```

```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.4025
:join.plan.total_cost 11.56988549906787
:join.plan.plan_rows 1
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.2725
:join.plan.total_cost 11.335952914798208
:join.plan.plan_rows 1
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 3.01
:scan.plan.plan_rows 1
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```



```

}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>

```

```

:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.2725
:scan.plan.total_cost 8.290000000000001
:scan.plan.plan_rows 1
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
    }
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
}

```

```

:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 26
        :location -1
    }
:resno 26
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 27
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 27
        :location -1
    }
:resno 27
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 28
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 28
        :location -1
    }
:resno 28
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 29
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 29
        :location -1
    }
:resno 29
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 30
        :vartype 28
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 30
        :location -1
    }
:resno 30
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 31
        :vartype 28
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 31
    }

```

```

        :location -1
    }
:resno 31
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
:indexid 2662
:indexqual (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
)

```



```

        :location -1
    }
)
:indexqualorig (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM
:paramno 0
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
)
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.13
:scan.plan.total_cost 0.17696629213483145
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2

```

```

        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
  :expr
    {VAR
      :varno 5
      :varattno 3
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 3
      :location -1
    }
  :resno 3
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 4
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 4
    :location -1
  }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcoid 950
:args (
  {VAR
    :varno 5
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttype 19
    :consttypmod -1
    :constcoid 950
    :constlen 64
    :constbyval false
    :constisnull false
    :location 65
    :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
  }
)
:location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanrelid 5
:indexid 2685
:indexqual (
  {OPEXPR
    :opno 607
    :opfncid 184
    :opresulttype 16
    :opretset false
    :opcoid 0
    :inputcoid 0
    :args (
      {VAR
        :varno -3
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
}
:location -1
}
)
:indexqualorig (
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
}
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM
:paramno 1
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
}
)
}
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY

```

```

:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25

```

```

:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3

```

```

        :paramtype 19
        :paramtypmod -1
        :paramcollid 950
        :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
}
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>

```

```

}

WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DROPSMT
:objects (("part" "part_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSMT
:objects (("part" "part_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

```

Time: 26.068 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>

```

```

:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.192 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>

```



```

:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 1.226 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
}

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.314 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>

```

```

:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.279 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>

```

```

:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.343 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

```
Time: 0.282 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}
```

```
WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
```

```
Time: 0.246 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
```

```

        {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 12
        }
      :cmds (
        {ALTERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
      )
      :objtype 41
      :missing_ok false
    }
    :stmt_location 0
    :stmt_len 45
  }

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

Time: 0.453 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p

```

```

        :alias <>
        :location 12
    }
    :cmds (
        {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
        }
    )
    :objtype 41
    :missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.276 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54

```

```

        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

Time: 0.265 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
}
}

```



```

)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("supplier" "s_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_name")
:location 161
}
:rexpr
{A_CONST
:val "FRANCE"
:location 172
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 170
}
)
:location 157
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 188
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true

```

```

:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
  {ROLESPEC
    :roletype 4
    :rolename <>
    :location -1
  }
)
:qual
{SUBLINK
  :subLinkType 0
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
    {SELECTSTMT
      :distinctClause <>
      :intoClause <>
      :targetList (
        {RESTARTGET
          :name <>
          :indirection <>
          :val
            {A_CONST
              :val 1
              :location 82
            }
          :location 82
        }
      )
      :fromClause (
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname nation
          :inh true
          :relpersistence p
          :alias
            {ALIAS
              :aliasname n
              :colnames <>
            }
          :location 89
        }
      )
      :whereClause
        {BOOLEXP
          :boolop and
          :args (
            {A_EXPR
              :name ("=")
              :lexpr
                {COLUMNREF
                  :fields ("n" "n_nationkey")
                  :location 112
                }
              :rexpr
                {COLUMNREF
                  :fields ("supplier" "s_nationkey")
                  :location 128
                }
              :rexpr_list_start 0
              :rexpr_list_end 0
              :location 126
            }
            {A_EXPR
              :name ("=")
              :lexpr
                {COLUMNREF
                  :fields ("n" "n_name")
                  :location 161
                }
              :rexpr
                {A_CONST
                  :val "FRANCE"
                  :location 172
                }
              :rexpr_list_start 0
              :rexpr_list_end 0
              :location 170
            }
          )
          :location 157
        }
      :groupClause <>
      :groupDistinct false
      :havingClause <>
      :windowClause <>
      :valuesLists <>
      :sortClause <>
      :limitOffset <>
      :limitCount <>
      :limitOption 0
      :lockingClause <>
      :withClause <>
      :op 0
      :all false
      :larg <>
      :rarg <>
    }
    :location 58
  }
  :with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 188
}

```

Time: 1.496 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
}

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.594 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
  }
}

```

```

    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.242 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
}

```

```

)
:grantees (
  {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.253 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
  }
}

```

```

)
:privileges (
  {ACCESSPRIV
  :priv_name select
  :cols <>
  }
)
:grantees (
  {ROLESPEC
  :roletype 0
  :rolename alice
  :location 24
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.231 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>

```

```

        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
    }
)
:privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
)
:grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.251 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:    {RAWSTMT
:stmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:    {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 0
    :name role
    :args (
      {A_CONST
        :val "alice"
        :location 9
      }
    )
    :jumble_args false
    :is_local false
    :location 9
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```



```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.141 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_name")
:location 51
}
:location 51
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_address")
:location 67
}
:location 67
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistance p
:alias <>
:location 90
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistance p
:alias <>
:location 108
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{COLUMNREF
:fields ("s_suppkey")
:location 129
}
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("ps_suppkey")
:location 191
}
:location 191
}
)
)
)
)

```

```

:fromClause (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname partsupp
   :inh true
   :relpersistance p
   :alias <>
   :location 247
  }
)
:whereClause
{BOOLEXP
 :boolop and
 :args (
  {SUBLINK
   :subLinkType 2
   :subLinkId 0
   :testexpr
   {COLUMNREF
    :fields ("ps_partkey")
    :location 302
   }
  }
  :operName <>
  :subselect
  {SELECTSTMT
   :distinctClause <>
   :intoClause <>
   :targetList (
    {RESTARTGET
     :name <>
     :indirection <>
     :val
     {COLUMNREF
      :fields ("p_partkey")
      :location 397
     }
    }
   :location 397
  )
  }
  :fromClause (
    {RANGEVAR
     :catalogname <>
     :schemaname <>
     :relname part
     :inh true
     :relpersistance p
     :alias <>
     :location 484
    }
  )
  :whereClause
  {A_EXPR LIKE
   :name ("~~")
   :lexpr
   {COLUMNREF
    :fields ("p_name")
    :location 567
   }
   :rexpr
   {A_CONST
    :val "%ivory%"
    :location 579
   }
   :rexpr_list_start 0
   :rexpr_list_end 0
   :location 574
  }
  :groupClause <>
  :groupDistinct false
  :havingClause <>
  :windowClause <>
  :valuesLists <>
  :sortClause <>
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :lockingClause <>
  :withClause <>
  :op 0
  :all false
  :larg <>
  :rarg <>
  }
  :location 313
  }
  {A_EXPR
   :name (">")
   :lexpr
   {COLUMNREF
    :fields ("ps_availqty")
    :location 643
   }
  }
  :rexpr
  {SUBLINK
   :subLinkType 4
   :subLinkId 0
   :testexpr <>
   :operName <>
   :subselect
   {SELECTSTMT
    :distinctClause <>
    :intoClause <>
    :targetList (
     {RESTARTGET
      :name <>
      :indirection <>
      :val
      {A_EXPR
       :name ("*")
       :lexpr
       {A_CONST
        :val 0.5
        :location 738
       }
      }
     }
    }
  )
  }

```

```

:rexpr
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("l_quantity")
:location 748
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 744
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 742
}
:location 738
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 837
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_partkey")
:location 924
}
}
:rexpr
{COLUMNREF
:fields ("ps_partkey")
:location 936
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 934
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_suppkey")
:location 991
}
}
:rexpr
{COLUMNREF
:fields ("ps_suppkey")
:location 1003
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 1001
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l_shipdate")
:location 1058
}
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 1077
}
:typeName
{TYPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 1072
}
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 1069
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("l_shipdate")
:location 1134
}
}
:rexpr
{A_EXPR
:name ("+")
:lexpr

```

```

        {TYPECAST
        :arg
        {A_CONST
        :val "\1995-01-01"
        :location 1152
        }
        :typeName
        {TYPENAME
        :names ("date")
        :typeOid 0
        :setof false
        :pct_type false
        :typmods <>
        :typemod -1
        :arrayBounds <>
        :location 1147
        }
        :location -1
        }
    :rexpr
    {TYPECAST
    :arg
    {A_CONST
    :val "\1"
    :location 1176
    }
    :typeName
    {TYPENAME
    :names ("pg_catalog" "interval")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods (
    {A_CONST
    :val 4
    :location 1180
    }
    )
    :typemod -1
    :arrayBounds <>
    :location 1167
    }
    :location -1
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 1165
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 1145
    }
    )
    :location 987
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 657
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 655
    }
    )
    :location 639
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 139
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("s_nationkey")
    :location 1233
    }
    :rexpr
    {COLUMNREF
    :fields ("n_nationkey")
    :location 1247
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 1245
    }
    {A_EXPR

```

```

        :name ("=")
        :lexpr
            {COLUMNREF
             :fields ("n_name")
             :location 1271
            }
        :rexpr
            {A_CONST
             :val "FRANCE"
             :location 1280
            }
        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 1278
    }
}
:location 1229
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
    {SORTBY
     :node
     {COLUMNREF
      :fields ("s_name")
      :location 1306
     }
     :sortby_dir 0
     :sortby_nulls 0
     :useOp <>
     :location -1
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
    {DEFELEM
     :defnamespace <>
     :defname analyze
     :arg <>
     :defaction 0
     :location 9
    }
    {DEFELEM
     :defnamespace <>
     :defname verbose
     :arg <>
     :defaction 0
     :location 18
    }
    {DEFELEM
     :defnamespace <>
     :defname buffers
     :arg <>
     :defaction 0
     :location 27
    }
)
}
:stmt_location 0
:stmt_len 1312
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
     :alias <>
     :eref
     {ALIAS
      :aliasname supplier
      :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
     }
     :rtekind 0
     :relid 16541
     :inh true
     :relkind r
     :rellockmode 1
     :perminfoindex 1
    }
}

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 129
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
}
:location 139
}
)
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (

```

```

{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty"
"ps_supplycost" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 302
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
}
:location 313
}
)
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr"
"p_brand" "p_type" "p_size" "p_contai
ner" "p_retailprice" "p_comment")
}
:rtekind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
}
)
}

```

```

        :lateral false
        :inFromCl true
        :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 567
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 579
:constvalue 11 [ 44 0 0 0 37 105 118
111 114 121 37 ]
}
)
:location 574
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 397
}
:resno 1
:resname p_partkey
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 313
}
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16

```



```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 643
      }
    )
  }
:location -1
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBLENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname lineitem
            :colnames ("l_orderkey" "l_partkey"
              "l_suppkey" "l_linenummer" "l_quantiti"
              "l_extendedprice" "l_discount" "l_tax"
              "l_returnflag" "l_linestatus"
              "l_shipdate" "l_commitdate" "l_receive"
              "l_shipinstruct" "l_shipmode" "l_comment")
          }
        :rtekind 0
        :relid 16566
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
  }
:rtoperinfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 10 12 18)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
          }
        )
      }
    )
  }

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 924
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 936
}
)
:location 934
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 991
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1003
}
)
:location 1001
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 1058
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1077
:constvalue 4 [ -34 -8 -1 -1 -
1 -1 -1 -1 ]
}
)
:location 1069
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 1134
}

```

```

    }
    {OEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 1152
    :constvalue 4 [ -34 -8 -1 -
    1 -1 -1 -1 -1 ]
    }
    {CONST
    :consttype 1186
    :consttypmod 327679
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 1176
    :constvalue 16 [ 0 0 0 0 0
    0 0 0 0 0 0 12 0 0 0 ]
    }
    )
    :location 1165
  }
)
:location 1145
}
)
:location 987
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 738
:constvalue 8 [ 32 0 0 0 -1 -1
28 -120 19 ]
}
)
:location -1
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 748
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false

```

```

        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 744
    }
}
:location 742
}
:resno 1
:resname ?column?
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 657
}
)
:location 655
}
)
:location 639
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 191
    }
    :resno 1
    :resname ps_suppkey
    :ressortgrouppref 0
    :resorigtbl 16556
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 139
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 1233
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 1247
}
)
:location 1245
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 1271
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1280
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 1278
}
)
:location 1229
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 51
}
}
:resno 1
:resname s_name
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 67
}
}
:resno 2
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
    :defnamespace <>
    :defname analyze
    :arg <>
    :defaction 0
    :location 9
  }
  {DEFELEM
    :defnamespace <>
    :defname verbose
    :arg <>
    :defaction 0
    :location 18
  }
  {DEFELEM
    :defnamespace <>
    :defname buffers
    :arg <>
    :defaction 0
    :location 27
  }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1312
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
  }
)
}

```

```

:eref
{
  ALIAS
  :aliasname supplier
  :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{
  ALIAS
  :aliasname nation
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 129
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 139
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_su
          pplycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
)
:quals
  {BOOLEXP
    :boolop and
    :args (
      {SUBLINK
        :subLinkType 2
        :subLinkId 0
        :testexpr
          {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location 302
              }
              {PARAM
                :paramkind 2
                :paramid 1
                :paramtype 23
                :paramtypmod -1
                :paramcollid 0
                :location -1
              }
            )
          }
        :location 313
      }
    )
  }
:operName ("=")
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS

```



```

        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_b
rand" "p_type" "p_size" "p_container" "p_reta
ilprice" "p_comment")
    }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 567
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 579
:constvalue 11 [ 44 0 0 0 37 105 118 111 1
14 121 37 ]
}
)
:location 574
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 397
}
:resno 1
:resname p_partkey
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>

```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 313
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcretset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 643
}
)
:location -1
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_sup
pkey" "l_linenumber" "l_quantity" "l_exten
dedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitd
ate" "l_receiptdate" "l_shipinstruct" "l_s
hipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 12 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 924
  }
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 936
  }
)
:location 934
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 991
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 1003
  }
)
:location 1001
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location 1058
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 1077
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -
1 -1 ]
  }
)
:location 1069
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR

```

```

:varno 1
:varattno 11
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 1134
}
{OEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1152
:constvalue 4 [ -34 -8 -1 -1 -1 -
1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 1176
:constvalue 16 [ 0 0 0 0 0 0 0 0
0 0 0 0 12 0 0 0 ]
}
)
:location 1165
}
)
:location 1145
}
)
:location 987
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 738
:constvalue 8 [ 32 0 0 0 -1 -128 -12
0 19 ]
}
)
:location -1
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 748
}
:resno 1
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 744
}
)
:location 742
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 657
}
)
:location 655
}
)
:location 639
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 191
}
:resno 1
:resname ps_suppkey
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 139
}
}
{OPEXPR
:opno 96
:opfuncid 65

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 1233
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 1247
  }
)
:location 1245
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 1271
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1280
    :constvalue 10 [ 40 0 0 0 0 70 82 65 78 67 69 ]
  }
)
:location 1278
}
:location 1229
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 51
  }
}
:resno 1
:resname s_name
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 67
  }
}
:resno 2
:resname s_address

```

```

:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16541
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
  {SUBLINK
   :subLinkType 0
   :subLinkId 0
   :testexpr <>
   :operName <>
   :subselect
   {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
       :alias
       {ALIAS
        :aliasname n
        :colnames <>
       }
       :eref
       {ALIAS
        :aliasname n
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
       }
       :rtekind 0
       :relid 16536
       :inh true
       :relkind r
       :rellockmode 1
       :perminfoindex 1
       :tablesample <>
       :lateral false
       :inFromCl true
       :securityQuals <>
      }
    )
   }
  :rteperminfos (
    {RTEPERMISSIONINFO
     :relid 16536
     :inh true
     :requiredPerms 2
     :checkAsUser 0
     :selectedCols (b 8 9)
     :insertedCols (b)
     :updatedCols (b)
    }
  )
  :jointree
  {FROMEXPR
   :fromlist (
    {RANGETBLREF
     :rtindex 1
    }
  )
  :quals
  {BOOLEXP
   :boolop and
   :args (
    {OPEXP
     :opno 96
     :opfuncid 65
     :opresulttype 16
    }
  )
  }
}

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
  }
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
  }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {CONST
      :consttype 23
      :consttypmod -1
      :constcollid 0
      :constlen 4
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1

```



```

        :stmt_len -1
    }
    :location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====:

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (

```

```

{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
  {VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
  {CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 0 70 82 65 78 67 69 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
:expr
  {CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>

```

```

        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 129
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
}
:location 139
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false

```

```

:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_su
          pplycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {BOOLEXP
        :boolop and
        :args (
          {SUBLINK
            :subLinkType 2
            :subLinkId 0
            :testexpr
              {OPEXP
                :opno 96
                :opfuncid 65
                :opresulttype 16
                :opretset false
                :opcollid 0
                :inputcollid 0
                :args (
                  {VAR
                    :varno 1
                    :varattno 1
                    :vartype 23
                    :vartypmod -1
                    :varcollid 0
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 1
                    :location 302
                  }
                  {PARAM
                    :paramkind 2
                    :paramid 1
                    :paramtype 23
                    :paramtypmod -1
                    :paramcollid 0
                    :location -1
                  }
                )
              }
            :location 313
          }
        )
      }
    :operName ("=")
    :subselect
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks false
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTY
            :alias <>
            :eref
              {ALIAS
                :aliasname part
                :colnames ("p_partkey" "p_name" "p_mfgr" "p_b
                  rand" "p_type" "p_size" "p_container" "p_reta
                    ilprice" "p_comment")
              }
            :rtekind 0
            :relid 16551
          }
        )
      }
    )
  }

```

```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 567
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 579
:constvalue 11 [ 44 0 0 0 37 105 118 111 1
14 121 37 ]
}
)
:location 574
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 397
}
:resno 1
:resname p_partkey
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
}
:location 313

```

```

}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 643
}
)
:location -1
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
:alias <>
:eref
  {ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_sup
pkey" "l_linenumber" "l_quantity" "l_exten
dedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitd
ate" "l_receiptdate" "l_shipinstruct" "l_s
hipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 12 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
  {FROMEXPR
:fromlist (
  {RANGETBLREF
:rtindex 1
}
)
:quals
  {BOOLEXPR
:boolop and
:args (
  {OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1

```

```

:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 924
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 936
}
)
:location 934
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 991
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1003
}
}
)
:location 1001
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 1058
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1077
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
}
}
)
:location 1069
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 1134
}
{OEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1152
:constvalue 4 [ -34 -8 -1 -1 -
1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 1176
:constvalue 16 [ 0 0 0 0 0 0 0 0
0 0 0 0 12 0 0 0 ]
}
)
:location 1165
}
)
:location 1145
}
)
:location 987
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 738
:constvalue 8 [ 32 0 0 0 -1 -128 -12
0 19 ]
}
)
:location -1
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 748
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>

```



```

                :aggdistinct <>
                :aggfilter <>
                :aggstar false
                :aggvariadic false
                :aggkind n
                :aggpresorted false
                :agglevelsup 0
                :aggsplit 0
                :aggno -1
                :aggtransno -1
                :location 744
            }
        )
        :location 742
    }
    :resno 1
    :resname ?column?
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 657
}
)
:location 655
}
)
:location 639
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 191
    }
    :resno 1
    :resname ps_suppkey
    :ressortgrouppref 0
    :resorigtbl 16556
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 139
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1

```

```

:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 1233
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 1247
}
)
:location 1245
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 1271
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1280
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 1278
}
)
:location 1229
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 51
}
:resno 1
:resname s_name
:ressortgrouppref 1
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 67
}
:resno 2
:resname s_address
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
}
)
:override 0

```

```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
   :alias <>
   :eref
   {ALIAS
    :aliasname supplier
    :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
      s_acctbal" "s_comment")
   }
  }
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
  {SUBLINK
   :subLinkType 0
   :subLinkId 0
   :testexpr <>
   :operName <>
   :subselect
   {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
       :alias
       {ALIAS
        :aliasname n
        :colnames <>
       }
      }
      :eref
      {ALIAS
       :aliasname n
       :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
      }
    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true

```

```

        :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
)
:location -1
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
)

```

```

        }
        :resno 1
        :resname ?column?
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 129
}
{PARAM
:paramkind 2

```

```

        :paramid 1
        :paramtype 23
        :paramtypmod -1
        :paramcollid 0
        :location -1
    }
}
:location 139
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_su
plycost" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 302
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 313
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_b
          rand" "p_type" "p_size" "p_container" "p_reta
            ilprice" "p_comment")
        }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16551
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {OEXPR
        :opno 1209
        :opfuncid 850
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
          {VAR
            :varno 1
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 567
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 579
            :constvalue 11 [ 44 0 0 0 37 105 118 111 1
              14 121 37 ]
            }
          )
        :location 574
      }
    )
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 397
      }
    }
  :resno 1
  :resname p_partkey
  :ressortgroupref 0
  :resorigtbl 16551
  :resorigcol 1
  :resjunk false

```

```

    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 313
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcretset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 643
}
)
:location -1
}
{SUBLINK
:sublinkType 4
:sublinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_sup
pkey" "l_linenummer" "l_quantity" "l_exten
dedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitd
ate" "l_receiptdate" "l_shipinstruct" "l_s
hipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCI true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 12 18)

```



```

        :insertedCols (b)
        :updatedCols (b)
    }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 2
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 2
          :location 924
        }
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 1
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location 936
        }
      )
    }
    :location 934
  }
  {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 991
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 1003
      }
    )
  }
  :location 1001
}
{OPEXP
  :opno 1098
  :opfuncid 1090
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
      :varno 1
      :varattno 11
      :vartype 1082
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 11
      :location 1058
    }
    {CONST
      :consttype 1082
      :consttypmod -1
      :constcollid 0
      :constlen 4
    }
  )
}

```

```

        :constbyval true
        :constisnull false
        :location 1077
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -
1 -1 ]
    }
}
:location 1069
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 1134
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1152
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -
1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 1176
:constvalue 16 [ 0 0 0 0 0 0 0 0 0
0 0 0 0 12 0 0 0 ]
}
)
:location 1165
}
)
:location 1145
}
)
:location 987
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 738
:constvalue 8 [ 32 0 0 0 -1 -128 -12
0 19 ]
}
)
:location -1
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>

```

```

        :args (
            {TARGETENTRY
            :expr
            {VAR
            :varno 1
            :varattno 5
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location 748
            }
            :resno 1
            :resname <>
            :ressortgrouppref 0
            :resorigtbl 0
            :resorigcol 0
            :resjunk false
            }
        )
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar false
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 744
    }
}
:location 742
}
:resno 1
:resname ?column?
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 657
}
)
:location 655
}
)
:location 639
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 191
    }
    :resno 1
    :resname ps_suppkey
    :ressortgrouppref 0
    :resorigtbl 16556
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>

```

```

:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 139
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 1233
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 1247
}
)
:location 1245
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 1271
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1280
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 1278
}
)
:location 1229
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 51
}
:resno 1
:resname s_name
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 2
:resjunk false

```

```

    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 67
    }
    :resno 2
    :resname s_address
    :ressortgrouppref 0
    :resorigtbl 16541
    :resorigcol 3
    :resjunk false
    }
  )
  :override 0
  :onConflict <>
  :returningOldAlias <>
  :returningNewAlias <>
  :returningList <>
  :groupClause <>
  :groupDistinct false
  :groupingSets <>
  :havingQual <>
  :windowClause <>
  :distinctClause <>
  :sortClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 98
  :sortop 664
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
  )
  :limitOffset <>
  :limitCount <>
  :limitOption 0
  :rowMarks <>
  :setOperations <>
  :constraintDeps <>
  :withCheckOptions <>
  :stmt_location 0
  :stmt_len 0
  }
}

WARNING: ===== FINAL PLAN =====:
DETAIL:      {SORT
:plan.disabled_nodes 0
:plan.startup_cost 179871820701.4961
:plan.total_cost 179871820701.7461
:plan.plan_rows 100
:plan.plan_width 44
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname s_name
:ressortgrouppref 1
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 2
:resname s_address
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
)
:plan.qual <>
:plan.lefttree

```

```

{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0
:join.plan.total_cost 179871820698.17416
:join.plan.plan_rows 100
:join.plan.plan_width 44
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 51
    }
    :resno 1
    :resname s_name
    :ressortgroupref 1
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location 67
    }
    :resno 2
    :resname s_address
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 3
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0
:join.plan.total_cost 222138.134999999998
:join.plan.plan_rows 100
:join.plan.plan_width 48
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 51
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 3
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location 67
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr

```

```

        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 129
        }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 221818
:scan.plan.plan_rows 5000
:scan.plan.plan_width 52
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}

```

```

:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{SUBPLAN
:subLinkType 2
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{PARAM
:paramkind 1
:paramid 3
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
:paramIds (i 3)
:plan_id 3
:plan_name SubPlan\ 3
:firstColType 23
:firstColTypmod -1

```



```

        :firstColCollation 0
        :useHashTable true
        :unknownEqFalse true
        :parallel_safe true
        :setParam <>
        :parParam <>
        :args <>
        :startup_cost 20.135
        :per_call_cost 0.0025
    }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 20.145
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 4
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.125
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 5
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 1247
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 1271
}
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```

```

        :constlen -1
        :constbyval false
        :constisnull false
        :location 1280
        :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
}
:location 1278
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 1233
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 1247
}
}
)
:location -1
}
)
:nestParams <>
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 179871576658.195
:plan.plan_rows 26936
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0
:join.plan.total_cost 179871576523.515
:join.plan.plan_rows 26936
:join.plan.plan_width 4
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 7

```

```

:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 191
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 179790762008.00003
:scan.plan.plan_rows 266667
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 8
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4

```

```

        :varattnosyn 4
        :location -1
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 643
}
)
:location -1
}
{SUBPLAN
:subLinkType 4
:testexpr <>
:paramids <>
:plan_id 1
:plan_name SubPlan\ 1
:firstColType 701
:firstColTypmod -1
:firstColCollation 0
:useHashTable false
:unknownEqFalse false
:parallel_safe false
:setParam <>
:parParam (i 0 1)
:args (
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 936
}
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 1003
}
)
:startup_cost 0
:per_call_cost 224738.41500000004
}
)
:location 655
}

```

```

)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 4
}
:join.plan.righttree
{MATERIAL
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 6465.01
:plan.plan_rows 20202
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 9
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 6364
:scan.plan.plan_rows 20202
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 397
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 567
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 579
:constvalue 11 [ 44 0 0 0 37 105 118 111 114 121 37 ]
}
)
:location 574
}
)
)

```

```

:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 6
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 4
:join.inner_unique false
:join.joinqual (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 302
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 397
}
)
:location -1
}
)
:nestParams <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 4
:join.inner_unique false
:join.joinqual (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 129
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 191
}
)
:location -1
}
)
:nestParams <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 1)

```

```

:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
}

```

```

^CCancel request sent
ERROR: canceling statement due to user request
Time: 37583215.405 ms (10:26:23.215)
tpch=> reset role;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT

```

```

:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY

```

```

:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

```

Time: 7.659 ms
tpch=#
tpch=# DO $$
DECLARE
r RECORD;
BEGIN
FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
LOOP
EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
END LOOP;
END;
$$;

```

```

RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

```

```

ALTER TABLE supplier ENABLE ROW LEVEL SECURITY;

```

```

CREATE POLICY supplier_rls_policy ON supplier
USING (
EXISTS (
SELECT 1 FROM nation n
WHERE n.n_nationkey = supplier.s_nationkey
AND n.n_name = 'ARGENTINA'
)
);

```

```

GRANT SELECT ON supplier TO alice;
GRANT SELECT ON lineitem TO alice;
GRANT SELECT ON orders TO alice;
GRANT SELECT ON nation TO alice;
SET ROLE alice;

EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    s_name,
    count(*) as numwait
from
    supplier,
    lineitem l1,
    orders,
    nation
where
    s_suppkey = l1.l_suppkey
    and o_orderkey = l1.l_orderkey
    and o_orderstatus = 'F'
    and l1.l_receiptdate > l1.l_commitdate
    and exists (
        select
            *
        from
            lineitem l2
        where
            l2.l_orderkey = l1.l_orderkey
            and l2.l_suppkey <> l1.l_suppkey
    )
    and not exists (
        select
            *
        from
            lineitem l3
        where
            l3.l_orderkey = l1.l_orderkey
            and l3.l_suppkey <> l1.l_suppkey
            and l3.l_receiptdate > l3.l_commitdate
    )
    and s_nationkey = n_nationkey
    and n_name = 'ARGENTINA'
group by
    s_name
order by
    numwait desc,
    s_name;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
    :stmt
    {DOSTMT
    :args (
    {DEFELEM
    :defnamespace <>
    :defname as
    :arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELECT
    T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
    public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
    \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
    );\
\ \ \ \ END\ LOOP;\
END;\
"
        :defaction 0
        :location 3
    }
    )
    }
    :stmt_location 0
    :stmt_len 236
    }

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
    :commandType 6
    :querySource 0
    :canSetTag true
    :utilityStmt
    {DOSTMT
    :args (
    {DEFELEM
    :defnamespace <>
    :defname as
    :arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELECT
    T\ polycyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
    public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
    \ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
    );\
\ \ \ \ END\ LOOP;\
END;\
"
        :defaction 0
        :location 3
    }
    )
    }
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false

```



```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "polycyname" "permissive" "roles"
          "cmd" "qual" "with_check")
      }
    :rtekind 0
    :relid 12018
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 12018
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {OPEXPR
    :opno 93
    :opfuncid 62
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 950
    :args (
      {VAR
        :varno 1
        :varattno 1
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 52
      }
    )
  }
}

```

```

        {CONST
        :consttype 19
        :consttypmod -1
        :constcollid 950
        :constlen 64
        :constbyval false
        :constisnull false
        :location 65
        :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0
        0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
        0 0 0 0 0 0 0 0 0 0 ]
        }
    )
    :location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 7
    }
    :resno 1
    :resname policyname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 19
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
    }
    )
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname pg_policies
    :colnames ("schemaname" "tablename" "policyname" "permissive" "roles"

```

```

"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2

```

```

:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}

```

```

{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0

```



```

:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4

```

```

:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 3
    }
    :rarg
    {RANGETBLREF
    :rtindex 4
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals <>
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname schemaname
    :resortgroupref 0
    :resorigtbl 2615
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname tablename
    :resortgroupref 0
    :resorigtbl 1259
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1

```

```

:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgrouppref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 ]
}
)
:location -1
}
}

```



```

:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2

```

```

        :checkAsUser 10
        :selectedCols (b 8 9)
        :insertedCols (b)
        :updatedCols (b)
    }
}
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5

```

```

:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:varatype 18
:varattno -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeId 18
    :typeMod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeId 18
        :typeMod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeId 18
        :typeMod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1

```

```

    }
  )
  :defresult
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull true
    :location -1
    :constvalue <>
  }
  :location -1
}
:resno 6
:resname cmd
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {FUNCEXP
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    )
    :location -1
  }
}
:resno 7
:resname qual
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {FUNCEXP
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {VAR
        :varno 1
        :varattno 8
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    )
    :location -1
  }
}
:resno 8
:resname with_check
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false

```



```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1

```

```

:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relh
asindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastiggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lactl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastiggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
sopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relactl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```



```

:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24

```

```

:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR

```

```

:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablesapce" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}

```

```

{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4

```

```

:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
```



```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 3256
:inh true
:requiredPerms 2

```

```

:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reldid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:reldid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2

```

```

        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname schemaname
    :ressortgroupref 0
    :resorigtbl 2615
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 1259
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 3
    :resname policyname
    :ressortgroupref 0
    :resorigtbl 3256
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {CASEEXPR
    :casetype 25
    :casecollid 100
    :arg <>
    :args (
        {CASEWHEN
        :expr
        {VAR
        :varno 1
        :varattno 5
        :vartype 16
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location -1
        }
        :result
        {CONST
        :consttype 25

```

```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
    }
    :location -1
}
)
:defaultresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXPR
:funcid 407
:funcresulttype 19
:funcresultset false

```

```

        :funcvariadic false
        :funcformat 2
        :funccollid 950
        :inputcollid 0
        :args (
            {CASETESTEXPR
             :typeId 25
             :typeMod -1
             :collation 0
            }
        )
        :location -1
    }
    :resulttype 1003
    :resulttypmod -1
    :resultcollid 950
    :coerceformat 2
    :location -1
}
:location -1
}
)
:defresult
{SUBLINK
 :subLinkType 6
 :subLinkId 0
 :testexpr <>
 :operName <>
 :subselect
 {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
     :alias <>
     :eref
     {ALIAS
      :aliasname pg_authid
      :colnames ("oid" "rolname" "rolsuper" "rolinherit"
        "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
        lication" "rolbypassrsls" "rolconlimit" "rolpasswor
        d" "rolvaliduntil")
      }
     :rtekind 0
     :relid 1260
     :inh true
     :relkind r
     :rellockmode 1
     :perminfoindex 1
     :tablesample <>
     :lateral false
     :inFromCl true
     :securityQuals <>
    }
  )
  :rteperminfos (
    {RTEPERMISSIONINFO
     :relid 1260
     :inh true
     :requiredPerms 2
     :checkAsUser 10
     :selectedCols (b 8 9)
     :insertedCols (b)
     :updatedCols (b)
    }
  )
}
)
:jointree
{FROMEXPR
 :fromlist (
  {RANGETBLREF
   :rtindex 1
  }
)
:quals
{SCALARARRAYOPEXPR
 :opno 607
 :opfuncid 184
 :hashfuncid 0
 :negfuncid 0
 :useOr true
 :inputcollid 0
 :args (
  {VAR
   :varno 1
   :varattno 1
   :vartype 26
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 1
   :varattnosyn 1
   :location -1
  }
  {VAR
   :varno 1
   :varattno 6
   :vartype 1028
   :vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0

```

```

    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16

```



```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeid 18
    :typemod -1
    :collation 0
  }
  {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
  {OPEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
}
:result
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull true
  :location -1
  :constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {FUNCEXPR
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {VAR
        :varno 1
        :varattno 7
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
      }
    )
  }
}

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
}
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rtepermissions (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2

```

```
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updateCols (b)
}
)
:jointree
{FROMEXPR
 :fromlist (
   {RANGETBLREF
    :rtindex 1
   }
 )
 :quals
 {OPEXPR
  :opno 93
  :opfncid 62
  :opresulttype 16
  :opretset false
  :opcoid 0
  :inputcoid 950
  :args (
    {VAR
     :varno 1
     :varattno 1
     :vartype 19
     :vartypmod -1
     :varcollid 950
     :varnullingrels (b)
     :varlevelsup 0
     :varreturningtype 0
     :varnosyn 1
     :varattnosyn 1
     :location 52
    }
    {CONST
     :consttype 19
     :consttypmod -1
     :constcollid 950
     :constlen 64
     :constbyval false
     :constisnull false
     :location 65
     :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
    }
  )
  :location 63
 }
 }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
 {TARGETENTRY
 :expr
 {VAR
 :varno 1
 :varattno 3
 :vartype 19
 :vartypmod -1
 :varcollid 950
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 1
 :varattnosyn 3
 :location 7
 }
 :resno 1
 :resname polycyname
 :ressortgroupref 0
 :resorigtbl 12018
 :resorigcol 3
 :resjunk false
 }
 {TARGETENTRY
 :expr
 {VAR
 :varno 1
 :varattno 2
 :vartype 19
 :vartypmod -1
 :varcollid 950
 :varnullingrels (b)
 :varlevelsup 0
 :varreturningtype 0
 :varnosyn 1
 :varattnosyn 2
 :location 19
 }
 :resno 2
 :resname tablename
 :ressortgroupref 0
 :resorigtbl 12018
 :resorigcol 2
 :resjunk false
 }
 }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupByClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:rowCount <>
:limitOption 0
```

```

:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.4025
:join.plan.total_cost 11.55988549906787
:join.plan.plan_rows 1
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.2725
:join.plan.total_cost 11.335952914798208
:join.plan.plan_rows 1
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
}
}

```

```

:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 3.01
:scan.plan.plan_rows 1
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 18

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 4
        :location -1
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 2
}
:join.plan.righttree
{INDEXSCAN

```

```

:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.2725
:scan.plan.total_cost 8.290000000000001
:scan.plan.plan_rows 1
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 4
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 5
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
      }
    :resno 5
    :resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```



```

{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16

```

```

:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
}
:resno 22
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
}
:resno 23
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
}
:resno 24
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
}
:resno 25
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
}

```

```

:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
:indexid 2662
:indexqual (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexqualorig (
{OPEXPR
:opno 607
:opfuncid 184

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
  {PARAM
    :paramkind 1
    :paramid 0
    :paramtype 26
    :paramtypmod -1
    :paramcollid 0
    :location -1
  }
)
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
  {NESTLOOPPARAM
    :paramno 0
    :paramval
    {VAR
      :varno -2
      :varattno 3
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 3
      :location -1
    }
  }
)
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.13
:scan.plan.total_cost 0.17696629213483145
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno 5
      :varattno 1
      :vartype 26
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 5
      :varattnosyn 1
      :location -1
    }
  }
  :resno 1
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 5
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location -1
  }
  :resno 2
  :resname <>
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
}

```

```
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:scan.plan.qual (
{OEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcoid 950
:args (
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
{CONST
:consttype 19
:consttypmod -1
:constcoid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanreldid 5
:indexid 2685
:indexqual (
{OEXPR
:opno 607
:opfncid 184
:opresulttype 16
:opretset false
:opcoid 0
:inputcoid 0
:args (
{VAR
:varno -3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
```

```

        :paramkind 1
        :paramid 1
        :paramtype 26
        :paramtypmod -1
        :paramcollid 0
        :location -1
    }
}
:location -1
}
)
:indexqualorig (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM
:paramno 1
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
}
)
}
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0

```



```

:funccollid 950
:inputcollid 950
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 7
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
      70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
  }
  {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
  }
  {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
  }
)
:location 0
}
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree
      {FROMEXPR
        :fromlist <>
        :quals <>
      }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
      {TARGETENTRY
        :expr
          {FUNCEXP
            :funcid 3539
            :funcresulttype 25
            :funcresultset false
            :funcvariadic false
            :funcformat 0
            :funccollid 950
            :inputcollid 950
            :args (
              {CONST
                :consttype 25
                :consttypmod -1
                :constcollid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 7
                :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73

```

```

    70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

WARNING: ===== PLANNER INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0

```

```

        :paramid 4
        :paramtype 19
        :paramtypmod -1
        :paramcollid 950
        :location 55
    }
}
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("supplier" "supplier_rls_policy"))

```

```

:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 29.680 ms
WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY

```

:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.163 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rtepermInfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 2.229 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
}

```

```
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}
```

Time: 0.652 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

Time: 0.327 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.281 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 43
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}
```

Time: 0.246 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
```

```

:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}
}

```

Time: 0.256 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
}
}
}

```

```

        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
  :stmt_location 0
  :stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.300 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname region
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>

```

```

: num 0
: newowner <>
: def <>
: behavior 0
: missing_ok false
: recurse false
}
)
: objtype 41
: missing_ok false
}
: stmt_location 0
: stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
: commandType 6
: querySource 0
: canSetTag true
: utilityStmt
{ALERTABLESTMT
: relation
{RANGEVAR
: catalogname <>
: schemaname <>
: relname region
: inh true
: relpersistence p
: alias <>
: location 12
}
: cmds (
{ALERTABLECMD
: subtype 55
: name <>
: num 0
: newowner <>
: def <>
: behavior 0
: missing_ok false
: recurse false
}
)
: objtype 41
: missing_ok false
}
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: ctelList <>
: rtable <>
: rteperminfos <>
: jointree <>
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList <>
: override 0
: onConflict <>
: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 45
}

```

Time: 0.269 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
: stmt
{ALERTABLESTMT
: relation
{RANGEVAR
: catalogname <>
: schemaname <>
: relname supplier
: inh true
: relpersistence p
: alias <>
: location 12
}
: cmds (
{ALERTABLECMD
: subtype 54
: name <>
: num 0
: newowner <>
: def <>
: behavior 0
: missing_ok false
: recurse false
}
)
}
}

```

```

    }
  )
  :objtype 41
  :missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

Time: 0.267 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
}
}
}

```

```

:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("supplier" "s_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_name")
:location 161
}
:rexpr
{A_CONST
:val "ARGENTINA"
:location 172
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 170
}
}
:location 157
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:stmt_location 0
:stmt_len 191
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (

```

```

{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("supplier" "s_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_name")
:location 161
}
:rexpr
{A_CONST
:val "ARGENTINA"
:location 172
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 170
}
)
:location 157
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>

```

```

:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 191
}

```

Time: 0.925 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
}

```



```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.753 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targetype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targetype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
}

```

```

:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.242 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targtype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
  }
}

```

```

    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.234 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
}

```

```

:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 26
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.577 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
   :kind 0
   :name role
   :args (
     {A_CONST
      :val "alice"
      :location 9
     }
   )
   :jumble_args false
   :is_local false
   :location 9
  }
:stmt_location 0
:stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
   :kind 0
   :name role
   :args (
     {A_CONST
      :val "alice"
      :location 9
     }
   )
   :jumble_args false
   :is_local false
   :location 9
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
}

```

```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.133 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {EXPLAINSTMT
:query
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARGET
:name <>
:indirection <>
:val
  {COLUMNREF
:fields ("s_name")
:location 51
}
:location 51
}
{RESTARGET
:name numwait
:indirection <>
:val
  {FUNCCALL
:funcname ("count")
:args <>
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star true
:agg_distinct false
:func_variadic false
:funcformat 0
:location 67
}
:location 67
}
)
:fromClause (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistance p
:alias <>
:location 100
}
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistance p
:alias
  {ALIAS
:aliasname l1
:colnames <>
}
:location 118
}
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistance p
:alias <>
:location 139
}
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistance p
:alias <>
:location 155
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
  {A_EXPR
:name ("=")
:lexpr
  {COLUMNREF
:fields ("s_suppkey")
:location 176
}
)
}
}

```

```

:rexpr
  {COLUMNREF
   :fields ("l1" "l_suppkey")
   :location 188
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 186
}
{A_EXPR
: name ("=")
:lexpr
  {COLUMNREF
   :fields ("o_orderkey")
   :location 213
  }
:rexpr
  {COLUMNREF
   :fields ("l1" "l_orderkey")
   :location 226
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 224
}
{A_EXPR
: name ("=")
:lexpr
  {COLUMNREF
   :fields ("o_orderstatus")
   :location 252
  }
:rexpr
  {A_CONST
   :val "F"
   :location 268
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 266
}
{A_EXPR
: name (">")
:lexpr
  {COLUMNREF
   :fields ("l1" "l_receiptdate")
   :location 284
  }
:rexpr
  {COLUMNREF
   :fields ("l1" "l_commitdate")
   :location 303
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 301
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {SELECTSTMT
   :distinctClause <>
   :intoClause <>
   :targetList (
     {RESTARTGET
      :name <>
      :indirection <>
      :val
        {COLUMNREF
         :fields (
           {A_STAR
            }
          )
        :location 387
      }
    :location 387
  )
}
)
:fromClause (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname lineitem
   :inh true
   :relpersistance p
   :alias
     {ALIAS
      :aliasname l2
      :colnames <>
     }
   :location 434
  }
)
:whereClause
  {BOOLEXP
   :boolop and
   :args (
     {A_EXPR
      :name ("=")
      :lexpr
        {COLUMNREF
         :fields ("l2" "l_orderkey")
         :location 492
        }
     :rexpr
        {COLUMNREF
         :fields ("l1" "l_orderkey")
         :location 508
        }
     :rexpr_list_start 0
     :rexpr_list_end 0
     :location 506
   )
}

```

```

    }
    {A_EXPR
    :name ("\"<>")
    :lexpr
    {COLUMNREF
    :fields ("12" "l_suppkey")
    :location 550
    }
    :rexpr
    {COLUMNREF
    :fields ("11" "l_suppkey")
    :location 566
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 563
    }
    }
    :location 546
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 331
    }
    {BOOLEXP
    :boolop not
    :args (
    {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {SELECTSTMT
    :distinctClause <>
    :intoClause <>
    :targetList (
    {RESTARTGET
    :name <>
    :indirection <>
    :val
    {COLUMNREF
    :fields (
    {A_STAR
    }
    )
    :location 661
    }
    :location 661
    }
    )
    :fromClause (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias
    {ALIAS
    :aliasname l3
    :colnames <>
    }
    :location 708
    }
    )
    :whereClause
    {BOOLEXP
    :boolop and
    :args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("13" "l_orderkey")
    :location 766
    }
    :rexpr
    {COLUMNREF
    :fields ("11" "l_orderkey")
    :location 782
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 780
    }
    {A_EXPR
    :name ("\"<>")
    :lexpr
    {COLUMNREF
    :fields ("13" "l_suppkey")
    :location 824
    }
    :rexpr
    {COLUMNREF
    :fields ("11" "l_suppkey")
    :location 840
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 837

```

```

    }
    {A_EXPR
    :name (">")
    :lexpr
    {COLUMNREF
    :fields ("l3" "l_receiptdate")
    :location 881
    }
    :rexpr
    {COLUMNREF
    :fields ("l3" "l_commitdate")
    :location 900
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 898
    }
    )
    :location 820
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 605
    }
    )
    :location 601
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("s_nationkey")
    :location 938
    }
    :rexpr
    {COLUMNREF
    :fields ("n_nationkey")
    :location 952
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 950
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("n_name")
    :location 976
    }
    :rexpr
    {A_CONST
    :val "ARGENTINA"
    :location 985
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 983
    }
    )
    :location 209
    }
    :groupClause (
    {COLUMNREF
    :fields ("s_name")
    :location 1014
    }
    )
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause (
    {SORTBY
    :node
    {COLUMNREF
    :fields ("numwait")
    :location 1038
    }
    :sortby_dir 2
    :sortby_nulls 0
    :useOp <>
    :location -1
    }
    {SORTBY
    :node
    {COLUMNREF
    :fields ("s_name")
    :location 1060
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
    }
    )
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>

```



```

:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:define analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:define verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:define buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 1066
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname l1
:colnames <>
}
:eref
{ALIAS
:aliasname l1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumbe
r" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitdate" "l_receiptdate"
"l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalpri
ce" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority"
"o_comment")
}
:rtekind 0
:relid 16561

```

```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
  :aliasname nation
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
  }
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
  :aliasname *GROUP*
  :colnames ("s_name")
  }
:rtekind 9
:groupexprs (
  {VAR
  :varno 1
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 51
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 19 20)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
  {RANGETBLREF
  :rtindex 2
  }
  {RANGETBLREF
  :rtindex 3
  }
  {RANGETBLREF
  :rtindex 4
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OEXPR
  :opno 96

```

```

:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 176
  }
  {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location 188
  }
)
:location 186
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 213
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 226
  }
)
:location 224
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 3
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 252
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 268
    :constvalue 5 [ 20 0 0 0 70 ]
  }
)
:location 266
}
{OEXPR
:opno 1097
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR

```

```

:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 284
}
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 303
}
)
:location 301
}
{SUBLINK
:sublinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname 12
:colnames <>
}
:eref
{ALIAS
:aliasname 12
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_
linenumber" "l_quantity" "l_extendedprice" "l_disco
unt" "l_tax" "l_returnflag" "l_linestatus" "l_shipd
ate" "l_commitdate" "l_receiptdate" "l_shipinstruct
" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20
21 22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 492
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 508
    }
    )
    :location 506
    }
    {OEXPR
    :opno 518
    :opfuncid 144
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 550
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location 566
    }
    )
    :location 563
    }
    )
    :location 546
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 387
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 387
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 387
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 387
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 387
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 387
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 387
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 387
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 387
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 387
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 387
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 387
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 1
        :varattnosyn 13
        :location 387
    }
    :resno 13
    :resname l_receiptdate
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 13
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 387
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 387
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 387
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 331
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true

```



```

:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname l3
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname l3
        :colnames ("l_orderkey" "l_partkey" "l_suppkey"
          "l_linenum" "l_quantity" "l_extendedprice" "l_
            _discount" "l_tax" "l_returnflag" "l_linestatus"
          "l_shipdate" "l_commitdate" "l_receiptdate" "l_
            shipinstruct" "l_shipmode" "l_comment")
        }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19
      20 21 22 23)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {BOOLEXP
        :boolop and
        :args (
          {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location 766
              }
              {VAR
                :varno 2
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 1
                :varreturningtype 0
                :varnosyn 2
                :varattnosyn 1
                :location 782
              }
            )
          }
        :location 780
      }
      {OPEXP
        :opno 518
        :opfuncid 144
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 3
            :vartype 23
            :vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 824
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location 840
    }
    )
    :location 837
    }
    {OEXPR
    :opno 1097
    :opfuncid 1089
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 881
    }
    {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 12
    :location 900
    }
    )
    :location 898
    }
    )
    :location 820
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 661
    }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 661
    }
    :resno 2
    :resname l_partkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr

```

```

{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 661
}
:resno 3
:resname l_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 661
}
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 661
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 661
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 661
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location 661
    }
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 9
        :location 661
    }
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 10
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 10
        :location 661
    }
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 11
        :location 661
    }
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 12
        :location 661
    }
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
    }

```

```

        :varattnosyn 13
        :location 661
    }
    :resno 13
    :resname l_receiptdate
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 13
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 661
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 661
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 661
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:location 605
}
)
:location 601
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4

```

```

        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 938
    }
    {VAR
        :varno 4
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location 952
    }
)
:location 950
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 4
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 976
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 985
        :constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
    }
)
:location 983
}
)
:location 209
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 5
            :varattno 1
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 5
            :varattnosyn 1
            :location -1
        }
        :resno 1
        :resname s_name
        :ressortgroupref 2
        :resorigtbl 16541
        :resorigcol 2
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {AGGREF
            :aggfnoid 2803
            :aggtype 20
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 0
            :aggargtypes <>
            :aggdirectargs <>
            :args <>
            :aggorder <>
            :aggdistinct <>
            :aggfilter <>
            :aggstar true
            :aggvariadic false
            :aggkind n
            :aggpresorted false
            :agglevelsup 0
            :aggssplit 0
            :aggno -1
            :aggtransno -1
            :location 67
        }
        :resno 2
    }
)

```

```

        :resname numwait
        :resortgroupref 1
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 410
        :sortop 413
        :reverse_sort true
        :nulls_first true
        :hashable true
    }
    {SORTGROUPCLAUSE
        :tleSortGroupRef 2
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
    }
    {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
    }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>

```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1066
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname l1
:colnames <>
}
:eref
{ALIAS
:aliasname l1
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_qua
ntity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines
tatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "
l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o
_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("s_name")
}
}

```



```

:rtekind 9
:groupexprs (
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 51
  }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10 19 20)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 10)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
    {RANGETBLREF
      :rtindex 2
    }
    {RANGETBLREF
      :rtindex 3
    }
    {RANGETBLREF
      :rtindex 4
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {OPEXP
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location 176
        }
        {VAR
          :varno 2
          :varattno 3
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 3
          :location 188
        }
      )
    }
  )
}
:location 186

```

```

}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 213
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 226
  }
)
:location 224
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 3
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 3
    :location 252
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 268
    :constvalue 5 [ 20 0 0 0 70 ]
  }
)
:location 266
}
{OPEXPR
:opno 1097
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 2
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 13
    :location 284
  }
  {VAR
    :varno 2
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 12
    :location 303
  }
)
:location 301
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect

```

```

{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
  :alias
  {ALIAS
  :aliasname l2
  :colnames <>
  }
  :eref
  {ALIAS
  :aliasname l2
  :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
  }
  :rtekind 0
  :relid 16566
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16566
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
  :rtindex 1
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
  :opno 96
  :opfuncid 65
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 492
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 508
    }
  )
  :location 506
  }
  {OPEXP
  :opno 518
  :opfuncid 144
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR

```

```

        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 550
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location 566
    }
    )
    :location 563
    }
    )
    :location 546
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 387
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 387
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 387
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4

```

```

        :location 387
    }
:resno 4
:resname l_linenumber
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 387
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 387
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 387
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 387
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 387
}
:resno 9
:resname l_returnflag
:ressortgroupref 0

```

```

:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 387
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 387
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 387
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 387
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 387
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 387
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 387
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 331
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname 13
:colnames <>
}
:eref
{ALIAS
:aliasname 13
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_lin
enumber" "l_quantity" "l_extendedprice" "l_discount" "
l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_c
ommitdate" "l_receiptdate" "l_shipinstruct" "l_shipmod
e" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r

```

```

:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21
22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 766
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 782
}
)
:location 780
}
{OPEXP
:opno 518
:opfuncid 144
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 824
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 840
}
)
:location 837
}
{OPEXP
:opno 1097
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1

```



```

        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location 881
    }
    {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 12
    :location 900
    }
    )
    :location 898
    }
    )
    :location 820
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 661
    }
    :resno 1
    :resname l_orderkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 661
    }
    :resno 2
    :resname l_partkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 661
    }
    :resno 3
    :resname l_supkey
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 661
    }

```

```

    }
:resno 4
:resname 1_linenumber
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 661
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 661
}
:resno 6
:resname 1_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 661
}
:resno 7
:resname 1_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 661
}
:resno 8
:resname 1_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 661
}
:resno 9
:resname 1_returnflag
:ressortgroupref 0
:resorigtbl 16566

```

```

:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 661
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 661
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 661
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 661
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 661
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 1
        :varattno 15
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 15
        :location 661
        }
        :resno 15
        :resname 1_shipmode
        :ressortgrouppref 0
        :resorigtbl 16566
        :resorigcol 15
        :resjunk false
        }
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 16
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 16
        :location 661
        }
        :resno 16
        :resname 1_comment
        :ressortgrouppref 0
        :resorigtbl 16566
        :resorigcol 16
        :resjunk false
        }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :location 605
    }
)
:location 601
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 938
}
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 952
}
)
:location 950
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (

```

```

        {VAR
        :varno 4
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 976
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 985
        :constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
        }
    )
    :location 983
}
}
:location 209
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname s_name
    :ressortgrouppref 2
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 67
    }
    :resno 2
    :resname numwait
    :ressortgrouppref 1
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true

```

```

:hashable true
}
{SORTGROUPCLAUSE
:tleSortGroupRef 2
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: Table OID=16541
WARNING: ===== RLS POLICY ADDED =====
DETAIL: (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1

```

```

    }
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
    }
  )
  :location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
  :varno 1
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
  }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {CONST
  :consttype 23
  :consttypmod -1
  :constcollid 0
  :constlen 4
  :constbyval true
  :constisnull false
  :location -1
  :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  :resno 1
  :resname ?column?
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 0
    :relid 16541
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
          {QUERY
            :commandType 1
            :querySource 0
            :canSetTag true
            :utilityStmt <>
            :resultRelation 0
            :hasAggs false
            :hasWindowFuncs false
            :hasTargetSRFs false
            :hasSubLinks false
            :hasDistinctOn false
            :hasRecursive false
            :hasModifyingCTE false
            :hasForUpdate false
            :hasRowSecurity false
            :hasGroupRTE false
            :isReturn false
            :cteList <>
            :rtable (
              {RANGETBENTRY
                :alias
                  {ALIAS
                    :aliasname n
                    :colnames <>
                  }
                :eref
                  {ALIAS
                    :aliasname n
                    :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
                  }
                :rtekind 0
                :relid 16536
                :inh true
                :relkind r
                :rellockmode 1
                :perminfoindex 1
                :tablesample <>
                :lateral false
                :inFromCl true
                :securityQuals <>
              }
            )
          }
      {RTEPERMISSIONINFO
        :relid 16536
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 9)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  :jointree
    {FROMEXPR
      :fromlist (
        {RANGETBLREF
          :rtindex 1
        }
      )
    }
  :quals
    {BOOLEXP
      :boolop and
      :args (
        {OPEXP
          :opno 96
          :opfuncid 65
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 1
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
            }
          )
        }
      )
    }
  )

```



```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
}
:location -1
}
{OPEXPR
:opno 98
:opfuncid 67
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
    }
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
        }
        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
}
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname l1
:colnames <>
}
}

```

```

:eref
{
  ALIAS
  :aliasname l1
  :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenum" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_lines" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{
  ALIAS
  :aliasname orders
  :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{
  ALIAS
  :aliasname nation
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{
  ALIAS
  :aliasname *GROUP*
  :colnames ("s_name")
}
:rtekind 9
:groupexprs (
{
  VAR
  :varno 1
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 51
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 19 20)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true

```

```

:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 176
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 188
}
)
:location 186
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 213
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 226
}
)
:location 224
}
{OPEXP
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 252
}
{CONST
:constttype 25
:constttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 268
:constvalue 5 [ 20 0 0 0 70 ]
}
)
:location 266
}
{OPEXPR
:opno 1097
:opfuncid 1089
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 284
}
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 303
}
)
:location 301
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname 12
:colnames <>
}
:eref
{ALIAS
:aliasname 12
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0

```

```

:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 492
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 508
}
)
:location 506
}
{OPEXP
:opno 518
:opfuncid 144
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 550
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 566
}
)
:location 563
}
)
:location 546
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 387
}
}
:resno 1

```

```

:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 387
}
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 387
}
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 387
}
:resno 4
:resname l_linenumbers
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 387
}
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 387
}
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}

```

```

}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 387
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 387
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 387
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 387
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 387
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 387
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 387
}
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 387
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 387
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 387
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>

```



```

:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 331
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname l3
:colnames <>
}
:eref
{ALIAS
:aliasname l3
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_lin
enumber" "l_quantity" "l_extendedprice" "l_discount" "
l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_c
ommitdate" "l_receiptdate" "l_shipinstruct" "l_shipmod
e" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21
22 23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 766
}
)
}
)
}

```

```

        {VAR
        :varno 2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 782
        }
    )
    :location 780
}
{OPEXPR
:opno 518
:opfuncid 144
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 824
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location 840
    }
)
:location 837
}
{OPEXPR
:opno 1097
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 881
    }
    {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 12
    :location 900
    }
)
:location 898
}
)
:location 820
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 661
    }
}
:resno 1
:resname l_orderkey

```

```

:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 661
}
:resno 2
:resname 1_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 661
}
:resno 3
:resname 1_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 661
}
:resno 4
:resname 1_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 661
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 661
}
:resno 6
:resname 1_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 661
}
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 661
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 661
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 661
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 661
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12

```

```

        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 12
        :location 661
    }
:resno 12
:resname l_commitdate
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 13
:location 661
}
:resno 13
:resname l_receiptdate
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 661
}
:resno 14
:resname l_shipinstruct
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 661
}
:resno 15
:resname l_shipmode
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 661
}
:resno 16
:resname l_comment
:ressortgrouppref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>

```

```

        :windowClause <>
        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location 0
        :stmt_len 0
    }
    :location 605
}
)
:location 601
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 938
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 952
    }
)
:location 950
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 976
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 985
    :constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
    }
)
:location 983
}
)
:location 209
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname s_name
    :ressortgroupref 2

```

```

:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
    :aggfnoid 2803
    :aggtype 20
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes <>
    :aggdirectargs <>
    :args <>
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar true
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 67
  }
:resno 2
:resname numwait
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 410
    :sortop 413
    :reverse_sort true
    :nulls_first true
    :hashable true
  }
  {SORTGROUPCLAUSE
    :tleSortGroupRef 2
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname supplier
        :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
          s_acctbal" "s_comment")
      }
    :rtekind 0
  }
)

```

```

:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
  }
  :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
          :alias
            {ALIAS
              :aliasname n
              :colnames <>
            }
          :eref
            {ALIAS
              :aliasname n
              :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
            }
          :rtekind 0
          :relid 16536
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 16536
      :inh true
      :requiredPerms 2
      :checkAsUser 0
      :selectedCols (b 8 9)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
)
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 1
            :varattno 4
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 4
            :location -1
          }
        )
      }
    )
  }
)
:location -1

```



```

    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :location -1
    }
    )
    }
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname l1
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname l1
    :colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenumber" "l_quantity" "l_extendedprice" "l_discount" "l_tax" "l_returnflag" "l_linesatus" "l_shipdate" "l_commitdate" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_comment")
    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    {RANGETBENTRY

```

```

:alias <>
:eref
{
  ALIAS
  :aliasname orders
  :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{
  ALIAS
  :aliasname nation
  :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 4
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{
  ALIAS
  :aliasname *GROUP*
  :colnames ("s_name")
}
:rtekind 9
:groupexprs (
{
  VAR
  :varno 1
  :varattno 2
  :vartype 25
  :vartypmod -1
  :varcollid 100
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location 51
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10 19 20)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
{RANGETBLREF
:rtindex 3
}
{RANGETBLREF
}
)
}

```

```

:rtindex 4
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 176
}
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 188
}
)
:location 186
}
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 213
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 226
}
)
:location 224
}
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 252
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 268
:constvalue 5 [ 20 0 0 0 70 ]
}
)
:location 266
}

```

```

{OPEXPR
:opno 1097
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 284
}
  {VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 303
}
)
:location 301
}
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
:alias
  {ALIAS
:aliasname 12
:colnames <>
}
:eref
  {ALIAS
:aliasname 12
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_linenu
mber" "l_quantity" "l_extendedprice" "l_discount" "l_tax"
"l_returnflag" "l_linestatus" "l_shipdate" "l_commitdate
" "l_receiptdate" "l_shipinstruct" "l_shipmode" "l_commen
t")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromC1 true
:securityQuals <>
}
)
:rteperminfos (
  {RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22
23)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
  {FROMEXPR
:fromlist (
  {RANGETBLREF
:rtindex 1
}
)
:quals
  {BOOLEXPR
:boolop and
:args (
  {OPEXPR
:opno 96
:opfuncid 65

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 492
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 508
  }
)
:location 506
}
{OEXPR
:opno 518
:opfuncid 144
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 550
  }
  {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location 566
  }
)
:location 563
}
:location 546
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 387
  }
}
:resno 1
:resname l_orderkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 387
  }
}

```

```

    }
:resno 2
:resname l_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 387
  }
:resno 3
:resname l_suppkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 387
  }
:resno 4
:resname l_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 5
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 387
  }
:resno 5
:resname l_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 387
  }
:resno 6
:resname l_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 7
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 387
  }
:resno 7
:resname l_discount
:ressortgroupref 0
:resorigtbl 16566

```

```

:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 387
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 387
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 387
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 387
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 387
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr

```

```

        {VAR
        :varno 1
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location 387
        }
:resno 13
:resname l_receiptdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 13
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 387
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 387
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 387
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 331
}
{BOOLEXP
:boolop not
:args (
{SUBLINK

```



```

:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname l3
:colnames <>
}
:eref
{ALIAS
:aliasname l3
:colnames ("l_orderkey" "l_partkey" "l_suppkey" "l_lin
enumber" "l_quantity" "l_extendedprice" "l_discount" "
l_tax" "l_returnflag" "l_linestatus" "l_shipdate" "l_c
ommitdate" "l_receiptdate" "l_shipinstruct" "l_shipmod
e" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16 17 18 19 20 21
22 23)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 766
}
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 782
}
)
:location 780
}
}
{OPEXP
:opno 518
:opfuncid 144
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 824
  }
  {VAR
    :varno 2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location 840
  }
)
:location 837
}
{OEXPR
:opno 1097
:opfucind 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 13
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 13
    :location 881
  }
  {VAR
    :varno 1
    :varattno 12
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 12
    :location 900
  }
)
:location 898
}
)
:location 820
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 661
    }
  }
  :resno 1
  :resname l_orderkey
  :ressortgroupref 0
  :resorigtbl 16566
  :resorigcol 1
  :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 661
}
}

```

```

:resno 2
:resname 1_partkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 661
}
:resno 3
:resname 1_supkey
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 661
}
:resno 4
:resname 1_linenummer
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 661
}
:resno 5
:resname 1_quantity
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 661
}
:resno 6
:resname 1_extendedprice
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 661
}
:resno 7
:resname 1_discount
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 7

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 661
}
:resno 8
:resname l_tax
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 661
}
:resno 9
:resname l_returnflag
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 9
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 10
:location 661
}
:resno 10
:resname l_linestatus
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 10
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 661
}
:resno 11
:resname l_shipdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 11
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 12
:location 661
}
:resno 12
:resname l_commitdate
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 12
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

        :varno 1
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 13
        :location 661
    }
    :resno 13
    :resname l_receiptdate
    :ressortgroupref 0
    :resorigtbl 16566
    :resorigcol 13
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 14
:location 661
}
:resno 14
:resname l_shipinstruct
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 14
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 15
:location 661
}
:resno 15
:resname l_shipmode
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 15
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 16
:location 661
}
:resno 16
:resname l_comment
:ressortgroupref 0
:resorigtbl 16566
:resorigcol 16
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 605
}
}
:location 601
}
{OPEXPR
:opno 96

```

```

:opfuncid 65
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 938
  }
  {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 952
  }
)
:location 950
}
{OPEXPR
:opno 98
:opfuncid 67
:opresultttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 976
  }
  {CONST
    :constttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 985
    :constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
  }
)
:location 983
}
)
:location 209
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 5
        :varattno 1
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname s_name
    :ressortgroupref 2
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {AGGREF
        :aggfnoid 2803
        :aggtype 20
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes <>
        :aggdirectargs <>
        :args <>
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar true
        :aggvariadic false
      }
    :resno 2
    :resname s_name
    :ressortgroupref 2
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
  }
)

```

```

:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 67
}
:resno 2
:resname numwait
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 410
   :sortop 413
   :reverse_sort true
   :nulls_first true
   :hashable true
  }
  {SORTGROUPCLAUSE
   :tleSortGroupRef 2
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL:      {SORT
:plan.disabled_nodes 0
:plan.startup_cost 733978.8606179504
:plan.total_cost 733978.8656179504
:plan.plan_rows 1
:plan.plan_width 27
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
   :expr
   {VAR
    :varno -2
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
   }
  :resno 1
  :resname s_name
  :ressortgroupref 2
  :resorigtbl 16541
  :resorigcol 2
  :resjunk false
 }
 {TARGETENTRY
  :expr
  {VAR
   :varno -2
   :varattno 2
   :vartype 20
   :vartypmod -1
   :varcollid 0
   :varnullingrels (b)
   :varlevelsup 0
   :varreturningtype 0
   :varnosyn 0
   :varattnosyn 0
   :location -1
  }
  :resno 2

```

```

:resname numwait
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{AGG
:plan.disabled_nodes 0
:plan.startup_cost 733978.8306179505
:plan.total_cost 733978.8506179504
:plan.plan_rows 1
:plan.plan_width 27
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname s_name
:ressortgroupref 2
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno 0
:aggtransno 0
:location 67
}
:resno 2
:resname numwait
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 733978.8306179505
:plan.total_cost 733978.8356179505
:plan.plan_rows 1
:plan.plan_width 19
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 2
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 477108.31811795064

```



```

:join.plan.total_cost 733978.8206179505
:join.plan.plan_rows 1
:join.plan.plan_width 19
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 2
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
  {NESTLOOP
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 477108.31811795064
    :join.plan.total_cost 733958.6456179506
    :join.plan.plan_rows 1
    :join.plan.plan_width 23
    :join.plan.parallel_aware false
    :join.plan.parallel_safe false
    :join.plan.async_capable false
    :join.plan.plan_node_id 4
    :join.plan.targetlist (
      {TARGETENTRY
        :expr
        {VAR
          :varno -1
          :varattno 2
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 2
          :location -1
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
        {VAR
          :varno -1
          :varattno 4
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 4
          :location 938
        }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
:join.plan.qual <>
:join.plan.lefttree
  {GATHER
    :plan.disabled_nodes 0
    :plan.startup_cost 477108.31811795064
    :plan.total_cost 512078.1456179506
    :plan.plan_rows 1
    :plan.plan_width 4
    :plan.parallel_aware false
    :plan.parallel_safe false
    :plan.async_capable false
    :plan.plan_node_id 5
    :plan.targetlist (
      {TARGETENTRY
        :expr
        {VAR
          :varno -2
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 2
          :varattnosyn 3

```

```

        :location 188
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 476108.31811795064
:join.plan.total_cost 511078.0456179506
:join.plan.plan_rows 1
:join.plan.plan_width 4
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 6
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 188
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 33820.5
:scan.plan.plan_rows 306458
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 7
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 3
        :location -1
    }
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location 252
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 268
:constvalue 5 [ 20 0 0 0 70 ]
}
)
:location 266
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 3
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 476108.3056179506
:plan.total_cost 476108.3056179506
:plan.plan_rows 1
:plan.plan_width 12
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 8
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 149649.05416666667
:join.plan.total_cost 476108.3056179506
:join.plan.plan_rows 1
:join.plan.plan_width 12
:join.plan.parallel_aware false
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 9
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 188
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 226
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 492
}
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)

```

```

:join.plan.qual <>
:join.plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 149649.05416666667
:join.plan.total_cost 299559.1508333333
:join.plan.plan_rows 1
:join.plan.plan_width 8
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 10
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 188
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 226
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 135974.79166666666
:scan.plan.plan_rows 833461
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 11
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location 188
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 226
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
}

```

```

)
:scan.plan.qual (
{OPEXPR
:opno 1097
:opfuncid 1089
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location 284
}
{VAR
:varno 2
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location 303
}
)
:location 301
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 2
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 135974.79166666666
:plan.total_cost 135974.79166666666
:plan.plan_rows 833461
:plan.plan_width 8
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 12
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 7
:varattnosyn 3
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 135974.79166666666
:scan.plan.plan_rows 833461
:scan.plan.plan_width 8
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false

```

```

:scan.plan.plan_node_id 13
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 7
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location 766
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 7
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 3
        :location 824
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:scan.plan.qual (
  {OPEXPR
    :opno 1097
    :opfuncid 1089
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 7
        :varattno 13
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 13
        :location 881
      }
      {VAR
        :varno 7
        :varattno 12
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 12
        :location 900
      }
    )
    :location 898
  }
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanreldid 7
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 2)
:plan.allParam (b 2)
:hashkeys (
  {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 7
    :varattnosyn 1
    :location 766
  }
)
:skewTable 16566
:skewColumn 1
:skewinherit false

```



```

        :rows_total 2000306.4
    }
    :join.plan.initPlan <>
    :join.plan.extParam (b 2)
    :join.plan.allParam (b 2)
    :join.jointype 5
    :join.inner_unique false
    :join.joinqual (
        {OEXPR
        :opno 518
        :opfuncid 144
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
            :varno -1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 7
            :varattnosyn 3
            :location 824
            }
            {VAR
            :varno -2
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 3
            :location 840
            }
        )
        :location 837
    }
)
:hashclauses (
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 782
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 7
        :varattnosyn 1
        :location 766
        }
    )
    :location 780
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 782
    }
)
}
:join.plan.righttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 164729.2
:scan.plan.plan_rows 6000920
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 14
:scan.plan.targetlist (

```

```

{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 6

```

```

:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 7
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 8
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 10
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 6
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 12
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 13
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 14
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 15
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 6
:varattno 16
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 16
:location -1
}
}

```

```

        :resno 16
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 6
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 4
:join.inner_unique false
:join.joinqual (
    {OEXPR
    :opno 518
    :opfuncid 144
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 3
        :location 550
        }
        {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location 566
        }
    )
    :location 563
    }
    {OEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 226
        }
        {VAR
        :varno -1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 492
        }
    )
    :location -1
    }
)
:nestParams <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 2)
:plan.allParam (b 2)
:hashkeys (
    {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1

```

```

        :location 226
    }
)
:skewTable 16561
:skewColumn 1
:skewInherit false
:rows_total 2.4
}
:join.plan.initPlan <>
:join.plan.extParam (b 2)
:join.plan.allParam (b 2)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 213
}
{VAR
:varno -1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 226
}
}
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location 213
}
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:num_workers 2
:rescan_param 2
:single_copy false
:invisible false
:initParam (b)
}
:join.plan.righttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 221818
:scan.plan.plan_rows 5000
:scan.plan.plan_width 27
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 15
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location -1
    }
    :resno 7
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{SUBPLAN
:subLinkType 2
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
:paramIds (i 1)
:plan_id 2
:plan_name SubPlan\ 2
:firstColType 23
:firstColTypmod -1
:firstColCollation 0
:useHashTable true
:unknownEqFalse true
:parallel_safe true
:setParam <>
:parParam <>
:args <>
:startup_cost 20.135
:per_call_cost 0.0025
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 176
}
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3

```



```

        :location 188
    }
)
:location -1
}
)
:nestParams <>
}
:join.plan.righttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.125
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 16
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual (
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 4
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 976
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 985
    :constvalue 13 [ 52 0 0 0 65 82 71 69 78 84 73 78 65 ]
  }
)
:location 983
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 4
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
  }
  :args (
    {VAR
      :varno -2
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 4
      :location 938
    }
    {VAR
      :varno -1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 4
      :varattnosyn 1
      :location 952
    }
  )
)
:location -1
}
)
:nestParams <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:aggstrategy 1
:aggssplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 1
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 2
:sortColIdx ( 2 1)

```

```

:sortOperators ( 413 664)
:collations ( 0 100)
:nullsFirst ( true false)
}

```

```

^CCancel request sent
ERROR: canceling statement due to user request
Time: 15822.566 ms (00:15.823)
tpch=> reset role;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT

```

```

:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY

```

```

:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

```

Time: 3.368 ms
tpch=#
tpch=# DO $$
DECLARE
r RECORD;
BEGIN
FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
LOOP
EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
END LOOP;
END;
$$;

```

```

RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

```

```

ALTER TABLE customer ENABLE ROW LEVEL SECURITY;

```

```

CREATE POLICY customer_rls_policy ON customer
USING (
substring(c_phone from 1 for 2) IN ('13', '31', '23', '29', '30', '18', '17')
AND c_acctbal > 0.00
);

```

```

GRANT SELECT ON customer TO alice;
GRANT SELECT ON orders TO alice;
SET ROLE alice;

```

EXPLAIN (ANALYZE, VERBOSE, BUFFERS)

```
select
  cntrycode,
  count(*) as numcust,
  sum(c_acctbal) as totacctbal
from
  (
    select
      substring(c_phone from 1 for 2) as cntrycode,
      c_acctbal
    from
      customer
    where
      substring(c_phone from 1 for 2) in
        ('13', '31', '23', '29', '30', '18', '17')
      and c_acctbal > (
        select
          avg(c_acctbal)
        from
          customer
        where
          c_acctbal > 0.00
          and substring(c_phone from 1 for 2) in
            ('13', '31', '23', '29', '30', '18', '17')
        )
      and not exists (
        select
          *
        from
          orders
        where
          o_custkey = c_custkey
      )
    ) as custsale
group by
  cntrycode
order by
  cntrycode;
```

WARNING: ===== RAW PARSE TREE =====

```
DETAIL: {RAWSTMT
:stmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg ""\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
\ \ \ \ \ T\ policymname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
\ \ \ \ \ public\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ \ \ \ \ \ IF\ EXISTS\ %I\ ON\ %I',\ r.policymname,\ r.tablename\
\ \ \ \ \ \
\ \ \ \ \ END\ LOOP;\
END;\
"
:defaction 0
:location 3
}
}
:stmt_location 0
:stmt_len 236
}
```

WARNING: ===== ANALYZED QUERY =====

```
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg ""\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
\ \ \ \ \ T\ policymname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
\ \ \ \ \ public\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ \ \ \ \ \ IF\ EXISTS\ %I\ ON\ %I',\ r.policymname,\ r.tablename\
\ \ \ \ \ \
\ \ \ \ \ END\ LOOP;\
END;\
"
:defaction 0
:location 3
}
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
```

```

:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
}
}
}
}

```



```

:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname pol
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname pol
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck")
      }
    :rtekind 0
    :relid 3256
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
          "relowner" "relam" "relfilenode" "reltablespace" "relpages" "reltuples"
          "relallvisible" "relallfrozen" "reltoastrelid" "relhasindex" "relisshared"
          "relpersistence" "relkind" "relnatts" "relchecks" "relhasrules"
          "relhastriggers" "relhassubclass" "relrowsecurity" "relforcerowsecurity"
          "relispopulated" "relreplident" "relispartition" "relrewrite"
          "relfrozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
      }
    :rtekind 0
    :relid 1259
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname unnamed_join
        :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
          "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespace"
          "reltype" "reloftype" "relowner" "relam" "relfilenode" "reltablespace"
          "relpages" "reltuples" "relallvisible" "relallfroze"
          "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
          "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
          "relhassubclass" "relrowsecurity" "relforcerowsecurity" "relispopulated"
          "relreplident" "relispartition" "relrewrite" "relfrozenxid" "relminmxid"
          "relacl" "reloptions" "relpartbound")
      }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliasvars (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    )
    :varno 1
  }

```

```

:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}

```



```

{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12

```

```

:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "relloftype" "relowner" "relam" "relfilenode" "rel
tablesapce" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2

```

```

:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}

```

```

{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28

```



```

:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
)

```

```

        :alias <>
        :rtindex 3
    }
    :rarg
    {RANGETBLREF
    :rtindex 4
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}

```

```

    }
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false

```

```

:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 4 [ 16 0 0 0 ]
  }
)
:location -1
}
:elemexpr
{FUNCEXPR
  :funcid 407
  :funcresulttype 19
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 950
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 25
      :typmod -1
      :collation 0
    }
  )
  :location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
  :sublinkType 6
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
          :alias <>
          :eref
            {ALIAS
              :aliasname pg_authid
              :colnames ("oid" "rolname" "rolsuper" "rolinherit"
                "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
                lication" "rolbypassrsls" "rolconnlimit" "rolpasswor
                d" "rolvaliduntil")
            }
          :rtekind 0
          :relid 1260
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 1260
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
}
:jointree

```

```

FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
  {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY

```

```

:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}

```

```

    }
    {CONST
    :consttype 18
    :consttypmod -1
    :constcollid 0
    :constlen 1
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
    }
  )
  :location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```



```

        :constlen -1
        :constbyval false
        :constisnull true
        :location -1
        :constvalue <>
    }
    :location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:varitypm 0
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:varitypm 0
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:varitypm 0
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:varitypm 0
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```



```

:varstype 19
:varystmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY

```

```

:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lcl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6

```

```

:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
}
{VAR

```

```

:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0

```



```

:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:reliid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polreliid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablesapce" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastreliid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastiggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
}
{VAR

```

```

:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}

```

```

    }
    {VAR
    :varno 2
    :varattno 32
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 32
    :location -1
    }
    {VAR
    :varno 2
    :varattno 33
    :vartype 1009
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 33
    :location -1
    }
    {VAR
    :varno 2
    :varattno 34
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 34
    :location -1
    }
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    {VAR
    :varno 4
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 3
    :location -1
    }
    {VAR
    :varno 4
    :varattno 4
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location -1
    }
    }
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259

```

```

:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 1
:resname schemaname
:ressortgrouppref 0
:resorigtbl 2615
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 3
:resname policyname
:ressortgrouppref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]

```



```

    }
    :location -1
  }
)
:defresult
{CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
  :casetype 1003
  :casecollid 950
  :arg <>
  :args (
    {CASEWHEN
      :expr
      {OPEXPR
        :opno 1070
        :opfuncid 744
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 1028
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location -1
          }
          {CONST
            :consttype 1028
            :consttypmod -1
            :constcollid 0
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
              0 0 0 1 0 0 0 0 0 0 0 ]
          }
        )
        :location -1
      }
    }
  :result
  {ARRAYCOERCEEXPR
    :arg
    {FUNCEXPR
      :funcid 394
      :funcresulttype 1009
      :funcresultset false
      :funcvariadic false
      :funcformat 0
      :funccollid 100
      :inputcollid 100
      :args (
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location -1
          :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false
          :constisnull false
          :location -1
          :constvalue 4 [ 16 0 0 0 ]
        }
      )
      :location -1
    }
  }
  :elemexpr
  {FUNCEXPR
    :funcid 407
    :funcresulttype 19
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 950
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 25

```

```

        :typeMod -1
        :collation 0
    }
}
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:sublinkType 6
:sublinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrsls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
}
}
}

```

```

    }
    )
    :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {VAR
  :varno 1
  :varattno 2
  :vartype 19
  :vartypmod -1
  :varcollid 950
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 2
  :location -1
  }
  :resno 1
  :resname rolname
  :ressortgroupref 1
  :resorigtbl 1260
  :resorigcol 2
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returninglist <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 93
  :sortop 660
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typemod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true

```

```

        :constisnull false
        :location -1
        :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1

```

```

        :collation 0
      }
      {CONST
      :consttype 18
      :consttypmod -1
      :constcollid 0
      :constlen 1
      :constbyval true
      :constisnull false
      :location -1
      :constvalue 1 [ 100 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  :result
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
  }
  :location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeId 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:varatype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR

```

```

        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
)
:location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree

```

```
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opccllid 0
:inputcollid 950
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 52
  }
  {CONST
    :consttype 19
    :consttypmod -1
    :constcollid 950
    :constlen 64
    :constbyval false
    :constisnull false
    :location 65
    :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
  }
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 7
      }
    :resno 1
    :resname policymame
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 19
      }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupByClause <>
:groupByDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
```

```

WARNING: ===== FINAL PLAN =====
DETAIL:      {NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.4025
:join.plan.total_cost 11.55988549906787
:join.plan.plan_rows 1
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 1
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname policyname
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno -2
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname tablename
    :ressortgroupref 0
    :resorigtbl 12018
    :resorigcol 2
    :resjunk false
  }
)
:join.plan.qual <>
:join.plan.lefttree
  {NESTLOOP
    :join.plan.disabled_nodes 0
    :join.plan.startup_cost 0.2725
    :join.plan.total_cost 11.335952914798208
    :join.plan.plan_rows 1
    :join.plan.plan_width 132
    :join.plan.parallel_aware false
    :join.plan.parallel_safe false
    :join.plan.async_capable false
    :join.plan.plan_node_id 1
    :join.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno -2
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 2
            :location -1
          }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
      {TARGETENTRY
        :expr
          {VAR
            :varno -1
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 3
            :varattnosyn 2
            :location -1
          }
        :resno 2
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
  }
}

```



```

{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 3.01
:scan.plan.plan_rows 1
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4

```

```

        :location -1
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 2
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.2725
:scan.plan.total_cost 8.290000000000001
:scan.plan.plan_rows 1
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false

```

```

:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 2
        :location -1
      }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 3
        :location -1
      }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 4
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
      }
    :resno 4
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 3
        :varattno 5
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
      }
    :resno 5
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr

```

```

{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3

```

```

        :varattnosyn 16
        :location -1
    }
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>

```

```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32

```



```

        :vartype 1034
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 32
        :location -1
    }
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 33
        :vartype 1009
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 33
        :location -1
    }
:resno 33
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 34
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 34
        :location -1
    }
:resno 34
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
:indexid 2662
:indexqual (
    {OPEXPR
        :opno 607
        :opfuncid 184
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -3
                :varattno 1
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 1
                :location -1
            }
            {PARAM
                :paramkind 1
                :paramid 0
                :paramtype 26
                :paramtypmod -1
                :paramcollid 0
                :location -1
            }
        )
    }
:location -1
}
)
:indexqualorig (
    {OPEXPR
        :opno 607
        :opfuncid 184
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno 3

```

```

        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
    }
    {PARAM
    :paramkind 1
    :paramid 0
    :paramtype 26
    :paramtypmod -1
    :paramcollid 0
    :location -1
    }
    )
    :location -1
    }
    )
    :indexorderby <>
    :indexorderbyorig <>
    :indexorderbyops <>
    :indexorderdir 1
    }
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
    {NESTLOOPPARAM
    :paramno 0
    :paramval
    {VAR
    :varno -2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    }
    )
    }
:join.plan.rightright
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.13
:scan.plan.total_cost 0.17696629213483145
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 5
    :varattno 3

```

[illegible]

```

    )
    :location -1
  }
)
:indexqualorig (
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM
:paramno 1
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
}
)
}
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100

```

```

:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====:

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelat 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1

```

```

        :paramcollid 950
        :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
    )
    :location 0
    }
    :resno 1
    :resname format
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL:      {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
)
}
)

```

```

        :location 0
    }
    :resno 1
    :resname format
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{DROPTMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

```

}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {DROPSTMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

```

Time: 17.121 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false

```



```

:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.125 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>

```

```

:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 1.425 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam orders
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relnam orders
:inh true
:relpersistence p
:alias <>
:location 12
}
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
}

```

```

:stmt_location 0
:stmt_len 45
}

Time: 0.240 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

```

Time: 1.024 ms
WARNING: ===== RAW PARSE TREE =====

```

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.344 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>

```

```

:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.203 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
}
}

```

```

    }
    :cmds (
      {ALERTABLECMD
      :subtype 55
      :name <>
      :num 0
      :newowner <>
      :def <>
      :behavior 0
      :missing_ok false
      :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
  :stmt_location 0
  :stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
  :relation
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname partsupp
    :inh true
    :relpersistence p
    :alias <>
    :location 12
    }
  :cmds (
    {ALERTABLECMD
    :subtype 55
    :name <>
    :num 0
    :newowner <>
    :def <>
    :behavior 0
    :missing_ok false
    :recurse false
    }
  )
  :objtype 41
  :missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.209 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
  :relation
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname nation
    :inh true
    :relpersistence p
    :alias <>
    :location 12
    }
  :cmds (
    {ALERTABLECMD
    :subtype 55
    :name <>
    :num 0
  )
}

```

```

        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
    }
}
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.203 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALTERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALTERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
}

```

```

    }
    :objtype 41
    :missing_ok false
  }
  :stmt_location 0
  :stmt_len 45
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY

```

```

  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname region
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 55
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
    }
  :objtype 41
  :missing_ok false
}

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.349 ms
 WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
  :stmt
    {ALERTABLESTMT
      :relation
        {RANGEVAR
          :catalogname <>
          :schemaname <>
          :relname customer
          :inh true
          :relpersistence p
          :alias <>
          :location 12
        }
      :cmds (
        {ALERTABLECMD
          :subtype 54
          :name <>
          :num 0
          :newowner <>
          :def <>
          :behavior 0
          :missing_ok false
          :recurse false
        }
      )
    }
  :objtype 41
  :missing_ok false
}

:stmt_location 0
:stmt_len 46

```



```

}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

Time: 0.193 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{CREATEPOLICYSTMT
:policy_name customer_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{BOOLEXP
:boolop and
:args (
{A_EXPR IN
:name ("=")
:lexpr
{FUNCCALL
:funcname ("pg_catalog" "substring")
:args (
{COLUMNREF
:fields ("c_phone")
:location 68
}
)
}
}
)
}
}

```

```

    }
    {A_CONST
     :val 1
     :location 81
    }
    {A_CONST
     :val 2
     :location 87
    }
  )
  :agg_order <>
  :agg_filter <>
  :over <>
  :agg_within_group false
  :agg_star false
  :agg_distinct false
  :func_variadic false
  :funcformat 3
  :location 58
}
:rexpr (
  {A_CONST
   :val "\13"
   :location 94
  }
  {A_CONST
   :val "\31"
   :location 100
  }
  {A_CONST
   :val "\23"
   :location 106
  }
  {A_CONST
   :val "\29"
   :location 112
  }
  {A_CONST
   :val "\30"
   :location 118
  }
  {A_CONST
   :val "\18"
   :location 124
  }
  {A_CONST
   :val "\17"
   :location 130
  }
)
:rexpr_list_start 93
:rexpr_list_end 134
:location 90
}
{A_EXPR
 :name (">")
:lexpr
 {COLUMNREF
  :fields ("c_acctbal")
  :location 144
 }
:rexpr
 {A_CONST
  :val 0.00
  :location 156
 }
:rexpr_list_start 0
:rexpr_list_end 0
:location 154
}
)
:location 140
}
:with_check <>
}
:stmt_location 0
:stmt_len 162
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name customer_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{BOOLEXP
:boolop and
:args (
{A_EXPR IN
:name ("=")
:lexpr
{FUNCCALL
:funcname ("pg_catalog" "substring")

```

```

:args (
  {COLUMNREF
  :fields ("c_phone")
  :location 68
  }
  {A_CONST
  :val 1
  :location 81
  }
  {A_CONST
  :val 2
  :location 87
  }
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 3
:location 68
}
:rexpr (
  {A_CONST
  :val "\13"
  :location 94
  }
  {A_CONST
  :val "\31"
  :location 100
  }
  {A_CONST
  :val "\23"
  :location 106
  }
  {A_CONST
  :val "\29"
  :location 112
  }
  {A_CONST
  :val "\30"
  :location 118
  }
  {A_CONST
  :val "\18"
  :location 124
  }
  {A_CONST
  :val "\17"
  :location 130
  }
)
:rexpr_list_start 93
:rexpr_list_end 134
:location 90
}
{A_EXPR
:name (">")
:lexpr
  {COLUMNREF
  :fields ("c_acctbal")
  :location 144
  }
:rexpr
  {A_CONST
  :val 0.00
  :location 156
  }
:rexpr_list_start 0
:rexpr_list_end 0
:location 154
}
)
:location 140
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>

```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 162
}

Time: 2.589 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname customer
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
  :is_grant true
  :targtype 0
  :objtype 41
  :objects (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname customer
    :inh true
    :relpersistence p
    :alias <>
    :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
    :priv_name select
    :cols <>
    }
  )
  :grantees (
    {ROLESPEC
    :roletype 0
    :rolename alice
    :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>

```

```

:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.202 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 26
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
}

```

```

: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 31
}

```

Time: 0.199 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
: stmt
  {VARIABLESETSTMT
: kind 0
: name role
: args (
  {A_CONST
: val "alice"
: location 9
  }
)
: jumble_args false
: is_local false
: location 9
}
: stmt_location 0
: stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
: commandType 6
: querySource 0
: canSetTag true
: utilityStmt
  {VARIABLESETSTMT
: kind 0
: name role
: args (
  {A_CONST
: val "alice"
: location 9
  }
)
: jumble_args false
: is_local false
: location 9
}
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: cteList <>
: rtable <>
: rteperminfos <>
: jointree <>
: mergeActionList <>
: mergeTargetRelation 0
: mergeJoinCondition <>
: targetList <>
: override 0
: onConflict <>
: returningOldAlias <>
: returningNewAlias <>
: returningList <>
: groupClause <>
: groupDistinct false
: groupingSets <>
: havingQual <>
: windowClause <>
: distinctClause <>
: sortClause <>
: limitOffset <>
: limitCount <>
: limitOption 0
: rowMarks <>
: setOperations <>
: constraintDeps <>
: withCheckOptions <>
: stmt_location 0
: stmt_len 14
}

```

Time: 0.109 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
: stmt
  {EXPLAINSTMT
: query
  {SELECTSTMT
: distinctClause <>
: intoClause <>
: targetList (
  {RESTARGET
: name <>
: indirection <>

```

```

:val
  {COLUMNREF
   :fields ("cntrycode")
   :location 51
  }
:location 51
}
{RESTARTGET
:name numcust
:indirection <>
:val
  {FUNCCALL
   :funcname ("count")
   :args <>
   :agg_order <>
   :agg_filter <>
   :over <>
   :agg_within_group false
   :agg_star true
   :agg_distinct false
   :func_variadic false
   :funcformat 0
   :location 70
  }
:location 70
}
{RESTARTGET
:name totacctbal
:indirection <>
:val
  {FUNCCALL
   :funcname ("sum")
   :args (
     {COLUMNREF
      :fields ("c_acctbal")
      :location 103
     }
   )
   :agg_order <>
   :agg_filter <>
   :over <>
   :agg_within_group false
   :agg_star false
   :agg_distinct false
   :func_variadic false
   :funcformat 0
   :location 99
  }
:location 99
}
)
:fromClause (
  {RANGESUBSELECT
   :lateral false
   :subquery
     {SELECTTMT
      :distinctClause <>
      :intoClause <>
      :targetList (
        {RESTARTGET
         :name cntrycode
         :indirection <>
         :val
           {FUNCCALL
            :funcname ("pg_catalog" "substring")
            :args (
              {COLUMNREF
               :fields ("c_phone")
               :location 200
              }
              {A_CONST
               :val 1
               :location 213
              }
              {A_CONST
               :val 2
               :location 219
              }
            )
            :agg_order <>
            :agg_filter <>
            :over <>
            :agg_within_group false
            :agg_star false
            :agg_distinct false
            :func_variadic false
            :funcformat 3
            :location 190
          }
        :location 190
      )
      {RESTARTGET
       :name <>
       :indirection <>
       :val
         {COLUMNREF
          :fields ("c_acctbal")
          :location 260
        }
       :location 260
      }
    )
  }
)
:fromClause (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname customer
   :inh true
   :relpersistence p
   :alias <>
   :location 315
  }
)
:whereClause
  {BOOLEXP

```

```

:boolop and
:args (
  {A_EXPR IN
    :name ("=")
    :lexpr
      {FUNCCALL
        :funcname ("pg_catalog" "substring")
        :args (
          {COLUMNREF
            :fields ("c_phone")
            :location 380
          }
          {A_CONST
            :val 1
            :location 393
          }
          {A_CONST
            :val 2
            :location 399
          }
        )
        :agg_order <>
        :agg_filter <>
        :over <>
        :agg_within_group false
        :agg_star false
        :agg_distinct false
        :func_variadic false
        :funcformat 3
        :location 370
      }
    )
  :rexpr (
    {A_CONST
      :val "\13"
      :location 438
    }
    {A_CONST
      :val "\31"
      :location 444
    }
    {A_CONST
      :val "\23"
      :location 450
    }
    {A_CONST
      :val "\29"
      :location 456
    }
    {A_CONST
      :val "\30"
      :location 462
    }
    {A_CONST
      :val "\18"
      :location 468
    }
    {A_CONST
      :val "\17"
      :location 474
    }
  )
  :rexpr_list_start 437
  :rexpr_list_end 478
  :location 402
}
{A_EXPR
: name (">")
:lexpr
  {COLUMNREF
    :fields ("c_acctbal")
    :location 508
  }
:rexpr
  {SUBLINK
    :subLinkType 4
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
      {SELECTSTMT
        :distinctClause <>
        :intoClause <>
        :targetList (
          {RESTARGET
            :name <>
            :indirection <>
            :val
              {FUNCCALL
                :funcname ("avg")
                :args (
                  {COLUMNREF
                    :fields ("c_acctbal")
                    :location 605
                  }
                )
                :agg_order <>
                :agg_filter <>
                :over <>
                :agg_within_group false
                :agg_star false
                :agg_distinct false
                :func_variadic false
                :funcformat 0
                :location 601
              }
            :location 601
          )
        )
      }
    :fromClause (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname customer
        :inh true
        :relpersistence p
      }
    )
  }
}

```



```

        :alias <>
        :location 693
    }
)
:whereClause
{BOOLEXPR
:boolop and
:args (
    {A_EXPR
    :name (">")
    :lexpr
    {COLUMNREF
    :fields ("c_acctbal")
    :location 780
    }
    }
    :rexpr
    {A_CONST
    :val 0.00
    :location 792
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 790
    }
    {A_EXPR IN
    :name ("=")
    :lexpr
    {FUNCCALL
    :funcname ("pg_catalog" "substring")
    :args (
        {COLUMNREF
        :fields ("c_phone")
        :location 851
        }
        {A_CONST
        :val 1
        :location 864
        }
        {A_CONST
        :val 2
        :location 870
        }
    )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 3
    :location 841
    }
    :rexpr (
    {A_CONST
    :val "\13"
    :location 925
    }
    {A_CONST
    :val "\31"
    :location 931
    }
    {A_CONST
    :val "\23"
    :location 937
    }
    {A_CONST
    :val "\29"
    :location 943
    }
    {A_CONST
    :val "\30"
    :location 949
    }
    {A_CONST
    :val "\18"
    :location 955
    }
    {A_CONST
    :val "\17"
    :location 961
    }
    )
    :rexpr_list_start 924
    :rexpr_list_end 965
    :location 873
    }
    )
    :location 837
    }
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 520
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 518
}
{BOOLEXPR
:boolop not
:args (

```

```

{SUBLINK
:sublinkType 0
:sublinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields (
{A_STAR
}
)
:location 1113
}
:location 1113
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 1192
}
)
:whereClause
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("o_custkey")
:location 1277
}
:rexpr
{COLUMNREF
:fields ("c_custkey")
:location 1289
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 1287
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 1025
}
)
:location 1021
}
)
:location 504
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:alias
{ALIAS
:aliasname custsale
:colnames <>
}
}
)
:whereClause <>
:groupClause (
{COLUMNREF
:fields ("entrycode")
:location 1364
}
)
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("entrycode")
}
}
)

```

```

        :location 1391
    }
    :sortby_dir 0
    :sortby_nulls 0
    :useOp <>
    :location -1
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFLEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFLEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFLEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 1400
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname custsale
:colnames <>
}
:eref
{ALIAS
:aliasname custsale
:colnames ("c_ncpycode" "c_acctbal")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
"c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546

```

```

:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:varstype 25
:varstypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 380
}
{CONST
:consttype 23
:conststypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 393
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:conststypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 399
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
)
:location 370
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 438
:constvalue 6 [ 24 0 0 0 49 51 ]
}
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 444
:constvalue 6 [ 24 0 0 0 51 49 ]
}
{CONST
:consttype 25
:conststypmod -1
:constcollid 100
:constlen -1
}
)
}

```

```

:constbyval false
:constisnull false
:location 450
:constvalue 6 [ 24 0 0 0 50 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 456
:constvalue 6 [ 24 0 0 0 50 57 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 462
:constvalue 6 [ 24 0 0 0 51 48 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 468
:constvalue 6 [ 24 0 0 0 49 56 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 474
:constvalue 6 [ 24 0 0 0 49 55 ]
}
)
:multidims false
:list_start 437
:list_end 478
:location -1
}
)
:location 402
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 508
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address"
" "c_nationkey" "c_phone" "c_acctbal" "c_m
ktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 674
:opfncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 780
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 792
:constvalue 6 [ 24 0 0 0 0 -127 ]
}
)
:location -1
}
)
:location 790
}
{SCALARARRAYOPEXP
:opno 98
:opfncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 851
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 864
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST

```

```

        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 870
        :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
    }
)
:location 841
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 925
        :constvalue 6 [ 24 0 0 0 49 51 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 931
        :constvalue 6 [ 24 0 0 0 51 49 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 937
        :constvalue 6 [ 24 0 0 0 50 51 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 943
        :constvalue 6 [ 24 0 0 0 50 57 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 949
        :constvalue 6 [ 24 0 0 0 51 48 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 955
        :constvalue 6 [ 24 0 0 0 49 56 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 961
        :constvalue 6 [ 24 0 0 0 49 55 ]
    }
)
:multidims false
:list_start 924
:list_end 965
:location -1
}
)
:location 873
}
)
:location 837
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {AGGREF
            :aggfnoid 2105
            :aggtype 701
            :aggcollid 0
            :inputcollid 0
            :aggtranstype 0
            :aggargtypes (0 701)
            :aggdirectargs <>
            :args (

```

```

        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 605
        }
        :resno 1
        :resname <>
        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
        }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggsplit 0
    :aggno -1
    :aggtransno -1
    :location 601
    }
    :resno 1
    :resname avg
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :location 520
    }
    )
    :location 518
    }
    {BOOLEXP
    :boolop not
    :args (
    {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname orders
    :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
    }
    :rtekind 0
    :relid 16561
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1

```



```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1277
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 1289
}
)
:location 1287
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 1113
}
:resno 1
:resname o_orderkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1113
}
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 1113
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 1113
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 1113
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 1113
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 1113
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location 1113
    }
    :resno 8
    :resname o_shippriority
    :ressortgrouppref 0
    :resorigtbl 16561
    :resorigcol 8
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 1113
}
}
:resno 9
:resname o_comment
:ressortgrouppref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 1025
}
)
:location 1021
}
)
:location 504
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 200
}
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 213
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 219
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
}
)

```

```

        )
        :location 190
    }
    :resno 1
    :resname centrycode
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 260
}
:resno 2
:resname c_acctbal
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("entrycode")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 51
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location -1
    }
:resno 1
:resname cntrycode
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {AGGREF
        :aggfnoid 2803
        :aggtype 20
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes <>
        :aggdirectargs <>
        :args <>
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar true
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 70
    }
:resno 2
:resname numcust
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {AGGREF
        :aggfnoid 2111
        :aggtype 701
        :aggcollid 0
        :inputcollid 0
        :aggtranstype 0
        :aggargtypes (o 701)
        :aggdirectargs <>
        :args (
            {TARGETENTRY
                :expr
                    {VAR
                        :varno 1
                        :varattno 2
                        :vartype 701
                        :vartypmod -1
                        :varcollid 0
                        :varnullingrels (b)
                        :varlevelsup 0
                        :varreturningtype 0
                        :varnosyn 1
                        :varattnosyn 2
                        :location 103
                    }
                :resno 1
                :resname <>
                :ressortgroupref 0
                :resorigtbl 0
                :resorigcol 0
                :resjunk false
            }
        )
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar false
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 99
    }
:resno 3
:resname totacctbal
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
    {SORTGROUPCLAUSE
        :tleSortGroupRef 1
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
)

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
  {DEFELEM
   :defnamespace <>
   :defname analyze
   :arg <>
   :defaction 0
   :location 9
  }
  {DEFELEM
   :defnamespace <>
   :defname verbose
   :arg <>
   :defaction 0
   :location 18
  }
  {DEFELEM
   :defnamespace <>
   :defname buffers
   :arg <>
   :defaction 0
   :location 27
  }
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1400
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
   :alias
   {ALIAS

```

```

:aliasname custsale
:colnames <>
}
:eref
{ALIAS
:aliasname custsale
:colnames ("centrycode" "c_acctbal")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rtepermissions (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SCALARARRAYOPEXP
:opno 98
:opfncid 67
:hashfncid 0
:negfncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:varitype 25
:varitypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 380
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 393
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
}
)
}
}
}

```

```

        :constlen 4
        :constbyval true
        :constisnull false
        :location 399
        :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
    }
}
:location 370
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 438
        :constvalue 6 [ 24 0 0 0 0 49 51 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 444
        :constvalue 6 [ 24 0 0 0 0 51 49 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 450
        :constvalue 6 [ 24 0 0 0 0 50 51 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 456
        :constvalue 6 [ 24 0 0 0 0 50 57 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 462
        :constvalue 6 [ 24 0 0 0 0 51 48 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 468
        :constvalue 6 [ 24 0 0 0 0 49 56 ]
    }
    {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 474
        :constvalue 6 [ 24 0 0 0 0 49 55 ]
    }
)
:multidims false
:list_start 437
:list_end 478
:location -1
}
}
:location 402
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 508
    }
)
{SUBLINK

```



```

:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:varstype 701
:varstypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 780
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:conststypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 792
:constvalue 6 [ 24 0 0 0 0 -127 ]
}
)
:location -1
}
)
:location 790
}
{SCALARARRAYOPEXP
:opno 98

```

```

:opfuncid 67
:hashfuncid 0
:negfuncid 0
:use0r true
:inputcollid 100
:args (
  {FUNCEXP
    :funcid 936
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 100
    :inputcollid 100
    :args (
      {VAR
        :varno 1
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 851
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 864
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 870
        :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
      }
    )
    :location 841
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 925
        :constvalue 6 [ 24 0 0 0 49 51 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 931
        :constvalue 6 [ 24 0 0 0 51 49 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 937
        :constvalue 6 [ 24 0 0 0 50 51 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 943
        :constvalue 6 [ 24 0 0 0 50 57 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 949
        :constvalue 6 [ 24 0 0 0 51 48 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 955
        :constvalue 6 [ 24 0 0 0 49 56 ]
      }
    )
  }
)

```

```

        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 961
        :constvalue 6 [ 24 0 0 0 49 55 ]
        }
    )
    :multidims false
    :list_start 924
    :list_end 965
    :location -1
}
)
:location 873
}
)
:location 837
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 605
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 601
}
:resno 1
:resname avg
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 520
}
)
:location 518
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 0

```

```

:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname orders
:colnames ("o_orderkey" "o_custkey" "o_orderstat
us" "o_totalprice" "o_orderdate" "o_orderpriorit
y" "o_clerk" "o_shippriority" "o_comment")
}
:rtekind 0
:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1277
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 1289
}
)
:location 1287
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 1113
    }
}
:resno 1
:resname o_orderkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1113
}
}
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 1113
}
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 1113
}
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 1113
}
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 1113
}
}

```

```

:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 1113
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 1113
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 1113
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 1025
}
)
:location 1021
}
)
:location 504
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcresultset false

```

```

:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 200
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 213
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 219
    :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
  }
)
:location 190
}
:resno 1
:resname centrycode
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 260
  }
}
:resno 2
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
  {ALIAS
    :aliasname *GROUP*
    :colnames ("entrycode")
  }
}
:rtekind 9
:groupexprs (
  {VAR
    :varno 1
    :varattno 1

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 51
    }
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 2
      :varattnosyn 1
      :location -1
    }
  }
  :resno 1
  :resname ctrycode
  :ressortgroupref 1
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2803
      :aggtype 20
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes <>
      :aggdirectargs <>
      :args <>
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar true
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggssplit 0
      :aggno -1
      :aggtransno -1
      :location 70
    }
  }
  :resno 2
  :resname numcust
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
  {TARGETENTRY
    :expr
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
          {VAR
            :varno 1
            :varattno 2
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 103
          }
        }
      :resno 1
      :resname <>
      :ressortgroupref 0
      :resorigtbl 0
      :resorigcol 0
      :resjunk false
    )
  }
}

```



```

    }
  )
  :aggorder <>
  :aggdistinct <>
  :aggfilter <>
  :aggstar false
  :aggvariadic false
  :aggkind n
  :aggpresorted false
  :agglevelsup 0
  :aggsplit 0
  :aggno -1
  :aggtransno -1
  :location 99
}
:resno 3
:resname totacctbal
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 98
  :sortop 664
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
  :tleSortGroupRef 1
  :eqop 98
  :sortop 664
  :reverse_sort false
  :nulls_first false
  :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16546
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
{BOOLEXP
:boolop and
:args (
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4

```

```

:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 49 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 51 49 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 50 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 50 57 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 51 48 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 49 56 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 49 55 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXPR
:funcid 1746

```

```

:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 0 -127 ]
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
)

```

WARNING: Table OID=16546
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
  {BOOLEXP
    :boolop and
    :args (
      {SCALARARRAYOPEXP
        :opno 98
        :opfuncid 67
        :hashfuncid 0
        :negfuncid 0
        :useOr true
        :inputcollid 100
        :args (
          {FUNCEXP
            :funcid 936
            :funcresulttype 25
            :funcresultset false
            :funcvariadic false
            :funcformat 3
            :funccollid 100
            :inputcollid 100
            :args (
              {VAR
                :varno 1
                :varattno 5
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 5
                :location -1
              }
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
              }
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
              }
            )
          }
        :location -1
      }
    )
  {ARRAYEXP
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 6 [ 24 0 0 0 49 51 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 6 [ 24 0 0 0 51 49 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
      }
    )
  }
)

```

```

:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 50 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 50 57 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 51 48 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 49 56 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 49 55 ]
}
}
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 0 -127 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
}
)

```

```

:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname custsale
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname custsale
      :colnames ("centrycode" "c_acctbal")
    }
  }
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname customer
      :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
    }
  }
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
  {BOOLEXP
    :boolop and
    :args (
      {SCALARARRAYOPEXP
        :opno 98
        :opfuncid 67
        :hashfuncid 0
        :negfuncid 0
        :useOr true
        :inputcollid 100
        :args (
          {FUNCEXP
            :funcid 936
            :funcresulttype 25
            :funcresultset false
            :funcvariadic false
            :funcformat 3
            :funccollid 100
            :inputcollid 100
            :args (
              {VAR
                :varno 1
                :varattno 5
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 5
                :location -1
              }
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
              }
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
              }
            )
          }
        )
      }
    )
  )

```

```

    }
  )
  :location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 6 [ 24 0 0 0 49 51 ]
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 6 [ 24 0 0 0 51 49 ]
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 6 [ 24 0 0 0 50 51 ]
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 6 [ 24 0 0 0 50 57 ]
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 6 [ 24 0 0 0 51 48 ]
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 6 [ 24 0 0 0 49 56 ]
  }
  {CONST
  :consttype 25
  :consttypmod -1
  :constcollid 100
  :constlen -1
  :constbyval false
  :constisnull false
  :location -1
  :constvalue 6 [ 24 0 0 0 49 55 ]
  }
  )
  :multidims false
  :list_start -1
  :list_end -1
  :location -1
}
)
:location -1
}
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 6
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 6
  :location -1
  }
  {FUNCEXP
  :funcid 1746
  :funcresulttype 701
  :funcset false
  :funcvariadic false
  :funcformat 2

```

```

        :funccllid 0
        :inputcllid 0
        :args (
            {CONST
                :consttype 1700
                :consttypmod -1
                :constcllid 0
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 6 [ 24 0 0 0 0 -127 ]
            }
        )
        :location -1
    }
)
:location -1
}
)
:location -1
}
)
}
)
)
:rtperminfos (
    {RTEPERMISSIONINFO
        :relid 16546
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 12 13)
        :insertedCols (b)
        :updatedCols (b)
    }
)
)
:jointree
    {FROMEXPR
        :fromlist (
            {RANGETBLREF
                :rtindex 1
            }
        )
    }
    :quals
        {BOOLEXP
            :boolop and
            :args (
                {SCALARARRAYOEXPR
                    :opno 98
                    :opfuncid 67
                    :hashfuncid 0
                    :negfuncid 0
                    :useOr true
                    :inputcllid 100
                    :args (
                        {FUNCEXP
                            :funcid 936
                            :funcresulttype 25
                            :funcresultset false
                            :funcvariadic false
                            :funcformat 3
                            :funccllid 100
                            :inputcllid 100
                            :args (
                                {VAR
                                    :varno 1
                                    :varattno 5
                                    :vartype 25
                                    :vartypmod -1
                                    :varcllid 100
                                    :varnullingrels (b)
                                    :varlevelsup 0
                                    :varreturningtype 0
                                    :varnosyn 1
                                    :varattnosyn 5
                                    :location 380
                                }
                                {CONST
                                    :consttype 23
                                    :consttypmod -1
                                    :constcllid 0
                                    :constlen 4
                                    :constbyval true
                                    :constisnull false
                                    :location 393
                                    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                                }
                                {CONST
                                    :consttype 23
                                    :consttypmod -1
                                    :constcllid 0
                                    :constlen 4
                                    :constbyval true
                                    :constisnull false
                                    :location 399
                                    :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
                                }
                            )
                        }
                    )
                }
            )
        }
        :location 370
    }
    {ARRAYEXPR
        :array_typeid 1009
        :array_cllid 100
        :element_typeid 25
        :elements (
            {CONST
                :consttype 25
                :consttypmod -1
                :constcllid 100
                :constlen -1
                :constbyval false
                :constisnull false
                :location 438
                :constvalue 6 [ 24 0 0 0 49 51 ]
            }
        )
    }
}

```

```

        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 444
        :constvalue 6 [ 24 0 0 0 51 49 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 450
        :constvalue 6 [ 24 0 0 0 50 51 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 456
        :constvalue 6 [ 24 0 0 0 50 57 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 462
        :constvalue 6 [ 24 0 0 0 51 48 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 468
        :constvalue 6 [ 24 0 0 0 49 56 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 474
        :constvalue 6 [ 24 0 0 0 49 55 ]
        }
    )
    :multidims false
    :list_start 437
    :list_end 478
    :location -1
}
)
:location 402
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 508
    }
    {SUBLINK
    :subLinkType 4
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity true
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (

```



```

{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{BOOLEXP
:boolop and
:args (
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
}
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 49 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 51 49 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 50 51 ]
}
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
}

```

```

        :constbyval false
        :constisnull false
        :location -1
        :constvalue 6 [ 24 0 0 0 50 57 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 51 48 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 49 56 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 49 55 ]
    }
    )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
    }
    )
    :location -1
    }
    {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    {FUNCEXPR
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 0 -127 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 12 13)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    )
    :quals

```

```

{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 780
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 792
:constvalue 6 [ 24 0 0 0 0 -127 ]
}
)
:location -1
}
)
:location 790
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 851
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 864
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 870
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
)
:location 841
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 925
}
)
}

```

```

        :constvalue 6 [ 24 0 0 0 49 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 931
    :constvalue 6 [ 24 0 0 0 51 49 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 937
    :constvalue 6 [ 24 0 0 0 50 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 943
    :constvalue 6 [ 24 0 0 0 50 57 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 949
    :constvalue 6 [ 24 0 0 0 51 48 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 955
    :constvalue 6 [ 24 0 0 0 49 56 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 961
    :constvalue 6 [ 24 0 0 0 49 55 ]
    }
    }
    :multidims false
    :list_start 924
    :list_end 965
    :location -1
    }
    }
    :location 873
    }
    )
    :location 837
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2105
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 605
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :aggorder <>
    :aggdistinct <>

```

```

        :aggfilter <>
        :aggstar false
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 601
    }
    :resno 1
    :resname avg
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 520
}
)
:location 518
}
{BOOLEXP
:boolop not
:args (
    {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
            {QUERY
                :commandType 1
                :querySource 0
                :canSetTag true
                :utilityStmt <>
                :resultRelation 0
                :hasAggs false
                :hasWindowFuncs false
                :hasTargetSRFs false
                :hasSubLinks false
                :hasDistinctOn false
                :hasRecursive false
                :hasModifyingCTE false
                :hasForUpdate false
                :hasRowSecurity false
                :hasGroupRTE false
                :isReturn false
                :cteList <>
                :rtable (
                    {RANGETBLENTRY
                        :alias <>
                        :eref
                            {ALIAS
                                :aliasname orders
                                :colnames ("o_orderkey" "o_custkey" "o_orderstat
us" "o_totalprice" "o_orderdate" "o_orderpriorit
y" "o_clerk" "o_shippriority" "o_comment")
                            }
                        :rtekind 0
                        :relid 16561
                        :inh true
                        :relkind r
                        :rellockmode 1
                        :perminfoindex 1
                        :tablesample <>
                        :lateral false
                        :inFromCl true
                        :securityQuals <>
                    }
                )
            }
        :rteperminfos (
            {RTEPERMISSIONINFO
                :relid 16561
                :inh true
                :requiredPerms 2
                :checkAsUser 0
                :selectedCols (b 8 9 10 11 12 13 14 15 16)
                :insertedCols (b)
                :updatedCols (b)
            }
        )
    )
    :jointree
        {FROMEXPR
            :fromlist (
                {RANGETBLREF
                    :rtindex 1
                }
            )
        }
    :quals
        {OEXPR

```

```

:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 1277
  }
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 1289
  }
)
:location 1287
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 1113
    }
    :resno 1
    :resname o_orderkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 1113
    }
    :resno 2
    :resname o_custkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 3
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location 1113
    }
    :resno 3
    :resname o_orderstatus
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 4
      :vartype 701
      :vartypmod -1
      :varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 1113
    }
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
    :varno 1
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 1113
}
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
    :varno 1
    :varattno 6
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 1113
}
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 1113
}
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
    :varno 1
    :varattno 8
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location 1113
}
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
    :varno 1
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 9

```

```

        :location 1113
    }
    :resno 9
    :resname o_comment
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 9
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 1025
}
)
:location 1021
}
)
:location 504
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 200
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 213
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 219
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
}
:location 190
}
:resno 1
:resname cntrycode
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 260
}
}
:resno 2

```



```

        :resname c_acctbal
        :resortgroupref 0
        :resorigtbl 16546
        :resorigcol 6
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("centrycode")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 51
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname centrycode
:resortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
}
}
}

```

```

:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 70
}
:resno 2
:resname numcust
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 103
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 99
}
:resno 3
:resname totacctbal
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname custsale
:colnames <>
}
:eref
{ALIAS
:aliasname custsale
:colnames ("centrycode" "c_acctbal")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{BOOLEXP
:boolop and
:args (
{SCALARARRAYOPEXP
:opno 98
:opfncid 67
:hashfncid 0
:negfncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:fncid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
```

```

:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 49 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 51 49 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 50 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 50 57 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 51 48 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 49 56 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 49 55 ]
}
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6

```

```

        :location -1
    }
    {FUNCEXP
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {CONST
        :consttype 1700
        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 6 [ 24 0 0 0 0 -127 ]
        }
    )
    :location -1
}
)
:location -1
}
)
:location -1
}
)
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:varatype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 380
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 393
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 399
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
)
:location 370
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25

```

```

:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 438
:constvalue 6 [ 24 0 0 0 49 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 444
:constvalue 6 [ 24 0 0 0 51 49 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 450
:constvalue 6 [ 24 0 0 0 50 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 456
:constvalue 6 [ 24 0 0 0 50 57 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 462
:constvalue 6 [ 24 0 0 0 51 48 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 468
:constvalue 6 [ 24 0 0 0 49 56 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 474
:constvalue 6 [ 24 0 0 0 49 55 ]
}
)
:multidims false
:list_start 437
:list_end 478
:location -1
}
)
:location 402
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 508
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false

```

```

:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname customer
        :colnames ("c_custkey" "c_name" "c_address" "c_n
          ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
            c_comment")
        }
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals (
      {BOOLEXP
        :boolop and
        :args (
          {SCALARARRAYOPEXP
            :opno 98
            :opfuncid 67
            :hashfuncid 0
            :negfuncid 0
            :useOr true
            :inputcollid 100
            :args (
              {FUNCEXP
                :funcid 936
                :funcresulttype 25
                :funcretset false
                :funcvariadic false
                :funcformat 3
                :funccollid 100
                :inputcollid 100
                :args (
                  {VAR
                    :varno 1
                    :varattno 5
                    :vartype 25
                    :vartypmod -1
                    :varcollid 100
                    :varnullingrels (b)
                    :varlevelsup 0
                    :varreturningtype 0
                    :varnosyn 1
                    :varattnosyn 5
                    :location -1
                  }
                  {CONST
                    :consttype 23
                    :consttypmod -1
                    :constcollid 0
                    :constlen 4
                    :constbyval true
                    :constisnull false
                    :location -1
                    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
                  }
                  {CONST
                    :consttype 23
                    :consttypmod -1
                    :constcollid 0
                    :constlen 4
                    :constbyval true
                    :constisnull false
                    :location -1
                    :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
                  }
                )
              }
            :location -1
          }
        )
      {ARRAYEXP
        :array_typeid 1009
        :array_collid 100
        :element_typeid 25
        :elements (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 6 [ 24 0 0 0 49 51 ]
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 6 [ 24 0 0 0 51 49 ]
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false

```

```

        :location -1
        :constvalue 6 [ 24 0 0 0 50 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 50 57 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 51 48 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 49 56 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 49 55 ]
    }
    )
    :multidims false
    :list_start -1
    :list_end -1
    :location -1
    }
    )
    :location -1
    }
    {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
        }
        {FUNCEXPR
        :funcid 1746
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
            :consttype 1700
            :consttypmod -1
            :constcollid 0
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 6 [ 24 0 0 0 0 -127 ]
            }
        )
        :location -1
    }
    )
    :location -1
    }
    :location -1
    }
    )
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 12 13)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    )

```



```

:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 780
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 792
:constvalue 6 [ 24 0 0 0 0 -127 ]
}
)
:location -1
}
)
:location 790
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 851
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 864
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 870
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
)
:location 841
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (

```

```

        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 925
        :constvalue 6 [ 24 0 0 0 49 51 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 931
        :constvalue 6 [ 24 0 0 0 51 49 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 937
        :constvalue 6 [ 24 0 0 0 50 51 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 943
        :constvalue 6 [ 24 0 0 0 50 57 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 949
        :constvalue 6 [ 24 0 0 0 51 48 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 955
        :constvalue 6 [ 24 0 0 0 49 56 ]
        }
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 961
        :constvalue 6 [ 24 0 0 0 49 55 ]
        }
    )
    :multidims false
    :list_start 924
    :list_end 965
    :location -1
}
)
:location 873
}
)
:location 837
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2105
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 605
        }
        :resno 1
        :resname <>
    )
    )
    )

```

```

        :ressortgrouppref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 601
}
:resno 1
:resname avg
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 520
}
)
:location 518
}
{BOOLEXP
:boolop not
:args (
    {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
            {QUERY
                :commandType 1
                :querySource 0
                :canSetTag true
                :utilityStmt <>
                :resultRelation 0
                :hasAggs false
                :hasWindowFuncs false
                :hasTargetSRFs false
                :hasSublinks false
                :hasDistinctOn false
                :hasRecursive false
                :hasModifyingCTE false
                :hasForUpdate false
                :hasRowSecurity false
                :hasGroupRTE false
                :isReturn false
                :cteList <>
                :rtable (
                    {RANGETBLENTRY
                        :alias <>
                        :eref
                            {ALIAS
                                :aliasname orders
                                :colnames ("o_orderkey" "o_custkey" "o_orderstat
us" "o_totalprice" "o_orderdate" "o_orderpriorit
y" "o_clerk" "o_shippriority" "o_comment")
                            }
                        :rtekind 0
                        :relid 16561
                        :inh true
                        :relkind r
                        :rellockmode 1
                        :perminfoindex 1
                        :tablesample <>
                        :lateral false
                        :inFromCl true
                        :securityQuals <>
                    }
                )
            }
        :rteperminfos (
            {RTEPERMISSIONINFO
                :relid 16561
                :inh true
                :requiredPerms 2
                :checkAsUser 0
                :selectedCols (b 8 9 10 11 12 13 14 15 16)
                :insertedCols (b)
                :updatedCols (b)
            }
        )
    )
}
:jointree

```

```

{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 1277
      }
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 1289
      }
    )
    :location 1287
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 1113
      }
    :resno 1
    :resname o_orderkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 1113
      }
    :resno 2
    :resname o_custkey
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 1113
      }
    :resno 3
    :resname o_orderstatus
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 3
    :resjunk false
  }
)

```

```

{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 4
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 1113
  }
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 5
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 1113
  }
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 6
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 1113
  }
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location 1113
  }
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 8
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location 1113
  }
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 9

```

```

        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 9
        :location 1113
    }
    :resno 9
    :resname o_comment
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 9
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 1025
}
)
:location 1021
}
)
:location 504
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {FUNCEXPR
    :funcid 936
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 100
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 200
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 213
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 219
    :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
    }
    )
    :location 190
    }
    :resno 1
    :resname centrycode
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 260
    }
    :resno 2
    :resname c_acctbal
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 6
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("centrycode")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 51
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname centrycode
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREG
:aggfnoid 2803

```

```

:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 70
}
:resno 2
:resname numcust
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 103
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 99
}
:resno 3
:resname totacctbal
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tlesortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tlesortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0

```



```

:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {AGG
:plan.disabled_nodes 0
:plan.startup_cost 48635.24654317653
:plan.total_cost 48638.79508830163
:plan.plan_rows 26
:plan.plan_width 48
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname cntrycode
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 70
}
:resno 2
:resname numcust
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 260
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0

```

```

:aggssplit 0
:aggno 1
:aggtransno 1
:location 99
}
:resno 3
:resname totacctbal
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHERMERGE
:plan.disabled_nodes 0
:plan.startup_cost 41619.094043176534
:plan.total_cost 41622.12258830162
:plan.plan_rows 26
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 260
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 40619.07026873902
:plan.total_cost 40619.09776873902
:plan.plan_rows 11
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6016.0625
:join.plan.total_cost 40618.88
:join.plan.plan_rows 11
:join.plan.plan_width 40
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 200
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 213
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 219
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
}
:location 190
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 260
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 32258
:scan.plan.plan_rows 625000
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false

```

```

:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

        :varno 4
        :varattno 6
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 6
        :location -1
    }
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 4
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 7
        :location -1
    }
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 4
        :varattno 8
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 8
        :location -1
    }
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 4
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 9
        :location -1
    }
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 6015.75
:plan.total_cost 6015.75
:plan.plan_rows 25
:plan.plan_width 28
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
    {TARGETENTRY
        :expr
            {VAR
                :varno -2
                :varattno 1
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
            }
        }
    }
}

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
    }
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 6015.75
:scan.plan.plan_rows 25
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 200
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location 260
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
  {VAR
    :varno 3
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location 1289
  }
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
  {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
      }
      {CONST
        :consttype 701
        :consttypmod -1
        :constcollid 0
        :constlen 8
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 8 [ 0 0 0 0 0 0 0 0 ]
      }
    )
    :location -1
  }
  {OPEXPR
    :opno 674
    :opfuncid 297
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location 508
      }
      {PARAM
        :paramkind 1
        :paramid 1
        :paramtype 701
        :paramtypmod -1
        :paramcollid 0
        :location -1
      }
    )
    :location 518
  }
  {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {FUNCEXPR
        :funcid 936
        :funcresulttype 25
        :funcset false
        :funcvariadic false
        :funcformat 3
        :funccollid 100
        :inputcollid 100
        :args (
          {VAR
            :varno 3
            :varattno 5
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
          }
        )
      }
    )
  }

```

```

:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 80 [ 64 1 0 0 1 0 0 0 0 0 0 0 0 25 0 0 0 7 0
0 0 1 0 0 0 24 0 0 0 49 51 0 0 24 0 0 0 51 49 0 0 24
0 0 0 50 51 0 0 24 0 0 0 50 57 0 0 24 0 0 0 51 48 0 0
24 0 0 0 49 56 0 0 24 0 0 0 49 55 0 0 ]
}
)
:location -1
}
{SCALARARRAYOPEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXPR
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 3
:varattno 5
:varatype 25
:varatypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location 380
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 393
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 399
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
}
)
:location 370
}
{CONST
:consttype 1009
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 80 [ 64 1 0 0 1 0 0 0 0 0 0 0 0 25 0 0 0 7 0
0 0 1 0 0 0 24 0 0 0 49 51 0 0 24 0 0 0 51 49 0 0 24
0 0 0 50 51 0 0 24 0 0 0 50 57 0 0 24 0 0 0 51 48 0 0
24 0 0 0 49 56 0 0 24 0 0 0 49 55 0 0 ]
}
)
:location 402
}
)
:scan.plan.lefttree <>

```



```

        :scan.plan.righttree <>
        :scan.plan.initPlan <>
        :scan.plan.extParam (b 1 2)
        :scan.plan.allParam (b 1 2)
        :scan.scanrelid 3
    }
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 1 2)
:plan.allParam (b 1 2)
:hashkeys (
    {VAR
        :varno -2
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location 1289
    }
)
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 60
}
:join.plan.initPlan <>
:join.plan.extParam (b 1 2)
:join.plan.allParam (b 1 2)
:join.jointype 7
:join.inner_unique false
:join.joinqual <>
:hashclauses (
    {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {VAR
                :varno -2
                :varattno 2
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 4
                :varattnosyn 2
                :location 1277
            }
            {VAR
                :varno -1
                :varattno 3
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 3
                :varattnosyn 1
                :location 1289
            }
        )
    }
:location 1287
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 1277
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 1 2)
:plan.allParam (b 1 2)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 1)
:plan.allParam (b 1)
:num_workers 2
:rescan_param 2
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
:initParam (b 1)

```

```

    }
:plan.righttree <>
:plan.initPlan (
  {SUBPLAN
    :subLinkType 4
    :testexpr <>
    :paramIds <>
    :plan_id 1
    :plan_name InitPlan\ 1
    :firstColType 701
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable false
    :unknownEqFalse false
    :parallel_safe false
    :setParam (i 1)
    :parParam <>
    :args <>
    :startup_cost 0
    :per_call_cost 7016.1525
  }
)
:plan.extParam (b)
:plan.allParam (b 1)
:aggstrategy 1
:aggssplit 0
:numCols 1
:grpColIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 26
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUER

Y PLAN

```

-----
---
GroupAggregate (cost=48635.25..48638.80 rows=26 width=48) (actual time=231.495..233.451 rows=7.00 loops=1)
  Output: (SUBSTRING(customer.c_phone FROM 1 FOR 2)), count(*), sum(customer.c_acctbal)
  Group Key: (SUBSTRING(customer.c_phone FROM 1 FOR 2))
  Buffers: shared hit=3686 read=29682
  InitPlan 1
    -> Finalize Aggregate (cost=7016.14..7016.15 rows=1 width=8) (actual time=57.342..57.363 rows=1.00 loops=1)
      Output: avg(customer_1.c_acctbal)
      Buffers: shared read=3672
      -> Gather (cost=7015.93..7016.14 rows=2 width=32) (actual time=57.256..57.357 rows=3.00 loops=1)
        Output: (PARTIAL avg(customer_1.c_acctbal))
        Workers Planned: 2
        Workers Launched: 2
        Buffers: shared read=3672
        -> Partial Aggregate (cost=6015.93..6015.94 rows=1 width=32) (actual time=41.098..41.098 rows=1.00 loops=3)
          Output: PARTIAL avg(customer_1.c_acctbal)
          Buffers: shared read=3672
          Worker 0: actual time=33.063..33.063 rows=1.00 loops=1
            Buffers: shared read=801
          Worker 1: actual time=33.114..33.114 rows=1.00 loops=1
            Buffers: shared read=929
          -> Parallel Seq Scan on public.customer customer_1 (cost=0.00..6015.75 rows=70 width=8) (actual time=0.268..40.205 rows=12706.67 loops=3)
            Output: customer_1.c_custkey, customer_1.c_name, customer_1.c_address, customer_1.c_nationkey, customer_1.c_phone, customer_1.c_acctbal, customer_1.c_mktsegment, customer_1.c_comment
            Filter: ((customer_1.c_acctbal > '0'::double precision) AND (customer_1.c_acctbal > '0'::double precision) AND (SUBSTRING(customer_1.c_phone FROM 1 FOR 2) = ANY ('{13,31,23,29,30,18,17}'::text[])) AND (SUBSTRING(customer_1.c_phone FROM 1 FOR 2) = ANY ('{13,31,23,29,30,18,17}'::text[])))
            Rows Removed by Filter: 37293
            Buffers: shared read=3672
            Worker 0: actual time=0.347..32.428 rows=8383.00 loops=1
              Buffers: shared read=801
            Worker 1: actual time=0.263..32.429 rows=9456.00 loops=1
              Buffers: shared read=929
          -> Gather Merge (cost=41619.09..41622.12 rows=26 width=40) (actual time=231.308..232.696 rows=6384.00 loops=1)
            Output: (SUBSTRING(customer.c_phone FROM 1 FOR 2)), customer.c_acctbal
            Workers Planned: 2
            Workers Launched: 2
            Buffers: shared hit=3686 read=29682
            -> Sort (cost=40619.07..40619.10 rows=11 width=40) (actual time=167.321..167.407 rows=2128.00 loops=3)
              Output: (SUBSTRING(customer.c_phone FROM 1 FOR 2)), customer.c_acctbal
              Sort Key: (SUBSTRING(customer.c_phone FROM 1 FOR 2))
              Sort Method: quicksort Memory: 25kB
              Buffers: shared hit=3686 read=26010
              Worker 0: actual time=164.196..164.197 rows=0.00 loops=1
                Sort Method: quicksort Memory: 25kB
                Buffers: shared hit=1066 read=8683
              Worker 1: actual time=168.438..168.695 rows=6384.00 loops=1
                Sort Method: quicksort Memory: 392kB
                Buffers: shared hit=975 read=8616
              -> Parallel Hash Right Anti Join (cost=6016.06..40618.88 rows=11 width=40) (actual time=165.859..166.396 rows=2128.00 loops=3)
                Output: SUBSTRING(customer.c_phone FROM 1 FOR 2), customer.c_acctbal
                Hash Cond: (orders.o_custkey = customer.c_custkey)
                Buffers: shared hit=3672 read=26008
                Worker 0: actual time=164.111..164.112 rows=0.00 loops=1
                  Buffers: shared hit=1058 read=8683
                Worker 1: actual time=164.154..165.764 rows=6384.00 loops=1
                  Buffers: shared hit=969 read=8614
                -> Parallel Seq Scan on public.orders (cost=0.00..32258.00 rows=625000 width=4) (actual time=0.380..82.726 rows=500000.00 loops=3)
                  Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orders.o_orderpriority, orders.o_clerk, orders.o_shippriority, orders.o_comment
                  Buffers: shared read=26008
                  Worker 0: actual time=0.466..82.289 rows=500850.00 loops=1
                    Buffers: shared read=8683
                  Worker 1: actual time=0.423..83.204 rows=496458.00 loops=1
                    Buffers: shared read=8614
                -> Parallel Hash (cost=6015.75..6015.75 rows=25 width=28) (actual time=18.546..18.548 rows=6333.33 loops=3)
                  Output: customer.c_phone, customer.c_acctbal, customer.c_custkey
                  Buckets: 32768 (originally 1024) Batches: 1 (originally 1) Memory Usage: 1720kB
                  Buffers: shared hit=3672
                  Worker 0: actual time=16.814..16.815 rows=5476.00 loops=1
                    Buffers: shared hit=1058
                  Worker 1: actual time=16.821..16.827 rows=4963.00 loops=1

```

```

        Buffers: shared hit=969
    -> Parallel Seq Scan on public.customer (cost=0.00..6015.75 rows=25 width=28) (actual time=0.010..14.597 rows=6333.33 loops=3)
        Output: customer.c_phone, customer.c_acctbal, customer.c_custkey
        Filter: ((customer.c_acctbal > '0'::double precision) AND (customer.c_acctbal > (InitPlan 1).col1) AND (SUBSTRING(customer.c
_phone FROM 1 FOR 2) = ANY ('{13,31,23,29,30,18,17}'::text[])) AND (SUBSTRING(customer.c_phone FROM 1 FOR 2) = ANY ('{13,31,23,29,30,18,17}'::text[])))
        Rows Removed by Filter: 43667
        Buffers: shared hit=3672
        Worker 0:  actual time=0.013..13.050 rows=5476.00 loops=1
            Buffers: shared hit=1058
        Worker 1:  actual time=0.010..11.937 rows=4963.00 loops=1
            Buffers: shared hit=969

Planning:
  Buffers: shared hit=5 read=3
Planning Time: 3.965 ms
Execution Time: 233.739 ms
(81 rows)

Time: 245.103 ms
tpch=>
tpch=> RESET ROLE;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;

DROP VIEW IF EXISTS customer_secure;

CREATE VIEW customer_secure AS
SELECT c.*
FROM customer c
WHERE substring(c_phone from 1 for 2) IN ('13', '31', '23', '29', '30', '18', '17')
AND c_acctbal > 0.00;

GRANT SELECT ON customer_secure TO alice;
GRANT SELECT ON orders TO alice;
SET ROLE alice;

EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    cntrycode,
    count(*) as numcust,
    sum(c_acctbal) as totacctbal
from
    (
        select
            substring(c_phone from 1 for 2) as cntrycode,
            c_acctbal
        from
            customer_secure c
        where
            substring(c_phone from 1 for 2) in
                ('13', '31', '23', '29', '30', '18', '17')
            and c_acctbal > (
                select
                    avg(c_acctbal)
                from
                    customer_secure
                where
                    c_acctbal > 0.00
                    and substring(c_phone from 1 for 2) in
                        ('13', '31', '23', '29', '30', '18', '17')
            )
        and not exists (
            select
                *
            from
                orders
            where
                o_custkey = c.c_custkey
        )
    ) as custsale
group by
    cntrycode
order by
    cntrycode;
WARNING:  ===== RAW PARSE TREE =====
DETAIL:   {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING:  ===== ANALYZED QUERY =====
DETAIL:   {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>

```

```

:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 3.869 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
}

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 2.073 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{DROPSTMT
:objects (("customer_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 35
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPSTMT
:objects (("customer_secure"))
:removeType 51
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 35
}

```

Time: 5.024 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (

```

```

{RESTARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 47
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR IN
:name ("=")
:lexpr
{FUNCCALL
:funcname ("pg_catalog" "substring")
:args (
{COLUMNREF
:fields ("c_phone")
:location 74
}
{A_CONST
:val 1
:location 87
}
{A_CONST
:val 2
:location 93
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 3
:location 64
}
:rexpr (
{A_CONST
:val "\13"
:location 100
}
{A_CONST
:val "\31"
:location 106
}
{A_CONST
:val "\23"
:location 112
}
{A_CONST
:val "\29"
:location 118
}
{A_CONST
:val "\30"
:location 124
}
{A_CONST
:val "\18"
:location 130
}
{A_CONST
:val "\17"
:location 136
}
)
:rexpr_list_start 99
:rexpr_list_end 140
:location 96
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("c_acctbal")
:location 146
}
:rexpr
{A_CONST
:val 0.00
:location 158
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 156
}
)
:location 142
}

```

```

:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:replace false
:options <>
:withCheckOption 0
}
:stmt_location 0
:stmt_len 162
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VIEWSTMT
:view
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias <>
:location 12
}
:aliases <>
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c"
{A_STAR
}
)
:location 38
}
:location 38
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 47
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR IN
:name ("=")
:lexpr
{FUNCCALL
:funcname ("pg_catalog" "substring")
:args (
{COLUMNREF
:fields ("c_phone")
:location 74
}
{A_CONST
:val 1
:location 87
}
{A_CONST
:val 2
:location 93
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 3
:location 64
}
:rexpr (
{A_CONST
:val "\13"
:location 100
}
{A_CONST

```

```

        :val "\31"
        :location 106
    }
    {A_CONST
    :val "\23"
    :location 112
    }
    {A_CONST
    :val "\29"
    :location 118
    }
    {A_CONST
    :val "\30"
    :location 124
    }
    {A_CONST
    :val "\18"
    :location 130
    }
    {A_CONST
    :val "\17"
    :location 136
    }
    )
    :rexpr_list_start 99
    :rexpr_list_end 140
    :location 96
    }
    {A_EXPR
    :name (">")
    :lexpr
    {COLUMNREF
    :fields ("c_acctbal")
    :location 146
    }
    }
    :rexpr
    {A_CONST
    :val 0.00
    :location 158
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 156
    }
    )
    :location 142
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :replace false
    :options <>
    :withCheckOption 0
    }
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree <>
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList <>
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 162
    }

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true

```



```

:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_phone" "
          c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {SCALARARRAYOPEXP
        :opno 98
        :opfuncid 67
        :hashfuncid 0
        :negfuncid 0
        :useOr true
        :inputcollid 100
        :args (
          {FUNCEXP
            :funcid 936
            :funcresulttype 25
            :funcresultset false
            :funcvariadic false
            :funcformat 3
            :funccollid 100
            :inputcollid 100
            :args (
              {VAR
                :varno 1
                :varattno 5
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 5
                :location 74
              }
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 87
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
              }
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 93
                :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
              }
            )
          }
        )
      }
    )
  }
:location 64
}
{ARRAYEXP

```

```

:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 100
    :constvalue 6 [ 24 0 0 0 49 51 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 106
    :constvalue 6 [ 24 0 0 0 51 49 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 112
    :constvalue 6 [ 24 0 0 0 50 51 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 118
    :constvalue 6 [ 24 0 0 0 50 57 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 124
    :constvalue 6 [ 24 0 0 0 51 48 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 130
    :constvalue 6 [ 24 0 0 0 49 56 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 136
    :constvalue 6 [ 24 0 0 0 49 55 ]
  }
)
:multidims false
:list_start 99
:list_end 140
:location -1
}
)
:location 96
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 146
  }
  {FUNCEXPR
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1700

```

```

        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location 158
        :constvalue 6 [ 24 0 0 0 0 -127 ]
    }
    )
    :location -1
    }
    )
    :location 156
    }
    )
    :location 142
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 38
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 1
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 38
    }
    :resno 2
    :resname c_name
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 38
    }
    :resno 3
    :resname c_address
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 3
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 38
    }
    :resno 4
    :resname c_nationkey
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 4
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 5

```

```

:varstype 25
:varystpm -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 38
}
:resno 5
:resname c_phone
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:varstype 701
:varystpm -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 38
}
:resno 6
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:varstype 25
:varystpm -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 38
}
:resno 7
:resname c_mktsegment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:varstype 25
:varystpm -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 38
}
:resno 8
:resname c_comment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 162
}

```

Time: 6.325 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41

```

```

:objects (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname customer_secure
   :inh true
   :relpersistence p
   :alias <>
   :location 16
  }
)
:privileges (
  {ACCESSPRIV
   :priv_name select
   :cols <>
  }
)
:grantees (
  {ROLESPEC
   :roletype 0
   :rolename alice
   :location 35
  }
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 40
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
   :is_grant true
   :targetype 0
   :objtype 41
   :objects (
     {RANGEVAR
      :catalogname <>
      :schemaname <>
      :relname customer_secure
      :inh true
      :relpersistence p
      :alias <>
      :location 16
    }
  )
  :privileges (
    {ACCESSPRIV
     :priv_name select
     :cols <>
    }
  )
  :grantees (
    {ROLESPEC
     :roletype 0
     :rolename alice
     :location 35
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 40
}

```

Time: 1.169 ms
WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname orders
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
}

```

```

:stmt_location 0
:stmt_len 31
}

Time: 0.390 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:stmt_location 0
:stmt_len 14
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 0
:name role
:args (
{A_CONST
:val "alice"
:location 9
}
)
:jumble_args false
:is_local false
:location 9
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

```

Time: 0.293 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("centrycode")
:location 51
}
:location 51
}
{RESTARTGET
:name numcust
:indirection <>
:val
{FUNCCALL
:funcname ("count")
:args <>
:agg_order <>
}
}
}
}

```

```

        :agg_filter <>
        :over <>
        :agg_within_group false
        :agg_star true
        :agg_distinct false
        :func_variadic false
        :funcformat 0
        :location 70
    }
    :location 70
}
{RESTARTGET
:name totacctbal
:indirection <>
:val
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("c_acctbal")
:location 103
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 99
}
:location 99
}
)
:fromClause (
{RANGESUBSELECT
:lateral false
:subquery
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name cnycode
:indirection <>
:val
{FUNCCALL
:funcname ("pg_catalog" "substring")
:args (
{COLUMNREF
:fields ("c_phone")
:location 200
}
{A_CONST
:val 1
:location 213
}
{A_CONST
:val 2
:location 219
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 3
:location 190
}
:location 190
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("c_acctbal")
:location 260
}
:location 260
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname customer_secure
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname c
:colnames <>
}
:location 315
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR IN
:name ("=")
:lexpr
{FUNCCALL
:funcname ("pg_catalog" "substring")
:args (
{COLUMNREF
:fields ("c_phone")
:location 389
}

```



```

    }
    {A_CONST
     :val 1
     :location 402
    }
    {A_CONST
     :val 2
     :location 408
    }
  )
  :agg_order <>
  :agg_filter <>
  :over <>
  :agg_within_group false
  :agg_star false
  :agg_distinct false
  :func_variadic false
  :funcformat 3
  :location 379
}
:rexpr (
  {A_CONST
   :val "\13"
   :location 447
  }
  {A_CONST
   :val "\31"
   :location 453
  }
  {A_CONST
   :val "\23"
   :location 459
  }
  {A_CONST
   :val "\29"
   :location 465
  }
  {A_CONST
   :val "\30"
   :location 471
  }
  {A_CONST
   :val "\18"
   :location 477
  }
  {A_CONST
   :val "\17"
   :location 483
  }
)
:rexpr_list_start 446
:rexpr_list_end 487
:location 411
}
{A_EXPR
 :name (">")
:lexpr
 {COLUMNREF
  :fields ("c_acctbal")
  :location 517
 }
}
:rexpr
 {SUBLINK
  :subLinkType 4
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
   {SELECTSTMT
    :distinctClause <>
    :intoClause <>
    :targetList (
      {REXTARGET
       :name <>
       :indirection <>
       :val
        {FUNCCALL
         :funcname ("avg")
         :args (
          {COLUMNREF
           :fields ("c_acctbal")
           :location 614
          }
        )
       :agg_order <>
       :agg_filter <>
       :over <>
       :agg_within_group false
       :agg_star false
       :agg_distinct false
       :func_variadic false
       :funcformat 0
       :location 610
      }
    )
    :location 610
  }
}
)
:fromClause (
  {RANGEVAR
   :catalogname <>
   :schemaname <>
   :relname customer_secure
   :inh true
   :relpersistence p
   :alias <>
   :location 702
  }
)
:whereClause
 {BOOLEXP
  :boolop and
  :args (
    {A_EXPR
     :name (">")
     :lexpr

```

```

        {COLUMNREF
        :fields ("c_acctbal")
        :location 796
        }
    :rexpr
    {A_CONST
    :val 0.00
    :location 808
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 806
    }
    {A_EXPR IN
    :name ("=")
    :lexpr
    {FUNCCALL
    :funcname ("pg_catalog" "substring")
    :args (
    {COLUMNREF
    :fields ("c_phone")
    :location 867
    }
    {A_CONST
    :val 1
    :location 880
    }
    {A_CONST
    :val 2
    :location 886
    }
    )
    :agg_order <>
    :agg_filter <>
    :over <>
    :agg_within_group false
    :agg_star false
    :agg_distinct false
    :func_variadic false
    :funcformat 3
    :location 857
    }
    :rexpr (
    {A_CONST
    :val "\13"
    :location 941
    }
    {A_CONST
    :val "\31"
    :location 947
    }
    {A_CONST
    :val "\23"
    :location 953
    }
    {A_CONST
    :val "\29"
    :location 959
    }
    {A_CONST
    :val "\30"
    :location 965
    }
    {A_CONST
    :val "\18"
    :location 971
    }
    {A_CONST
    :val "\17"
    :location 977
    }
    )
    :rexpr_list_start 940
    :rexpr_list_end 981
    :location 889
    }
    :location 853
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 529
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 527
    }
    {BOOLEXP
    :boolop not
    :args (
    {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {SELECTSTMT
    :distinctClause <>
    :intoClause <>
    :targetList (
    {RESTART

```

```

        :name <>
        :indirection <>
        :val
        {COLUMNREF
        :fields (
        {A_STAR
        }
        )
        :location 1129
        }
        :location 1129
    }
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 1208
}
)
:whereClause
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("o_custkey")
:location 1293
}
:rexpr
{COLUMNREF
:fields ("c" "c_custkey")
:location 1305
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 1303
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 1041
}
)
:location 1037
}
)
:location 513
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:alias
{ALIAS
:aliasname custsale
:colnames <>
}
}
)
:whereClause <>
:groupClause (
{COLUMNREF
:fields ("ctrycode")
:location 1382
}
)
)
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
{SORTBY
:node
{COLUMNREF
:fields ("ctrycode")
:location 1409
}
:sortby_dir 0
:sortby_nulls 0
:useOp <>
:location -1
}
)
)
:limitOffset <>
:limitCount <>
:limitOption 0

```

```

:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:stmt_location 0
:stmt_len 1418
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname custsale
:colnames <>
}
:eref
{ALIAS
:aliasname custsale
:colnames ("entrycode" "c_acctbal")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
"c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16749
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true

```

```

        :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16749
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 389
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 402
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 408
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
)
}
:location 379
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 447
:constvalue 6 [ 24 0 0 0 49 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 453
:constvalue 6 [ 24 0 0 0 51 49 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 459
:constvalue 6 [ 24 0 0 0 50 51 ]
}
{CONST
:consttype 25

```

```

:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 465
:constvalue 6 [ 24 0 0 0 50 57 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 471
:constvalue 6 [ 24 0 0 0 51 48 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 477
:constvalue 6 [ 24 0 0 0 49 56 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 483
:constvalue 6 [ 24 0 0 0 49 55 ]
}
)
:multidims false
:list_start 446
:list_end 487
:location -1
}
)
:location 411
}
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 517
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname customer_secure
:colnames ("c_custkey" "c_name" "c_address"
" "c_nationkey" "c_phone" "c_acctbal" "c_m
ktsegment" "c_comment")
}
:rtekind 0
:relid 16749
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (

```

```

{RTEPERMISSIONINFO
:relid 16749
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
}
:quals
{BOOLEXP
:boolop and
:args (
{OPEXP
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 796
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 800
:constvalue 6 [ 24 0 0 0 0 -127 ]
}
)
:location -1
}
)
:location 806
}
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 867
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 880
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 886
}
}
}

```

```

        :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
    }
)
:location 857
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 941
    :constvalue 6 [ 24 0 0 0 49 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 947
    :constvalue 6 [ 24 0 0 0 51 49 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 953
    :constvalue 6 [ 24 0 0 0 50 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 959
    :constvalue 6 [ 24 0 0 0 50 57 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 965
    :constvalue 6 [ 24 0 0 0 51 48 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 971
    :constvalue 6 [ 24 0 0 0 49 56 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 977
    :constvalue 6 [ 24 0 0 0 49 55 ]
    }
    }
    :multidims false
    :list_start 940
    :list_end 981
    :location -1
    }
)
:location 889
}
)
:location 853
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2105
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1

```



```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 614
    }
    :resno 1
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 610
}
:resno 1
:resname avg
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 529
}
)
:location 527
}
{BOOLEXP
:boolop not
:args (
    {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
            {QUERY
                :commandType 1
                :querySource 0
                :canSetTag true
                :utilityStmt <>
                :resultRelation 0
                :hasAggs false
                :hasWindowFuncs false
                :hasTargetSRFs false
                :hasSubLinks false
                :hasDistinctOn false
                :hasRecursive false
                :hasModifyingCTE false
                :hasForUpdate false
                :hasRowSecurity false
                :hasGroupRTE false
                :isReturn false
                :cteList <>
                :rtable (
                    {RANGETBENTRY
                        :alias <>
                        :eref
                            {ALIAS
                                :aliasname orders
                                :colnames ("o_orderkey" "o_custkey" "o_orderstatus" "o_totalprice" "o_orderdate" "o_orderpriority" "o_clerk" "o_shippriority" "o_comment")
                            }
                        :rtekind 0
                        :relid 16561
                        :inh true
                        :relkind r
                        :rellockmode 1
                        :perminfoindex 1
                        :tablesample <>
                        :lateral false
                        :inFromCl true
                        :securityQuals <>
                    }
                )
            }
        )
    }
:rtoperminfos (

```

```

{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1293
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 1305
}
)
:location 1303
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 1129
}
:resno 1
:resname o_orderkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1129
}
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 1
:varattnosyn 3
:location 1129
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 1129
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 1129
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 1129
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 1129
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 1129
}
:resno 8

```

```

        :resname o_shippriority
        :ressortgroupref 0
        :resorigtbl 16561
        :resorigcol 8
        :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 9
    :location 1129
    }
    :resno 9
    :resname o_comment
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 9
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :location 1041
    }
    )
    :location 1037
    }
    )
    :location 513
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {FUNCEXP
    :funcid 936
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 100
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 200
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 213
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 219
    :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
    }
    )
    :location 190
    }
    )
    :resno 1
    :resname centrycode
    :ressortgroupref 0
    :resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 260
}
:resno 2
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16749
:resorigcol 6
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("cntrycode")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 51
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
)

```

```

:resno 1
:resname cntrycode
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 70
}
:resno 2
:resname numcust
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 103
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 99
}
:resno 3
:resname totacctbal
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE

```

```

        :tleSortGroupRef 1
        :eqop 98
        :sortop 664
        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1418
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname custsale
:colnames <>
}
}
:eref
{ALIAS
:aliasname custsale
:colnames ("centrycode" "c_acctbal")
}
}

```

```

    }
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
          one" "c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16749
    :inh true
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16749
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 12 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {SCALARARRAYOEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
      {FUNCEXP
        :funcid 936
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 3
        :funccollid 100
        :inputcollid 100
        :args (
          {VAR
            :varno 1
            :varattno 5
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location 389
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location 402
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
          }
          {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false

```



```

        :location 408
        :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
    }
)
:location 379
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 447
    :constvalue 6 [ 24 0 0 0 49 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 453
    :constvalue 6 [ 24 0 0 0 51 49 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 459
    :constvalue 6 [ 24 0 0 0 50 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 465
    :constvalue 6 [ 24 0 0 0 50 57 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 471
    :constvalue 6 [ 24 0 0 0 51 48 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 477
    :constvalue 6 [ 24 0 0 0 49 56 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 483
    :constvalue 6 [ 24 0 0 0 49 55 ]
    }
)
:multidims false
:list_start 446
:list_end 487
:location -1
}
)
:location 411
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 517
    }
)
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>

```

```

:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname customer_secure
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
c_comment")
}
:rtekind 0
:relid 16749
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16749
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 796
}
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 808
:constvalue 6 [ 24 0 0 0 0 -127 ]
}
)
:location -1
}
)
:location 806
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0

```

```

:useOr true
:inputcollid 100
:args (
  {FUNCEXP
    :funcid 936
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 100
    :inputcollid 100
    :args (
      {VAR
        :varno 1
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 867
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 880
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 886
        :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
      }
    )
    :location 857
  }
  {ARRAYEXPR
    :array_typeid 1009
    :array_collid 100
    :element_typeid 25
    :elements (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 941
        :constvalue 6 [ 24 0 0 0 49 51 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 947
        :constvalue 6 [ 24 0 0 0 51 49 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 953
        :constvalue 6 [ 24 0 0 0 50 51 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 959
        :constvalue 6 [ 24 0 0 0 50 57 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 965
        :constvalue 6 [ 24 0 0 0 51 48 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 971
        :constvalue 6 [ 24 0 0 0 49 56 ]
      }
      {CONST
        :consttype 25

```

```

        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location 977
        :constvalue 6 [ 24 0 0 0 49 55 ]
    }
)
:multidims false
:list_start 940
:list_end 981
:location -1
}
)
:location 889
}
)
:location 853
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 614
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 610
}
:resno 1
:resname avg
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 529
}
)
:location 527
}
{BOOLEXP
:boolop not
:args (
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>

```

```

:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname orders
        :colnames ("o_orderkey" "o_custkey" "o_orderstat
          us" "o_totalprice" "o_orderdate" "o_orderpriorit
            y" "o_clerk" "o_shippriority" "o_comment")
        }
      :rtekind 0
      :relid 16561
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromC1 true
      :securityQuals <>
    }
  )
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16561
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11 12 13 14 15 16)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 1293
  }
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 1305
  }
)
:location 1303
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
      }
    }
)

```

```

        :location 1129
    }
:resno 1
:resname o_orderkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1129
}
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 1129
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 1129
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 1129
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 1129
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0

```

```

:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 1129
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location 1129
}
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 9
:location 1129
}
:resno 9
:resname o_comment
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 9
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 1041
}
)
:location 1037
}
)
:location 513
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100

```

```

:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 200
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 213
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
  }
  {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 219
    :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
  }
)
:location 190
}
:resno 1
:resname centrycode
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 260
  }
:resno 2
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16749
:resorigcol 6
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
  {ALIAS
    :aliasname *GROUP*
    :colnames ("centrycode")
  }
:rtekind 9
:groupexprs (
  {VAR
    :varno 1
    :varattno 1
    :vartype 25
    :vartypmod -1
    :varcollid 100

```



```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location 51
    }
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname centrycode
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 70
}
:resno 2
:resname numcust
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 103
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>

```

```

:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 99
}
:resno 3
:resname totacctbal
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
   :alias
   {ALIAS
    :aliasname custsale
    :colnames <>
   }
  :eref
  {ALIAS
   :aliasname custsale
   :colnames ("centrycode" "c_acctbal")
  }
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY

```

```

:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelmt 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
"c_phone" "c_acctbal" "c_mktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false

```

```

        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
    }
)
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 49 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 51 49 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 50 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 50 57 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 51 48 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 49 56 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 49 55 ]
    }
)
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    {FUNCEXP
        :funcid 1746
        :funcresulttype 701
        :funcresultset false
        :funcvariadic false
        :funcformat 2
        :funccollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 1700
                :consttypmod -1
                :constcollid 0
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 6 [ 24 0 0 0 0 -127 ]
            }
        )
        :location -1
    }
}
:location -1
}
}
:location -1
}
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
        }
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 1
    :resjunk false
}
{TARGETENTRY
    :expr
    {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
}
:resno 2
:resname c_name
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
    :expr
    {VAR
        :varno 1
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
    }
}
:resno 3
:resname c_address
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
    :expr
    {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
    }
}

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
:resno 4
:resname c_nationkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname c_phone
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname c_mktsegment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname c_comment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>

```

```

        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :security_barrier false
    :relid 16749
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16749
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{SCALARARRAYOPEXPR
:opno 98
:opfncid 67
:hashfncid 0
:negfncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXPR
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 389
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 402
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 408
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
}
:location 379
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 447
:constvalue 6 [ 24 0 0 0 49 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

:constisnull false
:location 453
:constvalue 6 [ 24 0 0 0 51 49 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 459
:constvalue 6 [ 24 0 0 0 50 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 465
:constvalue 6 [ 24 0 0 0 50 57 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 471
:constvalue 6 [ 24 0 0 0 51 48 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 477
:constvalue 6 [ 24 0 0 0 49 56 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 483
:constvalue 6 [ 24 0 0 0 49 55 ]
}
}
:multidims false
:list_start 446
:list_end 487
:location -1
}
)
:location 411
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 517
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname customer_secure
:colnames ("c_custkey" "c_name" "c_address" "c_n

```



```

        ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
        c_comment")
    }
:rtkind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
    :alias
    {ALIAS
    :aliasname c
    :colnames <>
    }
    :eref
    {ALIAS
    :aliasname c
    :colnames ("c_custkey" "c_name" "c_address
    " "c_nationkey" "c_phone" "c_acctbal" "c_m
    ktsegment" "c_comment")
    }
    :rtkind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15)
    :insertedCols (b)
    :updatedCols (b)
    }
)
:jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF
    :rtindex 1
    }
)
:quals
{BOOLEXP
:boolop and
:args (
    {SCALARARRAYOPEXP
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
        {FUNCEXP
        :funcid 936
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 3
        :funccollid 100
        :inputcollid 100
        :args (
            {VAR
            :varno 1
            :varattno 5
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location -1
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0
            :constlen 4
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
            }
            {CONST
            :consttype 23
            :consttypmod -1
            :constcollid 0

```

```

        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 49 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 51 49 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 50 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 50 57 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 51 48 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 49 56 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 49 55 ]
    }
    )
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
)
}
{FUNCEXPR

```

```

:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
  {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 0 -127 ]
  }
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname c_custkey
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 1
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 2
    :resname c_name
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 3
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location -1
    }
    :resno 3
    :resname c_address
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 3
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 4
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 4
      :location -1
    }
    :resno 4
    :resname c_nationkey

```

```

:ressortgroupref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname c_phone
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname c_mktsegment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname c_comment
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1

```

```

    }
    :security_barrier false
    :relid 16749
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16749
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 12 13)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
  :quals
    {BOOLEXP
      :boolop and
      :args (
        {OPEXP
          :opno 674
          :opfuncid 297
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
        }
        :args (
          {VAR
            :varno 1
            :varattno 6
            :vartype 701
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location 796
          }
          {FUNCEXP
            :funcid 1746
            :funcresulttype 701
            :funcresultset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
            :inputcollid 0
          }
          :args (
            {CONST
              :consttype 1700
              :consttypmod -1
              :constcollid 0
              :constlen -1
              :constbyval false
              :constisnull false
              :location 808
              :constvalue 6 [ 24 0 0 0 0 -127 ]
            }
          )
        )
      )
    }
  :location -1
}
:location 806
}
{SCALARARRAYOPEXP
  :opno 98
  :opfuncid 67
  :hashfuncid 0
  :negfuncid 0
  :useOr true
  :inputcollid 100
  :args (
    {FUNCEXP
      :funcid 936
      :funcresulttype 25
      :funcresultset false
      :funcvariadic false
      :funcformat 3
      :funccollid 100
      :inputcollid 100
    }
    :args (
      {VAR
        :varno 1
        :varattno 5
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 867
      }
      {CONST
        :consttype 23
        :consttypmod -1
        :constcollid 0
        :constlen 4
      }
    )
  )
}

```

```

:constbyval true
:constisnull false
:location 880
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 886
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
)
:location 857
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 941
:constvalue 6 [ 24 0 0 0 49 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 947
:constvalue 6 [ 24 0 0 0 51 49 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 953
:constvalue 6 [ 24 0 0 0 50 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 959
:constvalue 6 [ 24 0 0 0 50 57 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 965
:constvalue 6 [ 24 0 0 0 51 48 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 971
:constvalue 6 [ 24 0 0 0 49 56 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 977
:constvalue 6 [ 24 0 0 0 49 55 ]
}
)
:multidims false
:list_start 940
:list_end 981
:location -1
}
)
:location 889
}
)
:location 853
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2105
:aggtype 701

```

```

:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 6
      :vartype 701
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 6
      :location 614
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 610
}
:resno 1
:resname avg
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 529
}
)
:location 527
}
{BOOLEXP
:boolop not
:args (
  {SUBLINK
    :subLinkType 0
    :subLinkId 0
    :testexpr <>
    :operName <>
    :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
          :alias <>
          :eref
          {ALIAS
            :aliasname orders
            :colnames ("o_orderkey" "o_custkey" "o_orderstat
              us" "o_totalprice" "o_orderdate" "o_orderpriorit
              y" "o_clerk" "o_shippriority" "o_comment")
          }
        }
      :rtekind 0

```

```

:relid 16561
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16561
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11 12 13 14 15 16)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1293
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 1305
}
)
:location 1303
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 1129
}
:resno 1
:resname o_orderkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1129
}
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
}

```



```

}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 1129
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location 1129
}
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 1129
}
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 1129
}
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location 1129
}
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1

```

```

        :varattno 8
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location 1129
    }
    :resno 8
    :resname o_shippriority
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 8
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 9
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 9
    :location 1129
    }
    :resno 9
    :resname o_comment
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 9
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDecls <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 0
    }
    :location 1041
    }
    )
    :location 1037
    }
    )
    :location 513
    }
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {FUNCEXP
    :funcid 936
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 100
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 200
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 213
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4

```

```

        :constbyval true
        :constisnull false
        :location 219
        :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
    }
)
:location 190
}
:resno 1
:resname centrycode
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 260
}
:resno 2
:resname c_acctbal
:ressortgroupref 0
:resorigtbl 16749
:resorigcol 6
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("entrycode")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 51
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR

```

```

:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname cntrycode
:resortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 70
}
:resno 2
:resname numcust
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 103
}
:resno 1
:resname <>
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 99
}
:resno 3
:resname totacctbal
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 98
:sortop 664

```

```

:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE true
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
   :alias
   {ALIAS
    :aliasname custsale
    :colnames <>
   }
  }
:eref
  {ALIAS
   :aliasname custsale
   :colnames ("centrycode" "c_acctbal")
  }
:rtekind 1
:subquery
  {QUERY
   :commandType 1
   :querySource 0
   :canSetTag true
   :utilityStmt <>
   :resultRelation 0
   :hasAggs false
   :hasWindowFuncs false
   :hasTargetSRFs false
   :hasSubLinks true
   :hasDistinctOn false
   :hasRecursive false
   :hasModifyingCTE false
   :hasForUpdate false
   :hasRowSecurity false
   :hasGroupRTE false
   :isReturn false
   :cteList <>
   :rtable (
     {RANGETBENTRY
      :alias
      {ALIAS
       :aliasname c
       :colnames <>
      }
    }
   :eref
     {ALIAS
      :aliasname c
      :colnames ("c_custkey" "c_name" "c_address" "c_nationkey" "c_ph
one" "c_acctbal" "c_mktsegment" "c_comment")
    }
   :rtekind 1
   :subquery
     {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
    }
  }
}

```

```

:ctelList <>
:rtable (
  {RANGETBLENTY
    :alias
      {ALIAS
        :aliasname c
        :colnames <>
      }
    :eref
      {ALIAS
        :aliasname c
        :colnames ("c_custkey" "c_name" "c_address" "c_nationkey"
          "c_phone" "c_acctbal" "c_mktsegment" "c_comment")
      }
    :rtekind 0
    :relid 16546
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16546
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9 10 11 12 13 14 15)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
)
:quals
  {BOOLEXP
    :boolop and
    :args (
      {SCALARARRAYOEXPR
        :opno 98
        :opfuncid 67
        :hashfuncid 0
        :negfuncid 0
        :useOr true
        :inputcollid 100
        :args (
          {FUNCEXP
            :funcid 936
            :funcresulttype 25
            :funcresultset false
            :funcvariadic false
            :funcformat 3
            :funccollid 100
            :inputcollid 100
            :args (
              {VAR
                :varno 1
                :varattno 5
                :vartype 25
                :vartypmod -1
                :varcollid 100
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 5
                :location -1
              }
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
              }
              {CONST
                :consttype 23
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location -1
                :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
              }
            )
          }
        )
      }
    )
  }
)
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 49 51 ]
  }
)
}

```

```

    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 51 49 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 50 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 50 57 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 51 48 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 49 56 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 49 55 ]
    }
  )
  :multidims false
  :list_start -1
  :list_end -1
  :location -1
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
  :varno 1
  :varattno 6
  :vartype 701
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 1
  :varattnosyn 6
  :location -1
  }
  {FUNCEXPR
  :funcid 1746
  :funcresulttype 701
  :funcretset false
  :funcvariadic false
  :funcformat 2
  :funccollid 0
  :inputcollid 0
  :args (
    {CONST
    :consttype 1700
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 6 [ 24 0 0 0 0 -127 ]
    }
  )
  :location -1
}
)
:location -1

```

```

    }
  )
  :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname c_custkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 2
:resname c_name
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
:resno 3
:resname c_address
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:resno 4
:resname c_nationkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 5
:resname c_phone
:ressortgroupref 0

```



```

:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
:resno 6
:resname c_acctbal
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
:resno 7
:resname c_mktsegment
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 8
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
:resno 8
:resname c_comment
:ressortgrouppref 0
:resorigtbl 16546
:resorigcol 8
:resjunk false
}
}
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:reliid 16749
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reliid 16749
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 12 13)
:insertedCols (b)
:updatedCols (b)
}
)
)

```

```

:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 389
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 402
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 408
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
)
:location 379
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 447
:constvalue 6 [ 24 0 0 0 49 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 453
:constvalue 6 [ 24 0 0 0 51 49 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 459
:constvalue 6 [ 24 0 0 0 50 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 465
:constvalue 6 [ 24 0 0 0 50 57 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

:constisnull false
:location 471
:constvalue 6 [ 24 0 0 0 51 48 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 477
:constvalue 6 [ 24 0 0 0 49 56 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 483
:constvalue 6 [ 24 0 0 0 49 55 ]
}
}
:multidims false
:list_start 446
:list_end 487
:location -1
}
)
:location 411
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 517
}
){SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname customer_secure
:colnames ("c_custkey" "c_name" "c_address" "c_n
ationkey" "c_phone" "c_acctbal" "c_mktsegment" "
c_comment")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
}
}
}

```

```

:eref
{ALIAS
:aliasname c
:colnames ("c_custkey" "c_name" "c_address
" "c_nationkey" "c_phone" "c_acctbal" "c_m
ktsegment" "c_comment")
}
:rtekind 0
:relid 16546
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCI true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16546
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SCALARARRAYOPEXP
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
}
:location -1
}
{ARRAYEXP
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 49 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 51 49 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 50 51 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 50 57 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 51 48 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 49 56 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 49 55 ]
}
}
:multidims false
:list_start -1
:list_end -1
:location -1
}
)
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 6 [ 24 0 0 0 0 -127 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0

```

```

:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}
:resno 1
:resname c_custkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 2
:resname c_name
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:resno 3
:resname c_address
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:resno 4
:resname c_nationkey
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
}
:resno 5
:resname c_phone
:ressortgroupref 0
:resorigtbl 16546
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
    }
    :resno 6
    :resname c_acctbal
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 6
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
    }
    :resno 7
    :resname c_mktsegment
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 7
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 8
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 8
    :location -1
    }
    :resno 8
    :resname c_comment
    :ressortgroupref 0
    :resorigtbl 16546
    :resorigcol 8
    :resjunk false
    }
    }
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :security_barrier false
    :relid 16749
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 16749
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 12 13)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    )

```

```

:quals
{BOOLEXPR
:boolop and
:args (
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location 796
}
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 808
:constvalue 6 [ 24 0 0 0 0 -127 ]
}
)
:location -1
}
)
:location 806
}
{SCALARARRAYOEXPR
:opno 98
:opfuncid 67
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEXPR
:funcid 936
:funcresulttype 25
:funcset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 867
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 880
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 886
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
)
:location 857
}
{ARRAYEXPR
:array_typeid 1009
:array_collid 100
:element_typeid 25
:elements (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false

```



```

        :location 941
        :constvalue 6 [ 24 0 0 0 49 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 947
    :constvalue 6 [ 24 0 0 0 51 49 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 953
    :constvalue 6 [ 24 0 0 0 50 51 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 959
    :constvalue 6 [ 24 0 0 0 50 57 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 965
    :constvalue 6 [ 24 0 0 0 51 48 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 971
    :constvalue 6 [ 24 0 0 0 49 56 ]
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 977
    :constvalue 6 [ 24 0 0 0 49 55 ]
    }
    )
    :multidims false
    :list_start 940
    :list_end 981
    :location -1
}
}
:location 889
}
}
:location 853
}
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {AGGREF
    :aggfnoid 2105
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
        {TARGETENTRY
        :expr
        {VAR
        :varno 1
        :varattno 6
        :vartype 701
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 614
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
        }
    )
    :aggorder <>

```

```

        :aggdistinct <>
        :aggfilter <>
        :aggstar false
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location 610
    }
    :resno 1
    :resname avg
    :resortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 529
}
)
:location 527
}
{BOOLEXP
:boolop not
:args (
    {SUBLINK
        :subLinkType 0
        :subLinkId 0
        :testexpr <>
        :operName <>
        :subselect
            {QUERY
                :commandType 1
                :querySource 0
                :canSetTag true
                :utilityStmt <>
                :resultRelation 0
                :hasAggs false
                :hasWindowFuncs false
                :hasTargetSRFs false
                :hasSubLinks false
                :hasDistinctOn false
                :hasRecursive false
                :hasModifyingCTE false
                :hasForUpdate false
                :hasRowSecurity false
                :hasGroupRTE false
                :isReturn false
                :cteList <>
                :rtable (
                    {RANGETBLENTRY
                        :alias <>
                        :eref
                            {ALIAS
                                :aliasname orders
                                :colnames ("o_orderkey" "o_custkey" "o_orderstat
us" "o_totalprice" "o_orderdate" "o_orderpriorit
y" "o_clerk" "o_shippriority" "o_comment")
                            }
                        :rtekind 0
                        :relid 16561
                        :inh true
                        :relkind r
                        :rellockmode 1
                        :perminfoindex 1
                        :tablesample <>
                        :lateral false
                        :inFromCl true
                        :securityQuals <>
                    }
                )
            }
        :rteperminfos (
            {RTEPERMISSIONINFO
                :relid 16561
                :inh true
                :requiredPerms 2
                :checkAsUser 0
                :selectedCols (b 8 9 10 11 12 13 14 15 16)
                :insertedCols (b)
                :updatedCols (b)
            }
        )
    )
}
:jointree
{FROMEXPR
    :fromlist (
        {RANGETBLREF
            :rtindex 1
        }
    )
}
:quals

```

```

{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1293
}
  {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 1305
}
)
:location 1303
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 1129
}
:resno 1
:resname o_orderkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 1
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1129
}
:resno 2
:resname o_custkey
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 1129
}
:resno 3
:resname o_orderstatus
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
:varno 1
:varattno 4
:vartype 701
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 1129
    }
:resno 4
:resname o_totalprice
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 4
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 5
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 5
        :location 1129
    }
:resno 5
:resname o_orderdate
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 5
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 6
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location 1129
    }
:resno 6
:resname o_orderpriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 6
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 7
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 7
        :location 1129
    }
:resno 7
:resname o_clerk
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 7
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 8
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location 1129
    }
:resno 8
:resname o_shippriority
:ressortgroupref 0
:resorigtbl 16561
:resorigcol 8
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 1
        :varattno 9
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
    }

```

```

        :varattnosyn 9
        :location 1129
    }
    :resno 9
    :resname o_comment
    :ressortgroupref 0
    :resorigtbl 16561
    :resorigcol 9
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 1041
}
)
:location 1037
}
)
:location 513
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {FUNCEXP
    :funcid 936
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 100
    :inputcollid 100
    :args (
    {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location 200
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 213
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 219
    :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
    }
    )
    :location 190
    }
    :resno 1
    :resname cntrycode
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location 260
    }

```

```

        :resno 2
        :resname c_acctbal
        :ressortgroupref 0
        :resorigtbl 16749
        :resorigcol 6
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:security_barrier false
:relid 0
:inh false
:relkind <>
:rellockmode 0
:perminfoindex 0
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname *GROUP*
:colnames ("centrycode")
}
:rtekind 9
:groupexprs (
{VAR
:varno 1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 51
}
)
:lateral false
:inFromCl false
:securityQuals <>
}
)
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
}
:resno 1
:resname centrycode
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes <>
:aggdirectargs <>
:args <>
}
}
}

```

```

:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 70
}
:resno 2
:resname numcust
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 103
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggsplit 0
:aggno -1
:aggtransno -1
:location 99
}
:resno 3
:resname totacctbal
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 98
:sortop 664
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```
DETAIL:      {AGG
:plan.disabled_nodes 0
:plan.startup_cost 48635.24654317653
:plan.total_cost 48638.79508830163
:plan.plan_rows 26
:plan.plan_width 48
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
:expr
  {VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname centrycode
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
:aggfnoid 2803
:aggtype 20
:aggcollid 0
:inputcollid 0
:aggtranstype 20
:aggargtypes <>
:aggdirectargs <>
:args <>
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar true
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 0
:aggtransno 0
:location 70
}
:resno 2
:resname numcust
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 701
:aggargtypes (o 701)
:aggdirectargs <>
:args (
  {TARGETENTRY
:expr
    {VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno 1
:aggtransno 1
:location 99
}
:resno 3
:resname totacctbal
```



```

:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{GATHERMERGE
:plan.disabled_nodes 0
:plan.startup_cost 41619.094043176534
:plan.total_cost 41622.12258830162
:plan.plan_rows 26
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 1
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:plan.qual <>
:plan.lefttree
{SORT
:plan.disabled_nodes 0
:plan.startup_cost 40619.07026873902
:plan.total_cost 40619.09776873902
:plan.plan_rows 11
:plan.plan_width 40
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 2
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 0
:varattnosyn 0
:location -1
}
:resno 1
:resname <>
:ressortgroupref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 2

```

```

:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 6016.0625
:join.plan.total_cost 40618.88
:join.plan.plan_rows 11
:join.plan.plan_width 40
:join.plan.parallel_aware true
:join.plan.parallel_safe true
:join.plan.async_capable false
:join.plan.plan_node_id 3
:join.plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno -1
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 213
:constvalue 4 [ 1 0 0 0 0 0 0 0 ]
}
{CONST
:consttype 23
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 219
:constvalue 4 [ 2 0 0 0 0 0 0 0 ]
}
}
:location 190
}
:resno 1
:resname <>
:ressortgrouppref 1
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 32258
:scan.plan.plan_rows 625000
:scan.plan.plan_width 4
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1

```

```

:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 6
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 6
        :location -1
    }
    :resno 6
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 7
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 8
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 9
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 2)
:scan.plan.allParam (b 2)
:scan.scanrelid 4
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 6015.75
:plan.total_cost 6015.75
:plan.plan_rows 25
:plan.plan_width 28
:plan.parallel_aware true
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 5
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 1

```

```

:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 6015.75
:scan.plan.plan_rows 25
:scan.plan.plan_width 28
:scan.plan.parallel_aware true
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 6
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 23
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
)
:scan.plan.qual (
{OEXPR
:opno 674
:opfncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
{CONST
:consttype 701
:consttypmod -1
:constcollid 0
:constlen 8
:constbyval true
:constisnull false
:location -1
:constvalue 8 [ 0 0 0 0 0 0 0 0 ]
}
)
:location -1
}
{OEXPR
:opno 674
:opfncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 6
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 6
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 701
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 527
}
{SCALARARRAYOEXPR
:opno 98
:opfncid 67
:hashfncid 0
:negfncid 0
:useOr true
:inputcollid 100
:args (
{FUNCEPR
:funcid 936
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 3
:funccollid 100
:inputcollid 100
:args (
{VAR
:varno 5
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 5
:location -1
}
{CONST
:consttype 23

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
    }
    )
    :location -1
    }
    {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 80 [ 64 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0 7 0
    0 0 1 0 0 0 24 0 0 0 49 51 0 0 24 0 0 0 51 49 0 0 24
    0 0 0 50 51 0 0 24 0 0 0 50 57 0 0 24 0 0 0 51 48 0 0
    24 0 0 0 49 56 0 0 24 0 0 0 49 55 0 0 ]
    }
    )
    :location -1
    }
    {SCALARARRAYOPEXPR
    :opno 98
    :opfuncid 67
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 100
    :args (
    {FUNCEXPR
    :funcid 936
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 3
    :funccollid 100
    :inputcollid 100
    :args (
    {VAR
    :varno 5
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 5
    :location -1
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 402
    :constvalue 4 [ 1 0 0 0 0 0 0 0 ]
    }
    {CONST
    :consttype 23
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 408
    :constvalue 4 [ 2 0 0 0 0 0 0 0 ]
    }
    )
    :location 379
    }
    {CONST
    :consttype 1009
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 80 [ 64 1 0 0 1 0 0 0 0 0 0 0 25 0 0 0 7 0
    0 0 1 0 0 0 24 0 0 0 49 51 0 0 24 0 0 0 51 49 0 0 24
    0 0 0 50 51 0 0 24 0 0 0 50 57 0 0 24 0 0 0 51 48 0 0
    24 0 0 0 49 56 0 0 24 0 0 0 49 55 0 0 ]
    }
    )
    :location 411
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b 1 2)
    :scan.plan.allParam (b 1 2)
    :scan.scanrelid 5
    }
    :plan.righttree <>

```

```

:plan.initPlan <>
:plan.extParam (b 1 2)
:plan.allParam (b 1 2)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
  }
)
:skewTable 16561
:skewColumn 2
:skewInherit false
:rows_total 60
}
:join.plan.initPlan <>
:join.plan.extParam (b 1 2)
:join.plan.allParam (b 1 2)
:join.jointype 7
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 1293
      }
      {VAR
        :varno -1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 5
        :varattnosyn 1
        :location -1
      }
    )
  }
)
:location 1303
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 1293
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 1 2)
:plan.allParam (b 1 2)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b 1)
:plan.allParam (b 1)
:num_workers 2
:rescan_param 2
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
:initParam (b 1)
}
:plan.righttree <>
:plan.initPlan (
  {SUBPLAN
    :subLinkType 4
    :testexpr <>
    :paramIds <>

```



```

:plan_id 1
:plan_name InitPlan\ 1
:firstColType 701
:firstColTypmod -1
:firstColCollation 0
:useHashTable false
:unknownEqFalse false
:parallel_safe false
:setParam (i 1)
:parParam <>
:args <>
:startup_cost 0
:per_call_cost 7016.1525
}
)
:plan.extParam (b)
:plan.allParam (b 1)
:aggstrategy 1
:aggssplit 0
:numCols 1
:grpCollIdx ( 1)
:grpOperators ( 98)
:grpCollations ( 100)
:numGroups 26
:transitionSpace 0
:aggParams (b)
:groupingSets <>
:chain <>
}

```

QUERY PLAN

```

-----
GroupAggregate (cost=48635.25..48638.80 rows=26 width=48) (actual time=201.900..203.182 rows=7.00 loops=1)
Output: (SUBSTRING(c.c_phone FROM 1 FOR 2)), count(*), sum(c.c_acctbal)
Group Key: (SUBSTRING(c.c_phone FROM 1 FOR 2))
Buffers: shared hit=7642 read=25726
InitPlan 1
-> Finalize Aggregate (cost=7016.14..7016.15 rows=1 width=8) (actual time=28.411..28.436 rows=1.00 loops=1)
Output: avg(c_1.c_acctbal)
Buffers: shared hit=3672
-> Gather (cost=7015.93..7016.14 rows=2 width=32) (actual time=28.311..28.425 rows=3.00 loops=1)
Output: (PARTIAL avg(c_1.c_acctbal))
Workers Planned: 2
Workers Launched: 2
Buffers: shared hit=3672
-> Partial Aggregate (cost=6015.93..6015.94 rows=1 width=32) (actual time=23.297..23.297 rows=1.00 loops=3)
Output: PARTIAL avg(c_1.c_acctbal)
Buffers: shared hit=3672
Worker 0: actual time=20.868..20.868 rows=1.00 loops=1
Buffers: shared hit=1115
Worker 1: actual time=20.869..20.869 rows=1.00 loops=1
Buffers: shared hit=1115
-> Parallel Seq Scan on public.customer c_1 (cost=0.00..6015.75 rows=70 width=8) (actual time=0.012..0.225 rows=12706.67 loops=3)
Output: c_1.c_custkey, c_1.c_name, c_1.c_address, c_1.c_nationkey, c_1.c_phone, c_1.c_acctbal, c_1.c_mktsegment, c_1.c_comment
Filter: ((c_1.c_acctbal > '0'::double precision) AND (c_1.c_acctbal > '0'::double precision) AND (SUBSTRING(c_1.c_phone FROM 1 FOR 2) = ANY ('{13,31,23,29,30,18,17}'::text[])))
Rows Removed by Filter: 37293
Buffers: shared hit=3672
Worker 0: actual time=0.015..0.20.179 rows=11620.00 loops=1
Buffers: shared hit=1115
Worker 1: actual time=0.011..0.20.188 rows=11597.00 loops=1
Buffers: shared hit=1115
-> Gather Merge (cost=41619.09..41622.12 rows=26 width=40) (actual time=201.685..202.482 rows=6384.00 loops=1)
Output: (SUBSTRING(c.c_phone FROM 1 FOR 2)), c.c_acctbal
Workers Planned: 2
Workers Launched: 2
Buffers: shared hit=7642 read=25726
-> Sort (cost=40619.07..40619.10 rows=11 width=40) (actual time=166.329..166.414 rows=2128.00 loops=3)
Output: (SUBSTRING(c.c_phone FROM 1 FOR 2)), c.c_acctbal
Sort Key: (SUBSTRING(c.c_phone FROM 1 FOR 2))
Sort Method: quicksort Memory: 392kB
Buffers: shared hit=3970 read=25726
Worker 0: actual time=162.754..162.755 rows=0.00 loops=1
Sort Method: quicksort Memory: 25kB
Buffers: shared hit=1073 read=8600
Worker 1: actual time=163.169..163.170 rows=0.00 loops=1
Sort Method: quicksort Memory: 25kB
Buffers: shared hit=1237 read=8596
-> Parallel Hash Right Anti Join (cost=6016.06..40618.88 rows=11 width=40) (actual time=164.436..164.974 rows=2128.00 loops=3)
Output: SUBSTRING(c.c_phone FROM 1 FOR 2), c.c_acctbal
Hash Cond: (orders.o_custkey = c.c_custkey)
Buffers: shared hit=3954 read=25726
Worker 0: actual time=162.720..162.721 rows=0.00 loops=1
Buffers: shared hit=1065 read=8600
Worker 1: actual time=163.138..163.139 rows=0.00 loops=1
Buffers: shared hit=1229 read=8596
-> Parallel Seq Scan on public.orders (cost=0.00..32258.00 rows=625000 width=4) (actual time=0.595..0.79.112 rows=500000.00 loops=3)
Output: orders.o_orderkey, orders.o_custkey, orders.o_orderstatus, orders.o_totalprice, orders.o_orderdate, orders.o_orderpriority
, orders.o_clerk, orders.o_shippriority, orders.o_comment
Buffers: shared hit=282 read=25726
Worker 0: actual time=0.740..0.78.564 rows=500976.00 loops=1
Buffers: shared hit=98 read=8600
Worker 1: actual time=0.610..0.79.121 rows=501675.00 loops=1
Buffers: shared hit=96 read=8596
-> Parallel Hash (cost=6015.75..6015.75 rows=25 width=28) (actual time=19.709..19.709 rows=6333.33 loops=3)
Output: c.c_phone, c.c_acctbal, c.c_custkey
Buckets: 32768 (originally 1024) Batches: 1 (originally 1) Memory Usage: 1720kB
Buffers: shared hit=3672
Worker 0: actual time=18.274..18.274 rows=4967.00 loops=1
Buffers: shared hit=967
Worker 1: actual time=18.293..18.293 rows=5974.00 loops=1
Buffers: shared hit=1133
-> Parallel Seq Scan on public.customer c (cost=0.00..6015.75 rows=25 width=28) (actual time=0.011..0.15.444 rows=6333.33 loops=3)
Output: c.c_phone, c.c_acctbal, c.c_custkey
Filter: ((c.c_acctbal > '0'::double precision) AND (c.c_acctbal > (InitPlan 1).col1) AND (SUBSTRING(c.c_phone FROM 1 FOR 2) = ANY ('{13,31,23,29,30,18,17}'::text[]))) AND (SUBSTRING(c.c_phone FROM 1 FOR 2) = ANY ('{13,31,23,29,30,18,17}'::text[])))
Rows Removed by Filter: 43667
Buffers: shared hit=3672
Worker 0: actual time=0.011..0.12.616 rows=4967.00 loops=1
Buffers: shared hit=967
Worker 1: actual time=0.013..0.14.687 rows=5974.00 loops=1
Buffers: shared hit=1133
Planning:

```

Buffers: shared hit=11
Planning Time: 7.475 ms
Execution Time: 203.432 ms
(81 rows)

Time: 217.811 ms
tpch=> reset role;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelist <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
:windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 7.471 ms
tpch=#
tpch=# DO \$\$
DECLARE
r RECORD;
BEGIN
FOR r IN SELECT polycyname, tablename FROM pg_policies WHERE schemaname = 'public'
LOOP
EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polycyname, r.tablename);
END LOOP;
END;
\$\$;

RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

ALTER TABLE supplier ENABLE ROW LEVEL SECURITY;

CREATE POLICY supplier_rls_policy ON supplier
USING (
s_suppkey IN (
SELECT ps_suppkey
FROM partsupp
WHERE ps_partkey IN (
SELECT p_partkey
FROM part
WHERE p_name LIKE '%ivory%'
)
AND ps_availqty > (

```

        SELECT 0.5 * sum(l_quantity)
        FROM lineitem
        WHERE l_partkey = partsupp.ps_partkey
        AND l_suppkey = partsupp.ps_suppkey
        AND l_shipdate >= date '1995-01-01'
        AND l_shipdate < date '1995-01-01' + interval '1' year
    )
    AND s_nationkey IN (
        SELECT n_nationkey FROM nation WHERE n_name = 'FRANCE'
    )
);

GRANT SELECT ON supplier TO alice;
GRANT SELECT ON nation TO alice;
GRANT SELECT ON partsupp TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;

EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    s_name,
    s_address
from
    supplier,
    nation
where
    s_suppkey in (
        select
            ps_suppkey
        from
            partsupp
        where
            ps_partkey in (
                select
                    p_partkey
                from
                    part
                where
                    p_name like '%ivory%'
            )
            and ps_availqty > (
                select
                    0.5 * sum(l_quantity)
                from
                    lineitem
                where
                    l_partkey = ps_partkey
                    and l_suppkey = ps_suppkey
                    and l_shipdate >= date '1995-01-01'
                    and l_shipdate < date '1995-01-01' + interval '1' year
            )
        )
    and s_nationkey = n_nationkey
    and n_name = 'FRANCE'
order by
    s_name;
WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
:stmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
:defaction 0
:location 3
}
)
}
:stmt_location 0
:stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DOSTMT
:args (
{DEFELEM
:defnamespace <>
:defname as
:arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
T\ polycyname\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ IF\ EXISTS\ %I\ ON\ %I',\ r.polycyname,\ r.tablename\
);\
\ \ \ \ END\ LOOP;\
END;\
"
:defaction 0

```

```

        :location 3
    }
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:reldid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:reldid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR

```



```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_policies
        :colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
          "cmd" "qual" "with_check")
        }
    :rtekind 1
    :subquery
      {QUERY
        :commandType 1
        :querySource 0
        :canSetTag true
        :utilityStmt <>
        :resultRelation 0
        :hasAggs false
        :hasWindowFuncs false
        :hasTargetSRFs false
        :hasSubLinks true
        :hasDistinctOn false
        :hasRecursive false
        :hasModifyingCTE false
        :hasForUpdate false
        :hasRowSecurity false
        :hasGroupRTE false
        :isReturn false
        :cteList <>
        :rtable (
          {RANGETBLENTY
            :alias
              {ALIAS
                :aliasname pol
                :colnames <>
                }
            :eref
              {ALIAS
                :aliasname pol
                :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
                  "polroles" "polqual" "polwithcheck")
                }
            :rtekind 0
            :relid 3256
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 1
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
            }
          {RANGETBLENTY
            :alias
              {ALIAS
                :aliasname c
                :colnames <>
                }
            :eref
              {ALIAS
                :aliasname c
                :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
                  "relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
                    eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
                      sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
                        lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
                          wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
                            " "relispartition" "relrewrite" "relfrozensxid" "relminmxid" "re
                              lacl" "reloptions" "relpartbound")
                }
            :rtekind 0
            :relid 1259
            :inh true
            :relkind r
            :rellockmode 1
            :perminfoindex 2
            :tablesample <>
            :lateral false
            :inFromCl true
            :securityQuals <>
            }
          {RANGETBLENTY
            :alias <>
            :eref
              {ALIAS
                :aliasname unnamed_join
                :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
                  "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
                    ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
                      tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
                        n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
                          "relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
                            " "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
                              spopulated" "relreplident" "relispartition" "relrewrite" "relfr
                                ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
                }
            :rtekind 2
            :jointype 0
            :joinmergedcols 0
            :joinaliasvars (
              {VAR
                :varno 1
                :varattno 1
                :vartype 26
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
              }
            )
          }
        }
      }
    )
  }

```

```

:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1

```



```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20

```

```

:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR

```

```

:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
}
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa

```

```

ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8

```

```

:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)

```

```

:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1

```

```

:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2

```



```

        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b 5)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
    }
    {VAR
        :varno 4
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b 5)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 3
        :location -1
    }
    {VAR
        :varno 4
        :varattno 4
        :vartype 1034
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b 5)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 4
        :location -1
    }
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
}
:rarg
{RANGETBLREF
:rtindex 2
}
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 3
    }
    :rarg
    {RANGETBLREF
    :rtindex 4
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals <>
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    }
    :resno 1
    :resname schemaname
    :ressortgroupref 0
    :resorigtbl 2615
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    }
    :resno 2
    :resname tablename

```

```

:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
  {CASEEXPR
    :casetype 25
    :casecollid 100
    :arg <>
    :args (
      {CASEWHEN
        :expr
          {VAR
            :varno 1
            :varattno 5
            :vartype 16
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 5
            :location -1
          }
        :result
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
          }
        :location -1
      }
    )
  :defresult
    {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location -1
      :constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
    }
  :location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {CASEEXPR
    :casetype 1003
    :casecollid 950
    :arg <>
    :args (
      {CASEWHEN
        :expr
          {OPEXPR
            :opno 1070
            :opfuncid 744
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 6
                :vartype 1028
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 6
                :location -1
              }
            {CONST
              :consttype 1028

```

```

        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXP
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 4 [ 16 0 0 0 ]
}
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 25
:typeMod -1
:collation 0
}
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_authid
:colnames ("oid" "rolname" "rolsuper" "rolinherit"
"rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
lication" "rolbypassrls" "rolconlimit" "rolpasswor
d" "rolvaliduntil")
}
:rtekind 0
:relid 1260
:inh true
:relkind r
:rellockmode 1

```

```

:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 1260
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{SCALARARRAYOPEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
)
:location -1
}
}
)
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tleSortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0

```

```

        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:varatype 18
:varitypmode -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false

```

```

        :location -1
        :constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
    }
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}

```

```

        :result
        {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 7 [ 28 0 0 0 65 76 76 ]
        }
        :location -1
    }
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname polycyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>

```

```

    }
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lcl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1

```

```

:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2

```

```

:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
{VAR

```



```

:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0

```

```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)

```

```

:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1

```

```

        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 1
        :location -1
    }
    {VAR
        :varno 2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
    }
    )
    :location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 4
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b 5)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 4
            :varattnosyn 2
            :location -1
        }
        :resno 1
        :resname schemaname
        :ressortgroupref 0
        :resorigtbl 2615
        :resorigcol 2
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 2
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 2
            :varattnosyn 2
            :location -1
        }
        :resno 2
        :resname tablename
        :ressortgroupref 0
        :resorigtbl 1259
        :resorigcol 2
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 2
            :vartype 19
            :vartypmod -1
            :varcollid 950
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
        }
        :resno 3
        :resname policyname
        :ressortgroupref 0
        :resorigtbl 3256
        :resorigcol 2
        :resjunk false
    }
    {TARGETENTRY
        :expr
        {CASEEXPR
            :casetype 25
            :casecollid 100
            :arg <>
            :args (
                {CASEWHEN
                    :expr
                    {VAR
                        :varno 1
                        :varattno 5
                        :vartype 16

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 0 ]
}
)
:location -1
}
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 100
:inputcollid 100
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```



```

        :constisnull false
        :location -1
        :constvalue 4 [ 16 0 0 0 ]
    }
)
:location -1
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
    {CASETESTEXPR
    :typeid 25
    :typeMod -1
    :collation 0
    }
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defaultresult
{SUBLINK
:sublinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname pg_authid
    :colnames ("oid" "rolname" "rolsuper" "rolinherit"
    "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
    lication" "rolbypassrls" "rolconlimit" "rolpasswor
    d" "rolvaliduntil")
    }
    :rtekind 0
    :relid 1260
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rtepermissions (
    {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
    }
)
}
:jointree
{FROMEXPR
:fromlist (
    {RANGETBLREF
    :rtindex 1
    }
)
}
:quals
{SCALARARRAYOEXPR
:opno 607
:opfuncid 184
:hashfuncid 0
:negfuncid 0
:useOr true
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    }
)
}
}
}

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
    }
    {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
    }
    )
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname rolname
:ressortgroupref 1
:resorigtbl 1260
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
{SORTGROUPCLAUSE
:tletSortGroupRef 1
:eqop 93
:sortop 660
:reverse_sort false
:nulls_first false
:hashable true
}
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
}
:args (
{CASEWHEN
:expr

```

```

{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
  {CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
  {CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
  {CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
    }
    :location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcset false

```

```

:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
  {VAR
    :varno 1
    :varattno 7
    :vartype 194
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
  }
  {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
)
:location -1
}
:resno 7
:resname qual
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {FUNCEXP
    :funcid 1716
    :funcresulttype 25
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 950
    :inputcollid 950
    :args (
      {VAR
        :varno 1
        :varattno 8
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location -1
      }
    )
  }
:location -1
}
:resno 8
:resname with_check
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v

```

```

:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relicid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatecols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
quals
{OPEXPR
:opno 93
:opfncid 62
:opresulttype 16
:opretset false
:opcoid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
}:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
}:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
```

```

:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.4025
:join.plan.total_cost 11.55988549906787
:join.plan.plan_rows 1
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.2725
:join.plan.total_cost 11.335952914798208
:join.plan.plan_rows 1
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno -1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 3.01
:scan.plan.plan_rows 1
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3

```



```

:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}

```

```

    }
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreliid 2
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.2725
:scan.plan.total_cost 8.290000000000001
:scan.plan.plan_rows 1
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 5

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 8
:location -1
}
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 9
:location -1
}
:resno 9
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
}
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
}
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
}
:resno 14
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
}

```

```

:resno 15
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR

```

```

:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
}
:resno 27
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
}
:resno 28
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
}
:resno 29
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 30
:location -1
}
}
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 31
        :location -1
    }
:resno 31
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanrelid 3
:indexid 2662
:indexqual (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 26

```



```

        :paramtypmod -1
        :paramcollid 0
        :location -1
    }
)
:location -1
}
)
:indexqualorig (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 0
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM
:paramno 0
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
}
)
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.13
:scan.plan.total_cost 0.17696629213483145
:scan.plan.plan_rows 1
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 4
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950

```

```
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 5
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 5
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 2
:location -1
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanreleid 5
:indexid 2685
:indexqual (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -3
```

```

:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexqualorig (
{OEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 5
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 5
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 1
:paramid 1
:paramtype 26
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
{NESTLOOPPARAM
:paramno 1
:paramval
{VAR
:varno -2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
}
)
}
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
}

```

```

:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {FUNCEXPR
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 7
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
              70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
          }
          {PARAM
            :paramkind 0
            :paramid 3
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 41
          }
          {PARAM
            :paramkind 0
            :paramid 4
            :paramtype 19
            :paramtypmod -1
            :paramcollid 950
            :location 55
          }
        )
      }
    :location 0
  }
  :resno 1
  :resname format
  :ressortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree
      {FROMEXPR
        :fromlist <>
        :quals <>
      }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
      {TARGETENTRY
        :expr
          {FUNCEXPR
            :funcid 3539
            :funcresulttype 25
            :funcresultset false
            :funcvariadic false
            :funcformat 0

```

```

:funccollid 950
:inputcollid 950
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 7
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
      70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
  }
  {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
  }
  {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
  }
)
:location 0
}
:resno 1
:resname format
:resortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
  {FROMEXPR
    :fromlist <>
    :quals <>
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {FUNCEXP
        :funcid 3539
        :funcresulttype 25
        :funcresultset false
        :funcvariadic false
        :funcformat 0
        :funccollid 950
        :inputcollid 950
        :args (
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location 7
            :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73

```

```

    70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
  }
  {PARAM
  :paramkind 0
  :paramid 3
  :paramtype 19
  :paramtypmod -1
  :paramcollid 950
  :location 41
  }
  {PARAM
  :paramkind 0
  :paramid 4
  :paramtype 19
  :paramtypmod -1
  :paramcollid 950
  :location 55
  }
  )
  :location 0
  }
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====:
DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>

```

```

:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{DROPTMT
:objects (("customer" "customer_qls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPTMT
:objects (("customer" "customer_qls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

```

Time: 20.292 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false

```

```

:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.156 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>

```



```

:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.375 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>

```

```

:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.302 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rtepermInfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>

```

```

:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.325 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
}

```

```

:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.430 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 12
  }
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
  }
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>

```

```

:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

Time: 0.251 ms
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

```

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.285 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 45
}
```

WARNING: ===== ANALYZED QUERY =====:

```
DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}
```

Time: 0.258 ms

WARNING: ===== RAW PARSE TREE =====:

```
DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
```

```

:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}
}

```

Time: 0.255 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
}
}
}

```

```

        :location 12
      }
    :cmds (
      {ALERTTABLECMD
        :subtype 54
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
  :stmt_location 0
  :stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTTABLECMD
        :subtype 54
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

Time: 0.242 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {CREATEPOLICYSTMT
    :policy_name supplier_rls_policy
    :table
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname supplier
        :inh true
        :relpersistence p
        :alias <>
        :location 37
      }
    :cmd_name all
    :permissive true
    :roles (

```



```

{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{COLUMNREF
:fields ("s_suppkey")
:location 58
}
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("ps_suppkey")
:location 88
}
:location 88
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 112
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{COLUMNREF
:fields ("ps_partkey")
:location 135
}
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_partkey")
:location 170
}
:location 170
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistence p
:alias <>
:location 197
}
)
:whereClause
{A_EXPR LIKE
:name ("~~")
:lexpr
{COLUMNREF
:fields ("p_name")
:location 220
}
:rexpr
{A_CONST
:val "%ivory%"
:location 232
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 227
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0

```

```

:all false
:larg <>
:rarg <>
}
:location 146
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("ps_availqty")
:location 264
}
}
:rexpr
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_EXPR
:name ("*")
:lexpr
{A_CONST
:val 0.5
:location 299
}
}
:rexpr
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("l_quantity")
:location 309
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 305
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 303
}
:location 299
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 338
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_partkey")
:location 365
}
}
:rexpr
{COLUMNREF
:fields ("partsupp" "ps_partkey")
:location 377
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 375
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_suppkey")
:location 415
}
}
:rexpr
{COLUMNREF
:fields ("partsupp" "ps_suppkey")
:location 427
}
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 425
}
{A_EXPR
:name (">=")
:lexpr
{COLUMNREF
:fields ("l_shipdate")
:location 465
}
}

```

```

:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 484
}
:typeName
{TYPPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 479
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 476
}
{A_EXPR
:name ("<")
:lexpr
{COLUMNREF
:fields ("l_shipdate")
:location 515
}
:rexpr
{A_EXPR
:name ("+")
:lexpr
{TYPECAST
:arg
{A_CONST
:val "\1995-01-01"
:location 533
}
:typeName
{TYPPENAME
:names ("date")
:typeOid 0
:setof false
:pct_type false
:typmods <>
:typemod -1
:arrayBounds <>
:location 528
}
:location -1
}
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1"
:location 557
}
:typeName
{TYPPENAME
:names ("pg_catalog" "interval")
:typeOid 0
:setof false
:pct_type false
:typmods (
{A_CONST
:val 4
:location 561
}
)
:typemod -1
:arrayBounds <>
:location 548
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 546
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 526
}
)
:location 411
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 278
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 276
}
}
:location 260
}

```

```

:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 68
}
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{COLUMNREF
:fields ("s_nationkey")
:location 590
}
:operName <>
:subselect
{SELECTTMT
:distinctClause <>
:intoClause <>
:targetList (
{RETARGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("n_nationkey")
:location 622
}
:location 622
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 639
}
)
:whereClause
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n_name")
:location 652
}
:rexpr
{A_CONST
:val "FRANCE"
:location 661
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 659
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 602
}
)
:location 586
}
:with_check <>
}
:stmt_location 0
:stmt_len 677
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
}
}

```

```

    }
:cmd_name all
:permissive true
:roles (
  {ROLESPEC
    :roletype 4
    :rolename <>
    :location -1
  }
)
:qual
{BOOLEXP
  :boolop and
  :args (
    {SUBLINK
      :subLinkType 2
      :subLinkId 0
      :testexpr
        {COLUMNREF
          :fields ("s_suppkey")
          :location 58
        }
      :operName <>
      :subselect
        {SELECTTMT
          :distinctClause <>
          :intoClause <>
          :targetList (
            {RESTARTGET
              :name <>
              :indirection <>
              :val
                {COLUMNREF
                  :fields ("ps_suppkey")
                  :location 88
                }
              :location 88
            }
          )
        :fromClause (
          {RANGEVAR
            :catalogname <>
            :schemaname <>
            :relname partsupp
            :inh true
            :relpersistence p
            :alias <>
            :location 112
          }
        )
        :whereClause
          {BOOLEXP
            :boolop and
            :args (
              {SUBLINK
                :subLinkType 2
                :subLinkId 0
                :testexpr
                  {COLUMNREF
                    :fields ("ps_partkey")
                    :location 135
                  }
                :operName <>
                :subselect
                  {SELECTTMT
                    :distinctClause <>
                    :intoClause <>
                    :targetList (
                      {RESTARTGET
                        :name <>
                        :indirection <>
                        :val
                          {COLUMNREF
                            :fields ("p_partkey")
                            :location 170
                          }
                        :location 170
                      }
                    )
                  :fromClause (
                    {RANGEVAR
                      :catalogname <>
                      :schemaname <>
                      :relname part
                      :inh true
                      :relpersistence p
                      :alias <>
                      :location 197
                    }
                  )
                  :whereClause
                    {A_EXPR LIKE
                      :name ("~~")
                      :lexpr
                        {COLUMNREF
                          :fields ("p_name")
                          :location 220
                        }
                      :rexpr
                        {A_CONST
                          :val "%ivory%"
                          :location 232
                        }
                      :rexpr_list_start 0
                      :rexpr_list_end 0
                      :location 227
                    }
                  :groupClause <>
                  :groupDistinct false
                  :havingClause <>
                  :windowClause <>
                  :valuesLists <>
                  :sortClause <>
                  :limitOffset <>
                  :limitCount <>
                }
              }
            )
          }
        )
      }
    )
  }
}

```

```

:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 146
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("ps_availqty")
:location 264
}
}
:rexpr
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARGET
:name <>
:indirection <>
:val
{A_EXPR
:name ("*")
:lexpr
{A_CONST
:val 0.5
:location 299
}
}
:rexpr
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("l_quantity")
:location 309
}
)
:agg_order <>
:agg_filter <>
:over <>
:agg_within_group false
:agg_star false
:agg_distinct false
:func_variadic false
:funcformat 0
:location 305
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 303
}
:location 299
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 338
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_partkey")
:location 365
}
}
:rexpr
{COLUMNREF
:fields ("partsupp" "ps_partkey")
:location 377
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 375
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("l_supkey")
:location 415
}
}
:rexpr
{COLUMNREF
:fields ("partsupp" "ps_supkey")
:location 427
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 425
}
{A_EXPR
:name (">=")
:lexpr

```

```

        {COLUMNREF
        :fields ("l_shipdate")
        :location 465
        }
    :rexpr
    {TYPECAST
    :arg
    {A_CONST
    :val "\1995-01-01"
    :location 484
    }
    :typeName
    {TYPENAME
    :names ("date")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods <>
    :typemod -1
    :arrayBounds <>
    :location 479
    }
    :location -1
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 476
    }
    {A_EXPR
    :name ("<")
    :lexpr
    {COLUMNREF
    :fields ("l_shipdate")
    :location 515
    }
    }
    :rexpr
    {A_EXPR
    :name ("+")
    :lexpr
    {TYPECAST
    :arg
    {A_CONST
    :val "\1995-01-01"
    :location 533
    }
    :typeName
    {TYPENAME
    :names ("date")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods <>
    :typemod -1
    :arrayBounds <>
    :location 528
    }
    :location -1
    }
    }
    :rexpr
    {TYPECAST
    :arg
    {A_CONST
    :val "\1"
    :location 557
    }
    :typeName
    {TYPENAME
    :names ("pg_catalog" "interval")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods (
    {A_CONST
    :val 4
    :location 561
    }
    )
    :typemod -1
    :arrayBounds <>
    :location 548
    }
    :location -1
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 546
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 526
    }
    )
    :location 411
    }
    :groupClause <>
    :groupDistinct false
    :havingClause <>
    :windowClause <>
    :valuesLists <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :lockingClause <>
    :withClause <>
    :op 0
    :all false
    :larg <>
    :rarg <>
    }
    :location 278
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 276

```

```

    }
  )
  :location 260
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 68
}
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{COLUMNREF
:fields ("s_nationkey")
:location 590
}
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("n_nationkey")
:location 622
}
}
:location 622
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 639
}
)
:whereClause
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n_name")
:location 652
}
:rexpr
{A_CONST
:val "FRANCE"
:location 661
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 659
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 602
}
)
:location 586
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>

```



```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 677
}

```

Time: 5.901 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targettype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false

```

```

:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.279 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 31
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname nation
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 26
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false

```

```

:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 31
}

```

Time: 0.241 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targettype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname partsupp
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 28
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
}

```

```

    }
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable <>
    :rteperminfos <>
    :jointree <>
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList <>
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location 0
    :stmt_len 33
}

```

Time: 0.249 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {GRANTSTMT
    :is_grant true
    :targetype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice
        :location 24
      }
    )
    :grant_option false
    :grantor <>
    :behavior 0
  }
  :stmt_location 0
  :stmt_len 29
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {GRANTSTMT
    :is_grant true
    :targetype 0
    :objtype 41
    :objects (
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 16
      }
    )
    :privileges (
      {ACCESSPRIV
        :priv_name select
        :cols <>
      }
    )
    :grantees (
      {ROLESPEC
        :roletype 0
        :rolename alice

```

```

        :location 24
    }
)
:grant_option false
:grantor <>
:behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 29
}

```

Time: 0.543 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname lineitem
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
}

```

```

    }
  )
  :grantees (
    {ROLESPEC
      :roletype 0
      :rolename alice
      :location 28
    }
  )
  :grant_option false
  :grantor <>
  :behavior 0
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 33
}

```

Time: 0.221 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:    {RAWSTMT
  :stmt
    {VARIABLESETSTMT
      :kind 0
      :name role
      :args (
        {A_CONST
          :val "alice"
          :location 9
        }
      )
      :jumble_args false
      :is_local false
      :location 9
    }
  :stmt_location 0
  :stmt_len 14
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:    {QUERY
  :commandType 6
  :querySource 0
  :canSetTag true
  :utilityStmt
    {VARIABLESETSTMT
      :kind 0
      :name role
      :args (
        {A_CONST
          :val "alice"
          :location 9
        }
      )
      :jumble_args false
      :is_local false
      :location 9
    }
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable <>
  :rteperminfos <>
  :jointree <>
  :mergeActionList <>
  :mergeTargetRelation 0
  :mergeJoinCondition <>
}

```

```

:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 14
}

```

Time: 0.154 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{EXPLAINSTMT
:query
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_name")
:location 51
}
:location 51
}
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("s_address")
:location 67
}
:location 67
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 90
}
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 108
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{COLUMNREF
:fields ("s_suppkey")
:location 129
}
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("ps_suppkey")
:location 191
}
:location 191
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 247
}
)
)
)
}

```

```

:whereClause
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{COLUMNREF
:fields ("ps_partkey")
:location 302
}
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{COLUMNREF
:fields ("p_partkey")
:location 397
}
:location 397
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname part
:inh true
:relpersistance p
:alias <>
:location 484
}
)
:whereClause
{A_EXPR LIKE
:name ("~~")
:lexpr
{COLUMNREF
:fields ("p_name")
:location 567
}
:rexpr
{A_CONST
:val "%ivory%"
:location 579
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 574
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 313
}
{A_EXPR
:name (">")
:lexpr
{COLUMNREF
:fields ("ps_availqty")
:location 643
}
:rexpr
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_EXPR
:name ("*")
:lexpr
{A_CONST
:val 0.5
:location 738
}
:rexpr
{FUNCCALL
:funcname ("sum")
:args (
{COLUMNREF
:fields ("l_quantity")
:location 748
}
)
:agg_order <>
:agg_filter <>
}
}
}

```



```

        :over <>
        :agg_within_group false
        :agg_star false
        :agg_distinct false
        :func_variadic false
        :funcformat 0
        :location 744
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 742
}
:location 738
}
)
:fromClause (
    {RANGEVAR
    :catalogname <>
    :schemaname <>
    :relname lineitem
    :inh true
    :relpersistence p
    :alias <>
    :location 837
    }
)
:whereClause
{BOOLEXP
:boolop and
:args (
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("l_partkey")
    :location 924
    }
    :rexpr
    {COLUMNREF
    :fields ("ps_partkey")
    :location 936
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 934
    }
    {A_EXPR
    :name ("=")
    :lexpr
    {COLUMNREF
    :fields ("l_suppkey")
    :location 991
    }
    :rexpr
    {COLUMNREF
    :fields ("ps_suppkey")
    :location 1003
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 1001
    }
    {A_EXPR
    :name (">=")
    :lexpr
    {COLUMNREF
    :fields ("l_shipdate")
    :location 1058
    }
    :rexpr
    {TYPECAST
    :arg
    {A_CONST
    :val "\1995-01-01"
    :location 1077
    }
    :typeName
    {TYPENAME
    :names ("date")
    :typeOid 0
    :setof false
    :pct_type false
    :typmods <>
    :typemod -1
    :arrayBounds <>
    :location 1072
    }
    :location -1
    }
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 1069
    }
    {A_EXPR
    :name ("<")
    :lexpr
    {COLUMNREF
    :fields ("l_shipdate")
    :location 1134
    }
    :rexpr
    {A_EXPR
    :name ("+")
    :lexpr
    {TYPECAST
    :arg
    {A_CONST
    :val "\1995-01-01"
    :location 1152
    }
    :typeName
    {TYPENAME
    :names ("date")
    :typeOid 0
    :setof false

```

```

        :pct_type false
        :typmods <>
        :typemod -1
        :arrayBounds <>
        :location 1147
    }
    :location -1
}
:rexpr
{TYPECAST
:arg
{A_CONST
:val "\1"
:location 1176
}
:typeName
{TYPENAME
:names ("pg_catalog" "interval")
:typeOid 0
:setof false
:pct_type false
:typmods (
{A_CONST
:val 4
:location 1180
}
)
:typemod -1
:arrayBounds <>
:location 1167
}
:location -1
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 1165
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 1145
}
)
:location 987
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 657
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 655
}
)
:location 639
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:location 139
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("s_nationkey")
:location 1233
}
:rexpr
{COLUMNREF
:fields ("n_nationkey")
:location 1247
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 1245
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n_name")
:location 1271
}
:rexpr
{A_CONST
:val "FRANCE"
:location 1280
}
}

```

```

        :rexpr_list_start 0
        :rexpr_list_end 0
        :location 1278
    }
)
:location 1229
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause (
    {SORTBY
        :node
        {COLUMNREF
            :fields ("s_name")
            :location 1306
        }
        :sortby_dir 0
        :sortby_nulls 0
        :useOp <>
        :location -1
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
:rarg <>
}
:options (
    {DEFELEM
        :defnamespace <>
        :defname analyze
        :arg <>
        :defaction 0
        :location 9
    }
    {DEFELEM
        :defnamespace <>
        :defname verbose
        :arg <>
        :defaction 0
        :location 18
    }
    {DEFELEM
        :defnamespace <>
        :defname buffers
        :arg <>
        :defaction 0
        :location 27
    }
)
}
:stmt_location 0
:stmt_len 1312
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{EXPLAINSTMT
:query
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
            :aliasname supplier
            :colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_ph
one" "s_acctbal" "s_comment")
        }
        :rtekind 0
        :relid 16541
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromC1 true
        :securityQuals <>
    }
    {RANGETBENTRY
        :alias <>
        :eref
        {ALIAS
            :aliasname nation
            :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
        }
    }
}
}
}

```

```

    }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16541
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10 11)
    :insertedCols (b)
    :updatedCols (b)
  }
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
    {RANGETBLREF
      :rtindex 2
    }
  )
}
:quals
{BOOLEXP
  :boolop and
  :args (
    {SUBLINK
      :subLinkType 2
      :subLinkId 0
      :testexpr
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 129
          }
          {PARAM
            :paramkind 2
            :paramid 1
            :paramtype 23
            :paramtypmod -1
            :paramcollid 0
            :location -1
          }
        )
      }
    }
    :location 139
  )
}
:operName ("=")
:subselect
{QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks true
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBLENTRY
      :alias <>
      :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty"
          "ps_supplycost" "ps_comment")
      }
    }
    :rtekind 0
    :relid 16556
    :inh true
  )
}

```

```

:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 302
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 313
}
)
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr"
"p_brand" "p_type" "p_size" "p_contai
ner" "p_retailprice" "p_comment")
}
:rtkind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
}
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0

```

```

        :selectedCols (b 8 9)
        :insertedCols (b)
        :updatedCols (b)
    }
}
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 567
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 579
:constvalue 11 [ 44 0 0 0 37 105 118
111 114 121 37 ]
}
)
:location 574
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 397
}
:resno 1
:resname p_partkey
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 313
}
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 643
  }
)
:location -1
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBLENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname lineitem
            :colnames ("l_orderkey" "l_partkey"
              "l_suppkey" "l_linenum" "l_quantity"
              "l_extendedprice" "l_discount" "l_tax"
              "l_returnflag" "l_linestatus"
              "l_shipdate" "l_commitdate" "l_receiptdate"
              "l_shipinstruct" "l_shipmode" "l_comment")
          }
        :rtekind 0
        :relid 16566
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16566
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 9 10 12 18)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  }
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 924
          }
          {VAR
            :varno 1
            :varattno 1
            :vartype 23

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 936
}
)
:location 934
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 991
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1003
}
)
:location 1001
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 1058
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1077
:constvalue 4 [ -34 -8 -1 -1 -
1 -1 -1 -1 ]
}
)
:location 1069
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 1134
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082

```



```

:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1152
:constvalue 4 [ -34 -8 -1 -
1 -1 -1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 1176
:constvalue 16 [ 0 0 0 0 0
0 0 0 0 0 0 12 0 0 0 ]
}
)
:location 1165
}
)
:location 1145
}
)
:location 987
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 738
:constvalue 8 [ 32 0 0 0 -1 -1
28 -120 19 ]
}
)
:location -1
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 748
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:agppresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 744
}
)
:location 742
}

```

```

        :resno 1
        :resname ?column?
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 657
}
)
:location 655
}
)
:location 639
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 191
    }
    :resno 1
    :resname ps_suppkey
    :ressortgroupref 0
    :resorigtbl 16556
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 139
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 1233
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23

```

```

        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 1
        :location 1247
    }
)
:location 1245
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 1271
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1280
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
)
:location 1278
}
)
:location 1229
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 51
    }
    :resno 1
    :resname s_name
    :ressortgroupref 1
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 67
    }
    :resno 2
    :resname s_address
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 3
    :resjunk false
    }
)
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664

```

```

        :reverse_sort false
        :nulls_first false
        :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:options (
{DEFELEM
:defnamespace <>
:defname analyze
:arg <>
:defaction 0
:location 9
}
{DEFELEM
:defnamespace <>
:defname verbose
:arg <>
:defaction 0
:location 18
}
{DEFELEM
:defnamespace <>
:defname buffers
:arg <>
:defaction 0
:location 27
}
)
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 1312
}

```

WARNING: ===== REWRITE INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1

```

```

:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 129
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
}
:location 139
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>

```

```

:rtable (
  {RANGETBLENTRY
  :alias <>
  :eref
  {ALIAS
  :aliasname partsupp
  :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_su
  pplycost" "ps_comment")
  }
  :rtekind 0
  :relid 16556
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16556
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9 10)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
  {BOOLEXP
  :boolop and
  :args (
    {SUBLINK
    :subLinkType 2
    :subLinkId 0
    :testexpr
    {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 302
      }
      {PARAM
      :paramkind 2
      :paramid 1
      :paramtype 23
      :paramtypmod -1
      :paramcollid 0
      :location -1
      }
    )
    :location 313
    }
  :operName ("=")
  :subselect
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBLENTRY
    :alias <>
    :eref
    {ALIAS
    :aliasname part
    :colnames ("p_partkey" "p_name" "p_mfgr" "p_b
    rand" "p_type" "p_size" "p_container" "p_reta
    ilprice" "p_comment")
    }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
  }

```

```

:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 567
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 579
:constvalue 11 [ 44 0 0 0 37 105 118 111 1
14 121 37 ]
}
)
:location 574
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 397
}
:resno 1
:resname p_partkey
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 313
}
{OEXPR
:opno 674
:opfuncid 297

```

```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {FUNCEXP
    :funcid 316
    :funcresulttype 701
    :funcretset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 643
      }
    )
  }
:location -1
}
{SUBLINK
:sublinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :ctelList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname lineitem
            :colnames ("l_orderkey" "l_partkey" "l_sup
              pkey" "l_linenum" "l_quantity" "l_exten
                dedprice" "l_discount" "l_tax" "l_returnfl
                  ag" "l_linestatus" "l_shipdate" "l_commitd
                    ate" "l_receiptdate" "l_shipinstruct" "l_s
                      hipmode" "l_comment")
          }
        :rtekind 0
        :relid 16566
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
  }
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 10 12 18)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 924
}
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 936
}
)
:location 934
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 991
}
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 1
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 1003
}
)
:location 1001
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 1058
}
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1077
:constvalue 4 [ -34 -8 -1 -1 -1 -1 -
1 -1 ]
}
)
:location 1069
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 1134
}
)

```

```

    }
    {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 1152
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
    }
    {CONST
    :consttype 1186
    :consttypmod 327679
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location 1176
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
    }
    )
    :location 1165
  }
)
:location 1145
}
)
:location 987
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 738
:constvalue 8 [ 32 0 0 0 -1 -128 -128 0 19 ]
}
)
:location -1
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:varstype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 748
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false

```

```

                :aggkind n
                :aggpresorted false
                :agglevelsup 0
                :aggsplit 0
                :aggno -1
                :aggtransno -1
                :location 744
            }
        )
        :location 742
    }
    :resno 1
    :resname ?column?
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 657
}
)
:location 655
}
)
:location 639
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 191
    }
    :resno 1
    :resname ps_suppkey
    :ressortgroupref 0
    :resorigtbl 16556
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 139
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location 1233
    }
    {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 1247
    }
    )
    :location 1245
    }
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
    {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 1271
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1280
    :constvalue 10 [ 40 0 0 0 0 70 82 65 78 67 69 ]
    }
    )
    :location 1278
    }
    )
    :location 1229
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 51
}
:resno 1
:resname s_name
:ressortgroupref 1
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 67
}
:resno 2
:resname s_address
:ressortgroupref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
   :tleSortGroupRef 1
   :eqop 98
   :sortop 664
   :reverse_sort false
   :nulls_first false
   :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: Table OID=16541
 WARNING: ===== RLS POLICY ADDED =====

```

DETAIL: (
  {BOOLEXP
   :boolop and
   :args (
     {SUBLINK
      :subLinkType 2
      :subLinkId 0
      :testexpr
      {OPEXP
       :opno 96
       :opfuncid 65
       :opresulttype 16
       :opretset false
       :opcollid 0
       :inputcollid 0
       :args (
         {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location -1
        }
        {PARAM
         :paramkind 2
         :paramid 1
         :paramtype 23
         :paramtypmod -1
         :paramcollid 0
         :location -1
        }
      )
      :location -1
    }
  )
  :operName ("=")
  :subselect
  {QUERY
   :commandType 1
   :querySource 0
   :canSetTag true
   :utilityStmt <>
   :resultRelation 0
   :hasAggs false
   :hasWindowFuncs false
   :hasTargetSRFs false
   :hasSubLinks true
   :hasDistinctOn false
   :hasRecursive false
   :hasModifyingCTE false
   :hasForUpdate false
   :hasRowSecurity false
   :hasGroupRTE false
   :isReturn false
   :cteList <>
   :rtable (
     {RANGETBENTRY
      :alias <>
      :eref
      {ALIAS
       :aliasname partsupp
       :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_supplyco
        st" "ps_comment")
      }
      :rtekind 0
      :relid 16556
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  )
  :rteperminfos (
    {RTEPERMISSIONINFO
     :relid 16556
     :inh true
     :requiredPerms 2
    }
  )
)

```

```

:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:sublinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:ctelList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname part
:colnames ("p_partkey" "p_name" "p_mfgr" "p_brand"
"p_type" "p_size" "p_container" "p_retailprice" "p_
comment")
}
:rtkind 0
:relid 16551
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXP

```

```

:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 11 [ 44 0 0 0 37 105 118 111 114 121
      37 ]
  }
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
    {VAR
      :varno 1
      :varattno 1
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    :resno 1
    :resname p_partkey
    :ressortgroupref 0
    :resorigtbl 16551
    :resorigcol 1
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcsetset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
  }
  :args (
    {VAR
      :varno 1
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location -1
    }
  )
)
}

```

```

    }
  )
  :location -1
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname lineitem
      :colnames ("l_orderkey" "l_partkey" "l_suppkey"
        "l_linenum" "l_quantity" "l_extendedprice" "l_
        _discount" "l_tax" "l_returnflag" "l_linestatus"
        "l_shipdate" "l_commitdate" "l_receiptdate" "l_
        shipinstruct" "l_shipmode" "l_comment")
    }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 10 12 18)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
    :rtindex 1
  }
)
:quals
{BOOLEXP
:boolop and
:args (
  {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
    )
  }
  :location -1
}
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16

```



```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
)
:location -1
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location -1
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
  }
)
:location -1
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location -1
  }
  {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -1 -1 ]
      }
      {CONST
        :consttype 1186
        :consttypmod 327679
        :constcollid 0
        :constlen 16
        :constbyval false
        :constisnull false
        :location -1
      }
    )
  }
)

```

```

        :constvalue 16 [ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
        0 12 0 0 0 ]
    }
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 8 [ 32 0 0 0 -1 -128 -120 19 ]
}
)
:location -1
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location -1
}
)
:location -1
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>

```

```

        :distinctClause <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
:resno 1
:resname ps_suppkey
:ressortgroupref 0
:resorigtbl 16556
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>

```

```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname nation
        :colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
      }
    :rtekind 0
    :relid 16536
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16536
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {OPEXPR
        :opno 98
        :opfuncid 67
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 100
        :args (
          {VAR
            :varno 1
            :varattno 2
            :vartype 25
            :vartypmod -1
            :varcollid 100
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
          }
          {CONST
            :consttype 25
            :consttypmod -1
            :constcollid 100
            :constlen -1
            :constbyval false
            :constisnull false
            :location -1
            :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
          }
        )
      }
    :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
    :resno 1
    :resname n_nationkey
    :ressortgroupref 0
    :resorigtbl 16536
    :resorigcol 1
    :resjunk false
  }
)
:override 0

```

```

:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
:location -1
}
)

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTY
:alias <>
:eref
{ALIAS
:aliasname supplier
:colnames ("s_suppkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals (
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
}
:location -1
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false

```

```

:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_su
          pplycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
)
:quals
  {BOOLEXP
    :boolop and
    :args (
      {SUBLINK
        :subLinkType 2
        :subLinkId 0
        :testexpr
          {OPEXP
            :opno 96
            :opfuncid 65
            :opresulttype 16
            :opretset false
            :opcollid 0
            :inputcollid 0
            :args (
              {VAR
                :varno 1
                :varattno 1
                :vartype 23
                :vartypmod -1
                :varcollid 0
                :varnullingrels (b)
                :varlevelsup 0
                :varreturningtype 0
                :varnosyn 1
                :varattnosyn 1
                :location -1
              }
              {PARAM
                :paramkind 2
                :paramid 1
                :paramtype 23
                :paramtypmod -1
                :paramcollid 0
                :location -1
              }
            )
          }
        :location -1
      }
    )
  }
:operName ("=")
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBLENTRY
        :alias <>
        :eref
          {ALIAS

```

```

        :aliasname part
        :colnames ("p_partkey" "p_name" "p_mfgr" "p_b
        rand" "p_type" "p_size" "p_container" "p_reta
        ilprice" "p_comment")
    }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 11 [ 44 0 0 0 37 105 118 111 1
14 121 37 ]
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname p_partkey
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>

```

```

:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcretset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_sup
pkey" "l_linenum" "l_quantity" "l_exten
dedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitd
ate" "l_receiptdate" "l_shipinstruct" "l_s
hipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 12 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65

```



```

:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
  }
)
:location -1
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
  }
)
:location -1
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location -1
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -
1 -1 ]
  }
)
:location -1
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR

```

```

:varno 1
:varattno 11
:varatype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location -1
}
{OEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location -1
:constvalue 4 [ -34 -8 -1 -1 -1 -
1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location -1
:constvalue 16 [ 0 0 0 0 0 0 0 0
0 0 0 0 12 0 0 0 ]
}
)
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXP
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 8 [ 32 0 0 0 -1 -128 -12
0 19 ]
}
)
:location -1
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:varatype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:resno 1
:resname <>

```

```

                :ressortgrouppref 0
                :resorigtbl 0
                :resorigcol 0
                :resjunk false
            }
        )
        :aggorder <>
        :aggdistinct <>
        :aggfilter <>
        :aggstar false
        :aggvariadic false
        :aggkind n
        :aggpresorted false
        :agglevelsup 0
        :aggsplit 0
        :aggno -1
        :aggtransno -1
        :location -1
    }
    :location -1
}
:resno 1
:resname ?column?
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
:location -1
}
)
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
        }
        :resno 1
        :resname ps_suppkey
        :ressortgrouppref 0
        :resorigtbl 16556
        :resorigcol 2
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
{SUBLINK
:subLinkType 2
:subLinkId 0

```

```

: testexpr
{OPEXPR
: opno 96
: opfuncid 65
: opresulttype 16
: opretset false
: opcollid 0
: inputcollid 0
: args (
{VAR
: varno 1
: varattno 4
: vartype 23
: vartypmod -1
: varcollid 0
: varnullingrels (b)
: varlevelsup 0
: varreturningtype 0
: varnosyn 1
: varattnosyn 4
: location -1
}
{PARAM
: paramkind 2
: paramid 1
: paramtype 23
: paramtypmod -1
: paramcollid 0
: location -1
}
)
: location -1
}
: operName ("=")
: subselect
{QUERY
: commandType 1
: querySource 0
: canSetTag true
: utilityStmt <>
: resultRelation 0
: hasAggs false
: hasWindowFuncs false
: hasTargetSRFs false
: hasSubLinks false
: hasDistinctOn false
: hasRecursive false
: hasModifyingCTE false
: hasForUpdate false
: hasRowSecurity false
: hasGroupRTE false
: isReturn false
: cteList <>
: rtable (
{RANGETBLENTRY
: alias <>
: eref
{ALIAS
: aliasname nation
: colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
}
: rtekind 0
: relid 16536
: inh true
: relkind r
: rellockmode 1
: perminfoindex 1
: tablesample <>
: lateral false
: inFromCl true
: securityQuals <>
}
)
: rteperminfos (
{RTEPERMISSIONINFO
: relid 16536
: inh true
: requiredPerms 2
: checkAsUser 0
: selectedCols (b 8 9)
: insertedCols (b)
: updatedCols (b)
}
)
: jointree
{FROMEXPR
: fromlist (
{RANGETBLREF
: rtindex 1
}
)
}
: quals
{OPEXPR
: opno 98
: opfuncid 67
: opresulttype 16
: opretset false
: opcollid 0
: inputcollid 100
: args (
{VAR
: varno 1
: varattno 2
: vartype 25
: vartypmod -1
: varcollid 100
: varnullingrels (b)
: varlevelsup 0
: varreturningtype 0
: varnosyn 1
: varattnosyn 2
: location -1
}
{CONST

```

```

        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
}
:location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname n_nationkey
:ressortgroupref 0
:resorigtbl 16536
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
)
:location -1
}
)
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF

```

```

:rtindex 2
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 129
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location 139
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_su
pplycost" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 302
  }
  {PARAM
    :paramkind 2
    :paramid 1
    :paramtype 23
    :paramtypmod -1
    :paramcollid 0
    :location -1
  }
)
:location 313
}
:operName ("=")
:subselect
{QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>
  :rtable (
    {RANGETBENTRY
      :alias <>
      :eref
        {ALIAS
          :aliasname part
          :colnames ("p_partkey" "p_name" "p_mfgr" "p_b
            rand" "p_type" "p_size" "p_container" "p_reta
            ilprice" "p_comment")
        }
      :rtekind 0
      :relid 16551
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  )
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 16551
      :inh true
      :requiredPerms 2
      :checkAsUser 0
      :selectedCols (b 8 9)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
}
:jointree
{FROMEXPR
  :fromlist (
    {RANGETBLREF
      :rtindex 1
    }
  )
  :quals
    {OPEXPR
      :opno 1209
      :opfuncid 850
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 100
      :args (
        {VAR
          :varno 1
          :varattno 2
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 2
          :location 567
        }
        {CONST
          :consttype 25
          :consttypmod -1
          :constcollid 100
          :constlen -1
          :constbyval false

```

```

        :constisnull false
        :location 579
        :constvalue 11 [ 44 0 0 0 37 105 118 111 1
        14 121 37 ]
    }
}
:location 574
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 397
    }
    :resno 1
    :resname p_partkey
    :ressortgroupref 0
    :resorigtbl 16551
    :resorigcol 1
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 313
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {FUNCEXPR
    :funcid 316
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
        {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 643
        }
    )
}
:location -1
}
{SUBLINK
:sublinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
    {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs true
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    }
}

```



```

:isReturn false
:ctelList <>
:rtable (
  {RANGETBLENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_sup
pkey" "l_linenummer" "l_quantity" "l_exten
dedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitd
ate" "l_receiptdate" "l_shipinstruct" "l_s
hipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesampl <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 10 12 18)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location 924
          }
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location 936
          }
        )
      }
      :location 934
    )
  }
  {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 991
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
      }
    )
  }

```

```

        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 1003
    }
}
:location 1001
}
{OEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 11
        :location 1058
    }
    {CONST
        :consttype 1082
        :consttypmod -1
        :constcollid 0
        :constlen 4
        :constbyval true
        :constisnull false
        :location 1077
        :constvalue 4 [ -34 -8 -1 -1 -1 -1 -
1 -1 ]
    }
)
:location 1069
}
{OEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 11
        :vartype 1082
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 11
        :location 1134
    }
    {OEXPR
        :opno 1076
        :opfuncid 2071
        :opresulttype 1114
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
            {CONST
                :consttype 1082
                :consttypmod -1
                :constcollid 0
                :constlen 4
                :constbyval true
                :constisnull false
                :location 1152
                :constvalue 4 [ -34 -8 -1 -1 -1 -1 -
1 -1 -1 ]
            }
            {CONST
                :consttype 1186
                :consttypmod 327679
                :constcollid 0
                :constlen 16
                :constbyval false
                :constisnull false
                :location 1176
                :constvalue 16 [ 0 0 0 0 0 0 0 0
0 0 0 0 12 0 0 0 ]
            }
        )
    }
:location 1165
}
)
:location 1145
}
)
:location 987
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {OEXPR
            :opno 594
            :opfuncid 216
            :opresulttype 701
            :opretset false

```

```

:opcollid 0
:inputcollid 0
:args (
  {FUNCEXP
    :funcid 1746
    :funcresulttype 701
    :funcresultset false
    :funcvariadic false
    :funcformat 2
    :funccollid 0
    :inputcollid 0
    :args (
      {CONST
        :consttype 1700
        :consttypmod -1
        :constcollid 0
        :constlen -1
        :constbyval false
        :constisnull false
        :location 738
        :constvalue 8 [ 32 0 0 0 -1 -128 -12
          0 19 ]
      }
    )
    :location -1
  }
  {AGGREG
    :aggfnoid 2111
    :aggtype 701
    :aggcollid 0
    :inputcollid 0
    :aggtranstype 0
    :aggargtypes (o 701)
    :aggdirectargs <>
    :args (
      {TARGETENTRY
        :expr
        {VAR
          :varno 1
          :varattno 5
          :vartype 701
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 5
          :location 748
        }
        :resno 1
        :resname <>
        :ressortgroupref 0
        :resorigtbl 0
        :resorigcol 0
        :resjunk false
      }
    )
    :aggorder <>
    :aggdistinct <>
    :aggfilter <>
    :aggstar false
    :aggvariadic false
    :aggkind n
    :aggpresorted false
    :agglevelsup 0
    :aggssplit 0
    :aggno -1
    :aggtransno -1
    :location 744
  }
)
:location 742
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 657
}
)
:location 655
}
)
:location 639
}
}
:mergeActionList <>
:mergeTargetRelation 0

```

```

:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 191
      }
    :resno 1
    :resname ps_supkey
    :ressortgroupref 0
    :resorigtbl 16556
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 139
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 1233
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 1247
  }
)
:location 1245
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 1271
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1280
  }
)

```

```

        :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
    }
    )
    :location 1278
    }
    )
    :location 1229
    }
    }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 51
    }
    :resno 1
    :resname s_name
    :ressortgroupref 1
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 3
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 67
    }
    :resno 2
    :resname s_address
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 3
    :resjunk false
    }
    )
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
    )
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity true
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
    {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS

```

```

:aliasname supplier
:colnames ("s_supkey" "s_name" "s_address" "s_nationkey" "s_phone" "
s_acctbal" "s_comment")
}
:rtekind 0
:relid 16541
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals (
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
)
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname partsupp
:colnames ("ps_partkey" "ps_supkey" "ps_availqty" "ps_su
pplycost" "ps_comment")
}
:rtekind 0
:relid 16556
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16556
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
)
:quals
{BOOLEXP
:boolop and

```

```

:args (
  {SUBLINK
    :sublinkType 2
    :sublinkId 0
    :testexpr
    {OPEXPR
      :opno 96
      :opfuncid 65
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 0
      :args (
        {VAR
          :varno 1
          :varattno 1
          :vartype 23
          :vartypmod -1
          :varcollid 0
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
          :varnosyn 1
          :varattnosyn 1
          :location -1
        }
        {PARAM
          :paramkind 2
          :paramid 1
          :paramtype 23
          :paramtypmod -1
          :paramcollid 0
          :location -1
        }
      )
    }
  :location -1
}
:operName ("=")
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname part
            :colnames ("p_partkey" "p_name" "p_mfgr" "p_b
              rand" "p_type" "p_size" "p_container" "p_reta
              ilprice" "p_comment")
          }
        :rtekind 0
        :relid 16551
        :inh true
        :relkind r
        :rellockmode 1
        :perminfoindex 1
        :tablesample <>
        :lateral false
        :inFromCl true
        :securityQuals <>
      }
    )
    :rteperminfos (
      {RTEPERMISSIONINFO
        :relid 16551
        :inh true
        :requiredPerms 2
        :checkAsUser 0
        :selectedCols (b 8 9)
        :insertedCols (b)
        :updatedCols (b)
      }
    )
  )
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
  :quals
    {OPEXPR
      :opno 1209
      :opfuncid 850
      :opresulttype 16
      :opretset false
      :opcollid 0
      :inputcollid 100
      :args (
        {VAR
          :varno 1
          :varattno 2
          :vartype 25
          :vartypmod -1
          :varcollid 100
          :varnullingrels (b)
          :varlevelsup 0
          :varreturningtype 0
        }
      )
    }
  }

```

```

        :varnosyn 1
        :varattnosyn 2
        :location -1
    }
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 11 [ 44 0 0 0 37 105 118 111 1
14 121 37 ]
    }
    }
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
:resno 1
:resname p_partkey
:ressortgroupref 0
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDecls <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
{OEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
}
{SUBLINK
:sublinkType 4
:sublinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0

```



```

:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname lineitem
        :colnames ("l_orderkey" "l_partkey" "l_sup
pkey" "l_linenumber" "l_quantity" "l_exten
dedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitd
ate" "l_receiptdate" "l_shipinstruct" "l_s
hipmode" "l_comment")
      }
    :rtekind 0
    :relid 16566
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16566
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 9 10 12 18)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {OPEXP
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
          }
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
        )
      }
      :location -1
    )
  }
  {OPEXP
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
      }
    )
  }
)

```

```

        :location -1
    }
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    )
    :location -1
    }
    {OPEXPR
    :opno 1098
    :opfuncid 1090
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location -1
    }
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -
    1 -1 ]
    }
    )
    :location -1
    }
    {OPEXPR
    :opno 2345
    :opfuncid 2338
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location -1
    }
    {OPEXPR
    :opno 1076
    :opfuncid 2071
    :opresulttype 1114
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location -1
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -
    1 -1 -1 ]
    }
    {CONST
    :consttype 1186
    :consttypmod 327679
    :constcollid 0
    :constlen 16
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 16 [ 0 0 0 0 0 0 0 0 0
    0 0 0 0 12 0 0 0 ]
    }
    )
    :location -1
    }
    )
    :location -1
    }
    )
    :location -1
    }
    }
    :mergeActionList <>

```

```

:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {OPEXPR
        :opno 594
        :opfuncid 216
        :opresulttype 701
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {FUNCEXPR
            :funcid 1746
            :funcresulttype 701
            :funcresultset false
            :funcvariadic false
            :funcformat 2
            :funccollid 0
            :inputcollid 0
            :args (
              {CONST
                :consttype 1700
                :consttypmod -1
                :constcollid 0
                :constlen -1
                :constbyval false
                :constisnull false
                :location -1
                :constvalue 8 [ 32 0 0 0 -1 -128 -12
                  0 19 ]
              }
            )
          }
        :location -1
      }
    {AGGREF
      :aggfnoid 2111
      :aggtype 701
      :aggcollid 0
      :inputcollid 0
      :aggtranstype 0
      :aggargtypes (o 701)
      :aggdirectargs <>
      :args (
        {TARGETENTRY
          :expr
            {VAR
              :varno 1
              :varattno 5
              :vartype 701
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 5
              :location -1
            }
          :resno 1
          :resname <>
          :ressortgroupref 0
          :resorigtbl 0
          :resorigcol 0
          :resjunk false
        }
      )
      :aggorder <>
      :aggdistinct <>
      :aggfilter <>
      :aggstar false
      :aggvariadic false
      :aggkind n
      :aggpresorted false
      :agglevelsup 0
      :aggsplit 0
      :aggno -1
      :aggtransno -1
      :location -1
    }
  )
  :location -1
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1

```

```

        }
        :location -1
    }
    :location -1
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
        :expr
        {VAR
            :varno 1
            :varattno 2
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 2
            :location -1
        }
        :resno 1
        :resname ps_suppkey
        :ressortgroupref 0
        :resorigtbl 16556
        :resorigcol 2
        :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
    {VAR
        :varno 1
        :varattno 4
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
    }
    {PARAM
        :paramkind 2
        :paramid 1
        :paramtype 23
        :paramtypmod -1
        :paramcollid 0
        :location -1
    }
)
:location -1
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>

```

```

:rtable (
  {RANGETBLENTY
  :alias <>
  :eref
    {ALIAS
      :aliasname nation
      :colnames ("n_nationkey" "n_name" "n_regionkey" "n_commen
t")
    }
  :rtekind 0
  :relid 16536
  :inh true
  :relkind r
  :rellockmode 1
  :perminfoindex 1
  :tablesample <>
  :lateral false
  :inFromCl true
  :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
  :relid 16536
  :inh true
  :requiredPerms 2
  :checkAsUser 0
  :selectedCols (b 8 9)
  :insertedCols (b)
  :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
  :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
  )
  :quals
    {OPEXPR
    :opno 98
    :opfuncid 67
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 100
    :args (
      {VAR
      :varno 1
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
      }
      {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location -1
      :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
      }
    )
    :location -1
  }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
    {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location -1
    }
  :resno 1
  :resname n_nationkey
  :ressortgroupref 0
  :resorigtbl 16536
  :resorigcol 1
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>

```

```

        :limitCount <>
        :limitOption 0
        :rowMarks <>
        :setOperations <>
        :constraintDeps <>
        :withCheckOptions <>
        :stmt_location -1
        :stmt_len -1
    }
    :location -1
}
)
:location -1
}
)
}
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname nation
:colnames ("n_nationkey" "n_name" "n_regionkey" "n_comment")
}
:rtekind 0
:relid 16536
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16541
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10 11)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 16536
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
{RANGETBLREF
:rtindex 2
}
)
)
:quals
{BOOLEXP
:boolop and
:args (
{SUBLINK
:subLinkType 2
:subLinkId 0
:testexpr
{OPEXP
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 1
:varatype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 129
}
{PARAM
:paramkind 2
:paramid 1
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
}
:location 139
}
:operName ("=")
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false

```

```

:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias <>
    :eref
      {ALIAS
        :aliasname partsupp
        :colnames ("ps_partkey" "ps_suppkey" "ps_availqty" "ps_su
          pplycost" "ps_comment")
      }
    :rtekind 0
    :relid 16556
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
  }
)
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 16556
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
  }
:quals
  {BOOLEXP
    :boolop and
    :args (
      {SUBLINK
        :subLinkType 2
        :subLinkId 0
      }
      :testexpr
        {OEXPR
          :opno 96
          :opfuncid 65
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {VAR
              :varno 1
              :varattno 1
              :vartype 23
              :vartypmod -1
              :varcollid 0
              :varnullingrels (b)
              :varlevelsup 0
              :varreturningtype 0
              :varnosyn 1
              :varattnosyn 1
              :location 302
            }
            {PARAM
              :paramkind 2
              :paramid 1
              :paramtype 23
              :paramtypmod -1
              :paramcollid 0
              :location -1
            }
          )
        }
      :location 313
    )
  }
:operName ("=")
:subselect
  {QUERY
    :commandType 1
    :querySource 0
    :canSetTag true
    :utilityStmt <>
    :resultRelation 0
    :hasAggs false
    :hasWindowFuncs false
    :hasTargetSRFs false
    :hasSubLinks false
    :hasDistinctOn false
    :hasRecursive false
    :hasModifyingCTE false
    :hasForUpdate false
    :hasRowSecurity false
    :hasGroupRTE false
    :isReturn false
    :cteList <>
    :rtable (
      {RANGETBENTRY
        :alias <>
        :eref
          {ALIAS
            :aliasname part

```

```

        :colnames ("p_partkey" "p_name" "p_mfgr" "p_b
        rand" "p_type" "p_size" "p_container" "p_reta
        ilprice" "p_comment")
    }
    :rtekind 0
    :relid 16551
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16551
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 567
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 579
:constvalue 11 [ 44 0 0 0 37 105 118 111 1
14 121 37 ]
}
)
:location 574
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 397
}
:resno 1
:resname p_partkey
:resortgroupref 0
:resorigtbl 16551
:resorigcol 1
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>

```



```

:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 313
}
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 643
}
)
:location -1
}
{SUBLINK
:subLinkType 4
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs true
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBLENTRY
:alias <>
:eref
{ALIAS
:aliasname lineitem
:colnames ("l_orderkey" "l_partkey" "l_sup
pkey" "l_linenum" "l_quantity" "l_exten
dedprice" "l_discount" "l_tax" "l_returnfl
ag" "l_linestatus" "l_shipdate" "l_commitd
ate" "l_receiptdate" "l_shipinstruct" "l_s
hipmode" "l_comment")
}
:rtekind 0
:relid 16566
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 16566
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 9 10 12 18)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{BOOLEXPR
:boolop and
:args (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 924
  }
  {VAR
    :varno 1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 936
  }
)
:location 934
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 991
  }
  {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 1
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 1003
  }
)
:location 1001
}
{OPEXPR
:opno 1098
:opfuncid 1090
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 11
    :vartype 1082
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 11
    :location 1058
  }
  {CONST
    :consttype 1082
    :consttypmod -1
    :constcollid 0
    :constlen 4
    :constbyval true
    :constisnull false
    :location 1077
    :constvalue 4 [ -34 -8 -1 -1 -1 -1 -
1 -1 ]
  }
)
:location 1069
}
{OPEXPR
:opno 2345
:opfuncid 2338
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1

```

```

:varattno 11
:vartype 1082
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 11
:location 1134
}
{OPEXPR
:opno 1076
:opfuncid 2071
:opresulttype 1114
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CONST
:consttype 1082
:consttypmod -1
:constcollid 0
:constlen 4
:constbyval true
:constisnull false
:location 1152
:constvalue 4 [ -34 -8 -1 -1 -1 -
1 -1 -1 ]
}
{CONST
:consttype 1186
:consttypmod 327679
:constcollid 0
:constlen 16
:constbyval false
:constisnull false
:location 1176
:constvalue 16 [ 0 0 0 0 0 0 0 0
0 0 0 0 12 0 0 0 ]
}
)
:location 1165
}
)
:location 1145
}
)
:location 987
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{OPEXPR
:opno 594
:opfuncid 216
:opresulttype 701
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 1746
:funcresulttype 701
:funcset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{CONST
:consttype 1700
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location 738
:constvalue 8 [ 32 0 0 0 -1 -128 -12
0 19 ]
}
)
:location -1
}
{AGGREF
:aggfnoid 2111
:aggtype 701
:aggcollid 0
:inputcollid 0
:aggtranstype 0
:aggargtypes (o 701)
:aggdirectargs <>
:args (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 5
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location 748
}
:resno 1
:resname <>
:ressortgroupref 0

```

```

        :resorigtbl 0
        :resorigcol 0
        :resjunk false
    }
)
:aggorder <>
:aggdistinct <>
:aggfilter <>
:aggstar false
:aggvariadic false
:aggkind n
:aggpresorted false
:agglevelsup 0
:aggssplit 0
:aggno -1
:aggtransno -1
:location 744
}
)
:location 742
}
:resno 1
:resname ?column?
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 657
}
)
:location 655
}
)
:location 639
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 191
    }
    :resno 1
    :resname ps_suppkey
    :ressortgroupref 0
    :resorigtbl 16556
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
:location 139
}
}
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 1233
  }
  {VAR
    :varno 2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 1247
  }
)
:location 1245
}
{OPEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
  {VAR
    :varno 2
    :varattno 2
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location 1271
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 1280
    :constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
  }
)
:location 1278
}
)
:location 1229
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 51
      }
    :resno 1
    :resname s_name
    :ressortgroupref 1
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 3
        :vartype 25
        :vartypmod -1
        :varcollid 100
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 67
      }
    :resno 2
    :resname s_address
    :ressortgroupref 0
  }
)

```

```

:resorigtbl 16541
:resorigcol 3
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 98
    :sortop 664
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====:

```

DETAIL: {SORT
:plan.disabled_nodes 0
:plan.startup_cost 359743153636.941
:plan.total_cost 359743153637.066
:plan.plan_rows 50
:plan.plan_width 44
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname s_name
    :ressortgroupref 1
    :resorigtbl 16541
    :resorigcol 2
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location -1
    }
    :resno 2
    :resname s_address
    :ressortgroupref 0
    :resorigtbl 16541
    :resorigcol 3
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 179871577009.665
:join.plan.total_cost 359743153635.53
:join.plan.plan_rows 50
:join.plan.plan_width 44
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -1
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
    }
  }
)
}

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location 51
    }
}
:resno 1
:resname s_name
:ressortgrouppref 1
:resorigtbl 16541
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 67
}
:resno 2
:resname s_address
:ressortgrouppref 0
:resorigtbl 16541
:resorigcol 3
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0
:join.plan.total_cost 179871576523.515
:join.plan.plan_rows 26936
:join.plan.plan_width 4
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 2
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location 191
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
)
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 179790762008.00003
:scan.plan.plan_rows 266667
:scan.plan.plan_width 8
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 23
:vartypmod -1

```

```

        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location -1
    }
    :resno 2
    :resname <>
    :ressortgrouppref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 4
:vartype 701
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 5
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 674
:opfuncid 297
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{FUNCEXPR
:funcid 316
:funcresulttype 701
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 3
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location 643
}
)
}
:location -1

```



```

    }
    {SUBPLAN
    :subLinkType 4
    :testexpr <>
    :paramIds <>
    :plan_id 1
    :plan_name SubPlan\ 1
    :firstColType 701
    :firstColTypmod -1
    :firstColCollation 0
    :useHashTable false
    :unknownEqFalse false
    :parallel_safe false
    :setParam <>
    :parParam (i 0 1)
    :args (
    {VAR
    :varno 4
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location 936
    }
    {VAR
    :varno 4
    :varattno 2
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 1003
    }
    )
    :startup_cost 0
    :per_call_cost 224738.41500000004
    }
    )
    :location 655
    }
    )
    :scan.plan.lefttree <>
    :scan.plan.righttree <>
    :scan.plan.initPlan <>
    :scan.plan.extParam (b)
    :scan.plan.allParam (b)
    :scan.scanrelid 4
    }
    :join.plan.righttree
    {MATERIAL
    :plan.disabled_nodes 0
    :plan.startup_cost 0
    :plan.total_cost 6465.01
    :plan.plan_rows 20202
    :plan.plan_width 4
    :plan.parallel_aware false
    :plan.parallel_safe true
    :plan.async_capable false
    :plan.plan_node_id 4
    :plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 6
    :varattnosyn 1
    :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :plan.qual <>
    :plan.lefttree
    {SEQSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0
    :scan.plan.total_cost 6364
    :scan.plan.plan_rows 20202
    :scan.plan.plan_width 4
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe true
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 5
    :scan.plan.targetlist (
    {TARGETENTRY
    :expr
    {VAR
    :varno 6
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0

```

```

        :varreturningtype 0
        :varnosyn 6
        :varattnosyn 1
        :location 397
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
}
)
:scan.plan.qual (
{OPEXPR
:opno 1209
:opfuncid 850
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 6
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 2
:location 567
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 579
:constvalue 11 [ 44 0 0 0 37 105 118 111 114 121 37 ]
}
)
:location 574
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanreldid 6
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 4
:join.inner_unique false
:join.joinqual (
{OPEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location 302
}
{VAR
:varno -1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 6
:varattnosyn 1
:location 397
}
)
:location -1
}
)
:nestParams <>
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 179871577009.04
:plan.total_cost 179871577009.04
:plan.plan_rows 50
:plan.plan_width 48
:plan.parallel_aware false

```

```

:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 6
:plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 1
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location -1
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 3
      :location -1
    }
    :resno 2
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 3
      :vartype 23
      :vartypmod -1
      :varcollid 0
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location -1
    }
    :resno 3
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
)
:plan.qual <>
:plan.lefttree
{HASHJOIN
:join.plan.disabled_nodes 0
:join.plan.startup_cost 179871576631.165
:join.plan.total_cost 179871577009.04
:join.plan.plan_rows 50
:join.plan.plan_width 48
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 7
:join.plan.targetlist (
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 2
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 2
      :location 51
    }
    :resno 1
    :resname <>
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
  }
  {TARGETENTRY
    :expr
    {VAR
      :varno -2
      :varattno 3
      :vartype 25
      :vartypmod -1
      :varcollid 100
      :varnullingrels (b)

```

```

        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 3
        :location 67
    }
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 129
}
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 179871576610.99002
:scan.plan.total_cost 179871576978.99002
:scan.plan.plan_rows 2500
:scan.plan.plan_width 52
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 8
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
}
:resno 1
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 2
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
:resno 3
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}

```

```

{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location -1
  }
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 5
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 5
    :location -1
  }
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 6
    :vartype 701
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {VAR
    :varno 1
    :varattno 7
    :vartype 25
    :vartypmod -1
    :varcollid 100
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 7
    :location -1
  }
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
  {SUBPLAN
    :subLinkType 2
    :testexpr
      {OPEXPR
        :opno 96
        :opfuncid 65
        :opresulttype 16
        :opretset false
        :opcollid 0
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 23
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
        )
      }
    :PARAM

```

```

        :paramkind 1
        :paramid 4
        :paramtype 23
        :paramtypmod -1
        :paramcollid 0
        :location -1
    }
}
:location -1
}
:paramids (i 4)
:plan_id 3
:plan_name SubPlan\ 3
:firstcoltype 23
:firstcoltypmod -1
:firstcolcollation 0
:usehashtable true
:unknowneqfalse true
:parallel_safe false
:setparam <>
:parparam <>
:args <>
:startup_cost 179871576590.855
:per_call_cost 0.0025
}
{SUBPLAN
:sublinktype 2
:testexpr
{OEXPR
:opno 96
:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 4
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{PARAM
:paramkind 1
:paramid 5
:paramtype 23
:paramtypmod -1
:paramcollid 0
:location -1
}
)
:location -1
}
:paramids (i 5)
:plan_id 4
:plan_name SubPlan\ 4
:firstcoltype 23
:firstcoltypmod -1
:firstcolcollation 0
:usehashtable true
:unknowneqfalse true
:parallel_safe true
:setparam <>
:parparam <>
:args <>
:startup_cost 20.135
:per_call_cost 0.0025
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 1
}
:join.plan.righttree
{HASH
:plan.disabled_nodes 0
:plan.startup_cost 20.125
:plan.total_cost 20.125
:plan.plan_rows 4
:plan.plan_width 4
:plan.parallel_aware false
:plan.parallel_safe true
:plan.async_capable false
:plan.plan_node_id 9
:plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0

```

```

        :resjunk false
    }
)
:plan.qual <>
:plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 20.125
:scan.plan.plan_rows 4
:scan.plan.plan_width 4
:scan.plan.parallel_aware false
:scan.plan.parallel_safe true
:scan.plan.async_capable false
:scan.plan.plan_node_id 10
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 1247
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual (
{OEXPR
:opno 98
:opfuncid 67
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 100
:args (
{VAR
:varno 2
:varattno 2
:vartype 25
:vartypmod -1
:varcollid 100
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location 1271
}
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 1280
:constvalue 10 [ 40 0 0 0 70 82 65 78 67 69 ]
}
)
:location 1278
}
)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
{VAR
:varno -2
:varattno 1
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location 1247
}
)
:skewTable 16541
:skewColumn 4
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique false
:join.joinqual <>
:hashclauses (
{OEXPR
:opno 96

```

```

:opfuncid 65
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 1233
  }
  {VAR
    :varno -1
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 1
    :location 1247
  }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
  {VAR
    :varno -2
    :varattno 4
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 4
    :location 1233
  }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:hashkeys (
  {VAR
    :varno -2
    :varattno 3
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 129
  }
)
}
:skewTable 16556
:skewColumn 2
:skewInherit false
:rows_total 0
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 6
:join.inner_unique false
:join.joinqual <>
:hashclauses (
  {OPEXPR
    :opno 96
    :opfuncid 65
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno -2
        :varattno 1
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 4
        :varattnosyn 2
        :location 191
      }
      {VAR
        :varno -1
        :varattno 3
        :vartype 23
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0

```



```

        :varnosyn 1
        :varattnosyn 1
        :location 129
    }
)
:location -1
}
)
:hashoperators (o 96)
:hashcollations (o 0)
:hashkeys (
    {VAR
    :varno -2
    :varattno 1
    :vartype 23
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location 191
    }
)
}
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:numCols 1
:sortColIdx ( 1)
:sortOperators ( 664)
:collations ( 100)
:nullsFirst ( false)
}

^CCancel request sent
ERROR: canceling statement due to user request
Time: 169292.824 ms (02:39.293)
tpch=> reset role;
WARNING: ===== RAW PARSE TREE =====
DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

Time: 9.071 ms
tpch=#

```

```

set echo=# DO $$
DECLARE
    r RECORD;
BEGIN
    FOR r IN SELECT polname, tablename FROM pg_policies WHERE schemaname = 'public'
    LOOP
        EXECUTE format('DROP POLICY IF EXISTS %I ON %I', r.polname, r.tablename);
    END LOOP;
END;
$$;

RESET ROLE;
ALTER TABLE lineitem DISABLE ROW LEVEL SECURITY;
ALTER TABLE orders DISABLE ROW LEVEL SECURITY;
ALTER TABLE customer DISABLE ROW LEVEL SECURITY;
ALTER TABLE supplier DISABLE ROW LEVEL SECURITY;
ALTER TABLE part DISABLE ROW LEVEL SECURITY;
ALTER TABLE partsupp DISABLE ROW LEVEL SECURITY;
ALTER TABLE nation DISABLE ROW LEVEL SECURITY;
ALTER TABLE region DISABLE ROW LEVEL SECURITY;

ALTER TABLE supplier ENABLE ROW LEVEL SECURITY;

CREATE POLICY supplier_rls_policy ON supplier
USING (
    EXISTS (
        SELECT 1 FROM nation n
        WHERE n.n_nationkey = supplier.s_nationkey
            AND n.n_name = 'FRANCE'
    )
);

GRANT SELECT ON supplier TO alice;
GRANT SELECT ON nation TO alice;
GRANT SELECT ON partsupp TO alice;
GRANT SELECT ON part TO alice;
GRANT SELECT ON lineitem TO alice;
SET ROLE alice;

EXPLAIN (ANALYZE, VERBOSE, BUFFERS)
select
    s_name,
    s_address
from
    supplier,
    nation
where
    s_suppkey in (
        select
            from ps_supplekey
            from partsupp
            where
                ps_partkey in (
                    select
                        p_partkey
                        from part
                        where
                            p_name like '%ivory%'
                )
                and ps_availqty > (
                    select
                        0.5 * sum(l_quantity)
                        from lineitem
                        where
                            l_partkey = ps_partkey
                                and l_suppkey = ps_supplekey
                                    and l_shipdate >= date '1995-01-01'
                                        and l_shipdate < date '1995-01-01' + interval '1' year
                )
            )
        and s_nationkey = n_nationkey
        and n_name = 'FRANCE'
order by
    s_name;

WARNING: ===== RAW PARSE TREE =====
DETAIL:      {RAWSTMT
               :stmt
               {DOSTMT
                 :args (
                   {DEFLEEM
                     :defnamespace <>
                     :defname as
                     :arg ""
                   }
                 }
               }
             \ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
          T\ polname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
           public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\ ('DROP\ POLICY
          \ \ IF EXISTS\ %I\ ON\ %I',\ r.polname,\ r.tablename\ )
          ;\
\ \ \ \ END\ LOOP;\
END;\
"

               :defaction 0
               :location 3
           }
       }
   :stmt_location 0
   :stmt_len 236
}

WARNING: ===== ANALYZED QUERY =====
DETAIL:      {QUERY
               :commandType 6
               :querySource 0
               :canSetTag true
               :utilityStmt
               {DOSTMT

```

```

        :args (
            {DEFELEM
            :defnamespace <>
            :defname as
            :arg "\
DECLARE\
\ \ \ \ r\ RECORD;\
BEGIN\
\ \ \ \ FOR\ r\ IN\ SELEC
\ \ \ \ \ policyname,\ tablename\ FROM\ pg_policies\ WHERE\ schemaname\ =\ '
\ \ \ \ \ public'\
\ \ \ \ LOOP\
\ \ \ \ \ \ \ \ EXECUTE\ format\('DROP\ POLICY
\ \ \ \ \ \ IF\ EXISTS\ %I\ ON\ %I',\ r.policyname,\ r.tablename\)\
\ \ \ \ \ \
\ \ \ \ \ END\ LOOP;\
END;\
"
            :defaction 0
            :location 3
        )
    }
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 236
}

WARNING: ===== REWRITE INPUT =====
DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "policyname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 0
:relid 12018
:inh true
:relkind v
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)

```

```

    }
}
jointree
{FROMEXPR
:fromlist (
  {RANGETBLREF
   :rtindex 1
  }
)
:quals
  {OPEXPR
   :opno 93
   :opfuncid 62
   :opresulttype 16
   :opretset false
   :opcoid 0
   :inputcollid 950
   :args (
     {VAR
      :varno 1
      :varattno 1
      :vartype 19
      :vartypmod -1
      :varcollid 950
      :varnullingrels (b)
      :varlevelsup 0
      :varreturningtype 0
      :varnosyn 1
      :varattnosyn 1
      :location 52
     }
     {CONST
      :consttype 19
      :consttypmod -1
      :constcollid 950
      :constlen 64
      :constbyval false
      :constisnull false
      :location 65
      :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ]
     }
   )
   :location 63
  }
}
mergeActionList <>
mergeTargetRelation 0
mergeJoinCondition <>
targetList (
  {TARGETENTRY
   :expr
   {VAR
    :varno 1
    :varattno 3
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location 7
   }
   :resno 1
   :resname policyname
   :ressortgroupref 0
   :resorigtbl 12018
   :resorigcol 3
   :resjunk false
  }
  {TARGETENTRY
   :expr
   {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location 19
   }
   :resno 2
   :resname tablename
   :ressortgroupref 0
   :resorigtbl 12018
   :resorigcol 2
   :resjunk false
  }
)
override 0
onConflict <>
returningOldAlias <>
returningNewAlias <>
returningList <>
groupByClause <>
groupDistinct false
groupingSets <>
havingQual <>
windowClause <>
distinctClause <>
sortClause <>
limitOffset <>
limitCount <>
limitOption 0
rowMarks <>
setOperations <>
constraintDeps <>
withCheckOptions <>

```

```

:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====:

```

DETAIL: (
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname pg_policies
:colnames ("schemaname" "tablename" "polycname" "permissive" "roles"
"cmd" "qual" "with_check")
}
:rtekind 1
:subquery
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
{RANGETBENTRY
:alias
{ALIAS
:aliasname pol
:colnames <>
}
:eref
{ALIAS
:aliasname pol
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck")
}
:rtekind 0
:relid 3256
:inh true
:relkind r
:rellockmode 1
:perminfoindex 1
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname c
:colnames <>
}
:eref
{ALIAS
:aliasname c
:colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
"relowner" "relam" "relfilenode" "reltablespace" "relpages" "r
eltuples" "relallvisible" "relallfrozen" "reltoastrelid" "relha
sindex" "relisshared" "relpersistence" "relkind" "relnatts" "re
lchecks" "relhasrules" "relhastriggers" "relhassubclass" "relro
wsecurity" "relforcerowsecurity" "relispopulated" "relreplident
" "relispartition" "relrewrite" "relfrozenxid" "relminmxid" "re
lacl" "reloptions" "relpartbound")
}
:rtekind 0
:relid 1259
:inh true
:relkind r
:rellockmode 1
:perminfoindex 2
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze

```

```

n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
}
:rtekind 2
:jointype 0
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR

```

```

:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```



```

:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBLENTY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}

```

```

    }
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesampl <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "reloftype" "relowner" "relam" "relfilenode" "rel
tablesapce" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers
" "relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1

```

```

:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8

```

```

:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR

```

```

:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}

```

```

}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2

```

```

:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3
:location -1
}
{VAR
:varno 4
:varattno 4
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 4
:location -1
}
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
}

```



```

:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 3
}
:rarg
{RANGETBLREF
:rtindex 4
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
)
:location -1
}
:alias <>
:rtindex 5
}
)
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
}
:resno 1
:resname schemaname
:ressortgroupref 0
:resorigtbl 2615
:resorigcol 2

```

```

:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
}
:resno 2
:resname tablename
:ressortgroupref 0
:resorigtbl 1259
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
}
:resno 3
:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
}
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OEXPR
:opno 1070
:opfuncid 744
:opresulttype 16

```

```

:opretset false
:opcollid 0
:inputcollid 0
:args (
  {VAR
    :varno 1
    :varattno 6
    :vartype 1028
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 6
    :location -1
  }
  {CONST
    :consttype 1028
    :consttypmod -1
    :constcollid 0
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
      0 0 0 1 0 0 0 0 0 0 0 ]
  }
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
  {FUNCEXP
    :funcid 394
    :funcresulttype 1009
    :funcresultset false
    :funcvariadic false
    :funcformat 0
    :funccollid 100
    :inputcollid 100
    :args (
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
      }
      {CONST
        :consttype 25
        :consttypmod -1
        :constcollid 100
        :constlen -1
        :constbyval false
        :constisnull false
        :location -1
        :constvalue 4 [ 16 0 0 0 ]
      }
    )
    :location -1
  }
}
:elemexpr
{FUNCEXP
:funcid 407
:funcresulttype 19
:funcresultset false
:funcvariadic false
:funcformat 2
:funccollid 950
:inputcollid 0
:args (
  {CASETESTEXPR
    :typeId 25
    :typeMod -1
    :collation 0
  }
)
:location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
:subLinkType 6
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false

```

```

:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBLENTY
    :alias <>
    :eref
      {ALIAS
        :aliasname pg_authid
        :colnames ("oid" "rolname" "rolsuper" "rolinherit"
          "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
            lication" "rolbypassrsls" "rolconlimit" "rolpasswor
              d" "rolvaliduntil")
        }
      :rtekind 0
      :relid 1260
      :inh true
      :relkind r
      :rellockmode 1
      :perminfoindex 1
      :tablesample <>
      :lateral false
      :inFromCl true
      :securityQuals <>
    }
  )
:rteperminfos (
  {RTEPERMISSIONINFO
    :relid 1260
    :inh true
    :requiredPerms 2
    :checkAsUser 10
    :selectedCols (b 8 9)
    :insertedCols (b)
    :updatedCols (b)
  }
)
:jointree
  {FROMEXPR
    :fromlist (
      {RANGETBLREF
        :rtindex 1
      }
    )
    :quals
      {SCALARARRAYOPEXPR
        :opno 607
        :opfuncid 184
        :hashfuncid 0
        :negfuncid 0
        :useOr true
        :inputcollid 0
        :args (
          {VAR
            :varno 1
            :varattno 1
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 1
            :location -1
          }
          {VAR
            :varno 1
            :varattno 6
            :vartype 1028
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 1
            :varreturningtype 0
            :varnosyn 1
            :varattnosyn 6
            :location -1
          }
        )
        :location -1
      }
    }
  }
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
    :expr
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
  {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
  }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
  {CASEEXPR
    :casetype 25
    :casecollid 100
    :arg
      {VAR
        :varno 1
        :varattno 4
        :vartype 18
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 4
        :location -1
      }
    }
  :args (
    {CASEWHEN
      :expr
        {OEXPR
          :opno 92
          :opfuncid 61
          :opresulttype 16
          :opretset false
          :opcollid 0
          :inputcollid 0
          :args (
            {CASETESTEXPR
              :typeid 18
              :typemod -1
              :collation 0
            }
            {CONST
              :consttype 18
              :consttypmod -1
              :constcollid 0
              :constlen 1
              :constbyval true
              :constisnull false
              :location -1
              :constvalue 1 [ 114 0 0 0 0 0 0 0 ]
            }
          )
        }
      :location -1
    }
  )
  :result
    {CONST
      :consttype 25
      :consttypmod -1
      :constcollid 100
      :constlen -1
      :constbyval false
      :constisnull false
      :location -1
      :constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
    }
  :location -1
}
{CASEWHEN
:expr
  {OEXPR
    :opno 92
    :opfuncid 61
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {CASETESTEXPR
        :typeid 18
        :typemod -1
        :collation 0
      }
      {CONST
        :consttype 18

```

```

        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 97 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 119 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0

```

```

        :args (
            {CASETESTEXPR
            :typeId 18
            :typeMod -1
            :collation 0
            }
            {CONST
            :consttype 18
            :consttypmod -1
            :constcollid 0
            :constlen 1
            :constbyval true
            :constisnull false
            :location -1
            :constvalue 1 [ 42 0 0 0 0 0 0 0 ]
            }
        )
        :location -1
    }
    :result
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 7 [ 28 0 0 0 65 76 76 ]
    }
    :location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull true
:location -1
:constvalue <>
}
:location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
}
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXP
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194

```

```

        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 8
        :location -1
    }
    {VAR
    :varno 1
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :resno 8
    :resname with_check
    :ressortgroupref 0
    :resorigtbl 0
    :resorigcol 0
    :resjunk false
    }
    )
    :override 0
    :onConflict <>
    :returningOldAlias <>
    :returningNewAlias <>
    :returningList <>
    :groupClause <>
    :groupDistinct false
    :groupingSets <>
    :havingQual <>
    :windowClause <>
    :distinctClause <>
    :sortClause <>
    :limitOffset <>
    :limitCount <>
    :limitOption 0
    :rowMarks <>
    :setOperations <>
    :constraintDeps <>
    :withCheckOptions <>
    :stmt_location -1
    :stmt_len -1
    }
    :security_barrier false
    :relid 12018
    :inh false
    :relkind v
    :rellockmode 1
    :perminfoindex 1
    :lateral false
    :inFromCl true
    :securityQuals <>
    }
    )
    :rteperminfos (
    {RTEPERMISSIONINFO
    :relid 12018
    :inh true
    :requiredPerms 2
    :checkAsUser 0
    :selectedCols (b 8 9 10)
    :insertedCols (b)
    :updatedCols (b)
    }
    )
    )
    :jointree
    {FROMEXPR
    :fromlist (
    {RANGETBLREF
    :rtindex 1
    }
    )
    )
    :quals
    {OPEXPR
    :opno 93
    :opfuncid 62
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 950
    :args (
    {VAR
    :varno 1
    :varattno 1
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 1
    :location 52
    }
    {CONST
    :consttype 19
    :consttypmod -1
    :constcollid 950
    :constlen 64
    :constbyval false
    :constisnull false
    :location 65
    :constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0

```



```

:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks true
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable (
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname pol
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname pol
      :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
        "polroles" "polqual" "polwithcheck")
    }
    :rtekind 0
    :relid 3256
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 1
    :tablesample <>
    :lateral false
    :inFromC1 true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias
    {ALIAS
      :aliasname c
      :colnames <>
    }
    :eref
    {ALIAS
      :aliasname c
      :colnames ("oid" "relname" "relnamespace" "reltype" "reloftype"
        "relowner" "relam" "relfilenode" "reltablespace" "relpages" "reltuples"
        "relallvisible" "relallfrozen" "reltoastrelid" "relhasindex" "relisshared"
        "relpersistence" "relkind" "relnatts" "relchecks" "relhasrules"
        "relhastriggers" "relhassubclass" "relrowsecurity" "relforcerowsecurity"
        "relispopulated" "relreplident" "relispartition" "relrewrite" "relfrozenxid"
        "relminmxid" "relacl" "reloptions" "relpartbound")
    }
    :rtekind 0
    :relid 1259
    :inh true
    :relkind r
    :rellockmode 1
    :perminfoindex 2
    :tablesample <>
    :lateral false
    :inFromC1 true
    :securityQuals <>
  }
  {RANGETBENTRY
    :alias <>
    :eref
    {ALIAS
      :aliasname unnamed_join
      :colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
        "polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespace"
        "reltype" "reloftype" "relowner" "relam" "relfilenode" "reltablespace"
        "relpages" "reltuples" "relallvisible" "relallfrozen" "reltoastrelid"
        "relhasindex" "relisshared" "relpersistence" "relkind" "relnatts"
        "relchecks" "relhasrules" "relhastriggers" "relhassubclass" "relrowsecurity"
        "relforcerowsecurity" "relispopulated" "relreplident" "relispartition"
        "relrewrite" "relfrozenxid" "relminmxid" "relacl" "reloptions" "relpartbound")
    }
    :rtekind 2
    :jointype 0
    :joinmergedcols 0
    :joinaliases (
      {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
      }
      {VAR
        :varno 1
        :varattno 2
        :vartype 19
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 2
        :location -1
      }
      {VAR
        :varno 1
        :varattno 3
        :vartype 26

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2

```

```

:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}

```

```

{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21

```

```

:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}
{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
}
:joinleftcols (i 1 2 3 4 5 6 7 8)
:joinrightcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias
{ALIAS
:aliasname n
:colnames <>
}
:eref
{ALIAS
:aliasname n
:colnames ("oid" "nspname" "nspowner" "nspacl")
}
:rtekind 0
:relid 2615
:inh true
:relkind r
:rellockmode 1
:perminfoindex 3
:tablesample <>
:lateral false
:inFromCl true
:securityQuals <>
}
{RANGETBENTRY
:alias <>
:eref
{ALIAS
:aliasname unnamed_join
:colnames ("oid" "polname" "polrelid" "polcmd" "polpermissive"
"polroles" "polqual" "polwithcheck" "oid" "relname" "relnamespa
ce" "reltype" "relloftype" "relowner" "relam" "relfilenode" "rel
tablespace" "relpages" "reltuples" "relallvisible" "relallfroze
n" "reltoastrelid" "relhasindex" "relisshared" "relpersistence"
"relkind" "relnatts" "relchecks" "relhasrules" "relhastriggers"
"relhassubclass" "relrowsecurity" "relforcerowsecurity" "reli
spopulated" "relreplident" "relispartition" "relrewrite" "relfr
ozenxid" "relminmxid" "relacl" "reloptions" "relpartbound" "oid
" "nspname" "nspowner" "nspacl")
}
:rtekind 2
:jointype 1
:joinmergedcols 0
:joinaliasvars (
{VAR
:varno 1
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0

```

```

:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950

```



```

:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
{VAR
:varno 2
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
{VAR
:varno 2
:varattno 5
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
{VAR
:varno 2
:varattno 6
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
{VAR
:varno 2
:varattno 7
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
{VAR
:varno 2
:varattno 8
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 8
:location -1
}
{VAR
:varno 2
:varattno 9
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 9
:location -1
}
{VAR
:varno 2
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 10
:location -1
}
{VAR
:varno 2
:varattno 11
:vartype 700

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 11
:location -1
}
{VAR
:varno 2
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 12
:location -1
}
{VAR
:varno 2
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 13
:location -1
}
{VAR
:varno 2
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 14
:location -1
}
{VAR
:varno 2
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 15
:location -1
}
{VAR
:varno 2
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 16
:location -1
}
{VAR
:varno 2
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 17
:location -1
}
{VAR
:varno 2
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 18
:location -1
}
{VAR
:varno 2
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 19
:location -1
}
{VAR
:varno 2

```

```

:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 20
:location -1
}
{VAR
:varno 2
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 21
:location -1
}
{VAR
:varno 2
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 22
:location -1
}
{VAR
:varno 2
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 23
:location -1
}
{VAR
:varno 2
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 24
:location -1
}
{VAR
:varno 2
:varattno 25
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 25
:location -1
}
{VAR
:varno 2
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 26
:location -1
}
{VAR
:varno 2
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 27
:location -1
}
{VAR
:varno 2
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 28
:location -1
}

```

```

{VAR
:varno 2
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 29
:location -1
}
{VAR
:varno 2
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 30
:location -1
}
{VAR
:varno 2
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 31
:location -1
}
{VAR
:varno 2
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 32
:location -1
}
{VAR
:varno 2
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 33
:location -1
}
{VAR
:varno 2
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 34
:location -1
}
{VAR
:varno 4
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 1
:location -1
}
{VAR
:varno 4
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 2
:location -1
}
{VAR
:varno 4
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b 5)
:varlevelsup 0
:varreturningtype 0
:varnosyn 4
:varattnosyn 3

```

```

        :location -1
    }
    {VAR
    :varno 4
    :varattno 4
    :vartype 1034
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 4
    :location -1
    }
)
:joinleftcols (i 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 2
0 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 4
2)
:joinrightcols (i 1 2 3 4)
:join_using_alias <>
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 3256
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 9 10 11 12 13 14 15)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 1259
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
{RTEPERMISSIONINFO
:relid 2615
:inh true
:requiredPerms 2
:checkAsUser 10
:selectedCols (b 8 9)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{JOINEXPR
:jointype 1
:isNatural false
:larg
{JOINEXPR
:jointype 0
:isNatural false
:larg
{RANGETBLREF
:rtindex 1
}
:rarg
{RANGETBLREF
:rtindex 2
}
:usingClause <>
:join_using_alias <>
:quals
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
}
:alias <>
:rtindex 3

```

```

    }
    :rarg
    {RANGETBLREF
    :rtindex 4
    }
    :usingClause <>
    :join_using_alias <>
    :quals
    {OEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
    {VAR
    :varno 4
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 1
    :location -1
    }
    {VAR
    :varno 2
    :varattno 3
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 3
    :location -1
    }
    )
    :location -1
    }
    :alias <>
    :rtindex 5
    }
    )
    :quals <>
    }
    :mergeActionList <>
    :mergeTargetRelation 0
    :mergeJoinCondition <>
    :targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 4
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b 5)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 4
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname schemaname
    :ressortgrouppref 0
    :resorigtbl 2615
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 2
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 2
    :varattnosyn 2
    :location -1
    }
    :resno 2
    :resname tablename
    :ressortgrouppref 0
    :resorigtbl 1259
    :resorigcol 2
    :resjunk false
    }
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 3

```

```

:resname policyname
:ressortgroupref 0
:resorigtbl 3256
:resorigcol 2
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 25
:casecollid 100
:arg <>
:args (
{CASEWHEN
:expr
{VAR
:varno 1
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 5
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 14 [ 56 0 0 0 80 69 82 77 73 83 83 73 86 69 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 15 [ 60 0 0 0 82 69 83 84 82 73 67 84 73 86 69 ]
}
:location -1
}
}
:resno 4
:resname permissive
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR
:casetype 1003
:casecollid 950
:arg <>
:args (
{CASEWHEN
:expr
{OPEXPR
:opno 1070
:opfuncid 744
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{VAR
:varno 1
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 6
:location -1
}
{CONST
:consttype 1028
:consttypmod -1
:constcollid 0
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 28 [ 112 0 0 0 1 0 0 0 0 0 0 0 0 26 0 0 0 1
0 0 0 1 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{ARRAYCOERCEEXPR
:arg
{FUNCEXPR
:funcid 394
:funcresulttype 1009
:funcset false
:funcvariadic false
:funcformat 0

```

```

:funccollid 100
:inputcollid 100
:args (
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 10 [ 40 0 0 0 112 117 98 108 105 99 ]
  }
  {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location -1
    :constvalue 4 [ 16 0 0 0 ]
  }
)
:location -1
}
:elemexpr
{FUNCEXP
  :funcid 407
  :funcresulttype 19
  :funcresultset false
  :funcvariadic false
  :funcformat 2
  :funccollid 950
  :inputcollid 0
  :args (
    {CASETESTEXPR
      :typeid 25
      :typemod -1
      :collation 0
    }
  )
  :location -1
}
:resulttype 1003
:resulttypmod -1
:resultcollid 950
:coerceformat 2
:location -1
}
:location -1
}
)
:defresult
{SUBLINK
  :sublinkType 6
  :subLinkId 0
  :testexpr <>
  :operName <>
  :subselect
    {QUERY
      :commandType 1
      :querySource 0
      :canSetTag true
      :utilityStmt <>
      :resultRelation 0
      :hasAggs false
      :hasWindowFuncs false
      :hasTargetSRFs false
      :hasSubLinks false
      :hasDistinctOn false
      :hasRecursive false
      :hasModifyingCTE false
      :hasForUpdate false
      :hasRowSecurity false
      :hasGroupRTE false
      :isReturn false
      :cteList <>
      :rtable (
        {RANGETBENTRY
          :alias <>
          :eref
            {ALIAS
              :aliasname pg_authid
              :colnames ("oid" "rolname" "rolsuper" "rolinherit"
                "rolcreatorole" "rolcreatedb" "rolcanlogin" "rolrep
                  lication" "rolbypassrls" "rolconlimit" "rolpasswor
                    d" "rolvaliduntil")
            }
          :rtekind 0
          :relid 1260
          :inh true
          :relkind r
          :rellockmode 1
          :perminfoindex 1
          :tablesample <>
          :lateral false
          :inFromCl true
          :securityQuals <>
        }
      )
    }
  :rteperminfos (
    {RTEPERMISSIONINFO
      :relid 1260
      :inh true
      :requiredPerms 2
      :checkAsUser 10
      :selectedCols (b 8 9)
      :insertedCols (b)
      :updatedCols (b)
    }
  )
}
:jointree
{FROMEXPR
  :fromlist (

```



```

        {RANGETBLREF
        :rtindex 1
        }
    )
    :quals
    {SCALARARRAYOPEXPR
    :opno 607
    :opfuncid 184
    :hashfuncid 0
    :negfuncid 0
    :useOr true
    :inputcollid 0
    :args (
        {VAR
        :varno 1
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 1
        :location -1
        }
        {VAR
        :varno 1
        :varattno 6
        :vartype 1028
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 1
        :varreturningtype 0
        :varnosyn 1
        :varattnosyn 6
        :location -1
        }
    )
    :location -1
    }
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
    {TARGETENTRY
    :expr
    {VAR
    :varno 1
    :varattno 2
    :vartype 19
    :vartypmod -1
    :varcollid 950
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 1
    :varattnosyn 2
    :location -1
    }
    :resno 1
    :resname rolname
    :ressortgroupref 1
    :resorigtbl 1260
    :resorigcol 2
    :resjunk false
    }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause (
    {SORTGROUPCLAUSE
    :tleSortGroupRef 1
    :eqop 93
    :sortop 660
    :reverse_sort false
    :nulls_first false
    :hashable true
    }
)
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:location -1
}
:location -1
}
:resno 5
:resname roles
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{CASEEXPR

```

```

:casetype 25
:casecollid 100
:arg
{VAR
:varno 1
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 4
:location -1
}
:args (
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 114 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 83 69 76 69 67 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 97 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 73 78 83 69 82 84 ]
}
:location -1
}
{CASEWHEN
:expr
{OEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST

```

```

        :consttype 18
        :consttypmod -1
        :constcollid 0
        :constlen 1
        :constbyval true
        :constisnull false
        :location -1
        :constvalue 1 [ 119 0 0 0 0 0 0 0 ]
    }
}
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 85 80 68 65 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 100 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 10 [ 40 0 0 0 68 69 76 69 84 69 ]
}
:location -1
}
{CASEWHEN
:expr
{OPEXPR
:opno 92
:opfuncid 61
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 0
:args (
{CASETESTEXPR
:typeid 18
:typeMod -1
:collation 0
}
{CONST
:consttype 18
:consttypmod -1
:constcollid 0
:constlen 1
:constbyval true
:constisnull false
:location -1
:constvalue 1 [ 42 0 0 0 0 0 0 0 ]
}
)
:location -1
}
:result
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location -1
:constvalue 7 [ 28 0 0 0 65 76 76 ]
}
:location -1
}
)
:defresult
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false

```

```

        :constisnull true
        :location -1
        :constvalue <>
    }
    :location -1
}
:resno 6
:resname cmd
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 7
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 7
:resname qual
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{FUNCEXPR
:funcid 1716
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 8
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 8
:location -1
}
{VAR
:varno 1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location -1
}
)
:location -1
}
:resno 8
:resname with_check
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false

```

```

:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location -1
:stmt_len -1
}
:security_barrier false
:relid 12018
:inh false
:relkind v
:rellockmode 1
:perminfoindex 1
:lateral false
:inFromCl true
:securityQuals <>
}
)
:rteperminfos (
{RTEPERMISSIONINFO
:relid 12018
:inh true
:requiredPerms 2
:checkAsUser 0
:selectedCols (b 8 9 10)
:insertedCols (b)
:updatedCols (b)
}
)
:jointree
{FROMEXPR
:fromlist (
{RANGETBLREF
:rtindex 1
}
)
:quals
{OPEXPR
:opno 93
:opfuncid 62
:opresulttype 16
:opretset false
:opcollid 0
:inputcollid 950
:args (
{VAR
:varno 1
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 1
:location 52
}
{CONST
:consttype 19
:consttypmod -1
:constcollid 950
:constlen 64
:constbyval false
:constisnull false
:location 65
:constvalue 64 [ 112 117 98 108 105 99 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 ]
}
)
:location 63
}
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 3
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 3
:location 7
}
:resno 1
:resname policyname
:ressortgroupref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 1
:varattno 2
:vartype 19
:vartypmod -1

```

```

:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 1
:varattnosyn 2
:location 19
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

WARNING: ===== FINAL PLAN =====
DETAIL: {NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.4025
:join.plan.total_cost 11.55988549906787
:join.plan.plan_rows 1
:join.plan.plan_width 128
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 0
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 1
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname policyname
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 3
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname tablename
:ressortgrouppref 0
:resorigtbl 12018
:resorigcol 2
:resjunk false
}
)
:join.plan.qual <>
:join.plan.lefttree
{NESTLOOP
:join.plan.disabled_nodes 0
:join.plan.startup_cost 0.2725
:join.plan.total_cost 11.335952914798208
:join.plan.plan_rows 1
:join.plan.plan_width 132
:join.plan.parallel_aware false
:join.plan.parallel_safe false
:join.plan.async_capable false
:join.plan.plan_node_id 1
:join.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno -2
:varattno 2
:vartype 19

```

```

:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno -1
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:join.plan.qual <>
:join.plan.lefttree
{SEQSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0
:scan.plan.total_cost 3.01
:scan.plan.plan_rows 1
:scan.plan.plan_width 68
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 2
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0

```

```

:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 4
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 4
:location -1
}
:resno 4
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 5
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 5
:location -1
}
:resno 5
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 6
:vartype 1028
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 6
:location -1
}
:resno 6
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 2
:varattno 7
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 2
:varattnosyn 7
:location -1
}
:resno 7
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr

```



```

        {VAR
        :varno 2
        :varattno 8
        :vartype 194
        :vartypmod -1
        :varcollid 950
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 8
        :location -1
        }
:resno 8
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b)
:scan.plan.allParam (b)
:scan.scanrelid 2
}
:join.plan.righttree
{INDEXSCAN
:scan.plan.disabled_nodes 0
:scan.plan.startup_cost 0.2725
:scan.plan.total_cost 8.2900000000000001
:scan.plan.plan_rows 1
:scan.plan.plan_width 72
:scan.plan.parallel_aware false
:scan.plan.parallel_safe false
:scan.plan.async_capable false
:scan.plan.plan_node_id 3
:scan.plan.targetlist (
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 1
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 1
:location -1
}
:resno 1
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 2
:vartype 19
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 2
:location -1
}
:resno 2
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 3
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 3
:location -1
}
:resno 3
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 4
:vartype 26
:vartypmod -1
:varcollid 0

```

```

        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 4
        :location -1
    }
:resno 4
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 5
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 5
        :location -1
    }
:resno 5
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 6
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 6
        :location -1
    }
:resno 6
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 7
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 7
        :location -1
    }
:resno 7
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 8
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 8
        :location -1
    }
:resno 8
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
    {VAR
        :varno 3
        :varattno 9
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 9
    }

```

```

        :location -1
    }
:resno 9
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 10
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 10
:location -1
}
:resno 10
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 11
:vartype 700
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 11
:location -1
}
:resno 11
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 12
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 12
:location -1
}
:resno 12
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 13
:vartype 23
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 13
:location -1
}
:resno 13
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 14
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 14
:location -1
}
:resno 14
:resname <>
:ressortgrouppref 0

```

```

:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 15
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 15
:location -1
}
:resno 15
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 16
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 16
:location -1
}
:resno 16
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 17
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 17
:location -1
}
:resno 17
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 18
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 18
:location -1
}
:resno 18
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 19
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 19
:location -1
}
:resno 19
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
{TARGETENTRY

```

```

:expr
{VAR
:varno 3
:varattno 20
:vartype 21
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 20
:location -1
}
:resno 20
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 21
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 21
:location -1
}
:resno 21
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 22
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 22
:location -1
}
:resno 22
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 23
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 23
:location -1
}
:resno 23
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 24
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 24
:location -1
}
:resno 24
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 25
:vartype 16

```

```

:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 25
:location -1
}
:resno 25
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 26
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 26
:location -1
}
:resno 26
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 27
:vartype 18
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 27
:location -1
}
:resno 27
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 28
:vartype 16
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 28
:location -1
}
:resno 28
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 29
:vartype 26
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 29
:location -1
}
:resno 29
:resname <>
:ressortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 30
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0

```

```

        :varnosyn 3
        :varattnosyn 30
        :location -1
    }
:resno 30
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 31
:vartype 28
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 31
:location -1
}
:resno 31
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 32
:vartype 1034
:vartypmod -1
:varcollid 0
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 32
:location -1
}
:resno 32
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 33
:vartype 1009
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 33
:location -1
}
:resno 33
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
{TARGETENTRY
:expr
{VAR
:varno 3
:varattno 34
:vartype 194
:vartypmod -1
:varcollid 950
:varnullingrels (b)
:varlevelsup 0
:varreturningtype 0
:varnosyn 3
:varattnosyn 34
:location -1
}
:resno 34
:resname <>
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
}
:scan.plan.qual <>
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 0)
:scan.plan.allParam (b 0)
:scan.scanreliid 3
:indexid 2662
:indexqual (
{OPEXPR
:opno 607
:opfuncid 184
:opresulttype 16
:opretset false
:opcollid 0

```

```

:inputcollid 0
:args (
  {VAR
    :varno -3
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 3
    :varattnosyn 1
    :location -1
  }
  {PARAM
    :paramkind 1
    :paramid 0
    :paramtype 26
    :paramtypmod -1
    :paramcollid 0
    :location -1
  }
)
:location -1
}
)
:indexqualorig (
  {OPEXPR
    :opno 607
    :opfuncid 184
    :opresulttype 16
    :opretset false
    :opcollid 0
    :inputcollid 0
    :args (
      {VAR
        :varno 3
        :varattno 1
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 3
        :varattnosyn 1
        :location -1
      }
      {PARAM
        :paramkind 1
        :paramid 0
        :paramtype 26
        :paramtypmod -1
        :paramcollid 0
        :location -1
      }
    )
    :location -1
  }
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
  {NESTLOOPPARAM
    :paramno 0
    :paramval
      {VAR
        :varno -2
        :varattno 3
        :vartype 26
        :vartypmod -1
        :varcollid 0
        :varnullingrels (b)
        :varlevelsup 0
        :varreturningtype 0
        :varnosyn 2
        :varattnosyn 3
        :location -1
      }
    }
)
}
)
}
:join.plan.righttree
  {INDEXSCAN
    :scan.plan.disabled_nodes 0
    :scan.plan.startup_cost 0.13
    :scan.plan.total_cost 0.17696629213483145
    :scan.plan.plan_rows 1
    :scan.plan.plan_width 4
    :scan.plan.parallel_aware false
    :scan.plan.parallel_safe false
    :scan.plan.async_capable false
    :scan.plan.plan_node_id 4
    :scan.plan.targetlist (
      {TARGETENTRY
        :expr
          {VAR
            :varno 5
            :varattno 1
            :vartype 26
            :vartypmod -1
            :varcollid 0
            :varnullingrels (b)
            :varlevelsup 0
            :varreturningtype 0
          }
        }
      }
    )
  }

```


[illegible]

```

)
:scan.plan.lefttree <>
:scan.plan.righttree <>
:scan.plan.initPlan <>
:scan.plan.extParam (b 1)
:scan.plan.allParam (b 1)
:scan.scanrelid 5
:indexid 2685
:indexqual (
  {OEXPR
  :opno 607
  :opfuncid 184
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno -3
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    {PARAM
    :paramkind 1
    :paramid 1
    :paramtype 26
    :paramtypmod -1
    :paramcollid 0
    :location -1
    }
  )
  :location -1
}
)
:indexqualorig (
  {OEXPR
  :opno 607
  :opfuncid 184
  :opresulttype 16
  :opretset false
  :opcollid 0
  :inputcollid 0
  :args (
    {VAR
    :varno 5
    :varattno 1
    :vartype 26
    :vartypmod -1
    :varcollid 0
    :varnullingrels (b)
    :varlevelsup 0
    :varreturningtype 0
    :varnosyn 5
    :varattnosyn 1
    :location -1
    }
    {PARAM
    :paramkind 1
    :paramid 1
    :paramtype 26
    :paramtypmod -1
    :paramcollid 0
    :location -1
    }
  )
  :location -1
}
)
:indexorderby <>
:indexorderbyorig <>
:indexorderbyops <>
:indexorderdir 1
}
:join.plan.initPlan <>
:join.plan.extParam (b)
:join.plan.allParam (b)
:join.jointype 0
:join.inner_unique true
:join.joinqual <>
:nestParams (
  {NESTLOOPPARAM
  :paramno 1
  :paramval
  {VAR
  :varno -2
  :varattno 3
  :vartype 26
  :vartypmod -1
  :varcollid 0
  :varnullingrels (b)
  :varlevelsup 0
  :varreturningtype 0
  :varnosyn 3
  :varattnosyn 3
  :location -1
  }
}
)
}
}

```

WARNING: ===== REWRITE INPUT =====

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0

```

```

:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{
  FROMEXPR
  :fromlist <>
  :quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
  {TARGETENTRY
  :expr
  {FUNCEXP
  :funcid 3539
  :funcresulttype 25
  :funcresultset false
  :funcvariadic false
  :funcformat 0
  :funccollid 950
  :inputcollid 950
  :args (
    {CONST
    :consttype 25
    :consttypmod -1
    :constcollid 100
    :constlen -1
    :constbyval false
    :constisnull false
    :location 7
    :constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
      70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
    }
    {PARAM
    :paramkind 0
    :paramid 3
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 41
    }
    {PARAM
    :paramkind 0
    :paramid 4
    :paramtype 19
    :paramtypmod -1
    :paramcollid 950
    :location 55
    }
  )
  :location 0
  }
  :resno 1
  :resname format
  :resortgroupref 0
  :resorigtbl 0
  :resorigcol 0
  :resjunk false
  }
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== REWRITE OUTPUT =====

```

DETAIL: (
  {QUERY
  :commandType 1
  :querySource 0
  :canSetTag true
  :utilityStmt <>
  :resultRelation 0
  :hasAggs false
  :hasWindowFuncs false
  :hasTargetSRFs false
  :hasSubLinks false
  :hasDistinctOn false
  :hasRecursive false
  :hasModifyingCTE false
  :hasForUpdate false
  :hasRowSecurity false
  :hasGroupRTE false
  :isReturn false
  :cteList <>

```

```

:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcresultset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}
)

```

WARNING: ===== PLANNER INPUT =====:

```

DETAIL: {QUERY
:commandType 1
:querySource 0
:canSetTag true
:utilityStmt <>
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree
{FROMEXPR
:fromlist <>
:quals <>
}
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList (
{TARGETENTRY

```

```

:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcreset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0
:paramid 4
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 55
}
)
:location 0
}
:resno 1
:resname format
:resortgrouppref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== FINAL PLAN =====

```

DETAIL: {RESULT
:plan.disabled_nodes 0
:plan.startup_cost 0
:plan.total_cost 0.0125
:plan.plan_rows 1
:plan.plan_width 32
:plan.parallel_aware false
:plan.parallel_safe false
:plan.async_capable false
:plan.plan_node_id 0
:plan.targetlist (
{TARGETENTRY
:expr
{FUNCEXP
:funcid 3539
:funcresulttype 25
:funcreset false
:funcvariadic false
:funcformat 0
:funccollid 950
:inputcollid 950
:args (
{CONST
:consttype 25
:consttypmod -1
:constcollid 100
:constlen -1
:constbyval false
:constisnull false
:location 7
:constvalue 34 [ -120 0 0 0 68 82 79 80 32 80 79 76 73 67 89 32 73
70 32 69 88 73 83 84 83 32 37 73 32 79 78 32 37 73 ]
}
{PARAM
:paramkind 0
:paramid 3
:paramtype 19
:paramtypmod -1
:paramcollid 950
:location 41
}
{PARAM
:paramkind 0

```

```

        :paramid 4
        :paramtype 19
        :paramtypmod -1
        :paramcollid 950
        :location 55
    }
}
:location 0
}
:resno 1
:resname format
:ressortgroupref 0
:resorigtbl 0
:resorigcol 0
:resjunk false
}
)
:plan.qual <>
:plan.lefttree <>
:plan.righttree <>
:plan.initPlan <>
:plan.extParam (b)
:plan.allParam (b)
:resconstantqual <>
}

```

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{DROPTMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:stmt_location 0
:stmt_len 0
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{DROPTMT
:objects (("supplier" "supplier_rls_policy"))
:removeType 28
:behavior 0
:missing_ok true
:concurrent false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 0
}

```

Time: 28.865 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{VARIABLESETSTMT
:kind 4
:name role
:args <>
:jumble_args false
:is_local false
:location -1
}
:stmt_location 0
:stmt_len 10
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6

```

```

:querySource 0
:canSetTag true
:utilityStmt
  {VARIABLESETSTMT
    :kind 4
    :name role
    :args <>
    :jumble_args false
    :is_local false
    :location -1
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 10
}

```

Time: 0.154 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname lineitem
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
  }
}

```

```

    }
  )
  :objtype 41
  :missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.834 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname orders
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0

```



```

:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.351 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname customer
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false

```

```

:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.274 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>

```

```

:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.233 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALTERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALTERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:stmt_location 0
:stmt_len 43
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALTERTABLESTMT
    :relation
      {RANGEVAR
        :catalogname <>
        :schemaname <>
        :relname part
        :inh true
        :relpersistence p
        :alias <>
        :location 12
      }
    :cmds (
      {ALTERTABLECMD
        :subtype 55
        :name <>
        :num 0
        :newowner <>
        :def <>
        :behavior 0
        :missing_ok false
        :recurse false
      }
    )
    :objtype 41
    :missing_ok false
  }
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>

```

```

:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 43
}

```

Time: 0.291 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 47
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname partsupp
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
}

```

```

:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 47
}

```

Time: 0.249 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>

```

```

:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.248 ms

WARNING: ===== RAW PARSE TREE =====:

```

DETAIL:      {RAWSTMT
:stmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 45
}

```

WARNING: ===== ANALYZED QUERY =====:

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
  {ALERTABLESTMT
:relation
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname region
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
  {ALERTABLECMD
:subtype 55
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>

```

```

:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 45
}

```

Time: 0.270 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL: {RAWSTMT
:stmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:stmt_location 0
:stmt_len 46
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{ALERTABLESTMT
:relation
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 12
}
:cmds (
{ALERTABLECMD
:subtype 54
:name <>
:num 0
:newowner <>
:def <>
:behavior 0
:missing_ok false
:recurse false
}
)
:objtype 41
:missing_ok false
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperminfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 46
}

```

Time: 0.250 ms

WARNING: ===== RAW PARSE TREE =====

```
DETAIL:      {RAWSTMT
:stmt
  {CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
  {ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
  {SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
  {SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
  {RESTARTGET
:name <>
:indirection <>
:val
    {A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
  {RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
  {ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
  {BOOLEXP
:boolop and
:args (
    {A_EXPR
:name ("=")
:lexpr
      {COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
    :rexpr
      {COLUMNREF
:fields ("supplier" "s_nationkey")
:location 128
}
    :rexpr_list_start 0
    :rexpr_list_end 0
    :location 126
  }
  {A_EXPR
:name ("=")
:lexpr
    {COLUMNREF
:fields ("n" "n_name")
:location 161
}
  :rexpr
    {A_CONST
:val "FRANCE"
:location 172
}
  :rexpr_list_start 0
  :rexpr_list_end 0
  :location 170
}
)
:location 157
}
:groupClause <>
:groupDistinct false
:havingClause <>
>windowClause <>
:valuesLists <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:lockingClause <>
:withClause <>
:op 0
:all false
:larg <>
```



```

        :rarg <>
      }
      :location 58
    }
    :with_check <>
  }
  :stmt_location 0
  :stmt_len 188
}

WARNING: ===== ANALYZED QUERY =====
DETAIL: {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{CREATEPOLICYSTMT
:policy_name supplier_rls_policy
:table
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 37
}
:cmd_name all
:permissive true
:roles (
{ROLESPEC
:roletype 4
:rolename <>
:location -1
}
)
:qual
{SUBLINK
:subLinkType 0
:subLinkId 0
:testexpr <>
:operName <>
:subselect
{SELECTSTMT
:distinctClause <>
:intoClause <>
:targetList (
{RESTARTGET
:name <>
:indirection <>
:val
{A_CONST
:val 1
:location 82
}
:location 82
}
)
:fromClause (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname nation
:inh true
:relpersistence p
:alias
{ALIAS
:aliasname n
:colnames <>
}
:location 89
}
)
:whereClause
{BOOLEXP
:boolop and
:args (
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_nationkey")
:location 112
}
:rexpr
{COLUMNREF
:fields ("supplier" "s_nationkey")
:location 128
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 126
}
{A_EXPR
:name ("=")
:lexpr
{COLUMNREF
:fields ("n" "n_name")
:location 161
}
:rexpr
{A_CONST
:val "FRANCE"
:location 172
}
:rexpr_list_start 0
:rexpr_list_end 0
:location 170
}
)
:location 157
}
:groupClause <>
:groupDistinct false

```

```

        :havingClause <>
        :windowClause <>
        :valuesLists <>
        :sortClause <>
        :limitOffset <>
        :limitCount <>
        :limitOption 0
        :lockingClause <>
        :withClause <>
        :op 0
        :all false
        :larg <>
        :rarg <>
    }
    :location 58
}
:with_check <>
}
:resultRelation 0
:hasAggs false
:hasWindowFuncs false
:hasTargetSRFs false
:hasSubLinks false
:hasDistinctOn false
:hasRecursive false
:hasModifyingCTE false
:hasForUpdate false
:hasRowSecurity false
:hasGroupRTE false
:isReturn false
:cteList <>
:rtable <>
:rteperinfos <>
:jointree <>
:mergeActionList <>
:mergeTargetRelation 0
:mergeJoinCondition <>
:targetList <>
:override 0
:onConflict <>
:returningOldAlias <>
:returningNewAlias <>
:returningList <>
:groupClause <>
:groupDistinct false
:groupingSets <>
:havingQual <>
>windowClause <>
:distinctClause <>
:sortClause <>
:limitOffset <>
:limitCount <>
:limitOption 0
:rowMarks <>
:setOperations <>
:constraintDeps <>
:withCheckOptions <>
:stmt_location 0
:stmt_len 188
}

```

Time: 1.192 ms

WARNING: ===== RAW PARSE TREE =====

```

DETAIL:      {RAWSTMT
:stmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>
:relname supplier
:inh true
:relpersistence p
:alias <>
:location 16
}
)
:privileges (
{ACCESSPRIV
:priv_name select
:cols <>
}
)
:grantees (
{ROLESPEC
:roletype 0
:rolename alice
:location 28
}
)
:grant_option false
:grantor <>
:behavior 0
}
:stmt_location 0
:stmt_len 33
}

```

WARNING: ===== ANALYZED QUERY =====

```

DETAIL:      {QUERY
:commandType 6
:querySource 0
:canSetTag true
:utilityStmt
{GRANTSTMT
:is_grant true
:targtype 0
:objtype 41
:objects (
{RANGEVAR
:catalogname <>
:schemaname <>

```